

Index

SYMBOLS

- (-) symbol, 167**
- (+) symbol, 167**
- .aspx file, 485**
- .disco files, 802**
- .Focus() method, 436**
- .Locale directive, 903**
- .MSI installations, 63**
- .NET AppDomain, 720**
- .NET application, 618, 629**
- .NET application, elements of, 60**
 - assemblies, 60
 - classes, 60
 - modules, 60
- .NET channel, 721**
- .NET class libraries, 32**
- .NET Compact Framework application, 973**
- .NET Compact Framework specific namespaces, 971**
- .NET Compact Framework, introduction, 966**
- .NET Compact Framework, limitations of, 967**
- .NET component, 632**
- .NET components in COM world, using, 631**
- .NET Data Provider, components of, 351**
 - Command, 352
 - Connection, 352
 - DataAdapter, 352
 - DataReader, 352
- .NET Data Providers, 352, 355**
 - OLE DB .NET Data Provider, 352
 - SQL Server .NET Data Provider, 352
- .NET Framework, 1**
- .NET Framework class library namespaces, 781**
 - System.Web.Description, 781
 - System.Web.Services, 781
 - System.Web.Services.Discovery, 781
 - System.Web.Services.Protocols, 781
- .NET Framework SDK, 2, 634**
- .NET Framework version 1.0, advantages of, 106**
- .NET Framework, testing, 50**

- .NET Framework classes for Windows Services, 752**
 - System.Configuration.Install
 - .Installer, 752
 - System.ServiceProcess.ServiceBase, 752
- .NET system class library, 136**
 - EventArgs object, 136
 - sender, 136
- .NET/COM+ transactional model, 642**
- .publickeytoken directive, 903**
- .vb extension, 124**
- .vb file, 486**
- .Ver directive, 903**
- @ control directive, 547**
- @ symbol, 370**
- '>' command prompt, 55**
- '>' command prompt, 55**
- +, , 97**
- =, 97**

A

- Abort method, 712**
- abstract base class, creating, 210**
- abstract base classes, 211**
- abstract method, 211**
- AbstractBaseClass, 211**
- abstraction, 221**
- AcceptTcpClient method, 828**
- AcceptUpdateResponse function, 790**
- Access Control Lists (ACLs), 63**
- ACID test, 640**
 - atomicity, 640
 - consistency, 640
 - durability, 640
 - isolation, 640
- Activate method, 659**
- activated objects, 725**
- Activator.GetObject, using, 743**
- active configuration drop-down list, 49**
 - Configuration Manager, 49
 - Debug, 49
 - Release, 49

Active Server Pages (ASP)

Active Server Pages (ASP), 479

ActiveForm property, 437

ActiveX control, 613

ActiveX controls, 627

ActiveX controls, using, 435

ActiveX Data Objects (ADO), 349

Add method, 108, 361

Add References dialog box, 32

Add Server dialog box, 56

Add Server option, 56

AddHandler method, 137

additional logic to custom control, adding, 450

AddOwnedForm() method, 402

AddRef method, 64

AddressOf operator, 156

ADO and ADO.NET, differences between, 352

ADO.NET, 337

architecture, 350

significance of, 350

ADO.NET and SQL Server's built-in features, 339

FOR XML, 339

OPENXML, 339

ADO.NET components, 351

.NET Data Provider, 351

DataSet, 351

ADO.NET DataTable objects, 368

advanced concepts, 145

combining overloading and optional parameters, 147

constructor methods, overloading, 148

method signatures, 146

methods, overloading, 145

Age method, 128

aliasing namespaces, 266

Align property, 437

AllowDrop property, 428

AmbientAllergens property, 134

Anchor property, 411

anchoring, 411

AppDomain, 673

AppDomans, 673

Append method, 108

application and session events, 504

application configuration file, 909

application deployment, 912

application deployment in Visual Studio .NET, 916

application development, 783

application isolation, 906

application software, 677

Microsoft Excel, 677

Microsoft Outlook, 677

Microsoft Word, 677

application versus framework inheritance, 241

application, building, 818

ApplicationAccessControl attribute, 652

ApplicationException class, 274

application-private assemblies, 904

applications, building, 50

Build, 50

Rebuild, 50

arbitrary elements, shadowing, 186

ArgumentException, 278

ArrayList, 105

ArrayList collection class, 105

arrays, 101

Asc method, 92

ASCII, 91

ASMX page, 30

ASP page, 489

ASP.NET, 479

ASP.NET server controls, 497

AdRotator, 497

Button, 497

Calendar, 497

DataGrid, 497

Label, 497

TextBox, 497

ASP.NET Web application, 930

ASPX page, 30

assemblies, 60

assemblies and deployment, 903

assemblies, application of, 897

code reuse, 898

deployment, 897

security, 898

type grouping, 898

version control, 898

assemblies, types of, 900

application-private, 900

shared, 900

assembly (component) level scoping, 112

Friend method, 112

Private method, 112

Protected method, 112

Public method, 112

assembly a strong name, giving, 651

assembly attributes, 40

Assembly class, 77

changes to custom control, making

- assembly file, 865**
- assembly files, 60**
 - .ASPX, 60
 - .config, 60
 - images, 60
- assembly manifest, 60**
 - .DLL, 60
 - .EXE, 60
- assembly metadata, types of, 898**
 - Microsoft Intermediate Language (MSIL), 898
 - resources, 898
 - type metadata, 898
- assembly modifier, 40**
- AssemblyInfo.vb, 39, 40**
- attribute blocks, 40**
- attributes, 40, 75, 115, 452**
- Attributes method, 329**
- audit type entries, 290**
 - Failure audit, 290
 - Success audit, 290
- AuthorBindingContext property, 605**
- AutoLog property, 753**
- AutoLog Property, 771**
- automatic quick fix engineering policy, 908**
- AutoReset events, 708**
- AutoResetEvent object, 709**
- AutoResetEvent objects, 708**
- AutoScroll property, 405**
- AxHost namespace, 631**

B

- background task, canceling, 711**
- background task, designing, 678**
- BackgroundImage property, 404**
- base class, 81, 165**
- base class, creating, 166**
- base class, interacting with, 191**
- base Object class, 81**
- BeginInvoke method, 680**
- BeginTransaction method, 658**
- BeginXYZ methods, 689**
- BeginXYZ methods, using, 687**
- behavior See object, composition of, 114**
- binary formatter in IIS, using, 741**
- BinaryFormatter, 741**
- Bind method, 519**
- Bindable, 568**
- binding managers, 603**
- BlinkStyle property, 416**

boolean operator changes, 995

- And, 995
- EQV, 995
- Imp, 995
- Not, 995
- Or, 995
- Xor, 995
- Boolean property, 753**
- Boolean type, 85**
 - False, 85
 - True, 85
- Bootstrapper, 934**
- boxing, 107**
- BringToFront method, 436**
- btnAdd, button, 463**
- btnAddAll button, 463**
- btnClear button, 463**
- btnRemove button, 463**
- btnSubmit_Click event, 483**
- bubbled events, 503**
- Build Configurations, 933**
- Build menu, 50**
- Build Page, 933**
- BuildParameters method, 383**
- business logic, 645**
- Button class, 46**
- Button_Click event, 441**
- ByRef keyword, 129**
- Byte data types, 386**
- ByVal keyword, 129**

C

- C#, 1**
- Cab Project template, 917**
- cabinet file size, setting, 935**
- CalculateDistance method, 231**
- calculation framework, 623**
- calculation framework, running, 626**
- Calendar control, 488**
- callback method, 687**
- CanDeserialize method, 307**
- Category, 568**
- CausesValidation property, 418**
- CCyclicalRef class, 65**
- Central Processing Unit (CPU), 671**
- Certificate Authority (CA) service, 891**
- certificate management tools, 874**
- changes to custom control, making, 450**
- ChangeType method, 563**

channel

- channel, 721**
- char and byte, 91**
- Checked property, 420**
- CheckedListBox base class, 457**
- CheckedListBox control, 456**
- CheckedListBox that limits the number of selected items, creating, 456**
- child windows, arranging, 439**
- ChildNodes method, 326**
- Chr method, 91**
- ChrW method, 91**
- CInt method, 95**
- class, 112**
- class and interface changes, 995**
- class composition, 526**
- Class keyword, 123**
- class library, 30**
- class module, 38**
- Class View window, 125**
- Class.Initialize event, 141**
- Class.Terminate method, 67, 79**
- classes, 123**
 - basic, 123
 - creating, 123
- classes and interfaces in System.XML.Xsl, other, 337**
- classes versus components, 158**
- classic COM, 613**
- classic COM and interfaces, working with, 613–15**
- classic three-tier desktop, 719**
- client application, 734**
- client application, creating, 746**
- client application, updating, 741, 745**
- client, building, 663**
- client-side versus server-side events, 503**
- CloneMenu() method, 423**
- Close method, 68, 315, 387**
- CloseAndSend, 321**
- Closed event, 820**
- CLR garbage collector, 65**
- Code Access permissions, managing, 856**
- Code Access security, 849**
- code component, 486**
- code editor window, 33**
- code in Web User Control, reusing, 547**
- code, customizing, 43**
- code, reviewing, 45**
- CodeAccessPermissions class, methods of, 852**
 - Assert, 852
 - Copy, 852
 - Demand, 852
 - Deny, 852
 - Equals, 853
 - FromXml, 853
 - GetHashCode, 853
 - GetType, 853
 - Intersect, 853
 - IsSubsetOf, 853
 - PermitOnly, 853
 - RevertAll, 852
 - RevertAssert, 852
 - RevertDeny, 852
 - RevertPermitOnly, 852
 - ToString, 853
 - ToXml, 853
 - Union, 853
- code-editing environment, 124**
- Collect method, 71**
- Collections, 104**
- Collections namespace, 104**
- ColorDialog control, properties of, 426**
 - AllowFullOpen, 427
 - Color, 427
 - ShowDialog(), 427
- COM, 2, 784**
- COM and .NET in practice, 614–15**
- COM Interop, 362**
- COM object, 622**
- COM+, 639**
- ComboBox Windows Forms control, 327**
- command lines tools, 2**
- Command object, 356**
- Command Window, 55**
- Command.ExecuteReader, 357**
- CommandText property, 356**
- Commit method, 658**
- common binary RPC formats, 803**
 - CORBA, 803
 - DCOM, 803
 - RMI, 803
- common dialogs, 425**
- common image formats, 837**
 - GIF, 837
 - JPEG, 837
 - PNG, 837
- common implementation, reusing, 218**
- common language runtime (CLR), 2, 28, 59–60**
 - features, 59
 - functionality, 59

- common language runtime (CLR), features of, 59**
 - implementation inheritance, 59
 - objects, marshaling, 59
 - operator overloading, 59
 - threading, 59
- common namespaces, 261**
- Common Object Request Broker Architecture (CORBA), 783**
- Common Type System (CTS), 72, 81**
- communicating with Service, 764**
- Compare method, 208**
- Compatibility Library, 986**
- Compatibility Library reference listing, 992**
- compile time, 614**
- Component Deployment tool, 63**
- Component Object Model (COM), 613**
- Component Services, 639**
- Component Services Console, 652, 662**
- Component Services, registering with, 652**
- component tray, 399**
- component, implementation of, 616**
- component-based language, 112**
- composite controls, 526**
- composite UserControl, creating, 463**
- Computer Management Console, 662**
- configuration file, specific node of, 909**
 - class API, 909
 - crypto, 909
 - remoting, 909
 - runtime, 909
 - security, 909
 - startup, 909
- configuration files, 909**
- Configuration Manager, 49**
- configurations, building, 47**
- Configure method, 733**
- ConfigureClient method, 822, 826**
- configuring remoting, 736**
- configuring remoting via code, 737**
- Connection object, 356**
- connection oriented features of SSL, 893**
- connection pooling in ADO.NET, 368**
 - OLE DB Session Pooling, 369
 - Windows 2000 Component Services, 369
- connection string format, 356**
 - OleDbConnection, 356
 - SqlConnection, 356
- Console object, 53**
- Console.Out, 305**
- Console.Read statement, 733**
- Console.WriteLine statements, 733**
- Const keyword, 85**
- constructor method, overloading, 148**
- constructor methods, 141**
- constructors, 96, 197, 376**
- constructors with parameters, 199**
- constructors with parameters, more, 201**
- constructors, detailed, 198**
- constructors, overloading and variable initialization, 200**
- Container class object, 160**
- container control, 526**
- ContainsKey method, 132**
- context switching, 676**
- ContextMenu control, 420**
- ContextUtil class, 647, 659**
- ContextUtil.DisableCommit, 659**
- ContextUtil.EnableCommit, 659**
- control among Web forms, transferring, 505**
 - hyperlink, 506
 - redirecting, 506
- control and event handler, adding, 42**
- control and UserControl base classes, 459**
- control arrays, 408**
- control class, events of, 462**
 - Click, 462
 - DoubleClick, 462
 - DragDrop, 462
 - DragEnter, 462
 - DragLeave, 462
 - DragOver, 462
 - GotFocus, 462
 - KeyDown, 462
 - KeyPress, 462
 - KeyUp, 462
 - Leave, 462
 - MouseDown, 462
 - MouseEnter, 462
 - MouseHover, 462
 - MouseMove, 462
 - MouseUp, 462
 - Paint, 462
 - PropertyChanged, 462
 - Resize, 462
 - Validating, Validated, 462
- control class, methods of, 460**
 - BringToFront, 461
 - DoDragDrop, 461
 - Focus, 461
 - Hide, 461

control class, methods of, *(continued)*

control class, methods of, *(continued)*

Refresh, 461

Show, 461

Update, 461

control class, properties of, 460

AllowDrop, 461

Anchor, 461

BackColor, 460

BackgroundImage, 460

CanFocus, 461

Causes Validation, 461

Controls, 461

Dock, 461

Enabled, 461

Font, 460

ForeColor, 460

Handle, 461

Location Size, 461

Visible, 461

control from scratch, building, 469

control tab order, 407

control, use of, 576

controls, 407

controls available in Web forms, 492

ASP.NET server controls, 493

HTML server controls, 493

user controls, 493

validation controls, 493

Controls property, 436

conversation form, creating, 821

conversation windows, creating, 820

conversion methods, 95

CBool(), 95

CByte(), 95

CChar(), 95

CDate(), 95

Cdbl(), 95

CDec(), 95

CInt(), 95

CLng(), 95

CObj(), 95

CShort(), 95

CSng(), 95

CStr(), 95

Convert class, 96

Convert.MethodName method, 95

Copy Local property, 260

CORBA, 785

core Value types, 83

Boolean, 83

Byte, 83

Char, 83

DateTime, 84

Decimal, 84

Double, 84

Guid, 84

Int16, 84

Int32, 84

Int64, 84

SByte, 84

Single, 84

TimeSpan, 84

Count property, 707

counter monitor service, creating, 757

Create method, 815

Create() method, 894

CreateChildControls method, 527

CreateCommand method, 356

Created event, 774

CreateEventSource method, 291

CreateInstance method, 233

CreateObject statement, 117

creating thread, manually, 691

critical section, 703

cross-language data markup, 787

cross-language integration, 2, 72

cryptographic hash algorithms, 876

cryptographically strong name, 651

cryptography basics, 874

CTS methods, 73

Boolean Equals(Object), 73

Int32 GetHashCode(), 73

String ToString(), 73

Type GetType(), 73

CType function, 563

CType function, use of, 121

CType method, 92, 96

CurrentCellChanged event, 598

CurrentLinkProcessed event, 561

custom action events, 949

Commit, 949

Install, 949

Rollback, 949

Uninstall, 949

Custom Actions editor, 932

Custom Actions Editor, 947

adding, 949

custom commands, 768

custom control with GDI+, painting, 470
custom controls and the @ register directive, 575
custom controls in .NET, developing, 445
 composite control, building, 446
 control from scratch, creating, 446
 from an existing control, inheriting, 445
custom event for inherited control, defining, 455
custom installation, 915
custom method, exposing, 556
custom properties, exposing, 549
custom Web control to toolbox, adding, 573
custom Web controls, types of, 525
 composite controls, 525
 subclassed controls, 525
 templated controls, 525
 Web User Controls, 525
custom Web controls, using, 527
Customizing the order of dialog boxes, 946–47
cyclical references, 64

D

Data Access Component (DAC), building, 375
Data access with ADO.NET, 349–50
data binding, 583
data copies, transferring, 693
data entry, validating, 416
data ownership, transferring, 696
data type changes, 994
 Constants, 994
 FixedLengthString, 994
 Format, 994
 ZorderConstants, 994
DataAdapter object, properties of, 357
 DeleteCommand, 357
 InsertCommand, 357
 SelectCommand, 357
 UpdateCommand, 357
DataAdapter objects, 359
DataAdapter, properties of, 359
 DeleteCommand, 359
 InsertCommand, 359
 SelectCommand, 359
 UpdateCommand, 359
database access, 1
databases, creating, 643
Datalist class, 527
DataReader class, methods of, 358
 GetDateTime, 358
 GetDouble, 358
 GetGuid, 358
 GetInt32, 358
DataReader object, 357
DataRelationCollection, 363
DataSet component, 362
DataSet constraint objects, 363
 ForeignKeyConstraint, 363
 UniqueConstraint, 363
DataSet object, 221, 325
DataSet objects, 364
 creating, 364
 using, 364
DataSet objects to bind DataGrids, using, 391
DataSet, making, 795
DataTable events, 587
 ColumnChanged, 587
 ColumnChanging, 587
 RowChanged, 587
 RowChanging, 587
 RowDeleted, 587
 RowDeleting, 587
DataTableCollection, 362
datatype attributes, valid values, 379
 BigInt, 379
 Binary, 379
 Bit, 379
 Char, 379
 DateTime, 379
 Decimal, 379
 Float, 379
 Image, 379
 Int, 379
 Money, 379
 NChar, 379
 NText, 379
 NVarChar, 379
 Real, 379
 SmallDateTime, 379
 SmallInt, 379
 SmallMoney, 379
 Text, 379
 Timestamp, 379
 TinyInt, 379
 UniqueIdentifier, 379
 VarBinary, 379
 VarChar, 379
 Variant, 379
Date keyword, 92
DateDiff, 183
DateTime, 92

DBNull class

DBNull class, 101

DCOM, 784

Deactivate method, 659

deadlocks, 693

debug a service, process to, 776

Debug class interface, 293

debug listeners, 293

Debug mode, 52

Debug object, methods of, 293

Assert, 294

Close, 294

Fail, 294

Flush, 294

Write, 294

WriteIf, 294

WriteLine, 294

WriteLineIF, 294

Debug objects, 53

debugging, 757

debugging and measuring performance, 295

debugging the service, 775

debug-related Windows, 52

Autos, 53

Breakpoints, 53

Call, 53

Locals, 53

Output, 53

Watch, 54

Decimal, 91

decimal types, 89

Currency, 89

Decimal, 89

Double, 89

Single, 89

declaration syntax changes, 993

DeclaringType property, 77

default interop assembly, 620

Default keyword, 134

default property, 134

default TagPrefix for assembly, specifying, 575

default value, 451

default value with attribute, setting, 453

DefaultProperty, 568

DefaultTraceListener, 293

DefaultValue, 569

DefaultValue attribute, 456

dehydrating an See XML serialization, 304

Delegate keyword, 154

delegate method, implementing, 155

delegates, 154

declaring, 154

delegate data type, using, 155

delegates, using, 687

Delete method, 291

DeleteEventSource method, 291

Demo type, 75

DemoDispose class, 68

deploying .NET applications, 1

deployment, 63

deployment options prior to .NET, 914

deployment project, creating, 918

deployment project, modifying, 931

Dequeue method, 700

dereferencing objects, 119

deriving, 166

Description attribute, 456

Deserialize method, 306

design time grid, properties of, 399

DrawGrid, 399

GridSize, 399

SnapToGrid, 399

detected dependency items, 928

DetectNewerInstalledVersion property, 926

DHTML, 524

dialog boxes, 38

dialog boxes, adding, 947

dialog forms, 439

DialogResult property, 440

different ASP.NET code for different standards, delivery of, 570

digital signature, 874

Digital Signature Algorithm (DSA), 884

digital signature basics, 888

DirectCast function, use of, 123

directory level security, 809

DISCO (short for DISCOvery of all things), 805

DisplayResults, 685

DisplayResults method, 688, 694, 698, 701

Dispose method, 67, 143, 836

DisposeCommand helper method, 383

DistanceTo method, 228

Distributed Applet-based Massively Parallel Processing, 786

Distributed COM (DCOM), 614

DLL Hell, 260, 913

DNA architectural model, 2

DNS as model, using, 805

Dock property, 410, 437

elements replaced by methods

- docking, 410**
- DockPadding property, 411**
- Document Object Model (DOM), 324**
- Document Type Definition (DTD), 309**
- DoDragDrop method, 428**
- DOM traversing raw XML elements, 325**
- DOM traversing XML attributes, 328**
- DOM-specific classes, 324**
 - XmlAttribute, 325
 - XmlDocument, 324
 - XmlElement, 325
 - XmlNode, 324
- DoOtherStuff, 211**
- DoSomething, 211**
- DoSomething method, 118**
- DoSort routine, 157**
- Double, 90**
- DownloadComplete event, 842**
- drag and drop, 428**
- DragDrop event, 428**
- DragEnter event, 428**
- DragEventArgs, 428**
- DragOver event, 429**
- duplicating menus, 423**
- dynamic discovery with IIS, 806**
- Dynamic Help, 37**
- Dynamic Help window, categories, 37**
 - Getting Started, 37
 - Samples, 37
 - top category, 37
- dynamic link library (DLL), 60**

E

- early binding, 120, 614**
- Effect property, 428**
- Elapsed event, 771**
- element See XML stream, reading, 315**
- elements of VB6 removed in VB.NET, 108**
 - As Any, 109
 - Atn function, 109
 - Calendar property, 109
 - Circle statement, 109
 - Currency, 109
 - Date function and statement, 109
 - Date \$ function, 109
 - Debug.Assert method, 109
 - Debug.Print method, 109
 - DefType, 109
 - DoEvents function, 109

- Empty, 109
- Eqv operator, 109
- GoSub statement, 109
- Imp operator, 109
- Initialize event, 109
- Instancing property, 109
- IsEmpty function, 109
- IsMissing function, 109
- IsNull function, 109
- IsObject function, 109
- Let statement, 109
- Line statement, 109
- Lset, 109
- Now function, 109
- Null key word, 109
- On ... GoSub, 109
- On ... GoTo, 109
- Option Base, 109
- Option Private Module, 109
- properties (Get, Let and Set), 109
- PSet method, 109
- Rnd function, 109
- Round function, 109
- Rset, 109
- Scale method, 109
- Set statement, 109
- Sgn function, 109
- Sqr function, 109
- String function, 109
- Terminate event, 109
- Time function and statement, 109
- Time \$ function, 109
- Timer function, 109
- Type statement, 109
- Variant data type, 109
- VarType function, 109
- Wend key word, 109

elements replaced by methods, 993

- CopyArray, 993
- FontChangeBold, 993
- FontChangeItalic, 993
- FontChangeName, 993
- FontChangeSize, 993
- FontChangeStrikeOut, 993
- FontChangeUnderline, 993
- FontChangeWeight, 993
- Math, 994
- Oct, 994
- PixelstoTwipsX, 994

elements replaced by methods, (*continued*)

elements replaced by methods, (*continued*)

PixelstoTwipsY, 994

TwipsPerPixelX, 994

TwipsPerPixelY, 994

TwipsToPixelsX, 994

TwipsToPixelsY, 994

e-mail, 321

EmailStream class, 321

Employee class, 189

EnableRaisingEvents property, 772

encapsulation, 224–26

End Namespace command, 266

End SyncLock statement, 704

enhanced event handling capabilities, 96

Enqueue method, 701

enterprise software development, role of namespaces in, 269

EntryWritten event, 291

Enum keyword, 171

Enum.Parse static method, 385

Equals method, 78, 286

Err object, 272

Err.Raise, 277

error handling, 271

error handling in VB6, 271

error logging, 288

ErrorProvider control, 415

event categories, 503

application and session events, 503

bubbled events, 503

client-side versus server-side events, 503

intrinsic events, 503

postback versus nonpostback events, 503

event handler, customizing, 44

Event keyword, 136

event log entries, 289

audit type entries, 289

event type entries, 289

event logs, 289, 771

application, 289

security logs, 289

system, 289

event type entries, 289

Error, 290

Information, 289

Warning, 289

event, creating, 559

EventLog component, 291, 773

EventLog method, 860

events, 135

Click, 135

TextChanged, 135

events and inheritance, 204

events from subclasses, raising, 205

events using Eventlog, writing, 771

Application, 771

Security, 771

System, 771

events with AddHandler, raising, 139

events, inheriting, 204

Exception class, methods of, 274

Equals, 274

GetBaseException, 274

GetHashCode, 274

GetObjectData, 274

GetType, 274

ToString, 274

Exception class, properties of, 273

Exception classes, 274

ApplicationException, 275

ArgumentNullException, 275

DivideByZeroException, 275

MissingFieldException, 275

MissingMemberException, 275

OutOfMemoryException, 275

OverflowException, 275

SystemException, 275

Vb6Exception, 275

exception properties, using, 281

exception types, 274

InteropServices, 275

Protocols, 275

System, 275

System.Data, 275

System.IO, 275

System.Runtime, 275

System.Web.Services, 275

System.XML, 275

exception, properties of

HelpLink, 273

InnerException, 273

Message, 273

Source, 273

StackTrace, 273

TargetSite, 273

exceptions and Err object in VB6, difference between, 274

Exchange Server, 750

exclusive lock, 702

- exclusive locks and SyncLock statement, 702
- ExecSp, 388**
- ExecSp method, 388**
- ExecSpOutputValues function, 390**
- ExecSpReturnDataReader function, 386**
- ExecSpReturnDataSet function, 379**
 - DataSet objects, 380
 - SqlCommand, 380
 - SqlDataAdapter, 380
- ExecSpReturnDataSet method, 381, 386, 393**
- ExecSpReturnDataSset method, 391**
- ExecSpReturnXmlReader function, 388**
- executable (EXE), 60
- Execute methods, 357
- ExecuteCommand method, 768**
- ExecuteNonQuery method, 389**
- ExecuteReader method, 358**
- ExecuteXmlReader method, 340**
- Exists method, 291**
- Exit Try statement, 278**
- explicit conversions, 92
- ExtendedProperties property, 363**
- extender provider controls, 414
- extender provider controls in code, working with, 416
- extender providers, properties of, 416
- Extensible Markup Language (XML), 301**
- Extensible Stylesheet Language (XSL), 301**

F

- fields, 115
- File Allocation Table (FAT), 480**
- file extensions, creating, 944
- file search properties, modifying, 951
- file search, adding, 951
- File System editor, 932**
- File System Editor, 936**
 - items to folder, adding, 937
 - special folders, adding, 937
- File Types editor, 932**
- File Types Editor, 943**
- file watcher, 750**
- file watcher, creating, 770
- Filename property, 426**
- FileSystemObject, 64**
- FileSystemWatcher code to OnStart and OnStop, adding, 773**
- FileSystemWatcher component, 772**
 - Changed event, 772
 - Created event, 772
 - Deleted event, 772
 - Renamed event, 772
- FileSystemWatcher, creating, 771**
- Fill method, 361, 979**
- Filter property, 426, 772**
- FilterIndex property, 426**
- Finalize method, 67, 120**
- finalizers, 96
- FindControl method, 563**
- FindForm method, 436**
- FindPrimes method, 685, 687, 694**
- Flush method, 314**
- FontDialog control, properties of, 427**
 - FixedPitchOnly, 427
 - Font, 427
 - ShowColor, 427
 - ShowDialog, 427
 - ShowEffects, 427
- FOR XML query, 341**
 - FOR XML AUTO, 341
 - FOR XML EXPLICIT, 341
 - FOR XML RAW, 341
- form borders, 400
- Form Designer, 33**
- form properties set in code, 38
- form size, setting limits, 405
- formatter, 721**
 - binary, 721
 - SOAP, 721
- FormBorderStyle property, 400**
 - Fixed3D, 401
 - FixedDialog, 401
 - FixedSingle, 400
 - FixedToolWindow, 401
 - None, 400
 - Sizeable, 401
 - SizeableToolWindow, 401
- forms, 38, 599–602**
- forms as classes, 397**
- forms at design time, 399**
- forms at runtime, 406**
- forms in .NET, 399**
- forms via Sub Main, using, 398**
- fragile base class, 250
- Friend keyword, 113**
- Friend scope, 114, 203**
- FromODate method, 92**

FrontPage

FrontPage, 492
Function keyword, 127
Function routine, 113
functions, 106

G

GAC assembly features, 62
 automatic QFE (hotfix) support, 62
 side-by-side versioning, 62
Garbage Collection, 64
Garbage Collector (GC), 63, 65
garbage collector optimizations, 70
GDI+, 470
GDI+ capabilities in Windows form, using, 471
generalization, 165
Generated Code Region, 38
generated proxies, using, 745
generations, 70
Get...End Get block, 130
GetAuthorById method, 373
GetAverage function, 281
GetBaseException method, 286
GetContainerControl method, 436
GetElementsByTagName method, 326
GetEventLogs method, 291
GetExecutingAssembly method, 77
GetHashCode method, 286
GetMembers method, 77
GetNextControl method, 436
GetResponse method, 815
GetType method, 168, 563
GetTypes method, 77
GetUserName, 72
GetValue method, 219, 834
GetXml method, 325
Global Assembly Cache (GAC), 62, 528, 905
globally unique identifier (Guid), 222–23
GoTo statement, 271
Graphic Device Interface (GDI) function, 470
Graphics class, 471
GreaterThan parameter, 155
Greenwich Mean Time, 92

H

Handles keyword, 135
handling events, 135
handling exceptions, 319
Handshake protocol, 893

handy programming tips, 436
child controls, managing, 436
client coordinates to screen coordinates (and back), converting, 436
container control or parent form, determining, 436
cursor, 436
focus to a control, using, 436
maximizing, minimizing and restoring form, 436
mouse pointer, 436
tab order, traversing, 436
Z-order of controls at runtime, changing, 436

HasChildren property, 436
hash algorithms, 875
Hashcode generation, 286
Hashtable class, 131
HelloWorld Web form, 480
Help Filter, 28
HelpLink property, 287
HelpProvider control, properties of, 414
 HelpKeyword, 415
 HelpNavigator, 415
 HelpString, 415
 ShowHelp, 415

HKEY_CURRENT_USER, 942
host application, 729
host, creating, 739
hosting container's type at runtime, casting, 563
hosting page, creating, 572
HTML, 346
HTML server controls, 496
HtmlTextWriter class, 526
HTTP, 721, 732, 787
HTTP GET protocol, 801
HttpWebResponse class, 814
hyperlink server controls, 541

I

icon for toolbox, attaching, 476
IDE windows, 51
 Autos, 51
 Breakpoints, 52
 Call Stack, 52
 Command, 52
 Locals, 51
 Output, 52
 Watch, 51
identity permissions, 856

- identity section, 900**
- Identity security, 849**
- IDisposable interface, 66, 143**
- IIS as remoting host, using, 738**
- IL disassembler, 78**
- IL Disassembler, 2**
- ildasm.exe, 78**
- ImageButton control, 526**
- ImageUrl property, 533**
- IMegaCalc interface, methods of, 615**
 - Function `GetOutput ()` as `Double`, 615
 - Sub `ADDInput (InputValue as Double)`, 615
 - Sub `DoCalculation ()`, 615
 - Sub `Reset ()`, 615
- immutable class, 100**
- implementation, 202**
- implementation changes, 252**
- implementation See methods, 127**
- implementation See objects, composition of, 114**
- Implements keyword, 212**
- implicit dereferencing, 143**
- importing and aliasing namespaces, 263**
- importing namespaces, 264**
- Imports Microsoft.Win32, 265**
- Imports statement, 265**
- Imports statement, working with, 43**
- Imports System.Diagnostics statement, 291**
- INamingContainer interface, 527**
- inbound connections, receiving, 826**
- IncludeSubdirectories property, 772**
- IndexOf method, 542**
- inheritance, 164, 237**
- inheritance and multiple interfaces, 242**
- inheritance and multiple interfaces, applying, 244**
- inheritance, implementing, 166**
- inheritance, preventing, 211**
- InitialDirectory property, 426**
- Initialize method, 65**
- InitializeComponent procedure, 39, 46**
- InitiateConnection method, 823, 828**
- initiating connections, 823**
- InnerException object, 284**
- InnerException property, 282**
- installation modes, 946**
 - end stage, 946
 - progress stage, 946
 - start stage, 946
- installation oriented classes, 754**
- installing the Service, 759**
- InstallUtil.exe, 756**
- instance, 112**
- instance methods, 149**
- InstMsiA.exe file, 934**
- InstMsiW.exe file, 934**
- InStr() function, 542**
- intCount, 108**
- Integer, 88**
- Integer array, 102**
- integer parameter, 138**
- integer types, 88**
 - `Integer`, 88
 - `Int32`, 88
 - `UInt32`, 88
 - `Long`, 88
 - `Int64`, 88
 - `UInt64`, 88
 - `Short`, 88
 - `Int16`, 88
 - `UInt16`, 88
- Integrated Development Environment (IDE), 28**
- integrating counter into Service, 763**
- IntelliSense, 35**
- interactive applications, 679**
- interface, 113, 727**
- interface changes, 250**
- interface DLL, 744**
- interface DLL, using, 728**
- interface keyword, 214**
- Interface keyword, 211**
- interface, defining, 615**
- interface, using, 215**
- interface-based design, 744**
- interfaces, 212, 614**
 - defining, 214
 - implementing, 216
 - multiple, 212
 - object, 212
 - secondary, 213
- interfaces and inheritance, combining, 219**
- Internet Engineering Task Force (IETF), 893**
- Internet Explorer, 492**
- Internet Explorer (IE), 813**
- Internet Explorer in applications, using, 837**
- Internet Explorer interop design pattern, 838**
- Internet Information Server (IIS), 480, 673**
- Internet Information Services (IIS), 2**
- internet protocols, 781**
- Internet resources, downloading, 813**
- Inter-ORB protocol, 785**

intrinsic events

intrinsic events, 503
invalid data, 657
Invalidate method, 473
Invoke method, 155, 680, 685, 824
IO subsystem, 676
IPrintableObject interface, 214, 217
IPrintableObject, implementing, 245
is comparison operator, 101
IsDBNull, 261
IsDBNull(), 101
IsEmpty function, 101, 108
ISerializable interface, 726
IShared interface, 231
IsMainThread, 825
IsMDIContainer property, 436
IsNull function, 101, 108
IsObject function, 108
IsString method, 855
ItemCheck event, 457
ItemCheck property, 457
ItemOf property, 329
ITheInterface, 117
IUnknown interface, 64
IValues interface, 220
IXsltContextFunction interface, 337
IXsltContextVariable variable, 337

J

Java Applets, 786
Join method, 682
Just-In-Time (JIT) activation, 659
just-in-time (JIT) compiler, 61
JustInTimeActivation attribute, 659

K

key.xml file, 885
Keyboard Layout, 28
KeyState property, 428
keywords and methods, retired, 108

- Currency type, 108
- DefType statement, 108
- Left function, 108
- Lset function, 108
- Mid function, 108
- Right function, 108
- Rset function, 108
- String function, 108

Keywords property, 926

keywords that control the scope of variables, 126

- Friend, 126
- Private, 126
- Protected, 126
- Protected Friend, 126
- Public, 126

L

late binding, 120, 614, 622

- features of, 120
- implementing, 120

launch condition, creating, 952
Launch Conditions editor, 932
Launch Conditions Editor, 950

- file search, 950
- Registry search, 950
- Windows Installer search, 950

LayoutMDI method, 439
LBound function, 103
legacy ActiveX control, 627
legacy component, referencing, 618
legacy component, registering, 617
legacy control, registering, 629
levels of inheritance, 188
library DLL, 728
library DLL, referencing, 728, 730
LimitedCheckedListBox control, 458
ListBox control, 456
ListDictionary class, 106
LngLong.MaxValue, 95
Load event, 153, 736
Load method, 324
LoadFrom method, 77
Loan Slicer application, 506
local registry values, 55
local variables, advantages of, 263
Localization property, 926
location of assembly, defining, 911
Location property, 46
location transparency, 735
locks, 705

- reader, 705
- writer, 705

Log property, 291
LogError private method, 383
Long, 89
lookless controls, 527
LSet statement, 99

M

- machine configuration file, 909
- Macro Explorer, 57
- macros, 56
- Macros in VS.NET, recording and using, 56
- MainMenu control, 418
- Major.Minor.Build.Revision, 62
- manifest, 899
- manipulating menus at runtime, dynamically, 421
- manual installation, 914
- ManualReset events, 711
- ManualResetEvent object, 708
- marshaling COM objects, 663
- master/details data binding, 592
- MaximumSize property, 405
- MaxItemsSelected property, 456
- MaxValue method, 95
- MDAC, 362
- MDI child forms, 437
- MDI example in VB.NET, 438
- MDI parent form, creating, 436
- MDI parent forms between VB6 and VB.NET, differences in, 437
- MDI-based interface, 34
- MDIParent property, 437
- Me keyword, 39, 192
- Me Keyword, 191
- member or instance variables, 115
- member variables, 126
- memory allocation, 71
- memory allocation for objects, 68
- memory management, 2, 63
- memory management and garbage collection, 59
- MemoryStream, 320
- MemoryStream object, using, 320
- menus, 418
 - context, 419
 - main, 418
- Merge Module Project template, 917
- message, 721
- Message class, 829
 - message, 829
 - username, 829
- Message Digest version 5 (MD5), 878
- Message property, 282
- message sink, 721
- MessageBox, 43
- MessageBox.Show, 44
- MessageBoxButtons, 43
- messages, sending, 828
- metadata, 2, 73
- method parameters, 128
- method scope, indicating, 128
- method signatures, 227
- methods, 106, 126, 215, 379
 - imperative methods, 127
 - interrogative methods, 127
- methods that return values, 127
- methods, overloading, 171
- methods, overriding, 173
- Microsoft Clustering Services, 639
- Microsoft Database Engine (MSDE), 643
- Microsoft Message Queue (MSMQ), 660
- Microsoft Message Queuing (MSMQ), 639
- Microsoft Mobile Internet Toolkit (MMIT), 958
- Microsoft Outlook, 693
- Microsoft SQLXML website, 302
- Microsoft Transaction Server (MTS), 639, 750
- Microsoft Word, 676
- Microsoft.VisualBasic.Compatibility.Data.dll, 258–59
- minimum size for controls, setting, 465
- MinimumSize property, 405
- MinValue method, 95
- MMC snap-in, 652
- mobile application development, 957
- mobile device emulators, 971
- mobile Web and .NET Compact Framework applications, differences between, 964
- mobile Web application, creating, 961
- mobile Web applications, 958
- mobile Web template, limitations of, 958
- mobile Web tool suite, interface elements, 959
 - Ad Rotator, 959
 - Calendar, 959
 - Command, 959
 - Image, 959
 - Label, 959
 - Link, 959
 - List, 959
 - ObjectList, 959
 - PhoneCall, 959
 - SelectionList, 960
 - TextBox, 960
 - TextView, 960
- modal form, 439
- modeless forms, 439

modules

modules, 60

- assembly manifest, 60
- associated metadata, 60
- Microsoft Intermediate Language (MSIL), 60

monitor object, 702

MouseDown event, 428

MouseMove event, 820

MousePosition property, 436

MoveNext method, 355

MoveToNextAttribute method, 315

moving through records, 602

mscorlib.dll, 78

MSDE (Microsoft Data Engine), 2

MSMQ, 2

multidimensional arrays, 103

multilevel inheritance, 189

multiple configurations, advantages of, 48

Multiple Document Interface (MDI), 436

multiple events, handling, 136

multiple inheritance, 188

multiple interfaces, 163

multiple services within one executable, 755

multiple, related tables in single DataGrid, 592

multitasking, 673

multithreaded functionality, 672

multithreading, 673

MustInherit Keyword, 210

MustOverride keyword, 236

MustOverride Keyword, 210

mutex object, 702

My Profile page, 28

MyBase keyword, 451

MyBase Keyword, 176, 195

MyBase.Finalize(), 67

MyBase.New(), 198

MyClass Keyword, 196

MyCSharpClass, 87

MyMetaNamespace namespace, 266

N

Name method, 192

Name property, 47

NameChanged event, 205

namespace crowding, 265

namespaces, 31, 255, 256

namespaces and references, 259

namespaces for Windows applications, default, 33

- System, 33

- System.Data, 33

- System.Drawing, 33

- System.Windows.Forms, 33

- System.XML, 33

namespaces, creating, 266

native interface, 112, 163

native interface, using, 213

- DoSomething method, 213

- DoSomethingElse method, 213

native OLE DB, 362

Navigate method, 841

NavigateUrl property, 542

nested controls, allowing/disallowing, 578

Netscape, 492

New Code Window, 33

New Exception statement, 284

new exception, throwing, 278

New keyword, 117, 743

NewRow method, 361

NextValue method, 763

NodeType property, 317

nondeterministic finalization, 66

nonvirtual methods, 182

NonVirtual methods, overriding, 182

NotifyFilter property, 772

NotInheritable keyword, 445

Now() method, 92

NT File System (NTFS), 480

NT Services, 749

N-Tier programming model, 350

numeric-only text box, creating, 447

O

object, 112

Object Browser, 31, 263

Object class, 97

Object data type, 120

object interfaces, 108

object orientation, 111, 221

- abstraction, 111, 221

- encapsulation, 111, 221

- inheritance, 112

- inheritance, 221

- polymorphism, 111, 221

object orientation, concepts of, 112

- assembly (component) level scoping, 112

- multiple interfaces, 112

object pooling, 659

Object Request Brokers (ORBs), 783

object syntax, introduction of, 111–12

polymorphism, techniques for

- object, composition of, 113**
- object-oriented programming, 221, 250**
- objects, 116**
 - declaration, 117
 - instantiation, 117
 - working with, 116
- objects and components, applying, 221**
- objects, properties of, 610**
- ODBC layer, 361**
- OfficeEmployee, 189**
- OLE DB .NET Data Provider, 362**
- On Error GoTo . . . statement, 272**
- On_Click event handler, 43**
- OnChange event, 503**
- OnClosed method, 144**
- OnCustomCommand event, 770**
- OnLoad method, 144**
- OnPaint method, 474**
- OnStart event, 773**
- OnStop event, 773**
- OnWalk method, 138**
- oObject references, 119**
- Opacity property, 403**
- OpenFileDialog property, 425**
- operating system component, 915**
- Option Base statement, 101**
- Option Base This = statement, 102**
- Option Compare, 94**
- Option Explicit, 92, 93**
- Option statement, 376**
- Option Strict, 93**
- Optional keyword, 106, 145**
- Oracle, 349**
- other UI elements, 960**
 - CompareValidator, 960
 - CustomValidator, 960
 - Form, 960
 - MobilePage, 960
 - Panel, 960
 - RangeValidator, 960
 - RegularExpressionValidator, 960
 - RequiredFieldValidator, 960
 - StyleSheet, 960
 - ValidationSummary, 960
- Output window, 50**
- OverflowException, 274**
- overloaded methods, overriding, 180**
- Overloads keyword, 171**
- Overridable Keyword, 174**
- Overrides keyword, 67, 174, 220**

- owned forms, 402**
- OwnedForms collection, 402**
- owner property, 402**

P

- Package and Deployment Wizard, 915**
- Package files, 933**
- PackageCode property, 926**
- PadLeft method, 99**
- PadRight method, 99**
- Page_Load event, 502, 541**
- Pagelets, 525**
- Paint event, 471**
- panel and GroupBox container controls, 430**
- parameter passing, 106**
- parameterized constructors, 141**
- parameterized properties, 131**
- particular version of assembly, loading, 910**
- passing strings to Service, 770**
- Path property, 772**
- performance counter, creating, 762**
- performance counter, monitoring, 762**
- performing Explicit conversions, 94**
- permission sets, creating, 849**
 - Everything, 849
 - Execution, 849
 - FullTrust, 849
 - Internet, 850
 - LocalInternet, 850
 - Nothing, 849
 - SkipVerification, 850
- permissions and assembly management tools, 873**
- Person base class, creating, 244**
- PictureBoxes control, 437**
- PointToClient method, 436**
- PointToScreen method, 436**
- polymorphism, 226–27**
- polymorphism through .NET reflection, 231**
- Polymorphism through .NET reflection and multiple interfaces, 233**
- polymorphism through late binding, 228**
- polymorphism with inheritance, 235**
- polymorphism with multiple interfaces, 230**
- polymorphism, implementation, 227**
 - .NET reflection, 227
 - inheritance, 227
 - late binding, 227
 - multiple interfaces, 227
- polymorphism, techniques for, 237**

populating databases

populating databases, 645

port ranges, 732

0-1023, 732

1024-49151, 733

49152-65535, 733

postback versus nonpostback events, 503

preemptive multitasking, 675

PreRender event, 553

Preserve Keyword, 104

primary interface, 112

primary output project item, properties, 926

primary synchronization objects, 702

AutoResetEvent, 702

Interlocked, 702

ManualResetEvent, 702

Monitor, 702

Mutex, 702

ReaderWriterLock, 702

primary thread, 672

Primitive Type, 84

Boolean, 84

Byte, 84

Char, 84

Date, 84

Decimal, 84

Double, 84

Integer, 84

Long, 84

Short, 84

Single, 84

String, 84

primitive types, 82, 84

primitive types, keywords for, 84

Integer, 84

Long, 84

String, 84

PrincipalPermission class, methods of, 854

Copy, 854

Demand, 854

Equals, 854

FromXml, 854

GetHashCode, 854

GetType, 854

Intersect, 854

IsSubsetOf, 854

IsUnrestricted, 854

ToString, 854

ToXml, 854

Union, 854

Print method, 245

printer dialog controls, 427

PageSetupDialog, 427

PrintDialog, 427

PrintPreviewDialog, 427

PrintPage event, 246

PrintPreview method, 245

private key, 874

Private method, 113

Private scope, 203

procedures, 106

process See threading, 673

processes, 673

processing flow of ASP.NET Web forms, 489

ProductCode property, 926

Professional VB.NET, 2

programmatic identifier (ProgID) values, 255

Project properties, 933

project templates, 916

project, setting up, 729, 734

properties, 115, 129

Properties dialog box, attributes, 40

AssemblyCompany, 41

AssemblyCopyright, 41

AssemblyDescription, 41

AssemblyProduct, 41

AssemblyTitle, 41

AssemblyTrademark, 41

AssemblyVersion, 41

CLSCompliant, 41

Guid, 41

properties of dialog boxes, 947

properties of sub-controls, exposing, 465

Properties Window, 36

property for custom control, creating, 451

Property keyword, 212

Property method, 132

Property Pages, 48

Property routine, 113

protected methods, 96

Protected scope, 201, 203

Protected variables, 203

ProVB.NET, 40

proxy, 721, 727

proxy DLL, 746

proxy DLL, generating, 728

public key, 874

Public Key Cryptographic System (PKCS), 874, 883

Public key cryptography, 874

Public method, 111, 112, 728

ResetMyProperty method

Public scope, 114, 203
pure virtual function, 211

Q

quantity attribute, 329
quantum, 675
queued components, 660
queued components, example of, 660
QueueUserWorkItem method, 690
queuing invocations, 665
queuing work, manually, 689

R

RadioCheck property, 420
RaiseEvent keyword, 137
RaiseEvent method, 205
raising events, 136
Read method, 315, 316, 358, 687
ReadElementString method, 319
ReaderWriterLock object, 706
ReadInnerXml, 319
ReadLine method, 319
ReadOnly keyword, 133
read-only properties, 133
ReadOuterXml, 319
ReadToEnd method, 816
real proxy, 721
receiving events with WithEvents, 137
Record Temporary Macro, 57
Recordset object, 111, 350
ReDim statement, 103
reference types, 81, 83, 696
reference types (classes), 96
referenced assemblies, 902
referenced memory, 100
Referencing the Compatibility Library, 986
Reflection API, 76
RefreshData method, 585
RegAsm tool, 634
Region property, 404
RegisterWellKnownClientType method, 738
Registry editor, 932
Registry Editor, 941
 registry file, importing, 941
 registry keys, creating, 941
 values for registry keys, creating, 941
Registry files, importing, 943
RegSvcs, 652

RegSvcs tool, options for, 649

/appname
 (name), 650
/c, 650
/componly, 650
/exapp, 650
/extlb, 650
/fc, 650
/help or /?, 650
/nologo, 650
/noreconfig, 650
/parname
 (name), 650
/quiet, 650
/reconfig, 650
/tlb
 (typelibrary, 650
/u, 650

RegularExpressions, 256

Release method, 64

remote method invocation (RMI), 783

remote method invocation in Java, 785

remote object, 720

remote procedure calls (RPC), 784

remoting, 719

remoting host, 720

remoting objects

 client-activated object, 723
 serializable object, 723
 wellknown object, 723

remoting overview, 720

Remoting subsystem, 720

remoting via code, configuring, 733

remoting, configuring, 731

remoting, implementing, 727

 client, 727
 host, 727
 server library, 727

RemoveHandler method, 139

RemovePreviousVersion property, 926

Render method, 569

RenderChildren method, 579

rendering content, special cases, 579

rendering methods subset, 571

RenderPage method, 245

Repeater class, 527

Request property, 802

Reset method, 469, 711

reset method for control property, providing, 454

ResetMyProperty method, 454

Resize event

Resize event, 405
resize logic, 465
resizing and positioning controls, automatic, 410
Resolve method, 824
ResourceWriter type, 75
Response.Redirect method, 506
RestoreDirectory property, 426
results.Clear(), 700
retired controls, 435
 DirListBox, FileListBox, DriveListBox, 435
 Image, 435
 Line and Shape, 435
 Spinner, 435
Return keyword, 127
Role Based security, 849
role-based permissions, 853
Rollback method, 658
RSet statement, 99
Run method, 753
runtime settings, 910

S

sample application, enhancing, 41
Save method, 324
SaveFileDialog property, 425
saving changes, 586
scope options, 202
 Friend, 202
 Private, 202
 Protected, 202
 Protected Friend, 202
 Public, 202
Scripting.FileSystem object, 64
scrollable forms, 405
ScrollableControl class, 461
search path, providing, 911
SearchPath property, 926
secret key encryption, 879
Secure Sockets Layer (SSL), 809, 893
Secured Hash Algorithm (SHA), 874
Secured Hashing Algorithm (SHA), 877
security concepts and definitions, 848
security configuration file, 909
Security Identifier (SID), 853
security level, 872
 RequestMinimum, 872
 RequestOptional, 872
 RequestRefused, 872
security policy, managing, 861

security tools, 873
security, other types, 810
SELECT command, 356
self-describing, 907
sEmail parameter, 802
sendData function, 796
SendMessage method, 831
SendToBack method, 436
Serializable attribute, 75
serializable object, 720
serializable objects, 726
SerializableAttribute attribute, 321
Serialize method, 305, 971
serializing, 453
server applications, 680
Server Explorer, 55–56
Server Object, 55
Server.Transfer method, 506
server-side controls, concept of, 493
Server-Side Include (SSI), 525
server-side library, 729
Service Control Manager, 750
service object, 723
 Activated, 724
 Serializable, 724
 SingleCall, 723
 Singleton, 724
service software, 677
Service software, 677
service, consuming, 796
ServiceBase class, 755
ServiceBase class, events of, 753
 OnContinue, 753
 OnCustomCommand, 753
 OnPause, 753
 OnPowerEvent, 753
 OnShutdown, 753
 OnStart, 753
 OnStop, 753
ServiceController, 768
ServiceController class, 755
ServiceController class, methods of, 765
 ExecuteCommand, 765
 Refresh, 765
 Start, 765
 Stop, 765
ServiceController class, properties of, 765
 CanStop, 766
 ServiceName, 766
 Status, 766

- ServiceController into example, integrating, 766**
- ServiceComponent class, 659**
- ServiceInstaller class, properties of, 754**
 - DisplayName, 754
 - ServiceName, 755
 - StartType, 755
- ServiceInstaller classes, 754**
- ServiceProcessInstaller, properties of, 754**
 - Account, 754
 - HelpText, 754
 - Password, 754
 - Username, 754
- Services Control Manager, 751**
- SET command, 296**
- Set method, 710**
- Set statement, 119**
- Set...End Set block, 131**
- SetAbort, 659**
- SetComplete, 659**
- SetDataBinding method, 393**
- SetParameterValues method, 381**
- SetParameterValues, arguments of, 381**
 - IDictionary interface, 381
 - SqlCommand object, 381
- Setup Project template, 918**
- Setup Wizard, 918**
- Setup.exe file, 934**
- shadowing, 182**
- Shadows keyword, 182**
- shared assembly, 651, 904**
- shared data, 692**
- shared events, 152, 209**
- Shared keyword, 149**
- shared library, 727**
- shared methods, 151, 207**
- shared methods, overloading, 208**
- shared methods, shadowing, 208**
- shared methods, variables and events, 149**
- shared name, 651**
- shared properties, 152**
- Shared Synchronized method, 700**
- shared variables, 149**
- sharing data, avoiding, 693**
- Short, 88**
- Short.MaxValue, 95**
- shortcuts, creating, 940**
- ShouldSerialize method, 469**
- ShouldSerializeMyProperty property, 454**
- ShouldSerializeXXX method, 454**
- Show method, 439**
- ShowDialog() method, 439**
- ShowDialog() property, 426**
- ShowDistance method, 230**
- shutting down the application, 833**
- side-by-side execution, 907**
- simple constructors, 197**
- simple object access protocol (SOAP), 787**
- simple Web User Control, building, 528**
- Single, 90**
- SingleCall objects, 724**
- SingleCall, Singleton and Activated objects, 722–23**
- singleton objects, 725**
- Sleep method, 61**
- Smalltalk, 249**
- Smart Client deployment, 63**
- SMTP server, 828**
- sn tool, 651**
- SOAP, 719**
- SOAP (Simple Object Access Protocol), 782**
- SoapFormatter, 741**
- sockets, 817**
- Solution Explorer, 93**
- Solution Explorer Window, 30**
- solution signing options, solution, 936**
 - Certificate file, 936
 - Private key file, 936
 - Timestamp server URL, 936
- SortedList collection, 108**
- Source Code Style, 336**
- source code style attributes, 308**
- Source property, 285, 290, 291**
- SourceExists method, 290, 291**
- sources of controls, 443**
 - ActiveX controls, existing, 444
 - built-in controls, 444
 - custom controls, 444
- spaghetti code, 249**
- span tag, 483**
- speed and connectivity, 810**
- splitter control, 413**
- SQL database, 55**
- SQL Enterprise Manager, 55**
- SQL Server, 2, 349, 639**
- SQL Server .NET Data Provider, 361**
- SQL Server database, 55**
- SQL Server Enterprise Manager, 370, 589**
- SQL Server Query Analyzer, 339**

SQL statements

SQL statements, 357

DELETE, 357
 INSERT, 357
 SELECT, 357
 UPDATE, 357

SQLCommand class, 340

SqlDataReader.Close method, 359

SqlDataReader.ExecuteReader method, 359

SQLXML, 302

SSL protocol, 893

cryptographic security, 893
 extensibility, 893
 interoperability, 893
 relative efficiency, 893

StackTrace properties, 285

standard COM interfaces, 639

Standard Generalized Markup Language (SGML), 302, 784

standard Windows.Forms controls, 431

Button, 431
 Check Box, 432
 CheckedListBox, 432
 Combo box, 432
 DataGrid, 432
 DateTimePicker, 432
 DomainUpDown, 432
 HScrollBar, 432
 ImageList, 432
 Label, 433
 LinkLabel, 433
 ListBox, 433
 ListView, 433
 NotifyIcon, 433
 NumericUpDown, 434
 PictureBox, 434
 ProgressBar, 434
 RadioButton, 434
 RichTextBox, 434
 StatusBar, 434
 TabControl, 434
 Text box, 434
 Timer, 435
 TrackBar, 435
 TreeView, 435
 VScrollBar, 435

Start method, 332, 682

StartPosition property, 403

CenterParent, 403
 CenterScreen, 403
 Manual, 403

WindowsDefaultBounds, 403

WindowsDefaultLocation, 403

StartTask method, 714

startup location, 403

startup settings, 910

state, 810

state management for XML Web services, 804

Status property, 473

Step-By-Step process to create control, 447

stock price reporter, automated, 750

stored procedure, 370

accessing, 373
 calling, 371
 creating, 370

stored procedure XML structure, 378

stored procedures with ADO.NET, using, 369

StreamWriter component, 661

StreamWriter interface, 293

StreamWriter object, methods, 293

Close, 293
 Flush, 293
 Write, 293
 WriteLine, 293

streamwriters, 293

String class, 98, 100

String class, shared methods, 98

Compare, 99
 CompareOrdinal, 99
 Concat, 99
 Copy, 99
 Empty, 99
 Equality operator (=), 99
 Equals, 99
 Inequality operator (op Inequality), 99

String objects, 97, 99

String() method, 98

StringBuilder class, 83, 101

StringCollection class, 105

StringDictionary class, 105

strMyString variable, 100

strong names, 901

structured exception handling, 273

structured exception handling keywords in VB.NET, 275

Catch, 275–76
 Finally, 276
 Throw, 276
 Try, 275

Sub routines, 113

subclass, creating, 167

System.Web.Services namespace, component classes of

- subclassed control, creating, 564**
- subclassed controls, 526**
- subclassed controls and the Web custom control template, 566**
- subclassed controls, developing, 572**
- subclassing, 166**
- subclassing Person, 244**
- Subject property, 926**
- SubString method, 99**
- switch class interface, properties of, 296**
 - TraceError, 296
 - TraceInfo, 296
 - TraceVerbose, 296
 - TraceWarning, 296
- synchronization, 692**
- synchronization objects, 701**
- synchronization support, built in, 698**
 - ArrayList, 698
 - Hashtable, 698
 - Queue, 698
 - Stack, 698
- synchronization, sharing data, 698**
- SyncLock block, 700**
- SyncLock statement, 699, 703**
- system account, 751**
- System namespace, 78, 256**
- System.Array class, 102**
- System.Array interfaces, 610**
 - System.Collections ICollection, 610
 - System.Collections IEnumerableable, 610
 - System.Collections IList, 610
 - System.ICloneable, 610
- System.Collections namespace, objects of, 104**
 - ArrayList, 104
 - BitArray, 104
 - Hashtable, 104
 - Queue, 104
 - SortedList, 104
 - Stack, 104
- System.Collections.Specialized namespace, 105**
- System.ComponentModel, 567**
- System.Data.OleDb, 362**
- System.Data.SqlClient, 362**
- System.Data.SqlClient namespace, 265**
- System.Diagnostics namespace, 291**
- System.DirectoryServices namespace, 257**
- System.Drawing namespace, 83, 470**
- System.Drawing Namespace, 31**
- System.Drawing.DLL, 31**
- System.Drawing.Graphics class, 470**
- System.Drawing.Graphics class, methods of, 470**
 - DrawArc, 470
 - DrawEllipse, 470
 - DrawIcon, 470
- System.Drawing.Point, 83**
- System.EnterpriseServices namespace, 266, 656, 661**
- System.GC.Collect method, 66**
- System.IO class, 817**
- System.IO namespace, 256**
 - classes, 256
 - interfaces, 256
 - structures, 256
- System.IO.FileStream, 320**
- System.IO.MemoryStream class, 320**
- System.MarshalByRefObject, 720**
- System.Math library, 108**
- System.Net class, 817**
- System.Net.WebProxy class, 814**
- System.Net.HttpWebRequest class, 813**
- System.Net.HttpWebResponse class, 813**
- System.Net.Sockets namespace, 817**
- System.Net.Sockets.NetworkStream, 320**
- System.Net.WebClient class, 814**
- System.Net.WebRequest class, 813**
- System.Object, 248**
- System.Object class, 73**
- System.Security.Permissions namespace, 847**
- System.Security.Permissions namespace, permissions in, 850**
- System.ServiceProcess namespace, 765**
- System.ServiceProcess.ServiceInstaller class, 752**
- System.ServiceProcess.ServiceProcessInstaller class, 752**
- System.Text namespace, 83, 256**
- System.Text.StringBuilder class, 83**
- System.Text.StringBuilder object, 100**
- System.Threading namespace, 687**
- System.Threading.Monitor object, 703**
- System.Timers.Timer, using, 691**
- System.Uri classes, 813**
- System.Web.Mail namespace, 321**
- System.Web.Services namespace, component classes of, 800**
 - WebMethodAttribute, 800
 - WebService, 800
 - WebServiceAttribute, 800
 - WebServicesBindingAttribute, 800

System.Web.Services.Description namespace

System.Web.Services.Description namespace, 801

System.Web.Services.Discovery namespace, 802

System.Web.Services.Protocols namespace, 802

- cookies per RFC 2019, 802
- HTML forms, 802
- HTTP request and response, 802
- MIME, 802
- Server, 803
- SOAP, 803
- URI and URLs, 803
- XML, 803

System.Web.UI, 567

System.Web.UI namespace, 527

System.Web.UI.HtmlControls namespace, 496

System.Web.UI.WebControls namespace, 527

System.Windows.Forms namespace, 46, 260, 396, 995

System.Windows.Forms.dll assembly, 396

System.Xml document support, 309

System.Xml namespaces, 311

- XmlNameTable, 311
- XmlResolver, 311
- XmlUrlResolver, 311

System.Xml.Serialization namespace, 304

System.Xml.XmlException, 320

T

TabIndex property, 47

Tabs versus MDI Interface, 34

Tabular Data Stream (TDS), 361

TargetSite property, 283

Task List, 54–55

Task List window, 50

Task Manager, 693

TaskComplete method, 689, 694

TCP, 720, 721, 732

TCP/IP, 783

template element, 527

template for presentation, 485

template properties, 527

templated controls, 527

templating, 526

termination and cleanup, 142

test bed project, setting up, 565

TestTrue() method, 35, 87

text property of textURL, updating, 841

thread, 671, 677

- affinity, 677

- safety, 677

thread object, methods of, 691

- Abort, 692

- ApartmentState, 692

- Join, 692

- Priority, 692

- Resume, 692

- Sleep, 692

- Suspend, 692

thread pool, using, 687

thread scheduling, 674

threading, 671

threading options, 686

threading, implementation, 680

ThreadPool class, 689

ThreadPool.QueueUserWorkItem, 689

threads, using, 677

Throw Keyword, 277

Throw statement, 277

Titleproperty property, 926

TlbExp tool, 637

TlbImp, using, 620

Today() method, 92

TODO keyword, 54

ToOADate method, 92

ToolBar control, 423

ToolboxBitmap attribute, 476

ToolboxData, 568

ToolTip property, 414

TopMost property, 401

ToString method, 95, 191, 281

trace, 590

Trace class, 293

trace files, writing to, 292

Trace objects, 53

trace switches, 295

- BooleanSwitch, 296

- TraceSwitch, 296

TrafficLight control, 475

transaction, 640

transaction attribute, 655

transactional components, 641

TransactionAttribute attribute, 656

TransactionOption enumeration, 656

- Disabled, 656

- NotSupported, 656

- Required, 656

- RequiresNew, 656
 - Supported, 656
 - transactions, 810**
 - transactions with queued components, 667
 - transactions, automatic, 658
 - transactions, example of, 642
 - transactions, manual, 658
 - transactions, other aspects, 658
 - Transform method, 332
 - TransparencyKey property, 404
 - transparent and translucent forms, making, 403
 - transparent proxy, 721
 - Transport Layer Security (TLS), 893
 - TransSample Class Library project, 645
 - TravelingEmployee classes, 189
 - TraverseDataSet method, 361
 - TraverseDataSet(), 358
 - tree-control interface, 53
 - Try structures, nested, 280
 - Try, Catch and Finally keywords, 276
 - type, 61**
 - fields, 61
 - methods, 61
 - properties, 61
 - type library, 614**
 - Type Library Import, 621**
 - type system, 61**
 - typed DataSet, 341**
 - events, 341
 - methods, 341
 - properties, 341
 - typed DataSet objects, 341**
 - typed DataSets, generating, 342**
 - TypeOf operator, 96**
 - types**
 - reference, 61
 - value, 61
 - types of security, different, 848**
 - Cryptographic, 848
 - NTFS, 848
 - Programmatic, 848
 - Security Policies, 848
 - Security Type, 848
- U**
- UBound function, 102**
 - UDDI (Universal, Description, Discovery, and Integration), 807**
 - green pages, 807
 - white pages, 807
 - yellow pages, 807
 - UDDI project, 807**
 - UDDI, using, 808**
 - UI thread, 690**
 - Unicode, 91**
 - Uniform Resource Identifier (URI), 333, 813**
 - Uniform Resource Locator (URL), 813**
 - uninstalling the Service, 760**
 - Universal Coordinated Time, 92**
 - Universal Data Link (UDL), 369**
 - Universal Modeling Language (UML), 164**
 - unsigned types, 89**
 - Update method, 588**
 - Update statement, profiling, 590**
 - Upgrade property, 926**
 - upgrade tools, 987**
 - Upgrade Wizard, using, 988**
 - useful attributes, other, 454**
 - user account, 751**
 - user controls, 500**
 - User Defined type (UDT), 108**
 - User Defined Type (UDT), 84**
 - integers, 84
 - strings, 84
 - User Interface editor, 932**
 - User Interface Editor, 945**
 - UserControl class, 460**
 - UserControl composite, 463**
 - UtcNow() method, 92**
- V**
- validating event, 417**
 - validation controls, 498**
 - CompareValidator, 499
 - CustomValidator, 499
 - RangeValidator, 499
 - RegularExpressionValidator, 499
 - RequiredFieldValidator, 499
 - value and reference types, difference between, 82**
 - value in performance counter, changing, 763**
 - Value method, 218**
 - Value property, 329**
 - value to Registry key, adding, 941**
 - value types, 81, 83, 696**
 - Value types, 83**
 - ValueType namespace, 78**

VAN

VAN, 811

variable, 177

variable types, 81

reference, 81

value, 81

variables and types, 81–82

variant type, 97

VB.NET, 1

VB.NET and System.Web.Services, 800

VB.NET applications, 2

VB.NET namespaces, 262

System.Collections, 262

System.Data, 262

System.Diagnostics, 262

System.Drawing, 262

System.EnterpriseServices,
262

System.IO, 262

System.Text, 263

System.Threading, 263

System.Web, 263

System.Web.Services, 263

System.Windows.Forms, 263

VB.NET Object, 97

VB6 application, testing, 635

vbModal parameter, 439

VBNetXML02, 314

version number, 900

version policies, 907

versioning and deployment, 2, 59, 61

versioning issues, 906

versioning policy, default, 908

versioning, managing, 62

View Designer, 33

View Menu, 31

virtual class, 211

virtual methods, 177

Visual, 916

Visual Basic .NET, 1

Visual Basic code converter, using, 987

Visual Basic Compatibility Library, 985

Visual Basic, importance of, 1

Visual Basic.NET, 38

code, 38

working with, 38

Visual C#, 28

Visual C++, 28

visual inheritance, 38, 405

Visual Interdev, 55

Visual InterDev, 479

Visual Studio .NET, 2, 27

Visual Studio .NET deployment projects, 916

Visual Studio .NET IDE, 57

**Visual Studio .NET to build Web services, using,
795**

Visual Studio IDE, coordinating with, 452

Visual Studio Installer (VSI), 916

Visual Studio menu, 34

Hide Selection, 34

Stop Outlining, 34

VS.NET, 2

VS.NET, features of, 54

Command window, 54

Macros, 54

Server Explorer, 54

Task List, 54

W

**W3C Extensible Markup Language (XML) 1.0,
311**

wait state See threading, 676

WaitOne method, 708

Walk method, 128

WAN networking, 784

Web application project, 491

Global.asa file, 491

Global.asax file, 491

Web.config file, 491

Web controls, creating, 523

Web development, 2

Web form, anatomy of, 484

Web forms, 479

Web form's lifecycle, 502

cleanup, 502

configuration, 502

event handling, 502

Web forms versus ASP, 504

Web forms, events in, 501

**Web page into Web User Control, converting,
535**

Web reference, adding, 796

Web service, 30

Web service proxies, 804

Web service repository, components of, 805

database, 805

language, 805

standard format, 805

WXShowXMLNode subroutine

- Web services, 781**
- Web Services Description Language (WSDL), 788**
 - binding, 788
 - message, 788
 - port, 788
 - portType, 788
 - service, 788
 - types, 788
- Web Services Enhancements (WSE), 803**
- Web services for mobile applications, 958**
- Web services, architecturing with, 803**
- Web services, building, 790**
- Web services, features of, 781, 782**
 - architecture neutral, 782
 - discovery, 781
 - interoperable, 782
 - Service Repository, 781
 - simple, 782
 - ubiquitous, 782
 - UDDI (Universal Description, Discovery and Integration), 781
- Web Services, foundations of, 784**
- Web services, introduction to, 781**
- Web services, security in, 808**
- Web Setup Project template, 918**
- Web sites, 395**
- Web User Control events, handling, 560**
- Web User Control item to project, adding, 543**
- Web User Control namespaces, 564**
- Web User Control programmatically, adding, 564**
- Web User Control, creating, 528**
- Web User Control, features of, 563**
- Web User Control, reaching into, 549**
- Web User Control, reaching out for, 562**
- Web User Controls (WUC), 525**
- Web User Controls and the @ register directive, 548**
- WebControl class, methods of, 571**
 - AddAttributesToRender, 571
 - RenderBeginTag, 571
 - RenderChildren, 571
 - RenderContents, 571
 - RenderEndTag, 571
- WebControl constructors, 577**
- WebRequest class, 814, 894**
- While statement, 704**
- whitespace, 315**
- Win32 controls, 523**
- Window Layout, 28**
- Windows 2000, 749**
- Windows 2000 Professional, 2**
- Windows 2003 Server, 2**
- Windows API, 72**
- Windows application, 45, 919**
- Windows controls, creating, 443**
 - third-party controls, 444
- Windows Explorer, 40**
- Windows Form Designer Generated Code, 33**
- Windows Forms, 395**
 - application, 395
 - importance of, 395
- Windows Installer, 915**
- Windows Installer package (.msi), 915**
- Windows Meta Files (WMF), 875**
- Windows NT, 749**
- Windows platform, 27**
- Windows Server 2003, 749**
- Windows Service, 750**
 - characteristics of, 750
 - creating, 752
 - interacting with, 751
- Windows Service with VB.NET, general instructions to create, 756**
- Windows Service, other types of, 755**
- Windows Services, 749**
- Windows XP, 2, 749**
- WindowState property, 436**
- WithEvents key word, 46**
- WithEvents Keyword, 136**
- worker method, 689**
- Worker method, 714**
- working with IDE, alternate techniques, 453**
- WriteAttributeString method, 313**
- WriteComment method, 312**
- WriteEntry method, 291**
- WriteLine method, 293**
- WriteOnly keyword, 134**
- write-only properties, 133**
- WriteRaw method, 314**
- WriteStartDocument method, 312**
- WriteStartElement method, 312**
- WriteToLog, 64**
- WriteXmlSchema method, 342**
- WSDL (Web Services Description Language), 781**
- WXClientMultiPrescription, 306**
- WXClientPrescription class, 304**
- WXPotilasResepti class, 311**
- WXShowXMLNode subroutine, 316**

X509 certificate, classes

X

X509 certificate, classes, 891

X509 certificates, 891

XCOPY applications, 63

XCOPY deployment, 904, 914

XML, 1

XML DataSet properties and methods, 338

GetXml, 338

GetXmlSchema, 338

InferXmlSchema, 338

Namespace, 338

Prefix, 338

ReadXml, 338

ReadXmlSchema, 338

WriteXml, 338

WriteXmlSchema, 338

XML Document Object Model (DOM), 967

XML document, components of, 311

attributes, 311

elements, 311

schema, 311

XML documents, generating and navigating, 310

Document Object Model (DOM), 310

Stream-based, 310

XML in VB.NET, using, 301–2

XML namespaces, 309

XML schemas, 309

XML serialization, 303

XML stream, reading, 314

XML stream, writing, 311

XML stream-style parsers, 310

XML using XmlTextReader, traversing, 317

XML, introduction, 302

XmlAttributeCollection data type, 329

XmlDocument class, self-documenting methods of, 324

CreateAttribute, 324

CreateCDATASection, 324

CreateComment, 324

CreateDocumentFragment, 324

CreateDocumentType, 324

CreateElement, 324

CreateEntityReference, 324

CreateNode, 324

CreateProcessingInstruction, 324

CreateSignificantWhitespace, 324

CreateTextNode, 324

CreateWhitespace, 324

CreateXmlDeclaration, 324

XmlException class, properties of, 320

LineNumber, 320

LinePosition, 320

Message, 320

XmlException, properties, 320

LineNumber, 320

LinePosition, 320

Message, 320

XmlNode class, methods and properties, 324

AppendChild, 325

CloneNode, 325

InsertAfter, 325

InsertBefore, 325

PrependChild, 325

RemoveAll, 325

RemoveChild, 325

ReplaceChild, 325

XmlReader class, 310

XML-related namespaces, 301

System.Xml, 301

System.Xml.Schema, 301

System.Xml.Serialization, 301

System.Xml.XPath, 301

System.Xml.Xsl, 301

XML-related technologies, 301

ADO, 301–2

ADO.NET, 302

SQL Server 2000, 302

XmlSerializer, 304

XmlTextReader class, 314

XmlTextReaderClass, methods of, 318

ReadEndElement(), 318

ReadStartElement(String), 318

XmlTextWriter class, 311

XmlTextWriter class, methods of, 314

WriteBinHex, 314

WriteCDATA, 314

WriteString, 314

WriteWhiteSpace, 314

XmlUriResolver class, 333

XmlWriter class, 310

XPath, 309, 337, 967

XQuery, 302

XSD, 342

XSL Transformations (XSLT), 301

XSL/T, 309

XSLT, 967

XsltTransform class, methods and properties

XSLT elements, 330

for-each, 330
stylesheet, 330
template, 330
value-of, 330

XSLT transforming between XML standards, 334**XSLT transforms, 330****XsltArgumentList class, 337****XsltCompileException class, 337****XsltContext class, 337****XsltException class, 337****XsltTransform, 311****XsltTransform class, methods and properties, 333**

Load, 333
Transform, 334
XmlResolver, 333

