

Index

• A •

accessories

- annual maintenance, 298
- bike pump, 11, 39–40, 74, 77
- buying, 76–77
- checking, 17, 298
- clothes, 77, 308, 323–324
- computer, 77, 324
- gloves, 77, 307
- helmet, 77, 307
- lights, 77, 298, 308
- lock, 77
- overview, 17
- shoes, 77, 322

adjustable bottom bracket

- installing, 228–229
- overview, 223–224
- removing, 227–228

advanced repairs, 14–15. *See also*

professional repairs

aero handlebars, 323

after-ride maintenance, 12

air suspension, 202

alignment, 65–66

Allen wrench, 10–11, 38–39, 275

aluminum frame, 195

angle

- brake lever, 323
- handlebar, 302–303, 316–317
- head-tube, 103
- saddle, 147, 150–151
- seat-tube, 192–193

annual maintenance

- accessories, checking, 17, 298
- bottom bracket, overhauling, 17, 297
- brake pads, replacing, 17, 297
- cables, replacing, 16, 295
- chain, deep cleaning, 16, 294
- frame, waxing, 17, 298

- handlebar grips or tape, replacing, 17, 298
 - headset, overhauling, 17, 296
 - housing, replacing, 16, 295
 - hubs, overhauling, 17, 295–296
 - overview, 16–17, 293–294
 - pedals, overhauling, 17, 296
 - rear derailleur, cleaning, 17
 - wheels, truing, 16, 294
- ### arm band, reflective, 308
- ### axle, removing, 109–110
- ### axle nuts, 86

• B •

bar ends, 254, 323

basic repairs, 13–14

basic tools

- Allen wrenches, 38–39, 275
- cleaners, 43
- degreasers, 43
- hammer, 39
- lubricants, 41–43
- multipurpose tool, 275
- patch kit, 40
- pliers, 275
- pressure gauge, 40–41
- pump, 39–40
- rag, 275
- screwdrivers, 38, 275
- small light, 275
- spoke wrench, 275
- tire levers, 41, 275
- tire patch kit, 274
- tire pump, 274
- wrenches, 37–38

battery, 308

bearings, 22–24, 321

bent rim, repairing, 54–55

bibs, 324

bike lights, 77, 298, 308

bike manufacturers, 73

bike parts

- bearings, 22–24, 321
 - bottom bracket, 223–229
 - brakes, 34, 119–142
 - cables, 27–29
 - crankset, 215–223
 - derailleur, 30–31, 231–248
 - drivetrain, 34, 207–230
 - frames, 34, 191–201
 - gears, 29–30
 - handlebars, 252–260
 - headset, 261–270
 - illustration, 21, 22
 - overview, 19–20
 - pedals, 207–214
 - quick-release lever, 32–33
 - steering system, 34, 251–270
 - suspension, 34, 201–206
 - threads, 24–27
 - wheels, 34, 99–118
- bike pump, 11, 39–40, 74, 77
- bike shops
- accessories, 76–77
 - buying bike, 71–75
 - cost of doing business, 71
 - customer service, 71
 - expertise of staff, 71
 - family-friendly, 71
 - overview, 69–70
 - recommendations, 70
 - repairing bike at, 78–79
 - staff, 70
 - turnaround time, 71
 - women-friendly, 71
 - year-round service, 70–71
- bike stand, 10, 49–51, 279
- bikes types, 73–74
- biking accessories
- annual maintenance, 298
 - bike pump, 11, 39–40, 74, 77
 - buying, 76–77
 - checking, 17, 298
 - clothes, 77, 308, 323–324
 - computer, 77, 324
 - gloves, 77, 307
 - helmet, 77, 307

- lights, 77, 298, 308
 - lock, 77
 - overview, 17
 - shoes, 77, 322
- biking shorts, 147
- BMX bike, 74
- bolts, 104
- boot, tire, 93–94
- bottom bracket. *See also* crankset
- adjustable, 223–224, 227–229
 - annual maintenance, 297
 - axle style, 230
 - buying tips, 230
 - cartridge, 224–226
 - installing, 224–229
 - overhauling, 14, 17, 297
 - problems with, 63
 - removing, 224–229
 - size, 230
 - threads, 230
- bottom-bracket tools, 46
- bottom-bracket drop, 103
- bottom-bracket shell, 192
- brake cables
- avoiding bends, 28
 - broken, 63
 - ferrule, 27–28
 - housing, 27–28
 - lubricating, 28, 285, 287
 - overview, 27–28
 - replacing, 16, 138–142, 295
 - spare, 276
- brake levers
- angle, 323
 - checking, 304
 - lubricating, 283
 - position of on handlebars, 303
 - upgrading, 323
- brake pads
- adjusting position of, 130–131
 - annual maintenance, 297
 - changing, 13, 17, 297
 - inspecting, 123–124, 304
 - removing, 125–128
 - resurfacing, 124

brakes

- adjusting, 130–135
- cables, 138–142
- cantilever, 86, 120–121, 128, 137
- centering, 133–135
- center-mount, 120, 122, 129–130, 134–135, 138
- disk, 34, 120–121, 123
- hub, 34, 121
- inspecting, 123–124, 304
- installing, 128–130
- loosening, 85–86
- lubricating, 283
- monthly inspection, 15, 292
- overview, 119
- pre-ride inspection, 11, 277
- quick-release, 137–138
- removing, 125–128
- rim, 34, 120
- side-pull, 86, 103
- squeaking, 136
- tensioning, 132
- types of, 34, 120–122
- V-brakes, 86, 103, 120, 122, 128–129, 137

brightly colored clothing, 308

broken chain, repairing, 57

broken spoke, replacing, 55–56

Brooks leather saddles, 144

Brooks Proofide, 293

brushes, 279

bucket, 279

butting, 200, 254

buying

- accessories, 76–77
- bottom bracket, 230
- cartridge bottom bracket, 230
- cassettes, 176
- crankset, 230
- fasteners, 230
- gears, 30
- lubricants, 164
- new bike, 72–75
- pedals, 208–209
- threaded fasteners, 26–27
- tools, 36–37
- used bike, 75–76

bypassing rear derailleur, 60–61

• C •

cable cutters, 140

cables, brake

- avoiding bends, 28
- broken, 63
- ferrule, 27–28
- housing, 27–28
- lubricating, 28, 285, 287
- overview, 27–28
- replacing, 16, 138–142, 295
- spare, 276

cage, 31

calipers, 117

Campagnolo, Tullio, 32

Campagnolo-type chain

- overview, 156–157
- reassembling, 170–172
- removing, 168

Cannondale Web site, 73

cantilever brakes

- installing, 128
- overview, 86, 120–121
- quick-release mechanism, 137

car wax, 279

carbon-fiber frame, 196

cartridge bottom bracket

- buying tips, 230
- overview, 224
- reinstalling, 226–227
- removing, 224–226

cassettes. *See also* cogs; freewheels

- buying tips, 176
- cleaning, 176–177
- free hub, 175
- gears, 175
- inspecting, 176
- installing, 187
- lubricating, 177
- overview, 175–176
- removing, 175, 179–182
- replacing, 14
- splined, 179–181

cellphone, 11, 308

- center-mount brakes
 - centering, 134–135
 - installing, 129–130
 - overview, 120, 122
 - quick-release mechanism, 138
- chain
 - annual maintenance, 294
 - broken, repairing, 57
 - Campagnolo-type, 156–157, 168, 170–172
 - cleaning, 163–165
 - cutting, 168–169
 - deep cleaning, 16, 294
 - dirt, 158
 - heavy-duty cleaning, 165–167
 - jammed, extracting, 58–59
 - lubricating, 163–165, 285–286
 - measuring, 161–162, 169
 - monthly inspection, 15, 292–293
 - overview, 155–156
 - problems with, 158–163
 - reassembling, 170–172
 - removing, 168–169
 - repairing, 13
 - replacing, 13, 167–172
 - reusable rivets, 156
 - safe riding practices, 12
 - Shimano-type, 156–157, 168, 170–172
 - SRAM PowerLink-type, 156, 168
 - stiff links, 158–160
 - types of, 156–157
 - wear and tear, 160–163
- chain cleaning tool, 165–166
- chain links, 11, 276
- chain stay, 103, 192
- chain tool, 11, 44, 59, 276
- chain whip, 45
- chainring
 - fitting bike, 310
 - monthly inspection, 15, 292–293
 - removing, 221–222
 - teeth, 30
 - wear and tear, 161–163
- chromoly, 254
- citrus degreaser, 10
- cleaners, 43
- cleaning
 - after ride, 278–282
 - cassettes, 176–177
 - chains, 16, 163–167, 294
 - derailleur, 17, 297
 - freewheels, 176–177
 - monthly maintenance, 15, 291
 - rear derailleur, 17, 297
 - sprocket, 280
 - steps, 279–282
 - supplies, 279
 - wheel, 101
- clincher tires, 100
- clipless pedals, 208–209
- clothing, 77, 308, 323–324
- cogs
 - cassettes, 175
 - freewheels, 175
 - lock ring, 175
 - monthly inspection, 15, 292–293
 - number of teeth, 176
 - removing, 183–184
 - wear and tear, 161–163
- coil suspension, 202
- comfort, saddle, 147
- compression, 202
- computer, cycling, 77, 324
- cone wrench, 44
- cottered crankset, 216–217
- cotterless crankset, 216–221
- cradle, 160
- craigslist, 76
- crank, loose, 63
- crank arms
 - length, 310
 - overhauling, 14
- crank extractor, 10, 218–219
- crank puller, 44
- crankset
 - bottom bracket, 223–229
 - buying tips, 230
 - chainrings, 221–223
 - cottered, 216–217
 - cotterless, 216–221
 - crank arms, 230
 - installing, 216–221
 - one-key release, 217
 - one-piece, 215–216
 - overview, 215
 - pre-ride inspection, 277
 - removing, 216–221

cruiser bike, 74
cruising saddle, 145–146
cup-and-cone hub, 108
customer service, bike shop, 71
cutting chain, 168–169
C-wrench, 227
cycling computer, 77, 324
cycling shorts, 323

• D •

damping, 202
deep cleaning chains, 16, 294
degreasers, 43, 279
dents, in rim, 106
derailleur. *See also* front derailleur; rear
derailleur
adjusting, 239–241
cable, 246–248
cleaning, 17, 297
installing, 236–239, 245–246
lubricating, 284–285
overview, 30, 231–232
removing, 59, 233–235
repairing, 13, 59–61
safe riding practices, 12
diameter, wheel, 100
dimensions, frame, 315–316
direct-pull brakes, 120
dishing, 79
disk brakes, 34, 120–121, 123
down tube, 192
driver's license, 308
drivetrain
crankset, 215–223
overview, 34, 207
pedals, 207–214
drop bars, 252–253, 323
drum brakes, 121
dual-pivot brakes, 134
duct tape, 11, 66–67, 276
durability, tire, 320

• E •

eBay, 76
elastomer suspension, 202
emergency, preparing for, 11

emergency gear, 308
emergency repairs
bent rim, 54–55
broken chain, 57
broken spoke, 55–56
derailleur, 59–61
duct tape, 66–67
flat tires, 57
jammed chain, extracting, 58–59
overview, 53
torn tires, 57
walking home, 63
emergency tool kit
Allen wrenches, 275
multipurpose tool, 275
pliers, 275
rag, 275
screwdrivers, 275
small light, 275
spoke wrench, 275
tire levers, 275
tire patch kit, 274
tire pump, 274
energy bars, 11, 308
extended trip tools
chain links, 276
chain tool, 276
duct tape, 276
extra tubes, 276
lubrication, 276
rivets, 276
spare cables, 276
spare spokes, 276
spare tire, 276
extra tube, 276

• F •

family-friendly bike shops, 71
fasteners
buying tips, 26–27
female parts, 25
loose, 25–26
male parts, 25
monthly inspection, 16, 292
overview, 24–25
tightening, 25–26
ferrule, 27

Finish Line Citrus Degreaser, 294

fitting bike

crank-arm length, 310

frame dimensions, 315–316

frame size, 314–315

gearing, 310

handlebar position, 316–317

handlebar style, 317

overview, 309

saddle, 311–314

flared handlebars, 254

flat bars, 253

flat tires

attaching wheel, 96

causes of, 84

consecutive, 97

finding puncture, 90

inspecting tire, 93

installing spare tube, 85

loosening brakes, 85–86

overview, 13, 85

patching tube, 85, 91–93

preventing, 97–98

reinstalling tube and tire, 94–96

removing, 87–90

repairing on road, 57

using tire boot, 93–94

wheel, removing, 86–87

foldable tire, 11

fourth-hand tool, 129

frame. *See also* suspension

aluminum, 195

annual maintenance, 298

bottom-bracket drop, 103

bottom-bracket shell, 192

butting, 200

carbon fiber, 196

chain stays, 103, 192

damaged, 63

dimensions, 315–316

down tube, 192

head tube, 192

head-tube angle, 103

inspecting, 196–199

maintenance of, 199–201

materials, 195–196

mountain bike, 103

overview, 34, 191

painting, 200

preventing rust, 199–200

repairing, 14

road bike, 103

seat stays, 192

seat tube, 192

seat-tube angle, 192–193

size, 314–315

steel, 195

stiffness, 195

strength, 195

titanium, 196

top tube, 192

waxing, 17, 201, 298

weight, 195

Frame Saver, 199

free hub

defined, 175

removing body, 185–186

freewheel tool, 46

freewheels. *See also* cassettes; cogs

cleaning, 176–177

disadvantage of, 174

free-hub body, removing, 185–186

inspecting, 176

installing, 186

lubricating, 177

overview, 174

removing, 178–179

replacing, 14

front derailleur

adjusting, 59

installing, 245–246

lubricating, 284

overview, 31, 241–242

removing, 59, 242–244

front light, 77, 308

front wheel

attaching, 96, 106–107

removing, 87

Fuji Web site, 73



Gary Fisher Web site, 73

gauge, 11

gear shifters
installing, 250
overview, 248–249
removing, 250

gears. *See also* derailleur
buying tips, 30
chainrings, 30
fitting bike, 310
overview, 29
ratio, 30
safe riding practices, 12
sprocket, 30
total number of, 30

gender, saddles appropriate to,
146–147, 313

gloves, 77, 307

glue, 11

grips, replacing, 17, 298

● **H** ●

hammer, 10, 39

handlebar shifters, 247

handlebars. *See also* shifting system
adjusting, 302–303
angle, 302–303, 316–317
annual maintenance, 298
bar ends, 254
brake levers, position of, 303
butting, 254
drop bars, 252–253
flare, 254
flat bars, 253
grips, replacing, 17, 298
material, 254
positioning, 316–317
pre-ride inspection, 11, 277
riser bars, 253
style, 317
sweep, 254
tape, replacing, 17, 298
taper, 254
taping, 255–260
upgrading, 322–323
width, 254

head tube, 192

headset. *See also* shifting system

adjusting, 262–263
annual maintenance, 296
fitting, 14
inspecting, 261–262
installing, 78
overhauling, 17, 263–270, 296
overview, 261
pre-ride inspection, 11
threaded, 261–263, 268–270
threadless, 261–268

headset tool, 47

head-tube angle, 103

heavy-duty cleaning, chain, 165–167

height, saddle, 147, 152–153, 304, 311

helmet, 77, 307

hex key, 10

H-limit screw, 62

home repairs
benefits of, 35
bike stand, 49–51
lighting, 49
overview, 35–36
space needed, 48
specialized tools, 43–47
storage, 49
tools, 36–43
ventilation, 48
workbench, 49

housing, replacing, 16, 295

hub. *See also* wheel
adjusting, 114
annual maintenance, 295–296
cup-and-cone, 108
lubricating, 101
overhauling, 13, 17, 108–111, 295–296
overview, 107
quick release, 100, 107
reassembling, 111–114
sealed-bearing, 108
width, 100

hub brakes, 34, 121

hybrid bike, 74

● **I** ●

icons used in book, 5
identification, personal, 11, 308

inflating tire, 101
 inner tube, 11
 inspection, after-accident
 alignment, checking, 65
 looseness, checking for, 64–65
 inspection, pre-ride
 brakes, 277
 checklist, 11
 crankset, 277
 handlebars, 277
 overview, 276
 pedals, 277
 storing bike, 287–288
 tires, 277
 wheels, 277
 installing
 adjustable bottom bracket, 228–229
 bottom bracket, 224–229
 brakes, 128–130
 cantilever brakes, 128
 cartridge bottom bracket, 226–227
 cassettes, 187
 center-mount brakes, 129–130
 crankset, 216–221
 derailleur, 236–239, 245–246
 freewheels, 186
 front derailleur, 245–246
 gear shifters, 250
 headset, 78
 pedals, 213–214
 rear derailleur, 236–239
 saddles, 147–149
 spare tube, 85
 tube and tire, 94–96
 V-brakes, 128–129
 wheels, 106–107

• J •

jammed chain, extracting, 58–59
 jerseys, 324
 jockey pulley, 31

• K •

Kevlar tires, 97–98
 Kona Web site, 73

• L •

League of American Bicyclists, 301
 leather saddle, 15, 145, 313
 leg band, reflective, 308
 length, chain stay, 103
 Lifu tool, 36
 lights, 77, 298, 308
 linear-pull brakes, 120
 L-limit screw, 62
 lock, 77
 lock ring, 175
 looseness, 63–65, 304–305
 lower jockey wheel, 31
 lubricants
 buying tips, 164
 for extended trip, 276
 oil, 10
 overview, 41–43
 wax-based, 164
 lubricating
 after-ride maintenance, 12
 brake levers, 283
 brakes, 283
 cables, 28, 285, 287
 cassettes, 177
 chains, 163–165, 285–286
 derailleur, 284–285
 freewheels, 177
 monthly maintenance, 15, 291
 preventive maintenance, 282–287
 sprocket, 285–286

• M •

maintenance. See also specific
 maintenance entries
 after riding, 12
 overview, 9–10
 regular, 289–298
 before riding, 11
 tips, 51
 while riding, 12
 maintenance, annual
 accessories, checking, 17, 298
 bottom bracket, overhauling, 17, 297
 brake pads, replacing, 17, 297

cables, replacing, 16, 295
 chain, deep cleaning, 16, 294
 frame, waxing, 17, 298
 handlebar grips or tape, replacing, 17, 298
 headset, overhauling, 17, 296
 housing, replacing, 16, 295
 hubs, overhauling, 17, 295–296
 overview, 16–17, 293–294
 pedals, overhauling, 17, 296
 rear derailleur, cleaning, 17
 wheels, truing, 16, 294
 maintenance, monthly
 brakes, 16, 292
 chainrings, 16, 292–293
 chains, 16, 292–293
 cleaning bike, 15, 291
 cogs, 16, 292–293
 lubrication, 15, 291
 overview, 15–16
 saddles, 16
 structural damage, 15, 290
 suspension, 16, 293
 tightness, checking for, 16, 292
 tires, 15, 290–291
 wheels, 15, 290–291
 maintenance, preventive
 after-ride, 278–288
 cleaning bike, 278–282
 emergency tool kit, 274–276
 lubricating bike, 282–287
 overview, 273
 before riding, 274–277
 while riding, 278
 manufacturers, 73
 material
 frame, 195–196
 handlebar, 254
 saddle, 144–145, 313
 men, saddles for, 146–147
 mini bike pump, 77
 money, 11, 308
 monthly maintenance
 brakes, 16, 292
 chainrings, 16, 292–293
 chains, 16, 292–293
 cleaning bike, 15, 291
 cogs, 16, 292–293
 lubrication, 15, 291

overview, 15–16
 saddles, 16
 structural damage, 15, 290
 suspension, 16, 293
 tightness, checking for, 16, 292
 tires, 15, 290–291
 wheels, 15, 290–291
 mountain bike
 frame, 103
 overview, 74
 parts of, 22
 multipurpose tool, 275

• N •

nipple, 115
 nipple spanner, 47
 nuts, 104

• O •

one-key release crankset, 217
 one-piece crankset, 215–216
 one-piece saddle clamp, 148
 on-the-road repairs
 bent rim, 54–55
 broken chain, 57
 broken spoke, 55–56
 derailleur, 59–61
 duct tape, 66–67
 flat tires, 57
 jammed chain, extracting, 58–59
 overview, 12–13, 53
 torn tires, 57
 walking home, 63

• P •

painting frame, 200
 pant-cuff tie/clip, 324
 Park Tool Web site, 36
 parts
 bearings, 22–24, 321
 bottom bracket, 223–229
 brakes, 34, 119–142
 cables, 27–29
 crankset, 215–223
 derailleur, 30–31, 231–248

parts (*continued*)

- drivetrain, 34, 207–230
- frames, 34, 191–201
- gears, 29–30
- handlebars, 252–260
- headset, 261–270
- mountain bike, 22
- overview, 19–20
- pedals, 207–214
- quick-release lever, 32–33
- road bike, 21
- steering system, 34, 251–270
- suspension, 34, 201–206
- threads, 24–27
- wheels, 34, 99–118
- patch kit, 11, 40, 274, 298
- pedals. *See also* crankset
 - annual maintenance, 296
 - buying tips, 208–209
 - clipless, 208–209
 - installing, 213–214
 - loose, 63
 - overhauling, 14, 17, 211–212, 296
 - overview, 207–208
 - pre-ride inspection, 277
 - removing, 209–211
 - toe clips, 208
 - upgrading, 321
 - worn-out, 209
- Pedro's Web site, 36
- performance. *See* upgrading bike
- Performance tool, 36
- pinched flat, 84
- plastic saddle, 144
- pliers, 10, 11, 39, 275
- pre-ride inspection
 - brakes, 277
 - checklist, 11
 - crankset, 277
 - handlebars, 277
 - overview, 276
 - pedals, 277
 - storing bike, 287–288
 - tires, 277
 - wheels, 277

pre-ride tips

- brakes, checking, 304
- emergency tool kit, 274–276
- gloves, 307
- handlebars, adjusting, 302–303
- helmet, 307
- improving visibility, 308
- looseness, checking for, 304–305
- road safety skills class, 301
- saddle, adjusting, 303–304
- stocking emergency gear, 308
- tire pressure, checking, 304
- tool kit, 307
- wheels, checking, 306–307
- pressure, tire
 - checking, 11, 304
 - low, 84
- pressure gauge, 40–41
- Presta valve, 87–88
- preventive maintenance
 - after-ride, 278–288
 - cleaning bike, 278–282
 - emergency tool kit, 274–276
 - lubrication, 282–287
 - overview, 273
 - pre-ride inspection, 276–277
 - before riding, 274–277
 - while riding, 278
- professional repairs
 - frame, 78
 - installing headset, 78
 - overview, 14–15
 - suspension, 79
 - truing wheel, 79
- pump, 11, 39–40, 77, 274
- puncture. *See also* flat tires
 - finding, 90
 - sealant, 320
- purchasing. *See* buying

• *Q* •

- quick release brakes, 137–138
- quick release hub, 100, 107
- quick release lever, 32–33, 104
- quick-release wheel, 86, 104–106

• R •

- race (bike part), 24
- racing saddle, 145–146
- racing-style handlebars, 323
- rag, 275, 279
- rain jacket, 11, 308
- Raleigh Web site, 73
- rear derailleur
 - adjusting, 61, 239–241
 - bypassing, 60–61
 - cleaning, 17, 297
 - installing, 236–239
 - lubricating, 285
 - overview, 31–32, 232
 - removing, 61, 233–235
 - stiff links, 159
 - upgrading, 320–321
- rear light, 77
- rear wheel
 - attaching, 96, 106–107
 - removing, 87, 106
- rebound, 202
- recumbent bike, 74
- reflective arm/leg band, 308
- reflective vest, 324
- reflector, 308
- repair shop
 - bike stand, 49–50
 - lighting, 49
 - overview, 10
 - space, 48
 - storage, 49
 - ventilation, 48
 - workbench, 49
- repairs. *See also specific repair entries*
 - advanced, 14
 - basic, 13–14
 - overview, 9–10, 12–13
 - tips, 51
- repairs, at home
 - benefits of, 35
 - bike stand, 49–51
 - lighting, 49
 - space, 48
 - storage, 49
 - tools, 36–47
 - ventilation, 48
 - workbench, 49
- repairs, on-the-road
 - bent rim, 54–55
 - broken chain, 57
 - broken spoke, 55–56
 - derailleur, 59–61
 - duct tape, 66–67
 - flat tires, 57
 - jammed chain, extracting, 58–59
 - overview, 12–13, 53
 - torn tires, 57
 - walking home, 63
- repairs, professional
 - frame, 78
 - installing headset, 78
 - overview, 14–15
 - suspension, 79
 - truing wheel, 79
- reusable rivets, 156, 170–172
- riding bike. *See on-the-road repairs; pre-ride inspection; pre-ride tips*
- rim
 - dents, 106
 - repairing, 54–55
- rim brakes, 34, 120
- riser bar, 253
- rivets, 11, 156, 170–172, 276
- road bike
 - frame, 103
 - overview, 73
 - parts of, 21
- road safety skills class, 301
- RoadID Web site, 308
- roadside emergency, preparing for, 11. *See also on-the-road repairs*
- rounding, 79
- rust, 199–200
- rust inhibitors, 200

• S •

- saddle
 - adjusting, 13, 151, 303–304, 311–313
 - angle, 147, 150–151
 - comfort, 147
 - cruising, 145–146

- saddle (*continued*)
 - design, 314
 - functions, 145–146
 - gender factor, 146–147, 313
 - height, 147, 152–153, 304, 311
 - installing, 147–149
 - leather, 144–145
 - material, 144–145, 313
 - monthly maintenance, 15, 293
 - moving around, 147
 - overview, 143–144
 - plastic, 144
 - racing, 145–146
 - removing, 147–149
 - tilting, 311
 - types of, 313–314
 - upgrading, 322
 - vinyl, 144
- saddle clamp, 148
- safe riding practices, 12, 102
- saliva technique, for finding punctures, 90
- Schrader valve, 87–88
- Schwinn Web site, 73
- screwdriver, 10–11, 38, 275
- sealed-bearing hub, 108
- seat. *See* saddle
- seat post, 154
- seat stay, 192
- seat tube, 192
- seat-tube angle, 192–193
- sharp objects, 84
- shifting system
 - derailleur cable, 246–247
 - derailleur overview, 231–232
 - front derailleur, 241–246
 - gear shifters, 248–250
 - overhauling, 14
 - rear derailleur, 232–241
- Shimano STI-style shifter, 247
- Shimano Web site, 156
- Shimano-type chain
 - overview, 156–157
 - reassembling, 170–172
 - removing, 168
- shoe pouch, 308
- shoes, 77, 322
- shopping. *See* buying
- shops, bike
 - accessories, 76–77
 - buying bike, 72–75
 - cost of doing business, 71
 - customer service, 71
 - expertise of staff, 71
 - family-friendly, 71
 - overview, 69–70
 - recommendations, 70
 - repairing bike at, 78–79
 - staff, 70
 - turnaround time, 71
 - women-friendly, 71
 - year-round service, 70–71
- shorts, 147
- side-pull brakes, 86, 103
- sit-bone width, 147
- small light, 275
- snakebite puncture, 84
- socket bolt, 217–218
- spare cable, 276
- spare spoke, 276
- spare tire, 276
- spare tube, 85
- specialized tools
 - bottom bracket, 46
 - chain tool, 44
 - chain whip, 45
 - cone wrench, 44
 - crank puller, 44
 - freewheel, 46
 - headset, 47
 - spoke wrench, 47
- Specialized Web site, 73
- Spin Doctor, 36
- splined cassettes, 179–181
- spoke key, 47
- spoke wrench, 11, 47, 117, 275
- spokes
 - broken, 55–56
 - extended trip tool kit, 11
 - replacing, 55–56, 115
 - spare, 276
 - tensioning, 101
 - truing wheel, 114–118

sponge, 279
sprocket
 cleaning, 280
 lubricating, 285–286
 teeth, 30
squeaking brakes, 136
SRAM PowerLink-type chain, 156, 168
staff, bike shop, 70–71
stands, 10, 49–51, 279
steel frame, 195
steering system
 drop bars, 252–253
 flat bars, 253
 handlebars, 252–260
 headset, 261–270
 overhauling, 14
 overview, 34, 251
 riser bars, 253
stiff links, 158–160
stiffness, frame, 195
storage
 of bike, 287–288
 workshop, 49
stores
 buying a bike, 71–75
 cost of doing business, 71
 customer service, 71
 expertise of staff, 71
 family-friendly, 71
 overview, 69–70
 recommendations, 70
 staff, 70
 turnaround time, 71
 women-friendly, 71
 year-round service, 70–71
strength, frame, 195
structural damage, 15, 93–94, 290
sunglasses, 11, 308
suspension. *See also* frame
 air, 202
 coil, 202
 compression, 202
 damping, 202
 elastomer, 202
 front sag, adjusting, 204–205
 maintaining, 14, 206

 monthly inspection, 15, 293
 overview, 34, 201
 preload, 202
 rear sag, adjusting, 203–204
 rebound, 202
 repairing, 15, 79
 seat post, 154
 tuning, 202–205
sweep, handlebar, 254

• T •

tape, replacing, 17, 298
tapered handlebars, 254
taping handlebars, 255–260
teeth, sprocket, 30
tension pulley, 31
tensioned spokes, 101
tensioning brakes, 132
test ride, 74–75
thorn-resistant tube, 320
threaded fasteners
 buying tips, 26–27
 female parts, 25
 loose, 25–26
 male parts, 25
 overview, 24–25
 tightening, 25–26
threaded headset
 adjusting, 262–263
 overhauling, 268–270
 overview, 261
threading, bottom bracket, 230
threadless headset
 adjusting, 262
 overhauling, 263–268
 overview, 261
tilting saddle, 311
tire boot, 93–94
tire lever, 11, 41, 88–89, 275
tire patch kit, 11, 40, 274, 298
tire pressure
 checking, 11, 304
 low, 84
tire pump, 11, 39–40, 77, 274

- tire tools
 - patch kit, 11, 40, 274, 298
 - pressure gauge, 40–41
 - pump, 39–40
 - tire levers, 41
- tires. *See also* flat tires
 - clincher, 100
 - durability, 320
 - inflating, 101
 - Kevlar-reinforced, 97–98
 - monthly inspection, 290–291
 - overview, 83
 - pre-ride inspection, 277
 - removing, 87–90
 - repairing on road, 57
 - safe riding practices, 12
 - spare, 276
 - structurally damaged, 93–94
 - torn, 57
 - tread pattern, 320
 - tubular, 100
 - upgrading, 319–320
 - width, 320
 - worn-out, 84
- titanium frame, 196
- toe clip, 208
- tool kit, emergency
 - Allen wrenches, 275
 - importance of, 307
 - multipurpose tool, 275
 - pliers, 275
 - rag, 275
 - screwdrivers, 275
 - small light, 275
 - spoke wrench, 275
 - tire levers, 275
 - tire patch kit, 274
 - tire pump, 274
- tool kit, extended trip
 - chain links, 276
 - chain tool, 276
 - duct tape, 276
 - extra tubes, 276
 - lubrication, 276
 - overview, 275–276
 - rivets, 276
 - spare cables, 276
 - spare spokes, 276
 - spare tire, 276
- tools. *See also* tool kit entries; tools, specialized
 - Allen wrenches, 38–39, 275
 - availability of, 10
 - bottom bracket, 46
 - bringing, 307
 - buying, 10, 36–37
 - chain, 44, 276
 - chain links, 276
 - chain whip, 45
 - cleaners, 43
 - cone wrench, 44
 - crank puller, 44
 - degreasers, 43
 - duct tape, 276
 - extended trip, 11
 - extra tubes, 276
 - freewheel, 46
 - hammer, 39
 - headset, 47
 - lubricants, 41–43, 276
 - multipurpose, 275
 - patch kit, 40, 274
 - pliers, 275
 - pre-ride inspection, 11
 - pressure gauge, 40–41
 - pump, 39–40
 - rag, 275
 - rivets, 276
 - screwdrivers, 38, 275
 - small light, 275
 - spare cables, 276
 - spare spokes, 276
 - spare tire, 276
 - spoke wrench, 47, 275
 - tire levers, 41, 275
 - tire pump, 274
 - wrenches, 37–38
- tools, specialized
 - bottom bracket, 46
 - chain, 44
 - chain whip, 45
 - cone wrench, 44

crank puller, 44
freewheel, 46
headset, 47
overview, 43
spoke wrench, 47
top tube, 192
torn tires, repairing, 57
touring bike, 74
tread, 84
Trek Web site, 73
triathlon handlebars, 323
truing, 15–16, 79, 114–118, 294
truing stand, 116
tube
 blowout, 85
 damages to, 84
 extra, 276
 overview, 84
 patching, 85, 91–93
 spare, 85
 thorn-resistant, 320
tubular tire, 100
turnaround time, bike shop, 71
two-piece clamp, 148

• U •

upgrading bike
 bearings, 321
 brake levers, 323
 handlebars, 322–323
 overview, 319
 pedals, 321
 rear derailleur, 320–321
 saddles, 322
 wheels, 319–320
upper jockey wheel, 31
used bike
 buying tips, 75–76
 pre-ride inspection, 76

• V •

valve, 84
valve leaks, 90

V-brakes
 installing, 128–129
 overview, 86, 120, 122
 quick-release mechanism, 137
 removing wheel, 103
vinyl saddle, 144
visibility, improving, 308, 324

• W •

washing bike, 12, 278–282
wax-based lubricants, 164
waxing, 17, 201, 298
WD-40, 42, 199
Web sites
 BikeLeague, 301
 Campagnolo, 156
 Cannondale, 73
 craigslist, 76
 eBay, 76
 Fuji, 73
 Gary Fisher, 73
 Kona, 73
 Park Tool, 36
 Pedro's, 36
 Raleigh, 73
 RoadID, 308
 Schwinn, 73
 Shimano, 156
 Specialized, 73
 SRAM, 156
 Trek, 73
weight, frame, 195
wheel
 annual maintenance, 294
 attaching, 96
 axle nuts, 86
 bent, repairing, 54–55
 for bike types, 101–102
 bolts, 104
 buying tips, 100
 caring for, 101–102
 cleaning, 101
 dents in rim, repairing, 106
 diameter, 100

wheel (*continued*)

inspecting for problems, 102–103,
306–307

installing, 106–107

monthly inspection, 15, 290–291

nuts, 104

overview, 34, 99

parts of, 84

pre-ride inspection, 11, 277

quick-release, 86, 104–106

reinstalling tube and tire, 94–96

removing, 86–87, 103–106

repairing, 13

safe riding practices, 102

size, 100

spinning, 102–103

tensioned spokes, 101

truing, 15–16, 79, 114–118, 294

upgrading, 319–320

width, 100

width

handlebar, 254

hub, 100

tire, 320

women, saddles for, 146–147, 313

women-friendly bike shops, 71

workbench, 49

workshop, home

bike stand, 49–51

lighting, 49

space needed, 48

storage, 49


ventilation, 48

workbench, 49

worn-out pedals, 209

worn-out tires, 84

wrenches, 10, 37–38



year-round service, bike shop, 70–71