

Index

- Aerodynamic derivatives
 - body fixed/wind axes, 256, 267, 272, 280, 284, 432, 471, 485
 - flexible corrections, 238, 433, 439
 - inertial axes, 218, 231, 293, 471
 - oscillatory, 159
- Aerodynamic Influence Coefficients (AICs), 194, 388–415, 433
 - harmonic motion, 394
 - modal space, 397
- Aerodynamic(s), 69–85, 381–400
 - AICs – *see* Aerodynamic Influence Coefficients
 - Bernoulli's equation, 73, 385
 - Biot-Savart law, 391
 - centre of pressure, 74
 - centre, 76
 - CFD (Computational Fluid Dynamics), 432, 439
 - circulation, 386
 - damping, 160, 168, 171
 - Doublet Lattice method, 396, 409, 432
 - doublet, 383
 - drag, 74, 81, 213, 218, 267, 485
 - dynamic pressure, 72
 - gusts, 161, 297, 301, 318
 - horseshoe vortex, 392
 - Influence coefficients, 389
 - Kutta condition, 388
 - lift curve slope, 75, 78
 - Mach No, 71
 - panel method, 81, 405
 - point sink/source, 382
 - quasi-steady, 153, 168, 173, 256, 295
 - Rankine oval, 384
 - Rational Fraction Approximation, 412, 434
 - stiffness, 160, 171
 - stream function, 381
 - streamlines, 72
 - strip theory, 79, 212, 228, 236, 394, 432
 - supersonic flow – Piston theory, 83, 194
 - three D oscillating wing, 396
 - three D wing modelling, 77, 81, 391
 - transonic flows, 84
 - two D aerofoil modelling, 388
 - two D oscillating aerofoil, 394
 - unsteady, 154–165, 167, 187, 300, 313, 318, 325
 - velocity potential, 382
 - vortex filaments, 391
 - Vortex Lattice method, 393
 - vorticity, 386
- Aeroelastic equations, 171, 402, 408
- Aeroservoelasticity (ASE), *see also*, Flutter, 201–209, 441
 - closed loop system stability, 204
 - control law frequency dependence, 206
 - control system implementation, 204
 - gust response, 205
 - response calculation – frequency domain, 208
 - response calculation – time domain, 208
 - state space modelling, 208
- Aircraft model for certification
 - aerodynamic, 432
 - beam-like stiffness representation, 53, 65, 427
 - box-like stiffness representation, 53, 65, 427
 - damping, 431
 - dynamic manoeuvre, 446
 - equilibrium manoeuvre, 443
 - Flight Control System (FCS), 435
 - flutter, 439
 - ground manoeuvre, 455
 - gusts and turbulence encounter, 449
 - mass/damping/stiffness/force, 427
 - modes, 431
 - rigid aircraft, 432
 - static aeroelasticity, 437
 - stick-like stiffness representation, 46, 49, 53
- Atmosphere, 69
- Auxiliary equation, *see* Internal load(s)
- Axes system
 - body fixed/wind, 246
 - earth fixed/inertial, 218, 231, 246, 293
 - mean, 258
 - transformation, 248

- Balanced manoeuvre, *see* Equilibrium manoeuvre
- Bernoulli's equation, *see* Aerodynamics
- Bessel Function, 163
- Binary aeroelastic model
 - control surface term, 202
 - flutter, 168, 172
 - gust terms, 203
- Biot-Savart law, *see* Aerodynamic(s)
- Bode plot, 113
- Bookcase manoeuvre, 211–244, 423, 443, 455
- Braking, 345, 457
- Centre of gravity, *see* Centre of mass
- Centre of mass, 88, 422
- Centripetal acceleration, 212, 252
- Certification process
 - dynamic aeroelasticity – flutter, 439, 461, 465
 - dynamic manoeuvre, 446
 - equilibrium manoeuvre, 443
 - gust/turbulence encounter, 449
 - overall, 421
 - static aeroelasticity, 437
- Characteristic equation, 111
- Checked manoeuvre, 265, 448
- Condensation, 66, 429, 433, 481
- Continuous system/structure, *see* Vibration
- Continuous turbulence, *see* Turbulence
- Control effectiveness, *see* Static aeroelasticity
- Control reversal, *see* Static aeroelasticity
- Control surface, 82, 202
- Control systems
 - closed loop, 107, 110
 - open loop, 107, 110
 - PID control, 118
- Convolution integral, 12, 34
- Coriolis acceleration, 252
- Correlated loads, 374, 451, 458
- CS-25, *see* Certification process
- D'Alembert's principle
 - body, 91
 - particle, 90
- Damping
 - coupling, 29
 - hysteretic, 9
 - proportional/non-proportional, 25
 - ratio, 6, 24
 - viscous, 4
- Design process/envelopes, 419, 422
- Dimensioning, 376
- Discretised system/structure, *see* Vibration
- Divergence, *see* Static aeroelasticity
- Doublet Lattice method, *see* Aerodynamic(s)
- Duhamel integral, *see* Convolution integral
- Dynamic aeroelasticity, *see* Flutter
- Dynamic manoeuvre, 211, 245, 265–292, 446
 - flexible aircraft in heave/pitch, 271, 448
 - flexible aircraft in roll, 283, 448
 - rigid aircraft in heave/pitch, 266
 - rigid aircraft in roll, 279
- Dynamic overswing, 10, 241
- Eigenvalue solution
 - non-symmetric, 171
 - symmetric, 22
- Elevator angle to trim, 218, 225
- Equilibrium manoeuvre, 211–244, 443
 - flexible aircraft in pitch, 225, 444
 - rigid aircraft in normal acceleration, 213
 - rigid aircraft in pitch, 218
 - rigid aircraft in roll and yaw, 239, 445
- Failure cases, 440, 449
- FAR-25, *see* Certification process
- Fatigue/damage tolerance, 424
- Finite Element (FE) method, 53
 - assembly/solution process, 58, 405
 - boundary conditions, 61
 - element formulation, 54
 - element mass matrix, 57
 - element shape function, 55
 - element stiffness matrix, 57
 - element type
 - bar/rod/axial, 64, 448
 - bending, 55, 427
 - combined bending/torsion, 64, 405
 - shell/membrane, 66, 428
 - torsion, 63
 - kinematically equivalent nodal forces, 58, 407
- Flexible aircraft, 225, 273, 289
- Flexural axis, 44, 64, 225, 236, 359, 427
- Flight Control System (FCS), 263, 435
 - Gust Load Alleviation, 263, 435
 - Manoeuvre Load Alleviation, 263, 435
- Flight flutter test, 465
- Flight loads validation, 466
- Flight mechanics equations, 245–264, 432
 - dynamic stability modes, 262
 - flexible aircraft, 246, 257, 432
 - rigid aircraft, 252
 - solution process, 262
- Flight simulator test, 464
- Flutter, 167–199, 439
 - aerodynamic damping, 173
 - aeroservoelastic calculations, 204, 441
 - binary, 168, 172
 - boundary, 440
 - control surface, 191
 - eigenvalue solution, *see also* Eigenvalue solution, 171, 182
 - flexible wing, 180
 - flexural axis position, 167, 179

- flutter conic, 184
- frequency coalescence, 173
- frequency matching – ‘k’ method, 188
- frequency matching – ‘pk’ method, 189
- Handley Page 0-400 Bomber, 184
- hard/soft, 177
- mass axis position, 169, 179
- panel, 194
- phasing of motion, 176
- prediction of critical speed, 182, 187
- structural damping, 171, 178
- supersonic flows, 194
- transonic flows, 194
- unsteady aerodynamics, 167–193, 433
- whole aircraft, 193
- wind off frequency spacing, 180
- Forced vibration
 - harmonic, 7, 31
 - random, 16, 34
 - transient, 10, 33
- Fourier Transform (FT)
 - analytical, 14
- Fourier Transform (FT)
 - discrete, 15
- Free vibration, 5, 21
- Frequency parameter, *see* Reduced frequency
- Frequency Response Function (FRF)
 - response per force, 8, 32
 - response per gust velocity, 318
- Friction coefficient, 345

- Generalised coordinate, 38
- Generalised equation, 39, 41, 42
- Generalised force, 41, 42
- Ground manoeuvres, 329–354
- Ground vibration test, 28, 33, 179, 431, 462
- Gust aerodynamics, *see* Aerodynamic(s)
- Gust envelope, 299
- Gust Load Alleviation, *see* Flight Control System
- Gust loads, *see* Internal loads
- Gust response
 - flexible aircraft in heave/pitch, 306
 - rigid aircraft in heave, 297
 - rigid aircraft in heave/pitch, 303
- Gust(s), 293–327, 449
 - alleviation factor, 299, 302
 - (1 – cosine), 296
 - design gust velocity, 451
 - discrete, 294–313, 451
 - flight profile alleviation factor, 451
 - gradient distance, 296, 451
 - inclusion in binary aeroelastic model, 203
 - Loads, *see* internal loads
 - penetration effect, 295, 320
 - sharp-edged, 295
- Guyan reduction, *see* Condensation

- Hankel Function, 157
- Harmonic gust, 157, 162, 315

- Impulse Response Function (IRF), 10
- Incremental work, 4, 5, 20, 40, 41, 44
- Inertia couple, *see* Loads
- Inertia coupling, 44, 64
- Inertia force, *see* Loads
- Inertia relief, 356
- Influence Coefficients, *see also* Aerodynamic(s), 389, 402
- Internal load(s), 95, 355–380
 - auxiliary equation, 370, 436
 - continuous wing, 356, 358
 - determination of, 96, 100, 443
 - discretised wing, 366
 - force summation, 369, 443
 - fuselage, 357, 370
 - manoeuvre/gust, 361, 362
 - MAST loads, 95, 103, 374, 443, 458
 - turbulence, 373
 - wing-mounted engines/landing gear, 360
- Jig shape, 438

- Kinetic energy
 - bending/torsion, 40, 43
- Kussner’s Function, *see also* Aerodynamic(s), unsteady, 161, 301, 313, 433

- Lagrange’s energy equations, 4, 20, 41, 45
- Landing
 - flexible aircraft, 345, 456
 - rigid aircraft, 341
 - spin-up and spring-back, 348, 456
- Landing gear
 - layout, 329, 333, 455
 - oleo-pneumatic shock absorber, 330
 - wheel/tyre, 332
- Laplace Transform, 108
- Lift distribution, *see* Static Aeroelasticity
- Limit Cycle Oscillations (LCO), 197
- Limit load, 316, 356, 424
- Load(s)
 - external, 93, 356
 - Free Body Diagram (FBD), 94, 356, 358
 - generation/sorting, 374, 458
 - inertia couple, 91, 212, 241
 - inertia force, 90, 213, 253, 260
 - inter-component, 102, 370
 - internal – *see* Internal load(s)
 - reactive (reactions), 93, 346, 350
 - weight, 93
- Load envelopes, 374
- Load factor, 213
- Lumped parameter system, *see* Vibration

- Manoeuvre envelope, 217
 Manoeuvre Load Alleviation, *see* Flight Control System
 Manoeuvre loads, *see* Internal load(s)
 Matrix differentiation, 45
 Modal
 mass/damping/stiffness/force, 27
 matrix, 23, 24, 27
 reduction, 30, 484
 space/coordinates, 27
 Mode
 branch, 46
 complex, 24, 171
 dimensions, 30
 dynamic stability – *see* Flight mechanics equations
 flapping/pitching, 168
 flexible, 46, 49, 225, 473
 free-free, 31, 46, 49
 fuselage bending dominant, 225, 476
 normal/real, 22, 39, 49
 normalisation, 29
 orthogonality, 27
 rigid body, 31, 46, 49, 193, 469
 shape, 22, 24, 30
 whole aircraft antisymmetric, 283, 489
 whole aircraft symmetric, 225, 473
 wing bending dominant, 225, 476
 wing torsion dominant, 225, 477
 Moment of inertia, 89, 25, 259

 Natural frequency
 damped, 6
 effective, 24
 undamped, 6, 22
 Newton's laws
 body, 88
 particle, 88
 units, 89
 Non-linearity, 197, 441, 447, 451
 Nyquist plot, 113

 Phugoid motion, 262, 269, 275
 Power Spectral Density (PSD), 16, 314
 Product moment of inertia, 240, 254

 Quasi-steady aerodynamics, *see* Aerodynamic(s)

 Rational Fraction Approximation, *see* Aerodynamic(s)
 Rational manoeuvre, 212, 239, 269–292, 423, 446, 455
 Rayleigh damping coefficients, 178
 Rayleigh-Ritz method, 38, 127
 Reduced frequency, 156, 167, 187, 318, 409, 432,
 Reference axes, 427
 Reversal, *see* Static aeroelasticity
 Rigidity, flexural/torsional, 39, 43
 Roll subsidence, 263, 282, 287

 Root locus plot, 113
 Root-mean-square (RMS), 17, 314, 373
 Routh-Hurwitz method, 112, 182

 Scaled frequency, 314
 Sears' Function, *see also* Aerodynamic(s), unsteady
 Shear centre, 44, 427
 Shimmy, 350
 Short period motion, 262, 268, 275
 Slip ratio, 346
 Spin-up, *see* Landing
 Spring-back, *see* Landing
 Stability
 control systems, 111
 gain margin, 114
 phase margin, 114
 State Space equations, 116, 208, 412
 Static aeroelasticity, 123–151
 control effectiveness
 fixed wing case, 146
 full aircraft model, 149, 274, 286, 438
 steady roll rate case, 141
 deformation
 effect of trim, 129
 fixed wing case, 127
 2D aerofoil, 124
 divergence
 effect of sweep, 134
 effect of trim, 129
 fixed root flexible wing, 127
 full aircraft model, 186, 402, 439
 2D aerofoil, 124
 lift distribution
 effect of sweep, 134
 effect of trim, 129
 fixed wing case, 127, 145
 steady roll rate case, 145
 reversal
 effect of trim, 151
 fixed wing case, 146
 steady roll rate case, 141
 Static stability, 223
 Step Response Function (SRF), 10
 Strain energy
 bending/torsion, 40, 43
 Stress, 103, 374, 377, 458
 Structural coupling test, 463
 Structural test(s), 464
 Superposition, 11, 12
 Swept wing – flexible effects, 134, 236

 Taxiing
 flexible aircraft in heave/pitch, 337, 457
 rigid aircraft in heave/pitch, 334
 runway profile, 333, 457

INDEX

499

- Theodorsen's Function, *see also* Aerodynamic(s),
unsteady, 156, 318
- Thrust, 213, 218, 256
- Transfer function
control systems, 108, 110
flight mechanics, 268, 273, 281, 286
- Trimmed manoeuvre, *see* Equilibrium manoeuvre
- Turbulence, 314–326, 449
Design Envelope Analysis, 451
loads – *see* Internal load(s)
Mission Analysis, 451
reference/limit intensity, 452
- Turbulence PSD (von Karman), 314
- Turbulence response
flexible aircraft in heave/pitch, 323
rigid aircraft in heave/pitch, 320
rigid aircraft in heave, 297
- Turbulence response PSD, 316
- Turning, 350, 457
- Ultimate load, 356, 424, 464
- Unchecked manoeuvre, 265, 448
- Unsteady aerodynamics, *see* Aerodynamic(s)
- Vibration
continuous systems – Finite Element method, 53–67
continuous systems – Rayleigh-Ritz method, 38–52
free-free system, 31, 46, 49
multiple DoF systems, 19–36
single DoF systems, 3–18
- Wagner's Function, *see also* Aerodynamic(s), unsteady,
154, 301, 313, 433
- Wind tunnel test(s), 432, 461

