

Index

A

ABA, *see* Abscisic acid
Abaxial leaf surface, 61
Abiotic stresses, mowing and tolerance of, 197
Abscisic acid (ABA), 13, 66–68
 and cold acclimation, 89
 and drought resistance, 70–71, 284, 285
Acclimation:
 to cold, 86–89, 181, 206
 to heat, 101
Acibenzolar-S-methyl (ASM), 294–295
Acid-reacting fertilizers, 238
Adaxial leaf surface, 61
Adenine, 292
Adenosine triphosphate (ATP), 4–6, 15–17, 226
ADP, 13, 15, 226
Aerification, 254–264
 and environmental stresses, 260–261
 and hard pan formation, 259–260
 and pests, 261–264
 and root growth, 256, 259
 and shoot growth, 256
 and thatch depth, 269
 with vertical mowing, 264
Aerobic respiration, 15–16
Age of plants, respiration rates and, 17
Agrostis canina L., *see* Velvet bentgrass
Agrostis palustris L., *see* Creeping bentgrass
Agrostis tenuis L., *see* Colonial bentgrass
Allelopathy, 115–116
Aluminum sulfate, 235–236
Amidochlor, 291
Ammonium, 17
Ammonium chloride, 238
Ammonium sulfate, 238
Anaerobic respiration, 16
Anatomical responses to shade, 116–117
Annual bluegrass, 24–25
 and clipping removal, 210
 cultural practices affecting, 126

 drought resistance of, 73, 74
 and fertilization, 235
 freezing resistance of, 95, 96
 heat resistance of, 104, 106
 and irrigation management, 184
 mefluidide and rooting of, 281, 282
 mowing height and water use by, 203
 nitrogen and diseases of, 239
 nitrogen application to, 223, 231, 235
 PGR use and suppression of, 289–291
 trinexapac-ethyl and freezing stress on, 285
 weeds and cultivation of, 261, 262
Antioxidant enzymes, 101
Apical meristem, 193, 194, 196
Artificial light, 11, 114
ASM, *see* Acibenzolar-S-methyl
Atmometers, 162, 165
ATP, *see* Adenosine triphosphate
Augusta National, 114
Avoidance, drought, 68–71

B

Bahiagrass, 52–53
 drought resistance of, 74
 evapotranspiration rate of, 157
 freezing resistance of, 90
 mowing height for, 196
B (boron), 228
Bellani plate, 162–163
Bentgrass(es). *See also specific types*
 aerification and growth response of, 256, 259
 colonial, 38–39
 creeping, 36–38
 groomers for, 267, 268
 and heat stress from lack of wind, 154
 nitrogen application to, 221
 phosphorus application to, 226
 syringing of, 182–183
 velvet, 39–40

Benzyladenine, 293
Bermudagrass, 41–44
 acid-reacting fertilizers for, 238
 aerification and growth response of, 256, 257
 biostimulants with, 293
 cultivation and weeds in, 261
 cultivation for disease control in, 264
 cultural practices affecting, 126
 deficit irrigation of, 176–178
 diseases in, 211, 213, 214, 240
 drought resistance of, 72, 74, 77
 evapotranspiration rate of, 156, 165
 freezing injury in, 85
 freezing resistance of, 89–92
 and freezing stress, 285
 groomers for, 267, 268
 heat resistance of, 106
 irrigation strategy and disease in, 188
 mowing height and encroachment of, 209
 mowing height for, 196, 206, 211, 213
 nitrogen and diseases of, 240
 nitrogen and invasion of, 234
 nitrogen application for, 222–224
 optimum PAR light intensity for, 113
 plant growth regulator use and suppression of, 288
 potassium fertilization of, 230–232
 return of clippings and diseases in, 214
 in shade, 117
 shade tolerance of, 122
 and soil compaction stress, 253
 stomatal control in, 65
 temperature stresses and mowing height for, 206
 topdressing of, 273
 trinexapac-ethyl and freezing stress on, 285
 vertical mowing of, 269–270
 weeds and cultivation of, 261
 zones of use for, 21

Index

- Bermudagrass decline, 212, 213
Bicarbonate (HCO₃), 8
Biostimulants, 292–295
Biotic stresses, mowing and tolerance of, 197
Black cutworms, 131, 211
Black layer, 271
Blue grama, freezing resistance of, 90
Bluegrasses. *See also specific types*
 annual, 24–25
 freezing injury in, 85
 freezing tolerance of, 87
 Kentucky, 25–27
 roughstalk, 27–28
 supina, 85
Blue light, 112, 113
Boron (B), 228
Boundary layer, leaf, 63–64
Broadleaf plantain, 129–130, 262
Broadleaf weeds, 129–130, 234
Brown patch, 118, 134–135
 aerification and control of, 263
 and combination fertilization, 240
 irrigation and suppression of, 186, 188
 and mowing height, 211–213
 and nitrogen level, 236, 237
 and organic fertilizers, 238
 and return of clippings, 213–214
 and silicon application, 241
 and time of day of irrigation, 188
Buchloe dactyloides [Nutt.] Engelm., *see*
 Buffalograss
Buffalograss, 46–48
 deficit irrigation of, 176, 177
 drought resistance of, 72, 74
 evapotranspiration rate of, 157, 165
 freezing resistance of, 90, 92, 94
 hairs on, 65
 heat resistance of, 106
 hydraulic lift in, 69–70
 mowing height for, 196
 nitrogen application for, 221, 222
 and phosphorus application, 226
 shade tolerance of, 122
Bulk density, 250, 259–260
Bunchgrasses, nitrogen and thatch formation with, 225
Bundle sheath cells, 7–9
- C**
(C) carbon, 218
Calcium (Ca), 218
Calvin-Benson cycle, 5–6, 8, 9
Calvin cycle, 5, 6
Carbohydrates:
 freezing injury and reserves of, 87
 maintaining balance of, 18–19
 mowing height and reserves of, 197, 198, 206–207
 production/consumption of, 18
 respiration and availability of, 16
 storage, 18–20, 87, 197
Carbohydrate metabolism, 3–20
 during drought, 70
 and heat stress, 99–101
 and photosynthesis, 3–14
 and respiration, 14–20
 of shaded plants, 116
Carbon balance, 70
Carbon (C), 218
Carbon dioxide (CO₂):
 assimilation of, 4–5
 compensation point, 12
 concentration of, 8, 12–13
 fixation of, 3, 7, 8, 11, 12
 release of, 6
 in shaded areas, 115
Carboxylation, 5
 in cool-season grasses, 6
 and drought stress, 68
 in warm-season grasses, 8
Carotenoids:
 light wavelengths absorbed by, 11
 maximum PAR absorption of, 112
Cell division inhibitors, 277–278
Cell membranes:
 during freezing stress, 88–89
 oxidation of lipids in, 101
Cellular growth, 66
Centipedegrass, 51–52
 cold acclimation and survival of, 206
 drought resistance of, 74, 77
 evapotranspiration rate of, 157
 freezing resistance of, 86, 87, 90, 95
 mowing height for, 196
 nitrogen application for, 224
 shade tolerance of, 121, 122
 vertical mowing of, 269
Chelated iron, 293
Chemical signaling, 67–68
Chewings fescue, shade tolerance of, 120
Chinch bugs, 132, 185
Chloride (Cl), 228
Chlorophyll(s):
 drought and loss of, 68
 iron and synthesis of, 228
 light wavelengths absorbed by, 11
 maximum PAR absorption of, 112
 mowing height and amount of, 196
Chloroplasts, 3, 7
Chlorothalonil, 291
Chlorsulfuron, 278
Cl, *see* Chloride
Clay:
 compaction in, 249
 water holding capacity of, 166
Clippings, removal of, 210, 213–214
CO₂, *see* Carbon dioxide
Cobalt (Co), 228
CO₂ compensation point, 12
Colbert Hills Golf Course, 167–170, 179
Cold hardening, 86–87
Colonial bentgrass, 38–39
 minimum light duration for, 114
 nitrogen level and diseases of, 237
Competition, plant, 115–116, 118, 183, 208
Cool-arid zone, 21, 22
Cool-humid zone, 21, 22
Cool-Season (C_s) turfgrasses, 1, 22–40.
 See also specific types
 aerification and growth response of, 256, 259
 annual bluegrass, 24–25
 carboxylation in, 6
 and CO₂ concentration, 12
 colonial bentgrass, 38–39
 compaction stress and water use by, 254
 creeping bentgrass, 36–38
 cultivation and heat stress in, 260–261
 deficit irrigation of, 177
 drought resistance of, 73–76
 evapotranspiration rate of, 156
 fine fescues, 32–33
 freezing resistance of, 95–96, 231
 heat stress in, 99, 181
 heat stress resistance of, 104–106, 181
 heat tolerance of, 207–208
 and light intensity, 9–11
 light saturation in, 117
 mowing heights for, 197–198, 207–208
 nitrogen recommendations for, 220–221
 optimal temperatures for, 11–12, 83
 optimum PAR light intensity for, 113
 oxidative damage to, 101
 perennial ryegrass, 33–36
 photorespiration in, 5–7
 photosynthesis in, 4–7
 relative shoot and root growth patterns for, 23
 respiration in, 14–20
 roughstalk bluegrass, 27–28
 shade tolerance of, 118–120
 stomata in, 62
 summer decline in, 198, 200, 233
 tall fescue, 29–32
 velvet bentgrass, 39–40
 warm-season grasses vs., 1
 wear tolerance and nitrogen application in, 223
 zones of use for, 21

- Copper (Cu), 228
 Core aeration, 259, 261
 Crabgrass, 128
 and cultivation, 261
 cultural practices affecting, 127
 and irrigation management, 184
 and mowing height, 208–209
 and nitrogen application, 234
 plant growth regulator use and suppression of, 289
 Creeping bentgrass, 36–38
 aerification and growth response of, 258
 biostimulant use with, 293
 and clipping removal, 210
 diseases in, 213, 237, 239, 240
 dollar spot reduction in, 291
 drought resistance of, 73–74
 heat injury to, 99
 heat resistance of, 104–106
 and heat stress, 100, 101
 irrigation and growth of, 172
 irrigation strategy and disease in, 188
 localized dry spot on, 175
 manganese application for, 241
 mowing height for, 196, 198–200, 203, 205–206, 213
 nitrogen and diseases of, 239, 240
 nitrogen application for, 223, 224, 233–234
 nitrogen level and diseases of, 237
 PGRs and rooting of, 282
 PGRs and suppression of, 289, 290
 potassium and wear resistance of, 227
 prolonged light duration for, 114
 return of clippings and diseases in, 213
 self-cooling ability of, 154
 shade and growth of, 114
 silicon application and disease reduction in, 241
 soil/air temperatures and growth of, 102–103
 and soil compaction stress, 253
 summer decline of, 233
 topdressing of, 272–274
 trinexapac-ethyl use and shade tolerance of, 286–288
 urea fertilization of, 238
 verticutting of, 268–269
 water use and mowing height of, 203, 205–206
 weeds and cultivation of, 262
 wilt-based irrigation for, 170
 winter desiccation of, 181
 winter open aeration holes for, 261
 zones of use for, 21
 Crested hairgrass, effect of shade on, 117
 Crider, Franklin, 200–202
 Crown, 193–195, 207, 264, 265
 C₃ turfgrasses, *see* Cool-Season turfgrasses
 C₄ turfgrasses, *see* Warm-Season turfgrasses
 Cu (copper), 228
 Cultivars, *see specific turfgrasses*
 Cultivation, 249–274
 aerification, 254–264
 and soil compaction, 249–254
 and thatch, 264–267
 topdressing, 270–274
 vertical mowing, 266–270
 Cultural practices:
 affecting drought, 59
 affecting pests, 125. *See also specific grasses; specific pests*
 affecting shade, 111
 affecting temperature, 83
 and evapotranspiration, 156–157
 Cycohexanedione herbicides, 286
Cynodon spp., *see* Bermudagrass
 Cytokinins, 103, 292, 293
- D**
 Dandelion, 129–130
 Dark reaction (photosynthesis), 3
 Deep drill aerifiers, 256, 257
 Deficit irrigation, 175–178
 Dehydrins, 73
 Density:
 bulk, 250, 259–260
 and mowing, 194, 197
 Diffusion resistance, internal, 61–62
 Direct heat stress, 98
 Diseases:
 and aerification, 263–264
 biostimulants and reduction of, 293–295
 brown patch, 134–135
 dollar spot, 136–137
 foliar-infecting fungi, 134–144
 gray leaf spot, 137–138
 and irrigation management, 184–188
 large patch, 139–140
 and mowing height, 211–214
 necrotic ring spot, 145, 147
 pink snow mold, 140
 and plant growth regulator use, 291–292
 Pythium blight, 141–142
 red thread, 143
 root-infecting fungi, 145–149
 rust, 144
 and shaded areas, 115
 spring dead spot, 146, 147
 summer patch, 148–149
 take-all patch, 149
 topdressing for control of, 274
 wet conditions and promotion of, 185–186
 Dollar spot, 118, 136–137
 and biostimulant use, 293–294
 and combination fertilization, 240
 and compost-amended topdressings, 236
 effects of nitrogen on, 239
 irrigation and suppression of, 186, 188
 and nitrogen level, 236, 237
 plant defense activator use with, 294–295
 and return of clippings, 213
 and silicon application, 241
 topdressing for control of, 274
 trinexapac-ethyl and reduction of, 291
 urea and suppression of, 238
 Doorenbos-Pruitt-Makkink model, 165
 Drought, 59–78. *See also* Irrigation
 avoidance of, 68–71
 cultural practices affecting, 59
 effects of, 66–73
 escape from, 73
 fertilization and resistance to, 229–230
 genetic variability in resistance to, 73–78
 PGR use and resistance to, 283–284
 and plant water balance, 60–65
 potassium and resistance to, 227
 preconditioning for, 181
 preparing for, 175–178
 resistance to, 68–78, 227, 229–230, 283–284
 and root injuries, 173
 thatch and susceptibility to, 264
 tolerance of, 71–73
 and transpiration, 61–65
 and water absorption, 60–61
 Dual heat probes, 160–161
- E**
 Electromagnetic spectrum, 111–112
 Electron transport, 13, 68
 Energy, 4
 heat stress and consumption/assimilation of, 99–100
 respiratory, 14–16
 Environmental stresses, 57
 and aerification, 260–261
 annual bluegrass resistance to, 25
 bahiagrass resistance to, 53
 bermudagrass resistance to, 42
 buffalograss resistance to, 48
 centipedegrass resistance to, 52

Index

- Environmental stresses (*continued*)
colonial bentgrass resistance to, 39
creeping bentgrass resistance to, 37–38
drought, 59–78
and fertilization, 230–234
fine fescues' resistance to, 32–33
and irrigation, 180–183
Kentucky bluegrass resistance to, 26
and mowing, 203–208
perennial ryegrass resistance to, 34–35
and plant growth regulators, 283–288
roughstalk bluegrass resistance to, 29
St. Augustinegrass resistance to, 50
seashore paspalum resistance to, 54
shade, 111–121
tall fescue resistance to, 29–30
temperature, 83–106
and topdressing, 273–274
velvet bentgrass resistance to, 40
zoysiagrass resistance to, 44–45
- Enzymes, 5
antioxidant, 101
at high temperatures, 17
iron and synthesis of, 228
potassium activation of, 227
temperature and function of, 11
temperature-sensitive, 11
water availability and function of, 17
water stress and function of, 13
- Eremochloa ophiuroides* [Munro] Hack., *see* Centipedegrass
- Escape, drought, 73
- ET, *see* Evapotranspiration
- Ethephon, 278, 280–283, 289
- Evaporation pans, 162, 165
- Evapotranspiration (ET), 153–157
drought avoidance and rate of, 68
environmental factors influencing, 154–155
as heat avoidance mechanism, 103
measurement of, 161–163
and mowing height, 203–204
nitrogen and rate of, 229
PGR treatment and rate of, 283
plant and cultural factors influencing, 156–157
prediction of, 163–166
in shaded turf, 183
- Extracellular freezing, 84, 85, 206
- F**
FAO-Penman model, 165
Far-red light, 112, 113
Fatty acids, 88–89
FC (field capacity), 166
Fe, *see* Iron
Fenarimol, 280
Fermentation, 16
- Fertilization, 217–241
and nutrition requirements, 217–229
and pests, 234–241
and salt accumulation, 174
and temperature stresses, 230–234
and water use/drought resistance, 229–230
- Fertilizers:
acid-reacting, 238
irrigation frequency and leaching of, 174–175
organic, 236, 238
- Fescues. *See also specific types*
fine, 32–33
tall, 29–32
- Festuca arundinacea* Schreb., *see* Tall fescue
- Festuca* spp., *see* Fine fescues
- Field-capacity-based irrigation, 170, 174–175, 186
- Field capacity (FC), 166
- Fine fescues, 32–33
drought resistance of, 74
heat resistance of, 104, 105
mowing height for, 196
shade tolerance of, 118–119
- Fluorescent lights, 11
- Flurprimidol, 278–281, 283, 289–291
- Foliar-infecting fungi, 134–144
aerification and control of, 263
brown patch, 134–135
dollar spot, 136–137
gray leaf spot, 137–138
large patch, 139–140
and mowing height, 211–213
pink snow mold, 140
Pythium blight, 141–142
red thread, 143
rust, 144
and time of day of irrigation, 188
- Foxtails, 127, 128
- Free radicals, heat stress and induction of, 100–101
- Freezing stress, 84–96
controlled freezing tests for, 89
and cultivation, 260–261
and fertilization, 230–232
genetic variability in resistance to, 89–96
injuries from, 85
and irrigation management, 180–181
physiological responses/resistance to, 86–89
and plant growth regulator use, 285
types of, 84–85
- Fructans, 18, 87, 100
- Fungi, 134–149
brown patch, 134–135
dollar spot, 136–137
foliar-infecting, 134–144
gray leaf spot, 137–138
large patch, 139–140
necrotic ring spot, 145, 147
pink snow mold, 140
Pythium blight, 141–142
red thread, 143
root-infecting, 145–149
rust, 144
spring dead spot, 146, 147
summer patch, 148–149
take-all patch, 149
- Fungicides:
as type II growth regulators, 278, 280
used with plant growth regulators, 291–292
- G**
Gene expression, heat stress and, 101
Gibberellic acid, 288
Gibberellic acid inhibitors, 278–280
Gibberellin, 89, 117, 279
Glucose, 18, 100
Glycolysis, 15–16
Glyphosate, 278
Goosegrass, 128
and cultivation, 262
cultural practices affecting, 127
and irrigation management, 184
plant growth regulator use and suppression of, 288
- Gray leaf spot, 137–138
irrigation and suppression of, 188
and mowing height, 213
and nitrogen level, 237
and silicon application, 241
trinexapac-ethyl use and reduction of, 291
- Green light, 112
- Groomers, 266–268
- Grow lights, 114
- Growth, *see* Plant growth
- Grubs:
and aluminum sulfate application, 235–236
cultivation and control of, 262
irrigation and damage from, 185
- Gypsum blocks, 160
- H**
H, *see* Hydrogen
Hard fescue:
deficit irrigation of, 177
mowing frequency for, 202
shade tolerance of, 120
Hard pan formation, 259–260
HCO₃ (bicarbonate), 8

- Heat shock proteins (HSPs), 101–102
 Heat stress, 97–106
 and cultivation, 260–261
 and cytokinins, 293
 direct, 98
 and fertilization, 232–233
 genetic variability in resistance to, 104–106
 indirect, 97–98
 injuries from, 98–99
 and irrigation management, 181–183
 and photosynthetic rates, 11
 physiological responses and resistance to, 99–102
 and plant growth regulator use, 286
 root regulation of plant responses to, 102–104
 types of, 97–99
 Henbit, 210
 Herbicides. *See also* Plant growth regulators
 cycohexanedione, 286
 pre-emergence, 261, 262
 as type I growth regulators, 277, 278
 Hollow tine aerifiers, 256–259
 Hormones. *See also specific hormones*
 for biostimulation, 292
 during cold acclimation, 89
 cytokinins, 103
 drought and interrupted synthesis of, 67
 HSPs, *see* Heat shock proteins
 Humic acids, 292, 293
 Hydraulic lift, 69–70
 Hydrogen (H), 218
- I**
 Imazameth, 278
 Incandescent lights, 11
 Indirect heat stress, 97–98
 Injuries:
 freezing, 84–85, 87, 180, 206, 231, 261
 heat, 98–99
 from high light intensity, 10
 root, 173
 and shade, 118
 Inorganic solutes, 87, 88
 Insects:
 and aerification, 262–263
 black cutworms, 131
 chinch bugs, 132
 and irrigation, 184, 185
 Japanese beetles, 133
 and mowing height, 210–211
 soil compaction and control of, 262
 southern masked chaffers, 133–134
 Insecticides, irrigation and application of, 185
- Intercalary meristem, 194
 Internal leaf diffusion resistance, 61–62
 Intracellular freezing, 84–86
 Iprodione, 291
 Iron (Fe), 228–229, 235, 293
 Irrigation, 153–188
 deficit, 175–178
 determining need for, 157–170
 with drought/water restrictions, 175–178
 and environmental stresses, 180–183
 and evapotranspiration, 153–157, 161–166
 field-capacity-based, 170, 174–175, 186
 management of, 170–179
 manipulating frequency of, 178
 and pests, 184–188
 and rooting depth, 158
 soil type and rate of water depletion, 166–167
 and soil water content, 159–161
 and visible turf response, 157–158
 water saving alternatives to, 179
 wilt-based, 170–175, 183, 185, 186
- J**
 Japanese beetles, 133
 irrigation and peak flights of, 185
 and mowing height, 210–211
 soil compaction and control of, 262
- K**
 K, *see* Potassium
 Kentucky bluegrass, 25–27
 acid-reacting fertilizers for, 238
 aerification and growth response of, 257
 and allelopathic plants, 115, 116
 cultivation for disease control in, 264
 deficit irrigation of, 178
 diseases in, 188, 211, 240
 drought resistance of, 70–71, 74–75
 evapotranspiration rate of, 156, 157, 183, 283
 heat resistance of, 103–105, 181
 heat stress on, 286
 insects and irrigation of, 185
 iron-deficient, 229
 irrigation of, 171, 172, 178, 185, 188
 mowing frequency for, 202
 mowing height for, 196, 198, 199, 203, 209, 211, 213
 multiple stresses on, 181
 nitrogen and diseases of, 240
 nitrogen application for, 223
 nitrogen-deficient, 229–230
 and phosphorus application, 226–227
 plant growth regulators used with, 283
 potassium fertilization of, 230
- rooting of, 171, 172, 282
 and shade, 117, 119–120, 288
 and soil compaction stress, 251, 252
 summer patch in, 186
 trinexapac-ethyl use with, 272, 286, 288
 water use and mower factors for, 203, 204
 wilted, 158
 Krebs cycle, 15. *See also* Respiration
- L**
 Lamb's-quarters, 210
 Large patch, 139–140
 aerification and control of, 263
 and mowing height, 211–213
 LCP, *see* Light compensation point
 Leaching, irrigation type and, 174–175
 Leaves, 195
 hairs on, 65
 heat injury to, 98
 mowing of, 194
 nitrogen applications and water content of, 224
 photosynthesis and characteristics of, 14
 photosynthesis and structure of, 4, 7
 potassium deficiency symptoms in, 227
 production of, 193–194
 purpling of, 225–226
 respiration rates of, 16, 17
 of shaded plants, 116, 117
 and transpiration, 61–65
 visible response to water deficit in, 157
 water content of, 13
 wilt-based irrigation and drought resistance of, 173
 Leaf-firing damage (LFD), 231
 Leaf spot, 137–138, 188, 213, 237, 241, 291
 Lethal temperature, 89
 LFD (leaf-firing damage), 231
 Light:
 artificial, 11
 duration of, 11, 114
 intensity of, 9–10, 113
 and photosynthesis, 9–11
 quality of, 11, 111–113
 visible spectrum of, 112
 Light compensation point (LCP), 10–11
 Light reaction (photosynthesis), 3
 Light saturation point (LSP), 9–10
 Loam soil, 249–250
 Localized dry spot, 175
Lolium perenne L., *see* Perennial ryegrass
 LSP, *see* Light saturation point
 Lysimeters, 161–162

Index

M

Macronutrients, 218–228
 nitrogen, 218–225
 phosphorus, 225–227
 potassium, 227–228
Magnesium (Mg), 218, 235
Maleic hydrazide, 277, 278, 291
Maltate, 8
Manganese (Mn), 228, 241
Mefluidide, 277, 278, 281–283, 289, 291
Meristems, 193–194, 196
Mesophyll cells, 3
Mg, *see* Magnesium
Microclimate, 115, 163, 209–210
Micronutrients, 228–229
Mitochondria, 14
Mn, *see* Manganese
Molybdenum (Mo), 228
Morphological responses to shade, 116–117
Mowing, 193–214
 blade sharpness, 204
 and carbohydrate depletion, 19
 and environmental stresses, 203–208
 and evapotranspiration rate, 157
 and extracellular freezing, 84
 frequency of, 200–203
 one-third rule for, 200–202
 and pests, 208–214
 and plant growth/carbohydrate metabolism, 195–205
 root growth and height of, 61
 standard heights for, 196
 topdressing and height of, 273
 vertical, 261–262, 264, 266–270

N

N, *see* Nitrogen
NADPH, *see* Nicotinamide adenine dinucleotide phosphate
Native grass areas, 179
Necrotic ring spot, 145, 147, 186, 188
Nicotinamide adenine dinucleotide phosphate (NADPH), 4, 5
Nitrogen (N), 218–225
 and carbohydrate levels, 19
 deficiency of, 218
 and diseases, 236, 237, 239–240
 and drought resistance, 230
 and evapotranspiration rate, 229
 in fertilizers, 218
 and heat stress, 232–233
 negative turf responses to, 221–222
 and plant growth, 219–220
 and respiration rates, 17
 and root growth, 61
 and weed resistance, 234–235

“No mow” areas, 179
Nucleic acid, 225
Nutrients, 217–229
 iron, 228–229
 irrigation frequency and leaching of, 174
 macronutrients, 218–228
 micronutrients, 228–229
 nitrogen, 218–225
 phosphorus, 225–227
 photosynthesis and availability of, 14
 potassium, 227–228
 respiration and availability of, 17
 tissue content sufficiency range for, 217

Nutrient uptake:
 drought and interruption of, 67
 with high soil temperatures, 103

O

O, *see* Oxygen
One-third rule (mowing), 200–202
Organic fertilizers, disease reduction and, 236, 238
Osmotic adjustment:
 during cold acclimation, 88
 during drought, 71–72
 and frequency of irrigation, 173
Overseeding, 21
Oxidative damage, 10, 101
Oxygen (O), 5–6, 16, 218

P

P, *see* Phosphorus
Paclobutrazol, 278–283, 289–292
PAR, *see* Photosynthetically active radiation
Paspalum notatum Flugge, *see* Bahiagrass
Paspalum vaginatum Swarz., *see* Seashore paspalum
Pathogenesis-related proteins, 294
Penman model, 165
Penman-Monteith model, 163, 164
PEP, *see* Phosphoenolpyruvate
Perennial ryegrass, 33–36
 brown patch in, 186, 187
 combination fertilization of, 240
 deficit irrigation of, 178
 diseases in, 211, 213, 237
 drought resistance of, 74, 283–284
 effect of shade on, 117
 evapotranspiration rate of, 157
 fertilization of, 236
 freezing injury in, 85, 180
 freezing resistance of, 87, 95–96
 heat resistance of, 104, 105

irrigation strategy and disease in, 188
mowing frequency for, 202
mowing height for, 196, 211, 213
nitrogen application for, 224, 231, 232
nitrogen level and diseases of, 237
PGRs and rooting of, 282
plant growth regulators used with, 283–284
return of clippings and diseases in, 213
shade tolerance of, 120
 and soil compaction stress, 251–253
 trinexapac-ethyl use with, 291
Permanent wilting point (PWP), 166
Perpetual shade, 114
Pests, 125–149
 cultural practices affecting, 125. *See also specific grasses; specific pests*
 diseases, 134–149
 foliar-infecting fungi, 134–144
 insects, 131–134
 and irrigation, 184–188
 and mowing, 208–214
 and plant growth regulators, 288–292
 root-infecting fungi, 145–149
 shade and susceptibility to, 118
 thatch and susceptibility to, 264
 topdressing for control of, 274
 weeds, 126–130
Pesticides, irrigation frequency and leaching of, 174–175
PGA, *see* Phosphoglyceric acid
P-glycolate, 6
PGRs, *see* Plant growth regulators
Phosphoenolpyruvate (PEP), 8, 13
Phosphoglyceric acid (PGA), 4–6
Phospholipids, 225
Phosphorus (P), 218, 225–227
 and disease reduction, 240
 environmental regulations limiting use of, 240–241
 and evapotranspiration rate, 230
 and respiration rates, 17
Photons, 111–112
Photorespiration:
 in cool-season grasses, 5–7
 in warm-season grasses, 9
Photosynthesis, 3–14
 balance between respiration and, 18–20
 and carbon dioxide concentration, 12–13
 and changes in cell membranes, 88
 in cool-season grasses, 4–7
 diurnal pattern of, 11
 during drought, 67, 68, 70
 factors affecting, 9–14
 and heat stress, 99–101
 and leaf characteristics, 14

- and light, 9–11, 112, 113
and nutrient availability, 14
process of, 3
in shaded plants, 117
and temperature, 11–12
in warm-season grasses, 7–9
and water, 13
- Photosynthetically active radiation (PAR), 112, 113
- Photosynthetic carbon reduction cycle, 5, 6
- Physiological condition:
and respiration, 17
and transpiration, 61–65
and water absorption, 60–61
- Physiological responses:
to drought, 67–68
to freezing stress, 86–89
to heat stress, 99–102
to shade, 116–117
- Pink snow mold, 140
- Plant defense activators, 294
- Plant growth. *See also parts of plants, e.g.:*
Roots
and biostimulant use, 293
effects of drought on, 66
with low light intensity, 10
and nitrogen application, 219–220
and respiration rate, 17
and shade stress, 111–116
and soil compaction, 250–251
- Plant growth regulators (PGRs), 277–292. *See also* Biostimulants
definition of, 277
and environmental stresses, 283–288
and pests, 288–292
root responses to, 280–283
shoot responses to, 277–280
type I, 277–278
type II, 278–280
- Plant water balance, 60–65
- Poa annua* L., *see* Annual bluegrass
- Poa pratensis* L., Kentucky bluegrass
- Poa trivialis* L., *see* Roughstalk bluegrass
- Potassium (K), 218, 227–228
as cellular antifreeze, 88
and changes in soil temperature, 103
and disease reduction, 240
and evapotranspiration rate, 230
- Power rakes, 266–268, 270
- Pre-emergence herbicides, 261, 262
- Propiconazole, 280, 291
- Prostrate knotweed, 129–130, 262
- Prostrate spurge, 184
- Protein synthesis:
during cold acclimation, 87
and drought tolerance, 72–73
and heat stress, 101–102
- Purple nutsedge, 288
- Purpling (of leaves), 225–226
- PWP (permanent wilting point), 166
- Pyruvic acid, 15
- Pythium blight, 118, 141–142
aerification and control of, 263
diseases in, 212
irrigation and suppression of, 186, 188
and mowing height, 212, 213
and nitrogen application, 221
and nitrogen level, 236, 237
- R**
- Radiant energy, storage of, 4
- Red fescue, shade and, 117, 120
- Red light, 112, 113
- Redroot pigweed, 210
- Red thread, 143, 236, 237
- Relative humidity:
and evapotranspiration, 154
in stoma, 64
and susceptibility to disease, 118
- Respiration, 14–20
aerobic, 15–16
anaerobic, 16
balance between photosynthesis and, 18–20
and carbohydrate availability, 16
and changes in cell membranes, 88
in crown, 193
in dormant warm-season grasses, 206–207
drought and interruption of, 67
factors affecting, 16–17
and heat stress, 99–101
at low light levels, 117
and nutrient availability, 17
and oxygen availability, 16
and plant physiological condition/age, 17
and temperature, 17, 19
and water, 17
- Rhizomes, 195, 197
- Rhizome-forming grasses. *See also specific grasses*
freezing resistance of, 90
thatch development in, 264
- Ribulose biphosphate (RuBP), 5–6, 13
- Ribulose 1,5-biphosphate carboxylase (rubisco), 5, 6
- Riviera Country Club, 114
- Roots. *See also* Rooting
aerification and growth of, 256, 259
cool-season, relative growth patterns for, 23
cool-season, soil temperature for growth of, 22
- drought and length/mass of, 66
drought avoidance and development of, 69–70
factors limiting growth of, 60–61
and heat stress, 98–99
irrigation and depth of, 158
mowing height and elevation of, 207
mowing height and growth of, 198–201
of plants interfering with turf, 115
regulation of soil temperature responses by, 102–104
respiration rates for, 17
of shaded plants, 116
and soil compaction stress, 253–254
in thatchy turf, 264
warm-season, relative growth patterns for, 41
warm-season, soil temperature for growth of, 41
water content of, 13
- Root-infecting fungi, 145–149
aerification and control of, 263–264
and mowing height, 212–214
necrotic ring spot, 145, 147
spring dead spot, 146, 147
summer patch, 148–149
take-all patch, 149
- Rooting:
and mowing height, 197
mowing height and depth of, 198
and nitrogen applications, 224
and phosphorus application, 226–227
plant growth regulator effects on, 280–283
and soil compaction stress, 253–254
with wilt-based irrigation, 171
- Rough areas, irrigation water savings and, 179
- Roughstalk bluegrass, 27–28
cultural practices affecting, 126
heat resistance of, 104, 106
and irrigation management, 184
shade tolerance of, 119–120
- Rubisco, *see* Ribulose 1,5-biphosphate carboxylase
- RuBP, *see* Ribulose biphosphate
- Rushes, 184
- Rust, 144, 236, 237
- Ryegrass, perennial, *see* Perennial ryegrass
- S**
- S, *see* Sulfur
- St. Augustinegrass, 49–50
deficit irrigation of, 177
diseases in, 188, 214, 241

Index

- St. Augustinegrass (*continued*)
drought resistance of, 74, 77
evapotranspiration rate of, 156, 157, 283
excessive thatch in, 267
freezing injury in, 180
freezing resistance of, 86, 89, 90, 94–95
irrigation of, 177, 188
mowing height for, 196
plant growth regulators used with, 283
return of clippings and diseases in, 214
shade tolerance of, 121, 122
silicon application and disease reduction in, 241
- Salicylic acid, 294
- Salts, 174
- Sand:
topdressing with, 270–271, 274
water holding capacity of, 166
- Sandal aerifiers, 263
- Sandy soils, compaction in, 249
- Scalping, 202, 203
- Seashore paspalum, 54
deficit irrigation of, 178
drought resistance of, 74
effect of shade on, 117
evapotranspiration rate of, 157
freezing resistance of, 86, 89, 90
shade and growth of, 114
- Seaweed extract, 293
- Sedges, 184
- Seed stalks, 194
- Sethoxydim, 278
- Shade, 111–121
and carbohydrate depletion, 19
cultivation of turf in, 261
cultural practices affecting, 111
and fertilization, 233–234
genetic variability in tolerance for, 118–121
and growth of turfgrass, 111–116
and irrigation management, 183
light wavelengths received in, 11
in morning vs. afternoon, 114
mowing height for turf in, 208
perpetual, 114
and plant competition/allelopathy, 115–116
plant growth regulator use and tolerance of, 286–288
plant responses to, 116–117
and susceptibility to stresses/pests, 118
and turf microclimate, 115
- Shoots, 195
aerification and growth of, 256
cool-season, air temperature for growth of, 22
cool-season, relative growth patterns for, 23
drought and growth of, 66
drought avoidance and changes in, 68
heat injury and density of, 98
irrigation frequency and growth of, 170–171
mowing and growth responses of, 195–198
mowing and longevity of, 194
and plant growth regulators, 277–280
rooting and growth of, 172
of shaded plants, 116, 117
soil compaction and growth of, 251
soil temperatures and growth of, 102, 103
warm-season, air temperature for growth of, 41
warm-season, relative growth patterns for, 41
water content of, 197
- Silicon, 241
- Silver crabgrass, 127
- Smooth brome, 89
- Snow, protection by, 84, 85
- Snow mold, 236, 237
- Sod, trinexapac-ethyl-treated, 286
- Sod-forming grasses. *See also specific grasses*
mowing height and thatch accumulation by, 207
mowing height and water requirements of, 205–206
nitrogen and encroachment of, 234
nitrogen and thatch formation with, 225
verticutters for, 269
- Soils:
evapotranspiration and water content of, 154–155
and extracellular freezing, 84
phosphorus in, 226–227
physical properties of, 249–251
and root growth, 60
water content of, 159–161
water depletion rate and type of, 166–167
water holding capacity of, 166
- Soil compaction, 249–254
and hard pan formation, 259–260
for insect control, 262
and physical properties of soil, 249–251
and root growth, 253–254
and shoot growth, 251
and total nonstructural carbohydrates, 251, 254
and water use, 254
- Soil slicer aerifiers, 256, 257
- Soil temperature, 102–104
- Solid tine aerifiers, 256–259
- Soluble sugars, 87, 88, 206
- Southern climate turfgrasses, 41–48. *See also specific grasses*
bermudagrass, 41–44
buffalograss, 46–48
zoysiagrass, 44–46
- Southern masked chaffers, 133–134
irrigation and peak flights of, 185
soil compaction and control of, 262
- Split-root technique, 67
- Spring dead spot, 146, 147
and acid-reacting fertilizers, 238
cultivation for control of, 264
and mowing height, 211, 213
and nitrogen, 237, 240
- Starch, 5, 18, 87, 100
- Statistics, interpretation of, x–xi
- Stenotaphrum secundatum* [Walt.] Kuntze,
see St. Augustinegrass
- Stolons, 195, 197
- Stoloniferous grasses. *See also specific grasses*
freezing resistance of, 90
thatch development in, 264
- Stomata, 4, 7, 13, 61–65
chemical signals controlling response of, 67–68
drought and conductance of, 67
opening/closing of, 62–63
potassium and function of, 227
relative humidity in, 64
transpiration and density of, 65
wax formation over, 68
- Storage carbohydrates, 18–20, 87, 197
- Stresses:
environmental, *see* Environmental stresses
mowing and tolerance of, 197
nitrogen application after, 222–223
related to cultural practices, *see* Cultural practices
- Stripe smut, combination fertilization and, 240
- Sucrose, 5, 18, 87, 100, 206
- Sugar phosphate, 225
- Sulfur (S), 218, 235, 238
- Summer annual grasses, 128
cultural practices affecting, 127
and irrigation management, 184
- Summer patch, 148–149
and acid-reacting fertilizers, 238
cultivation for control of, 264

- effects of nitrogen on, 240
irrigation and suppression of, 186, 188
and mowing height, 211, 213
Sunlight, 11, 111–113. *See also* Light
Supina bluegrass, freezing injury in, 85
Syrringing, 181–183
- T**
Take-all patch, 149
and acid-reacting fertilizers, 238
effects of nitrogen on, 240
and managanese application, 241
Tall fescue, 29–32
aluminum sulfate and grubs in,
235–236
biostimulant use with, 293
brown patch in, 186
deficit irrigation of, 177, 178
diseases in, 188, 211–214, 237, 238, 241
drought resistance of, 68, 69, 71, 72,
74–76
estimating ET for, 164–165
evapotranspiration rate of, 156, 157,
283
freezing resistance of, 95–96
frequency of irrigation and quality of,
178
heat resistance of, 104
insects and irrigation of, 185
irrigation of, 171, 172, 177, 178, 185,
188
minimum light duration for, 114
mowing frequency for, 202
mowing height for, 196, 204, 208–209,
211–213
nitrogen and weed resistance of, 234
nitrogen level and diseases of, 237
organic fertilizers and diseases in, 238
plant growth regulators used with,
281, 283
potassium fertilization of, 230
return of clippings and diseases in,
213–214
rooting of, 171, 172, 281
shade tolerance of, 119, 120
silicon application and disease reduc-
tion in, 241
and soil compaction stress, 251, 252
soil drying and root hair development
in, 173
wilt-based irrigation for, 170
TDRs, *see* Time domain reflectometers
TE, *see* Trinexapac-ethyl
Temperature(s), 83–106
carbohydrate reserves and tolerance
of, 206
for cool-season grass shoot growth, 22
cultural practices affecting, 83
and evapotranspiration, 154
freezing stress, 84–96
heat stress, 97–106
optimal, 11, 83
and photorespiration, 7
and photosynthesis, 11–12
plant growth regulators and stresses
of, 285–286
potassium and stresses of, 227
and respiration, 17, 19
shade as moderator of, 115
thatch and stresses of, 264–266
for warm-season grass optimal
growth, 9
Tensiometers, 159
Thatch, 264–267
control treatments for, 269
mowing height and accumulation of,
207
nitrogen and accumulation of, 225
topdressing for reduction in, 272
Time domain reflectometers (TDRs),
160–161
TNCs, *see* Total nonstructural carbohy-
drates
Tolerance:
drought, 71–73
freezing, 86–89
heat, 207–208
shade, 118–122, 286–288
temperature, 206
wear, 223, 227–228
Topdressing(s), 270–274
and black layer formation, 271
compost-amended, 236
for thatch reduction, 272
Total nonstructural carbohydrates
(TNCs), 18, 100, 251, 253
Tradimefon, 280
Transition zone, 21–22
Transition zone turfgrasses, 41–48. *See*
also specific grasses
bermudagrass, 41–44
buffalograss, 46–48
zoysiagrass, 44–46
Transpiration, 61–65. *See also*
Evapotranspiration
definition of, 61
as heat avoidance mechanism,
103–104
physics of, 61–64
plant factors affecting, 64–65
Trinexapac-ethyl (TE), 277, 278, 280–289
Tropical climate turfgrasses, 49–55. *See*
also specific grasses
bahagrass, 52–53
bermudagrass, 41–44
centipedegrass, 51–52
freezing resistance of, 94–95
St. Augustinegrass, 49–50
seashore paspalum, 54
Tungsten lights, 11
Turfgrasses, 21–54. *See also specific*
grasses
annual bluegrass, 24–25
bahagrass, 52–53
bermudagrass, 41–44
buffalograss, 46–48
centipedegrass, 51–52
colonial bentgrass, 38–39
cool-season, 22–40
creeping bentgrass, 36–38
fine fescues, 32–33
perennial ryegrass, 33–36
roughstalk bluegrass, 27–28
St. Augustinegrass, 49–50
seashore paspalum, 54
for southern climates and transition
zone, 41–48
tall fescue, 29–32
for tropical climates only, 49–55
velvet bentgrass, 39–40
warm-season, 41–54
zones of adaptation for, 21–22
zoysiagrass, 44–46
- U**
Unstirred layer, 63
Urea, 236, 238
- V**
Vapor pressure gradient, 63–64
and evapotranspiration, 154
and mowing height, 203
Vascular system, 61
Velvet bentgrass, 39–40
Vertical mowing, 261–262, 266–270
combined with aerification, 264
groomers for, 266–268
power rakes for, 266–268, 270
and thatch depth, 269
verticutters for, 266–270
Verticutters, 266–270
Visible spectrum, 112
- W**
Warm-arid zone, 21, 22
Warm-humid zone, 21, 22
Warm-Season (C₄) turfgrasses, 1, 41–54,
211–212. *See also specific types*
bahagrass, 52–53
bermudagrass, 41–44
buffalograss, 46–48

Index

- Warm-Season (C₄) turfgrasses (*continued*)
- carbohydrate response to nitrogen fertilization in, 223
 - carboxylation in, 8
 - centipede grass, 51–52
 - and CO₂ concentration, 12
 - cool-season grasses vs., 1
 - cultivation and freezing stress in, 260–261
 - deficit irrigation of, 176
 - diseases in, 211–212
 - drought resistance of, 77–78
 - evapotranspiration rate of, 156–157
 - freezing resistance of, 89–95
 - freezing stress in, 260–261
 - heat stress resistance of, 106
 - irrigation of, 176
 - and light intensity, 9–11
 - mowing height for, 206–207
 - nitrogen fertilization of, 223, 231
 - nitrogen recommendations for, 221
 - optimal temperatures for, 11–12, 83
 - optimum PAR light intensity for, 113
 - photorespiration in, 9
 - photosynthesis in, 7–9
 - potassium fertilization of, 231
 - respiration in, 14–20
 - St. Augustine grass, 49–50
 - seashore paspalum, 54
 - shade and winter injuries to, 118
 - shade tolerance of, 120–121
 - for southern climates and transition zone, 41–48
 - stomata in, 62
 - temperature stressors for, 206–207
 - topdressing of, 274
 - for tropical climates only, 49–55
 - wear tolerance and nitrogen application in, 223
 - zones of use for, 21
 - zoysiagrass, 44–46
- Water. *See also* Irrigation; Transpiration
- absorption of, 60–61
 - conservation of, 59, 203
 - lack of, *see* Drought
 - nitrogen and use of, 229
 - phosphorus contamination of, 227
 - and photosynthesis, 13
 - plant water balance, 60–65
 - preparing for restricted use of, 175–178
 - and respiration, 17
- Water injector aerifiers, 256, 258, 259, 262
- Water potentials, frequency of irrigation and, 173
- Water-soluble carbohydrates (WSCs), 18, 19
- Water stress, 13. *See also* Drought
- Water uptake, drought and interruption of, 67
- Wear tolerance:
- and nitrogen application, 223
 - and potassium levels, 227–228
- Weather stations, 163–166
- Weeds:
- and aerification, 261–262
 - broadleaf, 129–130
 - and cultural practices, 125
 - and irrigation management, 184
 - and mowing height, 208–210
 - and plant growth regulator use, 288–291
 - shade and competition with, 118
 - summer annual grasses, 127–128
- White clover, 129–130, 235
- Wilt-based irrigation, 170–175
- and disease suppression, 186
 - and grub damage, 185
 - for shaded areas, 183
- Wind:
- and CO₂ concentration, 13
 - and evapotranspiration, 154
- Winter desiccation, 181
- “Winterizers,” 231
- WSCs, *see* Water-soluble carbohydrates
- ## Y
- Yellow foxtail, 128
- ## Z
- Zeatin, 292
- Zeatin riboside, 293
- Zinc (Zn), 228
- Zones of adaptation, 21–22
- Zoysiagrass, 44–46
- deficit irrigation of, 177, 178
 - diseases in, 211, 213
 - drought resistance of, 72, 74, 77–78
 - effect of shade on, 117
 - estimating ET for, 165
 - evapotranspiration rate of, 156, 157
 - freezing resistance of, 90–93
 - freezing stress on, 285
 - frequency of irrigation and quality of, 178
 - irrigation and leaf tissues of, 173
 - irrigation and rooting of, 171
 - irrigation of, 177, 178
 - mowing height for, 196, 211, 213
 - nitrogen application for, 221, 224
 - and phosphorus application, 226
 - shade tolerance of, 122, 286–288
 - thatch removal with, 266
 - topdressing of, 273
 - trinexapac-ethyl use with, 285–288
 - vertical mowing of, 269
 - wilt-based irrigation of, 170–171
- Zoysia* spp., *see* Zoysiagrass