

# Index

## SYMBOLS

- \* (asterisk), 1077
- <%%> (brackets and percentage signs), 2
- ... (ellipsis), 999, 1016
- / (forward slash), 484
- > (greater than sign), 504, 774
- (minus sign), 519
- | (pipe character), 505
- + (plus sign), 519
- ? (question mark), 1077

## A

**abstract class** (`WaitHandle` class), 432–434

### access

- credentials, turning off, 599–600
- installation program, building, 1155–1156
- rules, managing with WAT, 1112–1114

### access authentication

- configuration
  - described, 1073
  - forms, 1074–1075
  - Microsoft Passport, 1074
  - Windows, 1073
- credentials, asking for
  - access, turning off, 599–600
  - Login server control, 600–603
  - programmatically logging in, 603–604
- described, 583–584
- files and folders, specific, 689–690
- forms-based
  - database values, authenticating against, 685–686
  - described, 679–683
  - login control, 686–688

- methods and properties, 688–689
- setting (<authentication> node), 671–672
- `web.config` file values, authenticating against, 683–685
- measures, applying, 670–671
- Microsoft Passport identity system, 689
- MMC tab, 1126–1128
- online users, counting, 607–608
- page-level events, triggering, 90
- passwords, changing or retrieving forgotten
  - recovery server control, 610–612
  - server control, 609–610
- status, logging in or out, 604–605
- username, displaying, 606–607
- users, adding
  - application registration, changing, 598–599
  - Continue button, 591–592
  - programming, 595–598
  - registration process, incorporating personalization properties into, 592–595
  - stored, seeing where users are, 589–591
  - wizard, 587–589
- Web site, setting up for membership
  - <authentication> element, 585–586
  - described, 584–585
  - <forms> element, 586–587
- Windows-based
  - application, creating, 674–675
  - Basic, 678
  - defining groups, 676–677
  - Digest, 679
  - groups (<allow> and <deny> nodes), 675–676
  - HTTP transmission method, 677
  - users, creating, 672–674

## access authorization

- application roles
  - adding, 619–620
  - caching, 627
  - checking users, 625–627
  - deleting, 621–622
  - gathering all users, 622–624
  - particular user, gathering all, 624–625
  - removing users, 625
  - retrieving, 621
  - users, adding, 622
- authorized user information, working with (`User.Identity` property), 691–692
- configuration
  - file, 1077–1078
  - support, 1076
  - URL, 1076–1077
- described, 583–584
- MMC tab, 1125–1126
- page views, controlling by login, 613–615
- programming
  - authorized user information, working with (`User.Identity` property), 691–692
  - described, 690
  - identity information, additional, 693–695
  - Windows role, checking (`User.IsInRole()`), 692–693
- public methods
  - membership API, 628–629
  - roles API, 629–630
- role management for Web site
  - changing, 616–618
  - described, 615–616
  - `web.config` file, 618–619
  - Web Site Administration Tool, 628

## access control lists, 826–831

### actions

- design-time, 924–927
- items, Web Parts zones, 655–658

## Active Server Pages (ASP), 2

### Ad Rotator, 385

#### adding

- application roles, 619–620
- to collection lists, 312–313
- data insert button, 376
- dialogs to installation process, 1167
- hyperlink to GridView, 363
- list to page mode, 641–644
- new columns to GridView, 362–363
- nodes to TreeView server control, 526–527

- to page, 644–646
- PostBack events, raising, 896–897
- request-processing pipeline handler to project, 940–941
- snippets, 43

## Addition Web service, 1039–1040

### administration and management

- ASP.NET, 6–9
- authorization, limiting, 1076–1077

## ADO.NET data management

- asynchronous command execution
  - abstract class (`WaitHandle` class), 432–434
  - callback, 432, 449–451
  - canceling, 451
  - described, 429
  - interface (`IAsyncResult`), 432
  - multiple wait handles, 440–448
  - Poll approach, 434–437
  - `SqlCommand` class methods, 429–431
  - Wait approach, 437–440
- asynchronous connections, 451–452
- bulk loading from variety of sources
  - columns, mapping to destination tables (`SqlBulkCopyColumnMapping`), 408–410
  - constructors, 406–407
  - customizing, 405
  - data reader example, 410–415
  - methods, 408
  - progress (`SqlRowsCopied` event), 415–416
  - properties, 406
- data source link (`Connection` object), 391
- disconnected data, handling (`DataSet` and `DataTable`), 402–404
- forward-only and read-only cursor (`DataReader` object), 393–395
- namespaces and classes, 389–391
- parameters, 398–401
- result set, opening over same connection (MARS)
  - GridView control, 423–427
  - inline SQL statement, 428
  - master and detailed information scenario, 422–423
- SQL queries, executing (`Command` object), 391–392
- two-day data transfer mechanism (`SqlDataAdapter` class), 395–398
- updates, batch processing
  - advantages, 421–422
  - described, 416
  - retrieving, updating, and saving changes, 417–421
- XML support, 492

## ADO.NET Data Provider, 336

**advertising (AdRotator)**

- banner, 176–177
- mobile devices, 985–988
- XML file, 175–176

**age range, validating, 227–228****aliases, listing, 774****Alt key, associating character with, 101****Amazon.com authentication mechanism, 1074–1075****Anders, Marc (Microsoft employee), 2****anonymous methods, 1180–1181****anonymous users**

- configuration, 1075–1076
- denying access, 1077
- end user personalization
  - cookie, changing name of, 564
  - described, 563–564
  - events, 566–567
  - length of time cookie stored, changing, 564–565
  - options, 567
  - storage of identifiers, changing, 565
  - viewing, 566
- migrating, 568–569
- options, 567

**API (Application Programming Interface)**

- configuration files, programming, 1087
- databases, 497
- debugging and error-handling, 771–772
- membership, 596, 628–629
- roles, 629–630
- SiteMap
  - custom display, creating, 543–544
  - described, 541–542
- XML document, 461–463, 480–482

**appearance**

- application, applying to entire, 281
- application folders (`App_Themes`), 81
- bulleted list, 186–187
- creating
  - CSS files, including, 287–290
  - folder structure, 284
  - images, including, 290–293
  - styles definition for server controls, 285–287
- custom controls, 296–298
- data
  - details and GridView together, 372–376
  - DetailsView, 371–372
  - FormView, 381–384
  - GridView Bound List control, 353–355

## mobile device

- Image control, 994–995
- Link control, 997–999
- TextView control, 993–994
- multiple skin options, 293–295
- page framework, 16–17
- programming
  - assigning, 295–296
  - SkinID, assigning, 296
- server controls
  - disabling, 877–878
  - removing, 282
- single page, applying, 279–281
- StyleSheetTheme attribute, 283
- Web pages, removing, 283

**application**

- caching, 761–763
  - copying Web site, 31
  - debugging and error-handling
    - at application level, 801–802
    - monitoring, 776
  - enabling and disabling, 1081
  - locations
    - FrontPage Extensions, server utilizing, 48–49
    - FTP, 48
    - IIS, 45, 47–48
    - Web server, 46–47
  - mobile device shutdown time, 1082
  - monitoring tools, 788–790
  - queue length, 1083
  - registration, changing, 598–599
  - roles
    - adding, 619–620
    - all users, gathering, 622–624
    - caching, 627
    - checking users, 625–627
    - deleting, 621–622
    - particular user, gathering, 624–625
    - removing users, 625
    - retrieving, 621
    - users, adding, 622
  - settings, storing specific, 1087
  - state management, 731
  - themes, 281
  - Windows-based authentication, creating, 674–675
- application folders**
- classes, .wsdfiles, and typed datasets
    - (`App_Code` folder)
    - assembly, building into single, 80
    - creating, 76–78
    - described, 75–76
    - method, adding, 78–79

## application folders (continued)

- configuration, 1061
- data dictionary string tables (`App_GlobalResources` Folder), 81–84
- data stores (`App_Data` folder), 80–81
- page, resources used for single (`App_LocalRes`/`App_LocalResources`), 84
- themes (`App_Themes`), 81
- Web services, remote (`App_WebReferences`), 85
- XML browser identification files (`App_Browsers`), 85

## Application Programming Interface. See API

### Application tab

- MMC, 1128–1129
- WAT
  - offline, taking, 1118
  - settings, managing, 1114–1115
  - SMTP, 1115–1116
  - tracing and debugging information, 1116–1118

### arrays

- classes and interfaces (`System.Collections` namespace)
  - `ArrayList`, 307–310
  - counting items (`ICollection`), 311–312
  - dictionaries (`IDictionary`), 313–314
  - enumerating all objects (`IEnumerable` and `IEnumerator`), 310–311
  - hashtables, 314–317
  - keys, list sorted by (`SortedList`), 317–318
  - lists (`IList`), 312–313
  - `Queues` and `Stacks`, 318–320
- creating simple `Person` class, 299–300
- finding objects
  - comparing (`IComparable`), 304–305
  - identity versus equivalence, 302–303
  - like objects (`BinarySearch`), 305–306
  - overriding equals, 303–304
- printing, 300–302
- resizing, 302
- sorting objects, 306–307

## ASP (Active Server Pages), 2

### ASP.NET

- administration and management, 6–9
- compilation system, 14–15
- data access objects, 17
- developer productivity, 3–6
- developer tools
  - membership and role management, 9–10
  - personalization, 10
  - portal framework, 10–12
  - site navigation, 12–14
- history, 1–3

- IDE, page-building, 18–20
- influential blogs, 1193–1194
- page framework
  - described, 1078–1080
  - include files, 1080–1081
  - master pages, 15–16
  - themes, 16–17
- performance and scalability, 9
- server controls, 17–18

## ASP.NET credentials, 696–698

### assembly

- classes, .wsdfiles, and typed datasets (`App_Code` folder), 80
- page directives (`@Assembly`), 64
- resource (.resx) files, creating, 547–548

### assigning

- master pages, 272
- programming themes, 295–296

## asterisk (\*), 1077

## asynchronous callbacks, 884–887

### asynchronous command execution

- abstract class (`WaitHandle` class), 432–434
- callback, 432, 449–451
- canceling, 451
- described, 429
- interface (`IAAsyncResult`), 432
- multiple wait handles, 440–448
- Poll approach, 434–437
- `SQLCommand` class methods, 429–431
- Wait approach, 437–440

## asynchronous connections, 451–452

## atomization, 466

### attributes

- directories and files, 824–825
- listing all (`NameTable`), 466–468
- page directives, specifying `@Page`, 57–59
- server controls
  - class, 867–868
  - property/event, 868–869
- XML class, adding, 470–471

### authentication

- configuration
  - described, 1073
  - forms, 1074–1075
  - Microsoft Passport, 1074
  - Windows, 1073
- credentials, asking for
  - access, turning off, 599–600
  - Login server control, 600–603
  - programmatically logging in, 603–604
- described, 583–584

- files and folders, specific, 689–690
- forms-based
  - database values, authenticating against, 685–686
  - described, 679–683
  - login control, 686–688
  - methods and properties, 688–689
  - setting (<authentication> node), 671–672
  - web.config file values, authenticating against, 683–685
- measures, applying, 670–671
- Microsoft Passport identity system, 689
- MMC tab, 1126–1128
- online users, counting, 607–608
- page-level events, triggering, 90
- passwords, changing or retrieving forgotten
  - recovery server control, 610–612
  - server control, 609–610
- status, logging in or out, 604–605
- username, displaying, 606–607
- users, adding
  - application registration, changing, 598–599
  - Continue button, 591–592
  - programming, 595–598
  - registration process, incorporating personalization
    - properties into, 592–595
  - stored, seeing where users are, 589–591
  - wizard, 587–589
- Web site, setting up for membership
  - <authentication> element, 585–586
  - described, 584–585
  - <forms> element, 586–587
- Windows-based
  - application, creating, 674–675
  - Basic, 678
  - defining groups, 676–677
  - Digest, 679
  - groups (<allow> and <deny> nodes), 675–676
  - HTTP transmission method, 677
  - users, creating, 672–674

**Authenticode Signature, 1158**

**author blogs, 1193**

**authorization**

- application roles
  - adding, 619–620
  - caching, 627
  - checking users, 625–627
  - deleting, 621–622
  - gathering all users, 622–624
  - particular user, gathering all, 624–625
  - removing users, 625

- retrieving, 621
- users, adding, 622

authorized user information, working with  
(User.Identity property), 691–692

configuration

- file, 1077–1078
- support, 1076
- URL, 1076–1077

described, 583–584

MMC tab, 1125–1126

page views, controlling by login, 613–615

programming
 

- authorized user information, working with  
(User.Identity property), 691–692
- described, 690
- identity information, additional, 693–695
- Windows role, checking (User.IsInRole()), 692–693

public methods
 

- membership API, 628–629
- roles API, 629–630

role management for Web site
 

- changing, 616–618
- described, 615–616
- web.config file, 618–619

Web Site Administration Tool, 628

**auto completion (AutoCompleteType), input form, 138–139**

**autogenerating data, 364**

**automatic saves, continuing with, 570–571**

## B

**backward navigation, blocking (AllowReturn attribute), 203**

**banner, advertising, 176–177**

**base class, HTML server control (HtmlControl), 110–111**

**Basic authentication, 678**

**BCL (Base Class Library)**

- described, 771
- security, 805
- tracing from components, 781–782

**binary data, 839–840**

**BinarySearch, 305–306**

**binding data**

- Ad Rotator, 385
- CheckBoxList, 384
- connection information, storing, 350–353
- DropDownList, 384

### binding data (continued)

- GridView Bound List control
  - customizing columns, 361–363
  - deleting data, 368–370
  - displaying data, 353–355
  - editing data, 363–366
  - errors, handling, 366–368
  - paging, 357–360
  - sorting columns, 355–357
- inline syntax
  - changes, 387
  - described, 386–387
  - XML, 387–388
- ListBox, 384
- Menu, 385–386
- middle-layer business objects (ObjectDataSource control)
  - configuring, 347–348
  - customer class, creating, 344–347
  - page source code, 348–349
- RadioButtonList, 384
- single data record
  - described, 370–371, 379–380
  - display, customizing, 371–372
  - displaying and editing data, 381–384
  - with GridView, 372–376
  - inserting data, 376–377
  - updating and deleting data, 377–378
- source controls
  - caching, 349–350
  - described, 333–336
- source link (Connection object), 391
- SqlDataSource control
  - collection of items (CheckBoxList), 157
  - conflicts, detecting, 342–343
  - connection, configuring, 336–339
  - DataSet or DataReader retrieval, 340
  - filtering data (SelectParameters), 340–342
  - servers listed, 336
- TreeView, 384–385
- XmlDataSource control
  - described, 482–484
  - documents, 343–344
  - namespace qualification unavailable, 483
  - Web services, 485–486
  - weblog example, 484–485

### bit values

- compact list of (BitArray), 321
- GridView display, 321

### blank data fields

- converting to Null, 341
- disallowing, and requiring changes, 223
- error message, generating, 219–222
- GridView display, 360
- highlighting missing form in group, 246–247

### blocks, data entry

- adding to GridView, 362–363
- client-side control, 218
- hidden
  - ControlState management, 735–739
  - mobile devices, 1019–1021
  - states, managing, 189–190
  - ViewState illusion, 890–891
- validation server control
  - blank entries, disallowing, and requiring changes, 223
  - drop-down lists, 223–224
  - error message, 220–221
  - initial text, changing (InitialValue property), 222
  - results, viewing, 221–222
  - sample, 219–220

### blogs, influential ASP.NET, 1193–1194

### bookstore sample document

- authors' names, handling, 470–471
- counting books and printing total price, 468–470
- creating with XmlWriter, 472–474
- elements, counting, 462–463, 466–468
- namespaces, 458–461
- read-only database, querying, 476–478
- schema, defining, 457–458
- validating, 464–465
- XML, 454–455
- XSLT list of authors, 486–487, 490

### Boolean values

- check boxes, form (CheckBox control)
  - creating, 153–154
  - verifying, 155
- debugging and error-handling diagnostic switches, 787–788
- GridView display, converting, 361
- groups of forms, validating, 246–247
- HTML server control base class, 110
- list items, displaying or hiding, 149

### borders

- CheckBoxList, 158
- Web server control, 101

### bottom of page, placing function at

- (RegisterStartupScriptBlock), 117–119

### brackets and percentage signs (<%%>), 2

**breadcrumb navigation (SiteMapPath control)**

- child elements, listed, 508
- depth of pages, displaying
  - (ParentLevelsDisplayed property), 507
- described, 502–504
- direction of links, changing (PathDirection property), 506
- link elements, separating symbol (PathSeparator property), 504–506
- tooltips for links, generating (ShowToolTips property), 507–508

**browser**

- concern prior to ASPNET, 93–94
- configuring capabilities, 1070–1071
- detecting and reacting to capabilities
  - .browser files, 887–889
  - information, accessing, 889–890
- master pages, adjusting to different, 276–277
- type converters, 911–912

**buffer uploads, 1082–1083****building server controls**

- coding, 97–98
- design surface, 96
- methods, 95

**bulk loading data**

- columns, mapping to destination tables
  - (SqlBulkCopyColumnMapping), 408–410
- constructors, 406–407
- customizing, 405
- data reader example, 410–415
- methods, 408
- progress (SqlRowsCopied event), 415–416
- properties, 406

**bulleted list**

- creating, 183–184
- DisplayMode, 186–187
- images as bullets, 186
- populating from data store, 187–189
- starting value, 185
- styling, 184–185
- user entry errors, reporting as, 238–239

**business objects**

- binding
  - configuration wizard, 347–349
  - Customer class, coding, 344–347
  - described, 336, 344–349
- COM interoperability
  - C#, 959–960
  - described, 954
  - private assemblies, 963–964

- public assemblies, 964–965
- RCW, 954–955
- releasing manually, 960
- samples, 955–959
- described, 949–950
- early versus late binding, 971–972
- error handling, 960–963, 972–974
- .NET components within COM objects
  - generating, 968–970
  - private assemblies, 974
  - public assemblies, 975
- precompiled
  - described, 950–952
  - using, 952–953
- from unmanaged code, CCW, 965–968

**buttons**

- clicking
  - designer classes, 924
  - input form text box (AutoPostBack), 137–138
  - sample page event, 66–67
  - server control events, 98–99
  - validation, 218–219
- data insert, adding, 376
- HTML element, turning into server control, 109
- navigation
  - adding, 527
  - Cancel button, 205–206
  - choosing, 205–206
  - Next, Previous and Finish, 201–202
  - registration, 591–592
  - renaming, 203
  - return, allowing or disallowing, 203
  - sequence of (StepType attribute), 203–204
  - structure, designing, 203–204
  - TreeView control, 523, 524
- page sections, turning on and off, 199–200
- RadioButton
  - change, detecting, 160
  - described, 159–160
- RadioButtonList
  - creating, 161
  - data binding, 384
  - RadioButton versus, 160
  - value, checking, 161–162
- themes, 291
- Web server controls
  - function, multiple from same (CommandName), 140–141
  - hyperlink, 145
  - image, custom (ImageButton), 143–144

## buttons (continued)

---

### buttons (continued)

- JavaScript, client-side, 141–142
- looks like hyperlink (`LinkButton`), 143
- `OnClick` event, 139
- without validation, 139

Byte **array, moving from stream object to, 196**

## C

### C# language

- ADO.NET data management
  - batch updating, 419–421
  - bulk loading, 413–414
  - callback asynchronous command processing, 450–451
  - `DataReader` object, 394
  - `GridView` control and MARS, 426–427
  - loading table from reader, 403–404
  - multiple asynchronous processes, 447–448
  - multiple wait handles, 442–443
  - parameterized SQL statement, 400
  - single asynchronous process, wait approach handling, 439
  - transaction, committing after bulk loading, 415
- anonymous methods, 1180–1181
- arrays (`Person` class)
  - automatic sizing (`ArrayList`), 309, 313
  - comparables, 304–305
  - finding by reference, 303
  - generic dictionary, 328
  - hashtable `For Each`, 316, 317
  - like objects, finding, 305
  - list using generics, 327
  - pushing, popping, and poking in stack, 320
  - queuing, 318–319
  - retrieving from hashtable, 315
  - sorting, 307, 318
  - strongly typed, 323, 324
- authentication
  - credentials, validating, 604, 685, 691–692
  - information, additional, 693, 695
  - logged-in users, getting names of, 691
  - Login page, 681–682, 684, 687
  - number of users online, displaying, 608
- authorization
  - cookie, deleting, 627
  - deleting roles, 621
  - roles, finding users by, 623
  - status, user's, 626–627
  - user, looking up roles for each, 624

- binary data, reading and writing, 839–840
- business objects, binding, 346–347
- button click
  - event, 139, 142
  - Finish, saving information, 207
  - multiple on form, discerning, 140
  - postback, triggering, 138
- caching
  - with `Cache` object, 750
  - custom string, varying by, 744
  - dependencies, 751, 754–758
  - HTTP headers, 749
  - SQL Server invalidation, 764
  - substitution control, 747
  - user controls, 745
- calendar
  - date range, validating, 230–231
  - range of dates, retrieving, 170, 171
  - rendering days, 174
  - selection option, turning off, 175
  - single day, selecting, 167
- callback feature
  - populating random value to Web page, 124
  - with Web service, 127–128
- changes since previous versions, 1171–1172
- check box
  - populating, 157
  - single instance, 154
  - value, assigning, 155
  - verifying, 155
- COM members, accessing, 959–960
- concurrency errors, detecting, 343
- configuration files
  - object, getting, 1093
  - from remote servers, 1094
  - sections, 1093
- connection string
  - adding, 1091–1092
  - enumerating, 1090
  - retrieving, 1064
- custom Web pages
  - behavior section, displaying, 651
  - control, creating, 664–665, 666, 667
  - modes, adding, 643
- data binding
  - connection string, 351–353
  - multicolumn sorting in `GridView`, 357
  - sample, 334
  - SQL errors, catching, 370
  - update errors, checking, 367–368

- debugging and error handling
  - at application level, 801–802
  - diagnostic switches, 788
  - at page level, 801
  - text file, routing traces to, 783
  - tracing, 777
  - Web events, 789
- design-time experience
  - actions, adding, 926
  - attribute, adding to control class, 915
  - composite, creating, 917–918
  - regions, defining, 921–924
  - UI type editor, adding, 928
- drives
  - enumerating, 808–809
  - local, displaying information, 807
- DropDownList, generating from array, 147
- errors
  - handling, 962
  - raising, 973
- file system
  - ACLs, 828–829, 830, 831
  - directories, enumerating, 811, 820
  - GridView, binding, 818–819
  - I/O enumerations, 835
  - memory system, writing to, 836
  - properties, displaying and modifying, 825
  - reading, 834
  - reading from stream, 836–837
  - setting and displaying working directory, 815
  - static methods, 813–814, 842
- files
  - compressing, 843
  - decompressing, 844
  - Stream object, uploading to, 196
  - uploading, 191, 196
- FTP download, 853–854
- generics
  - collections of objects, 1172–1176
  - methods, 1176–1178
- global namespace qualifiers, 1182–1183
- hidden field server control, 189
- hotspots, 212
- HTML
  - style properties, 875–876
  - tag attributes, rendering, 873
- HTTP
  - file extension, mapping, 945
  - handler template, 942
  - image, outputting, 943
  - modules, implementing, 930–931
  - output, altering, 932–933
  - output, compressing, 845–846
  - rewriting URL, 937
  - URL, 936
  - Web page, retrieving, 849–850
- iterators, 1178–1180
- list items, removing, 148–149
- mail, sending, 856
- master pages
  - assigning, 272
  - content model, 261
  - custom property, exposing, 267
  - GUID, creating on first request, 264
  - Label control, 265
  - Label control, overriding, 269
  - server control, exposing as public property, 269
  - title, coding custom page, 263
- membership, creating users, 597–598
- mobile devices
  - binding to List control, 1001–1002
  - calculator, 992
  - Calendar control, 989
  - creating new, 977–980
  - event handling, 981
  - hidden files, 1020
  - lists, 1006–1007
  - user control, 1012–1013
- MultiView control, building, 198–199
- .NET component, generating, 969–970
- operator overloading, 1181–1182
- partial classes, 1183–1185
- path, 823–824
- Person class
  - creating, 300
  - printing, 301
- personalization
  - anonymous user identifier, changing, 566
  - auto-saving feature, turning off, 571
  - class for custom type, 561–562
  - defined properties, using, 555
  - late-bound access, 557
  - migrating anonymous users, 568, 569
  - retrieved profile, 569–570
- property accessors, 1186–1187
- RadioButton, 160
- registration form
  - input information, pushing out, 209
  - membership link, 211
- remote file, writing, 854–855

## C# language (continued)

- roles, 620
  - server controls
    - browser capabilities, detecting, 889–890
    - child, exposing, 902–903
    - composite, 901
    - HTML tag, rendering, 871
    - postback, 897, 898–899, 900
    - Render method, overriding, 871
    - script, client-side, 879, 882
    - templates, 904–905, 906–907, 909, 910
    - themes, disabling, 878
    - validating data, 881
  - site navigation
    - check boxes, applying, 517
    - custom display, 542
    - menu events, 535
    - SiteMap objects, 542
    - TreeView control, 527
    - TreeView nodes, expanding and collapsing, 523, 524, 525
    - views, 199
    - XML file, binding menu control to, 537
  - state management
    - Application object, 731
    - base page, 716, 717
    - ControlState, 894–895
    - hidden fields, 736–737
    - HTTP short-term storage, 740
    - objects, setting and retrieving, 723
    - retrieving values, 715
    - serializable object, 721
    - session state, setting values, 713
    - strongly typed property, 722
    - ViewState, 892–893
  - static classes, 1186
  - text file, reading and writing, 838
  - text, writing to serial port, 848
  - themes
    - assigning, 296
    - custom, 286–287
    - disabling, 297, 298
    - skin, 296
  - type converters
    - creating, 911
    - custom, 913–914
  - user controls
    - bulleted list selection, retrieving, 187
    - current step, viewing, 200
    - events, creating, 860
    - library class template, 864–865
    - populating from host Web page, 862
    - properties, exposing, 861–862
  - validation controls
    - asynchronous callback, 885–886
    - custom client-side, 234
    - custom server-side, 236–237
    - required fields, 220
    - against XML Schema, 465
  - Web services
    - Addition, 1040
    - asynchronous, 1057
    - caching, 1048
    - consuming, 1038
    - custom datasets, exposing, 1029
    - default structure, 1028
    - method overloading, 1044, 1045
    - requesting with SOAP 1.2, 1054
    - slow, 1056
    - SOAP headers, 1049, 1050
    - WS-I Basic Profile, turning off, 1046
    - XML with SOAP headers, 1052
  - XML
    - attributes, serializing, 470, 471
    - CLR types, retrieving, 469
    - DataSets, changing with DOM APIs, 481–482
    - documentation, 1185–1186
    - extracting from SQL Server, 479
    - file, loading, 178
    - querying and editing, 477, 478
    - reader, optimizing NameTable, 466–467
    - retrieving, 494–495
    - writing, 473–474
    - XSLT transform, 488–489
- CAB Size, installation program, 1157–1158**
- caching**
    - application
      - configuring, 761–763
      - roles, 627
    - described, 741
    - HTTP policy and client-side, 747–750
    - invalidation, testing
      - cache object, attaching dependencies to, 766–770
      - described, 763–765
      - multiple tables, adding to page, 765
      - request object, attaching dependencies to, 766
    - master pages, 278
    - output
      - described, 742
      - QueryString parameters, specifying (VaryByParam), 742–743

- UserControls, performance gains from
  - (VaryByControl), 743
  - VaryByCustom, 743–744
- partial page, 744–745
- programming
  - custom, creating, 752–756
  - data with Cache object, 750
  - disparate dependencies of different types
    - (AggregateCacheDependency class), 751–752
  - inheritable dependencies (CacheDependency class), 752
  - previous edition's dependencies, 750–751
- responses, XML Web services, 1047–1048
- SQL Server dependency
  - database, disabling, 760
  - disabling tables, 760
  - invalidation, enabling databases for, 757–758
  - SQL Server 2005 cache invalidation, 760–761
  - steps, 756–757
  - tables, enabling, 758, 759
  - viewing, 758–759
- substitution following, 745–747
- Calculator class**
  - adding to project, 953
  - building, 952
  - sample page, 77–78
  - Subtract method, adding, 78–80
- calendar**
  - date range
    - highlighting, 169
    - populating, 231
    - retrieving, 170–171
    - sample, 229–231
  - day, selecting, 167–168
  - mobile devices, 988–990
  - outputting format, 168
  - selection option, turning off, 175
  - style and behavior, 172–175
  - theme
    - applying, 280–281
    - CSS control, 292–293
  - without styles, 166
- callback approach**
  - asynchronous command execution, 432, 449–451
  - client-side
    - asynchronous, 884–887
    - HTML button control and TextBox server control, 123–126
    - with parameters to retrieve returned value, 127–129
    - postback versus, 120–122
    - Web service, using with, 127–129
- Cancel button**
  - creating, 205–206
  - information, saving, 206
- canceled asynchronous command execution, 451**
- captions, table, 165–166**
- Cascading Style Sheets (CSS)**
  - advantages of using, 102–103
  - applying, 102
  - assigning, 101
  - external stylesheets, 104–107
  - HTML elements, applying directly, 103
  - internal stylesheets, 107–108
  - referencing, 111
  - themes, creating, 287–290
  - Visual Studio Style Builder, 103–104
- Cassini Web server, 45**
- CCW (COM-Callable Wrapper), 965–968**
- Cell property, Calendar rendering, 175
- changes, detecting**
  - coding status, 26
  - configuration, 1062
  - hidden field, 190
  - RadioButton, 160
- check boxes**
  - described, 153–154
  - text, aligning, 155–156
  - TreeView, Web page navigation, 515–517
  - value, assigning, 155
  - verification, 154–155
- CheckBoxList**
  - data binding, 384
  - designing, 158
  - populating, 156–157
- checking users' authorization**
  - application roles
    - adding, 619–620
    - caching, 627
    - checking users, 625–627
    - deleting, 621–622
    - gathering all users, 622–624
    - particular user, gathering all, 624–625
    - removing users, 625
    - retrieving, 621
    - users, adding, 622
  - authorized user information, working with
    - (User.Identity property), 691–692

## checking users' authorization (continued)

---

### checking users' authorization (continued)

- configuration
  - file, 1077–1078
  - support, 1076
  - URL, 1076–1077
- described, 583–584
- MMC tab, 1125–1126
- page views, controlling by login, 613–615
- programming
  - authorized user information, working with (`User.Identity` property), 691–692
  - described, 690
  - identity information, additional, 693–695
  - Windows role, checking (`User.IsInRole()`), 692–693
- public methods
  - membership API, 628–629
  - roles API, 629–630
- role management for Web site
  - changing, 616–618
  - described, 615–616
  - `web.config` file, 618–619
- Web Site Administration Tool, 628

### checking users' entries

- application roles, 625–627
- buttons without, 139
- `CheckBox`, 154–155
- client- versus server-side, 216–217
- client-side
  - asynchronous callbacks, 884–887
  - disabling, 241–242
  - JavaScript file, 883
- customizing
  - client and server working together, 238
  - client-side, 233–235
  - complexity, 235–237
- events triggering, 218–219
- form elements, comparing
  - against constants, 226–227
  - against other controls, 224–226
- form types, 215–216
- generally, 10
- groups, 244–247
- manipulating, 217–218
- membership and role management, 9–10
- mobile device controls, 1008–1009
- pattern, defining with regular expression (`RegularExpressionValidator`)
  - e-mail address example, 232
  - other uses, 233

- range
  - dates and other string characters, 228–231
  - integer value, 228
  - sample, 227–228
- reporting
  - with dialog box, 240–241
  - errors as bulleted list, 238–239
  - images and sounds, 242–243
  - limiting to one, 239–240
- required fields
  - blank entries, disallowing, and requiring changes, 223
  - drop-down lists, 223–224
  - error message, 220–221
  - initial text, changing (`InitialValue` property), 222
  - results, viewing, 221–222
  - sample, 219–220
- rules, 215
- XML
  - against XML Schema (`XmlReader`), 464–465
  - XPath, 475

### checking users' identity

- configuration
  - described, 1073
  - forms, 1074–1075
  - Microsoft Passport, 1074
  - Windows, 1073
- credentials, asking for
  - access, turning off, 599–600
  - Login server control, 600–603
  - programmatic logging in, 603–604
- described, 583–584
- files and folders, specific, 689–690
- forms-based
  - database values, authenticating against, 685–686
  - described, 679–683
  - login control, 686–688
  - methods and properties, 688–689
  - setting (`<authentication>` node), 671–672
  - `web.config` file values, authenticating against, 683–685
- measures, applying, 670–671
- Microsoft Passport identity system, 689
- MMC tab, 1126–1128
- online users, counting, 607–608
- page-level events, triggering, 90
- passwords, changing or retrieving forgotten
  - recovery server control, 610–612
  - server control, 609–610
- status, logging in or out, 604–605
- username, displaying, 606–607

- users, adding
  - application registration, changing, 598–599
  - Continue button, 591–592
  - programming, 595–598
  - registration process, incorporating personalization properties into, 592–595
  - stored, seeing where users are, 589–591
  - wizard, 587–589
- Web site, setting up for membership
  - <authentication> element, 585–586
  - described, 584–585
  - <forms> element, 586–587
- Windows-based
  - application, creating, 674–675
  - Basic, 678
  - defining groups, 676–677
  - Digest, 679
  - groups (<allow> and <deny> nodes), 675–676
  - HTTP transmission method, 677
  - users, creating, 672–674
- child elements**
  - breadcrumb navigation (SiteMapPath control), 508
  - site map, starting from, 539–541
- child properties, exposing, 902–903**
- classes**
  - ADO.NET data management, 389–391
  - application folders (App\_CodeFolder)
    - assembly, building into single, 80
    - creating, 76–78
    - described, 75–76
    - method, adding, 78–79
  - attributes, 867–868
  - default template server controls, 909–910
  - enumerating all objects (IEnumerable and IEnumerator), 310–311
  - name, associating
    - @MasterType, 65
    - @Register, 63–64
  - reading and writing files, 837–840
  - SOAP headers, 1049–1051
  - static, 1186
  - System.Collections namespace
    - ArrayList, 307–310
    - counting items (ICollection), 311–312
    - dictionaries (IDictionary), 313–314
    - enumerating all objects (IEnumerable and IEnumerator), 310–311
    - hashtables, 314–317
    - keys, list sorted by (SortedList), 317–318
    - lists (IList), 312–313
    - Queues and Stacks, 318–320
    - viewing in Visual Studio 2005, 33
    - Web Parts Portal Framework, 661–662
- clearing collection lists, 312–313**
- client**
  - application, invoking XML Web Services from, 1036–1039
  - callback feature
    - HTML button control and TextBox server control, 123–126
    - with parameters to retrieve returned value, 127–129
    - postback versus, 120–122
  - and server working together, 238
  - state management options listed, 708
  - validation, disabling, 241–242
- client-side features**
  - customizing, 233–235
  - server controls
    - asynchronous callbacks, 884–887
    - embedded resources, 883
    - script, enabling, 878–883
    - validation server control versus, 216–217
- CLR (Common Language Runtime)**
  - debugging, 791, 798
  - types, retrieving from XML (XmlReader), 468–469
- CLS (Common Language Specification), 328**
- coding**
  - authorization
    - authorized user information, working with (User.Identity property), 691–692
    - described, 690
    - identity information, additional, 693–695
    - Windows role, checking (User.IsInRole()), 692–693
  - caching
    - custom, creating, 752–756
    - data with Cache object, 750
    - disparate dependencies of different types (AggregateCacheDependency class), 751–752
    - inheritable dependencies (CacheDependency class), 752
    - previous edition's dependencies, 750–751
  - change status notifications, 26
  - code-behind model, 53–55
  - configuration files
    - connection strings, enumerating, 1089–1092
    - described, 1087–1089

### coding (continued)

- manipulating, 1092–1093
- remotely, working, 1093–1095

end user personalization

- anonymous users, migrating, 568–569
- automatic saves, continuing with, 570–571
- events, exposing (ProfileModule class), 567
- profiles, 569–570

logging in, 603–604

master pages, 253–256

server controls, building, 97–98

snippets, 41–43

themes

- assigning, 295–296
- SkinID, assigning, 296

user authentication, 595–598

**collapsing nodes, 522–526**

**collections**

- bit values, compact list of (BitArray), 321
- dictionaries (ListDictionary and HybridDictionary), 320–321
- generics
  - described, 325
  - dictionary, 327–328
  - lists, 326–327
  - VB and C#, 1172–1176
- of items (CheckBoxList)
  - binding with SQLDataSource, 157
  - dynamically populating, 156–157
  - styling properties, 158
- Microsoft.VisualBasic.Collection, 321
- of radio buttons (RadioButtonList), 161–162
- strings (StringCollection, StringDictionary, and NameValueCollection), 321
- strongly typed, 322–325
- table summarizing, 329–331

**Color Picker, 927–928**

**color server control, 101**

**columns**

- bulk loading (SqlBulkCopyColumnMapping), 408–410
- GridView
  - customizing, 361–363
  - sorting, 355–357

**COM-business object interoperability**

- C#, 959–960
- described, 954
- private assemblies, 963–964
- public assemblies, 964–965

- RCW, 954–955
- releasing manually, 960
- samples, 955–959

**COM-Callable Wrapper (CCW), 965–968**

**command window, debugging and error-handling, 774**

**commands. See also individual commands listed by name**

- compilation, listed, 87–88
- mobile devices, 994

**comment tags, 108**

**common elements. See master pages**

**Common Language Runtime (CLR)**

- debugging, 791, 798
- types, retrieving from XML (XmlReader), 468–469

**Common Language Specification (CLS), 328**

**common tasks, programming (smart tags), 36–37**

**comparison**

- finding objects (IComparable), 304–305
- input field
  - constants, testing against, 226–227
  - control, 218
  - testing against other, 224–226

**compilation**

- commands, listed, 87–88
- configuration, 1068–1070
- DLL instantiation, 86
- file types handled, 88–89
- generics, 325
- in-place precompilation, 86–87
- output, viewing, 88
- pages
  - parser, passing to, 85
  - @Reference directive, 66
  - setting, 1128–1129
- precompilation for deployment, 87
- system, 14–15

**composite**

- design-time experiences, 916–918
- server controls
  - child properties, exposing, 902–903
  - creating, 901–902

**compression**

- HTTP, 847
- installation program, building, 1157

**concurrency errors, detecting, 343**

**configuration**

- anonymous identity, 1075–1076
- application file, 1061
- application-specific settings, storing, 1087

- applying, 1061–1062
  - ASP.NET page
    - described, 1078–1080
    - include files, 1080–1081
  - authentication
    - described, 1073
    - forms, 1074–1075
    - Microsoft Passport, 1074
    - Windows, 1073
  - authorization
    - file, 1077–1078
    - support, 1076
    - URL, 1076–1077
  - browser capabilities, 1070–1071
  - changes, detecting, 1062
  - compilation, 1068–1070
  - custom errors, 1072
  - editing files, 1095–1097
  - files supported, 1059–1060, 1062
  - mobile devices runtime settings, 1082
  - page, pulling up, 32
  - programming files
    - connection strings, enumerating, 1089–1092
    - described, 1087–1089
    - machine.config file, manipulating, 1092–1093
    - machine.config file, manipulating from Remote Servers, 1093–1095
  - protecting settings, 1095
  - runtime settings
    - application queue length, 1083
    - application shutdown time, 1082
    - applications, enabling and disabling, 1081
    - buffer uploads, 1082–1083
    - described, 1081
    - maximum request length, 1082
    - output caching, 1084
    - queue limits, managing, 1083
    - request priority, 1083–1084
    - thread management, 1083
    - timeout option, 1082
    - URLs, redirecting, 1082
  - section handlers, grouping (<configSections> section), 1062
  - server file, 1060–1061
  - session object, 710–711
  - session state
    - described, 1060, 1064–1065
    - Web Farm support, 1065–1068
  - settings, locking, 1078
  - strings, connecting, 1063–1064
  - web.config file, encrypting, 8–9
  - worker process
    - described, 1084–1086
    - multiple Web sites with multiple frameworks, 1086–1087
- conflicts, detecting in `SqlDataSource`, 342–343**
- connection**
- ADO.NET `DataReader` object, 393–395
  - information, storing, 350–353
  - mode of page, changing, 651
  - `SqlDataSource`, configuring, 336–339
- connection strings**
- adding to SQL Server Express file, 572
  - application, managing, 1123–1124
  - changing, 579
  - configuring, 1063–1064
  - enumerating, 1089–1092
  - retrieving, 1064
  - Session State, configuring, 1067
  - storing, 1063
- constructors, 406–407**
- consuming**
- SOAP headers, 1051–1053
  - XML Web services
    - asynchronously, 1055–1058
    - client application, invoking from, 1036–1039
    - described, 1034
    - reference, adding, 1035–1036
- container class**
- master pages, 276–277
  - template server controls, 905–908
- content pages**
- building, 256–259
  - controls, accessing, 263–264
  - GUID, 266–268
  - Label control, 264–266
  - mixing types and languages, 259–261
  - overriding Label control, 269–270
  - server control, exposing, 268–269
  - specifying template, 261–262
  - title, 262–263
  - Web Parts zones, 633–634
- Continue button, 591–592**
- Continue keyword, 1189–1190**
- control events, 206–207**
- control state, 894–895**
- control values, exposing, 71–72**
- controls**
- content pages, accessing, 263–264
  - Web Parts zones, adding, 652–655

## cookies

- anonymous identification, changing name of, 564
- data, filtering, 340
- drawbacks, 551
- role, deleting upon authentication, 627
- session state, 714–715
- state management, 732
- unsupported, maintaining session state without, 729–730, 1130

## copying

- batch processing updates
  - benefits, 421–422
  - described, 416
  - employee records, coding, 417–421
- bulk loading data
  - class properties and methods, 405–408
  - columns, mapping, 408–410
  - with data reader, 410–415
  - progress, showing, 415–416
- Web site applications, 31

## counting

- books and printing total price, 468–470
- bookstore elements, 462–463, 466–468
- items in collection (`ICollection`), 311–312
- online users, 607–608

## credentials

- access, turning off, 599–600
- Login server control, 600–603
- programmatic logging in, 603–604

## cross-page posting

- button controls, 142
- control values, exposing, 71–72
- described, 69–70
- exposed properties, consuming, 73–74
- first page, checking whether from, 74–75
- origin of (`@PreviousPageType`), 64
- postback and values, 70–71

## CSS (Cascading Style Sheets)

- advantages of using, 102–103
- applying, 102
- assigning, 101
- external stylesheets, 104–107
- HTML elements, applying directly, 103
- internal stylesheets, 107–108
- referencing, 111
- themes, creating, 287–290
- Visual Studio Style Builder, 103–104

## current date and time, JavaScript page, 114–115

## current node of page, retrieving only

(`StartFromCurrentNode` property), 539–540

## current page, setting link to, 506

`CurrentNode`, 542–544

## cursor, placing (`Focus()`) on input form, 136–137

## Custom Actions Editor, 1168–1169

## Custom Errors tab, 1124–1125

`Customer` class, business object, 344–347

## customizing

- client and server working together, 238
- client-side, 233–235
- complexity, 235–237
- end user personalization properties, 560–562
- GridView Bound List columns, 361–363
- installation program, 1146–1150
- regions, 918–924
- themes, 296–298
- type converters, 912–914
- Web Farm state store, 1067–1068
- Web Parts
  - creating, 663–666
  - DLL, 667–668
  - dragging and dropping onto page, 668
  - personalization, 666–667

# D

## data

- debugging tools, 796
- PostBack handling, 899–900
- programming with `Cache` object, 750
- retrieval speed in fire hose mode, 340
- storing
  - application folders (`App_Data` folder), 80–81
  - in-process session state, 712–715
  - populating bulleted list from, 187–189
- table, building, 4–5
- viewing
  - debugging and error-handling, monitoring, 777–780
  - tracing debugging and error-handling, 777–780

## data access objects, 17

## data binding

- Ad Rotator, 385
- CheckBoxList, 384
- connection information, storing, 350–353
- DropDownList, 384
- GridView Bound List control
  - customizing columns, 361–363
  - deleting data, 368–370
  - displaying data, 353–355
  - editing data, 363–366
  - errors, handling, 366–368



## data entry text box (TextBox) (continued)

---

### **data entry text box (TextBox) (continued)**

- multiline, 136
- passwords, 135

### **data reader**

- bulk loading, 410–415
- retrieval, 340

### **database. See also specific databases listed by name**

- APIs, 497
- data table, building from, 4–5
- List control, binding, 1000–1002
- query
  - parameterized statements, 398–401
  - state management, 724–727
  - Stored Proc, debugging, 798–799
  - XML, modifying to return (FOR XML AUTO clause), 493–495
  - XSLT, modifying to return, 495–497
- support, 492
- tabular information, viewing on mobile device (ObjectList control), 1003
- values, authenticating against, 685–686

### **DataGrid server control, 3–4**

### **DataSets**

- persisting, 479–480
- retrieval, 340
- XmlDocument, accessing (XmlDataDocument), 480–482

### **datatips, 796**

### **date**

- calendar range
  - highlighting, 169
  - populating, 231
  - retrieving, 170–171
  - sample, 229–231
- current, 114–115

### **day**

- calendar selections, 167–168
- highlighting, 169
- selection option, turning off, 175

### **DbgView debugging tool (SysInternals), 781**

### **debugging**

- design-time support
  - APIs, 771–772
  - immediate and command window, 774
  - syntax notifications, 772–773
  - Task List, 774–775
- diagnostic switches
  - Boolean, 787–788
  - levels, 788
  - source, 788

- execution, monitoring
  - application, 776
  - from components, 781–782
  - data, viewing, 777–780
  - described, 775
  - forwarding, 782
  - page-by-page, 776
  - System.Diagnostics.Trace and Page.Trace, 776
  - text file, routing to (TraceListeners), 783–787
- IIS versus ASP.NET Development Server, 792
- JIT dialog, 791
- release versus, 790–791
- requirements, 790
- session, starting
  - attaching to process, 793
  - F5, 793
  - simpler remote, 793–795
  - Windows XP Service Pack 2, 795
- SQL Stored Proc, 798–799
- time consumed by, 771
- tools
  - data visualizers, 796
  - datatips, 796
  - Edit and Continue (Lack of) Support, or Edit and Refresh, 797
  - error notifications, 797
  - Just My Code, 797–798
  - tracepoints, 798
  - turning off, 1134–1135
  - XSLT, 491–492

### **default class, template server controls, 909–910**

### **default content, specifying, 270–271**

### **default elements**

- Web navigation TreeView, 519
- Web Parts zones, 639–640

### **default instances, 1188**

### **default values, providing**

- changes, allowing, 222
- end user personalization properties, 562–563
- Null, 341

### **defining**

- groups for Windows-based authentication, 676–677
- types for end user personalization properties, 559

### **Deflate streams, 843–844**

### **deleting**

- application roles, 621–622
- from collection lists, 312–313
- data from GridView Bound List control, 368–370
- single data record, viewing (DetailsView), 377–378

- snippets, 43
- themes
  - from individual Web pages, 283
  - from text and other controls, 282
- users, 625
- Web server control collection items, 148–149
- denial of service (DoS) attack, 194, 1082**
- dependencies**
  - programming
    - disparate dependencies of different types (AggregateCacheDependency class), 751–752
    - inheritable (CacheDependency class), 752
    - previous edition's, 750–751
  - SQL Server
    - database, disabling, 760
    - disabling tables, 760
    - invalidation, enabling databases for, 757–758
    - SQL Server 2005 cache invalidation, 760–761
    - steps, 756–757
    - tables, enabling, 758, 759
    - viewing, 758–759
- deploying applications**
  - installation program, building, 1155–1159
  - pre-deployment steps, 1134–1135
  - XCopy
    - described, 1135–1138
    - VS Copy Web site option, 1138–1142
- depth of pages, navigation display, 507**
- description, image, 163**
- design surface, 96**
- Design tab, document window, 23**
- design-time experiences**
  - debugging and error-handling
    - APIs, 771–772
    - immediate and command window, 774
    - syntax notifications, 772–773
    - Task List, 774–775
  - server controls
    - actions, 924–927
    - composite, 916–918
    - custom to define regions, 918–924
    - custom type converters, 912–914
    - described, 910–911
    - designer classes, 914–915
    - regions, 915
    - type converters, 911–912
    - UI type editors, 927–928
- desktop shortcut to Web application, creating, 1163**
- Developer Solution Kits demo Web applications, 10–11**
- developer tools**
  - membership and role management, 9–10
  - personalization, 10
  - portal framework, 10–12
  - productivity, 3–6
  - site navigation, 12–14
- diagnostic switches, debugging and error-handling**
  - Boolean, 787–788
  - levels, 788
  - source, 788
- dialogs**
  - adding to installation process, 1167
  - creating, 1166–1167
  - order, changing, 1168
  - reporting (ValidationSummary), 240–241
- dictionaries**
  - classes and interfaces (System.Collections namespace), 313–314
  - collections (ListDictionary and HybridDictionary), 320–321
  - generics, 327–328
  - string tables (App\_GlobalResources Folder), 81–84
- Digest, authentication, 679**
- direction changing navigation links (PathDirection property), 506**
- directives, page**
  - assemblies (@Assembly), 64
  - attributes and values, specifying @Page, 57–59
  - class name, associating (@MasterType), 65
  - compiling another page (@Reference directive), 66
  - cross-page posting, origin of (@PreviousPageType), 64
  - Framework interface, implementing (@Implements), 63
  - importing namespace (@Import), 62–63
  - listed, 56–57
  - master page typed references or members (@MasterType), 65
  - master pages (@Master), 59–60
  - namespaces and class names, associating (@Register), 63–64
  - page or user control output caching policies (@OutputCache), 65–66
  - user control (@Control), 60–61
- directories**
  - access control lists, 826–831
  - authorization information, sending, 1077–1078
  - Directory and DirectoryInfo classes, 809–814
  - properties and attributes, 824–825
  - setting/getting current, 814–815

## **disconnected data, handling**

DataSet and DataTable, 402–404  
two-day mechanism (SqlDataAdapter class), 395–398

## **disparate dependencies, 751–752**

### **disparate systems, XML Web services**

described, 1023–1024  
SOAP request and response, 1024–1025

## **display**

bulleted list, 186–187  
data  
  details and GridView together, 372–376  
  DetailsView, 371–372  
  FormView, 381–384  
  GridView Bound List control, 353–355  
mobile device  
  Image control, 994–995  
  Link control, 997–999  
  TextView control, 993–994

## **DLL (Dynamic Link Library)**

ActiveX, adding to References section of project, 954–955  
custom Web Parts, 667–668  
instantiation while compiling, 86  
page code, finding, 88  
precompiled business objects, 950–953  
private assemblies, 974  
reference, adding, 35–36

## **document**

internal stylesheets, 107–108  
XSLT, transforming, 486–487

## **document window**

ASP.NET pages, creating, 22  
code change status notifications, 26  
error notifications and assistance, 26–28  
page tabs, 24–25  
pages, creating, 22  
tag navigator, 24  
views, 23–24

## **DOM implementation (XmlDocument)**

DataSets, changing, 481–482  
described, 474  
problems, 475  
XPath and, 475–478

## **domain name restrictions, 699–700**

## **DoS (denial of service) attack, 194, 1082**

## **DotNetNuke demo Web applications, 10**

## **drives**

DriveInfo class, 806–809  
paths, 820–824

## **drop-down list**

choice, requiring, 223–224  
DropDownList, 384  
ListBox versus, 150  
table views, choosing, 643–644

## **Dynamic Help, 33**

## **dynamic item style, 532**

## **Dynamic Link Library (DLL)**

ActiveX, adding to References section of project, 954–955  
custom Web Parts, 667–668  
instantiation while compiling, 86  
page code, finding, 88  
precompiled business objects, 950–953  
private assemblies, 974  
reference, adding, 35–36

## **dynamic object placeholder, 181**

## **dynamic substitute, cache preserving, 745–747**

## **dynamically populating collection of items**

(CheckBoxList), 156–157

# **E**

## **early binding, 971–972**

## **Edit and Continue (Lack of) Support, or Edit and Refresh, 797**

## **editing**

configuration files, 1095–1097  
customized Web page views (Web Parts), 648  
GridView  
  columns, 361–363  
  row data, 363–366  
  single data record, (FormView), 381–384  
  XML, 458–461

## **elements, listing all (NameTable), 466–468**

## **ellipsis (...), 999, 1016**

## **e-mail**

address, validating, 232  
SMTP, configuring, 1115–1116  
from Web page, 855–856

## **embedded resources, 883**

## **empty data fields**

converting to Null, 341  
disallowing, and requiring changes, 223  
error message, generating, 219–222  
GridView display, 360  
highlighting missing form in group, 246–247

## **emulator, mobile device, 1014–1015**

## **encoding files, 841**

## **encrypting web.config file, 8–9**

**end user. See also navigation; personalization; validation**

- application roles, adding, 622
- authentication
  - application registration, changing, 598–599
  - blocking open access, 599–600
  - Continue button, 591–592
  - creating new, 1110
  - managing, 1110–1111
  - programming, 595–598
  - registration process, incorporating personalization properties into, 592–595
  - stored, seeing where users are, 589–591
  - unauthenticated users, allowing to register, 600–604
- Windows-based, 672–674
  - wizard (CreateUserWizard server control), 587–589
- client-side validation, convenience for, 216–271
- managing, 1110–1111
- mode of page, changing, 640–641
- overall view of Web site, providing, 503
- profiles, filtering with key value, 340
- view
  - page sections, turning on and off (Multiview and View), 200
  - themes, disabling, 296–298
- WAT security, managing, 1110–1111
- ZIP code, asking for, 127–129

**end user control**

- assemblies, attaching (@Assembly), 64
- attributes, parsing (@Control), 60–61
- changing, 858–860
- defined, 857
- interacting, 861–862
- mobile devices, 1010–1013
- multiple, compiling or parsing (@Reference), 66
- namespace, importing (@Import), 62–63
- output caching policies (@OutputCache), 65–66
- performance gains from (VaryByControl), 743

**Ericsson emulator, 1014****error-handling**

- application, 801–802
- business objects, 960–963, 972–974
- custom pages or redirecting users, 1124–1125
- described, 800
- design-time support
  - APIs, 771–772
  - immediate and command window, 774
  - syntax notifications, 772–773
  - Task List, 774–775

- diagnostic switches
  - Boolean, 787–788
  - levels, 788
  - source, 788
- execution, monitoring
  - application, 776
  - from components, 781–782
  - data, viewing, 777–780
  - described, 775
  - forwarding, 782
  - page-by-page, 776
  - System.Diagnostics.Trace and Page.Trace, 776
  - text file, routing to (TraceListeners), 783–787
- Http status codes, 802–803
- page, handling on, 800–801
- time consumed by, 771
- updating data in GridView control, 366–368

**errors**

- data concurrency, detecting, 343
- event, triggering, 90
- files, uploading
  - described, 193
  - permissions, assigning, 193–194
- hashtable, 316
- HTML design-time, correcting, 39–41
- notification
  - debugging tools, 797
  - design-time, 771–772
  - document window, 26–28
- sign, viewing, 27
- source code and line number, showing, 1072
- SQL, catching, 369–370
- TextBox, 118
- tracing
  - application, 776
  - from components, 781–782
  - data, viewing, 777–780
  - described, 775
  - forwarding, 782
  - page-by-page, 776
  - System.Diagnostics.Trace and Page.Trace, 776
  - text file, routing to (TraceListeners), 783–787
  - WAT application, 1116–1118
- user validation messages
  - blank forms, highlighting, 246–247
  - bulleted list (ValidationSummary), 238–239
  - displaying, 218
  - fields left blank, 220–221

## errors (continued)

---

### errors (continued)

- images and sounds, 242–243
- summary, 238–241

### event model, 709–710

#### events

- anonymous identification, 566–567
- attributes, 868–869
- bulk loading handler, 415–416
- exposing (ProfileModule class), 567
- log, sending tracing information to, 785–786
- master pages ordering, 277–278
- Menu server control, 535–536
- page
  - button-click, sample, 66–67
  - listed, 67–68
  - page loading, 67
- server controls
  - button click, 98–99
  - from Properties window of Visual Studio, 100
  - specific page, 98
- triggering server validation, 218–219

#### execution, monitoring

- application, 776
- from components, 781–782
- data, viewing, 777–780
- described, 775
- forwarding, 782
- page-by-page, 776
- System.Diagnostics.Trace and Page.Trace, 776
- text file, routing to (TraceListeners), 783–787

#### expanding nodes, 522–526

#### exposed properties, consuming, 73–74

#### eXtensible HyperText Markup Language (XHTML), 772–773

#### eXtensible Markup Language. See XML

#### eXtensible Stylesheet Language Transformations (XSLT)

- document, transforming, 486–487
- processor (XslCompiledTransform), 488–489
- SQL output, transforming, 495–497
- SQL query, modifying to return, 495–497
- Web server control, 489–491

#### eXtensible Stylesheet Language (XSL) style sheet, 177–178

#### external stylesheets, 104–107

## F

#### F5, starting debugging session with, 793

#### fields, data entry

- adding to GridView, 362–363
- client-side control, 218

#### hidden

- ControlState management, 735–739
- mobile devices, 1019–1021
- states, managing, 189–190
- ViewState illusion, 890–891

#### validation server control

- blank entries, disallowing, and requiring changes, 223
- drop-down lists, 223–224
- error message, 220–221
- initial text, changing (InitialValue property), 222
- results, viewing, 221–222
- sample, 219–220

#### file extensions

- mapping, 945–946
- securing, 700–702

#### File System Editor

- desktop shortcut to Web application, creating, 1163
- opening, 1147
- Project Output, adding items to, 1161–1163
- properties, listed, 1160–1161

#### File Transfer Protocol (FTP)

- application locations, 48
- commands (FtpWebRequest and FtpWebResponse), 852–854

#### File Types Editor, 1165–1166

#### files

- access control lists, 826–831
- authentication, 689–690
- copying with XCOPY, 1136–1138
- Directory and DirectoryInfo classes, 809–814
- displaying, 816–820
- DriveInfo class, 806–809
- format, configuring, 1062
- information, viewing, 1122
- master pages, 251–252
- network communications
  - file system (FileWebRequest and FileWebResponse), 854–855
  - FTP commands (FtpWebRequest and FtpWebResponse), 852–854
  - mail from Web page, 855–856
  - WebRequest and HttpWebResponse classes, 848–852
- paths, 820–824
- properties and attributes, 824–825
- reading and writing
  - classes, 837–840
  - described, 832
  - encodings, 841
  - shortcuts, 841–842
  - streams, 832–837

- relative paths and setting/getting current directory, 814–815
- security, 805
- serial ports, 847–848
- streams, compressing
  - Deflate, 843–844
  - GZip, 842–843
  - HTTP output, 844–847
- supported types, 88–89, 1059–1060
- uploading
  - advantages, 190–191
  - byte array, moving from stream object to, 196
  - naming, 192–193
  - permissions, 193–194
  - sample, 191–192
  - size limits, 194–195
  - stream object, placing into, 195–196
- filling**
  - bulleted list from data store, 187–189
  - calendar, 231
  - dynamic collection of items (CheckBoxList), 156–157
  - form element with default values, 222
  - user controls from host Web page, 862
- filter, mobile device, 1015–1017**
- filtering** `SqlDataSource` **data**
  - with expression, 375–376
  - parameters, 376
  - `SelectParameters`, 340–342
- finding**
  - folders, 41–43
  - HTML server controls, 108–109
  - objects
    - comparing (IComparable), 304–305
    - identity versus equivalence, 302–303
    - like objects (BinarySearch), 305–306
    - overriding equals, 303–304
- Finish button**
  - creating, 205–206
  - information, saving, 206, 207
  - steps, controlling, 203–204
- fire hose mode, 340**
- first page**
  - cross-page posting, 74–75
  - image, loading, 163
  - navigating to, 506
- folders**
  - authentication
    - files, uploading, 193–194
    - specific, 689–690
  - finding, 41–43
  - master pages, limiting, 262
  - themes, creating, 284
  - URL deep within, 544–545
- fonts, 101**
- footer section, repeated. See master pages**
- For Each **loop**
  - as C# language iterator, 1178–1180
  - collection, counting, 311–312
  - hashtable, 316
  - writing, 301–302
- For **loop**
  - collection, counting, 311–312
  - hashtable, 316
  - writing, 301–302
- forms. See also validation**
  - authentication
    - configuring, 1074–1075
    - database values, working against, 685–686
    - described, 679–683
    - login control, 686–688
    - methods and properties, 688–689
    - setting (<authentication> node), 671–672
    - `web.config` file values, authenticating against, 683–685
  - buttons
    - creating, 139
    - hyperlinks, setting, 143–144
    - images, 143–144
    - JavaScript event, triggering, 141–142
    - logic, 140–141
    - steps, events controlling, 206–207
    - validation, 139, 218–219
  - CheckBox
    - described, 153–154
    - text, aligning, 155–156
    - value, assigning, 155
    - verification, 154–155
  - CheckBoxList
    - data binding, 384
    - designing, 158
    - populating, 156–157
  - element sequence, 207–211
  - end user personalization properties, 554–556
  - filtering data, 340
  - <forms>, element to `web.config` file, 586–587
  - HTML select box, including (DropDownList), 145–148
  - long workflows, breaking into manageable segments, 207
  - longer HTML select box (ListBox server control), 152–153

# forms (continued)

---

## forms (continued)

- master page, choosing and coding, 256–261
- mobile devices
  - container, 981–982
  - navigating between, 1010
  - user control, 1010–1013
- RadioButton
  - change, detecting, 160
  - described, 159–160
- RadioButtonList
  - creating, 161
  - data binding, 384
  - RadioButton versus, 160
  - value, checking, 161–162
- smart auto-completion, 138–139
- submitting to another page
  - button controls, 142
  - control values, exposing, 71–72
  - described, 69–70
  - exposed properties, consuming, 73–74
  - first page, checking whether from, 74–75
  - origin of (`@PreviousPageType`), 64
  - postback and values, 70–71
- TextBox control
  - cursor, dynamically placing in element (`Focus()` method), 136–137
  - mapping, 135–136

## forward slash (/), 484

## forwarding

- cursor (`DataReader` object), 393–395
- debugging and error-handling, monitoring (tracing), 782
- tracing debugging and error-handling, 782

## Framework interface, implementing

(`@Implements`), 63

## FrontPage Extensions, server utilizing, 48–49

## FTP (File Transfer Protocol)

- application locations, 48
- commands (`FtpWebRequest` and `FtpWebResponse`), 852–854

## functions

- buttons, multiple from same (`CommandName`), 140–141
- MMC, 1122

# G

## GAC (Global Assembly Cache), 975

## gathering users by role, 622–624

## General tab, MMC, 1123–1124

## generics

- collections, specialized
  - described, 325
  - dictionary, 327–328
  - lists, 326–327
- HTML server controls (`HtmlGenericControl`), 113–114
- Visual Basic and C# language
  - collections of objects, 1172–1176
  - methods, 1176–1178

## Global Application Class, adding, 89–90

## Global Assembly Cache (GAC), 975

## global namespace qualifiers, 1182–1183

## graphics

- as bullets, 186
- buttons, 143–144
- error notification, 242–243
- file extension, mapping, 945–946
- file location (`ImageUrl`), 162–163
- HTTP, handling, 943–944
- menu items, separating with, 534–535
- mobile devices, 994–995
- navigation menu based on (`ImageMap`)
  - checking hotspots, 213
  - specifying hotspots, 211–213
  - URL, navigating to different, 213
- outputting, request-processing pipeline handler, 943–944
- Web page view customization, 657–658
- Web site navigation
  - menu items, 534–535
  - paths, separating, 506
  - pop-out symbol, 533–534
  - themes, including, 290–293
  - TreeView, 519–520

## greater than sign (>), 504, 774

## GridView

- Bound List control
  - customizing columns, 361–363
  - deleting data, 368–370
  - displaying data, 353–355
  - editing data, 363–366
  - errors, handling, 366–368
  - paging, 357–360
  - sorting columns, 355–357
- data table, building, 4–5
- file system, binding, 816–818
- MARS control, 423–427
- single data record, viewing (`DetailsView`), 372–376

**group**

<allow> and <deny> nodes, 675–676  
 end user personalization properties, 558–559  
 form boxes, validating, 244–247  
 login, providing view for, 614–615

**GUID (unique identifier)**

anonymous personalization, 566  
 content pages, 266–268  
 master page, creating on first request, 263–264

**Guthrie, Scott (Microsoft employee), 2**

GZip **compression, 842–843**

**H****hackers, 216–217****handheld devices**

AdRotator, 985–988  
 calendar, 988–990  
 command, 994  
 emulators, 1014–1015  
 filters, 1015–1017  
 Form control container, 981–982  
 forms, navigating between, 1010  
 images, 994–995  
 label, 990–991  
 link, 997–999  
 lists, 999–1002  
 master pages, adjusting to different, 276–277  
 Mobile Web Form  
   Code view, 981  
   Design view, 980  
   event handling, 981  
   HTML view, 980  
 ObjectList, 1003  
 Panel control container, 981–983  
 PhoneCall, 996–997  
 SelectionList, 1004–1007  
 state management  
   hidden fields, 1019–1021  
   session, 1019  
   ViewState, 1017–1018  
 StyleSheets  
   applying, 984–985  
   creating and customizing, 983–984  
   global for all forms, creating, 985  
 TextBox, 991–993  
 TextView, 993–994  
 user control, 1010–1013  
 validation controls, 1008–1009  
 Visual Basic or Visual C# application, creating new,  
   977–980

**handlers, 929–930****hashtables**

classes and interfaces (System.Collections namespace), 314–317  
 generic dictionary, 327–328  
 iterating, 41–43

**header, 204–205. See also master pages****help, 33****hidden fields**

ControlState management, 735–739  
 mobile devices, 1019–1021  
 states, managing, 189–190  
 ViewState illusion, 890–891

**hierarchical data**

menu, 385–386

**TreeView**

adding nodes, 526–527  
 check boxes, creating, 515–517  
 data binding, 384–385  
 described, 509–510  
 expanding and collapsing nodes, 522–526  
 icons, specifying custom, 518–520  
 Label control, populating, 518  
 lines connecting nodes, specifying, 520–522  
 multiple options, selecting, 514–515  
 root and tree nodes, 512  
 styles, identifying built-in, 511  
 testing, 549–550  
 XML file, binding, 512–514  
 XML document, viewing, 472

**highlighting Calendar selections, 169****history, ASP.NET, 1–3****home page**

cross-page posting, 74–75  
 image, loading, 163  
 navigating to, 506

**Home tab, WAT, 1101****horizontal page alignment, 180****hot-key, 133–134****hotspots**

checking, 213  
 specifying, 211–213

**hover style**

dynamic menu items, 532  
 static menu items, 531

**HTML (HyperText Markup Language)**

ASP page, building, 2  
 bulleted list  
   binding to data store results, 187–188  
   constructing, 183–184  
   images as bullets, 186

# HTML (HyperText Markup Language) (continued)

---

## HTML (HyperText Markup Language) (continued)

- populating dynamically, 188–189
- starting value, changing, 185
- style, 184–185
- text mode, 186–187
- button control and TextBox server control, 123–126
- code, displaying in browser (Literal control), 134–135
- CSS server controls, applying to, 103
- generic control (HtmlGenericControl), 113–114
- HTTP-POST request, sending, 1043
- interpretations, challenge facing multiple browsers, 93–94
- select box, 145–148
- server controls
  - base class (HtmlControl), 110–111
  - changing, 109–110
  - finding, 108–109
  - listed, 94, 111–112
  - single-node (HtmlContainerControl), 111
  - styling, 875–877
  - tag attributes, 873–874
  - tags, rendering, 871–873
  - styles, changing, 102–103
- templated controls, 903–910
- validating, 39–41
- XSLT output, 489–491

## HTTP (HyperText Transfer Protocol)

- access, granting or denying, 1077
- buffer uploads, 1082–1083
- caching, 747–750
- cookie mechanism, 732
- digest authentication, 679
- events, 709–710
- HttpHandlers
  - defined, 858
  - embedded resources, accessing, 883
  - file extension, mapping, 945–946
  - generic, 940–944
- HttpModules
  - described, 930–931
  - IIS wildcards, 938–940
  - output, modifying, 932–934
  - URL rewriting, 934–938
- HttpWebResponse classes, 848–852
- output streams, compressing, 844–847
- page event lifecycle, 869
- requests, processing, 929–930
- rules, assigning, 1126
- session state management
  - configuring, 710–711
  - trace information, 714–715

- short-term storage, 739–740
- stateless nature, 705
- status codes for exception and error handling, 802–803
- transport protocols
  - HTTP-GET, 1040–1043
  - HTTP-POST, 1024–1025, 1043
- WebMethod attribute, 1030–1031
- Windows-based authentication transmission method, 677

## hyperlinks

- adding to GridView, 363
- appearance with button behavior, 143
- direction, changing, 506
- image or text, 145
- mobile devices, 997–999
- site navigation, 499
- Web pages, navigating among, 499

**HyperText Markup Language.** See **HTML**  
**HyperText Transfer Protocol.** See **HTTP**

## I

**IBuySpy demo Web applications, 10–11**  
**icons, TreeView server control, 518–520**

## ID

- anonymous personalization, 566
- browser, 1071
- content pages, 266–268
- control, 874–875
- HTML server control base class, 110
- master page, creating on first request, 263–264

**IDE (Integrated Development Environment).** See **Visual Studio 2005**

## identity

- ASPNET credentials, 696–698
- information, programming, 693–695
- objects, finding, 302–303

## IIS (Internet Information Server)

- application locations, 47–48
- authentication schemes, 585, 1073
- caching, 1084
- debugging, 792
- file extension, mapping, 945–946
- no need for, 20
- security
  - file extensions, 700–702
  - IP address and domain name restrictions, 699–700
  - MMC snap-in, 702–703
- virtual directory or standalone application location, 45
- wildcards, 938–940

**illusion, state**

- control state, 894–895
- hidden form field, 890–891
- properties, modifying, 892–893
- text box, viewing, 891–892
- types and, 893

**images**

- as bullets, 186
- buttons, 143–144
- error notification, 242–243
- file extension, mapping, 945–946
- file location (`ImageUrl`), 162–163
- HTTP handling, 943–944
- menu items, separating with, 534–535
- mobile devices, 994–995
- navigation menu based on (`ImageMap`)
  - checking hotspots, 213
  - specifying hotspots, 211–213
  - URL, navigating to different, 213
- outputting, request-processing pipeline handler, 943–944
- Web page view customization, 657–658
- Web site navigation
  - menu items, 534–535
  - paths, separating, 506
  - pop-out symbol, 533–534
  - themes, including, 290–293
  - `TreeView`, 519–520

**immediate window, debugging and error-handling, 774****impersonation, 696–698****importing**

- namespace (`@Import`), 62–63
- Visual Studio 2005 settings, 37–39

**include files, 251, 1080–1081****information, browser capability, 889–890****InfoSet, XML, 456****inheritance, 752. See also master pages****inline coding, 51–53****inline syntax**

- changes, 387
- described, 386–387
- SQL statement, 428
- XML, 387–388

**inner control class, 904–905****in-place precompilation, 86–87****in-process session state**

- data, storing, 712–715
- performance, optimizing, 717–719
- problem areas, 711
- Web gardening, 712

**input form text box (`TextBox`)**

- auto completion (`AutoCompleteType`), 138–139
- button, clicking (`AutoPostBack`), 137–138
- cursor, placing (`Focus()`), 136–137
- described, 135
- multiline, 136
- passwords, 135

**input, validating proper**

- application roles, 625–627
- buttons without, 139
- `CheckBox`, 154–155
- client- versus server-side, 216–217
- client-side
  - asynchronous callbacks, 884–887
  - disabling, 241–242
  - JavaScript file, 883
- customizing
  - client and server working together, 238
  - client-side, 233–235
  - complexity, 235–237
- events triggering, 218–219
- form elements, comparing
  - against constants, 226–227
  - against other controls, 224–226
- form types, 215–216
- generally, 10
- groups, 244–247
- manipulating, 217–218
- membership and role management, 9–10
- mobile device controls, 1008–1009
- pattern, defining with regular expression (`RegularExpressionValidator`)
  - e-mail address example, 232
  - other uses, 233
- range
  - dates and other string characters, 228–231
  - integer value, 228
  - sample, 227–228
- reporting
  - with dialog box, 240–241
  - errors as bulleted list, 238–239
  - images and sounds, 242–243
  - limiting to one, 239–240
- required fields
  - blank entries, disallowing, and requiring changes, 223
  - drop-down lists, 223–224
  - error message, 220–221
  - initial text, changing (`InitialValue` property), 222
  - results, viewing, 221–222
  - sample, 219–220
- rules, 215

# input, validating proper (continued)

---

## input, validating proper (continued)

### XML

- against XML Schema (`XmlReader`), 464–465
- XPath, 475

## inserting

- items to collection lists, 312–313
- single data record, 376–377

## installation program, building

custom, 1146–1150

Custom Actions Editor, 1168–1169

deployment project properties

- access, 1155–1156
- Authenticode Signature, 1158
- CAB Size, 1157–1158
- compression, 1157
- listed, 1158–1159
- Output File Name, 1156
- Package files, 1156
- URL, prerequisite, 1157

File System Editor

- desktop shortcut to Web application, creating, 1163
- Project Output, adding items to, 1161–1163
- properties, listed, 1160–1161

File Types Editor, 1165–1166

installing, 1150–1153

Launch Conditions Editor, 1169–1170

Registry Editor, 1164–1165

uninstalling, 1153–1155

User Interface Editor

- adding dialogs to installation process, 1167
- dialogs, 1166–1167
- order of dialogs, changing, 1168

Windows Installer service, 1144–1146

## integer

input

- custom client-side validation, 233–235
- custom server-side validation, 235–237
- range, specifying, 227–228
- requiring, 227
- starting point value (`StartingNodeOffset` property), 540–541

## Integrated Development Environment (IDE). See Visual Studio 2005

## IntelliSense

- business objects, accessing, 953
- coding speed, 97
- end user personalization properties, 556–557

## interface

- asynchronous command execution (`IAAsyncResult`), 432
- collection lists, 312–313

enumerating (`IEnumerable` and `IEnumerator`), 310–311

generics, 329

request-processing pipeline module, implementing, 930–931

`System.Collections` namespace

`ArrayList`, 307–310

counting items (`ICollection`), 311–312

dictionaries (`IDictionary`), 313–314

enumerating all objects (`IEnumerable` and `IEnumerator`), 310–311

hashtables, 314–317

keys, list sorted by (`SortedList`), 317–318

lists (`IList`), 312–313

`Queues` and `Stacks`, 318–320

XML Web services, 1031–1034

## internal stylesheets, 107–108

## Internet, early VB applications and, 1–2

## Internet Explorer (Microsoft) file contents, 1071

## Internet Information Server (IIS)

- application locations, 47–48
- authentication schemes, 585, 1073
- caching, 1084
- debugging, 792
- file extension, mapping, 945–946
- no need for, 20
- security
  - file extensions, 700–702
  - IP address and domain name restrictions, 699–700
  - MMC snap-in, 702–703
- virtual directory or standalone application location, 45
- wildcards, 938–940

## Interop Library files, 967–971

## intranet, master pages and, 253

## invalidation

- enabling databases for, 757–758
- testing
  - cache object, attaching dependencies to, 766–770
  - described, 763–765
  - multiple tables, adding to page, 765
  - request object, attaching dependencies to, 766

## IP address, 699–700

`IsNot` keyword, 1192

## items, `ListBox`, 152–153

## iterators, 1178–1180

# J

## JavaScript

- buttons, 141–142
- client, rendering, 879

- pages
  - bottom, placing function at
    - (RegisterStartupScriptBlock), 117–119
  - current date and time, 114–115
  - script file, placing function in
    - (RegisterClientScriptInclude), 119
  - top, placing function at
    - (RegisterClientScriptBlock), 115–117
- validation, client-side
  - enabling, 883
  - number divisible by 5, 234–235
  - performing, 217
  - turning off, 241–242

**JIT (Just-In-Time) compilation, 791****Just My Code debugging tool, 797–798****K****keys**

- dictionaries, 313–314
- filtering data, 340
- hashtables
  - classes and interfaces (System.Collections namespace), 314–317
  - generic dictionary, 327–328
  - iterating, 41–43
- list sorted by (SortedList), 317–318

**keywords, VB**

- Continue, 1189–1190
- IsNot, 1192
- My, 1190–1192
- purpose, 1188
- TryCast, 1192
- Using, 1190

**L****Label control**

- files, uploaded, 193
- master pages
  - creating, 264–266
  - overriding, 269–270
- mobile devices, 990–991
- populating, 518

**languages**

- caching, 743
- content pages, mixing, 259–261
- web.config file, structuring for different, 80

**“last in wins” data updating style, 342****late binding, 971–972****Launch Conditions Editor, 1169–1170****layout**

- CheckBoxList, 158
- Menu server control, 533
- table
  - captioning, 165–166
  - rows, adding, 164–165
  - three-rowed, creating, 163–164
- Web Parts zones, 634–638, 639

**left side scrollbar, 180****libraries**

- CCW, 965–968
- DLL
  - ActiveX, adding to References section of project, 954–955
  - custom Web Parts, 667–668
  - instantiation while compiling, 86
  - page code, finding, 88
  - precompiled business objects, 950–953
  - private assemblies, 974
  - reference, adding, 35–36

**like objects, finding (BinarySearch), 305–306****line numbers, color-coded, 26****lines connecting nodes, specifying, 520–522****links. See also hyperlinks**

- buttons looking like (LinkButton), 143
- elements, separating symbol (PathSeparator property), 504–506
- mobile devices, 997–999
- site, 499

**ListBox**

- data binding, 384
- Web server controls
  - DropDownList versus, 150
  - items, adding, 152–153
  - multiple items, allowing users to select, 150
  - sample, 151–152

**lists**

- array
  - described, 307–310
  - printing, 301
- classes and interfaces (IList), 312–313
- drop-down selection box (DropDownList)
  - creating, 145–148
  - requiring choice, 223–224
- generic, 326–327
- longer than drop-down box (ListBox server control)
  - adding items, 152–153
  - described, 150
  - multiple selections, allowing, 150
  - sample, 150–152

## lists (continued)

---

### lists (continued)

mobile devices, 999–1002, 1004–1007

radio button

creating, 161

data binding, 384

value, checking, 161–162

sorted by key (`SortedList`), 318

user entry errors, reporting, 240

user view personalization

catalog, 644–646

drop-down, 643–644

XML content, displaying, 483–484

### Locations tab, MMC, 1131

### log, tracing information, 785–786

### login authentication

configuration

described, 1073

forms, 1074–1075

Microsoft Passport, 1074

Windows, 1073

credentials, asking for

access, turning off, 599–600

Login server control, 600–603

programmatically logging in, 603–604

described, 583–584

files and folders, specific, 689–690

forms-based

database values, authenticating against, 685–686

described, 679–683

login control, 686–688

methods and properties, 688–689

setting (<`authentication`> node), 671–672

`web.config` file values, authenticating against, 683–685

measures, applying, 670–671

Microsoft Passport identity system, 689

MMC tab, 1126–1128

online users, counting, 607–608

page-level events, triggering, 90

passwords, changing or retrieving forgotten

recovery server control, 610–612

server control, 609–610

status, logging in or out, 604–605

username, displaying, 606–607

users, adding

application registration, changing, 598–599

Continue button, 591–592

programming, 595–598

registration process, incorporating personalization properties into, 592–595

stored, seeing where users are, 589–591

wizard, 587–589

Web site, setting up for membership

<`authentication`> element, 585–586

described, 584–585

<`forms`> element, 586–587

Windows-based

application, creating, 674–675

Basic, 678

defining groups, 676–677

Digest, 679

groups (<`allow`> and <`deny`> nodes), 675–676

HTTP transmission method, 677

users, creating, 672–674

### look and feel, consistent

application, applying to entire, 281

application folders (`App_Themes`), 81

creating

CSS files, including, 287–290

folder structure, 284

images, including, 290–293

skin (styles definition for server controls), 285–287

custom controls, 296–298

multiple skin options, 293–295

page framework, 16–17

programming

assigning, 295–296

`SkinID`, assigning, 296

server controls

disabling, 877–878

removing, 282

single page, applying, 279–281

`StyleSheetTheme` attribute, 283

Web pages, removing, 283

### loops

as C# language iterator, 1178–1180

collection, counting, 311–312

hashtable, 316

writing, 301–302

## M

### `machine.config` file

application, 1061

applying, 1061–1062

changes, detecting, 1062

described, 1060–1061

format, 1062

manipulating, 1092–1093

Remote Servers, altering from, 1093–1095

sections, 1063

**mail.** See **e-mail**

**manager, Web Portal**

methods, 659  
properties, 658–659

**Mariani, Rico (CLR performance architect), 771–772**

**MARS (Multiple Active Result Sets)**

asynchronous command execution  
  abstract class (`WaitHandle` class), 432–434  
  callback approach, 432, 449–451  
  canceling, 451  
  described, 429  
  interface (`IAsyncResult`), 432  
  multiple wait handles, 440–448  
  Poll approach, 434–437  
  `SqlCommand` class methods, 429–431  
  Wait approach, 437–440  
described, 422  
GridView control, 423–427  
master and detailed information scenario, 422–423  
orders, handling, 428

**master and detailed information scenario**

MARS, 422–423  
result set, opening over same connection, 422–423

**master pages**

advantages of using, 249–251  
assigning, 272  
caching, 278  
coding, 253–256  
container-specific, 276–277  
content pages  
  building, 256–259  
  controls, accessing, 263–264  
  GUID, 266–268  
  Label control, 264–266  
  mixing types and languages, 259–261  
  overriding Label control, 269–270  
  overriding property, 268  
  server control, exposing, 268–269  
  specifying template, 261–262  
  title, 262–263  
default content, specifying, 270–271  
event ordering, 277–278  
files, 251–252  
framework, 15–16  
nesting, 272–275  
partial classes, 252–253  
properties, parsing (`@Master`), 59–60  
typed references or members (`@MasterType`), 65

**maximum range, input, 228**

**maximum request length, 1082**

**MDAC (Microsoft Data Access Component)**

ADO.NET reliance, 405  
asynchronous processing, 429

**membership**

data providers, attaching, 1127  
developer tools, 9–10  
number  
  groups of forms, validating, 244–247  
  registration form, 209–211

**memory, saving pages in**

application  
  configuring, 761–763  
  roles, 627  
described, 741  
HTTP policy and client-side, 747–750  
invalidation, testing  
  cache object, attaching dependencies to, 766–770  
  described, 763–765  
  multiple tables, adding to page, 765  
  request object, attaching dependencies to, 766  
master pages, 278  
output  
  described, 742  
  QueryString parameters, specifying (`VaryByParam`),  
    742–743  
  UserControls, performance gains from  
    (`VaryByControl`), 743  
  `VaryByCustom`, 743–744  
partial page, 744–745  
programming  
  custom, creating, 752–756  
  data with `Cache` object, 750  
  disparate dependencies of different types  
    (`AggregateCacheDependency` class),  
    751–752  
  inheritable dependencies (`CacheDependency`  
    class), 752  
  previous edition's dependencies, 750–751  
responses, XML Web services, 1047–1048  
SQL Server dependency  
  database, disabling, 760  
  disabling tables, 760  
  invalidation, enabling databases for, 757–758  
  SQL Server 2005 cache invalidation, 760–761  
  steps, 756–757  
  tables, enabling, 758, 759  
  viewing, 758–759  
substitution following, 745–747

**Menu, 385–386**

## Menu server control

- described, 527–529
- dynamic item style, 532
- events, 535–536
- images, separating items with, 534–535
- layout, 533
- pop-out symbol, changing, 533–534
- predefined style, 530
- static item style, 531
- styles, applying, 529
- XML file, binding, 536–537

## <meta> element, 113

### methods

- bulk loading from variety of sources, 408
- classes, .wsdlfiles, and typed datasets (App\_Code\folder), 78–79
- forms-based authentication, 688–689
- generics, 1176–1178
- overloading, XML Web services, 1044–1047
- server controls, building, 95

## Microsoft Data Access Component (MDAC)

- ADO.NET reliance, 405
- asynchronous processing, 429

## Microsoft Developer Network (MSDN) Forums, 41

## Microsoft Developer Network (MSDN) style, TreeView control with, 511

## Microsoft Development Environment, 491–492

## Microsoft Internet Explorer file contents, 1071

## Microsoft Management Console (MMC)

- Application tab, 1128–1129
- Authentication tab, 1126–1128
- Authorization tab, 1125–1126
- Custom Errors tab, 1124–1125
- described, 6
- functions, 1122
- General tab, 1123–1124
- IIS security, 702–703
- Locations tab, 1131
- opening, 1120–1122
- Services, 719–724
- Session State service, 1065
- State Management tab, 1129–1130

## Microsoft Passport identity system

- authentication, 689
- non-authenticated users, directing, 1074
- setting up, 585

## Microsoft SQL Server

- asynchronous methods, 429–431
- binding (SqlDataSource control)
  - Ad Rotator, 385
  - caching, 349–350

- conflicts, detecting, 342–343
- connection, configuring, 336–339
- DataSet or DataReader retrieval, 340
- editing row data, 363–364
- filtering data (SelectParameters), 340–342
- hierarchy, viewing, 385
- insert command, adding, 377–378
- servers listed, 336
- Web service, 1031–1034

dependency caching

- database, disabling, 760
- disabling tables, 760
- invalidation, enabling databases for, 757–758
- SQL Server 2005 cache invalidation, 760–761
- steps, 756–757
- tables, enabling, 758, 759
- viewing, 758–759

end user personalization

- Express Edition files, 571–573
- scripts, 578–580
- setup wizard, 573–578

membership service

- credentials, checking, 685–686
- data store, creating, 587
- table, viewing, 589–591

queries, executing (Command object), 391–392

sessions, storing, 724–727, 1066–1067

Web Farm support, 1066–1067

XML

- extracting, 479
- loading, manipulating, and editing, 482
- retrieving, 494–497
- support, 492

## Microsoft SQL Server 2005, 760–761

## Microsoft SQL Server Express Edition, 571–573

## Microsoft SQL Server Yukon 2005, 497–498

## Microsoft Visual Studio 2005

- benefits of using, 21
- Class View, 33
- code snippets, 41–43
- common tasks, programming, 36–37
- configuration file editing tools, 1095–1097
- content area, default, 271
- Copy Web site option, 1138–1142
- debugging support, 771–772
- designing Calendar, 172
- document window
  - ASP.NET pages, creating, 22
  - code change status notifications, 26
  - error notifications and assistance, 26–28
  - page tabs, 24–25

- stylesheet, incorporating, 106
- tag navigator, 24
- views, 23–24
- Dynamic Help, 33
- File System Editor, opening, 1147
- HTML
  - elements, listed, 108
  - validating, 39–41
- Master Pages, viewing, 255
- Menu control styles, 530–532
- MultiView control, creating, 197
- new projects, creating, 34
- page-building, 18–20
- Properties window, 32–33, 100
- references to other objects, making, 34–36
- Regular Expression Editor, 232–233
- resources, Internet, 41
- Server Explorer, 32
- server-side controls
  - built-in, 857
  - creating, 100
  - script tags, 142
- settings, saving and importing, 37–39
- Solution Explorer, 30–32
- SqlDataSource control, typical, 339
- Start Page, 22
- submaster pages, trouble creating, 274–275
- Toolbox, 28–30
- WAT, accessing, 1100
- XML files, viewing, 460–461
- XML Web services files, 1025–1026
- Microsoft Windows**
  - API calls, unsigned types, 1187–1188
  - authentication
    - application, creating, 674–675
    - Basic, 678
    - configuring, 1073
    - defining groups, 676–677
    - Digest, 679
    - groups (<allow> and <deny> nodes), 675–676
    - HTTP transmission method, 677
    - users, creating, 672–674
  - authorization role, checking (`User.IsInRole()`), 692–693
  - IIS security, 699
  - Installer service, 1144–1146
  - Service for out-of-process session state, 719–724
  - sounds, finding, 243
  - XP Service Pack 2 debugging session, starting, 795

- Microsoft Windows SQL CE Database**
  - conflicts, detecting, 342–343
  - connection, configuring, 336–339
  - DataSet or DataReader retrieval, 340
  - filtering data (`SelectParameters`), 340–342
  - servers listed, 336
- `Microsoft.VisualBasic.Collection`, **321**
- middle-layer business objects (ObjectDataSource control)**
  - configuring, 347–348
  - customer class, creating, 344–347
  - page source code, 348–349
- minimum range input, 228**
- minus sign (-), 519**
- MMC (Microsoft Management Console)**
  - Application tab, 1128–1129
  - Authentication tab, 1126–1128
  - Authorization tab, 1125–1126
  - Custom Errors tab, 1124–1125
  - described, 6
  - functions, 1122
  - General tab, 1123–1124
  - IIS security, 702–703
  - Locations tab, 1131
  - opening, 1120–1122
  - Services, 719–724
  - Session State service, 1065
  - State Management tab, 1129–1130
- mobile devices**
  - AdRotator, 985–988
  - calendar, 988–990
  - command, 994
  - emulators, 1014–1015
  - filters, 1015–1017
  - Form control container, 981–982
  - forms, navigating between, 1010
  - images, 994–995
  - label, 990–991
  - link, 997–999
  - lists, 999–1002
  - master pages, adjusting to different, 276–277
  - Mobile Web Form
    - Code view, 981
    - Design view, 980
    - event handling, 981
    - HTML view, 980
  - ObjectList, 1003
  - Panel control container, 981–983
  - PhoneCall, 996–997
  - SelectionList, 1004–1007

### mobile devices (continued)

- state management
  - hidden fields, 1019–1021
  - session, 1019
  - ViewState, 1017–1018
- StyleSheets
  - applying, 984–985
  - creating and customizing, 983–984
  - global for all forms, creating, 985
- TextBox, 991–993
- TextView, 993–994
- user control, 1010–1013
- validation controls, 1008–1009
- Visual Basic or Visual C# application, creating new, 977–980

### Mobile Web Form

- Code view, 981
- Design view, 980
- event handling, 981
- HTML view, 980

### mode of page, changing

- adding list, 641–644
- adding to page, 644–646
- connecting, 651
- moving, 646–648
- settings, 648–651
- user tasks, 640–641

### modules

- defined, 857
- server controls, 929–930

### month selections, highlighting, 169

### MSDN (Microsoft Developer Network) Forums, 41

### MSDN (Microsoft Developer Network) style, TreeView control with, 511

### multiline text box input form, 136

### Multiple Active Result Sets (MARS)

- asynchronous command execution
  - abstract class (`WaitHandle` class), 432–434
  - callback approach, 432, 449–451
  - canceling, 451
  - described, 429
  - interface (`IAAsyncResult`), 432
  - multiple wait handles, 440–448
  - Poll approach, 434–437
  - `SqlCommand` class methods, 429–431
  - Wait approach, 437–440
- described, 422
- GridView control, 423–427
- master and detailed information scenario, 422–423
- orders, handling, 428

### multiple forms, 244–247

### multiple items, allowing users to select, 150

### multiple providers, 581

### multiple skin options, 293–295

### multiple tables, adding to page, 765

### multiple user control or page, compiling or parsing (`@Reference`), 66

### multiple wait handles, asynchronous command execution, 440–448

### multiple Web sites with multiple frameworks, 1086–1087

### My keyword, 1190–1192

## N

### namespace

- ADO.NET data management, 389–391
- class names, associating (`@Register`), 63–64
- importing into page or user control (`@Import`), 62–63
- XML document
  - breaking into atomic parts, 466–468
  - qualification unavailable, 483
  - resolution, 478
  - XSD Schema definition, 458

### naming

- cookies, 564
- files, uploaded, 192–193

### navigation

- sequence of steps for end user, 202, 205–206
- site map, 12–13
- views, 199

### nesting

- master pages, 272–275
- pages, undoing, 31

### .NET components within COM objects

- generating, 968–971
- private assemblies, 974
- public assemblies, 975

### network communications

- file system (`FileWebRequest` and `FileWebResponse`), 854–855
- FTP commands (`FtpWebRequest` and `FtpWebResponse`), 852–854
- mail from Web page, 855–856
- `WebRequest` and `HttpWebResponse` classes, 848–852

### newsfeed (RSS)

- displaying, 485
- XML documents, binding, 344

**Next button**

- information, saving, 206
- steps, controlling, 203–204

**Nokia emulator, 1014**

Null value, **360**

**numbers**

- bulleted list starting values, changing, 185
- divisible by five, validating, 233–235, 236–237

**O****Obasanjo, Dare (Microsoft XML Program Manager), 497**

ObjectList, **mobile device, 1003**

**ODBC (Open Database Connectivity) data source**

- conflicts, detecting, 342–343
- connection, configuring, 336–339
- DataSet or DataReader retrieval, 340
- filtering data (SelectParameters), 340–342
- servers listed, 336

**offline, taking WAT application, 1118****OLE DB data source**

- conflicts, detecting, 342–343
- connection, configuring, 336–339
- DataSet or DataReader retrieval, 340
- filtering data (SelectParameters), 340–342
- servers listed, 336

OnClick **event, 139**

**online resources**

- ASP.NET influential blogs, 1193–1194
- author blogs, 1193
- Web sites, 1194

**online users, counting, 607–608**

**Open Database Connectivity data source. See ODBC data source**

**opening MMC, 1120–1122****OpenWave emulator, 1014****operator overloading, 1181–1182****Oracle Server**

- conflicts, detecting, 342–343
- connection, configuring, 336–339
- DataSet or DataReader retrieval, 340
- filtering data (SelectParameters), 340–342
- servers listed, 336

**orders, MARS handling, 428****out-of-process state management, 719–724, 731****output**

- caching
  - described, 742
  - QueryString parameters, specifying (VaryByParam), 742–743

runtime settings, 1084

UserControls, performance gains from (VaryByControl), 743

VaryByCustom, 743–744

Calendar format, 168

compilation, viewing, 88

modifying, 932–934

**Output File Name, 1156****overriding**

- equals, finding objects, 303–304
- property in content pages, 268
- Render method, 871

**P****packaging and deploying applications**

described, 1133

installation program, building

custom, 1146–1150

Custom Actions Editor, 1168–1169

deployment project properties, 1155–1159

File System Editor, 1160–1163

File Types Editor, 1165–1166

installing, 1150–1153

Launch Conditions Editor, 1169–1170

Registry Editor, 1164–1165

uninstalling, 1153–1155

User Interface Editor, 1166–1168

Windows Installer service, 1144–1146

pieces needed, 1133–1134

precompiled Web application, 1142–1144

pre-deployment steps, 1134–1135

XCopy deployment

described, 1135–1138

VS Copy Web site option, 1138–1142

**page. See also master pages; themes**

cross-page posting

control values, exposing, 71–72

described, 69–70

exposed properties, consuming, 73–74

first page, checking whether from, 74–75

postback and values, 70–71

debugging and error-handling, monitoring, 776

directives

assemblies (@Assembly), 64

attributes and values, specifying (@Page), 57–59

class name, associating (@MasterType), 65

compiling another page (@Reference directive), 66

cross-page posting, origin of

(@PreviousPageType), 64

## page (continued)

- Framework interface, implementing
  - (@Implements), 63
- importing namespace (@Import), 62–63
- listed, 56–57
- master page typed references or members
  - (@MasterType), 65
- master pages (@Master), 59–60
- namespaces and class names, associating
  - (@Register), 63–64
- output caching policies (@OutputCache), 65–66
- page or user control output caching policies
  - (@OutputCache), 65–66
- user control (@Control), 60–61

document window

- creating, 22
- tabs, 24–25

events

- button-click, sample, 66–67
- lifecycle, 869–870
- listed, 67–68
- loading, 67, 98

exception and error handling, 800–801

internal stylesheets, 107–108

JavaScript

- bottom, placing function at
  - (RegisterStartupScriptBlock), 117–119
- current date and time, 114–115
- script file, placing function in
  - (RegisterClientScriptInclude), 119
- top, placing function at
  - (RegisterClientScriptBlock), 115–117

layout

- horizontal alignment, 180
- left side scrollbar, 180
- scrollbar example, 178–180

namespace, importing (@Import), 62–63

postbacks, 68–69

resources used for single

- (App\_LocalResApp\_LocalResources), 84

sections, turning on and off (Multiview and View)

- buttons, 199–200
- described, 196–199
- end user view, 200

source code, middle-layer business objects

- (ObjectDataSource control), 348–349

specifying (StartingNodeUrl property), 541

structure options

- code-behind model, 53–55
- described, 50–51
- inline coding, 51–53

- template server controls, adding, 908–909
- themes, removing, 283
- tracing debugging and error-handling, 776
- viewing as designed, 23
- views, controlling by login, 613–615

Page.Trace, **776**

**Panel control container, mobile device, 981–983**

**parameters**

- ADO.NET data management, 398–401
- client callback feature, 127–129

**parsing**

- attributes and values, specifying (@Page directive), 57–59
- page, passing, 85

**partial classes**

- described, 14
- master pages, 252–253
- Visual Basic and C# language, 1183–1185

**partial page caching, 744–745**

**particular user, gathering all, 624–625**

**Passport identity system (Microsoft)**

- authentication, 689
- non-authenticated users, directing, 1074
- setting up, 585

**passwords**

- basic authentication, 678
- encrypted, 684
- groups of forms, validating, 244–246
- input form text box (TextBox), 135
- membership
  - requirements, changing, 591
  - table storing, 590
- values, adding, 683

**paths**

- drives, directories, and files, 820–824
- relative, 814–815

**pattern, defining**

- commonly used, creating, 232–233
- field, creating, 218
- validating, 232

**performance**

- ASP.NET generally, 9
- in-process session state, 717–719

**permissions**

- application roles
  - adding, 619–620
  - caching, 627
  - checking users, 625–627
  - deleting, 621–622
  - gathering all users, 622–624
  - particular user, gathering all, 624–625

- removing users, 625
- retrieving, 621
- users, adding, 622
- authorized user information, working with
  - (`User.Identity` property), 691–692
- configuration
  - file, 1077–1078
  - support, 1076
  - URL, 1076–1077
- described, 583–584
- files, uploading, 193–194
- MMC tab, 1125–1126
- page views, controlling by login, 613–615
- programming
  - authorized user information, working with
    - (`User.Identity` property), 691–692
  - described, 690
  - identity information, additional, 693–695
  - Windows role, checking (`User.IsInRole()`), 692–693
- public methods
  - membership API, 628–629
  - roles API, 629–630
- role management for Web site
  - changing, 616–618
  - described, 615–616
  - `web.config` file, 618–619
- Security tab, WAT, 1101
- Web Site Administration Tool, 628
- persisting DataSets, 479–480**
- Person class**
  - comparability, adding, 304–305
  - creating simple, 299–300
  - finding individuals, 302–303
  - generic dictionary, 327–328
  - hashtable, retrieving, 314–317
  - list using generics, 326–327
  - overriding equals, 303–304
  - printing, 300–302
  - pushing, popping, and peeking in stack, 319–320
  - queuing, 318–319
  - resizing, 302
  - sorting, 306–307
- personalization**
  - anonymous identification
    - cookie, changing name of, 564
    - described, 563–564
    - events, 566–567
    - length of time cookie stored, changing, 564–565
    - options, 567
    - storage of identifiers, changing, 565
    - viewing, 566
  - custom Web Parts, 666–667
  - developer tools, 10
  - form properties, 554–556
  - model diagrammed, 551–552
  - multiple providers, 581
  - programmatically access
    - anonymous users, migrating, 568–569
    - automatic saves, continuing with, 570–571
    - events, exposing (`ProfileModule` class), 567
    - profiles, 569–570
  - properties, creating
    - custom types, 560–562
    - default values, providing, 562–563
    - defining in `web.config` file, 553–554
    - defining types, 559
    - described, 552–553
    - form, 554–556
    - group, 558–559
    - IntelliSense, 556–557
    - read-only, 563
  - registration details, storing, 592–595
  - SQL Server
    - scripts, 578–580
    - setup wizard, 573–578
  - SQL Server Express Edition, 571–573
- PhoneCall **setting, mobile device, 996–997**
- pictures**
  - as bullets, 186
  - buttons, 143–144
  - error notification, 242–243
  - file extension, mapping, 945–946
  - file location (`ImageUrl`), 162–163
  - HTTP handling, 943–944
  - menu items, separating with, 534–535
  - mobile devices, 994–995
  - navigation menu based on (`ImageMap`)
    - checking hotspots, 213
    - specifying hotspots, 211–213
    - URL, navigating to different, 213
  - outputting, request-processing pipeline handler, 943–944
  - Web page view customization, 657–658
  - Web site navigation
    - menu items, 534–535
    - paths, separating, 506
    - pop-out symbol, 533–534
    - themes, including, 290–293
    - TreeView, 519–520

# pipe character (|)

---

## **pipe character (|), 505**

### **placeholder**

- dynamic substitution, 747
- server control
  - creating, 181
  - master pages, 270, 275

### **plus sign (+), 519**

### **Poll approach, asynchronous command execution, 434–437**

### **polymorphism, 1044**

### **pop-out symbol, changing, 533–534**

### **populating**

- bulleted list from data store, 187–189
- calendar, 231
- dynamic collection of items (`CheckBoxList`), 156–157
- form element with default values, 222
- user controls from host Web page, 862

### **portable devices**

- AdRotator, 985–988
- calendar, 988–990
- command, 994
- emulators, 1014–1015
- filters, 1015–1017
- Form control container, 981–982
- forms, navigating between, 1010
- images, 994–995
- label, 990–991
- link, 997–999
- lists, 999–1002
- master pages, adjusting to different, 276–277
- Mobile Web Form
  - Code view, 981
  - Design view, 980
  - event handling, 981
  - HTML view, 980
- ObjectList, 1003
- Panel control container, 981–983
- PhoneCall, 996–997
- SelectionList, 1004–1007
- state management
  - hidden fields, 1019–1021
  - session, 1019
  - ViewState, 1017–1018
- StyleSheets
  - applying, 984–985
  - creating and customizing, 983–984
  - global for all forms, creating, 985
- TextBox, 991–993
- TextView, 993–994

- user control, 1010–1013
- validation controls, 1008–1009
- Visual Basic or Visual C# application, creating new, 977–980

### **Portal Framework, Web Parts**

- class properties, 661–662
- developer tools, 10–12
- manager methods, 659
- manager properties, 658–659
- zone properties, 660–661

### **postbacks**

- client callback feature versus, 120–122
- cross-page posting, 70–71
- data, handling, 899–900
- drop-down list, generating subentries, 147–148
- events, raising
  - adding, 896–897
  - handling, 898–899
  - initiating, 895–896
- hotspot images, 212–213
- page, 68–69
- state management, 733–734

### **posting, cross-page**

- button controls, 142
- control values, exposing, 71–72
- described, 69–70
- exposed properties, consuming, 73–74
- first page, checking whether from, 74–75
- origin of (`@PreviousPageType`), 64
- postback and values, 70–71

### **precompiling**

- business objects
  - described, 950–952
  - using, 952–953
- for deployment, 87
- described, 14–15
- Web application, 1142–1144

### **Previous button**

- information, saving, 206
- steps, controlling, 203–204

### **printing**

- arrays, 300–302
- total price of counted books, 468–470

### **private assemblies, 963–964**

### **processor affinity, 712**

### **processor, XSLT, 488–489**

### **profiles, end user, 569–570**

### **program**

- caching, 761–763
- copying Web site, 31

- debugging and error-handling
    - at application level, 801–802
    - monitoring, 776
  - enabling and disabling, 1081
  - locations
    - FrontPage Extensions, server utilizing, 48–49
    - FTP, 48
    - IIS, 45, 47–48
    - Web server, 46–47
  - mobile device shutdown time, 1082
  - monitoring tools, 788–790
  - queue length, 1083
  - registration, changing, 598–599
  - roles
    - adding, 619–620
    - all users, gathering, 622–624
    - caching, 627
    - checking users, 625–627
    - deleting, 621–622
    - particular user, gathering, 624–625
    - removing users, 625
    - retrieving, 621
    - users, adding, 622
  - settings, storing specific, 1087
  - state management, 731
  - themes, 281
  - Windows-based authentication, creating, 674–675
- program folders**
- classes, .wsdlfiles, and typed datasets
    - (App\_Codefolder)
    - assembly, building into single, 80
    - creating, 76–78
    - described, 75–76
    - method, adding, 78–79
  - configuration, 1061
  - data dictionary string tables (App\_GlobalResources Folder), 81–84
  - data stores (App\_Datafolder), 80–81
  - page, resources used for single
    - (App\_LocalResApp\_LocalResources), 84
  - themes (App\_Themes), 81
  - Web services, remote (App\_WebReferences), 85
  - XML browser identification files (App\_Browsers), 85
- programming**
- authorization
    - authorized user information, working with
      - (User.Identity property), 691–692
    - described, 690
    - identity information, additional, 693–695
    - Windows role, checking (User.IsInRole()), 692–693
  - caching
    - custom, creating, 752–756
    - data with Cache object, 750
    - disparate dependencies of different types
      - (AggregateCacheDependency class), 751–752
    - inheritable dependencies (CacheDependency class), 752
    - previous edition's dependencies, 750–751
  - configuration files
    - connection strings, enumerating, 1089–1092
    - described, 1087–1089
    - manipulating, 1092–1093
    - remotely, working, 1093–1095
  - end user personalization
    - anonymous users, migrating, 568–569
    - automatic saves, continuing with, 570–571
    - events, exposing (ProfileModule class), 567
    - profiles, 569–570
  - logging in, 603–604
  - themes
    - assigning, 295–296
    - SkinID, assigning, 296
    - user authentication, 595–598
- progress, bulk loading, 415–416**
- project**
- creating new, 34
  - setup, 863–867
- Project Output, adding items to, 1161–1163**
- properties**
- attributes, 868–869
  - directories and files, 824–825
  - end user personalization
    - custom types, 560–562
    - default values, providing, 562–563
    - defining in web.config file, 553–554
    - defining types, 559
    - described, 552–553
    - form, 554–556
    - group, 558–559
    - IntelliSense, 556–557
    - read-only, 563
  - forms-based authentication, 688–689
  - server control events, 100
  - state illusion (ViewState), 892–893
- property accessors, 1186–1187**
- protecting configuration settings, 1095**
- providers**
- adding, editing, or removing, 1128
  - setting up, 1118–1120
- public assemblies, 964–965**

## public methods

- membership API, 628–629
- roles API, 629–630

## purpose keyword, 1188

## Q

### query, database

- parameterized statements, 398–401
- state management, 724–727
- Stored Proc, debugging, 798–799
- XML, modifying to return (FOR XML AUTO clause), 493–495
- XSLT, modifying to return, 495–497

### QueryString

- parameters, specifying (VaryByParam)
  - filtering, 340
  - output caching, 742–743
- state management, 732

### question mark (?), 1077

### queue

- classes and interfaces (System.Collections namespace), 318–320
- limits, managing at runtime, 1083

## R

### RadioButton

- change, detecting, 160
- described, 159–160

### RadioButtonList

- creating, 161
- data binding, 384
- RadioButton versus, 160
- value, checking, 161–162

### random number, generating, 41–43

### random value, populating to Web page, 123–126

### range

- input field control, 218
- validation server control
  - dates and other string characters, 228–231
  - integer value, 228
  - sample, 227–228

### RCW (Runtime Callable Wrapper)

- described, 954–955
- public assemblies, 964

### reading files

- classes, 837–840
- described, 832
- encodings, 841
- shortcuts, 841–842

- streams, 832–837

### read-only property

- collection lists, 312
- cursor (DataReader object), 393–395
- end user personalization properties, 563

### Really Simple Syndication (RSS) feed

- displaying, 485
- XML documents, binding, 344

### recovery server control, 610–612

### reference, XML Web services, 1035–1036

### references to other objects, making, 34–36

### regions, 915

### registration process

- form
  - building, 208
  - input information, pushing out, 208–209
  - membership link, 209–211
- JavaScript on Web page, 115–117, 119
- membership
  - forms, creating, 588–589
  - provider, changing rules, 598–599
- open access, blocking, 599–600
- personalization properties, incorporating, 592–595

### Registry Editor, 1164–1165

### regular expression

- commonly used, creating, 232–233
- field, creating, 218
- validating, 232

### Relational-Object-XML (ROX) database, 497–498

### relative paths, 814–815

### release, debugging versus, 790–791

### remote actions

- debugging session, starting, 793–795
- file, writing, 854–855
- server, manipulating programming files from, 1093–1095
- Web page, posting data to, 851–852
- Web services (App\_WebReferences), 85

### removing

- application roles, 621–622
- from collection lists, 312–313
- data from GridView Bound List control, 368–370
- single data record, viewing (DetailsView), 377–378
- snippets, 43
- themes
  - from individual Web pages, 283
  - from text and other controls, 282
- users, 625
- Web server control collection items, 148–149

**rendering server controls**

- page event lifecycle, 869–870
- services, 871–873

**report, validation**

- with dialog box, 240–241
- errors as bulleted list, 238–239
- images and sounds for error notification, 242–243
- limiting to one, 239–240

**request priority, 1083–1084****request-processing pipeline**

- handler
  - adding to project, 940–941
  - described, 940
  - file extension, mapping in IIS, 945–946
  - image, outputting, 943–944
  - page template, 941–942
- module
  - IIS wildcards, 938–940
  - interface, implementing, 930–931
  - output, modifying, 932–934
  - URL rewriting, 934–938

**requests**

- first, 90
- object, attaching dependencies to, 766
- SOAP headers, 1053–1055

**required fields**

- client-side control, 218
- validation server control
  - blank entries, disallowing, and requiring changes, 223
  - drop-down lists, 223–224
  - error message, 220–221
  - initial text, changing (`InitialValue` property), 222
  - results, viewing, 221–222
  - sample, 219–220

**resizing arrays, 302****resources**

- ASP.NET influential blogs, 1193–1194
- author blogs, 1193
- Internet, 41
- Web sites, 1194

**result set, opening over same connection (MARS)**

- GridView control, 423–427
- inline SQL statement, 428
- master and detailed information scenario, 422–423

**retrieving**

- application roles, 621
- updates, batch processing, 417–421

**roles management**

- additional information, 693–695
- application
  - deleting, 621–622
  - gathering all users, 622–624
  - users, adding, 622
- caching, 627
- changing, 616–618
- checking users, 625–627, 692–693
- data providers, attaching, 1127
- described, 615–616
- developer tools, 9–10
- individual user, getting roles, 624–625
- looking up all users, 622–624
- removing users from roles, 625
- WAT, 1111–1112, 1127
- `web.config` file, 618–619

**Roman numerals, use in bulleted list, 185****root element**

- XPath, 476
- XSD-XML Schema definition, 457–458

**root node**

- site map
  - described, 501
  - retrieving, 538–539
- TreeView server control, 512

**rows**

- GridView
  - editing, 363–366
  - update errors, checking, 367–368
- tables, adding, 164–165

**ROX (Relational-Object-XML) database, 497–498****RSS (Really Simple Syndication) feed**

- displaying, 485
- XML documents, binding, 344

**rules, validation server control, 215****Runtime Callable Wrapper (RCW)**

- described, 954–955
- public assemblies, 964

**runtime settings**

- application queue length, 1083
- applications, enabling and disabling, 1081
- buffer uploads, 1082–1083
- described, 1081
- maximum request length, 1082
- output caching, 1084
- queue limits, managing, 1083
- request priority, 1083–1084
- thread management, 1083
- timeout option, 1082
- URLs, redirecting, 1082

## S

### saving

- batch processing changes, 417–421
- information at button click, 206, 207
- profile, automatic, 570–571
- sidebar navigation buttons, 206
- Visual Studio 2005 settings, 37–39

### scalability, ASP.NET, 9

### ScaleOut Software StateServer service, 1067

### schema

- available, listed, 39
- XML, validating, 464–465
- XSD, 457–458

### script

- ASP, 2
- client-side
  - features, enabling, 878–883
  - validation, performing, 216–217
- file, placing function in
  - (RegisterClientScriptInclude), 119
- SQL Server, 578–580

### scrollbar, 178–180

### section handlers, grouping, 1062

### security. *See also authentication; authorization*

- described, 669
- file
  - I/O, 805
  - single, setting, 1078
- hackers, 216–217
- identity and impersonation, 696–698
- IIS
  - file extensions, 700–702
  - IP address and domain name restrictions, 699–700
  - MMC snap-in, 702–703

### Security tab, WAT

- access rules, managing, 1112–1114
- described, 1101–1102
- new users, creating, 1110
- roles, managing, 1111–1112
- setup wizard, 1102–1110
- users, managing, 1110–1111

### SelectionList, mobile device, 1004–1007

### serial ports, writing text to, 847–848

### serialization, 470–471

### server

- file configuration, 1060–1061
- file size limits, 194–195
- SqlDataSource control, 336
- state management options listed, 707

### server controls. *See also Web server controls*

- attributes
  - class, 867–868
  - property/event, 868–869
- browser capabilities, detecting and reacting to
  - .browser files, 887–889
  - information, accessing, 889–890
- building
  - coding, 97–98
  - design surface, 96
  - methods, 95
- client-side features
  - asynchronous callbacks, 884–887
  - embedded resources, 883
  - script, enabling, 878–883
- common properties, style, 100–102
- composite
  - child properties, exposing, 902–903
  - creating, 901–902
- content pages, exposing, 268–269
- CSS
  - advantages of using, 102–103
  - external stylesheets, 104–107
  - HTML elements, applying directly, 103
  - internal stylesheets, 107–108
  - Visual Studio Style Builder, 103–104
- described, 17–18, 857, 862–863
- design-time experiences
  - actions, 924–927
  - composite, 916–918
  - custom to define regions, 918–924
  - custom type converters, 912–914
  - described, 910–911
  - designer classes, 914–915
  - regions, 915
  - type converters, 911–912
  - UI type editors, 927–928
- events
  - button click, 98–99
  - from Properties window of Visual Studio, 100
  - specific page, 98
- HTML
  - interpretations, challenge facing multiple browsers, 93–94
  - listed, 94
  - mechanics, 132
  - styling, 875–877
- HTML classes
  - generic control (HtmlGenericControl), 113–114
  - listed, 111–112

- HTML elements
  - base class (`HtmlControl`), 110–111
  - changing, 109–110
  - finding, 108–109
  - single-node (`HtmlContainerControl`), 111
- passwords, changing or retrieving forgotten, 609–610
- PostBack data, handling, 899–900
- PostBack events, raising
  - adding, 896–897
  - handling, 898–899
  - initiating, 895–896
- project setup, 863–867
- rendering
  - page event lifecycle, 869–870
  - services, 871–873
- request-processing pipeline handler
  - adding to project, 940–941
  - described, 940
  - file extension, mapping in IIS, 945–946
  - image, outputting, 943–944
  - page template, 941–942
- request-processing pipeline module
  - IIS wildcards, 938–940
  - interface, implementing, 930–931
  - output, modifying, 932–934
  - URL rewriting, 934–938
- state illusion (`ViewState`)
  - control state, 894–895
  - hidden form field, 890–891
  - properties, modifying, 892–893
  - text box, viewing, 891–892
  - types and, 893
- tag attributes, 873–875
- templated
  - container class, 905–908
  - default class, 909–910
  - described, 903
  - inner control class, 904–905
  - Web page, adding to, 908–909
- themes and skins
  - CSS files, including, 287–290
  - default, 280
  - disabling, 877–878
  - removing, 282
- Web Server, 95
- Server Explorer, 32**
- services, Web**
  - callback, using with, 127–129
  - displaying (`XmlDataSource` control), 485–486
  - remote (`App_WebReferences`), 85
  - rendering server controls, 871–873
- session**
  - debugging, starting
    - attaching to process, 793
    - F5, 793
    - simpler remote, 793–795
    - Windows XP Service Pack 2, 795
  - filtering data, 340
  - mobile devices, 1019
- session object**
  - configuring, 710–711
  - described, 708
  - event model, 709–710
  - in-process, 711–719
  - transparency, 715–717
- session state configuration**
  - described, 1060, 1064–1065
  - Web Farm support, 1065–1068
- settings**
  - locking, 1078
  - mode of page, changing, 648–651
  - saving and importing, 37–39
  - WAT application, 1114–1115
- setup wizard**
  - SQL Server, 573–578
  - WAT security, 1102–1109
- shortcuts**
  - file I/O, reading and writing, 841–842
  - File System Editor, creating desktop, 1163
  - reading and writing files, 841–842
- side navigation, customizing, 203**
- sidebar navigation buttons, 206**
- signup process**
  - form
    - building, 208
    - input information, pushing out, 208–209
    - membership link, 209–211
  - JavaScript on Web page, 115–117, 119
  - membership
    - forms, creating, 588–589
    - provider, changing rules, 598–599
  - open access, blocking, 599–600
  - personalization properties, incorporating, 592–595
- Simple Mail Transport Protocol (SMTP), 1115–1116**
- Simple Object Access Protocol (SOAP)**
  - disparate systems, 1024–1025
  - exposing custom datasets as
    - sample, 1028–1029

# Simple Object Access Protocol (SOAP) (continued)

---

## Simple Object Access Protocol (SOAP) (continued)

- WebMethod attribute, 1030–1031
- WebService attribute, 1030
- headers
  - classes representing, 1049–1051
  - consuming, 1051–1053
  - described, 1048–1049
  - requests, 1053–1055
- request, 1024–1025
- response, 1025
- sending request, 1038
- transport protocols, 1044
- single data record**
  - described, 370–371, 379–380
  - display, customizing, 371–372
  - displaying and editing data, 381–384
  - with GridView, 372–376
  - inserting data, 376–377
  - updating and deleting data, 377–378
- single page, theme for, 279–281**
- single-node HTML server control, 111**
- site links, 499**
- site map, 12–13**
- Site Map API**
  - CurrentNode, 542–544
  - properties listed, 541
- site navigation**
  - breadcrumb navigation (SiteMapPath control)
    - child elements, listed, 508
    - depth of pages, displaying
      - (ParentLevelsDisplayed property), 507
    - described, 502–504
    - direction of links, changing (PathDirection property), 506
    - link elements, separating symbol (PathSeparator property), 504–506
    - tooltips for links, generating (ShowToolTips property), 507–508
  - developer tools, 12–14
  - hyperlinks, 499
  - Menu server control
    - described, 527–529
    - dynamic item style, 532
    - events, 535–536
    - images, separating items with, 534–535
    - layout, 533
    - pop-out symbol, changing, 533–534
    - predefined style, 530
    - static item style, 531
    - styles, applying, 529
    - XML file, binding, 536–537
  - site links, 499
  - Site Map API
    - CurrentNode, 542–544
    - properties listed, 541
  - SiteMap Data Provider
    - current node of page, retrieving only
      - (StartFromCurrentNode property), 539–540
    - described, 538
    - integer value for starting point
      - (StartingNodeOffset property), 540–541
    - page, specifying (StartingNodeId property), 541
    - root node (ShowStartingNode property), 538–539
  - sitemap localization
    - assembly resource (.resx) files, creating, 547–548
    - testing results, 549–550
    - Web.config file, 546–547
    - Web.sitemap file, 545–546
  - TreeView server control
    - adding nodes, 526–527
    - check boxes, creating, 515–517
    - described, 509–510
    - expanding and collapsing nodes, 522–526
    - icons, specifying custom, 518–520
    - Label control, populating, 518
    - lines connecting nodes, specifying, 520–522
    - multiple options, selecting, 514–515
    - root and tree nodes, 512
    - styles, identifying built-in, 511
    - XML file, binding, 512–514
  - URL mapping, 544–545
  - XML-based site maps, 500–502
- SiteMap
  - class
    - data source, binding, 349
    - described, 499
    - hierarchical data, displaying, 384–385, 386
    - Menu control, 529
  - data provider
    - current node of page, retrieving only
      - (StartFromCurrentNode property), 539–540
    - described, 538
    - integer value for starting point
      - (StartingNodeOffset property), 540–541
    - page, specifying (StartingNodeId property), 541
    - root node (ShowStartingNode property), 538–539
  - localization
    - assembly resource (.resx) files, creating, 547–548
    - testing results, 549–550
    - Web.config file, 546–547
    - Web.sitemap file, 545–546

**SiteMapPath control**

- child elements, listed, 508
- depth of pages, displaying
  - (ParentLevelsDisplayed property), 507
- described, 502–504
- direction of links, changing (PathDirection property), 506
- link elements, separating symbol (PathSeparator property), 504–506
- tooltips for links, generating (ShowToolTips property), 507–508

**size limits, uploading files, 194–195****skin**

- HTML server control base class, 111
- server controls, 877–878
- setting, 102
- themes
  - creating, 285–287
  - ID, assigning programmatically, 296
  - multiple options, 293–295

**SkinID, 296****smart tags, 36–37, 924****SMTP (Simple Mail Transport Protocol), 1115–1116****snippets, 41–43****SOAP (Simple Object Access Protocol)**

- disparate systems, 1024–1025
- exposing custom datasets as
  - sample, 1028–1029
  - WebMethod attribute, 1030–1031
  - WebService attribute, 1030
- headers
  - classes representing, 1049–1051
  - consuming, 1051–1053
  - described, 1048–1049
  - requests, 1053–1055
- request, 1024–1025
- response, 1025
- sending request, 1038
- transport protocols, 1044

**Solution Explorer, 30–32****sorting**

- array objects, 306–307
- classes and interfaces, 317–318
- GridView Bound List columns, 355–357

**sounds, error notification, 242–243****source controls**

- caching, 349–350
- data binding
  - described, 333–336
  - SqlDataSource, 336–339

**source, debugging and error-handling diagnostic switches, 788****Source view, document window, 23****spaghetti code, 2****SQL query**

- parameterized statements, 398–401
- state management, 724–727
- Stored Proc, debugging, 798–799
- XML, modifying to return (FOR XML AUTO clause), 493–495
- XSLT, modifying to return, 495–497

**SQL Server 2005 (Microsoft), 760–761****SQL Server Express Edition (Microsoft), 571–573****SQL Server (Microsoft)**

- asynchronous methods, 429–431
- binding (SqlDataSource control)
  - Ad Rotator, 385
  - caching, 349–350
  - conflicts, detecting, 342–343
  - connection, configuring, 336–339
  - DataSet or DataReader retrieval, 340
  - editing row data, 363–364
  - filtering data (SelectParameters), 340–342
  - hierarchy, viewing, 385
  - insert command, adding, 377–378
  - servers listed, 336
  - Web service, 1031–1034
- dependency caching
  - database, disabling, 760
  - disabling tables, 760
  - invalidation, enabling databases for, 757–758
  - SQL Server 2005 cache invalidation, 760–761
  - steps, 756–757
  - tables, enabling, 758, 759
  - viewing, 758–759
- end user personalization
  - Express Edition files, 571–573
  - scripts, 578–580
  - setup wizard, 573–578
- membership service
  - credentials, checking, 685–686
  - data store, creating, 587
  - table, viewing, 589–591
- queries, executing (Command object), 391–392
- sessions, storing, 724–727, 1066–1067
- Web Farm support, 1066–1067
- XML
  - extracting, 479
  - loading, manipulating, and editing, 482
  - retrieving, 494–497
  - support, 492

## SQL Server Yukon 2005 (Microsoft), 497–498

### squiggles, 771, 772

#### Stack **class**

- classes and interfaces (`System.Collections` namespace), 318–320
- generic, 1174–1175
- integers, generic with, 1175–1176
- non-generic, 1173–1174

### Start Page, Visual Studio 2005, 22

### starting, application, 90

### starting value, bulleted list, 185

### state illusion (`ViewState`)

- control state, 894–895
- hidden form field, 890–891
- properties, modifying, 892–893
- text box, viewing, 891–892
- types and, 893

### state management

- `Application` object, 731
- choices, 706–708
- cookieless, 729–730
- cookies, 732
- described, 705
- extending with other providers, 728–729
- hidden fields
  - server control, 189–190
  - `ViewState`, and `ControlState`, 735–739
- means to maintain, choosing correct, 730–731
- MMC, 1129–1130
- mobile devices
  - hidden fields, 1019–1021
  - session, 1019
  - `ViewState`, 1017–1018
- out-of-process, 719–724
- `PostBacks` and cross-page `PostBacks`, 733–734
- session object
  - configuring, 710–711, 1060
  - described, 708
  - event model, 709–710
  - in-process, 711–719
  - transparency, 715–717
- short-term storage with
  - `HttpContext.Current.Items`, 739–740
- SQL-backed, 724–727
- URL or `QueryString`, 732
- Web Parts zones, 633–634

### state server, 1065–1066

### StateServer service (ScaleOut Software), 1067

### static classes, 1186

### static item style, 531

### status

- authentication, logging in or out, 604–605
- Http exception and error handling codes, 802–803

### step, user navigation

- backward navigation, blocking (`AllowReturn` attribute), 203
- button structure (`StepType` attribute), 203–204
- control events, 206–207
- creating, 201–202
- form elements, 207–211
- header text, 204–205
- navigating, 202, 205–206
- Next, Previous, and Finish buttons, 201–204
- return, allowing or disallowing, 203
- sample, 201–202
- side navigation, customizing, 203
- user's current, viewing, 199–200

### store sample document

- authors' names, handling, 470–471
- counting books and printing total price, 468–470
- creating with `XmlWriter`, 472–474
- elements, counting, 462–463, 466–468
- namespaces, 458–461
- read-only database, querying, 476–478
- schema, defining, 457–458
- validating, 464–465
- XML, 454–455
- XSLT list of authors, 486–487, 490

### storing

- cookies, changing length of time, 564–565
- identifiers, changing, 565
- state management with short-term
  - `HttpContext.Current.Items`, 739–740
- user authentication, 589–591

### streams

- compressing
  - `Deflate`, 843–844
  - `GZip`, 842–843
  - HTTP output, 844–847
- object, placing into, 195–196
- reading and writing files, 832–837

### strings. See also connection strings

- collections, specialized (`StringCollection`, `StringDictionary`, and `NameValueCollection`), 321
- encrypting, 41–43
- hashtable value keys, 314–317
- personalization items, storing, 556
- validating input, 229, 246

### strongly typed collections, 322–325

**styles**

- bulleted list, 184–185
- Calendar, 172–175
- Calendar without, 166
- collection of items (`CheckBoxList`), 158
- HTML, 875–877
- Menu server control, 529
- TreeView server control, 511

**StyleSheets, mobile device**

- applying, 984–985
- creating and customizing, 983–984
- global for all forms, creating, 985

**substitution following caching, 745–747****subtrees, 470–471****switches, debugging and error-handling**

- Boolean, 787–788
- levels, 788
- source, 788

**syntax notifications, 771, 772–773**

- `System.Diagnostics.Trace` and `Page.Trace`, 776

**T****tables**

- bulk load, mapping, 408–410
- captions, 165–166
- collections, summarizing specialized, 329–331
- complete, returning, 1031–1034
- data, building, 4–5
- disabling, 760
- disconnected data, filling, 396–398
- loading from `DataReader`, 402–404
- mobile devices, viewing (`ObjectList` control), 1003
- rows, adding, 164–165
- SQL Server dependency caching, 758, 759, 765
- three-rowed, producing, 163–164

**tag attributes, 873–875****tag navigator, 24****tags, Web page**

- ASP page, building, 2
- bulleted list
  - binding to data store results, 187–188
  - constructing, 183–184
  - images as bullets, 186
  - populating dynamically, 188–189
  - starting value, changing, 185
  - style, 184–185
  - text mode, 186–187

- button control and `TextBox` server control, 123–126
- code, displaying in browser (`Literal` control), 134–135
- CSS server controls, applying to, 103
- generic control (`HtmlGenericControl`), 113–114
- HTTP-POST request, sending, 1043
- interpretations, challenge facing multiple browsers, 93–94
- select box, 145–148
- server controls
  - base class (`HtmlControl`), 110–111
  - changing, 109–110
  - finding, 108–109
  - listed, 94, 111–112
  - single-node (`HtmlContainerControl`), 111
  - styling, 875–877
  - tag attributes, 873–874
  - tags, rendering, 871–873
  - styles, changing, 102–103
  - templated controls, 903–910
  - validating, 39–41
  - XSLT output, 489–491

**Task List, debugging and error-handling, 774–775****template. See also master pages**

- content pages, specifying, 261–262
- data source control, viewing (`FormView` control), 379–384
- request-processing pipeline handler, 941–942
- server controls
  - container class, 905–908
  - default class, 909–910
  - described, 903
  - inner control class, 904–905
  - Web page, adding to, 908–909
  - Web Parts zones, 639

**testing**

- input field
  - against constants, 226–227
  - testing against other, 224–226
- invalidation
  - cache object, attaching dependencies to, 766–770
  - described, 763–765
  - multiple tables, adding to page, 765
  - request object, attaching dependencies to, 766
  - sitemap localization results, 549–550

**text**

- `CheckBox`, aligning, 155–156
- displaying in browser (`Label`), 132–134, 990–991
- mobile devices, 993–994

## text (continued)

---

### text (continued)

- outputting without code (`Literal`), 134–135
- page title, providing dynamically, 112
- removing themes, 282
- serial port, writing to, 848
- wrapping, turning off, 179

### text box

- auto completion (`AutoCompleteType`), 138–139
- button, clicking (`AutoPostBack`), 137–138
- control
  - accessing via JavaScript, 115, 117–118
  - mobile devices, 991–993
- cursor, placing (`Focus()`), 136–137
- described, 135
- multiline, 136
- multiple skin options, defining, 293–295
- passwords, 135
- viewing state illusion (`ViewState`), 891–892

### text file

- reading and writing (`StreamReader`), 838
- routing tracing to (`TraceListeners`)
  - configuring, 783–784
  - CSV (comma-separated values) files, 786–787
  - event log, 785–786
  - forwarding information, 784–785
  - XML file, 786

### themes

- application, applying to entire, 281
- application folders (`App_Themes`), 81
- creating
  - CSS files, including, 287–290
  - folder structure, 284
  - images, including, 290–293
  - skin (styles definition for server controls), 285–287
- custom controls, 296–298
- multiple skin options, 293–295
- page framework, 16–17
- programming
  - assigning, 295–296
  - `SkinID`, assigning, 296
- server controls
  - disabling, 877–878
  - removing, 282
- single page, applying, 279–281
- `StyleSheetTheme` attribute, 283
- Web pages, removing, 283

### thread management

- request priority, 1083–1084
- runtime settings, 1083

### three-rowed tables, producing, 163–164

### time

- cookie storage, changing, 564–565
- current, showing, 114–115
- files, uploaded, 192

### timeout option

- runtime settings, 1081, 1082
- session state, managing, 1130

### title

- master pages, 262–263
- page, providing dynamically, 112

### Toolbox

- HTML elements, viewing, 108
- server control class attribute, 867–868
- Visual Studio 2005, 28–30

### tools

- debugging
  - data visualizers, 796
  - datatips, 796
  - Edit and Continue (Lack of) Support, or Edit and Refresh, 797
  - error notifications, 797
  - Just My Code, 797–798
  - tracepoints, 798
- developer
  - membership and role management, 9–10
  - personalization, 10
  - portal framework, 10–12
  - productivity, 3–6
  - site navigation, 12–14

### tooltips for links, generating (`ShowToolTips` property), 507–508

### top of page, placing function at (`RegisterClientScriptBlock`), 115–117

### tracepoint debugging tool, 798

### tracing debugging and error-handling

- application, 776
- from components, 781–782
- data, viewing, 777–780
- described, 775
- forwarding, 782
- page-by-page, 776
- `System.Diagnostics.Trace` and `Page.Trace`, 776
- text file, routing to (`TraceListeners`), 783–787
- WAT application, 1116–1118

### transparency, session object, 715–717

### transport protocols, XML Web services

- Addition, consuming, 1039–1040
- described, 1039
- HTTP-GET, 1040–1043

HTTP-POST, 1043

SOAP, 1044

### TreeView

adding nodes, 526–527  
 check boxes, creating, 515–517  
 data binding, 384–385  
 described, 509–510  
 expanding and collapsing nodes, 522–526  
 icons, specifying custom, 518–520  
 Label control, populating, 518  
 lines connecting nodes, specifying, 520–522  
 multiple options, selecting, 514–515  
 root and tree nodes, 512  
 styles, identifying built-in, 511  
 testing, 549–550  
 XML file, binding, 512–514

### True/False values

check boxes, form (CheckBox control)  
   creating, 153–154  
   verifying, 155  
 debugging and error-handling diagnostic switches,  
   787–788  
 GridView display, converting, 361  
 groups of forms, validating, 246–247  
 HTML server control base class, 110  
 list items, displaying or hiding, 149

TryCast **keyword**, 1192

### typed datasets

assembly, building into single, 80  
 creating, 76–78  
 described, 75–76  
 method, adding, 78–79

### types

content pages, mixing, 259–261  
 converters, 911–912  
 data parameter, 341  
 personalization properties, changing storage, 559  
 state illusion (ViewState), 893  
 unsigned, 1187–1188

## U

### UI type editors, 927–928

### Unicode, 841

### Uniform Resource Locator. *See* URL

### Uniform/Universal Resource Identifier (URI), 455

### uninstalling program, 1153–1155

### unique identifier (GUID)

anonymous personalization, 566  
 content pages, 266–268  
 master page, creating on first request, 263–264

### universal time (UTC), 168

### unmanaged code, business objects from, 965–968

### unsigned types, 1187–1188

### updating data

batch processing  
   advantages, 421–422  
   described, 416  
   retrieving, updating, and saving changes, 417–421  
 GridView rows, 363–364  
 “last in wins” style, 342  
 single data record, viewing (DetailsView), 377–378

### URI (Uniform/Universal Resource Identifier), 455

### URL (Uniform Resource Locator)

authorization configuration, 1076–1077  
 errors, redirecting, 1072  
 HTTP-GET, 1040–1043  
 installation program, building, 1157  
 linking to Cancel or Finish buttons, 206  
 mapping, 544–545  
 mobile Link control, 997–999  
 navigating to different (ImageMap), 213  
 redirecting, 1081, 1082  
 rewriting, 934–938  
 RSS blog feed, displaying, 485  
 runtime settings, redirecting, 1082  
 site map node, starting, 541  
 state management, 730, 732  
 type editor, offering, 928  
 Web reference, adding, 1035–1036  
 WebService attribute, 1030  
 as XML namespace, 455

### user. *See also* navigation; personalization; validation

application roles, adding, 622  
 authentication  
   application registration, changing, 598–599  
   blocking open access, 599–600  
   Continue button, 591–592  
   creating new, 1110  
   managing, 1110–1111  
   programming, 595–598  
   registration process, incorporating personalization  
     properties into, 592–595  
   stored, seeing where users are, 589–591  
   unauthenticated users, allowing to register, 600–604  
   Windows-based, 672–674  
   wizard (CreateUserWizard server control), 587–589  
 client-side validation, convenience for, 216–271  
 managing, 1110–1111  
 mode of page, changing, 640–641  
 overall view of Web site, providing, 503  
 profiles, filtering with key value, 340

### user (continued)

- view
  - page sections, turning on and off (Multiview and View), 200
  - themes, disabling, 296–298
- WAT security, managing, 1110–1111
- ZIP code, asking for, 127–129

### user control

- assemblies, attaching (@Assembly), 64
- attributes, parsing (@Control), 60–61
- changing, 858–860
- defined, 857
- interacting, 861–862
- mobile devices, 1010–1013
- multiple, compiling or parsing (@Reference), 66
- namespace, importing (@Import), 62–63
- output caching policies (@OutputCache), 65–66
- performance gains from (VaryByControl), 743

### User Interface Editor

- adding dialogs to installation process, 1167
- dialogs, 1166–1167
- order of dialogs, changing, 1168

### username

- basic authentication, 678
- displaying, 606–607
- groups of forms, validating, 244–246
- values, adding, 683

Using **keyword**, 1190

### UTC (universal time), 168

## V

### validation

- application roles, 625–627
- buttons without, 139
- CheckBox, 154–155
- client- versus server-side, 216–217
- client-side
  - asynchronous callbacks, 884–887
  - disabling, 241–242
  - JavaScript file, 883
- customizing
  - client and server working together, 238
  - client-side, 233–235
  - complexity, 235–237
- events triggering, 218–219
- form elements, comparing
  - against constants, 226–227
  - against other controls, 224–226
- form types, 215–216

- generally, 10
- groups, 244–247
- manipulating, 217–218
- membership and role management, 9–10
- mobile device controls, 1008–1009
- pattern, defining with regular expression (RegularExpressionValidator)
  - e-mail address example, 232
  - other uses, 233
- range
  - dates and other string characters, 228–231
  - integer value, 228
  - sample, 227–228
- reporting
  - with dialog box, 240–241
  - errors as bulleted list, 238–239
  - images and sounds, 242–243
  - limiting to one, 239–240
- required fields
  - blank entries, disallowing, and requiring changes, 223
  - drop-down lists, 223–224
  - error message, 220–221
  - initial text, changing (InitialValue property), 222
  - results, viewing, 221–222
  - sample, 219–220
- rules, 215
- XML
  - against XML Schema (XmlReader), 464–465
  - XPath, 475

### values

- CheckBox, assigning, 155
- cross-page posting, 70–71
- specifying @Page, 57–59

VaryByCustom **output caching**, 743–744

### VB (Visual Basic)

- ActiveX DLL, 956, 957–958
- ADO.NET data management
  - batch updating, 417–419
  - bulk loading, 411–413
  - callback asynchronous command processing, 449–450
  - DataReader object, 393–394
  - GridView control and MARS, 423–426
  - loading table from reader, 402–403
  - multiple asynchronous processes, 444–447
  - multiple wait handles, 440–442
  - parameterized SQL statement, 399–400
  - single asynchronous process, wait approach handling, 437–438
  - transaction, committing after bulk loading, 414–415

- arrays (Person class)
  - automatic sizing (ArrayList), 308–309, 313
  - comparables, 304
  - creating, 299–300
  - finding by reference, 302–303
  - generic dictionary, 327
  - hashtable For Each, 316, 317
  - like objects, finding, 305
  - list using generics, 327
  - printing, 300–301
  - pushing, popping, and poking in stack, 319–320
  - queuing, 318–319
  - retrieving from hashtable, 314–315
  - sorting, 306, 318
  - strongly typed, 322, 323–324
- asynchronous callback, 884–885
- authentication
  - credentials, validating, 604, 685, 691–692
  - information, additional, 693, 694–695
  - logged-in users, getting names of, 691
  - Login page, 681–682, 684, 687
  - number of users online, displaying, 607
- authorization
  - adding roles, 619
  - cookie, deleting, 627
  - deleting roles, 621
  - looking up users by role, 622–623
  - status, user's, 626
  - user, looking up roles for each, 624
- binary data, reading and writing, 839
- bulleted list, retrieving user's selection, 186–187
- business objects, binding, 344–346
- button click
  - event, 139, 141–142
  - Finish, saving information, 207
  - multiple on form, discerning, 140
  - postback, triggering, 137
  - sample, 66–67
- caching
  - with Cache object, 750
  - custom string, varying by, 744
  - dependencies, 751, 753, 755, 766
  - HTTP headers, 749
  - SQL Server invalidation, 763
  - substitution control, 746–747
  - user controls, 745
- Calendar control
  - date range, validating, 230
  - range of dates, retrieving, 170, 171
  - rendering days, 173
  - selection option, turning off, 175
  - single day, selecting, 167
- callback feature
  - populating random value to Web page, 123–124
  - with Web service, 127–128
- changes since previous versions, 1171–1172
- check box
  - single instance, 154
  - value, assigning, 155
  - verifying, 154
- CheckBoxList, populating, 156–157
- concurrency errors, detecting, 343
- configuration files
  - object, getting, 1092
  - from remote servers, 1093, 1094
  - sections, 1093
- connection string
  - adding, 1091
  - enumerating, 1090
  - retrieving, 1064
- custom Web pages
  - behavior section, displaying, 651
  - control, creating, 663–664, 666
  - modes, adding, 641–642
- data binding
  - connection string, 351, 352
  - multicolumn sorting in GridView, 356–357
  - sample, 334
  - SQL errors, catching, 369
  - update errors, checking, 367–368
- debugging and error handling
  - at application level, 801
  - diagnostic switches, 788
  - at page level, 801
  - text file, routing traces to, 783
  - tracing, 777
  - Web events, 789
- default instances, 1188
- design-time experience
  - actions, adding, 925–926
  - attribute, adding to control class, 915
  - composite, creating, 916–917
  - regions, defining, 918–921
  - UI type editor, adding, 927–928
- DLL references, adding, 967
- drives
  - enumerating, 808
  - local, displaying information, 806–807

## VB (Visual Basic) (continued)

---

### VB (Visual Basic) (continued)

DropDownList, generating from array, 146–147

errors

handling, 961–962

raising, 961, 972–974

file system

ACLs, 826–828, 829–831

compressing, 842–843

directory, manually enumerating, 820

GridView, binding, 816–818

I/O enumerations, 835

memory system, writing to, 836

properties, displaying and modifying, 825

reading, 834

reading from stream, 836

setting and displaying working directory, 814–815

static methods, 813, 841

files, uploading

Byte array, moving from stream object to, 196

sample, 191

to Stream object, 195

FTP download, 852–853

generics

collections of objects, 1172–1176

methods, 1176–1178

global namespace qualifiers, 1182–1183

hidden field server control, 189

history, 1

hotspots, specifying, 211–212

HTML

style properties, 875

tag attributes, rendering, 873

HTTP

altering output, 932

compressing output, 844–845

file extension, mapping, 945

handler template, 941–942

image, outputting, 943

modules, implementing, 930

remote Web page, posting data, 851–852

rewriting URL, 936–937

URL, 935–936

Web page, retrieving, 849

keywords, new

Continue, 1189–1190

IsNot, 1192

My, 1190–1192

purpose, 1188

TryCast, 1192

Using, 1190

list items, removing, 148–149

mail, sending, 855–856

master pages

assigning, 272

custom property, exposing, 266–267

described, 260–261

GUID, creating on first request, 263–264

Label control, 265

overriding properties, 268, 269

server control, exposing as public property, 268–269

title, coding custom page, 263

membership, creating users, 597

mobile devices

binding to List control, 1000–1001

calculator, 992

Calendar control, 989

creating new, 977–980

event handling, 981

hidden files, 1020

lists, 1005–1006

user control, 1011–1012

MultiView control, building, 198

.NET component

generating, 968–969

late binding, 971–972

operator overloading, 1181–1182

partial classes, 1183–1185

paths using classes, 822–823

personalization

anonymous user identifier, changing, 566

auto-saving feature, turning off, 571

class for custom type, 560–561

defined properties, using, 554–555

late-bound access, 557

migrating anonymous users, 568

retrieved profile, 569

property accessors, 1186–1187

RadioButton, 159–160

registration form

input information, pushing out, 208

membership link, 210

remote file, writing, 854–855

server controls

browser capabilities, detecting, 889

child, exposing, 902

composite, 901

HTML tag, rendering, 871

postback events, 896–897, 898, 899–900

Render method, overriding, 871

script, client-side, 879, 882

- templates, 904, 905–906, 908, 909
- themes, disabling, 877–878
- validating data, 880–881
- site navigation
  - check boxes, applying, 516–517
  - custom display, 542
  - menu events, 535
  - SiteMap objects, 542
  - TreeView control, 522–527
  - views, 199
  - XML file, binding menu control to, 536–537
- state management
  - Application object, 731
  - base page, 716, 717
  - ControlState, 894
  - cross-page postbacks, 734
  - hidden fields, 736
  - HTTP short-term storage, 739
  - objects, setting and retrieving, 722–723
  - retrieving values, 715
  - serializable object, 721
  - setting values, 713
  - strongly typed property, 721
  - ViewState, 891–892
- static classes, 1186
- step, viewing user's current, 199
- text file, reading and writing, 838
- text, writing to serial port, 848
- themes
  - assigning, 295
  - custom, 286
  - disabling, 297, 298
  - skin, 296
- type converters
  - creating, 911
  - custom, 912–913
- unsigned types, 1187–1188
- user controls
  - events, creating, 860
  - library class template, 864
  - populating from host Web page, 862
  - properties, exposing, 861
- validation controls
  - client-side, 233–234
  - required fields completed, 219
  - server-side, 236
  - against XML Schema, 464
- Web services
  - Addition, 1039–1040
  - asynchronous, 1056–1057
  - caching, 1048
  - consuming, 1037–1038
  - custom datasets, exposing, 1028–1029
  - default structure, 1027
  - method overloading, 1044, 1045
  - requesting with SOAP 1.2, 1053–1054
  - slow, 1055–1056
  - SOAP headers, 1049, 1050
  - WS-I Basic Profile, turning off, 1046
  - XML with SOAP headers, 1051
- XML
  - attributes, serializing, 470, 471
  - CLR types, retrieving, 468–469
  - DataSets, changing with DOM APIs, 481
  - documentation, 1185–1186
  - extracting from SQL Server, 479
  - file, loading, 177–178
  - querying and editing, 476, 477
  - reader, optimizing NameTable, 466–467
  - reading instances, 470, 471
  - retrieving, 494
  - writing, 472–473
  - XSLT transform, 488–489
- viewing**
  - anonymous identification, 566
  - document window, 23–24
  - missing class windows, 33
  - SQL Server dependency caching, 758–759
- ViewState**
  - control state, 894–895
  - hidden form field, 890–891
  - properties, modifying, 892–893
  - text box, viewing, 891–892
  - types and, 893
- virtual path, application, 1122**
- Visual Basic. See VB**
- Visual Studio 2005 (Microsoft)**
  - benefits of using, 21
  - Class View, 33
  - code snippets, 41–43
  - common tasks, programming, 36–37
  - configuration file editing tools, 1095–1097
  - content area, default, 271
  - Copy Web site option, 1138–1142
  - debugging support, 771–772
  - designing Calendar, 172
  - document window
    - ASP.NET pages, creating, 22
    - code change status notifications, 26
    - error notifications and assistance, 26–28

## Visual Studio 2005 (Microsoft) (continued)

- page tabs, 24–25
- stylesheet, incorporating, 106
- tag navigator, 24
- views, 23–24
- Dynamic Help, 33
- File System Editor, opening, 1147
- HTML
  - elements, listed, 108
  - validating, 39–41
- Master Pages, viewing, 255
- Menu control styles, 530–532
- MultiView control, creating, 197
- new projects, creating, 34
- page-building, 18–20
- Properties window, 32–33, 100
- references to other objects, making, 34–36
- Regular Expression Editor, 232–233
- resources, Internet, 41
- Server Explorer, 32
- server-side controls
  - built-in, 857
  - creating, 100
  - script tags, 142
- settings, saving and importing, 37–39
- Solution Explorer, 30–32
- SqlDataSource control, typical, 339
- Start Page, 22
- submaster pages, trouble creating, 274–275
- Toolbox, 28–30
- WAT, accessing, 1100
- XML files, viewing, 460–461
- XML Web services files, 1025–1026

## Visual Studio Style Builder, 103–104

## VSI (Visual Studio Installer), 1145

# W

## Wait approach, asynchronous command execution, 437–440

### WAT (Web Site Administration Tool)

- accessing programmatically, 8–9
- Application tab
  - offline, taking, 1118
  - settings, managing, 1114–1115
  - SMTP, 1115–1116
  - tracing and debugging information, 1116–1118
- described, 1099–1101
- Home tab, 1101
- Provider tab, 1118–1120

- Security tab
  - access rules, managing, 1112–1114
  - described, 1101–1102
  - new users, creating, 1110
  - roles, managing, 1111–1112
  - setup wizard, 1102–1109
  - users, managing, 1110–1111
- Welcome screen, 7

### Web browser

- concern prior to ASPNET, 93–94
- configuring capabilities, 1070–1071
- detecting and reacting to capabilities
  - .browser files, 887–889
  - information, accessing, 889–890
- master pages, adjusting to different, 276–277
- type converters, 911–912

### Web Farm support

- custom state store, 1067–1068
- SQL server, 1066–1067
- state server, 1065–1066

### Web forms. See also validation

- authentication
  - configuring, 1074–1075
  - database values, working against, 685–686
  - described, 679–683
  - login control, 686–688
  - methods and properties, 688–689
  - setting (<authentication> node), 671–672
  - web.config file values, authenticating against, 683–685

### buttons

- creating, 139
- hyperlinks, setting, 143–144
- images, 143–144
- JavaScript event, triggering, 141–142
- logic, 140–141
- steps, events controlling, 206–207
- validation, 139, 218–219

### CheckBox

- described, 153–154
- text, aligning, 155–156
- value, assigning, 155
- verification, 154–155

### CheckBoxList

- data binding, 384
- designing, 158
- populating, 156–157
- element sequence, 207–211
- end user personalization properties, 554–556
- filtering data, 340

- <forms>, element to web.config file, 586–587
- HTML select box, including (DropDownList), 145–148
- long workflows, breaking into manageable segments, 207
- longer HTML select box (ListBox server control), 152–153
- master page, choosing and coding, 256–261
- mobile devices, 981–982, 1010–1013
- mobile devices, navigating between, 1010
- RadioButton
  - change, detecting, 160
  - described, 159–160
- RadioButtonList
  - creating, 161
  - data binding, 384
  - RadioButton versus, 160
  - value, checking, 161–162
- smart auto-completion, 138–139
- submitting to another page
  - button controls, 142
  - control values, exposing, 71–72
  - described, 69–70
  - exposed properties, consuming, 73–74
  - first page, checking whether from, 74–75
  - origin of (@PreviousPageType), 64
  - postback and values, 70–71
- TextBox control
  - cursor, dynamically placing in element (Focus() method), 136–137
  - mapping, 135–136
- Web gardening, 712**
- Web Parts**
  - custom
    - creating, 663–666
    - DLL, 667–668
    - dragging and dropping onto page, 668
    - personalization, 666–667
  - described, 11, 631–633
  - mode of page, changing
    - adding list, 641–644
    - adding to page, 644–646
    - connecting, 651
    - moving, 646–648
    - settings, 648–651
    - user tasks, 640–641
  - Portal Framework
    - class properties, 661–662
    - manager methods, 659
    - manager properties, 658–659
    - zone properties, 660–661
- zones
  - actions of items, 655–658
  - controls, adding, 652–655
  - default elements, 639–640
  - layouts, 634–638
  - managing state and content, 633–634
  - modification, turning off, 652
  - orientation, 639
  - template, 639
- Web server**
  - application locations, 46–47
  - built-in, 45
- Web server controls**
  - advantages, 131–132
  - advertising (AdRotator)
    - banner, 176–177
    - XML file, 175–176
  - bulleted list
    - creating, 183–184
    - DisplayMode, 186–187
    - images as bullets, 186
    - populating from data store, 187–189
    - starting value, 185
    - styling, 184–185
  - buttons
    - function, multiple from same (CommandName), 140–141
    - hyperlink, 145
    - image, custom (ImageButton), 143–144
    - JavaScript, client-side, 141–142
    - looks like hyperlink (LinkButton), 143
    - OnClick event, 139
    - without validation, 139
  - Calendar
    - date ranges, 169–171
    - day, selecting, 167–168
    - day, week, or month selections, 169
    - outputting format, 168
    - style and behavior, 172–175
    - without styles, 166
  - CheckBox
    - described, 153–154
    - text, aligning, 155–156
    - value, assigning, 155
    - verification, 154–155
  - collection of items (CheckBoxList)
    - binding with SQLDataSource, 157
    - dynamically populating, 156–157
    - styling properties, 158

## Web server controls (continued)

---

### Web server controls (continued)

- collection of radio buttons (`RadioButtonList`), 161–162
- dynamic object placeholder, 181
- files, uploading
  - advantages, 190–191
  - byte array, moving from stream object to, 196
  - naming, 192–193
  - permissions, 193–194
  - sample, 191–192
  - size limits, 194–195
  - stream object, placing into, 195–196
- hidden fields, managing states, 189–190
- HTML select box, 145–148
- image file location (`ImageUrl`), 162–163
- image-based navigation menu (`ImageMap`)
  - checking hotspots, 213
  - specifying hotspots, 211–213
  - URL, navigating to different, 213
- input form text box (`TextBox`)
  - auto completion (`AutoCompleteType`), 138–139
  - button, clicking (`AutoPostBack`), 137–138
  - cursor, placing (`Focus()`), 136–137
  - described, 135
  - multiline, 136
  - passwords, 135
- ListBox
  - DropDownList versus, 150
  - items, adding, 152–153
  - multiple items, allowing users to select, 150
  - sample, 151–152
- page layout (`Panel`)
  - horizontal alignment, 180
  - left side scrollbar, 180
  - scrollbar example, 178–180
- page sections, turning on and off (`Multiview` and `View`)
  - buttons, 199–200
  - described, 196–199
  - end user view, 200
- RadioButton
  - change, detecting, 160
  - described, 159–160
- removing control collection items, 148–149
- sequence of steps for end user
  - backward navigation, blocking (`AllowReturn` attribute), 203
  - button structure (`StepType` attribute), 203–204
  - control events, 206–207
  - form elements, 207–211
  - header (`HeaderText` attribute), 204–205

- navigating, 202
- navigation system, 205–206
- sample, 201–202
- side navigation, customizing, 203
- tables
  - captions, 165–166
  - rows, adding, 164–165
  - three-rowed, producing, 163–164
- text
  - displaying in browser (`Label`), 132–134
  - outputting without code (`Literal`), 134–135
- XML, transforming with XSL style sheet, 177–178
- XSLT, 489–491

### Web services

- callback, using with, 127–129
- displaying (`XmlDataSource` control), 485–486
- remote (`App_WebReferences`), 85
- rendering server controls, 871–873

### Web site

- blogs, influential listed with addresses, 1194
- membership, setting up for
  - `<authentication>`, element to `web.config` file, 585–586
  - described, 584–585
  - `<forms>`, element to `web.config` file, 586–587
- site map data, binding, 336

### Web Site Administration Tool (WAT)

- accessing programmatically, 8–9
- Application tab
  - offline, taking, 1118
  - settings, managing, 1114–1115
  - SMTP, 1115–1116
  - tracing and debugging information, 1116–1118
- described, 1099–1101
- Home tab, 1101
- Provider tab, 1118–1120
- Security tab
  - access rules, managing, 1112–1114
  - described, 1101–1102
  - new users, creating, 1110
  - roles, managing, 1111–1112
  - setup wizard, 1102–1109
  - users, managing, 1110–1111
- Welcome screen, 7

### Web site navigation

- breadcrumb navigation (`SiteMapPath` control)
  - child elements, listed, 508
  - depth of pages, displaying
    - (`ParentLevelsDisplayed` property), 507

- described, 502–504
- direction of links, changing (`PathDirection` property), 506
- link elements, separating symbol (`PathSeparator` property), 504–506
- tooltips for links, generating (`ShowToolTips` property), 507–508
- developer tools, 12–14
- hyperlinks, 499
- Menu server control
  - described, 527–529
  - dynamic item style, 532
  - events, 535–536
  - images, separating items with, 534–535
  - layout, 533
  - pop-out symbol, changing, 533–534
  - predefined style, 530
  - static item style, 531
  - styles, applying, 529
  - XML file, binding, 536–537
- site links, 499
- Site Map API
  - `CurrentNode`, 542–544
  - properties listed, 541
- SiteMap Data Provider
  - current node of page, retrieving only
    - (`StartFromCurrentNode` property), 539–540
  - described, 538
  - integer value for starting point
    - (`StartingNodeOffset` property), 540–541
  - page, specifying (`StartingNodeUrl` property), 541
  - root node (`ShowStartingNode` property), 538–539
- sitemap localization
  - assembly resource (`.resx`) files, creating, 547–548
  - testing results, 549–550
  - `Web.config` file, 546–547
  - `Web.sitemap` file, 545–546
- TreeView server control
  - adding nodes, 526–527
  - check boxes, creating, 515–517
  - described, 509–510
  - expanding and collapsing nodes, 522–526
  - icons, specifying custom, 518–520
  - Label control, populating, 518
  - lines connecting nodes, specifying, 520–522
  - multiple options, selecting, 514–515
  - root and tree nodes, 512
  - styles, identifying built-in, 511
  - XML file, binding, 512–514
  - URL mapping, 544–545
  - XML-based site maps, 500–502
- `web.config` file
  - authentication
    - denying all users, 674
    - forms, setting up, 585–587, 679
    - nesting, 670–671
    - role management service, 618
    - setting, 671–672
    - single user, allowing, 675
    - values, comparing, 683–685
  - caching, 762
  - connection string
    - enumerating, 1089
    - storing, 350
  - content, adding from different file, 1080
  - debugging and error handling
    - events, 790
    - tracing, 777
    - turning off, 1134–1135
  - encrypting, 8–9
  - folder or file location, 1131
  - HTTP
    - compression, 847
    - image, 946
    - module, adding, 933
  - languages, structuring for different, 80
  - master page, specifying, 261–262
  - personalization
    - end user properties, defining, 553–554
    - groups, 558
    - SQL Server, specifying, 580
  - role management for Web site, 618–619
  - session state, 719
  - sitemap localization, 546–547
  - theme, applying throughout application, 281
  - viewer behavior section, displaying, 650–651
  - Web service
    - reference, 1036
    - WS-I conformance, turning off, 1046
- weblog example, data-bound controls, 484–485**
- Weblogs, influential ASP.NET, 1193–1194**
- week selections, highlighting, 169**
- Whidbey code name, 3**
- Windows (Microsoft)**
  - API calls, unsigned types, 1187–1188
  - authentication
    - application, creating, 674–675
    - Basic, 678

## Windows (Microsoft) (continued)

- configuring, 1073
- defining groups, 676–677
- Digest, 679
- groups (<allow> and <deny> nodes), 675–676
- HTTP transmission method, 677
- users, creating, 672–674
- authorization role, checking (`User.IsInRole()`), 692–693
- IIS security, 699
- Installer service, 1144–1146
- Service for out-of-process session state, 719–724
- sounds, finding, 243
- XP Service Pack 2 debugging session, starting, 795

## Windows SQL CE Database (Microsoft)

- conflicts, detecting, 342–343
- connection, configuring, 336–339
- `DataSet` or `DataReader` retrieval, 340
- filtering data (`SelectParameters`), 340–342
- servers listed, 336

## wizard sequence of steps for end user

- backward navigation, blocking (`AllowReturn` attribute), 203
- button structure (`StepType` attribute), 203–204
- header (`HeaderText` attribute), 204–205

## worker process

- described, 1084–1086
- multiple Web sites with multiple frameworks, 1086–1087

## wrapping text, turning off, 179

## writing files

- classes, 837–840
- described, 832
- encodings, 841
- shortcuts, 841–842
- streams, 832–837

## .wsdfiles(`App_Code` folder)

- assembly, building into single, 80
- creating, 76–78
- described, 75–76
- method, adding, 78–79

# X

## XCOPY deployment

- described, 1135–1138
- VS Copy Web site option, 1138–1142

## XHTML (eXtensible HyperText Markup Language), 772–773

## XML (eXtensible Markup Language). See also

- `web.config` file
- advertisement file
  - creating, 175–176
  - mobile devices, 987–988
  - using as banner ad, 176–177
- bookstore database sample document, 454–455
- browser identification files (`App_Browsers`), 85
- bulleted list
  - binding to data store, 187
  - populating, 188
- configuration file, 1060
- creating with `XmlWriter`, 472–474
- databases
  - APIs, 497
  - SQL query, modifyiing to return XML (`FOR XML AUTO` clause), 493–495
  - SQL query, modifyiing to return XSLT, 495–497
  - SQL Server Yukon 2005, 497–498
  - support, 492
- data-bound controls (`XmlDataSource` control)
  - described, 482–484
  - namespace qualification unavailable, 483
  - Web services, 485–486
  - weblog example, 484–485
- `DataSets`
  - persisting, 479–480
  - `XmlDocument`, accessing (`XmlDataDocument`), 480–482
- described, 453
- documentation, 1185–1186
- documents, binding, 336, 343–344
- DOM implementation (`XmlDocument`)
  - described, 474
  - problems, 475
  - XPath and, 475–478
- editing in Visual Studio .NET 2005, 458–461
- element syntax checking tool, 1096–1097
- file, binding
  - Menu server control, 536–537
  - TreeView server control, 512–514
- `InfoSet`, 456
- inline syntax, 387–388
- site map files, 12–13, 500–502
- SQL query, modifyiing to return (`FOR XML AUTO` clause), 493–495
- Web server controls, transforming with XSL style sheet, 177–178

**XmlReader**

- CLR types, retrieving, 468–469
  - described, 461–463
  - elements and attributes, listing all (*NameTable*), 466–468
  - serialization and subtrees (*ReadSubtree* and *XmlSerialization*), 470–471
  - validating XML against XML Schema, 464–465
- XPath expressions (*XPathDocument*), 475
- XSD (XML Schema Definition), 457–458
- XSLT

- debugging, 491–492
- document, transforming, 486–487
- processor (*XslCompiledTransform*), 488–489
- Web server control, 489–491

**XML Schema Definition (XSD), 457–458****XML Web services**

- building
  - base file, 1027–1028
  - Visual Studio files, 1025–1026
  - WebService* page directive, 1026–1027
- caching responses, 1047–1048
- communicating between disparate systems
  - described, 1023–1024
  - SOAP request and response, 1024–1025
- consuming
  - asynchronously, 1055–1058
  - client application, invoking from, 1036–1039
  - described, 1034
  - reference, adding, 1035–1036
- interface, 1031–1034
- method overloading, 1044–1047
- SOAP, exposing custom datasets as
  - sample, 1028–1029
  - WebMethod* attribute, 1030–1031
  - WebService* attribute, 1030
- SOAP headers
  - classes representing, 1049–1051
  - consuming, 1051–1053
  - described, 1048–1049
  - requests, 1053–1055
- transport protocols
  - Addition, consuming, 1039–1040
  - described, 1039
  - HTTP-GET, 1040–1043
  - HTTP-POST, 1043
  - SOAP, 1044

**XMLHTTP callback capability, 126****XmlReader**

- CLR types, retrieving, 468–469
- described, 461–463
- elements and attributes, listing all (*NameTable*), 466–468
- serialization and subtrees (*ReadSubtree* and *XmlSerialization*), 470–471
- validating XML against XML Schema, 464–465
- XML, 461–463

**XmlWriter, 461–463, 472–474****XPath, 475–478****XSD (XML Schema Definition), 457–458****XSL (eXtensible Stylesheet Language) style sheet, 177–178****XSLT (eXtensible Stylesheet Language Transformations)**

- document, transforming, 486–487
- processor (*XslCompiledTransform*), 488–489
- SQL output, transforming, 495–497
- SQL query, modifying to return, 495–497
- Web server control, 489–491

**Y****Yes/No values**

- check boxes, form (*CheckBox* control)
  - creating, 153–154
  - verifying, 155
- debugging and error-handling diagnostic switches, 787–788
- GridView display, converting, 361
- groups of forms, validating, 246–247
- HTML server control base class, 110
- list items, displaying or hiding, 149

**Z****ZIP code, 127–129****zones, Web Parts**

- actions of items, 655–658
- controls, adding, 652–655
- default elements, 639–640
- layout orientation, 639
- layouts, 634–638
- managing state and content, 633–634
- modification, turning off, 652
- properties, 660–661
- template, 639















# Take your library wherever you go

Now you can access more than 70 complete Wrox books online, wherever you happen to be! Every diagram, description, screen capture, and code sample is available with your subscription to the **Wrox Reference Library**. For answers when and where you need them, go to [wrox.books24x7.com](http://wrox.books24x7.com) and subscribe today!

**Find books on**

- ASP
- C
- Databases
- .NET
- Java
- Macromedia
- Open Source
- Visual Basic and VBA
- Web Development
- XML

