

Index

• A •

accelerated head injuries, 190
active children
 calming before bed, 193, 245
 and injuries, 290, 312, 335
 outlets for, 223, 235
 supervising, 21, 144, 224–225, 236–237
activity
 and appetite, 156, 180, 338–339
 during the eleventh month, 237–238
 gender differences, 209
 and obesity, 231
 and safety planning, 154
 and television, 186, 231
adoption, planning for, 14
affection, baby displays of, 219, 225, 250.
 See also bonding; security objects
age-appropriate discipline, 261–262
age-appropriate toys
 for older babies, 255–257
 for six-month olds, 154
 value of, 260
air travel, 45–46, 48
allergies
 environmental allergies, 279
 food allergies, 119, 157–159, 177, 228,
 279–280
 to insect bites and stings, 297
 mild reactions, 340
 symptoms and treatments, 279–280
amblyopia (lazy eyes), 281–282
anaphylactic shock, 159, 280, 297–298
angel kiss birthmarks, 88
anger. *See also* discipline; emotional
 development; “no”
 tantrums, 263–264
 toward baby, how to handle, 49–50, 227,
 282, 286
animals, fears about, 252. *See also* pets

antibiotics
 for burns, 299
 for conjunctivitis, 272
 doctors’ views on, 13
 for ear infections (otitis media), 274
 eye drops, at birth, 24
 in first-aid kit, 290
 for impetigo, 275
 for pneumonia, 274
 for rashes, 336
 for scrapes and bruises, 292
 for viral infections, 275
Apgar score, 23–24
appetite. *See also* bottlefeeding;
 breastfeeding; solid food
 during colds, 272, 337
 normal decreases and increases, 338–339
 during the seventh month, 180
 during the sixth month, 156–157
 and teething, 149
appliance locks, 307
aptitudes and abilities, variation in,
 258–259
asthmatic babies, 193, 280–281

• B •

babbling. *See also* cooing; language
 acquisition
 during the eighth month, 185
 during the fifth month, 142
 mimicry of speech in, 199–200
 during the seventh month, 171, 172–173
 sing-song, 219
 during the sixth month, 153
 stringed vocalizations, 185
 when to expect, 15
baby blues, 37–38, 87
baby carriers, sacks, slings, 18
baby food, 145–146

- baby gyms, 103, 112
- baby rings, 144–145
- baby seats, 114
- baby spoons, 138
- baby-proofing house
 - crib safety, 314–315
 - environmental hazards, 308
 - for fearless babies, 254
 - floors, 305–306
 - for four-month olds, 132–133
 - for older babies, 221
 - planning ahead, 12, 305
 - removing electrical hazards, 306
 - securing furniture, 306
 - during the seventh month, 175
 - special areas, 307–308
 - for toddlers, 235
- babysitters, 62–64, 89, 118
- ball rolling, 234, 250
- bassinets, 19
- bathing
 - in adult bathtub, 193–195
 - in baby-sized bathtub, 19, 83–84
 - bath supplies, 20
 - before bedtime, 245
 - first bath, 83–84
 - during the first month, 83–86
 - frequency of, for older babies, 193
 - process, 84–85
 - scalding hazards, 317
- bathtub rings, 21, 194–195
- bed, sharing with baby, 91–92
- bedtime routines. *See also* sleeping
 - during the eleventh month, 244–246
 - feedings and snacks, 229, 245
 - and grandparent visits, 211
 - during the sixth month, 161–162
 - what to avoid, 246
- behavioral changes, extreme, 336
- bibs, 138
- birth defects, 283–284
- birthday party, first, 254–255
- birthing process, 23–26
- birthmarks, 80, 88–89
- bites
 - from insects, ticks, 297–298
 - from pets, 294
- blankets, 202
- bleeding
 - blood in stools, 94
 - from cuts and wounds, 292–294
 - following childbirth, 71
 - from head injuries, 190, 294–295
 - internal, from milk allergies, 178
 - from mouth injuries, 295
 - from umbilicus and circumcision wound, 77
 - when to call doctor, 294, 335, 340
- block stacking, 250
- blood clots, preventing during travel, 46
- blood typing, 24
- blue baby syndrome, 48
- bonding
 - adoptive parents' concerns, 14
 - allowing time for, 26–27
 - during the first month, 86–87
 - with special needs babies, 285–286
 - types of, 11
- booties, socks, 19
- boredom, 115, 257
- bottlefeeding
 - baby's holding the bottle, 153
 - baby's weight gain, 83
 - becoming comfortable with, 34–35
 - in bed, pros and cons, 164–165
 - bowel movements with, 94
 - by fathers, 76, 107
 - formula, 19, 35, 47–48
 - and introduction of solid foods, 136–139
 - newborn routines, 75
 - pros and cons, 11, 30, 32
 - and sleep, 106
 - supplementing breast milk using, 74, 106–107
 - during the third month, 119
 - during travel, 47
 - weaning decisions, 178–179, 238
 - weaning process, 242–243
- bouncers, 144–145
- bouncing
 - safety concerns, 170–171
 - roughhousing, 246, 296, 321
 - Shaken Baby Syndrome (SBS), 321

- bowel movements (stools, poop)
 - constipation, 339
 - during the first month, 81, 94
 - during the fourth month, 129
 - newborns, 74–75
 - during the second month, 102
 - and solid foods, 138, 158
 - bowel obstruction, 334
 - breakfast for ten-month old, 228
 - breast pads, 20
 - breast pain
 - engorgement, 32
 - soreness, 87, 93
 - during weaning, 240
 - breast pump
 - need for, 19
 - during weaning, 240
 - when working away from home, 57
 - breast shape after weaning, 241
 - breastfeeding
 - during airplane travel, 47
 - becoming comfortable with, 28, 33–34
 - bowel movements with, 75, 94
 - colostrum, 32
 - mother's diet during, 95
 - newborn routines, 73–75
 - pros and cons, 11, 30–31
 - rejection of, handling, 179
 - and solid foods, 136–139
 - supplementing with bottlefeeding, 106–107
 - during the third month, 119
 - during travel, 47
 - weaning decisions, 178–179, 238
 - weaning process, 238–240
 - weight gain during, 83
 - and working away from home, 56–57
 - Breastfeeding For Dummies* (Perkins and Vannais), 3, 34, 138
 - breathing difficulty, 274
 - bruises, 294
 - burns
 - preventing, 227
 - sunburn, 300–301
 - thermal burns, 299–300
 - burp clothes, bibs, 19
 - burping
 - during bottlefeeding, 35, 75
 - during breastfeeding, 34
 - positions for, 36
 - reasons for, 95
- C •
- cabbage leaf treatment, 241
 - café au lait spots, 88
 - calmness during emergencies, 190, 289–290
 - cameras for nannies, baby sitters, 64
 - car seats
 - bringing when traveling, 45
 - car-seat wars, 48–50
 - importance of, 318
 - for newborns home, 40
 - purchase decisions, 18
 - car travel safety tips, 45–46, 52, 318–319
 - carbon monoxide detectors, 308
 - carriers, packing for travel, 44
 - cavernous hemangiomas, 89
 - cereal, introducing into diet, 129, 136–139
 - certification of physicians, 13
 - changing tables, 18, 19, 133–134
 - checkups
 - first checkup, 80–81
 - at four months, 127–129
 - at nine months, 198–199
 - at one month, 80–81
 - at six months, 152
 - at twelve months, 248–249
 - at two months, 102
 - while sitting on parent's lap, 253
 - chemical burns, 301
 - childbirth, 23–26, 67, 69–71
 - childcare
 - choosing, process for, 59–60
 - day care centers, 60–62
 - home day care, 62
 - nannies and babysitters, 63–64
 - planning for, 12
 - choking hazards
 - bottlefeeding cereal, 139
 - identifying and removing, 132, 175, 309–313

- choking hazards (*continued*)
 - from snack foods, 310
 - from string foods, 148
 - toys, 257
- Choosing Childcare For Dummies* (Douglas), 3, 60
- circumcision, 29–30, 77
- cleanliness
 - conflicts with relatives over, 211–212
 - of day care centers, importance of, 61
 - of home, relaxing about, 59, 72, 191–193
 - and safety, 133
- climbing
 - safety concerns, 175, 316
 - supervision needs, 237–238
 - during the twelfth month, 250
- clinging to security objects. *See also* stranger anxiety
- clothing
 - for bringing newborns home, 39
 - for older babies, 20–21
 - packing for travel, 44
 - pajamas, 316
 - preparing before baby's arrival, 19
- cognitive skills
 - ability to plan ahead, 235
 - associating names with people, 219
 - variations in developing, 209
- cold symptoms, 159, 272
- colic
 - during first month, 97–98
 - during the fourth month, 129
 - overcoming, when to expect, 15, 122–123
- color vision, 104
- colostrum, 32
- comfort objects. *See* security objects
- communicating with partner, 58
- communication skills, baby's. *See also* language acquisition; talking to babies
 - during the eleventh month, 234
 - during the ninth month, 200, 201
 - during the third month, 112
- concussion, 294–295, 335
- conflicts with relatives, 211–212
- congestion, nasal, 338
- conjunctivitis (pinkeye), 272
- constipation, 339
- cooing. *See also* babbling; language acquisition
 - during the fifth month, 141
 - during the fourth month, 132
 - during the second month, 103
 - during the third month, 15, 112
- cord blood stem cells, 25
- co-sleepers, 19, 92
- coughing
 - croup, 272–273
 - dry, and allergies, 279
 - long-term, calling doctor for, 335
 - with teething, 149
- cow's milk allergies
 - and early weaning, 159, 178, 228
 - symptoms of, 281
- cow's milk, when to introduce, 243
- Coxsackie virus (hand-foot-mouth disease), 273
- CPR for infants and children
 - learning, 12, 312–313
 - nanny knowledge of, 64
- cradle cap, 85, 275
- crankiness
 - and food allergies, 159
 - managing, 338
 - with teething, 149
- crawling
 - during the eighth month, 184
 - idiosyncratic styles, 153
 - during the ninth month, 199
 - during the seventh month, 171
 - during the tenth month, 219
 - when to expect, 15, 172
- cribs
 - climbing out of, 236–237, 316
 - portable, packing for travel, 44
 - portable, safety tips, 115–117
 - purchase decisions, 18
 - safety tips, 314–315
- crossed eyes (strabismus), 281–282
- crosswalks, 319
- croup symptoms and treatments, 272–273

- cruising
 - during the eleventh month, 234
 - during the ninth month, 199
 - during the tenth month, 219
 - when to expect, 15
- crying
 - for attention, 134–135
 - in cars, how to handle, 319
 - colic, 97–98
 - crying-it-out, 162–164
 - and food allergies, 280
 - during the fourth month, 131
 - by infants, reasons for, 96–97
 - by newborns, 69
 - before sleep, 91
- C-section post-delivery care, 70–71
- cup, drinking from
 - during the eleventh month, 234
 - during the fifth month, 142
 - during the seventh month, 178–179
 - during the sixth month, 153, 159–160
 - during twelfth month, 250
- curiosity
 - during the eleventh month, 237
 - and fearlessness, 253
 - during the fourth month, 131
 - and playpen safety, 115
 - safety concerns, 114–115
- cuts
 - handling at home, 292–293
 - when to call doctor, 335
- **D** •
- “Dada”, saying
 - during the eighth month, 184
 - during the eleventh month, 234
 - during the ninth month, 200
- dark places, fear of, 252
- day care centers, 60–61
- day care in private homes, 62
- deer ticks, 298
- dehydration
 - with fever, 334
 - from gastroenteritis, 273
 - when nursing, 74
 - from sunburn, 300
 - when to call doctor, 334–335
- delivery
 - complications following, 28
 - feeding newborns, 30–37
 - in-hospital testing and measurements, 23–25
 - multiple births, 38
 - nursery routines, 29
 - packing for, 21–23
 - rooming-in, 27
 - special needs babies, 38–39
 - wear and tear from, 25–26
- depression, postpartum, 37–38, 286
- developmental milestones
 - developmental delays, 173–174, 285–286
 - variation in timing of, 205–206, 208–211, 220, 250–251
- diabetes and solid foods, 119
- diaper changes, 74, 76
- diaper rash, 76, 275
- diapers, diaper bags, 20, 43–45, 99
- diarrhea, 149–150, 273
- digital thermometers, 278
- dinner for ten-month old, 228
- directions. *See* instructions, ability to follow
- discipline
 - age-appropriate, 261–262
 - clarifying views on, 12
 - goal of, 261
 - versus guidance, 262–263
 - individuality of responses to, 211
 - spanking, 264–266
 - tantrums, 263–264
 - using food for punishment, 232
 - what to avoid, 262–263
- disease resistance, building, 192
- distracted driving, 318–319
- doctor, when not to call
 - appetite changes, 338–339
 - constipation, 339
 - lowered activity level, 338
 - low-grade fever, 337–338
 - manageable crankiness, 338

doctor, when not to call (*continued*)
 mild allergic reaction, 340
 runny nose, 338
 scrapes, bruises and bumps, 339–340
 teething, 339

doctor, when to call
 allergic reactions, 280
 bruises, sudden-onset, 294
 colds, 272
 conjunctivitis, 272
 cough, long-term, 335
 croup, 273
 cuts, 293, 335
 dehydration, 273, 334–335
 developmental concerns, 173–174
 ear infection (otitis media), 273–274
 electrical or chemical burns, 301
 excessive gas, 96
 extreme behavioral changes, 336
 falls and head injuries, 190
 fever, 272, 333
 food consumption problems, 229
 head injuries, 294–295, 335
 hernia pain and swelling, 128
 influenza (flu), 273
 infrequent urination, 77
 itching cradle cap, 86
 mouth injuries, 295
 nonresponsiveness, 172
 one-year molars, 218
 pet bites, 294
 pneumonia, 274
 postpartum depression, 87
 rashes, 336
 respiratory problems, 334
 respiratory syncytial virus (RSV)
 infection, 274
 roseola infantum, 274–275
 seizures, 336
 sprains and fractures, 296
 thermal burns, 300
 tooth decay, 166
 vision-related problems, 282
 vomiting, 334
 yellow color in newborns, 78

doctors, pediatricians, choosing, 12–14.
 See also checkups; immunizations

doors, baby-proofing, 306–307

Douglas, Ann (*Choosing Childcare For Dummies*), 3

dressing self, 250

drinking from cup, 142

driving home from hospital, 40

drooling, with teething, 149–150

dropping objects intentionally, 173, 234

drowning, preventing, 223, 317

• E •

ear infection (otitis media), 272–274

ear thermometers, 278

eczema, 276

egg allergies, 159, 228

eighth month
 bathing in bathtub, 193–195
 disease resistance, 191–193
 footwear, 185–186
 interpersonal interactions, 188–189
 milestones, 184–185
 safety concerns, 189–191
 television, 186–187
 what to expect, 183–184

electrical burns, 301

electrical hazards, 306

eleventh month
 bedtime routines, 244–246
 milestones, 15, 234
 safety concerns, 235–238
 weaning, 238–244
 what to expect, 233–234

emergencies, reacting to, 190, 289–290

emotional development
 during the fifth month, 15, 142
 during the fourth month, 131, 135
 during the eighth month, 184
 during the ninth month, 200
 during the third month, 112
 when to expect, 15

environmental allergies, 279

environmental hazards, 308

epinephrine injection, 298
episiotomy, 25, 70, 326
equipment needs
 furniture, 18–19
 identifying, 10
 stroller envy, 207
erythromycin eye drops, at birth, 24
exercise, 104, 225
exercise rings, saucers, 21, 320
expectations
 and age-appropriate discipline, 261
 communicating with partner, 58
 and need for flexibility, 50–51
 during post-delivery period, 328
 during pregnancy, 9–11
 realistic, importance of, 99, 230, 332
 relaxing during first month, 99
 and working outside the home, 58
eye contact with infants, 112–113
eyes
 crossed or lazy, 281–282
 focusing of during the fourth month, 130

● F ●

facial expressions, mimicking of, 112, 153
falls. *See also* safety concerns
 during the eighth month, 189–191
 during the seventh month, 175
fathers
 accepting role as parent, 329
 bottlefeeding by, 76, 107
 limiting social life, 331
 participating in baby care, 87, 330–331
 realistic expectations, 332
 as supportive partner, 332
 talking to babies, 330–331
fatigue
 anticipating, 10, 11
 avoiding, 87
 during the post-delivery period, 68
fearless babies, 201, 235, 253–254
fears. *See also* safety concerns
 about caring for babies, 27
 about special needs babies, 286–287
 baby's, tips for handling, 189, 251–252

feeding. *See also* bottlefeeding;
 breastfeeding; food allergies
 appetite changes, 338–339
 and bowel movements, 94–95
 burping during, 34, 35, 36
 decisions about, 30–36
 during the eighth month, 184
 during the fifth month, 145–148
 finger foods, 153
 during the first month, 93–94
 and forcing children to eat, 230
 and gas, 95
 homemade versus store-bought, 145–146
 newborns, 73–75
 overfeeding, 93
 refusal to eat, 180
 risky foods, 147–148
 routines for, 120–121
 during the second month, 106–109
 during the seventh month, 175–180
 of sleepy newborns, 36–37
 solid foods, 129, 136, 145–147
 during the tenth month, 227–232
 during the third month, 119
 tips for older babies, 230
feeding bags, 176
fever
 low-grade, 337–338
 with teething, 149–150
 temperature-taking process, 277–278
 when to call doctor, 272, 333–334
fifth month
 emotional displays, 15
 milestones, 142
 solid food, 145–148
 teething, 148–150
 what to expect, 141–142
finances and work decisions, 56
finger foods
 adding to diet, 158
 choking hazards, 177
 eating during the eleventh month, 234
 eating during the seventh month, 171, 176
 eating during the sixth month, 153
finger grabbing, 82

- first aid
 - bruises, 291, 294
 - cuts, 291, 292–293
 - electrical or chemical burns, 301
 - first-aid kit, 20, 290–291
 - head injuries, 294–295
 - mouth injuries, 296
 - puncture wounds, 293–294
 - scrapes, 291–292
 - sprains and fractures, 296
 - stings and bites, 297–298
 - thermal burns, 299–300
 - first birthday party, 254–255
 - first checkup, 80–81
 - first month
 - bowel movements, 94
 - colic, 97–98
 - crying, 96
 - feeding patterns, 93–94
 - first bath, 83–84
 - first checkup, 80–81
 - gas, 92–94
 - milestones, 81–82
 - sleep needs, 90–91
 - traveling during, 98–99
 - what to expect, 79
 - firstborns, 209
 - flatulence, gas, 95–96
 - flexibility, parental
 - and age-appropriate discipline, 261–262
 - and individuality of babies, 9–10
 - during travel, 51
 - floors, baby-proofing, 305–306
 - flotation devices, 223
 - flu (influenza), 273
 - folic acid, 283
 - fontanels, 80, 128
 - food allergies. *See also* cow's milk allergies
 - introduction of solid foods, 119, 157, 177
 - symptoms and treatments, 158–159, 279–280
 - food choices and obesity, 231
 - food preferences, 229–230
 - foods, solid
 - introducing during the fourth month, 136–139
 - preparing, 145–146, 192
 - safe snacks, 310
 - footwear, 185–186
 - forcing children to eat, 230
 - forehead thermometer strips, 278
 - formula, 35, 47–48
 - fourth month
 - checkup, 127–129
 - crying for attention, 134–135
 - first foods, 136
 - milestones, 15, 130–131
 - safety needs, 132–134
 - skill acquisition and frustration, 135
 - stranger anxiety, 136
 - teething, 128–129
 - what to expect, 127
 - fractures, 296
 - Frugal Living For Dummies* (Taylor-Hough), 56
 - fruits, 147, 158
 - frustration
 - and anger, 135
 - during the eighth month, 184
 - during the fourth month, 135
 - and learning new skills, 135
 - during the seventh month, 170
 - full-time moms, 57–58
 - furniture hazards, 175, 306
 - furniture needs, 18–19
- **G** •
- games, playing
 - as alternative to television, 187
 - during the eleventh month, 234
 - during the fourth month, 131
 - with infants, importance of, 113
 - during the seventh month, 171
 - during the sixth month, 153
 - during the twelfth month, 250
 - gas, flatulence, 94–96
 - gastroenteritis, 273
 - gastrointestinal distress, 280
 - gates, baby
 - need for, 21, 304
 - for older babies, 221
 - for stairways, 152, 175
 - gender and behavior, 209, 258
 - gender-neutral toys, 257–258

germ-free environments, 191
gifted children, recognizing, 259
Gookin, Dan and Sandra Hardin Gookin
 (*Parenting For Dummies*), 3, 260
grandparents, 205, 211–213, 331–332
grasping ability, 219
greenstick fractures, 296
growth spurts, 93–94
guidance versus discipline, 262–263
guilt about working, 56

• H •

hand washing, 192
hand-eye coordination exercises, 104
hand-foot-mouth disease (Coxsackie virus), 273
hands, discovery of, 103
hand-to-hand object transfers, 153
head control
 during the eighth month, 184
 during the fifth month, 142
 during the fourth month, 130
 during the second month, 103
 during the seventh month, 170
 during the sixth month, 152
 during the third month, 112
 when to expect, 15
head injuries *See also* accelerated head injuries
 handling at home, 294–295
 when to call the doctor, 190, 335
head shape, 128
healthy eating patterns, 230, 232
hearing
 checking at first checkup, 80
 and ear infections, 270
 during the fifth month, 142
 during the fourth month, 129
 identifying problems with, 172, 220
heat rash, 276
height. *See* length
Heimlich maneuver, 12, 310–311
help, accepting, 71–72, 327
hemangiomas, 89
hematomas, 149
hemorrhage, 71. *See also* bleeding
hernias, 128

highchairs
 avoiding early use of, 138
 cleaning, 192
 leaving before meal is finished, 230
 safety straps, 177
 safety tips, 145, 173
 standing in, 254
 time spent sitting in, 199, 230, 232
hives, 276, 280
holding objects
 during the fifth month, 142
 during the fourth month, 129
 during the seventh month, 171
 during the third month, 112
home. *See also* baby-proofing house; safety concerns
 returning to after delivery, 40–41
 working at, 57–58
home security systems, 308
homemade baby foods, 145–146
honey, 147, 228
hospitals
 birthing process, 23–26
 identifying when traveling, 52
 leaving with newborns, 39–41
 nursing staff, 27–29, 33
 packing for, 21–23
“hot”, teaching babies about, 227
household chores
 arranging for, 11
 limiting during post-delivery period, 327
hypersensitivity. *See* allergies

• I •

illnesses. *See also* first aid; injuries; skin problems
 asthma, 280–281
 colds, 272
 conjunctivitis (pinkeye), 272
 day care centers policies about, 61
 demands on parents, 11
 environmental allergies, 279
 food allergies, 279–280
 gastroenteritis, 273
 home day care policies about, 62
 influenza (flu), 273

illnesses (*continued*)

- on-call physicians for, 13
- otitis media (ear infection), 273–274
- pneumonia, 274
- and resistance to disease, 192
- respiratory syncytial virus (RSV)
 - infection, 274
- roseola infantum, 274–275

immunizations

- first, timing of, 81
- first-year schedule, 270–271
- during the fourth month, 129–130
- physician views on, 13
- during the second month, 103
- side effects, 270
- during the sixth month, 152
- during the twelfth month, 249

impetigo, 276

individuality

- in language acquisition, 220
- recognizing, 9–10, 250–251
- and response to discipline, 210–211, 261–262

infant CPR, 64, 312–313

infant seats, 18, 138

infants

- bathing, 84–85
- birthmarks, 88–90
- bonding with, 86–88
- charting weight and height, 82–83
- colic, 97–98
- cradle cap, 85
- early risers, 119–120
- exercises for, 104
- first checkup, 80–81
- immunizations, 103
- pacifiers, 123–124
- schedules and routines, 117–119
- sleep needs, 90–91
- thumb sucking, 123
- traveling with, 98–99

influenza (flu), 273

inguinal hernia, 128

injuries. *See also* illnesses

- burns, 299–301
- cuts, 292–293, 335

- head injuries, 190, 294–295, 335
- puncture wounds, 293–294
- reacting to calmly, 190, 289–290
- scrapes, bruises and bumps, 291–294, 339–340

- Shaken Baby Syndrome (SBS), 321
- sprains and fractures, 296
- stings and bites, 296

instructions, ability to follow

- during the eleventh month, 234
- during the ninth month, 201
- during the tenth month, 219
- during the twelfth month, 250

interpersonal interactions. *See also* emotional development; stranger anxiety

- during the fourth month, 131
- parallel play, 234, 250
- and security objects, 203–204
- and self-amusement, 187–188
- for very active children, 225

invented language, 234

irregular bedtimes, 246

itchy nose and mouth, 279, 280

• J •

jaundice, 78

Johnny jump-ups, 21, 144–145

juice, 137, 160, 164, 204

• K •

kindness, encouraging in older babies, 260

• L •

lactation specialists, 33

lactose intolerance, 159

language acquisition. *See also* babbling; cooing

- different rates of, 220
- during the eleventh month, 234
- encouraging, 143
- during the fifth month, 142
- firstborns versus siblings, 210

during the fourth month, 132
saying “Mama” or “Dada”, 184, 200,
219, 234
during the sixth month, 154
during the tenth month, 219, 219–220
when to expect, 15

latching on, 33

laughing
for attention, 134–135
during the fifth month, 142
when to expect, 15

laundry soap, 44

lazy eyes (amblyopia), 281–282

lead paint, 308–309

legs, putting weight on, 130. *See also*
standing alone; standing on lap

length
charting, 81, 82–83, 113
during first month, 81
healthy growth, 229
newborns, 24, 29
during sixth month, 152
during third month, 112

lethargy, 338

linen needs, 20

locks
for baby-proofing house, 306–307
on cabinets and doors, 221

lunch for ten-month olds, 238

Lyme disease, 298

• **M** •

“Mama”, saying
during the eighth month, 184
during the eleventh month, 234
during the ninth month, 200
during the tenth month, 219

March of Dimes resources, 282

mealtime. *See* feeding

measurements at time of birth, 23–24

meats, preparing at home, 147

Medela Supplemental Nursing System
(SNS), 108

medical care providers, choosing, 12–14

medication schedules, 212, 213

medicine syringe and spoon, 20

medicines, packing for travel, 44

memory development, 172–173, 201

mercury (glass) thermometers, 278

metabolic disorders, 174

middle children, 209

milestones
avoiding comparisons, 205–211
during the eighth month, 184–185
during the eleventh month, 234
during the fifth month, 142
during the first month, 81–82
during the fourth month, 130–131
during the ninth month, 199–201
overview of, 14–15
during second month, 103
during the seventh month, 170–171
during the sixth month, 152–153
during the tenth month, 218–219
during the third month, 112
during the twelfth month, 250–251

milia, 276

milk. *See* cow’s milk allergies

mimicry
during the eighth month, 185
during the eleventh month, 234
during the fifth month, 142
during the tenth month, 219

mirrors
in cars, cautions using, 319
for promoting development, 104
recognizing self in, 250

mittens, 19

mobility. *See also* crawling; cruising;
walking
milestones, 15
and safety concerns, 175, 224
at seventh months, 171–172

Mongolian spots, 88–89

motor skills, second versus firstborns, 210

mouth injuries, 295

mouth, putting objects in. *See also* choking
hazards
during the fifth month, 142
during the fourth month, 130, 131
when to expect, 15

movement, allowing time for, 115
multiple births, 38

• N •

name recognition, 171–172, 153
nannies, 63–64
nanny cams, 64
naps
 during the eleventh month, 245
 during the first month, 91
 during the fourth month, 129
 during the ninth month, 198
 during the second month, 105
 during the sixth month, 160–162
 during the third month, 118–121
 during the twelfth month, 249
 working during, 59
nasal discharge, 279, 338
nebulizers, 281
neck strength. *See* head control
needs and wants, communication of, 234
neonatal acne, 276
Neonatal Intensive Care Unit (NICU),
 39, 284–285
neonatologist, 285
nevus flammeus (port-wine stain), 90
new foods. *See also* feeding
 and food allergies, 119, 280
 introducing slowly, 157–158
 during the seventh month, 176
 during the tenth month, 229
newborns
 bringing home from hospital, 39–41
 care classes, 27
 circumcision decisions, 29–30
 diaper changes, 75–76
 diaper rashes, 75–76
 feeding, 30–37, 73–75
 first post-natal exam, 29
 frequency of nursing, 68
 holding, 69
 jaundice, 78
 umbilical cord care, 77
 urination frequency, 74

NICU (Neonatal Intensive Care Unit),
 39, 284–285
night owl babies, 91
nightgowns, 19
nighttime bottles, 243
nighttime eating, 162
ninth month
 checkup, 198–199
 milestones, 15, 199–201
 what to expect, 197–198
nipple confusion, 74
nitrates, nitrites, avoiding, 148
“no”
 during the eighth month, 185
 during the eleventh month, 234
 during the ninth month, 201
 during the tenth month, 219
 saying effectively, 227
 using appropriately and judiciously,
 225–226, 227
noise sensitivity, 246, 252
nose syringe, 20
nursemaid’s elbow, 296
nurses, at hospital, help from, 27–28, 33
nursing. *See also* bottlefeeding;
 breastfeeding
 during the first month, 93–94
 by newborns, frequency of, 68
 “nursing strikes”, 178–179
 during the second month, 106–109
nut allergies, 159

• O •

obesity, preventing, 230–232
object permanence, understanding of
 and dropping things, 234
 during the eighth month, 185
 during the ninth month, 200
 during the seventh month, 171, 172–173
 during the third month, 112
objects, picking up and holding
 during the eighth month, 184
 during the eleventh month, 234
pincer grasp, 199–200

- objects, pointing to, 219
 - oil, on thermal burns, avoiding, 299
 - organic baby food, 146, 148
 - otitis media (ear infection), 273–274
 - outdoor safety concerns, 222
 - outerwear needs, 19
 - overfeeding, 93
 - overweight babies, 113–114
- *p* ●
- pacifier thermometers, 278
 - pacifiers
 - pros and cons, 20, 97, 123–124
 - tips for using, 124
 - during weaning process, 243–244
 - packing for the hospital, 21–23
 - pain following delivery, 28, 67–68
 - pain relievers
 - for mother, during weaning process, 240
 - for sunburn, 300
 - for teething, 149–150, 218
 - for thermal burns, 299
 - paint, lead-free, 308
 - pajamas, 316
 - parallel play, 234, 250
 - Parenting For Dummies* (Gookin and Gookin), 3, 260
 - parenting skills
 - comparing with others, 208
 - learning to trust in, 86–87, 213
 - newborn classes, 27
 - parking lot safety concerns, 319
 - partner
 - communicating with, 98
 - nurturing relationship with, 332
 - stresses from special needs babies, 286
 - patience. *See also* expectations
 - and effective parenting, 99, 321
 - with self, 86
 - during teething, 339
 - during travel, 49–50
 - peanut allergies, 228
 - pediatrician, doctor. *See also* checkups;
 - doctor, when not to call; doctor, when to call; immunizations
 - calling, decision guidelines, 170, 248
 - choosing, 12–14
 - peekaboo games
 - during the fourth month, 131
 - during the ninth month, 198
 - during the seventh month, 171
 - during the sixth month, 153–154
 - penis
 - circumcision, 29–30, 77
 - diaper rashes, 76
 - Perkins, Sharon (*Breastfeeding For Dummies*), 3, 34, 138
 - personality development
 - during the eighth month, 184
 - during the seventh month, 171
 - and stranger anxiety, 188–189
 - during the third month, 122
 - petroleum jelly, 20
 - pets
 - bites from, 294
 - boarding post-delivery, 326
 - cautions about, 213
 - conflicts with relatives over, 212
 - jealousy from, 313
 - phenylketonuria (PKU) test, 24
 - picture books, 220
 - pincer grasp, 199–200, 219
 - pinkeye (conjunctivitis), 272
 - playground safety, 222
 - playgroups
 - as alternative to television, 187
 - and comparing babies, 205–206
 - for very active children, 225
 - playpens, 21, 115–117
 - pneumonia, 273–274
 - poisons, 175
 - poop. *See* bowel movements (stools, poop)
 - portable cribs, 115–117
 - port-wine stains (nevus flammeus), 90
 - post-delivery period
 - accepting help, 327
 - boarding pets during, 326
 - eating take-out, 326
 - fatigue during, 68, 325
 - having realistic expectations, 328
 - hormonal changes, 87
 - nursing, 73–75
 - pain during, 67–68
 - self-care during, 46, 70–72, 99, 326–328
 - solitude needs, 69, 72–73, 87

postpartum depression, 37–38, 87
 praising babies, importance of, 226
 prayers, introducing, 245
 preferences, expression of, 171, 184. *See also* emotional development
 premature babies, 174, 284–285
 primary caregiver, choosing, 11
 pulling self up
 during the fifth month, 142
 during the ninth month, 199
 during the seventh month, 170
 during the tenth month, 219
 when to expect, 15
 puncture wounds, 293–294
 pushing up
 during the fifth month, 142
 during the fourth month, 130
 during the sixth month, 153

• Q •

questions to ask. *See also* checkups;
 doctor, when to call
 when choosing a pediatrician or general practitioner, 13
 when evaluating day care centers, 60–61
 when evaluating home day care, 62
 when interviewing nannies, baby sitters, 63–64

• R •

rashes
 in diaper area, 76, 275
 eczema, 276
 and environmental allergies, 279
 and food allergies, 158, 280
 heat rash, 276
 impetigo, 276
 roseola infantum, 274–275
 with teething, 149
 when to call doctor, 336
 raspberry blowing, 142
 reaching for objects, 129, 130

reading aloud
 as alternative to television, 187
 and language acquisition, 143
 picture books, 220
 with six-month olds, 154
 rear-facing car seats, 318–319
 rectal temperature, how to take, 277–278
 relatives, allowing time for, 331–332
 respiratory problems, when to
 call doctor, 334
 respiratory syncytial virus (RSV)
 infection, 274
 resting, by parents, 119, 325
 ride-on toys, 320
 rocking to sleep, 246
 rolling balls, 234, 250
 rolling over
 during the fourth month, 129, 130
 during the seventh month, 170
 during the sixth month, 153
 during the third month, 112
 when to expect, 15
 rompers, 19
 rooming-in, 27
 rooting reflex, 82
 roseola infantum, 274–275
 roughhousing, 246, 296, 321
 routines. *See* bedtime routines; feeding;
 schedules and routines
 RSV (respiratory syncytial virus)
 infection, 274
 runny nose, 338

• S •

safety concerns. *See also* baby-proofing
 house; doctor, when to call
 adult-size bathtubs, 194–195
 and baby's ability to plan, 235
 choking hazards, 138, 177, 257
 cribs, 314–315
 during the eighth month, 189–191
 during the fifth month, 144–145
 during the fourth month, 132–134

- during the ninth month, 201–202
- pets, 313
- ride-on toys, 320
- risky foods, 147–148
- during the seventh month, 174–175
- during the sixth month, 154
- sunburn, 300
- and supervision needs, 221–222, 320
- taking seriously, 303–304
- during the tenth month, 220–221
- during the third month, 113–117
- during the twelfth month, 251–254
- very active children, 224–225
- walking with babies, 319
- water safety, 223, 317
- when traveling away from home, 51–52
- salty foods, 177
- SBS (Shaken Baby Syndrome), 321
- schedules and routines. *See also* bedtime routines; feeding
 - conflicts with relatives over, 211–212
 - during the eleventh month, 244–246
 - in hospital nursery, 29
 - newborns, 73–75
 - during the second month, 104–106, 108–109
 - during the sixth month, 160, 161–162
 - during the third month, 117–121
- scotching, 15
- scrapes, bruises and bumps, 292, 339–340
- seat belts. *See also* highchairs
 - on baby seats, 114–115
 - for shopping carts, 155–156
 - in strollers, 155
- second month
 - checkup, 102
 - feeding, 106–109
 - immunizations, 103
 - increased awareness during, 101–102
 - milestones, 14, 103
 - sleeping routines, 104–106
 - what to expect, 101–102
- security objects
 - giving up, 204
 - importance of, for older babies, 201
 - during the ninth month, 202–204
 - during the seventh month, 171
- seizures, 336
- self-amusement, 186–188
- self-care, postpartum, 46, 70–72, 99, 326–328
- self-comforting, 203–204, 245
- self-confidence. *See also* fearless babies
 - and cognitive development, 258–259, 260
 - and comparing babies, 205–206
 - and discipline approaches, 262–263
 - encouraging, and safety concerns, 220–221, 225–226
 - and obesity, 231
- self-feeding, 171, 184. *See also* finger food
- self-recognition, 250
- separation anxiety, 252
- seventh month
 - achievements, 166–167
 - babbling, 173
 - crawling, 171, 172
 - developmental differences, 173–174
 - eating solid goods, 180
 - feeding and finger foods, 176–178
 - memory development, 172–173
 - milestones, 15, 170–171
 - name recognition, 171–172
 - safety concerns, 174–175
 - weaning decisions, 178–179
 - what to expect, 169–170
- Shaken Baby Syndrome (SBS), 321
- shaking babies, 321, 331
- shampoo, 85
- sharp edges and objects, 175
- shellfish allergies, 159, 228
- shoes, 185–186
- shopping cart safety, 155–156
- showers, 326
- siblings, 208–211
- SIDS (sudden infant death syndrome), 11, 116, 315
- simethicone, 96
- singing, 113, 154
- sitting unassisted
 - during the eighth month, 184
 - during the ninth month, 199
 - during the tenth month, 218
 - during the twelfth month, 250

- sitting with help
 - during the fifth month, 142
 - during the fourth month, 131
 - during the seventh month, 170
 - during the sixth month, 153
 - when to expect, 15
- sixth month
 - bedtime rituals, 161–162
 - checkup, 152
 - immunizations, 152
 - milestones, 15, 152–153
 - naps, 161
 - safety concerns, 154–156
 - sleeping routines, 160
 - solid food additions, 156, 157–158
 - stimulation needs, 153–154
- skills development, 258–259
- skin problems, 275–276
- sleepers, 19
- sleeping
 - bedtime bottles, 164–165
 - developing routines for, 120–121, 244–245
 - early risers, 119–120
 - during the first month, 90–92
 - during the fourth month, 129
 - during the second month, 104–106
 - during the sixth month, 160–164
 - during the third month, 112, 117–119
 - through the night, 14, 162–164
 - when teething, 149
 - waking up during night, 245–246
- sleepy newborns, encouraging to feed, 36–37
- smiling
 - during the fifth month, 142
 - first smile, 14
 - during the fourth month, 131
 - during the second month, 103
- smoke detectors, 308
- smoking, 315
- snacks
 - before bedtime, 245
 - safe foods for, 310
 - during the seventh month, 180
 - during the tenth month, 228
- sneezing, 278
- SNS (Medela Supplemental Nursing System), 108
- snuggle time, 245
- sodium intake, 240–241
- soft food, 218
- solid food. *See also* food allergies
 - baby food, 145–147
 - during the fourth month, 136–139
 - introducing slowly, 147–148, 280
 - safety tips, 138
 - during the second month, 107
 - during the seventh month, 179, 180
 - during the third month, 119
- solitude needs, 69, 72–73, 87
- soy allergies, 159
- spanking, 12, 264–266
- special needs babies
 - answering questions about, 286–287
 - birth defects, 282–293
 - demands on parents, 11, 38–39
 - emotional impacts, 282–283, 285–286
 - premature babies, 284–285
 - resources for, 282–293
- spicy foods, 177
- spina bifida, 283
- spitting, 102
- spoon, learning to use, 250
- sprains, 296
- strabismus (crossed eyes), 281–282
- stair climbing
 - during the ninth month, 199, 201–202
 - during the sixth month, 151
 - during the tenth month, 219
- stair safety, 175, 201–202, 305. *See also* head injuries
- standing alone
 - during the eighth month, 184
 - during the eleventh month, 234
 - during the ninth month, 199, 200
 - during the tenth month, 219
 - during the twelfth month, 250
- standing on lap
 - during the fifth month, 142
 - during the seventh month, 170
 - during the sixth month, 153
- stem cells, 25

- stimulation
 - and cognitive development, 260
 - for gifted babies, 259
 - hypersensitivity to, 97
 - importance of, for older babies, 153–154
 - during the second month, 105
 - and sleep, 91
 - stings, 297–298
 - stitches
 - C-section, discomfort from, 67–68
 - for injuries, 293
 - stomach cramps, 158
 - stomach, time on, 104, 128
 - stools. *See* bowel movements (stools, poop)
 - stork bite birthmarks, 88
 - stranger anxiety
 - during the eighth month, 185
 - during the fourth month, 136
 - during the ninth month, 200
 - as normal in eight month olds, 188–189
 - during the seventh month, 171
 - during the sixth month, 153
 - strawberry allergies, 159, 228
 - strawberry hemangioma, 89
 - strollers
 - packing for travel, 44
 - purchase decisions, 18
 - safety tips, 155
 - stroller envy, 207–208
 - stubbornness, defusing, 225–226
 - stuffy head, 335
 - sudden infant death syndrome (SIDS), 11, 116, 315
 - sugary drinks, 165
 - sunburn, 300–301
 - sunscreen, 52, 300
 - supervision needs of older babies
 - constancy of, 224
 - during the eleventh month, 237–238
 - in home, 221–222
 - outdoors, 222
 - toddler curiosity, 320
 - when swimming, 223
 - support systems, 10, 12. *See also* childcare; fathers
 - sweet foods and drinks, 177, 204, 230
 - swim lessons, 223
 - swimming with babies, 223, 317
 - swings, 18
 - symmetry and head shape, 128
- T •
- tag-team parenting, 87
 - talking. *See* babbling; cooing; language acquisition
 - talking to babies
 - asking questions, 263–264
 - and cognitive development, 113, 260
 - and eye contact, 113
 - by fathers, 330–331
 - importance of for older babies, 153–154, 250
 - tantrums, preventing, handling, 263–264
 - Taylor-Hough, Deborah (*Frugal Living For Dummies*), 56
 - teeth
 - caring for, 165–166
 - and mouth injuries, 295
 - tooth decay, 243
 - teething
 - during the fifth month, 142
 - during the fourth month, 130
 - one-year molars, 218
 - relief for, 339
 - signs of, 128–129
 - telephone, 327
 - television
 - alternatives to, 187
 - as babysitter, 187
 - before bedtime, 246
 - influence on gender identity, 258
 - limiting, 186–187, 257
 - temperature, rectal, 277–278
 - tenth month
 - feeding and food issues, 227–232
 - food fights, tips for avoiding, 229–230
 - milestones, 15, 218–219
 - safety concerns, 220–221
 - stubbornness, 226–227
 - using “no” judiciously, 225–226
 - what to expect, 217–218

- terrible twos, 261
 - thermal burns, 299–300
 - thermometers, 20, 277–278
 - third month
 - early risers, 119–120
 - emotional development, 112
 - encouraging routines, 120–121
 - feeding, 119
 - infant seats, 114–115
 - milestones, 15, 112
 - pacifiers, 123–124
 - personality development, 121
 - playpens, 115–117
 - safety needs, 113–117
 - schedules and routines, 117–119
 - thumb sucking, 123
 - weight and height gains, 113–114
 - what to expect, 111
 - thumb sucking, 123
 - tick bites, 298
 - time zone differences, 45
 - toiletries, keeping out of reach, 308
 - tooth brushing, 245
 - tooth decay, 165, 243
 - tourniquets, 293
 - toys
 - age-appropriate, 154, 255–257
 - bath tub toys, 195
 - choking hazards, 132–133, 313
 - gender neutral, 257–258
 - lead paint on, 308–309
 - need for, 21
 - as security objects, 202
 - sterilizing, 192
 - transitional objects, 203
 - traveling
 - air travel tips, 48
 - baby-proofing destination, 51–52
 - car safety, 318–319
 - car-seat wars, 48–50
 - choosing destinations, 50–51
 - feeding during, 46–48
 - packing and preparing for, 12, 43–45
 - patience during, 45–46
 - time zone differences, 45
 - vacation versus, 50–51
 - twelfth month
 - age-appropriate discipline, 260–263
 - age-appropriate toys, 255–257
 - checkup, 248–249
 - cognitive development, 258–260
 - fears, 251–253
 - first birthday party, 254–255
 - gender-related behaviors, 257–258
 - immunizations, 249
 - lead testing, 309
 - milestones, 15, 250–251
 - safety concerns, 251–254
 - tantrums, 263–264
 - what to expect, 247–248
- U •
- umbilical cord, 25, 77
 - umbilical hernia, 128
 - undergarments, 19
 - underweight babies, 113–114
 - urination
 - and circumcision, 76
 - and dehydration, 74, 273
 - newborns, 74, 77
 - utensils for food preparation, 145–146
- V •
- vacation, 50–51
 - Vannais, Carole (*Breastfeeding For Dummies*), 3, 34, 138
 - vaporizer, cool mist, 20
 - vegetables
 - adding to diet, 157–158
 - choking hazards, 148, 310
 - as finger foods, 176
 - homemade versus store-bought, 146
 - introducing, 157–158
 - preparing at home, 147
 - yellow, 145
 - vernix caseosa, 26
 - videos for newborns, 186–187
 - viral infections, 275

vision
crossed eyes, lazy eyes, 281–282
during the fourth month, 129, 130
during the second month, 102, 103, 104
visitors for newborns, limiting, 41
Vitamin K injection, 24
vocalization. *See* babbling; cooing;
language acquisition
voice recognition
during the sixth month, 153
during the third month, 112
vomiting, 334

• W •

walkers, cautions about, 21, 144–145, 320
walking
barefoot, 185
during the eighth month, 184
first steps, 234
during the seventh month, 170
during the twelfth month, 250
water
fear of, 252
for preparing formula, 47–48
as substitute for sugary drinks, 165
water heaters, 307
water safety, 223, 317
waving hello and goodbye
during the eighth month, 184
during the ninth month, 200
during the tenth month, 219
weaning
during the eleventh month, 238
gradual approach, 238–240

and pacifier use, 243–244
during the seventh month, 178
Web sites
growth charts, 82
Medela Supplemental Nursing System
(SNS), 108
weight and height charts, 113
weight
charting, 82–83, 113, 229
during first month, 81
during the fourth month, 130
measuring during first checkup, 81
newborns, 24, 29
during the sixth month, 152
during the third month, 112
when to be concerned, 82–83, 113
well-baby care, 80–81
wheat allergies, 159
wheezing, 280
wiggling, kicking, 130
windows
baby-proofing, 307–308
locking, 221
working from home, 57–58, 59
working parents
choosing primary caregiver, 11
daycare arrangements, 12
returning to work, pros and cons, 53–55
working-mom guilt, 56

• Y •

youngest children, 209

