

Index

Numerics

7-Zip compression tool, 43–44, 322, 382

A

Aaron Spuler's themes, 72–73

about:cache, 92

about:config

- `accessibility.typeaheadfind.timeout`

 - hack, 237

- Download Manager, 200

- editing, 18

- mousewheel options, 192

- opening, 17

- plugins, 217–218

- Preference Name column, 17

- preferences

 - filtering, 18

 - finding, 18–19

- Status column, 17

- tabbed browsing, 185

- Type column, 17

- Value column, 17

`accessibility.typeaheadfind.timeout`

- hack, 237

accessing older extensions, 34–35

ad blocking

- with Adblock extension, 127–134

- with content handling, 123–126

- with image blocking function, 120–122

- with popup blocking function, 119–120

Adblock extension, 53, 127–134

Adblock Project forum, 133

`addEventListener` function, 360

adding

- keyboard shortcuts, 368–369

- search engines to search box, 225

- toolbar buttons, 162, 369–371

- toolbar items, 143

- toolbars, 369–370

Adobe Photoshop, 323

Adobe Photoshop Elements, 323

Adobe Reader plugin, 219

Advanced Installer tool, 263–264

`alert()` function, 342

All-in-One Gestures extension, 194–196

Altavista's Babelfish translation engine, 230

Alt-Text for Link extension, 53

Amazon.com search plugin, 226–227

anti-phishing measures and tools, 116

Apollo theme, 72

appearance of web pages, 371–373

Apple QuickTime plugin, 219, 252

Atlas theme, 72, 79

attributes

- `id`, 327

- `list-style-image`, 329

- `sitestate`, 327–328

- `tooltiptext`, 327

- `xmlns`, 327

audio, 54, 173

autoinstallation, 114

automatic indentation (text editor), 322

automating

- extension packaging, 375–376

- Firefox installation, 244

- profile creation, 249–250

Axialis IconWorkshop, 396

B

Babelfish translation engine, 230

background colors for browser window, 58–62

background images

- browser window, 62–65

- finding, 63

Backup directory, 13

backup extensions

- Bookmark Backup, 277–278

- Bookmarks Synchronizer, 278–279

backups

- files, 14–16

- Mozbackup, 275–276

- Mozbackup tool, 14–15

- plugins, 276–277

- profiles, 14–16, 267–268, 274–275

BBCode extension, 55, 292

BBCodeXtra extension, 292

BBEdit text editor, 8

behavior of downloads

- clearing download history, 198–201

- default download location, 197–198

- MIME types, 209–212

- pausing, 203

- preferences, 201–202

- seamless download integration, 215–216

- behavior of downloads (*continued*)
 - showing in status bar, 202
 - sorting to directories, 208–209
 - target windows, 206–208
 - behavior of links, 183–184
 - behavior of windows, 189
 - BitTorrent download manager, 214
 - blocking
 - advertisements
 - with Adblock extension, 127–134
 - with content handling, 123–126
 - with image blocking function, 120–122
 - with popup blocking function, 119–120
 - cookies, 110–111
 - error dialogs, 88
 - JavaScript, 134
 - Blue theme, 72
 - BlueFyre builds, 98
 - blur event, 357
 - Bookmark Backup extension, 54, 277–278
 - bookmarks
 - home pages, 181–182
 - ICON property, 78
 - icons, 77–79
 - live bookmarks system icon, 159, 161–162
 - Quick Searches, 224
 - Toolbar Enhancements extension, 164–165
 - Bookmarks Synchronizer extension, 278–279
 - bookmarks toolbar, 157–158
 - bookmarks.html file
 - backup, 15, 274
 - contents, 270
 - box model scheme (XUL), 301
 - branch builds, 98
 - branch versions of builds, 97
 - browser plugin, 316
 - browser settings
 - error dialogs, 88
 - home page
 - multiple home pages, 180–183
 - single home page, 179–180
 - link behavior, 183–184
 - premature timeouts, 86
 - profile, 10
 - saving, 188
 - smooth scrolling, 88
 - browser window
 - background color, 58–62
 - background images, 62–65
 - browser.cache.disk.capacity hack, 92–93
 - browser.cache.disk.parent_directory hack, 91–92
 - browser.cache.memory.capacity hack, 94
 - browser.dom.window.dump.enabled
 - preference, 342
 - browser.xul.error_pages.enabled hack, 88
 - browsing history
 - cache, 106
 - clearing, 105–108
 - deleting individual items, 108
 - Download Manager, 106–107
 - locations of, 105
 - viewing individual items, 108
 - brushed metal background (themes), 73
 - bubbling phase (event propagation), 358–359
 - bugs in themes, 402
 - Bugzilla website, 88
 - builds
 - BlueFyre builds, 98
 - branch builds, 98
 - branch versions, 97
 - Builds forum, 201
 - milestone versions, 97
 - MMOY builds, 98
 - MOOX builds, 98
 - optimized builds, 97–98
 - stipe builds, 98
 - test builds, 201
 - third-party builds, 96–98
 - trunk builds, 98, 201
 - button element, 352
 - buttons (toolbars)
 - adding, 162, 369–371
 - EMButtons extension, 51–52, 54, 163–164
 - icons, 371
 - Mozilla Updates button, 162
 - Toolbar Enhancements extension, 164–165
- ## C
- cache, 106
 - cache directory
 - clearing, 91
 - profiles, 271
 - capturing phase (event propagation), 358
 - Cascading Style Sheets (CSS)
 - colors, 59
 - comments, 59
 - defined, 307
 - documentation, 25
 - font modifications, 147
 - resources, 309
 - rules, 308–309
 - siteledsOverlay.css, 329
 - specification, 309

- standards, 25
- theme creation, 389
- tutorials, 389
- XUL documents, 307–308
- changing
 - disk cache location, 91–92
 - disk space amount for disk cache, 92–93
 - Master Password, 104
- checkbox element, 353–354
- checking installed plugins, 217–218
- Checky extension, 296
- Chinese language translation, 230
- chrome
 - programming extensions, 346
 - resources
 - content, 325
 - defined, 324
 - locale, 325
 - skin, 325
 - themes, 387
- chrome directory, 271, 334
- chrome manifest files
 - new-style, 339–340
 - old-style, 333–338
- Chrome Registration Failed error dialog, 341
- chrome registry, 325
- chrome URLs, 324–326
- chromeEdit extension
 - downloading, 8, 27
 - editing environment, 27–28
 - features, 54
- classic.jar file, 383
- cleaning up, 99–100
- clearing
 - browsing history, 105–108
 - cache directory, 91
 - download history, 106–107, 198–201
 - form data, 102
 - login data, 102
 - settings, 201
- click event, 356
- clock, 54, 170–171
- colors
 - CSS (Cascading Style Sheets), 59
 - hexadecimal codes, 59
 - menus, 147
 - tabs, 185
- ColorZilla extension, 289, 343
- command event, 356–357
- command-line interface
 - compression tools, 323
 - installer, 244
- comments
 - CSS (Cascading Style Sheets), 59
 - INI files, 247
- Compact Menu extension, 147–149
- compatibility of extensions, 319
- compatibility.ini file, 270
- components.ini file, 270
- compreg.dat file, 270
- compression tools
 - command-line interface, 323
 - 7-Zip, 43–44, 322, 382
 - theme creation, 382
 - WinRar, 245, 322
 - WinZip, 322, 382
- conditional statements (JavaScript), 304
- config.ini file
 - comments, 247
 - contents, 247
 - editing, 247
 - Path parameter, 249
 - Run Mode parameter, 248
 - Show Dialog parameter, 248
 - structure, 247
- config.trim_on_minimize hack, 95
- configuration INI file
 - comments, 247
 - contents, 247
 - editing, 247
 - Path parameter, 249
 - Run Mode parameter, 248
 - Show Dialog parameter, 248
 - structure, 247
- Configuration Mania extension
 - Browser category, 282
 - Debug category, 283
 - functionality, 28–29, 54, 281
 - HTTP Network category, 282
 - mouse scrolling, 193–194
- configuring
 - plugins, 220
 - web server, 343–344
- connections
 - FTP server, 86, 279–280
 - performance testing, 88–90
 - web server
 - keep-alive, 85
 - persistent connections, 85
 - simultaneous connections, 84–85
- Console extension, 8–9, 293
- content directory, 46–47, 334
- content handling, 123–126
- content resource (chrome), 325

- content.interrupt.parsing hack, 87
- content.maxextrun hack, 87
- content.max.tokenizing.time hack, 87
- content.notify.backoffcount hack, 87
- content.notify.interval hack, 87
- content.notify.ontimer hack, 87
- content.notify.threshold hack, 87
- contents.rdf file, 335–337, 385–386
- context menus, 366–368
- context menus (toolbars), 157
- Context Search extension, 227
- converting ICO files to PNG, 396
- CookieCuller extension, 136
- cookies
 - blocking, 110–111
 - defined, 109, 134
 - deleting, 110, 136
 - disabling, 170
 - Exceptions window, 110–111
 - expiration date, 135
 - privacy settings, 109, 134–135
 - removing, 110, 136
 - Stored Cookies window, 110, 136
 - View Cookies extension, 55, 288–289
 - viewing, 110
- cookies.txt file
 - backup, 15, 275
 - contents, 270
- copying plugins, 218–220
- Corel Paint Shop Pro, 323
- cpuinfo program, 97
- CPU-Z tool, 96
- Create Profile wizard (Profile Manager), 268–269
- creating
 - custom installer, 256–259
 - dialogs, 361–362
 - dynamic overlays, 327–329
 - favicons, 77
 - Master Password, 104
 - preferences, 365
 - profiles, 5, 249–250, 268–269
 - themes
 - contents.rdf file, 385–386
 - CSS (Cascading Style Sheets), 389
 - default theme file, 383
 - DOM Inspector, 387–389
 - extension buttons, 396–399
 - file types, 381
 - graphics, 389–396
 - GUID generator, 386–387
 - install.rdf file, 384–385
 - packaging the files, 399
 - tools, 381–382
 - update.rdf file, 399–400
 - toolbars, 159
 - userChrome.css file, 143
 - Windows desktop icons, 253
- Crimson Editor, 322
- Cross Platform Component Object Model (XPCOM), 314–316
- CSS (Cascading Style Sheets)
 - colors, 59
 - comments, 59
 - defined, 307
 - documentation, 25
 - font modifications, 147
 - resources, 309
 - rules, 308–309
 - siteledsoverlay.css, 329
 - specification, 309
 - standards, 25
 - theme creation, 389
 - tutorials, 389
 - XUL documents, 307–308
- CSS Hacks and Filters: Making Cascading Stylesheets Work*, Joseph W. Lowery, 124
- current date/time, 54, 170–171
- current profile, 272
- currentTarget property, 359
- custom installer
 - creating, 256–259
 - dialogs, 258
 - full installer, 258
 - stub installer, 258–259
- Customize Toolbar window, 158–159
- customizing
 - Firefox
 - context menus, 366–368
 - keyboard shortcuts, 368–369
 - menus, 366–368
 - toolbar buttons, 369–371
 - toolbars, 369–370
 - menu
 - colors, 147
 - Compact Menu extension, 147–149
 - CuteMenus extension, 153–155
 - font style, 147
 - font weight, 147
 - fonts, 146–147
 - Hacked CuteMenus extension, 154
 - icons, 150–153
 - Menu Editor extension, 149–150
 - spacing, 145–146

- toolbars
 - adding items, 143
 - Customize Toolbar window, 158–159
 - flexible space, 158–159
 - moving items, 159
 - reducing space around icons, 65–67
 - removing items, 143, 158–159
 - CuteMenus extension, 53, 153–155
- D**
- data types of preferences, 364
- date/time, 54, 170–171
 - dd parameter (installer), 244–245
- debug messages, 342–343
- debugging extensions
 - logging, 342
 - preferences settings, 341–342
- debugging JavaScript
 - Configuration Mania extension, 283
 - JavaScript Console extension, 8–9, 293
 - JavaScript Debugger extension, 293
- debugging tools
 - JavaScript Console, 342
 - standard console, 342
 - Venkman extension, 343
- defaults
 - download location, 198
 - Google search, 223
 - home page, 179
 - theme file, 383
- defaults.ini file, 270
- Delete Icons extension, 79
- deleting
 - cookies, 110, 136
 - favicons, 77–78
 - icons, 79
 - individual items from browsing history, 108
 - menus, 143–145
 - profiles, 269–270
 - themes, 70
 - toolbar items, 143
- deploying
 - extensions, 343
 - plugins, 251
 - themes, 401
- description element, 353
- description of an extension, 339
- desktop icons (Windows), 253
- desktop-icon.nsi source code, 254–256
- detecting
 - external download managers, 214–215
 - MIME type spoofing, 213
 - MIME types, 210–212
 - plugins, 217–218
- DHTML (dynamic HTML), 134
- dialog element, 361–362
- dialogs
 - creating, 361–362
 - custom installer, 258
 - disabling, 248
 - modal dialogs, 361
 - opening, 362
 - windows, 361
- DICT network protocol, 229
- DICT Search extension, 229
- DictionarySearch extension, 227–229
- directories
 - Backup directory, 13
 - chrome directory, 334
 - extensions, 46–47
 - profiles, 271
 - user path, 10–13
- directory structure
 - extensions, 334
 - themes, 383–384
- Disable Targets For Downloads extension, 53, 206–208
- disabling
 - automatic extension installation, 114
 - cookies, 170
 - dialog windows, 248
 - extensions, 320
 - JavaScript, 114–115, 170
 - plugin support for specific file extensions, 220
 - smooth scrolling, 88
 - Windows shell: protocol, 115
- disk cache
 - changing disk space amount, 92–93
 - changing location of, 91–92
 - statistics, 92
 - viewing, 92
- DNS (Domain Name Server) resolution information, 86
- document events, 357
- Document Inspector
 - Document - DOM Nodes panel, 6
 - extensions
 - programming, 346–349
 - troubleshooting, 343
 - installing, 3–5
 - theme creation, 387–388
 - themes, 389
 - troubleshooting, 5
 - XUL, 6–7, 292
- Document Object Model (DOM), 309–314
- documentation for CSS, 25

- DOM Inspector. *See* Document Inspector
 - Domain Name Server (DNS) resolution information, 86
 - domain registry, 325
 - Doodle Classic theme, 79
 - Doodle Plastik theme, 79
 - download extensions
 - Disable Targets For Downloads, 53, 206–208
 - Download Manager Tweak, 53, 204–205
 - Download Sort, 53, 208–209
 - Download Statusbar, 53–54, 202–204
 - FlashGot, 53
 - Download Manager Tweak extension, 53, 204–205
 - download managers
 - BitTorrent, 214
 - detecting, 214–215
 - Download Manager
 - about:config, 200
 - clearing history, 106–107, 198–201
 - default download location, 197–198
 - preferences, 201–202
 - sidebar display, 204–205
 - tab display, 204–205
 - FlashGot extension, 53, 215
 - GetRight, 214–216
 - Internet Download Manager, 214
 - Launchy extension, 214–215
 - LeechGet, 214
 - Mass Downloader, 214–216
 - Offline Explorer Pro, 214
 - ReGet Deluxe, 214
 - seamless download integration, 215–216
 - Star Downloader, 214
 - WackGet, 214
 - Download Sort extension, 53, 208–209
 - Download Statusbar extension, 53–54, 203–204
 - downloading
 - extensions
 - Adblock, 127
 - Bookmark Backup, 278
 - Bookmarks Synchronizer, 279
 - chromeEdit, 8, 27
 - Compact Menu, 147
 - Context Search, 227
 - CookieCuller, 136
 - CuteMenus, 154
 - Delete Icons, 79
 - DICT Search, 229
 - EMButtons, 52
 - Extension Uninstaller, 37
 - ForecastFox, 171
 - FoxyTunes, 173
 - Googlebar, 238
 - Hacked CuteMenus, 154
 - InfoLister, 51
 - Launchy, 215
 - Linkification, 235
 - Linky, 234
 - ListZilla, 48
 - Local Install, 41
 - ScrapBook, 284
 - SearchStation, 231
 - SessionSaver, 188
 - Show Old Extensions, 35
 - Slim Extension List, 51
 - Spoofstick, 116
 - Statusbar Clock, 171
 - StockTicker, 174
 - Tab Mix, 191
 - Ultrabar, 239
 - User Agent Switcher, 290
 - ViewSourceWith, 291
 - Web Developer, 170, 286
 - Yahoo! Toolbar, 168
 - Nullsoft Scriptable Install System (NSIS) installer
 - engine, 253
 - Shockwave plugin, 252
 - themes
 - Aaron Spuler's themes, 73
 - Mostly Crystal, 76
 - Phoenixity, 76
 - tools
 - Advanced Installer, 264
 - MaSaI Installer, 262
 - Mozbackup, 276
 - Orca MSI editor, 262–263
 - Regex Coach, 133
 - 7-Zip, 43, 382
 - WinZip, 382
 - downloads.rdf file, 271, 275
 - drop-down lists, 355
 - DTD files, 332
 - dump() function, 342
 - dynamic HTML (DHTML), 134
 - dynamic overlays, 318, 327–329
 - dynamically switching themes, 67–68
- ## E
- Ecma website, 307
 - ECMA-262 standard (JavaScript), 303
 - ECMAScript, 303
 - EditCSS extension, 55
 - editing
 - about:config, 18
 - extensions, 42, 44, 47

- INI files, 247
- prefs.js file, 19–21
- profile, 10
- themes, 68–69
- userChrome.css file, 23–25
- userContent.css file, 25–26
- user.js file, 22
- editors
 - BEdit, 8
 - carriage return plus line feed (CR/LF), 382
 - Crimson Editor, 322
 - EditPad, 7–8
 - features
 - automatic indentation, 322
 - line numbering, 322
 - parentheses matching, 322
 - syntax highlighting, 321
 - freeware, 322
 - GEEdit for GNOME, 8
 - jEdit, 8, 322
 - Kate for KDE, 8
 - KDevelop, 8
 - line feed (LF), 382
 - Mellel, 8
 - Nedit, 8, 322
 - Notepad++, 7–8
 - PSPad, 7–8
 - theme creation, 382
 - VIM, 322
 - Win32Pad, 7–8
- EditPad text editor, 7–8
- Electronic Frontier Foundation, 128
- elements (XUL)
 - button, 352
 - checkbox, 353–354
 - description, 353
 - dialog, 361–362
 - keyset, 368–369
 - label, 352, 362
 - listbox, 354
 - menu, 355
 - menuitem, 355
 - menulist, 355
 - menupopup, 355
 - menuseparator, 355
 - overlay, 327
 - radio, 354
 - radiogroup, 354
 - script, 362
 - statusbar, 328
 - statusbar-display id, 328
 - statusbarpanel, 326, 328
 - textbox, 353
 - toolbar, 369–370
 - toolbarbutton, 352, 370–371
 - toolbarpalette, 371
 - toolbox, 369
- email, 54
- EMButtons extension, 51–52, 54, 163–164
- em:creator property, 339
- em:description property, 339
- em:file property, 339
- em:homepageURL property, 339
- em:id property, 338
- em:name property, 339
- em:targetApplication property, 339
- em:version property, 339
- encryption
 - page security system icon, 160
 - viewing encryption status of websites, 104–105
- entities, 332
- error dialogs
 - blocking, 88
 - Chrome Registration Failed, 341
 - unblocking, 88
- error handling, 330
- event handlers (JavaScript), 305–307
- event handling, 357–360
- events
 - commands, 357
 - default actions, 360
 - document events, 357
 - event propagation, 358–360
 - focus events, 357
 - keyboard events, 357
 - mouse events, 356–357
 - notification, 358–360
- Exceptions window (cookies), 110–111
- Extensible User-Interface Language (XUL)
 - applications, 300
 - box model scheme, 301
 - defined, 5
 - Document Inspector, 6–7, 292
 - JavaScript, 303
 - layout, 301–302
 - refreshing cache file, 99
 - removing cache file, 99
 - Resource Description Framework (RDF), 302–303
 - resources, 303
 - user interface definition, 300
 - XML advantages, 300
- Extensible User-Interface Language (XUL) documents
 - CSS (Cascading Style Sheets), 307–308
 - dynamic overlays, 318

- Extensible User-Interface Language (XUL) documents
 - (*continued*)
 - JavaScript, 307
 - opening, 300–301
 - siteledsOverlay.xul, 333
 - widgets, 301
- Extensible User-Interface Language (XUL) elements
 - button, 352
 - checkbox, 353–354
 - description, 353
 - dialog, 361–362
 - keyset, 368–369
 - label, 352, 362
 - listbox, 354
 - menu, 355
 - menuitem, 355
 - menulist, 355
 - menupopup, 355
 - menuseparator, 355
 - overlay, 327
 - radio, 354
 - radiogroup, 354
 - script, 362
 - statusbar, 328
 - statusbar-display id, 328
 - statusbarpanel, 326, 328
 - textbox, 353
 - toolbar, 369–370
 - toolbarbutton, 352, 370–371
 - toolbarpalette, 371
 - toolbox, 369
- Extensible User-Interface Language (XUL) events
 - commands, 357
 - default actions, 360
 - document events, 357
 - event propagation, 358–360
 - focus events, 357
 - keyboard events, 357
 - mouse events, 356–357
 - notification, 358–359
- extension buttons (themes), 396–399
- Extension Developer extension, 54, 294, 343
- Extension Manager
 - listing extensions, 48–49
 - managing extensions, 34
 - modifying extension options, 30–31
 - reviewing currently installed extensions, 14
- Extension Mirror website, 345
- Extension Room website, 345
- Extension Uninstaller API extension, 36
- Extension Uninstaller extension, 35–37, 54
- extensions
 - accessing older extensions, 34–35
 - Adblock, 53, 127–134
 - All-in-One Gestures, 194–196
 - Alt-Text for Link, 53
 - autoinstallation, 114
 - BBCode, 55, 292
 - BBCodeXtra, 292
 - Bookmark Backup, 54, 277–278
 - Bookmarks Synchronizer, 278–279
 - Checky, 296
 - chrome manifest files, 334–337
 - chromeEdit
 - downloading, 8, 27
 - editing environment, 27–28
 - features, 54
 - ColorZilla, 289, 343
 - Compact Menu, 147–149
 - compatibility, 319
 - Configuration Mania
 - Browser category, 282
 - Debug category, 283
 - functionality, 28–29, 54, 281
 - HTTP Network category, 282
 - mouse scrolling, 193–194
 - Context Search, 227
 - CookieCuller, 136
 - CuteMenus, 53, 153–155
 - debug messages, 342–343
 - debugging
 - logging, 342
 - preferences settings, 341–342
 - defined, 316
 - Delete Icons, 79
 - deploying, 343
 - description, 339
 - DICT Search, 229
 - DictionarySearch, 227–229
 - directories, 46–47
 - directory structure, 334
 - Disable Targets For Downloads, 53, 206–208
 - disabling, 320
 - DOM Inspector, 310
 - Download Manager Tweak, 53, 204–205
 - Download Sort, 53, 208–209
 - Download Statusbar, 53–54, 202–204
 - dynamic overlays, 318
 - EditCSS, 55
 - editing, 42, 44, 47
 - EMButtons, 51–52, 54, 163–164
 - Extension Developer, 54, 294, 343

- Extension Uninstaller, 35–37, 54
- Extension Uninstaller API, 36
- files
 - `contents.rdf`, 335–337
 - `Extensions.rdf`, 41
 - formats, 33
 - `install.js`, 45
 - `install.rdf`, 338–339
 - `license.txt`, 45
- Firefox UltraBar, 54
- FlashGot, 53, 215
- ForecastFox, 54, 171–172
- FoxyTunes, 54, 173
- global extensions, 250–251
- Globally Unique Identifiers (GUIDs), 41–42, 338
- Gmail Notifier, 54
- Googlebar, 54, 166–168, 237–238
- Grease Monkey, 53
- Hacked CuteMenus, 154
- home page, 343
- HTML Validator, 294–295
- Html Validator, 55
- ieview, 291–292
- importance of, 316–317
- InfoLister, 49–51, 54
- Install New Theme, 71
- installation package, 340
- installing, 39–40, 114, 319
- JAR file, 45–46
- JavaScript, 318
- JavaScript Console, 8–9, 293, 342
- JavaScript Debugger, 293
- JavaScript Installer Links, 344
- JavaScript installer links, 345
- JavaScript name collisions, 377–378
- Launchy, 53, 214–215
- Linkification, 53, 234–235
- Linky, 53, 232–234
- listing, 48–49, 345
- ListZilla, 48–49, 54
- LiveHTTPHeaders, 55, 210–212, 287
- Local Install, 40–41, 53, 71–72, 286
- locales, 318
- Make Link, 55
- managing, 34
- Menu Editor, 149–150
- Mimetype Editor, 55, 210–213
- modifying, 42, 44, 47, 379–380
- Mouse Gestures, 291
- Named Anchors, 55
- naming, 335, 339
- options, 30–31
- packaging
 - automated packaging, 375–376
 - chrome manifest files, 333–337
 - custom update file, 374–375
 - install manifest files, 338
 - manually, 341
 - optional elements, 373–374
 - XPI file, 340–341
- Popup ALT, 53
- Preferential, 29–30, 54
- programming
 - chrome, 346
 - DOM Inspector, 346–349
 - resources, 350–351
 - source code, 349–350
- Reload Every, 53
- RIP, 53
- Sage, 53
- ScrapBook, 53, 55, 283–284
- SearchStation, 230–231
- SessionSaver, 186–188
- Show Failed URL, 88
- Show Old Extensions, 35
- Single Window, 54
- SiteLeds
 - `chrome.manifest` file, 340
 - `contents.rdf` file, 335–337
 - DTD file, 332–333
 - error handling, 330
 - functionality, 323
 - installation package, 340
 - `install.rdf` file, 338–339
 - JavaScript, 329–332
 - packaging, 333–334
 - `sitededs.jar` file, 337
 - `sitededsOverlay.css`, 329
 - `sitededsOverlay.js`, 329–332
 - `sitededsOverlay.xul`, 333
 - status bar, 327–329
 - user interface, 326–327
- skins, 318
- Slim Extension List, 51–53, 286
- Slim List Extension, 35
- sorting, 51
- Spoofstick, 116
- Statusbar Clock, 54, 170–171
- StockTicker, 174–175
- structure, 45–46
- SwitchProxy, 173–174
- Tab Mix, 54, 190–191
- Tabbrowser Extensions, 54
- Tabbrowser Preferences, 54, 188–189

extensions (*continued*)

- target application, 339
 - TargetAlert, 53
 - temporary copy, 42
 - testing, 341
 - Toolbar Enhancements, 54, 91, 164–165
 - Translate, 230
 - troubleshooting, 39–40, 343
 - Tweak Network Settings, 85
 - Ultrabar, 238–239
 - undoclosetab, 54
 - uninstalling, 36–38, 320
 - updates, 111–113, 319
 - URLid, 53
 - User Agent Switcher, 55, 289–290
 - uses, 317–318
 - Venkman, 293, 343
 - versions, 339
 - View Cookies, 55, 288–289
 - ViewSourceWith, 290–291
 - Web Developer, 55, 169–170, 284–286
 - WebMailCompose, 53
 - XPI extension, 319
 - Yahoo! Companion, 54
 - Yahoo! Toolbar, 168–169, 239–240
- extensions directory (profiles), 271
- Extensions Manager, 318
- extensions.disabledObsolete preference, 34, 36
- extensions.dss.enabled preference, 67–68
- external download managers
- BitTorrent, 214
 - detecting, 214–215
 - FlashGot extension, 53, 215
 - GetRight, 214–216
 - Internet Download Manager, 214
 - Launchy extension, 214–215
 - LeechGet, 214
 - Mass Downloader, 214–216
 - Offline Explorer Pro, 214
 - ReGet Deluxe, 214
 - seamless download integration, 215–216
 - Star Downloader, 214
 - WackGet, 214
- extracting installer, 245–247

F

favicons

- creating, 77
 - deleting, 77–78
 - removing, 77–78
 - replacing, 77
- FFDeploy, 256

file formats

- extensions, 33
 - PNG, 389
- File Transfer Protocol (FTP)
- access, 279–280
 - idle and keep-alive settings, 86
 - idle connections, 86
- file types for themes, 381
- files
- backups, 14–16
 - chrome manifest files, 333–336
 - config.ini file
 - comments, 247
 - contents, 247
 - Path parameter, 249
 - Run Mode parameter, 248
 - Show Dialog parameter, 248
 - structure, 247
 - DTD files, 332
 - extensions
 - contents.rdf, 335–336
 - contents.rdf file, 337
 - Extensions.rdf file, 41
 - formats, 33
 - install.js, 45
 - install.js file, 45
 - install.rdf, 338–339
 - license.txt, 45
 - license.txt file, 45
 - ICO files, converting to PNG, 396
 - INI files, 247
 - install manifest files, 338
 - JAR files, 45–46, 68
 - profiles
 - bookmarks.html, 15, 270, 274
 - chrome/userChrome.css, 275
 - chrome/userContent.css, 275
 - compatibility.ini, 270
 - components.ini, 270
 - compreg.dat, 270
 - cookies.txt, 15, 270, 275
 - defaults.ini, 270
 - downloads.rdf, 271, 275
 - formhistory.dat, 15, 271, 275
 - history.dat, 270
 - hostperm.1, 15
 - key3.db, 271, 275
 - localstore.rdf, 270
 - mimetypes.rdf, 270
 - parent.lock, 271
 - pluginreg.dat, 271
 - prefs.js, 15, 19–21, 270, 274

- profiles.ini, 12, 271
 - search.rdf, 270
 - signons.txt, 271, 275
 - userChrome.css, 15, 23–25, 143, 185
 - userChrome-example.css file, 141–142
 - userContent.css, 15, 25–26, 123–126
 - user.js, 15, 22, 271
 - xpti.dat, 270
 - XUL.mfl, 270
 - RDF files, 335, 386
 - themes
 - classic.jar file, 383
 - contents.rdf file, 385–386
 - icon.png file, 384
 - install.rdf file, 68, 384–385
 - JAR files, 68
 - preview.png file, 384
 - update.rdf file, 399–400
 - filtering preferences (about:config), 18
 - Find-As-You-Type feature, 235–237
 - finding
 - background images, 63
 - preferences (about:config), 18–19
 - profile, 12
 - Firefox Builds forum, 201
 - Firefox customization
 - context menus, 366–368
 - keyboard shortcuts, 368–369
 - menus, 366–368
 - toolbar buttons, 369–371
 - toolbars, 369–370
 - Firefox extensions. *See* extensions
 - Firefox installation
 - automating, 244
 - built-in installer options, 243–244
 - Custom installation type, 4
 - FFDeploy, 256
 - installation path modifications, 249
 - installer
 - command-line options, 244
 - custom installer, 256–259
 - destination directory, 244–245
 - downloading, 243
 - extracting, 245–247
 - silent mode, 244–245, 248
 - Microsoft Windows Installer (MSI), 260–261
 - original installation file, 13
 - Standard installation type, 3–4
 - status dialogs, 245
 - Firefox profile. *See* profile
 - Firefox source code, 350
 - Firefox themes. *See* themes
 - Firefox UltraBar extension, 54
 - fireFTP, 279–280
 - Flash plugin, 251–252
 - FlashGot extension, 53, 215
 - focus event, 357
 - fonts
 - Cascading Style Sheets (CSS), 147
 - menus, 146–147
 - ForecastFox extension, 54, 171–172
 - foreign language translation systems, 230
 - form data
 - clearing, 102
 - privacy, 101–102
 - saving, 101
 - formatting URLs with special characters, 273
 - formhistory.dat file
 - backup, 15, 275
 - contents, 271
 - forums
 - Adblock Project, 133
 - Firefox Builds, 201
 - MozillaZine forums, 351
 - MozillaZine Themes, 400
 - FoxyTunes extension, 54, 173
 - freeware text editors, 322
 - French language translation, 230
 - FrontMotion's Firefox MSI, 260–261
 - FTP (File Transfer Protocol)
 - access, 279–280
 - idle and keep-alive settings, 86
 - idle connections, 86
 - functions
 - addEventListener, 360
 - alert(), 342
 - dump(), 342
 - getBoolPref, 365
 - getCharPref, 365
 - getIntPref, 365
 - handleLabelClick, 358
 - preventDefault, 360
 - setBoolPref, 365
 - setCharPref, 365
 - setIntPref, 365
 - siteLedsCheckPage(), 330–331
 - siteLedsPageError(), 330
 - siteLedsPageLoaded(), 330–331
- ## G
- GEEdit for GNOME text editor, 8
 - general.smoothScroll hack, 88
 - gestures
 - All-in-One Gestures extension, 194, 196
 - Mouse Gestures extension, 291

- getBoolPref function, 365
 - getCharPref function, 365
 - getIntPref function, 365
 - GetRight download manager, 214–216
 - GIF file (search plugins), 226
 - GIMP graphics editor, 323
 - layout.initialpaint.delay hack, 87
 - global extensions and themes, 250–251
 - Globally Unique Identifiers (GUIDs)
 - extensions, 41–42, 338
 - GUID Generator tool, 386
 - themes, 386
 - Gmail Notifier extension, 54
 - Google
 - default Google search, 223
 - default home page, 179
 - Googlebar extension, 54, 166–168, 237–238
 - graphics editors, 323, 382
 - graphics file formats, PNG, 389
 - graphics for themes
 - Bookmarks Manager, 395
 - Extensions window, 393
 - Help window, 395
 - icon conversion, 395–396
 - icons, 390–391
 - layered images, 391–392
 - Main toolbar, 393
 - Options window, 394
 - PNG file format, 389
 - Grease Monkey extension, 53
 - GUIDs (Globally Unique Identifiers)
 - extensions, 41–42, 338
 - GUID Generator tool, 386–387
 - themes, 386
- ## H
- Hacked CuteMenus extension, 154
 - handleLabelClick function, 358
 - hexadecimal codes for colors, 59
 - hiding
 - menus, 143–145
 - tab bar, 184
 - history
 - cache, 106
 - clearing, 105–108
 - deleting individual items, 108
 - Download Manager, 106–107, 198–201
 - location of, 105
 - viewing individual items, 108
 - history.dat file, 270
 - HM NIS Editor, 254, 257
 - home page
 - extensions, 343
 - multiple home pages, 180–183
 - single home page, 179–180
 - hosting themes, 401
 - hostperm.1 file, 15
 - HTML Validator extension, 294–295
 - Html Validator extension, 55
 - HTTP pipelining, 85–86
 - HTTP/1.1 Persistent Connections standards, 85
 - hyperlinks
 - behavior, 183–184
 - turning nonlinked links into linkable links, 234
- ## I
- iCandy Junior theme, 72, 79
 - ICO files, converting to PNG, 396
 - ICON property, 78
 - IconBuilder program, 396
 - icon.png file, 384
 - icons
 - bookmarks, 77–79
 - deleting, 79
 - favicons
 - creating, 77
 - deleting, 77–78
 - removing, 77–78
 - replacing, 77
 - menus, 150–153
 - reducing space around toolbar icons, 65–67
 - removing, 79
 - search plugins, 226
 - system icons, 159–162
 - themes, 390–391, 395–396
 - toolbar buttons, 371
 - websites, 77
 - Windows desktop icons, 253
 - IconWorkshop (Axialis), 396
 - id attribute, 327
 - idle connections (FTP), 86
 - ids. *See* GUIDs (Globally Unique Identifiers)
 - ieview extension, 291–292
 - if. . .else statement (JavaScript), 304
 - image blocking function, 120–122
 - image editors, 323, 382
 - ImageMagick utility, 396
 - images, saving from web pages, 63
 - increasing memory cache size, 93–94
 - InfoLister extension, 49–51, 54
 - INI files, 247
 - install manifest files, 338
 - Install New Theme extension, 71
 - installation package for extensions, 340

- installer
 - command-line options, 244
 - custom installer, 256–259
 - destination directory, 244–245
 - downloading, 243
 - extracting, 245–247
 - silent mode, 244–245, 248
 - installer links
 - extensions, 344–345
 - themes, 401
 - Installer Software Development Kit (Microsoft), 260
 - installing
 - Aaron Spuler's themes, 73
 - Document Inspector, 3–5
 - extensions, 39–40, 114, 319
 - Firefox
 - automating installation, 244
 - Custom installation type, 4
 - custom installer, 256–259
 - FFDeploy, 256
 - installation path modifications, 249
 - installer (built-in), 243–248
 - Microsoft Windows Installer (MSI), 260–261
 - original installation file, 13
 - Standard installation type, 3–4
 - status dialogs, 245
 - Flash plugin, 251–252
 - Phoenixy theme, 76
 - plugins, 220
 - Shockwave plugin, 251–252
 - themes, 57, 70–72, 400
 - install.js file (extensions), 45
 - install.rdf file, 338–339, 384–385
 - install.rdf file (themes), 68
 - Internet Download Manager, 214
 - Internet Relay Chat (IRC), 351
 - Italian language translation, 230
- ## J
- Japanese language translation, 230
 - JAR files
 - extensions, 45–46
 - themes, 68
 - Jargon File website, 229
 - Java, 303
 - JavaScript
 - blocking, 134
 - conditional statements, 304
 - debugging, 283
 - defined, 303
 - disabling, 114–115, 170
 - ECMAScript, 303
 - event handlers, 305–307
 - extensions, 318
 - functions, 305
 - installer links
 - extensions, 344–345
 - themes, 401
 - localized strings, 365–366
 - loops, 305
 - name collisions, 377–378
 - resources, 307
 - SiteLeds extension, 329–332
 - standards, 303
 - suspicious behaviors, 114
 - syntax, 303–305
 - tabbed browsing, 189
 - Toolbar Enhancements extension, 164–165
 - tutorial, 307
 - variables, 305
 - XPCOM (Cross Platform Component Object Model), 315–316
 - XUL (Extensible User-Interface Language), 303
 - XUL documents, 307
 - JavaScript Console extension, 8–9, 293, 342
 - JavaScript Debugger extension, 293
 - JavaScript Guide website, 307
 - javascript.options.showInConsole
 - preference, 341
 - javascript.options.strict preference, 342
 - jEdit text editor, 8, 322
- ## K
- Kate for KDE text editor, 8
 - KDevelop text editor, 8
 - keep-alive
 - FTP server connection, 86
 - web server connection, 85
 - keyboard events, 357
 - keyboard shortcuts
 - adding, 368–369
 - EMButtons extension, 163
 - toolbars, 159
 - key3.db file, 271, 275
 - keydown event, 357
 - keypress event, 357
 - keyset element, 368–369
 - keyup event, 357
 - Korean language translation, 230
- ## L
- label element, 352, 362
 - language translation systems, 230
 - launching the Profile Manager, 268
 - Launchy extension, 53, 214–215
 - layout with XUL, 301–302

- LeechGet download manager, 214
 - license.txt file (extensions), 45
 - Lila theme, 79
 - line numbering (text editors), 322
 - Linkification extension, 53, 234–235
 - links
 - behavior, 183–184
 - turning nonlinked links into linkable links, 234–235
 - Linky extension, 53, 232–234
 - Linux
 - automating profile creation, 250
 - cpuinfo program, 97
 - Googlebar extension, 167
 - ImageMagick utility, 396
 - Profile Manager, 268
 - profiles, 267
 - text editors, 7–8
 - user path, 11
 - listbox element, 354
 - listing
 - extensions, 48–49, 345
 - themes, 48–49
 - list-style-image attribute, 329
 - ListZilla extension, 48–49, 54
 - live bookmarks system icon, 159, 161–162
 - LiveHTTPHeaders extension, 55, 210–212, 287
 - load event, 357
 - Local Install extension, 40–41, 53, 71–72, 286
 - locale directory, 46, 334
 - locale resource (chrome), 325
 - locales (extensions), 318
 - localized strings in JavaScript, 365–366
 - localstore.rdf file, 270
 - logging, 342
 - login data
 - clearing, 102
 - privacy, 101–102
 - saving, 101
 - loops (JavaScript), 305
 - Lowery, Joseph W., *CSS Hacks and Filters: Making Cascading Stylesheets Work*, 124
 - Lynx text-only browser, 121
- ## M
- Mac OS X
 - Googlebar extension, 167
 - IconBuilder program, 396
 - Profile Manager, 268
 - profiles, 267
 - text editors, 7–8
 - user path, 12
 - Macromedia
 - Distribution Program, 252
 - Flash plugin, 251–252
 - Shockwave plugin, 251–252
 - Make Link extension, 55
 - MAKEMSI MSI tool, 263–264
 - managing extensions, 34
 - manifest files
 - new-style, 339–340
 - old-style, 333–338
 - Mars theme, 72
 - MaSaI Installer, 260, 262
 - Mass Downloader download manager, 214–216
 - Master Password
 - changing, 104
 - creating, 104
 - media player, 54, 173
 - Mellel text editor, 8
 - memory cache, 93–94
 - memory optimization in Windows, 94–95
 - Menu Editor extension, 149–150
 - menu element, 355
 - Menu Icons theme, 152–153
 - menuItem element, 355
 - menuList element, 355
 - menupopup element, 355
 - menus
 - colors, 147
 - Compact Menu extension, 147–149
 - context menus (toolbars), 157
 - customizing, 366–368
 - CuteMenus extension, 153–155
 - deleting, 143–145
 - font style, 147
 - font weight, 147
 - fonts, 146–147
 - Hacked CuteMenus extension, 154
 - hiding, 143–145
 - icons, 150–153
 - Menu Editor extension, 149–150
 - multilevel menus, 355–356
 - removing, 143–145
 - spacing, 145–146
 - menuseparator element, 355
 - Microsoft Windows Installer (MSI), 260–261
 - Microsoft Windows Scripts, 253
 - Microsoft's Installer Software Development Kit, 260
 - milestone versions of builds, 97
 - Mime Type Editor extension, 55
 - MIME types
 - associating with values, 212
 - defined, 209
 - detecting, 210–211

- profiles, 213
 - spoofing, 213
 - Mimetype Editor extension, 210–213
 - `mimetypes.rdf` file, 270
 - MMOY builds, 98
 - modal dialogs, 361
 - modifying
 - `about:config`, 18
 - extension options, 30–31
 - extensions, 42, 44, 47, 379–380
 - installation path, 249
 - preferences, 365
 - `prefs.js` file, 19–21
 - profile, 10
 - themes, 68–69, 402
 - `userChrome.css` file, 23–25
 - `userContent.css` file, 25–26
 - `user.js` file, 22
 - MOOX builds, 98
 - Mostly Crystal theme, 74–76, 79, 150–152
 - mouse events, 356–357
 - mouse gestures
 - All-in-One Gestures extension, 194–196
 - Mouse Gestures extension, 291
 - mouse scrolling, 192–194
 - mousedown event, 356–357
 - mousemove event, 357
 - mouseout event, 357
 - mouseover event, 357
 - mouseup event, 356–357
 - mousewheel options (`about:config`), 192–193
 - moving
 - profiles, 271–273
 - toolbar items, 159
 - MozBackup tool, 14–15, 275–276
 - Mozilla Cross-Reference website, 350
 - Mozilla DOM Documentation website, 314
 - Mozilla DOM Reference website, 314
 - Mozilla Update service, 111–113
 - Mozilla Update website, 286, 345, 401
 - Mozilla Updates button, 162
 - Mozilla XPCOM website, 316
 - Mozilla XUL project page, 303
 - Mozilla.org website, 350
 - MozillaZine Extensions Forum website, 345
 - MozillaZine forums, 351
 - MozillaZine Knowledge Base, 5, 16, 350
 - MozillaZine Themes forum, 400
 - MozillaZine.org website, 96
 - MR Tech
 - Local Install extension, 40–41, 53, 71–72, 286
 - website address, 53
 - `-ms` parameter (installer), 244–245, 248
 - MSI (Microsoft Windows Installer), 260–261
 - multilevel menus, 355–356
 - multiple home pages, 180–183
 - Multipurpose Internet Mail Extensions (MIME) types, 210–213. *See* MIME types
 - music, 54, 173
 - Mycroft website, 226–227
- ## N
- name collisions in JavaScript, 377–378
 - name resolution, 86
 - Named Anchors extension, 55
 - names of preferences, 363
 - naming
 - extensions, 335, 339
 - profiles, 268–269
 - navigation toolbar, 157–158
 - Nedit text editor, 8, 322
 - Neptune theme, 73
 - netscape.public.mozilla newsgroups, 351
 - network settings
 - Domain Name Server (DNS) resolution information, 86
 - HTTP pipelining, 85–86
 - persistent connections, 85
 - simultaneous connections, 84–85
 - `network.dnsCacheExpiration` hack, 86
 - `network.ftp.idleConnectionTimeout` hack, 86
 - `network.http.keep-alive.timeout` hack, 86
 - `network.http.max-connections` hack, 85
 - `network.http.max-connections-per-server` hack, 85
 - `network.http.max-persistent-connections-per-proxy` hack, 85
 - `network.http.max-persistent-connections-per-server` hack, 85
 - `network.http.pipelining` hack, 85
 - `network.http.pipelining.firstrequest` hack, 85
 - `network.http.pipelining.maxrequests` hack, 85–86
 - `network.http.proxy.pipelining` hack, 85
 - networking preferences, 85
 - newsgroups, 351
 - new-style chrome manifest files, 339–340
 - NGLayOut core technology, 86
 - Noia 2.0 eXtreme theme, 79
 - Noia 2.0 Lite theme, 79
 - Notepad++ text editor, 7–8
 - notification
 - events, 358–360
 - Gmail Notifier extension, 54
 - Update Notification Service, 112

Nullsoft Installer script, 253–254
 Nullsoft Scriptable Install System (NSIS) installer engine,
 253, 257

O

object models
 DOM (Document Object Model), 309–314
 XPCOM (Cross Platform Component Object
 Model), 314–316
 Offline Explorer Pro download manager, 214
 old extensions, 35
 old-style chrome manifest files, 333–338
 opening
 about:config, 17
 dialogs, 362
 Extensions Manager, 318
 search results, 232–233
 XUL documents, 300–301
 Opera plugins, 217
 optimized builds, 97–98
 optimizing memory in Windows, 94–95
 optimizing performance
 cleaning up, 99–100
 disk cache location, 91–92
 network settings
 Domain Name Server (DNS) resolution
 information, 86
 FTP idle and keep-alive, 86
 network.http.max-connections hack, 85
 network.http.max-connections-per-server hack, 85
 persistent connections, 85
 pipelining, 85–86
 simultaneous connections, 84–85
 page rendering, 86–87
 processor-based optimizations, 96–97
 RFC standards, 83
 options (extensions), 30–31
 Orca MSI editor, 262–263
 ordering of system icons, 161
 organizing web research, 283–284
 overlay element, 327

P

package name (chrome URL), 325
 packaging extensions
 automated packaging, 375–376
 chrome manifest files, 333–337
 custom update file, 374–375
 install manifest files, 338
 manually, 341
 optional elements, 373–374
 XPI file, 340–341

packaging theme files, 399
 page rendering, 86–87
 page security system icon, 159–160
 page validation
 Checky extension, 296
 HTML Validator extension, 294–295
 Paint Shop Pro (Corel), 323
 parameters
 config.ini file
 Path, 249
 Run Mode, 248
 Show Dialog, 248
 installer
 -dd, 244–245
 -ms, 244–245, 248
 parentheses matching (text editors), 322
 parent.lock file, 271
 passwords
 Master Password
 changing, 104
 creating, 104
 Password Manager, 102–103
 Path parameter (config.ini file), 249
 pattern matching, 131–133
 pausing downloads, 203
 performance optimization
 cleaning up, 99–100
 disk cache location, 91–92
 network settings
 Domain Name Server (DNS) resolution
 information, 86
 FTP idle and keep-alive, 86
 persistent connections, 85
 pipelining, 85–86
 simultaneous connections, 84–85
 page rendering, 86–87
 processor-based optimizations, 96–97
 RFC standards, 83
 Windows memory optimization, 94–95
 performance testing, 88–90
 persistent connections, 85
 phishing, 116
 Phoenix theme, 76, 79
 Phoenix Profile directory, 11
 Photoshop (Adobe), 323
 Photoshop Elements (Adobe), 323
 pipelining, 85–86
 Playground theme, 73, 79
 pluginreg.dat file, 271
 plugins
 about:config, 217–218
 Adobe Reader, 219

- Apple QuickTime plugin, 219
- backups, 276–277
- browser plugin, 316
- checking installed plugins, 217–218
- configuring, 220
- copying, 218–220
- defined, 216, 316
- deploying, 251
- detecting, 217–218
- disabling support for specific file extensions, 220
- Flash, 251–252
- installing, 220
- Opera, 217
- QuickTime, 252
- RealPlayer, 219–220, 252
- reference, 217
- registering, 276
- restoring, 276–277
- search plugins, 225–227
- security risks, 218
- Shockwave, 251–252
- Toolbar Enhancements extension, 165
- tutorial on plugin design, 227
- Pluto theme, 73, 79
- PNG file format, 389
- Popup ALT extension, 53
- popup blocker system icon, 159, 161
- popup blocking function, 119–120
- portable profile, 273–274
- posting theme releases, 401–402
- Preference Name column (about:config), 17
- preferences
 - about:config
 - filtering, 18
 - finding, 18–19
 - browser.dom.window.dump.enabled, 342
 - creating, 365
 - data types, 364
 - Download Manager, 201–202
 - extensions.disabledObsolete, 34, 36
 - extensions.dss.enabled, 67–68
 - javascript.options.showInConsole, 341
 - javascript.options.strict, 342
 - modifying, 365
 - names, 363
 - networking, 85
 - retrieving values, 365
 - tabbed browsing, 188–189
 - tree structure, 363
- Preferential extension, 29–30, 54
- Preferential Extension website, 19
- prefs.js file
 - backup, 15, 274
 - contents, 270, 274
 - modifying, 19–21
- premature timeouts, 86
- preventDefault function, 360
- preview.png file, 384
- privacy
 - cookies, 109, 134–135
 - form data, 101–102
 - login data, 101–102
- processor-based optimizations, 96–97
- Profile Manager
 - Create Profile wizard, 268–269
 - launching, 268
 - Linux, 268
 - Mac OS X, 268
 - profile creation, 5
 - Windows, 268
- profiles
 - automating profile creation, 249–250
 - backups, 14–16, 267–268, 274–275
 - browser settings, 10
 - contents, 10
 - creating, 5, 249–250, 268–269
 - current profile, 272
 - deleting, 269–270
 - directories, 271
 - files
 - bookmarks.html, 15, 270, 274
 - chrome/userChrome.css, 15, 275
 - chrome/userContent.css, 15, 275
 - compatibility.ini, 270
 - components.ini, 270
 - compreg.dat, 270
 - cookies.txt, 15, 270, 275
 - defaults.ini, 270
 - downloads.rdf, 271, 275
 - formhistory.dat, 15, 271, 275
 - history.dat, 270
 - hostperm.1, 15
 - key3.db, 271, 275
 - localstore.rdf, 270
 - mimetypes.rdf, 270
 - parent.lock, 271
 - pluginreg.dat, 271
 - prefs.js, 15, 19–21, 270, 274
 - profiles.ini, 12, 271
 - search.rdf, 270
 - signons.txt, 271, 275
 - userChrome.css, 185
 - user.js, 15, 271

- profiles (*continued*)
 - xpti.dat, 270
 - XUL.mfl, 270
 - finding, 12
 - Linux, 267
 - Mac OS X, 267
 - MIME types, 213
 - modifying, 10
 - moving, 271–273
 - naming, 268–269
 - portable profile, 273–274
 - saving data stored in profiles, 269
 - startup profile, 270
 - Windows, 267
 - profiles.ini file, 12, 271
 - programming editors
 - BBEdit, 8
 - carriage return plus line feed (CR/LF), 382
 - Crimson Editor, 322
 - EditPad, 7–8
 - features
 - automatic indentation, 322
 - line numbering, 322
 - parentheses matching, 322
 - syntax highlighting, 321
 - freeware, 322
 - GEdit for GNOME, 8
 - jEdit, 8, 322
 - Kate for KDE, 8
 - KDevelop, 8
 - line feed (LF), 382
 - Mellel, 8
 - Nedit, 8, 322
 - Notepad++, 7–8
 - PSPad, 7–8
 - theme creation, 382
 - VIM, 322
 - Win32Pad, 7–8
 - programming extensions
 - chrome, 346
 - DOM Inspector, 346–349
 - resources, 350–351
 - source code, 349–350
 - properties
 - currentTarget, 359
 - em:creator, 339
 - em:description, 339
 - em:file, 339
 - em:homepageURL, 339
 - em:id, 338
 - em:name, 339
 - em:targetApplication, 339
 - em:version, 339
 - target, 359
 - proxy servers
 - pipelining, 85
 - switching, 173–174
 - PSPad text editor, 7–8
- ## Q
- Quick Searches, 224–225
 - QuickTime plugin, 219, 252
 - Quote theme, 79
- ## R
- radio buttons, 354
 - radio element, 354
 - radiogroup element, 354
 - Rain theme, 73
 - RDF (Resource Description Framework), 302–303
 - RDF files, 335, 386
 - RealPlayer plugin, 219–220, 252
 - reducing space around toolbar icons, 65–67
 - refreshing XUL cache file, 99
 - ReGet Deluxe download manager, 214
 - regex (regular expressions), 131–133
 - Regex Coach, 133
 - registering
 - Macromedia Distribution Program, 252
 - plugins, 276
 - regular expressions (regex), 131–133
 - Reload Every extension, 53
 - removing
 - cookies, 110, 136
 - debug messages, 342–343
 - favicons, 77–78
 - icons, 79
 - individual items from browsing history, 108
 - menus, 143–145
 - search plugins, 226
 - themes, 70
 - toolbar items, 143, 158–159
 - XUL cache file, 99
 - rendering of pages, 87
 - rendering of web pages, 86
 - replacing favicons, 77
 - requests (defined), 84
 - resize event, 357
 - Resource Description Framework (RDF), 302–303
 - resources (chrome)
 - content, 325
 - defined, 324
 - locale, 325
 - skin, 325

- restoring
 - closed tabs, 186–187
 - plugins, 276–277
 - retrieving preference values, 365
 - RFC standards, 83
 - RIP extension, 53
 - RSS feeds, 161–162
 - Russian language translation, 230
- ## S
- Safari-style tabs (themes), 73
 - Sage extension, 53
 - Sanitize option, 201
 - saving
 - data stored in profiles, 269
 - form data, 101
 - images from web pages, 63
 - login data, 101
 - settings, 37, 188
 - ScrapBook extension, 53, 55, 283–284
 - script element, 362
 - scripts
 - Microsoft Windows Scripts, 253
 - Nullsoft Installer script, 253–254
 - scroll bars (themes), 402
 - scroll event, 357
 - scrolling
 - Configuration Mania extension, 193–194
 - mousewheel options (about:config), 192–193
 - smooth scrolling
 - disabling, 88
 - mouse settings, 192–193
 - seamless download integration, 215–216
 - search
 - adding search engines, 225
 - Amazon.com, 226–227
 - Google, 223
 - Googlebar extension, 166–168, 237–238
 - Linky extension, 232–234
 - opening search results, 232–233
 - plugins, 225–227
 - Quick Searches, 224–225
 - search box, 225
 - SearchStation extension, 230–231
 - Ultrabar extension, 238–239
 - web page searches
 - Context Search extension, 227
 - dictionary, 227–229
 - Find-As-You-Type feature, 235–237
 - Yahoo! Toolbar extension, 168–169, 239–240
 - search.rdf file, 270
 - security
 - anti-phishing measures and tools, 116
 - page security system icon, 159–160
 - plugins, 218
 - Windows shell: protocol, 115
 - Select Components screen, 4
 - server requests (defined), 84
 - SessionSaver extension, 186–188
 - setBoolPref function, 365
 - setCharPref function, 365
 - setIntPref function, 365
 - settings
 - backing up, 267–268
 - browser settings
 - error dialogs, 88
 - premature timeouts, 86
 - smooth scrolling, 88
 - clearing, 201
 - home page
 - multiple home pages, 180–183
 - single home page, 179–180
 - link behavior, 183–184
 - network settings
 - Domain Name Server (DNS) resolution
 - information, 86
 - FTP idle and keep-alive, 86
 - HTTP pipelining, 85–86
 - persistent connections, 85
 - simultaneous connections, 84–85
 - saving, 37, 188
 - 7-Zip compression tool, 43–44, 322, 382
 - Shockwave plugin, 251–252
 - shortcuts
 - adding, 368–369
 - EMButtons extension, 163
 - toolbars, 159
 - Show Dialog parameter (config.ini file), 248
 - Show Failed URL extension, 88
 - Show Old Extensions extension, 35
 - sidebar
 - SearchStation extension, 230–231
 - Translator, 231–232
 - signons.txt file, 271, 275
 - silent mode
 - Firefox installer, 244–245, 248
 - Flash installer, 252
 - Nullsoft Installer script, 254
 - Shockwave installer, 252
 - simultaneous connections, 84–85
 - Single Window extension, 54
 - SiteLeds extension
 - chrome.manifest file, 340
 - contents.rdf file, 335–337

- SiteLeds extension (*continued*)
 - DTD file, 332–333
 - error handling, 330
 - functionality, 323
 - installation package, 340
 - install.rdf file, 338–339
 - JavaScript, 329–332
 - packaging, 333–334
 - siteleds.jar file, 337
 - siteledsOverlay.css, 329
 - siteledsOverlay.js, 329–332
 - siteledsOverlay.xul, 333
 - status bar, 327–329
 - user interface, 326–327
- siteLedsCheckPage() function, 330–331
- siteLedsPageError() function, 330
- siteLedsPageLoaded() function, 330–331
- sitestate attribute, 327–328
- skin directory, 46–47, 334
- skin resource (chrome), 325
- skins
 - defined, 318
 - FoxyTunes extension, 173
- Slim Extension List extension, 51–53, 286
- Slim List Extension extension, 35
- Smoke theme, 73
- smooth scrolling
 - disabling, 88
 - mouse settings, 192–193
- sorting
 - downloads to directories, 208–209
 - extensions, 51
- source code
 - extensions, 349–350
 - Firefox, 350
- spacing
 - menus, 145–146
 - toolbar icons, 65–67
- spoofing
 - MIME type spoofing, 213
 - Spoofstick extension, 116
- Spuler, Aaron, themes, 72–73
- SRC file (search plugins), 226
- standard console, 342
- standards
 - CSS (Cascading Style Sheets), 25
 - HTTP/1.1 Persistent Connections, 85
 - JavaScript, 303
 - RFC standards, 83
- Star Downloader download manager, 214
- statistics for disk cache, 92
- status bar
 - current date/time, 54, 170–171
 - downloads, 202
 - dynamic overlays, 327–329
 - media player, 54, 173
 - SiteLeds extension, 323
 - stock quotes, 174–175
 - system icons, 159–162
 - weather forecast, 54, 171–172
- status bar extensions
 - Download Statusbar, 53–54, 202–204
 - ForecastFox, 54, 171–172
 - FoxyTunes, 54, 173
 - Gmail Notifier, 54
 - Statusbar Clock, 54, 170–171
 - StockTicker, 174–175
 - SwitchProxy, 173–174
- Status column (about:config), 17
- Statusbar Clock extension, 54, 170–171
- statusbar element, 328
- statusbar-display id element, 328
- statusbarpanel element, 326, 328
- statusbarpanel-iconic class, 327
- stipe builds, 98
- StockTicker extension, 174–175
- Stored Cookies window, 110, 136
- structure of extensions, 45–46
- style sheets (CSS)
 - colors, 59
 - comments, 59
 - defined, 307
 - documentation, 25
 - font modifications, 147
 - resources, 309
 - rules, 308–309
 - siteledsOverlay.css, 329
 - specification, 309
 - standards, 25
 - theme creation, 389
 - tutorials, 389
 - XUL documents, 307–308
- subskins (themes), 72
- switch statement (JavaScript), 304
- switching
 - proxy servers, 173–174
 - themes, 67–68
- SwitchProxy extension, 173–174
- syntax highlighting (text editors), 321
- system icons, 159–162

T

- Tab Mix extension, 54, 190–191
- tabbed browsing
 - about:config, 185
 - colors of tabs, 185
 - JavaScript, 189
 - link behavior, 183–184
 - multiple home pages, 180–183
 - native options, 183–184
 - page rendering, 86
 - preferences, 188–189
 - SessionSaver extension, 186–188
- tab bar
 - appearance, 185
 - displaying, 185
 - hiding, 184
 - settings, 185
- tabs
 - colors, 185
 - location of, 185–186
 - restoring closed tabs, 186–187
 - userChrome.css file, 185
 - window behavior, 189
- Tabbrowser Extensions extension, 54
- Tabbrowser Preferences extension, 54, 188–189
- target application for extensions, 339
- target property, 359
- TargetAlert extension, 53
- temporary copy of extensions, 42
- test builds, 201
- testing
 - extensions, 341
 - system performance, 88–90
 - themes, 400
- text editors
 - BEdit, 8
 - carriage return plus line feed (CR/LF), 382
 - Crimson Editor, 322
 - EditPad, 7–8
 - features
 - automatic indentation, 322
 - line numbering, 322
 - parentheses matching, 322
 - syntax highlighting, 321
 - freeware, 322
 - GEdit for GNOME, 8
 - jEdit, 8, 322
 - Kate for KDE, 8
 - KDevelop, 8
 - line feed (LF), 382
 - Mellel, 8
 - Nedit, 8, 322
 - Notepad++, 7–8
 - PSPad, 7–8
 - theme creation, 382
 - VIM, 322
 - Win32Pad, 7–8
- text entry boxes, 353
- text labels, 352
- textbox element, 353
- text-only browser, 121
- themes
 - Aaron Spuler's themes, 72–73
 - Apollo, 72
 - Atlas, 72, 79
 - Blue, 72
 - brushed metal background, 73
 - bugs, 402
 - Chrome, 387
 - creating
 - contents.rdf file, 385–386
 - CSS (Cascading Style Sheets), 389
 - default theme file, 383
 - DOM Inspector, 387–389
 - extension buttons, 396–399
 - file types, 381
 - graphics, 389–390, 392, 394–396
 - GUID generator, 386–387
 - install.rdf file, 384–385
 - packaging the files, 399
 - tools, 381–382
 - update.rdf file, 399–400
 - cross-platform compatibility, 402
 - defined, 57
 - deleting, 70
 - deploying, 401
 - directory structure, 383–384
 - Doodle Classic, 79
 - Doodle Plastik, 79
 - editing, 68–69
 - files
 - classic.jar file, 383
 - contents.rdf file, 385–386
 - icon.png file, 384
 - install.rdf file, 68, 384–385
 - JAR files, 68
 - preview.png file, 384
 - update.rdf file, 399–400
 - global themes, 250–251
 - Globally Unique Identifiers (GUIDs), 386
 - graphics
 - Bookmarks Manager, 395
 - Extensions window, 393
 - Help window, 395

- themes (*continued*)
 - icon conversion, 395–396
 - icons, 390–391
 - layered images, 391–392
 - Main toolbar, 393
 - Options window, 394
 - PNG file format, 389
 - hosting, 401
 - iCandy Junior, 72, 79
 - Install New Theme extension, 71
 - installing, 57, 70–72, 400
 - JavaScript installer links, 401
 - Lila, 79
 - listing, 48–49
 - Local Install extension, 71–72
 - Mars, 72
 - Menu Icons, 152–153
 - modifying, 68–69, 402
 - Mostly Crystal, 74–76, 79, 150–152
 - MozillaZine Themes forum, 400
 - Neptune, 73
 - Noia 2.0 eXtreme, 79
 - Noia 2.0 Lite, 79
 - Phoenixity, 76, 79
 - Playground, 73, 79
 - Pluto, 73, 79
 - posting releases, 401–402
 - Qute, 79
 - Rain, 73
 - removing, 70
 - Safari-style tabs, 73
 - scroll bars, 402
 - Smoke, 73
 - subskins, 72
 - support
 - for final released builds, 57
 - for older themes, 68–69
 - switching, 67–68
 - testing, 400
 - Toy Factory, 79
 - troubleshooting, 70–71
 - updates, 111–113
 - visual cue for website encryption status, 104–105
- Themes window, 14
- third-party builds, 96–98
- time display, 54, 170–171
- timeouts, 86
- toolbar buttons
 - adding, 162, 369–371
 - EMButtons extension, 51–52, 54, 163–164
 - icons, 371
 - Mozilla Updates button, 162
 - toolbar element, 369–370
 - Toolbar Enhancements extension, 54, 91, 164–165
 - toolbarbutton element, 352, 370–371
 - toolbarpalette element, 371
- toolbars
 - adding, 369–370
 - adding items, 143
 - bookmarks toolbar, 157–158
 - context menus, 157
 - creating, 159
 - Customize Toolbar window, 158–159
 - flexible space, 158–159
 - Googlebar extension, 54, 166–168, 237–238
 - keyboard shortcuts, 159
 - moving items, 159
 - navigation toolbar, 157–158
 - reducing space around icons, 65–67
 - removing items, 143, 158–159
 - turning on/off, 157–158
 - Ultrabar extension, 238
 - Yahoo! Toolbar extension, 168–169, 239–240
- toolbox element, 369
- tools
 - Advanced Installer, 263–264
 - cpuinfo, 97
 - Document Inspector
 - Document - DOM Nodes panel, 6
 - installing, 3–5
 - troubleshooting, 5
 - XUL hierarchy, 6–7
 - FFDeploy, 256
 - GUID Generator, 386–387
 - HM NIS Editor, 254
 - IconWorkshop (Axialis), 396
 - ImageMagick utility, 396
 - Installer Software Development Kit (Microsoft), 260
 - JavaScript Console, 8–9, 293, 342
 - MAKEMSI, 263–264
 - MaSaI Installer, 260, 262
 - MozBackup, 14–15
 - Mozbackup, 275–276
 - Orca MSI editor, 262–263
 - Regex Coach, 133
 - 7-Zip, 43–44, 322, 382
 - standard console, 342
 - text editors, 382
 - theme creation, 381–382
 - WinRar, 245, 322
 - WinZip, 322, 382
- tooltiptext attribute, 327
- Toy Factory theme, 79
- Translate extension, 230

- Translator sidebar, 231–232
 - trimming memory in Windows, 95
 - troubleshooting
 - Document Inspector, 5
 - extensions, 39–40, 343
 - themes, 70–71
 - trunk builds, 98, 201
 - tuning
 - cleaning up, 99–100
 - disk cache location, 91–92
 - network settings
 - Domain Name Server (DNS) resolution
 - information, 86
 - FTP idle and keep-alive, 86
 - persistent connections, 85
 - pipelining, 85–86
 - simultaneous connections, 84–85
 - page rendering, 86–87
 - RFC standards, 83
 - Windows memory, 94–95
 - turning nonlinked links into linkable links, 234–235
 - turning on/off toolbars, 157–158
 - tutorials
 - CSS (Cascading Style Sheets), 389
 - JavaScript, 307
 - plugin design, 227
 - Tweak Network Settings extension, 85
 - TweakFactor.com website, 86
 - Type column (about:config), 17
 - types (chrome URL), 325
- ## U
- UI (user interface) elements
 - button, 352
 - checkbox, 353–354
 - description, 353
 - dialog, 361–362
 - keyset, 368–369
 - label, 352, 362
 - listbox, 354
 - menu, 355
 - menuitem, 355
 - menulist, 355
 - menupopup, 355
 - menuseparator, 355
 - overlay, 327
 - radio, 354
 - radiogroup, 354
 - script, 362
 - statusbar, 328
 - statusbar-display id, 328
 - statusbarpanel, 326, 328
 - textbox, 353
 - toolbar, 369–370
 - toolbarbutton, 352, 370–371
 - toolbarpalette, 371
 - toolbox, 369
 - UI (user interface) events
 - commands, 357
 - default actions, 360
 - document events, 357
 - event propagation, 358–360
 - focus events, 357
 - keyboard events, 357
 - mouse events, 356–357
 - notification, 358–359
 - Ultrabar extension, 238–239
 - unblocking error dialogs, 88
 - undoclosetab extension, 54
 - uninstalling
 - clean up procedures, 99–100
 - extensions, 36–38, 320
 - unique ids. *See* GUIDs (Globally Unique Identifiers)
 - UNIX user path, 11
 - unload event, 357
 - update.rdf file, 399–400
 - updates
 - extensions, 111–113, 319
 - Flash, 251
 - Mozilla Update service, 111–113
 - Shockwave, 251
 - themes, 111–113
 - Update Notification Service, 112
 - upgrade clean up procedures, 99–100
 - URLid extension, 53
 - URLs
 - chrome URLs, 324–326
 - formatting with special characters, 273
 - Google searches, 223
 - Show Failed URL extension, 88
 - User Agent Switcher extension, 55, 289–290
 - user interface (SiteLeds extension), 326–327
 - user interface (UI) elements. *See* UI (user interface elements)
 - user interface (UI) events. *See* UI (user interface events)
 - user interfaces. *See* XUL (Extensible User-Interface Language)
 - user path, 10–13
 - user preferences. *See* preferences
 - userChrome.css file
 - backup, 15, 275
 - creating, 143
 - modifying, 23–25
 - tabbed browsing, 185

- userChrome-example.css file, 141–142
- userContent.css file
 - backup, 15, 275
 - blocking advertisements, 123–126
 - modifying, 25–26
- user.js file
 - backup, 15
 - browser.cache.disk.capacity hack, 92–93
 - browser.cache.disk.parent_directory hack, 91–92
 - browser.cache.memory.capacity hack, 94
 - browser.xul.error_pages.enabled hack, 88
 - config.trim_on_minimize hack, 95
 - content.interrupt.parsing hack, 87
 - content.maxtextrun hack, 87
 - content.max.tokenizing.time hack, 87
 - content.notify.backoffcount hack, 87
 - content.notify.interval hack, 87
 - content.notify.ontimer hack, 87
 - content.notify.threshold hack, 87
 - contents, 271
 - general.smoothScroll hack, 88
 - layout.initialpaint.delay hack, 87
 - modifying, 22
 - network.dnsCacheEntries hack, 86
 - network.dnsCacheExpiration hack, 86
 - network.ftp.idleConnectionTimeout hack, 86
 - network.http.keep-alive.timeout hack, 86
 - network.http.max-connections hack, 85
 - network.http.max-connections-per-server hack, 85
 - network.http.max-persistent-connections-per-proxy hack, 85
 - network.http.max-persistent-connections-per-server hack, 85
 - network.http.pipelining hack, 85
 - network.http.pipelining.firstrequest hack, 85
 - network.http.pipelining.maxrequests hack, 85
 - network.http.proxy.pipelining hack, 85

V

- validation services
 - Checky extension, 296
 - HTML Validator extension, 294–295
- Value column (about:config), 17
- variables (JavaScript), 305
- Venkman extension, 293, 343
- versions of extensions, 339
- View Cookies extension, 55, 288–289

- viewing
 - cookies, 110
 - disk cache, 92
 - individual items in browsing history, 108
 - XUL hierarchy, 6–7
- ViewSourceWith extension, 290–291
- VIM text editor, 322
- Virtual Entity of Relevant Acronyms website, 229

W

- WackGet download manager, 214
- WDG (Web Design Group) website, 309
- weather forecast, 54, 171–172
- web bugs, 128
- Web Design Group (WDG) website, 309
- Web Developer extension, 55, 169–170, 284–286
- web page searches
 - Context Search extension, 227
 - dictionary, 227–229
 - Find-As-You-Type feature, 235–237
- web pages
 - appearance, 371–373
 - background images, 63
 - rendering, 86–87
 - translation systems, 230
- web research, organizing, 283–284
- web servers
 - configuring, 343–344
 - persistent connections, 85
 - pipelining, 85
 - requests (defined), 84
 - RFC standards, 83
 - simultaneous connections, 84–85
- WebMailCompose extension, 53
- WebReference JavaScript website, 307
- website name resolution, 86
- websites
 - Adblock Project forum, 133
 - BBEdit, 8
 - Bugzilla, 88
 - Ecma, 307
 - EditPad, 8
 - Electronic Frontier Foundation, 128
 - encryption status, 104–105
 - Extension Mirror, 345
 - Extension Room, 345
 - icons, 77
 - Jargon File, 229
 - JavaScript Guide, 307
 - jEdit, 8
 - Kdevelop, 8
 - Lynx text-only browser, 121

- Macromedia Distribution Program, 252
- Mellel, 8
- Mozilla Cross-Reference, 350
- Mozilla DOM Documentation, 314
- Mozilla DOM Reference, 314
- Mozilla Update, 286, 345, 401
- Mozilla XPCOM, 316
- Mozilla XUL project page, 303
- Mozilla.org, 350
- MozillaZine Extensions Forum, 345
- MozillaZine Knowledge Base, 5, 16, 350
- MozillaZine.org, 96
- MR Tech, 53
- Mycroft, 226–227
- Nedit, 8
- Notepad++, 8
- Preferential Extension, 19
- PSPad, 8
- Virtual Entity of Relevant Acronyms, 229
- Web Design Group (WDG), 309
- WebReference JavaScript, 307
- Win32Pad, 8
- WinRar, 245
- XUL Planet, 303, 316
- XULPlanet, 350
- widgets (XUL)
 - button, 352
 - checkbox, 353–354
 - defined, 301
 - description, 353
 - dialog, 361–362
 - keyset, 368–369
 - label, 352, 362
 - listbox, 354
 - menu, 355
 - menuitem, 355
 - menulist, 355
 - menupopup, 355
 - menuseparator, 355
 - overlay, 327
 - radio, 354
 - radiogroup, 354
 - script, 362
 - statusbar, 328
 - statusbar-display id, 328
 - statusbarpanel, 326, 328
 - textbox, 353
 - toolbar, 369–370
 - toolbarbutton, 352, 370–371
 - toolbarpalette, 371
 - toolbox, 369

- Windows
 - automating profile creation, 249–250
 - compression tools, 322
 - CPU-Z tool, 96
 - desktop icons, 253
 - FFDeploy, 256
 - Googlebar extension, 167
 - memory
 - optimizing, 94–95
 - trimming, 95
 - Microsoft Windows Installer (MSI), 260–261
 - Microsoft Windows Scripts, 253
 - Profile Manager, 268
 - profiles, 267
 - text editors, 7–8
 - user path, 11
- windows
 - background color, 58–62
 - background images, 62–65
 - behavior, 189
 - dialogs, 361
- Windows shell: protocol, 115
- Win32Pad text editor, 7–8
- WinRar compression tool, 245, 322
- WinZip compression tool, 322, 382
- wizard for creating profiles, 268–269

X

- xmlns attribute, 327
- XPCOM (Cross Platform Component Object Model), 314–316
- XPI extension, 319
- XPI package, 340–341
- xpti.dat file, 270
- XUL (Extensible User-Interface Language)
 - applications, 300
 - box model scheme, 301
 - defined, 5
 - Document Inspector, 6–7, 292
 - JavaScript, 303
 - layout, 301–302
 - refreshing cache file, 99
 - removing cache file, 99
 - Resource Description Framework (RDF), 302–303
 - resources, 303
 - user interface definition, 300
 - XML advantages, 300
- XUL documents
 - CSS (Cascading Style Sheets), 307–308
 - dynamic overlays, 318
 - JavaScript, 307

- XUL documents (*continued*)
 - opening, 300–301
 - siteledsOverlay.xul, 333
 - widgets, 301
- XUL elements
 - button, 352
 - checkbox, 353–354
 - description, 353
 - dialog, 361–362
 - keyset, 368–369
 - label, 352, 362
 - listbox, 354
 - menu, 355
 - menuitem, 355
 - menulist, 355
 - menupopup, 355
 - menuseparator, 355
 - overlay, 327
 - radio, 354
 - radiogroup, 354
 - script, 362
 - statusbar, 328
 - statusbar-display id, 328
 - statusbarpanel, 326, 328

- textbox, 353
- toolbar, 369–370
- toolbarbutton, 352, 370–371
- toolbarpalette, 371
- toolbox, 369
- XUL events
 - commands, 357
 - default actions, 360
 - document events, 357
 - event propagation, 358–360
 - focus events, 357
 - keyboard events, 357
 - mouse events, 356–357
 - notification, 358–359
- XUL Planet website, 303, 316
- XUL.mfl file, 270
- XULPlanet website, 350

Y

- Yahoo! Companion extension, 54
- Yahoo! Toolbar extension, 168–169, 239–240

Z

- ZIP format compression tools, 322