

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- a option
  - in nbstat, 334
  - in ping, 92
- A (Address) records
  - format of, **215–216**
  - for stub zones, 212
- ABRs (area border routers)
  - defined, 781
  - in OSPF, 119, 121, 149
- Accept All Routes setting, 136
- Accept Routes From All
  - Route Sources Except Those Selected option, 150
- Accept Unsecured action, 387
- Accept Unsecured
  - Communication, But Always Respond Using IPsec option, 394, 418
- access
  - network. *See* network access
  - to RRAS servers, 365, 366
- access-based enumeration, 8, 14
- access control lists (ACLs), 233
- Access Method page, 375, 376
- Access This Computer From The Network right, 507
- Account Lockout policies
  - defined, 780
  - for server-level security, 501–503, 502
- Account Lockout Duration policy, 501
- Account Lockout Threshold policy, 501, 502
- account logon events, auditing, 505
- account management, auditing, 505
- Account policies
  - defined, 780
  - for security templates, 522
  - for server-level security, 498
- Account Lockout, 501–503, 502
- Kerberos, 503–504
- Password, 498–500, 500
- Account Provider setting, 362
- accounting providers, 362, 780
- Accounts security category, 511
- ACLs (access control lists), 233
- Act As Part Of The Operating System right, 507
- Action list in RIP, 136
- actions
  - for certificate requests, 592
  - defined, 790
  - for IP filters, 387–388
  - for IPsec rules
    - adding, **417–420**, 417–418
    - managing, 414
    - settings for, 411, 412
- Activate Authentication option, 135
- active/active clusters, 639–640
- Active Directory, 4
  - defined, 780
  - with DNS, 200–201, 208–211, 254, 254
  - domain renaming with, 211
  - forests in, 205–206
  - and Group Policy, 484–497, 486–487, 489–497
  - for IPsec deployment policies, 397–398
  - for PKI deployment, 594
  - replication, 240–241, 780
  - in SCW, 10
  - secured dynamic updates
    - in, 233
- Active Directory-Integrated (ADI) zones
  - defined, 780
  - with DNS, 210, 231–232, 253
- Active Directory Services client, 201
- Active Directory Users, 736
- active/passive clusters, 639–640
- Add Counters dialog box, 701, 702
- Add/Edit Port Rule dialog box, 663–665, 664
- Add IP Filter dialog box, 155, 156–157
- Add/Remove Snap-In dialog box, 399, 399
- Add Reservation dialog box, 177, 177
- Add ShadowStorage command, 763
- Add Standalone Snap-In dialog box, 400, 400
- Add Workstations To Domain right, 508
- Added Cost For Routes setting, 135
- Address Assignment settings, 179, 181
- Address Pool settings, 176–177, 176
- Address (A) records
  - format of, 215–216
  - for stub zones, 212
- address space, IPv6, 84–86

## 816 addresses – Audit policies

- addresses
  - IP. *See* IP addresses
  - for IPSec filters, 416, 416
  - in NAT. *See* NAT (Network Address Translation)
- Addresses settings, 416, 416
- ADI (Active Directory-Integrated) zones
  - defined, 780
  - with DNS, 210, 231–232, 253
- adjacency
  - defined, 780
  - in OSPF, 119
- Adjust Memory Quotas For A Process right, 508
- administration, remote, 29
  - enabling, 736–737, 737
  - Remote Assistance, 743–748, 744–745, 747–748
  - Remote Desktop
    - Connection, 738–741, 738–741
    - Remote Desktop for Administration, 734–736
- Administrative templates, 488
- Administrator template, 570
- administrators, zone
  - permissions for, 234
- Advanced Backup Options dialog box, 762, 762
- Advanced settings
  - for ICS, 169–170, 169
  - for OSPF, 140–141, 142
  - for performance, 724–725, 725
  - for remote access policies, 369, 373, 373
  - for RIP, 137–138, 138
  - for WINS, 317–318, 317
  - for WINS replication partners, 321–322, 321, 323, 325
- Advanced TCP/IP Settings dialog box, 292–293, 293
- Advertisement Lifetime (Minutes) setting, 128
- Affinity options for NLB, 665
- AHs (Authentication Headers)
  - defined, 781
  - in IPSec, 381, 385, 697
- algorithms
  - defined, 780
  - encryption, 556
  - hashing, 559, 575, 791
- alias records, 216
- All Information On This Computer option, 751
- /all option in ipconfig, 89
- Allow Certificates To Be Published To The File System option, 586
- Allow Log On Locally right, 508
- Allow Log On Through Terminal Services right, 508
- Allow Other Network Users to Connect Through This Computer's Internet Connection option, 170
- Allow Unsecured action, 387
- Allow Unsecured Communication With Non IPSec-Aware Computer option, 418
- Allow Users To Connect Remotely To This Computer option, 737
- Always Start In Wizard Mode option, 750
- Always use classic logon policy, 515
- Always wait for the network at computer startup and logon policy, 516
- analysis in SCW, 10
- ANDing operations, 62
- Announce All Routes setting, 136
- Announce All Routes In The Ranges Listed setting, 136
- anycast addresses
  - defined, 780
  - purpose of, 86
- AppleTalk protocol
  - defined, 780
  - installing, 46
- application deployment for server clusters, 641–650, 641–642
- Application log
  - defined, 781
  - purpose of, 728
- application partitions, 211
- application protocols, 41, 41
- applications
  - failures in, 634
  - multiple-instance, 641
  - PKI-aware, 562
  - stateful and stateless, 629–630
- Apply policy to removable media policy, 516
- Apply Security Policy page, 475, 475
- area border routers (ABRs)
  - defined, 781
  - in OSPF, 119, 121, 149
- Area ID list, 139
- Areas settings for OSPF, 149, 149
- ASR (Automated System Recovery), 15
  - defined, 782
  - working with, 763–766, 764–765
- asymmetric encryption
  - defined, 781
  - in PKI, 557
- asymmetric keys, 558–559
- asynchronous replication
  - defined, 781
  - vs. synchronous, 654–655
- At Logon backup option, 757
- At System Startup backup option, 757
- attributes for certificates, 569–570
- au domain, 208
- Audit policies
  - defined, 781

- options for, 504–505
- setting, 505–507, 506–507
- Audit Policy page, 473, 473
- Audit Policy Summary page, 474, 474
- Audit security category, 511
- auditing in Service Pack 1, 9, 14
- Authenticated Session
  - template, 570
- Authenticated Users,
  - permissions for, 234
- authentication, 22
  - certificate services for, 27
  - defined, 781
  - in IPSec, 381, 426
    - for default response rule, 402, 403
    - methods for, 388–390
    - settings for, 412, 413
  - in IPv6, 83
  - Kerberos
    - defined, 793
    - process, 388–389
    - for server-level security, 503–504
  - in PKI, 554–555
  - in remote access security, 358–362, 359–360, 362, 372, 373–374
  - in RIP, 135
- Authentication Headers (AHs)
  - defined, 781
  - in IPSec, 381, 385, 697
- Authentication Method page, 426, 426
- Authentication Methods
  - dialog box, 359–361, 360
- Authentication Methods page, 376, 377
- Authentication Methods settings, 412, 413
- Authentication settings, 369, 372, 372
- Authentication-Type option, 374
- authorization in Service Pack 2, 203

- auto-static update mode
  - defined, 782
  - in RIP, 119
- Autoconfiguration
  - defined, 781
  - in IPv6, 87
- autodiscovery
  - defined, 781
  - in IPv6, 86
- Automated System Recovery (ASR), 15
  - defined, 782
  - working with, 763–766, 764–765
- Automated System Recovery Preparation Wizard, 763–766, 764–765
- automatic certificate
  - enrollment, 14, 590–592, 591
- Automatic Certificate Request Setup Wizard, 591–592, 591
- automatic IP configuration, 81, 87
- automatic partner
  - configuration, 302–303, 322
- Automatic Updates, 26
- Automatically Assign IP Addresses By Using The DHCP Allocator option, 180
- Automatically Select The Certificate Store Based On The Type Of Certificate option, 614
- Automatically Update
  - Statistics Every setting, 313
- autoregistration, 83, 87, 782
- /autostart parameter in
  - Network Monitor, 696
- /autostop parameter in
  - Network Monitor, 696
- availability
  - defined, 633, 782
  - high availability services.
    - See high availability services
  - in WINS, 299

- Available Bytes counter, 709
- Available Mbytes counter, 708
- Average field for counters, 702
- Avg. Disk Queue Length counter, 701
- AXFRs (full zone transfers)
  - contents of, 224
  - defined, 790

---

## B

- b-node
  - defined, 782
  - in WINS, 284
- Back Up Database During Server Shutdown option, 313
- Back Up Files And Directories right, 508
- Back Up To This Location
  - setting, 582
- backbone links
  - in border routing, 121, 121
  - defined, 782
- Backup Destination dialog box, 765, 765
- Backup Job Information dialog box, 762, 762
- Backup Or Restore page, 751, 751
- Backup or Restore Wizard, 749–756, 751–753, 756
- Backup Progress dialog box, 754, 754
- Backup Type, Destination, And Name page, 752, 753
- Backup Type settings, 760–761, 760
- backups and recovery, 749
  - automated system
    - recovery, 763–766, 764–765
  - CA data, 580–583, 581
  - domain controller
    - recovery, 766
  - horror stories, 750
  - server clusters, 666

## 818 baselines – certificate publishers

- volume shadow copy, 761–763, 762
    - with Windows Backup. *See* Windows Backup
  - baselines
    - defined, 782
    - for performance, 696
    - System Monitor reports for, 705–708, 707
  - Basic constraints attribute, 569
  - Basic EFS template, 570
  - Basic Firewall Only option, 175
  - BCPs (business continuity plans), 30
  - #BEGIN\_ ALTERNATE statement, 294
  - Begin verifying At setting, 315
  - best-practice guides, 518
  - BIND (Berkeley Internet Name Daemon), 219
    - defined, 782
    - in DNS, 223
    - in upgrades, 225
  - binding, 43
  - Block action, 387
  - Block Inheritance option, 486–487
  - boolean calculations, 62
  - boot files, 219–220
  - border routing
    - defined, 782
    - operation of, 121–122, 121
  - bottlenecks
    - defined, 783
    - in performance, 698
    - server cluster, 645
    - System Monitor for, 711
  - BPCPs (business process contingency plans), 30
  - branch offices
    - in Release 2, 6
    - WINS deployment for, 309–310, 309
  - bridging, 11
  - broadcast routers
    - defined, 783
    - in OSPF, 140
  - Browse For A Group Policy Object dialog box, 405, 405, 495, 495
  - browse master servers, 280
  - browser services, performance objects for, 719
  - brute force attacks, 553
  - /buffersize parameter in Network Monitor, 696
  - burst mode in WINS, 317
  - business continuity plans (BCPs), 30
  - business process contingency plans (BPCPs), 30
  - Bypass Traverse Checking right, 508
  - Bytes Total/Sec counter, 717, 720
- 
- C**
- c option in nbtstat, 334
  - ca domain, 208
  - CA Identifying Information page, 576, 577
  - CA Properties dialog box, 584–589, 585–588
  - CA Type page, 575, 575
  - cache command, 219
  - caching in DNS, 219, 222
    - caching-only servers, 244, 783
    - and forwarding, 244
    - stub zones, 244–245
  - caching-only servers, 244, 783
  - Callback Control Protocol (CBCP), 354–355
  - Called-Station-ID option, 374
  - Calling-Station-ID option, 374
  - canonical name (CNAME) records
    - defined, 785
    - purpose of, 216
  - capacity
    - DNS servers, 249
    - server clusters, 644–646, 646–647
  - capture buffers, 684, 689–695, 783
  - capture filters
    - defined, 783
    - in Network Monitor, 692–695, 693–694
  - Capture Filters dialog box, 692, 693
  - /capturefilter parameter in Network Monitor, 695
  - capturing Network Monitor data, 689–696, 690, 693–694
  - CAs (certificate authorities), 561
    - controlling, 580–584, 581–583
    - data flow with, 566–567, 567
    - installing, 574–578, 575–578
    - in PKI, 563–566
    - planning, 600
    - for renewing certificates, 583–584, 583
    - roles of, 565–566
    - trusts for, 592–596, 595–596
    - types of, 564–565
  - categories
    - Event Viewer, 730
    - security, 511
  - CBCP (Callback Control Protocol), 354–355
  - CCP (Compression Control Protocol), 355
  - cells, 45
  - certificate authorities (CAs). *See* CAs (certificate authorities)
  - Certificate Database Settings page, 577, 578
  - Certificate Export Wizard, 611–612, 612
  - Certificate Friendly Name And Description page, 607, 607
  - Certificate Import Wizard, 613–614, 613–614
  - Certificate Information page, 603, 603
  - certificate publishers, 561

- Certificate Renewal Wizard, 610
- Certificate Request Wizard, 606–607, 606–607
- certificate revocation lists (CRLs), 561, 593, 597
  - defined, 783
  - distribution points for, 600
  - publishing, 598–599, 598–599
- Certificate Server, 574
  - for CA configuration, 584–588, 585–588, 592
  - for certificate templates, 589–592, 589–592
  - for controlling CA services, 580–584, 581–583
  - installing, 574–580, 575–578
  - for revocation, 598–599
  - for revoking certificates, 596–599
  - for trusts, 592–596, 595–596
- Certificate Services
  - authentication through, 27
  - defined, 783
- Certificate Store page, 614, 614
- certificate stores, 593
  - contents of, 601
  - defined, 783
  - selecting, 614, 614
- certificate templates
  - configuring, 589–592, 589–592
  - in PKI, 570–571
- Certificate Templates folder, 579
- certificate-to-account
  - mapping in IPSec, 383
- Certificate Trust List Purpose page, 595, 595
- Certificate Trust List Wizard, 595–596, 595–596
- Certificate Trust Lists (CTLs)
  - defined, 783
  - designating, 593
  - managing, 594–596, 595–596
  - purpose of, 569
- Certificate Types page, 606–607, 606
- certificates, 552–553
  - attributes for, 569–570
  - certificate authorities for. *See* CAs (certificate authorities)
  - Certificate Server for. *See* Certificate Server
  - Certificates snap-in for, 601–602, 601
    - for certificate properties, 602–604, 603–605
    - installing, 578–580, 578
    - defined, 787
    - exam essentials, 615–617
    - exporting, 610–612, 612
    - hierarchies in, 563, 564, 783
    - importing, 593, 612–614, 613–614
    - improvements in, 14
    - issuing, 608–609, 609
    - PKI, 560–561
      - attributes for, 569–570
      - CAs, 563–566, 564
      - publication methods, 567
      - services, 566–567, 567
      - templates, 570–571
    - policy and practice
      - statements for, 562, 783
    - purposes for, 604, 605
    - rekeying, 610
    - renewing, 583–584, 583, 610
    - requesting, 606–609, 606–607, 609
    - review questions, 618–626
    - revoking, 561, 596–599, 598–599
    - summary, 615
- Certificates In The CTL page, 595
- Certificates snap-in, 601–602, 601
  - for certificate properties, 602–604, 603–605
  - installing, 578–580, 578
- Certification Authority
  - Backup Wizard, 581–582, 581
- Certification Authority Restore Wizard, 582–583, 582
- Certification Authority snap-in, 578–580, 578
- Certification Path settings, 603–604, 605
- certification practices
  - statements (CPSs)
    - defined, 783
    - purpose of, 603
- Change The System Time right, 508
- CHAP (Challenge Handshake Authentication Protocol), 361
  - defined, 784
  - for dial-up services, 354
- Check For Policy Changes
  - Every: X Minutes setting, 409
- CIDR (Classless Inter-Domain Routing)
  - defined, 784
  - and supernetting, 76–77
- CIDR (Classless Inter-Domain Routing) notation
  - defined, 784
  - for subnets, 73–74
- ciphers
  - defined, 784
  - purpose of, 552
- ciphertext
  - defined, 784
  - in PKI, 556
- Class-C affinity option, 665
- classes, network address, 53–54
  - Class A networks, subnetting, 72–73
  - Class B networks, subnetting, 70–71
  - Class C networks, subnetting, 66–69
  - Class D address space, 122

## 820 classful IP addressing – connection types

- classful IP addressing
  - vs. classless, 74
  - defined, 784
- classful routing protocols
  - vs. classless, 75
  - defined, 784
- Classless Inter-Domain Routing (CIDR)
  - defined, 784
  - and supernetting, 76–77
- Classless Inter-Domain Routing (CIDR) notation
  - defined, 784
  - for subnets, 73–74
- classless IP addressing
  - vs. classful, 74
  - defined, 784
- classless routing protocols
  - vs. classful, 75
  - defined, 784
- CLB (Component Load Balancing), 632
- Client-Friendly-Name option, 374
- Client-IP-Address option, 374
- Client (Respond Only) policy, 391–392
- client traffic in WINS, 300–302
- Client-Vendor option, 374
- clients
  - DHCP, 96–97
  - DNS, 213, 234, 788
  - IPSec, 379
  - SUS, 533–534
- Clients Using Domain Name System (DNS) option, 182
- cloned applications
  - defined, 785
  - in multiple-instance applications, 641, 641
- cluster-aware applications, 28, 640, 785
- Cluster Disk Signatures and Partitions data, 666
- cluster hosts
  - defined, 785
  - in server clusters, 639
- Cluster IP Addresses settings, 662, 663
- cluster node failures, 666
- Cluster Parameters settings, 662, 663
- Cluster Quorum Data, 666
- Cluster Service, 636
  - defined, 785
  - for failures, 650, 654, 667–669
  - for networks, 656–657
  - support for, 638
- cluster supported applications, 28
- clustering. *See also* server clusters
  - defined, 785
  - for high server availability, 28–29
  - in Windows Server 2003, 480
- Clustering Wizard, 15–16
- CNAME (canonical name) records
  - defined, 785
  - purpose of, 216
- Code Signing template, 570
- colon-hexadecimal format, 84–85
- com domain, 207
- command-line support in SCW, 10
- comments in LMHOSTS, 294–295
- Committed Bytes counter, 709
- Common.adm template, 488
- compacting WINS database, 329
- compatibility for Group Policy, 487–488
- Compatible (Compatws.inf) template, 521
- Completing The Automated System Recovery Preparation Wizard page, 765, 765
- Completing The Backup Or Restore Wizard page, 753, 753
- Completing the New Remote Access Policy Wizard page, 377
- Completing the Security Rule Wizard page, 427, 427
- Component Load Balancing (CLB), 632
- Compression Control Protocol (CCP), 355
- Computer template, 570
- computers
  - counters for, 702
  - in Event Viewer, 730
- conditional forwarders
  - defined, 785
  - operation of, 245–247, 246
  - purpose of, 210
- confdisk utility, 667
- confidentiality
  - defined, 785
  - in IPv6, 83
  - in PKI, 555
- Configuration Action page, 463, 463
- configuration improvements, 10–12
- Configuration tab for LANs, 128, 129
- Configure Your Server Wizard, 457–459, 458
- Confirm Port Configuration page, 469, 469
- Confirm Service Changes page, 468, 468
- Connect To The Public Network When A Name Needs To Be Resolved option, 182
- connection-oriented protocols
  - vs. connectionless, 44–46
  - defined, 785
- connection point services, performance objects for, 719
- Connection Type page, 131, 131
- Connection Type settings, 412–414, 413
- connection types
  - defined, 786

- in IP routing, 131, 131
  - in IPSec, 391, 391, 412–414, 413
  - connectionless protocols
    - vs. connection-oriented protocols, 44–46
    - defined, 785
  - connectivity. *See* network connectivity
  - convergence time
    - defined, 786
    - in WINS replication, 296
  - Copy backup type, 761
  - Cost setting, 140
  - costs
    - in IP routing, 111–113
    - in OSPF, 140
  - counters, performance, 701–702
    - defined, 801
    - for disk objects, 715–716
    - for memory objects, 708–709
    - for network services, 719–720
    - for network subsystem, 718–719
    - for processor objects, 712–713
  - CPSs (certification practices statements)
    - defined, 784
    - purpose of, 603
  - CPU speed requirements, 478
  - CRC (cyclical redundancy check), 43
  - Create A Pagefile right, 508
  - Create A Token Object right, 508
  - Create Permanent Shared Objects right, 508
  - Create Shadow command, 763
  - Creator Owners, permissions for, 235
  - credentials for demand-dial connections, 130
  - CRL Publishing Parameters settings, 598, 598
  - CRLs (certificate revocation lists), 561, 593, 597
    - defined, 783
    - distribution points for, 600
    - publishing, 598–599, 598–599
  - Cryptographic Service Provider page, 607, 607
  - cryptography. *See also* encryption
    - defined, 786
    - history of, 552–553
    - objectives of, 553
  - CSPs (cryptographic service providers), 568
  - CTLs (Certificate Trust Lists)
    - defined, 783
    - designating, 593
    - managing, 594–596, 595–596
    - purpose of, 569
  - Current Disk Queue Length counter, 716
  - custom MMC consoles, 494–497, 494–497
  - Custom Security Method Settings dialog box, 420, 420
  - customized failover policies, 650
  - cyclical redundancy check (CRC), 43
- 
- D**
- d option in tracert, 93
  - DACLs (discretionary access control lists)
    - defined, 787
    - purpose of, 234
  - Daily backup type, 757, 761
  - data
    - encrypting. *See* encryption in Event Viewer, 731
    - execution protection, 8, 14
    - in network packets, 43, 43
  - Database Backup group, 313
  - Database Path setting, 318
  - Database Verification settings for WINS, 315–316, 316
  - databases
    - DNS
      - contents of, 213–218
      - location of, 218–220
      - migrating, 225
    - Security Configuration and Analysis tool, 519–520, 520, 526
    - WINS
      - compacting, 329
      - defined, 813
      - in NetBIOS name resolution, 287–288
  - Datacenter Edition, 476–481
  - datagrams, 45
  - dates in Event Viewer, 730
  - Day-and-Time-Restrictions option, 374
  - DC Security.inf (Dedicated domain controller) template, 521
  - DCDIAG tool, 202–203, 265
  - DCPROMO process, 200, 211, 252
  - DDNS (Dynamic DNS) standard
    - defined, 788
    - purpose of, 209
    - updates, 233–234
  - Dead Interval (Seconds) setting, 141
  - Debug Programs right, 508
  - decryption
    - defined, 786
    - in PKI, 556
  - Dedicated domain controller (DC Security.inf) template, 521
  - Default CSP list attribute, 569
  - Default Domain Controller Policy, 489–490, 489–491
  - Default Domain Policy console window, 489–490
  - Default quota limit and warning level policy, 516

## 822 Default Response Rule Authentication Method page – disaster recovery plans

- Default Response Rule
  - Authentication Method page, 402, 403
- Default security (Setup security.inf) template, 521
- defaults
  - certificate request actions, 592
  - IPSec policies, 391–394
  - IPSec response rules, 402, 403
  - remote access policies, 367–373, 368–373
  - routes, 115, 786
    - in Service Pack 1, 8
    - zone permissions, 234–235
- delegated namespaces, 227
  - characteristics of, 228
  - defined, 786
- delegating zones, 242–243, 813
- delegation resource records
  - defined, 786
  - purpose of, 245
- Delete cached copies of roaming profiles policy, 514
- Delete Shadows command, 763
- Delete ShadowStorage command, 763
- Delete The Private Key If The Export Is Successful option, 612
- deleting WINS records, 330
- delta CRLs, 598–599
- Demand-Dial Interface Wizard, 130–133, 131–133
- demand-dial routing
  - defined, 786
  - interfaces for, 128–133, 130–133
  - in RRAS, 124
- Denial of Service (DoS) attacks, 83–84
  - defined, 786
  - IPSec for, 394
- Deny Access To This Computer From The Network right, 508
- Deny Log On Through Terminal Services right, 509
- Deny Logon As A Batch Job right, 508
- Deny Logon As A Service right, 508
- Deny Logon Locally right, 509
- deploying
  - IPSec, 395–398
  - IPSec policies, 404–408, 405–406
  - server-level security policies, 529–531
  - WINS, 307–310, 308–309, 311
- Description settings, 416
- Description Of Service setting, 177
- descriptions
  - in Event Viewer, 731
  - for IPSec filters, 416
- destination addresses for IPSec filters, 416
- Destination Network option, 156
- DESX algorithm, 13
- details
  - for certificates, 603, 604
  - in Event Viewer, 729–731, 730
- Details settings, 603, 604
- Devices security category, 511
- DFS (Distributed File Systems), 451
  - defined, 787
  - in Release 2, 6
- DHCP
  - in Dynamic DNS, 209, 233–234
  - for IP configuration, 81
  - troubleshooting, 96–98
- DHCP allocators
  - defined, 786
  - in ICS, 169
  - in NAT, 170
- DHCP relay agents
  - defined, 787
  - for subnets, 81
- DHCP servers, 97–98
  - performance objects for, 720
  - working with, 454
- Dial-In Constraints settings, 369, 371
- dial-in credentials, 130
- Dial-In settings, 365, 366
- dial-out credentials, 130
- Dial Out Credentials page, 133, 133
- dial-up networking
  - defined, 787
  - operation of, 354–355, 356
- Differential backup type, 761
- digests
  - defined, 787
  - in PKI, 559
- digital certificates. *See* certificates
- digital signatures
  - defined, 787
  - in PKI, 559–560
- directory command in DNS, 219
- directory services
  - auditing access to, 505
  - performance objects for, 719
  - in Windows Server 2003, 479
- Disable All Purposes For This Certificate option, 604
- Disable Event Logging option, 143
- Disable Subnet Summarization option, 138
- Disabled option for GPOs, 487
- disaster recovery
  - ASR for, 763–766, 764–765
  - defined, 787
  - domain controller, 766
  - planning, 30
  - server cluster failures, 667–669
- disaster recovery plans (DRPs), 30

- discretionary access control lists (DACLs)
  - defined, 787
  - purpose of, 234
- disk corruption and failure in server clusters, 667–668
- Disk Quota policies
  - defined, 787
  - list of, 516
- Disk Quota policy processing policy, 518
- Disk Reads/sec counter, 716
- disk space requirements, 478
- disk subsystem, monitoring, 715–716
- % Disk Time counter, 715
- display
  - Network Monitor filters for, 693–695, 693
  - Remote Desktop Connection, 738, 739
  - System Monitor, 703–705, 704
- Display Filter dialog box, 693–695, 693
- Display name attribute, 569
- Display Records dialog box, 326–327, 327–328
- Display settings, 738, 739
- /displaydns option in ipconfig, 89
- /displayfilter parameter in Network Monitor, 696
- distance vector routing protocols
  - defined, 787
  - working with, 50
- Distributed File Systems (DFS), 451
  - defined, 787
  - in Release 2, 6
- distribution points for CRLs, 600
- DNS (Domain Name System), 19–20, 200
  - Active Directory with, 200–201, 208–211, 254, 254
  - application partitions in, 211
  - caching and forwarding in, 244
  - caching-only servers, 244, 783
  - conditional forwarders, 210, 245–247, 246
  - forward-only servers, 247–248
  - stub zones, 244–245
  - clients for, 213, 234, 788
  - databases for
    - contents of, 213–218
    - location of, 218–220
    - migrating, 225
  - DCPROMO process in, 211
  - defined, 788
  - domain naming in, 205–207, 206
  - exam essentials, 267
  - Group Policies in, 210 and Internet, 207–208
  - logging in, 210
  - name resolution in, 220–224, 221
  - namespaces for, 226
    - defined, 788
    - domain names in, 226–227
    - options for, 228–229
    - for Windows NT Server migration, 228
  - overview, 204–205
  - recap, 252–255, 254–256
  - review questions, 268–278
  - secure dynamic updates for, 233–234
  - servers for, 212–213, 248, 452–453
    - caching-only, 244
    - capacity of, 249
    - defined, 788
    - forward-only, 247–248
    - performance objects for, 720
    - requirements, 248
    - securing, 250–252
  - Service Pack 1 features for, 202–203
  - Service Pack 2 features for, 203–204
  - stub zones in, 212
  - summary, 266
  - terminology, 212
  - troubleshooting, 256–257
    - common, 260
    - DCDIAG for, 265
    - DNS monitoring, 257–259, 258
    - ipconfig for, 264
    - log files for, 265–266
    - NETDIAG for, 264
    - nslookup for, 260–264
  - in Windows Server 2003, 200–201, 208–209
  - WINS integration with, 236–238
    - zones in. *See* zones
- DnsAdmins, permissions for, 234
- Do Not Announce All Routes In The Ranges Listed setting, 136
- Do Not Change The Startup Mode Of The Service option, 467
- Do not detect slow network connections policy, 514
- Do not process the Legacy Run list policy, 516
- Do not process the Run Once list policy, 515
- #DOM statement, 294
- Domain Admins, permissions for, 235
- Domain Controller security category, 511
- Domain Controller template, 571
- domain controllers, 452
  - DCDIAG for, 202–203
  - recovery strategy for, 766
  - renaming, 211
  - server clusters for access to, 657–658

## 824 Domain Member security category – Enforce Password History policy

- Domain Member security category, 511
  - domain name files, 218
  - domain name records, 212
  - Domain Name System. *See* DNS (Domain Name System)
  - Domain Security policies, 483
  - Domain Security Policy, 483
    - console window, 490, 490
    - defined, 788
  - domains, 205
    - in Active Directory design, 201
    - IPSec policies for, 404–406, 405–406
    - names and namespace for, 205–207, 206, 226–227
    - renaming, 211
    - top-level, 207–208, 811
    - untrusted, in WINS replication, 307
    - Windows NT vs. Windows 2003, 485
  - Domains/OU settings, 495
  - Don't display the Getting Started welcome screen at logon policy, 515
  - DoS (Denial of Service)
    - attacks, 83–84
    - defined, 786
    - IPSec for, 394
  - Download A CA Certificate, Certificate Chain, Or CRL task, 608
  - Drop All Packets Except Those That Meet The Criteria Below option, 154, 156
  - DRPs (disaster recovery plans), 30
  - dual verification in Kerberos, 503
  - Duration field for counters, 703
  - Dynamic DNS (DDNS)
    - standard defined, 788
    - purpose of, 209
    - updates, 233–234
  - dynamic routing, 49–51, 116–117, 117
    - defined, 788
    - OSPF, 119–120, 121
    - RIP, 117–119
- 
- E**
- E-mail name attribute, 569
  - EAP (Extensible Authentication Protocol)
    - characteristics of, 360
    - defined, 789
    - purpose of, 357
  - EAP types
    - defined, 788
    - purpose of, 360
  - Edit Dial-In Profile dialog box, 368–369, 368, 371–373, 371–373
  - Edit Rule Properties dialog box, 411–414, 411–413, 422, 422
  - Edit Services dialog box, 177, 178
  - editors, NAT, 167, 797
  - edu domain, 207
  - EFS (Encrypting File System), 12–13, 513
    - defined, 789
    - in PKI, 562
  - EFS Recovery Agent template, 571
  - EFS Recovery policy
    - processing policy, 518
  - Enable All Purposes For This Certificate option, 604
  - Enable Automatic Partner Configuration option, 322
  - Enable Autonomous System Boundary Router option, 148, 151
  - Enable Burst Handling option, 317
  - Enable Computer And User Accounts To Be Trusted For Delegation right, 509
  - Enable disk quotas policy, 516
  - Enable Fragmentation
    - Checking option, 128
  - Enable IP Router Manager option, 127
  - Enable On-Demand Dialing option, 170
  - Enable Only The Following Purposes option, 604
  - Enable OSPF For This Address option, 139
  - Enable Poison-Reverse
    - Processing option, 138
  - Enable Router Discovery Advertisements option, 127–128
  - Enable Split-Horizon
    - Processing option, 137
  - Enable Strong Protection option, 611
  - Enable Triggered Updates option, 138
  - Encapsulating Security Payload (ESP), 381
    - defined, 788–789
    - packets for, 385–386, 385
  - encapsulation
    - defined, 789
    - for dial-up services, 355
    - in protocol security, 363–364, 363
  - Encrypting File System (EFS), 12–13, 513
    - defined, 789
    - in PKI, 562
  - encryption, 22
    - defined, 789
    - in IPSec, 378–379, 381
    - in L2TP/IPSec, 22
    - in PKI, 556
    - for remote access policies, 369, 373, 373
  - Encryption settings, 369, 373, 373
  - #END\_ALTERNATE statement, 294
  - Enforce disk quota limit policy, 516
  - Enforce Password History policy, 498–499

Enforce User Logon  
 Restrictions policy, 504  
 Enrollment Agent template,  
 571  
 enrollment agents, 608–609,  
 609  
 Enterprise Admins,  
 permissions for, 235  
 enterprise CAs, 564–565  
 Enterprise Domain  
 Controllers, permissions  
 for, 235  
 Enterprise Edition, 476–481  
 Enterprise Trust Folder, 602  
 entities, 789  
 Error events  
 defined, 789  
 in Event Viewer, 729  
 ESP (Encapsulating Security  
 Payload), 381  
 defined, 788–789  
 packets for, 385–386, 385  
 event IDs in Event Viewer, 730  
 Event Log collector, 733  
 Event log option, 522  
 Event Logging settings, 257,  
 258  
 event logs  
 for DNS monitoring, 257,  
 258  
 for IPsec, 432–434, 434  
 for security templates, 522  
 for WINS, 333  
 Event Properties dialog box,  
 729–731, 730  
 Event Viewer utility,  
 727–729, 728  
 defined, 789  
 details in, 729–731, 730  
 event types in, 729  
 for IPsec, 429  
 for log files, 729, 731–733,  
 731–732  
 EventComb utility, 333, 733  
 Eventcreate utility, 733  
 Eventquery utility, 733  
 Eventtriggers utility, 733  
 Everyone, permissions for,  
 234

exam essentials  
 certificates, 615–617  
 DNS, 267  
 high availability services,  
 670  
 network access, 436–437  
 network connectivity  
 strategy, 183–185  
 network infrastructure, 32  
 network monitoring,  
 remote  
 administration, and  
 backups, 767  
 server-level security, 539  
 TCP/IP network  
 infrastructure, 98–99  
 WINS, 336  
 Exchange Enrollment Agent  
 (Offline request)  
 template, 571  
 Exchange Signature Only  
 template, 571  
 Exchange User template, 571  
 Exclude Reserved Addresses  
 dialog box, 180, 181  
 Exit Module settings, 586, 586  
 exit modules  
 CA settings for, 586, 586  
 defined, 789  
 in PKI, 568–569  
 Experience settings, 741, 741  
 experts, 162  
 Export File Format page, 611,  
 612  
 exporting  
 certificates, 610–612, 612  
 IPsec policies, 407  
 Extended key usage attribute,  
 569  
 Extensible Authentication  
 Protocol (EAP)  
 characteristics of, 360  
 defined, 789  
 purpose of, 357  
 extensions for certificates,  
 569  
 external namespaces  
 defined, 789  
 in DNS, 228–230

External Routing settings,  
 149–151, 150  
 Extinction Interval setting, 314  
 Extinction Timeout setting,  
 315

## F

-f option in ping, 92  
 failback  
 defined, 789  
 in server clusters, 639  
 Failed Requests folder, 579  
 failover pairs  
 configuration, 649, 649  
 defined, 790  
 failover process and policies,  
 28  
 defined, 789  
 in server clusters, 639,  
 647–650, 648–649  
 Failure Audit events  
 defined, 790  
 in Event Viewer, 729  
 fault tolerance, 633  
 defined, 790  
 in WINS, 299  
 federations, 204  
 file servers  
 performance objects for,  
 722–723  
 purpose of, 451  
 File system option, 522  
 file systems and services  
 for security templates, 522  
 in Windows Server 2003,  
 480–481  
 File To Import page, 613, 613  
 FileMon tool, 725  
 Filter Action page, 426, 426  
 Filter Action settings, 411,  
 412  
 Filter settings, 731–732, 732  
 filters  
 actions for. *See* actions  
 defined, 790  
 for Event Viewer,  
 731–732, 732

## 826 Firewall settings – Group Policy refresh intervals

- in IPSec, 387–388, 414–416, 415–416
    - adding, 417–420, 417–418
    - managing, 414
    - for rules, 411, 411, 414
    - settings for, 411, 412
  - for LANs, 128
  - for Network Monitor, 692–695, 693–694
  - for NLB, 665
  - in OSPF, 120
  - for TCP/IP packets, 154
    - creating, 154–156, 155
    - VPN, 156–158, 158
  - Firewall settings, 175, 175
  - firewalls
    - for NAT, 175, 175
    - for Remote Assistance, 746
    - in Service Pack 1, 8
  - /fixquorum parameter, 668
  - flat routing
    - defined, 790
    - vs. route summarization, 75
  - /flushdns option, 89
  - flushing routing tables, 117
  - Folder Redirection policy
    - processing policy, 517
  - Force Shutdown From A
    - Remote System right, 509
  - forcing
    - IPSec policy updates, 407
    - WINS replication, 307
  - forests
    - in Active Directory design, 201
    - tree names in, 205–206
  - forward-only servers
    - defined, 790
    - working with, 247–248
  - forwarding DNS
    - conditional forwarders for, 210, 245–247, 246
    - forward-only servers for, 247–248
  - 4 option
    - in pathping, 96
    - in ping, 93
    - in tracert, 94
  - FQDNs (Fully Qualified Domain Names), 94
  - Frame Viewer window, 690, 691
  - Framed-Protocol option, 374
  - frames, 45
  - % Free Space counter, 716
  - FTP Service, 5
  - full-mesh design
    - defined, 790
    - WINS deployment in, 310, 311
  - full zone transfers (AXFRs)
    - contents of, 224
    - defined, 790
  - Fully Qualified Domain Names (FQDNs), 94
- 
- G**
- g option in pathping, 96
  - gateways. *See* routers
  - General settings
    - for CAs, 584, 585
    - for certificates, 602–603, 603
    - for Event Viewer, 731–732, 731
    - for IPSec policies, 408–410, 409
    - for LANs, 127–128, 127
    - for NAT, 179, 179
    - for OSPF, 139–140, 139, 148, 148
    - for Remote Desktop Connection, 738, 739
    - for RIP, 134–135, 134, 146, 147
    - for System Monitor, 706, 707
    - for WINS replication partners, 318–319, 319
    - for WINS servers, 313, 313
  - Generate Security Audits
    - right, 509
  - geographical region, address assignments by, 78
  - GFI LANguard Security Event Log Monitor, 733
  - glue A (glue address) resource records
    - defined, 790
    - purpose of, 245
  - gov domain, 207
  - GPMC (Group Policy Management Console)
    - downloading, 11
    - for IPSec, 429
    - working with, 493, 493
  - GPT (GUID partition table) disks, 638
  - gupdate command, 501
  - Graph Pane in Network Monitor, 689
  - graph View in System Monitor, 703
  - group affinity attribute
    - defined, 790
    - purpose of, 650
  - group permissions in DNS, 234–235
  - Group Policy and Group Policy Objects (GPOs) and Active Directory, 484–497, 486–487, 489–497
    - defined, 791
    - in DNS, 210
    - improvements in, 11
    - for IPSec, 380, 382, 397
    - legacy compatibility for, 487–488
    - for Remote Assistance, 746–748, 747–748
  - Group Policy Management Console (GPMC)
    - downloading, 11
    - for IPSec, 429
    - working with, 493, 493
  - Group Policy Object Editor
    - console for, 491–494, 492–493
    - for IPSec, 429
  - Group Policy policies
    - defined, 791
    - list of, 517
  - Group Policy refresh intervals
    - for computers policy, 517
    - for domain controllers policy, 517

Group Policy settings, 485–486, 486, 491, 492  
 Group Policy slow link detection policy, 517  
 Group Policy Wizard, 495, 495  
 Groups dialog box, 370, 371  
 GUID partition table (GPT) disks, 638

## H

h-node  
 defined, 791  
 in WINS, 284  
 -h option  
 in pathping, 96  
 in tracert, 93  
 Handle Count counter, 709  
 Handling Unspecified Services page, 467, 467  
 hardware  
 failures in, 634  
 for performance, 712  
 requirements  
 DNS servers, 248  
 Windows Server 2003, 478–479  
 for server clusters, 658  
 support for, 479  
 hardware routers, 120  
 hardware routing, 48–49  
 Hash Algorithms setting, 575  
 hashing algorithms  
 defined, 791  
 in PKI, 559  
 selecting, 575  
 HBAs (host bus adapter), 643  
 headers  
 in IPSec, 381, 385, 697  
 in network packets, 43, 43  
 heartbeats in server clusters, 639  
 Hello Interval (Seconds) setting, 141  
 help  
 from experts, 162  
 Remote Assistance, 743–748, 744–745, 747–748  
 Help and Support Center, 744–745, 744–745  
 Hide the File Scan Progress window policy, 518  
 hierarchies  
 certificate, 563, 564, 783  
 IP addressing schemes, 52–53  
 high availability services, 27, 628  
 design for, 656–657  
 evaluating, 629–633, 630–631  
 exam essentials, 670  
 improvements in, 14–16  
 network load balancing in monitoring, 661–665, 662–664  
 planning, 28–29  
 review questions, 671–680  
 scalability methods, 635  
 server clusters for. *See* server clusters  
 summary, 669–670  
 threats to, 634–635  
 high-level security  
 defined, 791  
 for DNS servers, 252  
 Highly secure (Hisec\*.inf) template, 521  
 histogram view, 703, 704  
 host addresses, 57–61, 58  
 host bus adapter (HBAs), 643  
 host name resolution, troubleshooting, 256–257  
 common, 260  
 DCDIAG for, 265  
 DNS monitoring for, 257–259, 258  
 ipconfig for, 264  
 log files for, 265–266  
 NETDIAG for, 264  
 nslookup for, 260–264  
 host records  
 defined, 791  
 purpose of, 215–216  
 for stub zones, 212  
 host routes  
 defined, 791  
 in IP routing, 115  
 HTTP.SYS file, 698  
 hub-and-spoke design, 310, 311  
 hybrid addresses, 78

## I

-i option  
 in pathping, 96  
 in ping, 92  
 ICMP (Internet Control Message Protocol) echo requests, 91  
 ICS (Internet Connection Sharing), 11, 110  
 installing, 168–170, 169  
 vs. NAT, 167–168  
 Identity Management (IdM) platform, 7  
 IGMP (Internet Group Management Protocol), 122–123  
 IGMP proxy mode, 122–123  
 IGMP router mode, 122  
 Ignore All Routes In The Ranges Listed setting, 136  
 Ignore Routes From All Route Sources Except Those Selected option, 150–151  
 IIS (Web Application) Servers, 5, 454–455  
 IIS 6.0 metabase auditing in Service Pack 1, 9, 14  
 IKE (Internet Key Exchange)  
 defined, 792  
 for IPSec, 384  
 Import Template dialog box, 520, 527, 527  
 importing  
 certificates, 593, 612–614, 613–614  
 IPSec Policies, 407  
 security templates, 520–523, 527, 527  
 inbound filters  
 in L2TP, 158  
 for LANs, 128  
 Inbound Filters dialog box, 154–155, 155, 157, 158  
 inbound packets in NAT, 166, 167

## 828 inbound port mappings – IP Control Protocol (IPCP)

- inbound port mappings, 791
- Include All Certificates In The Certification Path If Possible option, 611
- Include Default Routes In Sent Announcements option, 138
- Include Host Routes In Sent Announcements option, 138
- #INCLUDE statement, 292–295
- Incoming Packet Protocol list, 135
- Increase Scheduling Priority right, 509
- Incremental backup type, 761
- incremental zone transfers (IXFRs)
  - defined, 791
  - purpose of, 224
- Indexing Service
  - implementing, 451
  - performance objects for, 720
- Information events
  - defined, 791
  - in Event Viewer, 729
- information hiding, 57
- inheritance
  - defined, 792
  - in GPOs, 486–487
- installing
  - AppleTalk, 46
  - CAs, 574–578, 575–578
  - Certificate Server, 574–580, 575–578
  - Certificates and Certification Authority, 578–580, 578
  - ICS, 168–170, 169
  - NAT, 170–173, 172–173
  - Network Monitor, 684–687, 685–687
  - RIP, 144–146, 145–146
  - Security Configuration Wizard, 461–462
  - WINS, 312
- instances of performance objects, 703
- int domain, 208
- integrity
  - defined, 792
  - in IPv6, 83
  - in PKI, 555
- Intel Speed Step, 8
- inter-forest replication, 330–331
- Interactive Logon security category, 511
- interfaces
  - for IP routing, 125–126
    - demand-dial, 128–133, 130–133
  - LAN, 126–128, 127, 129
  - OSPF, 139–141, 148–151, 148–150
  - RIP, 133–138, 134–135, 137–138, 144–146, 145–147
  - for NAT, 173–178, 175–178, 797
- intermediate CAs, 564
- Intermediate Certification Authorities folder, 602
- internal namespaces, 792
- internal routing
  - defined, 792
  - in internetworks, 114
- Internet
  - connectivity strategy, 19
  - and DNS, 207–208
- Internet API (ISAPI) in Windows 2000 Server, 5
- Internet Connection Sharing (ICS), 11, 110
- installing, 168–170, 169
- vs. NAT, 167–168
- Internet Control Message Protocol (ICMP) echo requests, 91
- Internet Explorer in Service Pack 1, 11
- Internet Explorer
  - Maintenance policy
  - processing policy, 517
- Internet Group Management Protocol (IGMP), 122–123
- Internet Key Exchange (IKE)
  - defined, 792
  - for IPSec, 384
- Internet Protocol (IP)
  - for dial-up services, 355
  - testing, 91–96
- Internet Protocol Security Extensions. *See* IPSec (IP Security)
- Internet Security Agreement/Key Management Protocol (ISAKMP)
  - defined, 792
  - working with, 384–385
- internetworks
  - defined, 792
  - in IP routing, 113–114, 114
- Interrupts/Sec counter, 712
- Intervals settings, 314–315, 314
- Intres.adm template, 488
- inverse queries, 221
- IP (Internet Protocol)
  - for dial-up services, 355
  - testing, 91–96
- IP addresses, 51–52
  - classes of, 53–54
  - in Dynamic DNS, 209
  - hierarchical scheme, 52–53
  - incorrect, 91
  - requirements of, 73
    - address assignment model, 74–77
    - automatic IP
      - configuration, 81
      - public and private addresses, 78–80
      - subnet structure, 77–78
    - schemes for, 18
    - translating. *See* NAT (Network Address Translation)
- IP Control Protocol (IPCP), 355

- IP datagrams
  - defined, 792
  - encapsulation in, 363
- IP Filter List dialog box, 414–416, 415
- IP Filter List page, 425, 425
- IP Filter List settings, 411, 411
- IP Filter Properties dialog box, 416, 417
- IP filters. *See* filters
- IP masquerading. *See* NAT (Network Address Translation)
- IP routing, 48, 111–112
  - border routing, 121–122, 121
  - dynamic, 49–51, 116–117, 117, 121
  - hardware vs. software, 48–49
  - interfaces for, 125–126
    - demand-dial, 128–133, 130–133
    - LAN, 126–128, 127, 129
    - OSPF, 139–141, 148–151, 148–150
    - RIP, 133–138, 134–135, 137–138, 144–146, 145–147
  - internetworks in, 113–114, 114
  - Logging settings for, 142–143, 143
  - managing, 124–125, 125
  - multicast routing, 122–123
  - operation of, 112–113, 113
  - Preference Levels settings for, 143–144, 144
  - routing tables in, 114–115
  - static, 49–51, 115–116, 151–153, 152–153
  - subnets in. *See* subnetting networks
  - troubleshooting, 159–162, 160–161
  - Windows Server 2003, 123–124
- IP security. *See* IPSec (IP Security)
- IP Security Filter Action Wizard, 418
- IP Security Monitor
  - description, 429
  - working with, 431, 432
- IP Security Policy Management, 429
- IP Security policy processing policy, 518
- IP Security Policy Wizard, 402–403, 403, 423, 423
- IP settings for remote access policies, 369, 371, 371
- IP spoofing
  - defined, 792
  - description, 83–84
- IP version 4 (IPv4), 47, 793
- IP version 6 (IPv6), 12, 82–83
  - address space in, 84–86
  - automatic configuration in, 87
  - benefits of, 83–84
  - defined, 793
- ipconfig utility
  - defined, 792
  - for DNS, 264
  - for TCP/IP, 88–89
- IPCP (IP Control Protocol), 355
- IPSec (IP Security), 12, 22–23
  - authentication in, 381, 426
    - for default response rule, 402, 403
    - methods for, 388–390
    - settings for, 412, 413
  - best practices, 427–428
  - clients, 379, 793
  - deploying, 395–398
  - evaluating, 378–380
  - example, 394–395
  - filters and filter actions in, 387–388, 414–416, 415–416
    - adding, 417–420, 417–418
    - managing, 414
    - for rules, 411, 411, 414
    - settings for, 411, 412
- IP Security Policy
  - Management console for, 398–401, 399–401
- monitoring
  - IP Security Monitor for, 431, 432
  - Network Monitor for, 697
- with NLB, 14–15
- policies in, 24, 386–394, 402
  - actions for, 417–420, 417–418
  - creating, 402–403, 403
  - deploying, 404–408, 405–406
  - filters for, 414–416, 415–416
  - General settings for, 408–410, 409
  - Rules settings for, 410–414, 410–413
  - testing, 434–435
  - in Transport Mode, 419–420, 419–420
- protocols for, 384–386, 385
- security in, 380–381
- servers, 793
- troubleshooting
  - best practices, 434–435
  - data transmission security, 428–429
  - event logs for, 432–434, 434
  - IP Security Monitor for, 431, 432
  - RSoP for, 429–430, 430–431
  - in Tunnel mode, 420–427, 421–427
  - in Windows 2000 Server, 5
  - in Windows Server 2003, 381–384
- IPSec Policy Agents, 793
- IPv4 (IP version 4), 47, 793

IPv4-compatible IPv6 addresses, 793

IPv4-mapped IPv6 addresses, 793

IPv6 (IP version 6), 12, 82–83

address space in, 84–86

automatic configuration in, 87

benefits of, 83–84

defined, 793

IRQ10, 718

ISAKMP (Internet Security Agreement/Key Management Protocol)

- defined, 792
- working with, 384–385

ISAKMP master keys, 384–385

ISAKMP SAs, 384–385

ISAPI (Internet API), 5

iSCSI systems, 637

Issue and Manage

- Certificates permission, 588

Issued Certificates folder, 579

issuing certificates, 608–609, 609

Itanium technology, 10, 477

Items To Back Up page, 581–582, 581, 752, 752

Items To Restore page, 582, 583

iterative queries, 213

- defined, 792
- vs. recursive, 220

IXFRs (incremental zone transfers)

- defined, 791
- purpose of, 224

---

**J**

- j option
  - in ping, 93
  - in tracer, 93
- jetpack.exe utility, 329
- Jp domain, 208

**K**

- k option in ping, 93
- KDCs (Key Distribution Centers)
  - DCDIAG for, 202
  - defined, 794
  - functions of, 388–389, 503
- Kerberos authentication
  - defined, 793
  - process, 388–389
  - for server-level security, 503–504
- Key Distribution Centers (KDCs)
  - DCDIAG for, 202
  - defined, 794
  - functions of, 388–389, 503
- key escrow method
  - defined, 794
  - in PKI, 572
- Key Exchange Settings dialog box, 409, 409
- Key Length setting, 576
- Key usage attribute, 570
- keys
  - defined, 793
  - ISAKMP, 384–385
  - in PKI, 558, 572
  - presared, 390
  - principles of, 554

**L**

- l option in ping, 92
- L2TP (Layer 2 Tunneling Protocol)
  - defined, 794
  - packet filters in, 158
- L2TP/IPSec (Layer 2 Tunneling Protocol over IPsec), 12, 364, 383
- LANs
  - managing, 126–128, 127, 129
  - for WINS replication, 304, 304
- Last field for counters, 702
- Layer 2 Tunneling Protocol (L2TP)
  - defined, 794
  - packet filters in, 158
- Layer 2 Tunneling Protocol over IPsec (L2TP/IPSec), 12, 364, 383
- LCP (Link Control Protocol), 354
- legacy compatibility for
  - Group Policy, 487–488
- Let Me Choose What To Back Up option, 751
- Level of Preference setting, 128
- Limit Windows file
  - protection cache size policy, 518
- limited replication
  - partnerships
    - defined, 794
    - in WINS, 303
- Link Control Protocol (LCP), 354
- link-local addresses
  - defined, 794
  - purpose of, 86
- link state maps
  - defined, 794
  - in OSPF, 119
- link state protocols
  - characteristics of, 51
  - defined, 794
- linking WINS replication partners, 323
- List Providers command, 763
- List Shadows command, 763
- List ShadowStorage command, 763
- List Volumes command, 763
- List Writers command, 763
- LMHOSTS file, 280
  - defined, 794
  - for NetBIOS name resolution, 291–295, 293
- Load And Unload Device Drivers right, 509

- load balancing
  - in DNS, 222–223
  - network. *See* NLB (Network Load Balancing)
- Local Area Connection
  - Properties page, 685–686, 685–686
- Local Computer Policy, 483
  - for IPSec deployment, 397
  - working with, 489, 489
- Local policies
  - creating, 483
  - defined, 794
  - for server-level security, 504
    - Audit, 504–507, 506–507
    - Security options, 510–513, 512
    - for security templates, 522
    - User Rights
      - Assignment, 507–510
  - Local policies option, 522
  - local quorum clusters
    - defined, 794
    - purpose of, 651
  - Local Resources settings, 738, 740
  - Local Security policies
    - defined, 794
    - purpose of, 483
  - Local Users and Groups, 736
  - Lock Pages in Memory right, 509
  - lockout policies, 501–503, 502
  - Log Detailed Events To Windows Event Log
    - option, 317
  - Log Errors And Warnings
    - option, 142–143
  - Log Errors Only option, 142
  - Log event when quota limit exceeded policy, 516
  - Log event when quota warning level exceeded policy, 516
- log files
  - CA, 581
  - for DNS, 265–266
  - for events
    - for DNS monitoring, 257, 258
    - for IPSec, 432–434, 434
    - for security templates, 522
  - in IP routing, 142–143, 143
  - server, monitoring, 727–733, 728, 730–732
  - in System Monitor, 707, 707
  - Log Files settings, 707, 707
  - Log On As A Batch Job right, 509
  - Log On As A Service right, 509
  - Log The Maximum Amount Of Information option, 143
  - Log users off when roaming
    - profile fails policy, 514
  - logging in DNS, 210
  - logging mode in RSoP, 430
  - Logging settings, 142–143, 143
  - LogicalDisk object, 716
  - logoff scripts, 515
  - logon events, auditing, 505
  - Logon policies
    - defined, 794
    - list of, 515–516
  - logon scripts, 515
  - logs for WINS, 333
  - low-level security
    - defined, 795
    - for DNS servers, 251
  - ls command in nslookup, 262
  - LUN masking, 637, 643, 644
- Machine certificate template
  - attribute, 570
- machine certificates
  - defined, 795
  - issuing, 389
- mail exchange (MX) records
  - defined, 795
  - purpose of, 217
- Mail (POP3) Servers, 455
- majority node set clusters, 639
  - defined, 795
  - purpose of, 651–652, 652
  - recovering from failures in, 668–669
- majority node set quorums, 655
- Manage Auditing And Security Log right, 509
- Manage CA permission, 588
- Manage Filter Actions
  - settings, 417–418, 417
- Manage IP Filter Lists And Filter Actions dialog box, 414, 415
- Manage IP Filter Lists settings, 414, 415
- Manage Your Server tool, 459–461, 460
- Management and Monitoring Tools dialog box, 687, 687
- management consoles, 382
- management services, 481
- manual WINS replication, 325
- mapping
  - in IPSec, 383
  - in NAT, 177
  - in NetBIOS name
    - resolution, 289–290, 290
  - in OSPF, 119
  - in WINS replication, 297
- masked bits
  - defined, 795
  - in subnets, 62
- Master Key Perfect Forward Secrecy (PFS) option, 409
- master keys in ISAKMP, 384–385

## 832 master servers in with NetBIOS – MS-CHAP (Microsoft CHAP)

- master servers in with NetBIOS, 280–281
- Maximum field for counters, 703
- Maximum Lifetime for Service Ticket policy, 504
- Maximum Lifetime for User Ticket policy, 504
- Maximum Lifetime for User Ticket Renewal policy, 504
- Maximum Number Of Records Verified Each Period setting, 316
- Maximum Password Age policy, 498–499
- Maximum retries to unload and update user profile policy, 514
- Maximum Tolerance for Computer Clock Synchronization policy, 504
- Maximum Transmission Unit (MTU) Size (Bytes) setting, 141
- MBSA (Microsoft Baseline Security Analyzer), 26
  - defined, 795
  - operation of, 535–537
  - troubleshooting, 537–538
- MCS (Microsoft Certificate Services)
  - defined, 795
  - history of, 552–553
- mean time between failures (MTBF), 633
- medium-level security
  - defined, 795
  - for DNS servers, 251
- Memory object, 701, 708–709
- memory subsystem, System Monitor for, 708–711
- Memory Usage option, 725
- metabase auditing, 9, 14
- metrics
  - defined, 795
  - in distance vector protocols, 50
  - in IP routing, 111
- #MH statement, 294
- Microsoft Baseline Security Analyzer (MBSA), 26
  - defined, 795
  - operation of, 535–537
  - troubleshooting, 537–538
- Microsoft Certificate Services (MCS)
  - defined, 795
  - history of, 552–553
- Microsoft CHAP (MS-CHAP)
  - defined, 796
  - description of, 360–361
- Microsoft Management Console (MMC)
  - creating, 494–497, 494–497
  - in Release 2, 7
  - for Security Policy, 488–491, 489–491
- Microsoft Network Client security category, 511
- Microsoft Network Server security category, 511
- Microsoft Operations Manager (MOM), 733
- Microsoft Software Update Services, 26, 532–535
- Microsoft Web Site, 31
- migrating
  - DNS, 225, 228
  - WINS services, 324
- mil domain, 207
- minimum and maximum time intervals setting, 128
- Minimum field for counters, 703
- Minimum Password Age policy, 498–499
- Minimum Password Length policy, 499
- mirrored filters
  - benefits of, 416
  - characteristics of, 414–415
  - defined, 796
- mismatches, policy, 435–436
- mission-critical functions, optimizing, 724
- MMC (Microsoft Management Console)
  - creating, 494–497, 494–497
  - in Release 2, 7
  - for Security Policy, 488–491, 489–491
- mobile users in WINS networks, 301–302
- Modify Firmware Environment Variables right, 509
- MOM (Microsoft Operations Manager), 733
- monitoring
  - DNS, 257–259, 258
  - IPSec
    - with IP Security Monitor, 431, 432
    - with Network Monitor, 697
  - network traffic. *See* network monitoring
  - routing status, 160–162, 160–161
  - system performance, 696–698
    - with Event Viewer, 727–733, 728, 730–732
    - with System applet, 724–725
    - with System Monitor. *See* System Monitor
    - with Task Manager, 726, 727
- WINS, 325
  - client traffic, 300–302
  - records, 326–327, 327–328
  - statistics, 326, 326
- Monitoring settings, 258, 258
- Monthly backup option, 757
- Mountvol utility, 643
- MS-CHAP (Microsoft CHAP)
  - defined, 796
  - description of, 360–361

- MS-RAS-Vendor option, 374
- \_msdcs domain, 223
- MSN Desktop Search, 451
- MTBF (mean time between failures), 633
- multicast addresses
- defined, 796
  - purpose of, 86
- multicast routing
- defined, 796
  - operation of, 122–123
- Multicast Scopes settings, 142
- Multilink settings, 369, 372, 372
- multimaster replication
- model
  - for Active Directory, 240
  - defined, 796
- multimedia services, 481
- multiple host filtering
- defined, 796
  - options for, 665
- multiple-instance
- applications
  - characteristics of, 641
  - defined, 796
- multiple processor
- configuration, 714–715, 714
- multiple sites
- server clusters in, 653–655, 653
  - WINS deployment for, 308–310, 308–309
- multipurpose servers, security templates for, 528–529
- mutual authentication
- defined, 796
  - in Kerberos, 388, 503
- MX (mail exchange) records
- defined, 795
  - purpose of, 217
- 
- N**
- n option
- in nbstat, 334
- in pathping, 96
- in ping, 92
- Name Age Timeout setting, 314
- name registration
- defined, 796
  - in NetBIOS name resolution, 285–286
- name releases
- defined, 797
  - in NetBIOS name resolution, 286–287
- name renewals
- defined, 797
  - in NetBIOS name resolution, 286
- name resolution
- defined, 797
  - in DNS, 220–224, 221
  - in NAT, 171, 181–182, 182
  - in WINS. *See* NetBIOS (Network Basic Input/Output System)
- name resolution components, 797
- Name Resolution settings, 181–182, 182
- Name Server (NS) records
- defined, 797
  - purpose of, 215
  - for stub zones, 212
- name servers
- defined, 797
  - in DNS, 206
- names
- domain controllers, 211
  - domains, 211
- namespaces in DNS, 226
- defined, 788
  - domain, 205–207, 206, 226–227
  - options for, 228–229
  - for Windows NT Server migration, 228
- NAP (Network Access Protection) service, 456
- NAS-Identifier option, 374
- NAS-IP-Address option, 374
- NAS-Port-Type option, 374
- NASs (Network Access Servers)
- defined, 798
  - RRAS servers as, 353
- NAT (Network Address Translation), 80, 110, 163–164, 163
- addressing components in, 797
  - defined, 797
  - editors for, 167, 797
  - in ICS, 167–168, 169
  - inbound packets in, 166, 167
  - installing, 170–173, 172–173
  - interfaces for, 173–178, 175–178, 797
  - for IPSec, 383
  - need for, 183
  - outbound packets in, 165–166, 166
  - in RRAS, 124, 172–173, 172–173
  - settings for
    - Address Assignment, 179, 181
    - Address Pool, 176–177, 176
    - Firewall, 175, 175
    - General, 179, 179
    - Name Resolution, 181–182, 182
    - Services And Ports, 177–178, 178
    - Translation, 179, 180
  - in Windows Server 2003, 165
- NAT address pools, 797
- NBMA (non-broadcast multiple access) routers
- defined, 798
  - in OSPF, 140, 141
- NBMA Neighbors settings, 140, 141
- NBNS (NetBIOS name server)
- defined, 798
  - in WINS, 282

## 834 NBT (NetBIOS over TCP/IP) – network routes

- NBT (NetBIOS over TCP/IP)
  - defined, 798
  - limitations of, 282
- nbstat utility
  - defined, 797
  - for name registrations, 301
  - for WINS troubleshooting, 334–335
- Neighbor Discovery, 86
- Neighbors settings, 136, 137
- .NET application services, 481
- net domain, 207
- /net parameter, 695
- NetBEUI protocol, 46–47
- NetBIOS (Network Basic Input/Output System), 46
  - defined, 798
  - name resolution in, 280–281
    - LMHOSTS for, 291–295, 293
    - name registration in, 285–286
    - name releases in, 286
    - name renewals in, 286–287
    - for non-WINS clients, 289–291, 290
    - operation of, 282–284
    - resolution in, 287
    - in Windows Server 2003, 284
    - WINS database in, 287–288
    - WINS proxy agents for, 290–291
    - WINS replication in, 295–297
- NetBIOS name server (NBNS)
  - defined, 798
  - in WINS, 282
- NetBIOS naming protocol
  - defined, 797
  - purpose of, 280
- NetBIOS over TCP/IP (NBT)
  - defined, 798
  - limitations of, 282
- NetBT protocol, 280
- NETDIAG tool, 264
- NETLOGON service, 202
- netmask ordering for load balancing, 222–223
- netsh command, 281, 383–384
- network access, 352
  - exam essentials, 436–437
  - IP security for. *See* IPSec (IP Security)
  - remote access. *See* remote access
  - review questions, 438–446
  - summary, 436
- Network Access Protection (NAP) service, 456
- Network Access security category, 511
- Network Access Servers (NASs)
  - defined, 798
  - RRAS servers as, 353
- Network Address Translation. *See* NAT (Network Address Translation)
- network analyzers, 683
- Network Basic Input/Output System. *See* NetBIOS (Network Basic Input/Output System)
- network connectivity, 110
  - exam essentials, 183–185
  - failures in, 634–635
  - filtering in. *See* filters
  - improvements in, 10–12
  - Internet, 19
  - IP routing in. *See* IP routing
  - NAT in. *See* NAT (Network Address Translation)
  - private addressing, 164
  - review questions, 186–193
  - summary, 182–183
- Network Diagnostics tool, 684
- Network Interface object, 717
- Network Load Balancing. *See* NLB (Network Load Balancing)
- Network Load Balancing Manager, 14–15, 661, 662, 665
- Network Monitor tool, 683, 688–689, 688
  - capturing data in, 689–690, 690, 697
  - from command line, 695–696
  - installing, 684–687, 685–687
  - viewing data in, 690–695, 693–694
- network monitoring, 29–30, 682–684
  - exam essentials, 767
  - network load balancing, 661–665, 662–664
  - with Network Monitor. *See* Network Monitor tool
  - review questions, 768–777
  - summary, 766–767
  - system performance, 696–698
    - with Event Viewer, 727–733, 728, 730–732
    - with System applet, 724–725
    - with System Monitor. *See* System Monitor
    - with Task Manager, 726, 727
- network packets, 42–43, 43
- network protocols, 41–42, 41
  - binding, 43, 802–803
  - connectionless vs. connection-oriented, 44–46
  - for IPSec, 384–386, 385
  - network packets in, 42–43, 43
  - operation of, 42
  - in Windows Server 2003, 46–48
- network routes
  - defined, 798
  - in IP routing, 115

- Network Security page, 468, 468
  - Network Security security category, 511
  - Network Type page, 425, 425
  - Network Type settings, 140
  - Networking settings, 726, 727
  - networks, 2
    - access to. *See* network access
    - addresses in, 52–53, 57–61, 58. *See also* IP addresses
    - bridging, 11
    - connectivity. *See* network connectivity
    - defined, 798
    - defining, 3–4, 3
    - exam essentials, 32
    - high server availability. *See* high availability services
    - Microsoft Web Site for, 31
    - monitoring. *See* network monitoring
    - protocols for. *See* network protocols
    - review questions, 33–38
    - secure data flow, 21
      - remote access strategy, 21–22
      - security, 22–24
    - security infrastructure, 24–25
      - authentication through certificate services, 27
      - policy-based security for server roles, 25
      - security update infrastructure, 25–26
    - summary, 31–32
    - TCP. *See* TCP/IP protocol
    - topologies
      - address assignments by, 78
      - defined, 798
      - designing, 18
      - TCP/IP in, 17
  - in Windows Server 2003, 4–5
    - configuration and connectivity improvements, 10–12
    - data security improvements, 12–13
    - high availability improvements, 14–16
    - security infrastructure improvements, 14
    - services, 480
  - New Remote Access Policy Wizard, 375–377, 375–377
  - New Routing Protocol dialog box
    - for NAT, 173, 173
    - for RIP and OSPF, 145, 145
  - New Security Method dialog box, 419, 419
  - New Static Route command, 151
  - next hops, 49
  - N+I configuration
    - defined, 796
    - description, 647, 648
  - NLB (Network Load Balancing), 14–15
    - defined, 798
    - for high server availability monitoring, 661–665, 662–664
    - planning, 28–29, 660–661
    - remote administration of, 665–666
    - and round robin DNS, 661
  - NLB (Network Load Balancing) clusters
    - defined, 798
    - working with, 629–630, 631
  - No Override option, 487
  - nodes in server clusters, 629, 639
  - non-broadcast multiple access (NBMA) routers
    - defined, 798
    - in OSPF, 140, 141
  - non-WINS clients, NetBIOS name resolution for, 289–291, 290
  - nonclusterable applications, 28
  - noncontiguous subnets
    - defined, 798
    - planning, 75–76
  - None affinity option, 665
  - nonrecursive DNS servers
    - defined, 798–799
    - vs. forward-only, 247
  - nonrepudiation
    - defined, 799
    - in PKI, 555–556
  - Normal backup type, 761
  - NS (Name Server) records
    - defined, 797
    - purpose of, 215
    - for stub zones, 212
  - nslookup tool, 257
    - defined, 799
    - for DNS, 260–264
  - NT LAN Manager (NTLM), 201
  - NT Server migration
    - DNS namespaces for, 228
    - WINS services, 324
  - Number Of Changes In Version ID Before Replication setting, 319
  - Number of Retries setting, 320
  - number of servers needed
    - for DNS, 250
    - for WINS, 298–299
  - NWLink protocol
    - defined, 799
    - purpose of, 47
- 
- O**
- o option in pathping, 96
  - Oakley protocol, 384–385
  - object access, auditing, 505

## 836 octets in IP addressing – partners in WINS replication

- octets in IP addressing, 52
  - Offer Remote Assistance
    - Policy Properties dialog box, 746, 747
  - offline compaction
    - defined, 799
    - WINS database, 329
  - on-link prefixes, 799
  - Once backup option, 757
  - one-time pads (OTPs), 554
  - online compaction
    - defined, 799
    - WINS database, 329
  - Open Database dialog box, 520
  - Open Ports and Approve Applications page, 469, 469
  - Open Shortest Path First protocol. *See* OSPF (Open Shortest Path First) protocol
  - Open Systems Interconnect (OSI) model, 41, 41, 800
  - opening security templates, 524
  - Operation Mode list, 134
  - optimizing
    - monitoring for. *See* monitoring
    - system performance, 696–698
      - with Event Viewer, 727–733, 728, 730–732
      - with System applet, 724–725
      - with System Monitor. *See* System Monitor
      - with Task Manager, 726, 727
  - Options dialog box
    - for backups, 760–761, 760
    - for GPOs, 486–487, 487
  - order of IPsec policy application, 406–407
  - org domain, 207
  - organization charts, address assignments by, 78
  - organizational units (OUs)
    - in Active Directory design, 201
    - defined, 799
    - designing, 523, 600
  - OSI (Open Systems Interconnect) model, 41, 41, 800
  - OSPF (Open Shortest Path First) protocol, 51, 119–120, 121
    - Advanced settings for, 140–141, 142
    - Areas settings for, 149, 149
    - defined, 799
    - External Routing settings for, 149–151, 150
    - General settings for, 139–140, 139, 148, 148
    - interfaces, 139
    - NBMA Neighbors settings for, 140, 141
    - Virtual Interfaces settings for, 149
  - OTPs (one-time pads), 554
  - OUs (organizational units)
    - in Active Directory design, 201
    - defined, 799
    - designing, 523, 600
  - Outbound Authentication Methods page, 471, 471
  - Outbound Authentication using Domain Accounts page, 472, 472
  - outbound filters
    - in L2TP, 158
    - for LANs, 128
  - outbound packets
    - in NAT, 165–166, 166
    - in RIP, 134
  - Outgoing Packet Protocol list, 134
  - Outgoing Port setting, 178
  - Outlook Express, 11–12
  - Overwrite Unique Static Mappings At This Server (Migrate On) option, 289, 319
  - owner-version mapping tables
    - defined, 800
    - in WINS replication, 297
- 
- P**
- p-node
    - defined, 801
    - in WINS, 284
  - packets, 42–43, 43
    - authenticating
      - defined, 800
      - in IPv6, 83
    - confidentiality in, 800
    - defined, 45, 800
    - filters for, 154
      - creating, 154–156, 155
      - defined, 800
      - in RRAS, 124
      - VPN, 156–158, 158
    - integrity of, 800
    - in IPv6, 84
    - payloads in, 43, 800
  - page files
    - defined, 800
    - performance of, 708
  - Pages/Sec counter, 701, 708–709
  - paging, 708
  - Paging File object, 708–710
  - PAP (Password Authentication Protocol)
    - defined, 801
    - description of, 361
  - partitioned applications
    - defined, 800
    - for server clusters, 642, 642
  - partitions in DNS, 211
  - Partner Only documents, 204
  - partners group, 204
  - partners in WINS replication, 296–297
    - adding, 322–323
    - controlling, 318, 323, 323, 325
    - defined, 804
    - in manual replication, 325
    - planning, 302–307, 304–305

- settings for
  - Advanced, 321–322, 321, 323, 325
  - General, 318–319, 319
  - Pull Replication, 320, 320
  - Push Replication, 319–320, 320
- passthrough actions
  - defined, 801
  - for IP filters, 387
- Password Authentication Protocol (PAP)
  - defined, 801
  - description of, 361
- Password policies
  - defined, 801
  - for server-level security, 498–500, 500
- Password setting
  - in OSPF, 140
  - in RIP, 135
- passwords for certificates, 613
- Passwords Must Meet Complexity Requirements policy, 499
- PAT (Port Address Translation), 80
- pathing utility
  - defined, 801
  - for IP communications, 95–96
- payloads in network packets, 43
- peer filters, 118, 801
- Pending Requests folder, 579, 592
- Perform Analysis dialog box, 527, 527
- Perform Automatic Testing At The Following Interval option, 258
- Perform Volume Maintenance Tasks right, 509
- performance, 84
  - monitoring for. *See* monitoring
- optimizing, 696–698
  - with Event Viewer, 727–733, 728, 730–732
  - with System applet, 724–725
  - with System Monitor. *See* System Monitor
  - with Task Manager, 726, 727
- of replication, 241
- in Service Pack 1, 9
- of WINS servers, 298–299
- performance counters, 701–702
  - defined, 801
  - for disk objects, 715–716
  - for memory objects, 708–709
  - for network services, 719–720
  - for network subsystem, 718–719
  - for processor objects, 712–713
- Performance Options dialog box, 724–725, 725
- Performance utility, 700
- Periodic Announcement Interval (Seconds) setting, 137
- periodic update mode
  - defined, 801
  - in RIP, 119
- permissions
  - for CAs, 587–588, 588
  - for templates, 589–590, 589–590
  - for zones, 234–235
- Permit action, 387
- Personal Folder, 602
- Phone Number page, 132
- PhysicalDisk object, 701, 715–716
- ping utility
  - defined, 801
  - for IP communications, 91–93
- PKI (Public Key Infrastructure), 389, 554–556
  - certificates in, 560–561
    - attributes for, 569–570
    - CAs, 563–566, 564
    - services, 566–567, 567
    - templates, 570–571
  - concepts in, 556–557
  - CSPs in, 568
  - CTLs in, 569
  - defined, 803
  - digital signatures in, 559–560
  - elements of, 561–562
  - policy and exit modules in, 568–569
  - public key cryptography in, 558
  - recovery keys in, 572
  - secret key cryptography in, 558
  - SGC in, 572
  - smart cards in, 573
  - in Windows 2000 Server, 5
- PKI-aware applications, 562
- Place All Certificates In The Following Store option, 614
- placement of DNS servers, 249–250
- planning mode in RSOP, 430
- Plug and Play with NetBIOS, 280
- PMC (Print Management Console)
  - purpose of, 451–452
  - in Release 2, 7
- Point-to-Point Protocol (PPP)
  - defined, 801
  - for dial-up services, 354–355, 356
- Point-to-Point Protocol over Ethernet (PPPoE), 11
- point-to-point routers
  - defined, 801
  - in OSPF, 140

## 838 Point-to-Point Tunneling Protocol (PPTP) – ProcessExplorer tool

- Point-to-Point Tunneling Protocol (PPTP)
  - defined, 802
  - operation of, 364
  - packet filters for, 156–158, 158
- pointer (PTR) records
  - defined, 801
  - purpose of, 216
- poison-reverse setting, 138
- policies
  - auditing changes to, 505
  - group. *See* Group Policy and Group Policy Objects (GPOs)
  - IPSec, 24, 386–394, 402
    - actions for, 417–420, 417–418
    - creating, 402–403, 403
    - deploying, 404–408, 405–406
    - filters for, 414–416, 415–416
    - General settings for, 408–410, 409
    - Rules settings for, 410–414, 410–413
    - testing, 434–435
    - in Transport Mode, 419–420, 419–420
  - remote access, 366–367
    - creating, 374–378, 375–377
    - default, modifying, 367–373, 368–373
    - defined, 804
    - for Remote Assistance, 746–748, 747–748
  - Security Configuration Wizard for, 462–475, 462–475
  - server-level security
    - Account, 498–504, 500, 502
    - deploying, 529–531
    - Local, 504–513, 506–507, 512
    - Public Key, 513
    - Security. *See* Security Policy
    - policy-based security for server roles, 25
    - Policy Configuration Method page, 375, 375
    - Policy Encryption Level page, 376, 377
    - Policy Module settings, 584, 585
    - policy modules
      - for CAs, 584, 585
      - defined, 802
      - in PKI, 568–569
    - Poll Interval (Seconds) setting, 141
    - Pool Nonpaged Allocs counter, 709
    - Pool Nonpaged Bytes counter, 709
    - POP3 (Mail) Servers, 455
    - Port Address Translation (PAT), 80
    - port mappings
      - defined, 802
      - for NAT, 177
    - port number setting for NAT, 178
    - Port Rules settings, 663, 664
    - Post Office Protocol, version 3 (POP3), 455
    - post setup security updates, 8
    - PPP (Point-to-Point Protocol)
      - defined, 801
      - for dial-up services, 354–355, 356
    - PPP frames, 363
    - PPPoE (Point-to-Point Protocol over Ethernet), 11
    - PPTP (Point-to-Point Tunneling Protocol)
      - defined, 802
      - operation of, 364
      - packet filters for, 156–158, 158
      - pre-shared keys, 802
      - #PRE statement, 293–295
      - predictability in Release 2, 7
      - Preference Levels setting, 143–144, 144
      - Preserve Existing Certificate
        - Database option, 577
      - preshared keys, 390
      - primary command in DNS, 219
      - primary DNS servers
        - characteristics of, 212
        - defined, 802
      - primary WINS servers
        - addresses for, 285
        - defined, 802
      - primary zones
        - characteristics of, 230
        - defined, 802
      - Print Management Console (PMC)
        - purpose of, 451–452
        - in Release 2, 7
      - print servers
        - performance objects for, 720, 722–723
        - purpose of, 451–452
        - privacy in PKI, 555
      - Private Address setting, 178
      - private addresses, 164
        - defined, 802
        - vs. public, 78–80
      - Private Bytes counter, 709
      - Private Interface Connected To Private Network option, 175
      - Private Key And CA
        - Certificate setting, 581
      - private keys
        - defined, 802
        - in PKI, 558
      - private namespaces, 229
      - privilege use, auditing, 505
      - Process Default Routes In
        - Received Announcements option, 138
      - Process Host Routes In
        - Received Announcements option, 138
      - Process objects, 709
      - process tracking, auditing, 505
      - ProcessExplorer tool, 725

- Processing Security
    - Configuration Database
      - page, 464, 464
    - processor affinity
      - defined, 802
      - for optimizing, 714–715
    - Processor object, 701, 712–713
    - Processor Queue Length
      - counter, 712
    - Processor Scheduling option, 724
    - processor subsystem, System Monitor for, 711–715, 714
    - % Processor Time counter, 701, 712
    - Profile Single Process right, 509
    - Profile System Performance right, 510
    - Programs settings, 738, 740
    - promiscuous mode
      - defined, 802
      - drivers for, 683
    - Prompt user when slow link is detected policy, 514
    - protocol security, 22
      - planning, 22–23
      - in remote access security, 362–365, 363, 366
    - Protocol settings
      - for IPSec filters, 416, 417
      - for NAT, 177
    - protocol stacks, 41
    - protocol suites, 41
    - protocols, network, 41–42, 41
      - binding, 43, 802–803
      - connectionless vs. connection-oriented, 44–46
      - for IPSec, 384–386, 385
      - network packets in, 42–43, 43
      - operation of, 42
      - in Windows Server 2003, 46–48
    - Protocols And Security page, 132, 132
    - providers, authentication, 359–361
    - proxy agents, 290–291, 813
    - PTR (pointer) records
      - defined, 801
      - purpose of, 216
    - Public Address group, 177
    - public addresses
      - defined, 803
      - vs. private, 78–80
    - Public and Private Key Pair Selection page, 575, 576
    - Public Interface Connected To The Internet option, 175
    - public key certificates
      - defined, 803
      - working with, 389
    - public key cryptography
      - defined, 803
      - in PKI, 558
    - Public Key Infrastructure. *See* PKI (Public Key Infrastructure)
    - Public Key Policies, 513
    - public keys
      - defined, 803
      - in PKI, 558
    - public namespaces, 229
    - publishing CRLs, 598–599, 598–599
    - pull partners
      - defined, 803
      - in WINS replication, 296–297, 303
    - Pull Replication settings, 320, 320
    - pull replication triggers
      - defined, 803
      - description, 297
      - in WAN replication, 306–307
    - purposes for certificates, 604, 605
    - push partners
      - defined, 803
      - in WINS replication, 296–297, 303
    - push-pull partners
      - defined, 803
      - in WINS replication, 303
    - Push Replication settings, 319–320, 320
    - push replication triggers
      - defined, 803
      - description, 296
      - in LAN replication, 303
      - in WAN replication, 306–307
- 
- Q**
- q option in pathing, 96
  - quads in IP addressing, 52
  - quarantines in Service Pack 1, 9, 11
  - queries
    - DNS, 213, 220–222, 221
    - for services, 223–224
  - /quickfilter parameter, 696
  - quorum resources, 650–653, 652, 655
    - corruption of, 667
    - defined, 804
    - in server clusters, 639
  - Quota Management, 13
- 
- R**
- r option
    - in nbtstat, 334
    - in ping, 92–93
    - in tracert, 93
  - RADIUS (Remote Authentication Dial-In User Service)
    - defined, 804
    - with RRAS, 359
  - RAM requirements, 478
  - random address allocation, 78
  - random failover policies, 650
  - rating routes, 111
  - Read permission for CAs, 588
  - Receive All Packets Except Those That Meet The Criteria Below option, 154
  - Record Mapping settings, 327, 327

## 840 Record Owners settings – random.exe tool

- Record Owners settings, 327, 328
- Record Types settings, 327, 328
- records
  - DNS, 214
  - WINS
    - deleting and tombstoning, 330
    - monitoring, 326–327, 327–328
    - resource, 236–238, 805
- recovery
  - ASR for, 763–766, 764–765
  - domain controller, 766
  - planning, 30
  - server cluster failures, 667–669
- recovery agents
  - defined, 804
  - in PKI, 572
- Recovery Console security
  - category, 511
- recovery keys
  - defined, 804
  - in PKI, 572
- recursive queries, 213, 220
- Recursive To Other DNS
  - Servers option, 258
- reduced network traffic, subnetting for, 55
- /registerdns option, 89
- Registry option, 522
- Registry policy processing
  - policy, 517
- Registry Settings page, 470, 470
- Registry Settings Summary
  - page, 472, 472
- RegMon tool, 725
- rekeying certificates, 610
- relay agents, 81, 787
- Release 2
  - new features in, 637
  - performance enhancements in, 698–699
  - Windows Server 2003, 6–8, 477
- /release option, 89
- releases, name, 286–287, 797
- reliability
  - in availability, 633
  - defined, 804
- remote access
  - policies for, 366–367
    - creating, 374–378, 375–377
    - default, modifying, 367–373, 368–373
    - defined, 804
  - in SCW, 10
  - security for
    - evaluating, 352–353
    - protocol security in, 362–365, 363, 366
    - remote access services, 353–358, 356–357
    - user authentication in, 358–362, 359–360, 362
  - services for, 353
    - dial-up, 354–355, 356
    - VPNs, 356–358, 357
  - strategy for, 21–22
- remote administration
  - of network load balancing, 665–666
- secure, 29
  - enabling, 736–737, 737
  - Remote Assistance, 743–748, 744–745, 747–748
  - Remote Desktop
    - Connection, 738–741, 738–741
    - Remote Desktop for Administration, 734–736
  - Remote Assistance Settings
    - dialog box, 743–744, 744
  - Remote Assistance tool, 734, 743
    - defined, 804
    - operation of, 743–745, 744–745
    - securing, 746–748, 747–748
- Remote Assistance window, 745, 745
- Remote Authentication
  - Dial-In User Service (RADIUS)
    - defined, 804
    - with RRAS, 359
- remote computers for
  - identifying system bottlenecks, 711
- Remote Desktop Connection, 735, 738, 738
  - Display settings for, 738, 739
  - Experience settings for, 741, 741
  - General settings for, 738, 739
  - Local Resources settings for, 738, 740
  - Programs settings for, 738, 740
  - working with, 741–742
- Remote Desktop for
  - Administration, 15, 734–735
  - components of, 735–736
  - defined, 804
  - security for, 735
- Remote Desktop Users dialog
  - box, 737, 737
- Remote Desktop Users
  - group, 736
- Remote Desktop Web
  - Connection, 736
- Remote settings
  - for remote administration, 737, 737
  - for Remote Assistance, 748
- Remove Computer From
  - Docking Station right, 510
- Remove TCP Mapping After
  - (Minutes) setting, 179
- Remove UDP Mapping After
  - (Minutes) setting, 179
- renaming
  - domain controllers, 211
  - domains, 211
- random.exe tool, 211

- Renew CA Certificate dialog box, 583–584, 583
- renew intervals
  - defined, 804
  - for WINS servers, 299, 314
- /renew option in ipconfig, 89
- renewing
  - certificates, 583–584, 583, 610
  - names, 286
- Replace a Process Level Token right, 510
- replay attacks, IPsec for, 381
- Replicate Only With Partners option, 318
- replication
  - Active Directory, 240–241, 780
  - geographical site-to-site, 654
  - performance for, 241
  - WINS, 295–297
    - inter-forest, 330–331
    - partners in. *See* partners in WINS replication
    - zones, 239–243
- Replication Interval setting, 320
- report view in System Monitor, 703–704, 704
- reports in System Monitor, 704–708, 704, 707
- Request A Certificate task, 608
- Request certificates
  - permission, 588
- requesting certificates, 606–609, 606–607, 609
- Requests For Secure
  - Communication page, 402, 403
- Require LDAP Signing page, 471, 471
- Require SMB Security
  - Signatures page, 470, 470
- Reset Account Lockout
  - Counter After policy, 501
- /resetquorumlog parameter, 668
- resetting routing tables, 117
- Resize ShadowStorage
  - command, 763
- resolvers
  - defined, 804
  - DNS, 213, 220
- resource groups
  - defined, 805
  - in server clusters, 639
- resource records (RRs)
  - defined, 805
  - in DNS, 214–218
  - in WINS, 236–238
- resources
  - defined, 805
  - in server clusters, 639
- Restore Defaults option, 315
- Restore Files And Directories
  - right, 510
- Restore Wizard, 755–756, 756
- restoring CA data, 582–583, 582
- Resultant Set of Policy (RSOP) tool, 12, 24, 382, 429–430, 430–431
- Retransmit Interval (Seconds)
  - setting, 141
- reverse lookup
  - files for, 218–219, 805
  - resource records for, 216
- review questions
  - certificates, 618–626
  - DNS, 268–278
  - high availability services, 671–680
  - network access, 438–446
  - network connectivity
    - strategy, 186–193
  - network infrastructure, 33–38
  - network monitoring,
    - remote administration, and backups, 768–777
  - server-level security, 540–550
- TCP/IP network
  - infrastructure, 100–107
  - WINS, 337–349
- Revoked Certificates folder, 579
- revoking certificates, 561, 596–599, 598–599
- Rights Management Server (RMS), 555
- RIP (Routing Information Protocol), 50, 117–119
  - defined, 805–806
  - installing, 144–146, 145–146
  - interfaces, 133
  - settings for
    - Advanced, 137–138, 138
    - General, 134–135, 134, 146, 147
    - Neighbors, 136, 137
    - Security, 135–136, 135, 146, 147
- RMS (Rights Management Server), 555
- Role-Based Service
  - Configuration page, 465, 465
- Role Removal Confirmation
  - page, 458–459, 458
- roles
  - CA, 565–566
  - server, 450–457
    - Configure Your Server Wizard for, 457–459, 458
    - Manage Your Server tool for, 459–461, 460
    - Security Configuration Wizard for, 461–475
    - security for, 25
  - rollback in SCW, 10
  - root CA certificates,
    - importing, 593
  - root certificate authorities
    - defined, 805
    - description, 563–564, 564
    - role of, 566
  - root servers
    - defined, 805
    - purpose of, 213

## 842 rootsec.inf (System root security) template – security

- rootsec.inf (System root security) template, 522
  - round robin ordering, 222–223, 661
  - route add command, 151–152, 161
  - route filters
    - defined, 805
    - in OSPF, 120
  - Route Filters option, 151
  - route print command, 161
  - route summarization
    - defined, 805
    - vs. flat routing, 75
  - routed networks, mobile users in, 301–302
  - router discovery, 116
  - router discovery messages
    - defined, 805
    - enabling, 127
  - Router Identification setting, 148
  - Router Priority setting, 140
  - routers
    - in OSPF, 140
    - software and hardware, 120
  - routes, tracing, 93–95
  - routing, 110
    - defined, 805
    - IP. *See* IP routing
    - monitoring, 160–162, 160–161
    - planning, 19
  - Routing and Remote Access Service (RRAS)
    - defined, 805
    - features of, 123–124, 125
    - for NAT, 172–173, 172–173
    - for static routes, 152–153, 152
  - Routing and Remote Access Service (RRAS) servers, 353
    - access control for, 365, 366
    - purpose of, 456
  - Routing Information Protocol (RIP). *See* RIP (Routing Information Protocol)
  - routing metrics
    - defined, 795
    - in distance vector protocols, 50
    - in IP routing, 111
  - routing tables
    - defined, 806
    - in IP routing, 114–115, 117
  - RR option in nbtstat, 334
  - RRAS (Routing and Remote Access Service)
    - defined, 805
    - features of, 123–124, 125
    - for NAT, 172–173, 172–173
    - for static routes, 152–153, 152
  - RRAS (Routing and Remote Access Service) servers, 353
    - access control for, 365, 366
    - purpose of, 456
  - RRs (resource records)
    - defined, 805
    - in DNS, 214–218
    - in WINS, 236–238
  - RSoP (Resultant Set of Policy) tool, 12, 24, 382, 429–430, 430–431
  - RSoP Wizard, 430
  - Rules settings, 410–414, 410–413, 424, 424
  - Run these programs at user logon policy, 515
- 
- S**
- s option
    - in nbtstat, 334
    - in ping, 93
    - in tracert, 94
  - SANs (Storage Area Networks), 637, 639
    - defined, 809
    - working with, 642–643, 644
  - SAs (security associations)
    - defined, 807
    - for IPSec, 384–385
  - Save Policy File Name page, 475, 475
  - Save Security Policy page, 474, 474
  - scalability, 628–632
    - in IPv6, 83
    - methods for, 635
  - scaling out, 635, 806
  - scaling up, 635, 806
  - scheduling backup jobs, 757
  - scope of IP addresses, 81
  - scripts in Group Policy, 515
  - Scripts policy processing policy, 517
  - SCW (Security Configuration Wizard), 9–10, 14, 807
    - installing, 461–462
    - for policies, 462–475, 462–475
  - SCW user interface, 461–462
  - SCW Viewer, 464, 464
  - Scwcmd.exe tool, 462
  - searches, server, 451
  - secondary command in DNS, 220
  - secondary DNS servers
    - characteristics of, 212
    - defined, 806
  - secondary WINS servers
    - addresses for, 285
    - defined, 806
  - secondary zones
    - characteristics of, 230
    - creating, 239–240
    - defined, 806
  - secret key cryptography
    - defined, 806
    - in PKI, 558
  - secret keys, 557
  - Secure (Secure\*.inf) template, 521
  - Secure by default concept, 5
  - Secure Server (Require Security) policy, 391–394
  - security, 24–25
    - authentication for. *See* authentication
    - for data flow, 21–24
    - defined, 807

- for demand-dial connections, 129
- for DNS servers, 250–252
- for dynamic updates, 233, 807
- encryption for. *See* encryption
- immutable laws of, 450
- improvements in, 12–13
- in IPSec. *See* IPSec (IP Security)
- in IPv6, 83–84
- network access. *See* network access
- protocol, 22–23, 362–365, 363, 366
- for remote administration, 29
  - enabling, 736–737, 737
  - Remote Assistance, 743–748, 744–745, 747–748
  - Remote Desktop Connection, 738–741, 738–741
  - Remote Desktop for Administration, 734–736
- server-level. *See* server-level security
- for server roles, 25
- services for, 479–480
- updates for, 25–26
- in WINS, 300
- for zones, 233–235, 241–242
- security associations (SAs)
  - defined, 807
  - for IPSec, 384–385
- Security Configuration and Analysis tool, 519
  - database for, 519–520, 520, 526
  - defined, 807
  - for importing security templates, 520–523
  - for IPSec, 429
  - review and discrepancies with, 524–527, 525–527
  - security analysis with, 524
- Security Configuration Database, 462
- Security Configuration Wizard (SCW), 9–10, 14, 807
  - installing, 461–462
  - for policies, 462–475, 462–475
- security databases
  - defined, 807
  - for Security Configuration and Analysis tool, 519–520, 520, 526
- Security log
  - defined, 807
  - purpose of, 728
- security methods
  - defined, 807
  - in IPSec, 385–386, 418, 418
- Security Methods settings, 418, 418
- Security options
  - defined, 807
  - for server-level security, 510–513, 512
- Security permissions
  - attribute, 570
- Security Policy, 483–484
  - Account policies for, 498–504, 500, 502
  - defined, 807
  - Group Policy and Active Directory, 484–497, 486–487, 489–497
  - Local policies for, 504–513, 512
  - MMC consoles for, 488–491, 489–491
  - Public Key Policies, 513
  - system options, 513–517
- Security Policy Management console, 398–401, 399–401
- Security policy processing policy, 518
- Security Rule Wizard, 424–427, 424–427
- Security settings
  - for CAs, 587–588, 588
  - for RIP, 135–136, 135, 146, 147
  - for user authentication, 358, 359
- security templates
  - best practices, 523
  - creating, 526, 528–529
  - defined, 807
  - importing, 520–523, 527, 527
  - opening, 524
- Segment/Sec counter, 718
- Select A Device page, 131, 131
- Select A Network window, 688, 688
- Select Additional Services page, 467, 467
- Select Administration and Other Options page, 466, 466
- Select Attribute dialog box, 370, 370
- Select Client Features page, 466, 466
- Select Computer dialog box
  - for GPOs, 496, 496
  - for IPSec, 400, 400
- Select Groups dialog box, 371, 371
- Select Network Component Type dialog box, 685, 685
- Select Network Protocol dialog box, 686, 686
- Select Server page, 463, 463
- Select Server Roles page, 465, 465
- Select The Method For Sending E-Mail Invitations setting, 748
- Send Clean-Up Updates When Stopping option, 138
- server clusters, 629–632, 630–631
  - application deployment for, 641–650, 641–642, 646–649

## 844 Server Gated Cryptography (SGC) – Show IP Routing Table command

- backing up, 666
- best practices for, 658–659
- business and application requirements, 640–641
- capacity of, 644–646, 646–647
- cluster models for, 650–653, 652
- cluster node failure in, 666
- defined, 807
- documentation for, 660
- failover policies for, 647–650, 648–649
- multisite, 653–655, 653
- networking, 656–658
- in NLB, 660–666, 662–664
- planning, 638
- recovering from failures, 667–669
- storage methods for, 642–643, 644
- terminology for, 639–640
- Server Gated Cryptography (SGC), 572
- server-level security, 448–449
  - exam essentials, 539
  - policies
    - Account, 498–504, 500, 502
    - deploying, 529–531
    - Local, 504–513, 506–507, 512
    - Public Key, 513
    - Security. *See* Security Policy
  - review questions, 540–550
  - roles in, 450–457
    - Configure Your Server Wizard for, 457–459, 458
    - Manage Your Server tool for, 459–461, 460
    - Security Configuration Wizard for, 461–475
- Security Configuration and Analysis tool. *See* Security Configuration and Analysis tool
- summary, 538–539
- system options, 513–517
- updates for, 531–532
  - Microsoft Baseline Security Analyzer for, 535–538
  - Microsoft Software Update Services for, 532–535
  - Windows Server 2003 editions, 476–483
- Server object, 720
- Server (Request Security) policy, 391–393
- Server Role page, 458, 458
- server roles
  - defined, 807
  - managing, 458, 458
  - policy-based security for, 25
- Server Sessions counter, 720
- servers
  - clusters. *See* server clusters
  - DHCP, 97–98, 454, 720
  - DNS, 212, 248, 452–453
    - caching-only, 244
    - capacity of, 249
    - defined, 788
    - forward-only, 247–248
    - performance objects for, 720
    - requirements, 248
    - securing, 250–252
  - IPSec, 379
  - monitoring logs of, 727–733, 728, 730–732
  - in NetBIOS, 280–281
  - performance objects for, 719–720
  - security for. *See* server-level security
  - SUS, 533
  - WINS
    - configuring, 453–454
    - General settings for, 313, 313
- Service Level Agreements (SLAs), 633
- Service Pack 1
  - clustering support in, 632
  - for DNS, 202–203
  - performance enhancements in, 698
  - Windows Server 2003, 8–9, 477
- Service Pack 2 features for DNS, 203–204
- service (SRV) records
  - in Active Directory, 200
  - defined, 808
  - purpose of, 217–218
- Service-Type option, 374
- services
  - failures in, 634
  - queries for, 223–224
  - for remote access policies, 374
- Services And Ports settings, 177–178, 178
- Session Stats Pane in Network Monitor, 689
- Sessions Errored Out counter, 720
- set command in nslookup, 261–262
- /set option in ipconfig, 89
- Set Windows File Protection scanning policy, 518
- Settings tab for remote access policies, 367, 368, 370
- Setup security.inf (Default security) template, 521
- #SG statement, 294
- SGC (Server Gated Cryptography), 572
- SharePoint Portal Server (SPS), 7
- Shiva Password Authentication Protocol (SPAP)
  - defined, 808
  - description of, 361
- Show Areas command, 159
- Show IP Routing Table command, 159

- Show Link-State Database command, 159
- Show Neighbors command, 159
- /show option in ipconfig, 89
- Show TCP/IP Information command, 159
- Show Virtual Interfaces command, 159
- Shut Down The System right, 510
- shutdown scripts, 515
- Shutdown security category, 511
- Signature Certificate page, 596, 596
- signatures in PKI, 559–560
- signing
  - defined, 808
  - in PKI, 559
- Simple Mail Transfer Protocol (SMTP) service, 455
- Simple Query Against This DNS Server option, 258
- simplified management, subnetting for, 55
- Single affinity option, 665
- single cluster node corruption and failure, 668
- single host filtering
  - defined, 808
  - selecting, 665
- Single Host Filtering option, 665
- single-instance applications
  - characteristics of, 641
  - defined, 808
- single quorum clusters, 655
  - defined, 808
  - purpose of, 651, 652
- site failures, 634–635
- site-local addresses
  - defined, 808
  - purpose of, 86
- \_sites domain, 224
- 6 option
  - in pathping, 96
  - in ping, 93
  - in tracert, 94
- 64-bit operating systems, 780
- 64-bit windows, 10
- SLAs (Service Level Agreements), 633
- Slow network connection
  - timeout for user profiles policy, 514
- smart cards, 573
- Smartcard Logon template, 571
- Smartcard User template, 571
- SMP (Symmetric Multi-Processor) support requirements, 478
- SMS (Systems Management Server), 533
- SMTP (Simple Mail Transfer Protocol) service, 455
- sniffers, 683
- sniffing
  - defined, 808
  - in IPv6, 84
- SOA (start of authority) records
  - defined, 809
  - purpose of, 214–215
  - for stub zones, 212
- Software Installation policy
  - processing policy, 517
- software routers, 48–49, 120
- Software Update Services (SUS), 26
  - defined, 808
  - working with, 532–535
- Solicited Remote Assistance policy, 747, 748
- source addresses for IPSec filters, 416
- source in Event Viewer, 730
- Source Network option, 156
- SPAP (Shiva Password Authentication Protocol)
  - defined, 808
  - description of, 361
- Specify Windows file protection cache location policy, 518
- split-brains
  - defined, 808
  - in server clusters, 669
- split-horizon setting, 137
- spoofing, 83–84
  - defined, 808
  - IPSec for, 381
- SPS (SharePoint Portal Server), 7
- SRV (service) records
  - defined, 808
  - purpose of, 217–218
- Stand-alone CAs, 565
  - configuring, 592
  - root, 566
  - subordinate, 566
- Standard Edition, 476–481
- standard zone files
  - defined, 808–809
  - working with, 230
- standby server configuration
  - characteristics of, 648–649, 649
  - defined, 809
- start netmon command, 695–696
- start of authority (SOA) records
  - defined, 809
  - purpose of, 214–215
  - for stub zones, 212
- start of day, WINS client traffic at, 300–302
- Start Pull Replication At Service Startup option, 320
- Start Push Replication group, 319
- Start Time setting, 320
- starting CA Services, 580
- Starting Version ID (Hexadecimal) setting, 318
- startup scripts, 515
- stateful applications
  - defined, 809
  - server clusters for, 629
- stateful configuration
  - defined, 809
  - in IPv6, 86
- stateless applications
  - defined, 809
  - NLB for, 629–630

## 846 stateless configuration – system performance

- stateless configuration
  - defined, 809
  - in IPv6, 86
- static IP routing, 115–116
- static mapping
  - defined, 809
  - in NetBIOS name
    - resolution, 289–290, 290
- Static Route dialog box, 152–153, 152
- static routes, 151–153, 152–153
- Static Routes For Remote Networks page, 132, 132
- static routing
  - defined, 809
  - vs. dynamic, 49–51
- Station Stats Pane in Network Monitor, 689
- statistics, WINS, 326, 326
- stopping CA Services, 580
- Storage Area Networks (SANs), 637, 639
  - defined, 809
  - working with, 642–643, 644
- storage methods
  - in Release 2, 7
  - for server clusters, 642–643, 644
- Storage settings for CAs, 587, 587
- Store Password Using Reversible Encryption for All Users in the Domain policy, 499
- streaming media servers, 457
- stub zones
  - characteristics of, 230
  - defined, 809–810
  - in DNS, 212
  - operation of, 231
  - working with, 244–245
- subnet masks, 56
  - defined, 810
  - incorrect, 91
  - representing, 59–61, 59–61
- subnets
  - defined, 810
  - noncontiguous, 75–76, 798
  - systems for, 77–78
- subnetting networks, 55–56
  - Class A, 72–73
  - Class B, 70–71
  - Class C, 66–69
  - concepts in, 56
  - defined, 810
  - for information hiding, 57
  - number of subnets in, 61–63, 63
  - shortcuts for, 64–65
  - strategy for, 18
  - TCP/IP networks, 57–61, 58–61
  - and WAN links, 71–72
- subordinate CAs, 564, 566
- Subordinate Certification Authority template, 571
- Success Audit events
  - defined, 810
  - in Event Viewer, 729
- Suggested Value Changes dialog box, 502, 502
- supernetting
  - and CIDR, 76–77
  - defined, 810
- supptools.msi file, 202
- SUS (Software Update Services), 26
  - defined, 808
  - working with, 532–535
- switching CAs, 580
- symmetric encryption
  - defined, 810
  - in PKI, 557
- symmetric keys, 558–559
- Symmetric Multi-Processor (SMP) support
  - requirements, 478
- Synchronize Directory Service Data right, 510
- synchronous replication
  - vs. asynchronous, 654–655
  - defined, 810
- Sysinternals tools, 725
- System, permissions for, 234
- System.adm template, 488
- System Applet, 724–725
- System Audit Policy page, 473, 473
- system bottlenecks, 711
- System Cryptography
  - security category, 512
- system events policy, 505
- system failures, 634
- System log
  - contents of, 727–729, 728
  - defined, 810
- System Monitor, 700, 701–702
  - baseline reports in, 705–708, 707
  - concepts in, 700–703
  - defined, 810
  - for disk subsystem, 715–716
  - display format for, 703–705, 704
  - for memory subsystem, 708–711
  - for network services, 719–723
  - for network subsystem, 718–719
  - for processor subsystem, 711–715, 714
  - for system bottlenecks, 711
- System object, 712
- System Objects security
  - category, 512
- system options, 513
  - Disk Quota policies, 516
  - Group Policy policies, 517
  - Logon policies, 515–516
  - User Profile policies, 514
  - Windows File Protection policies, 518
- system performance,
  - monitoring, 696–698
  - with Event Viewer, 727–733, 730–732
  - with System applet, 724–725

- with System Monitor. *See* System Monitor
  - with Task Manager, 726, 727
  - System Policy files
    - defined, 810
    - limitations of, 488
  - System Properties dialog box, 737, 737
  - System root security (rootsec.inf) template, 522
  - System services option, 522
  - System Settings security category, 512
  - system state data, backing up, 757–759, 758–759
  - Systems Management Server (SMS), 533
- 
- T**
- t option in ping, 92
  - Tag For Announced Routes setting, 135
  - Take Ownership Of Files Or Other Objects right, 510
  - tampering
    - defined, 811
    - IPSec for, 381
  - Task Manager
    - defined, 811
    - for multiple processors, 714–715, 714
    - for performance, 726, 727
  - \_tcp domain, 224
  - TCP/IP protocol, 40, 47–48
    - defined, 811
    - exam essentials, 98–99
    - filters for, 154
      - creating, 154–156, 155
      - VPN, 156–158, 158
    - IP addresses. *See* IP addresses
    - IP routing. *See* IP routing
    - IPv6, 12, 82–83
      - address space in, 84–86
      - automatic configuration in, 87
      - benefits of, 83–84
    - network protocols, 41–42, 41
      - binding, 43
      - connectionless vs. connection-oriented, 44–46
      - network packets in, 42–43, 43
      - operation of, 42
      - in Windows Server 2003, 46–48
    - in network topology strategy, 17
    - performance objects for, 719
    - review questions, 100–107
    - subnetting networks in. *See* subnetting networks
    - summary, 98
    - troubleshooting TCP/IP addressing, 88
      - DHCP, 96–98
      - identifying TCP/IP configuration, 88–91
      - IP communications, 91–96
  - templates
    - certificate
      - configuring, 589–592, 589–592
      - in PKI, 570–571
    - security
      - creating, 526, 528–529
      - defined, 807
      - importing, 520–523, 527, 527
      - opening, 524
  - Terminal Service/Remote Desktop features, 16
  - terminal services, 480
  - Terminal Services Client, 736
  - Terminal Services
    - Configuration, 736
  - Terminal Services Group Policies, 736
  - Terminal Services Manager, 736
  - Terminal Services servers, 456–457
  - testing
    - IP communications, 91–96
    - IPSec policies, 434–435
  - TGSs (ticket-granting-services)
    - accessing, 389, 503
    - defined, 811
  - TGTs (ticket-granting tickets)
    - defined, 811
    - issuing, 389, 503
  - Time Before Route Is Removed (Seconds) setting, 137
  - Time Before Routes Expire (Seconds) setting, 137
  - Time-out for dialog boxes policy, 514
  - time to live (TTL) in DNS, 222
  - timeout settings for WINS, 315
  - times in Event Viewer, 730
  - Tombstone Interval setting, 314
  - Tombstone Timeout setting, 315
  - tombstoning
    - defined, 811
    - WINS records, 330
  - top-level domains
    - defined, 811
    - list of, 207–208
  - topologies
    - address assignments by, 78
    - defined, 798
    - designing, 18
    - TCP/IP in, 17
  - Total Number of Registrations/sec counter, 720
  - Total Query Received/sec counter, 720
  - Total Stats Pane in Network Monitor, 689
  - tracert utility
    - defined, 811
    - for IP communications, 93–95

## 848 traditional DNS zones – Use Persistent Connections For Push Replication

- traditional DNS zones
    - defined, 811
    - storing, 230–231
  - traffic exemptions in IPsec, 383
  - trailers in network packets, 43, 43
  - transfers, zone, 212, 224–225, 240–242, 814
  - Transit Delay (Seconds)
    - setting, 141
  - translation component in NAT, 170, 179, 180
  - Translation settings, 179, 180
  - transport mode
    - defined, 811
    - in IPsec, 381, 419–420, 419–420
  - transport protocols, 41, 41
  - triggers in WINS replication, 296–297
  - troubleshooting
    - host name resolution, 256–257
      - DCDIAG for, 265
      - DNS monitoring, 257–259, 258
      - ipconfig for, 264
      - log files for, 265–266
      - NETDIAG for, 264
      - nslookup for, 260–264
    - IP routing, 159–162, 160–161
    - IPsec
      - best practices, 434–435
      - data transmission security, 428–429
      - event logs for, 432–434, 434
      - IP Security Monitor for, 431, 432
      - RSOP for, 429–430, 430–431
    - MBSA scans, 537–538
    - TCP/IP addressing, 88
      - DHCP, 96–98
      - identifying TCP/IP configuration, 88–91
      - IP communications, 91–96
    - WINS, 332
      - event logs for, 333
      - general considerations, 333
      - nbtstat for, 334–335
  - Trust List Signing template, 571
  - Trusted Root Certification Authorities folder, 593, 602
  - trusts for CAs, 592–596, 595–596
  - TTL (time to live) in DNS, 222
  - Tunnel Endpoint page, 425, 425
  - tunnel endpoints
    - defined, 811
    - in IPsec, 391
  - tunnel mode
    - defined, 811
    - in IPsec, 381, 412, 420–427, 421–427
  - Tunnel Setting settings, 412, 422, 422
  - Tunnel-Type option for remote access policies, 374
  - tunnels
    - defined, 811
    - in VPNs, 356, 357
  - Turn off background refresh of Group Policy policy, 517
  - types, event, in Event Viewer, 730
- 
- U**
- \_udp domain, 224
  - uk domain, 208
  - unauthenticated access option, 361
  - unauthorized addresses
    - defined, 812
    - working with, 79–80
  - unicast routing
    - defined, 812
    - in RRAS, 124
  - unique names in name resolution, 285
  - unmasked bits
    - defined, 812
    - in subnets, 62
  - unreachable interfaces, 126
  - unspecific addresses
    - defined, 812
    - purpose of, 86
  - untrusted domains, 307
  - updates
    - DNS, 233–234
    - RIP, 119
    - for security infrastructure, 25–26
    - for server-level security, 531–532
      - Microsoft Baseline Security Analyzer for, 535–538
      - Microsoft Software Update Services for, 532–535
  - upgrading, DNS in, 225
  - us domain, 208
  - % Usage counter, 709–710
  - % Usage Peak counter, 709
  - Use Add Wizard option, 411, 418
  - Use An Existing Key option, 576
  - Use Broadcast Or Multicast Only option, 136
  - Use Computer Names That Are Compatible With LAN Manager option, 318
  - Use Custom Settings To Generate The Key Pair And CA Certificate option, 575
  - Use Neighbors In Addition To Broadcast Or Multicast option, 136
  - Use Neighbors Instead Of Broadcast Or Multicast option, 136
  - Use Persistent Connections For Pull Replication Partners option, 320
  - Use Persistent Connections For Push Replication Partners option, 320

- Use Session Key Perfect Forward Secrecy option, 419
  - Use The Certificate Associated With This Key option, 576
  - Use These Security Settings option, 388
  - Use This Route To Initiate Demand-Dial Connections, 152
  - user authentication, 358–362, 359–360, 362
  - User Group Policy Loopback processing mode policy, 517
  - User or Group Access page, 376, 376
  - user permissions for DNS zones, 234–235
  - User Profile policies defined, 812 list of, 514
  - user properties for RRAS server access control, 365, 366
  - User Rights Assignments defined, 812 policies for, 507–510
  - User Signature Only template, 571
  - user statistics, Task Manager for, 726, 727
  - User template, 571
  - users in Event Viewer, 730
  - Users settings for performance, 726, 727
- 
- V**
- v option in ping, 92
  - valid names in name resolution, 285–286
  - Variable Length Subnet Masks (VLSMs) defined, 812 OSPF support for, 71 purpose of, 76
  - vectors in distance vector protocols, 50
  - Verification Interval setting, 315
  - Verify Against setting, 316
  - Verify Database Consistency Every setting, 315
  - version IDs defined, 812 in WINS replication, 297
  - videoconferencing, 84
  - View CRLs settings, 598–599, 599
  - View The Status Of A Pending Certificate Request task, 608
  - Virtual Interfaces settings, 149, 150
  - virtual link neighbors, 812
  - virtual links defined, 812 in OSPF, 149
  - Virtual Memory dialog box, 725, 725–726
  - Virtual Memory option, 725
  - Virtual Private Networks (VPNs) defined, 812 for demand-dial connections, 128–129 quarantines, 11, 812 for remote access services, 356–358, 357
  - virtual servers defined, 813 in server clusters, 639
  - VLSMs (Variable Length Subnet Masks) defined, 812 OSPF support for, 71 purpose of, 76
  - volume shadow copy, 15 defined, 813 working with, 761–763, 762
  - VPNs (Virtual Private Networks) defined, 812 for demand-dial connections, 128–129 quarantines, 11, 812 for remote access services, 356–358, 357
  - Vssadmin command-line utility, 763
- 
- W**
- w option in pathping, 96 in ping, 93
  - Wait for remote user profile policy, 514
  - WANs and subnetting, 71–72 for WINS replication, 304–307, 305
  - Warning events defined, 813 in Event Viewer, 729
  - Web Application (IIS) Servers, 5, 454–455
  - Web Edition, 476–482
  - Web enrollment agents, 608–609, 609
  - Web servers, performance objects for, 720, 723
  - Web services, 482
  - Web Single Sign-On (WebSSO) feature, 203
  - Weekly backup option, 757
  - Welcome To The Backup Or Restore Wizard page, 750, 751, 758
  - Welcome To The Backup Utility Advanced Mode dialog box, 758
  - Welcome to the Create IP Security Rule Wizard page, 424, 424
  - Welcome to the Security Configuration Wizard page, 462, 462
  - What To Back Up page, 751, 752, 758, 759
  - What To Restore page, 756, 756
  - When Idle backup option, 757
  - Windows.adm template, 488

## 850 Windows Authentication – zones

- Windows Authentication, 359
  - Windows Backup, 749
    - Backup or Restore Wizard, 749–756, 751–753, 756
    - backup types with, 760–761, 760
    - defined, 813
    - scheduling backup jobs, 757
    - system state data, 757–759, 758–759
  - Windows Components Wizard, 574–578, 575–578
  - Windows File Protection policies
    - defined, 813
    - list of, 518
  - Windows-Groups option, 374
  - Windows NT Server migration
    - DNS namespaces for, 228
    - WINS services, 324
  - Windows Server 2003, 5–6, 6
    - 64-bit windows in, 10
    - Release 2, 6–8, 477
    - Security Configuration Wizard, 9–10
    - Service Pack 1, 8–9, 477
  - Windows SharePoint Services (WSS), 7
  - Windows Software Update Services (WSUS), 26
  - WinGate, 110
  - Winnt.adm template, 488
  - WINS (Windows Internet Naming Service), 19–21, 280–281
    - availability and fault tolerance in, 299
    - best practices, 332
    - database for
      - compacting, 329
      - defined, 813
      - in NetBIOS name resolution, 287–288
    - defined, 813
    - deleting and tombstoning records in, 330
    - deployment scenarios, 307–310, 308–309, 311
    - designing, 298
    - exam essentials, 336
    - installing, 312
    - integrating with DNSs, 236–238
    - monitoring, 325
      - client traffic, 301
      - records, 326–327, 327–328
      - statistics, 326, 326
    - NetBIOS name resolution. *See* NetBIOS (Network Basic Input/Output System)
    - number of servers, 298–299
    - performance objects for, 719
    - proxy agents for, 290–291, 813
    - replication, 295–297
      - inter-forest, 330–331
      - partners in. *See* partners in WINS replication
    - resource records in, 236–238, 813–814
    - review questions, 337–349
    - securing, 300
    - in Service Pack 1, 281
    - settings for
      - Advanced, 317–318, 317
      - Database Verification, 315–316, 316
      - Intervals, 314–315, 314
    - summary, 335
    - troubleshooting, 332
      - event logs for, 333
      - general considerations, 333
      - nbtstat for, 334–335
      - WINS snap-in, 312–318, 313–314
  - WINS console, 290, 290
  - WINS-R resource records, 237, 814
  - WINS servers
    - configuring, 453–454
    - General settings for, 313, 313
    - WINS services, migrating, 324
    - WINS settings, 292–293, 293
    - wireless connections, security for, 14
  - Working Set counter, 709
  - workstation services, performance objects for, 719
  - Writes/Sec counter, 716
  - WSS (Windows SharePoint Services), 7
  - WSUS (Windows Software Update Services), 26
- 
- ## X
- X64 technology, 10, 477
  - XLS views, 10
- 
- ## Z
- zones, 214, 229
    - Active Directory-Integrated, 231–232, 253
    - combination, 232
    - data location for, 230
    - database location for, 218–220
    - default permissions for, 234–235
    - defined, 788
    - delegating, 242–243, 814
    - integrating DNS and WINS, 236–238
    - replication, 239–243
    - for SANs, 643, 644
    - secondary, 239–240
    - securing, 233–235, 241–242
    - strategies for, 235
    - traditional, 231
    - transfers, 212, 224–225, 240–242, 814
    - types of, 230