

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- /A option
  - DIR, 678
  - WINNT.EXE, 260
  - XCOPY, 681
- A records, 784
- AC adapters, 163
- Accelerated Graphics Port (AGP) bus
  - characteristics, 588
  - expansion slots, **12**, *13*
- access control
  - for media, 460
  - in network security, **508–511**, *509–512*
- Access Control Lists (ACLs), 514, 818, **820–821**
- access points (APs), 468
  - configuring, **471–472**
  - for home networks, 470
  - for internal networks, 641
- accessory bays, 162
- accidents, **542–544**
- Account Lockout Counter policy, 824
- Account Lockout Duration policy, 824
- Account Policies settings, **823–824**
- accountability, 571
- ACK attacks, 835
- ACLs (Access Control Lists), 514, 818, **820–821**
- ACPI (Advanced Configuration and Power Interface), 163, 619
- ACR (Advanced Communications Riser)
  - expansion slots, **13**, *14*
- activation, product, **266–267**
- Activation Wizard, 267
- Active Directory (AD), 815
- active hubs, 461
- active matrix LCDs, **62**, *150*
- active memory cooling, 86
- active sniffing, 836
- active termination, 103
- active windows, 210
- AD (Active Directory), 815
- adapter cards
  - configuring, 594
  - dislodged, 128
  - installing, **592–594**
  - NICs. *See* network interface cards (NICs)
  - purposes and characteristics, **66–69**, *67–69*
  - removing, **590–592**
- Add Hardware Wizard, 752, 752
- Add Printer Wizard, 753, 753
- Add/Remove Hardware program, 214
- Add/Remove Programs program, 214
- addresses
  - I/O, 613, **616–617**
  - IP. *See* IP addresses
  - IPX network, 445
  - memory, **616–617**
  - protocol, **445–448**, *447*
- administrative templates, 822–823
- Administrative Tools program, 214
- administrator passwords, 263
- Advanced Attributes dialog box, 237, *237*, 687
- Advanced Communications Riser (ACR)
  - expansion slots, **13**, *14*
- Advanced Configuration and Power Interface (ACPI), 163, 619
- Advanced option for profiles, 218
- Advanced Technology Attachment (ATA)
  - connectors, 20
- Advanced Technology Extended (ATX)
  - motherboards
    - description, 6
  - power connectors, **51–52**, *51*, 599

**874**      **adware – Audio Modem Riser (AMR) expansion slots**

- adware, **494**
- AFS (Apple File Sharing), **819**
- AGP (Accelerated Graphics Port) bus
  - characteristics, **588**
  - expansion slots, **12, 13**
- air compressors, **110**
- air-cooling methods, **84**
  - chipsets, **87**
  - CPUs, **87**
  - fans, **85, 85**
  - hard drives, **86, 86**
  - memory, **86**
- alcohol, **130**
- alignment, printhead, **404**
- alkaline battery disposal, **553**
- /ALL option, **680, 797–798**
- All Programs menu, **201**
- alternate mouse clicks, **196**
- ammonia, **769**
- AMR (Audio Modem Riser) expansion
  - slots, **13, 14**
- analysis process, **307**
- answer files, **256**
- anti-static bags, **548**
- anti-static wrist straps, **543, 547–548, 547, 622**
- anti-virus programs, **346, 508**
- Appearance tab, **197**
- Apple File Sharing (AFS), **819**
- Apple Macintosh systems, hardening, **818**
- AppleTalk protocol, **444–445**
- appliances, firewall, **496**
- Application layer, **440, 440**
- Application log file, **332, 697**
- applications, **185**
  - compatibility in upgrades, **272**
  - exploiting, **493**
  - installation problems, **323, 721**
  - startup, **710, 711**
  - startup problems, **323–324, 721**
  - troubleshooting, **308, 720–722**
  - updates, **514**
- Applications tab, **330, 695**
- APs (wireless access points), **468**
  - configuring, **471–472**
  - for home networks, **470**
  - for internal networks, **641**
- Archive attribute, **237, 333, 675**
- archives for network security, **512**
- ARCNet (Attached Resource Computer Network), **449**
- aspect ratio, **151**
- ASR (Automated System Recovery), **318–319, 505, 714–715**
- assigning resources, **619, 620**
- asymmetric encryption algorithms, **502–503**
- AT attachment (ATA) numbers, **100–101**
- AT commands, **122–124**
- AT system power connectors, **49–50, 49**
- ATA (Advanced Technology Attachment) connectors, **20**
- ATAPI (ATA Packet Interface), **100**
- Attached Resource Computer Network (ARCNet), **449**
- attachments
  - motherboard, **24, 24**
  - viruses in, **494**
- attacks, **831**
  - back door, **831**
  - ICMP, **837**
  - man-in-the-middle, **832**
  - password-guessing, **833**
  - replay, **832–833**
  - spoofing, **831–832**
  - TCP, **835–837**
  - UDP, **836–837**
- attended installations, **256**
- ATTRIB command, **687**
  - from command prompt, **671, 673–675, 673**
  - in Recovery Console, **316, 715**
  - for troubleshooting, **333–334**
- attributes, file
  - changing, **236–238, 236–237**
  - managing, **333–334, 686–687**
  - options for, **673–675, 673**
- ATX (Advanced Technology Extended) motherboards
  - description, **6**
  - power connectors, **51–52, 51, 599**
- ATX12V connector standard, **51–52, 52**
- Audio Modem Riser (AMR) expansion
  - slots, **13, 14**

audio/video jacks, 74–75, 74  
 audit files, 827–828  
 Audit Policy settings, 824  
 authentication  
   certificates for, 487–488, 488  
   CHAP, 487, 488  
   issues in, 492  
   Kerberos, 489  
   multifactor, 489, 490  
   PAP, 486  
   security tokens, 488–489, 489  
   usernames and passwords in, 486, 487  
 auto-hiding Taskbar, 199  
 auto-restart errors, 718–719  
 Automated System Recovery (ASR),  
   318–319, 505, 714–715  
 automatic addresses, troubleshooting, 801  
 automatic scanner feed mechanisms, 750  
 Automatic Updates tab, 220

---

## B

B (Bearer) channels, 466  
 back door attacks, 831  
 back ends in LANs, 427  
 Background tab, 197  
 backlights for LCDs, 644  
 backside bus, 9  
 backups  
   Backup utility for, 229–230, 230  
   for Linux, 826–827  
   for network security, 503–505, 512  
   NTBACKUP.EXE for, 690  
   and recovery CDs, 725  
   scheduling, 339–342, 340–341,  
     727–730, 728–729  
   tape devices for, 42  
   testing, 342, 730–731  
   for upgrades, 273  
 bad pixels, LCDs, 153  
 Balanced Technology Extended (BTX)  
   motherboards, 7  
 bandwidth, 448  
 barcode readers, 65  
 base I/O addresses, 617  
 Base term in Ethernet specifications, 448  
 baselines for security systems, 812–813  
 Basic Input/Output System. *See* BIOS  
   (Basic Input/Output System)  
 Basic Rate Interface (BRI), 466  
 basis weight of paper, 387  
 BATCH command, 316, 715  
 batteries  
   CMOS, 25–26  
   disposal procedures, 552–553  
   laptop, 162–163, 167, 167, 643, 651  
   motherboard, 130  
 BD (Blu-ray Disc) technology, 46–47  
 Bearer (B) channels, 466  
 beep codes, 118  
 Bell La-Padula model, 509, 509  
 belts, printer, 363–365  
 Berg connectors, 48, 48  
 bias voltage in laser print process, 377  
 Biba model, 509–510, 510  
 bidirectional parallel ports, 77  
 bidirectional satellite connections, 467  
 biometric devices, 65, 492  
 BIOS (Basic Input/Output System)  
   chips, 25  
   for IDE drives, 101  
   for SCSI extensions, 105  
   for security, 507–508  
   troubleshooting, 127  
 .biz domain, 782  
 black pages from laser printers, 407  
 Black/White Threshold option, 764  
 blank pages from laser printers, 406–407  
 blanks, 129  
 Blu-ray Disc (BD) technology, 46–47  
 Blue Screen of Death (BSOD), 322–323,  
   720–721  
 Bluetooth standard  
   for laptops, 161, 635–637, 637  
   for networks, 787  
   for printers, 384  
 BNC connectors, 451, 451  
 bonding, 467  
 boot files, 226  
 BOOT.INI file  
   attributes for, 675

**876** boot logging – capacity

- in boot process, 226, 312–313, 712
- errors in, 718
- boot logging, 713
- Boot Normally startup option, 315, 714
- boot process, 310
  - boot disks and ERDs in, 317–319, 318, 714
  - errors in, 717–718
  - important files in, 310–313
  - issues in, 321–322
  - in recovery, 711–713
  - Recovery Console, 315–317, 715–717
  - startup options in, 314–315, 713–714
  - in Windows 2000/XP, 313–314
- boot ROMs, 257
- bootable devices
  - floppy disks, 114, 317–318, 714, 723
  - SCSI, 105
- bootable media, 257
- BOOTSECT.DOS file
  - in boot process, 312–313
  - in dual-boot configurations, 226
- borders, windows, 210
- Boyce, Christopher, 830
- BRI (Basic Rate Interface), 466
- bridges, 462
- brightness settings, 602, 604
- broadband Internet access, 465
- broadband networks, 787
- broadcasts, 461
- brouters, 462
- browsers, 789–791, 790–791
- brute force attacks, 833
- BSOD (Blue Screen of Death), 322–323, 720–721
- BTX (Balanced Technology Extended) motherboards, 7
- bubble-jet printers, 362, 746
  - cartridges for, 362–363, 363, 388
  - control, interface, and power circuitry, 368
  - head carriages, belts, and stepper motors in, 363–365, 364–365
  - paper-feed mechanism, 365–366, 365–367
  - printheads, 362–363, 363

- printing process, 368–370, 747–748
- troubleshooting, 403–404
- buffer memory
  - DMA, 616
  - printer, 369, 747
- buffer overflow attacks, 834
- burners, 41
- bus topologies, 434–435, 435, 587–588
- button cell battery disposal, 553

**C**

- C-RIMM (continuity RIMM), 37
- CAB files, 334
- cable access methods, 460
- cable networks, 466, 787
- cables and cabling, 69, 76, 449
  - coaxial, 450–451, 450–451
  - for display devices, 106
  - fiber-optic, 454–455, 454–456
  - as hazard, 531, 531
  - IEEE 1394, 83, 83
  - parallel interface, 77–78, 78–79
  - PS/2, 84, 84
  - RCA, 83–84, 83
  - RS-232, 455
  - SCSI, 103
  - serial interface, 78–81, 79–81
  - summary, 456–457
  - twisted-pair, 451–453, 452–453
  - USB, 81–82, 82
  - wireless networks, 456
- caches
  - CPU, 16, 30
  - disk, 293–295, 293–295
- /CACHESIZE option, 725
- calibration
  - printer, 398, 752
  - scanner, 398, 754
- caliper of paper, 387
- call waiting, problems with, 124
- Can't find NTLDR error, 718
- capacity
  - memory, 588–589
  - power supplies, 589

- Card Services software, 157
- CardBus adapters, 157
- cards. *See* adapter cards
- carriage belts, 365, 365
- carriage motors
  - in bubble-jet printers, 363–365, 364
  - in dot-matrix printers, 402
- carrier, toner, 370
- Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA), 444, 460
- Carrier Sense Multiple Access with Collision Detection (CSMA/CD), 460
- cartridges, printer, 370–371, 371, 388–389
- CAs (certificate authorities), 487
- cases
  - as hazard, 526
  - laptop, 143–144
  - troubleshooting, 120
- Category view, 213
- cathode ray tubes (CRTs)
  - disposal procedures, 553–554
  - repairing, 106–107
  - safety for, 529
  - technology, 53
- CC (Common Criteria) standard, 812
- CCD (charge coupled device) arrays, 393–394
- CCFLs (Cold Cathode Fluorescent Lamps), 644
- CD command
  - from command prompt, 671
  - in Recovery Console, 316, 715
  - working with, 675–677
- CD-R (CD-recordable) drives, 41
- CD-rewritable (CD-RW) drives, 41
- CD-ROM (Compact Disc Read-Only Memory) drives, 40–41, 40
  - laptops, 148–149, 149
  - requirements, 253
  - troubleshooting, 126
- CD-RW (CD-rewritable) drives, 41
- CDMA (Code Division Multiple Access), 639–640
- CDs, recovery, 724–725
- cellular networking
  - description, 788
  - WANs, 639–640
- cellular ports for laptops, 160
- centering display devices, 602
- central processing units. *See* CPUs (central processing units)
- centralized processing, 427
- Centronics connectors, 76, 76
- CERT (Computer Emergency Response Team), 506
- certificate authorities (CAs), 487
- Certificate Practice Statements (CPSs), 487
- Certificate Revocation Lists (CRLs), 487
- certificates for authentication, 487–488, 488
- CGA (Color Graphics Adapter), 54
- Challenge Handshake Authentication Protocol (CHAP), 487, 488
- Change Type profile option, 218
- channels
  - DMA, 616
  - ISDN, 466
- CHAP (Challenge Handshake Authentication Protocol), 487, 488
- characters per second (cps), 361, 744
- charge coupled device (CCD) arrays, 393–394
- charging step in laser print process, 376, 376
- chassis fans, 610
- CHDIR command
  - in Recovery Console, 316, 715
  - working with, 675–677
- /checkgradeonly option, 261
- chemicals
  - disposal, 554–555
  - spills, 545
- chip creep, 128
- chipsets, 9, 10
  - cooling, 87
  - fans for, 85
  - Northbridge, 9–10
  - Southbridge, 10
- CHKDSK command
  - from command prompt, 672

**878** chkupgrd.exe program – Compact Disc Read-Only Memory (CD-ROM) drives

- for diagnosis, 621
- for disk reports, 689, 689
- in Recovery Console, 316, 715
- for troubleshooting, 326–327
- chkupgrd.exe program, 272
- chrominance signals, 58
- CISs (contact image sensors), 394
- clamping, 29
- clamshell laptop design, 143
- Clark-Wilson model, 510, 510
- Classic View, 213
- cleaning
  - keyboards, 124–125, 129
  - laptop displays, 173–174
  - LCDs, 652
  - printers, 130, 766–767
  - products, 622
  - systems, 129, 533–534
- cleaning cycles, printer, 369, 375–376, 375, 747
- client computers, 430
- client/server networks, 433–434, 433, 794
- client software, 430
- clock speeds, laptop processors, 145
- close buttons, 209, 209
- closed source code, 185
- CLS command
  - from command prompt, 672
  - in Recovery Console, 316, 715
- CMD command, 332, 670, 696
- /cmd option, 261
- CMOS (Complimentary Metal Oxide Semi-conductor) chips, 26
  - batteries for, 25–26
  - for memory, 35
- CMYK (cyan, magenta, yellow, and black) inks, 362, 369, 747
- CNAME records, 784
- CNR (Communications and Networking Riser) expansion slots, 14, 14
- coaxial cable, 450–451, 450–451
- Code Division Multiple Access (CDMA), 639–640
- Cold Cathode Fluorescent Lamps (CCFLs), 644
- collapsing folders, 233, 685
- collision lights, 475
- collisions
  - in AppleTalk, 444–445
  - in IEEE 802.3 CSMA/CD, 442
- Color Adjustment scanner option, 764
- Color Graphics Adapter (CGA), 54
- color temperature setting, 603
- .com domain, 782
- COMMAND.COM file, 670
- command prompt, 669–670
  - accessing, 220–221, 220
  - ATTRIB command, 673–675
  - CD/MD/RD commands, 675–677
  - COPY command, 677
  - DIR command, 677–679
  - FORMAT command, 679
  - HELP command, 679–680
  - IP addresses from, 798
  - IPCONFIG command, 680–681, 680
  - PING command, 681–682, 681
  - running from, 670, 671
  - text-based commands from, 671–674
  - XCOPY command, 682–683
- Common Criteria (CC) standard, 812
- communication and professionalism
  - accountability, 571
  - confidentiality, 572
  - exam essentials, 576
  - flexibility, 572
  - objectives, 563–565
  - perspective on, 575–576
  - privacy, 575
  - punctuality, 570–571
  - respect, 572–575
  - review questions, 577–582
  - skills, 566–569
  - summary, 576
- communication types for printers, 382–384
- Communications and Networking Riser (CNR) expansion slots, 14, 14
- communications ports. *See* ports
- Compact Disc Read-Only Memory (CD-ROM) drives, 40–41, 40
  - laptops, 148–149, 149
  - requirements, 253
  - troubleshooting, 126

- compact installations, 254
- compatibility
  - hardware, 252–253
  - printers and scanners, 758
  - in upgrades, 272
- complaint handling, 567
- Complimentary Metal Oxide
  - Semi-conductor (CMOS) chips, 26
  - batteries for, 25–26
  - for memory, 35
- component video, 58, 59
- components
  - identifying
    - adapter cards, 66–69, 67–69
    - cables. *See* cables and cabling
    - cooling systems, 84–88, 85–86
    - CPUs, 27–30, 27–28
    - display devices. *See* display devices
    - exam essentials, 89–90
    - input devices, 62–66, 62
    - memory. *See* memory
    - motherboards. *See* motherboards
    - objectives, 1–3
    - ports. *See* ports
    - power supplies, 47–52, 47–52
    - review questions, 91–96
    - selecting, 587–588
    - storage devices. *See* storage devices
    - summary, 89
    - system/firmware limitations, 589
  - working with
    - cooling systems, 610–613
    - CPUs, 589
    - display devices, 106–107, 600–604
    - exam essentials, 131, 623–624
    - input/multimedia devices, 107, 604–609
    - objectives, 97–98, 583–586
    - power supplies, 589, 599–600
    - preventative maintenance, 129–130, 622–623
    - resources. *See* resources
    - review questions, 132–137, 625–630
    - storage devices, 99–106, 102–104, 594–599
    - summary, 131, 623
    - tools for. *See* tools
    - troubleshooting. *See* troubleshooting
- composite video, 60
- composition of paper, 387
- compressed air, 110, 130, 544
- compression options for files, 238
- Computer Configuration settings, 823
- Computer Emergency Response Team (CERT), 506
- Computer Management Console, 329, 329, 690–692, 690–691
- computer names in installation, 263
- Computer Security Incident Response Team (CSIRT), 506
- confidentiality, 572
- ConfigSafe utility, 332
- configuration files, 320
- configuring
  - cooling systems, 612–613
  - display devices, 602–604
  - input devices, 607–609
  - motherboards, CPU, memory, and adapter cards, 594
  - scanners, 754–756, 754–755
  - storage devices, 598–599
- conflicts
  - resource, 619
  - wireless/wired, 173
- connection protocols, 470
- connectivity and connectivity devices, 460–461
  - bridges, 462
  - brouters, 462
  - CPU, 589
  - gateways, 462
  - hubs/switches, 461
  - network systems, 787–789, 791–792, 792–793
  - repeaters, 461
  - routers, 462
- connectors
  - Centronics, 76, 76
  - coaxial cable, 451, 451
  - fiber-optic cable, 455, 456

- IDE drives, 101
- IEEE 1394, 83, 83
- input devices, 605–607, 606
- keyboards, 21, 22
- onboard, 20, 21
- parallel interface, 77–78, 78–79
- peripherals, 22–25, 23–25, 70–72, 71
- power, 19, 19, 48–52, 48–52
- PS/2, 84, 84
- RCA, 83–84, 83
- serial interface, 78–81, 79–81
- twisted-pair cable, 451–453, 453
- USB, 81–82, 82, 606
- consumables, print, 388–389
- Contact E-mail parameter, 784
- contact image sensors (CISs), 394
- contention, token ring, 442
- context menus, 195, 195
- continuity and termination RIMM (CT-RIMM), 37
- continuity RIMM (C-RIMM), 37
- contrast ratio, LCDs, 152–153
- control boxes, 209, 209
- control circuits in bubble-jet printers, 368
- Control Panel, 212–214, 213
  - programs in, 214–215
  - System control panel, 215–220, 216
- controllers, hard drive, 38
- convergence settings, 603
- CONVERT command, 672
- cooling systems, 84, 610
  - chipsets, 87
  - configuring, 612–613
  - CPUs, 87–88
  - fans, 85, 85
  - hard drives, 86, 86
  - installing, 611–612
  - laptops, 173
  - memory, 86
  - removing, 610–611
  - troubleshooting, 120
- cooperative multitasking, 186, 188
- copiers, 391
- COPY command
  - from command prompt, 672
  - in Recovery Console, 316, 716
- Copy To profile option, 218
- copying files, 677, 682–683
- corona rollers, 373, 373
- corona wires, 373, 373
- cost of laptops, 142
- covers for scanners, 392
- cps (characters per second), 361, 744
- CPSs (Certificate Practice Statements), 487
- CPUs (central processing units)
  - configuring, 594
  - cooling, 87–88
  - determining type of, 29
  - dislodged, 128
  - fans for, 85
  - features, 27–30, 27–28
  - heat sinks, 611–612
  - installing, 592–594
  - laptops, 144–145
  - removing, 590–592
  - requirements, 253
  - selecting, 589
  - slots for, 16–19, 16–17
  - troubleshooting, 119
- CRC (cyclic redundancy check), 259
- CRI (Customer Respect Index) ranking, 573
- CRLs (Certificate Revocation Lists), 487
- CRTs (cathode-ray tubes)
  - disposal procedures, 553–554
  - repairing, 106–107
  - safety for, 529
  - technology, 53
- cryptographic algorithms, 502
- CSIRT (Computer Security Incident Response Team), 506
- CSMA/CA (Carrier Sense Multiple Access with Collision Avoidance), 444, 460
- CSMA/CD (Carrier Sense Multiple Access with Collision Detection), 460
- CT-RIMM (continuity and termination RIMM), 37
- current
  - measuring, 113, 114
  - vs. voltage, 528
- custom installations, 254

Customer Respect Index (CRI) ranking, 573

customers

- dealing with. *See* communication and professionalism
- error reproduction by, 569–570
- satisfaction of, 566–569
- in troubleshooting, 308–309, 569–570

cyan, magenta, yellow, and black (CMYK) inks, 362, 369, 747

cyclic redundancy check (CRC), 259

## D

D (Delta) channels, 467

D-subminiature (D-sub) connectors, 23, 70, 71, 606–607, 606, 609

daisy-chaining, 103

daisy-wheel printers, 360–361, 360, 744–745, 745

Data Link layer, 439, 440

data migration, 512

Data Over Cable Service Interface Specification (DOCSIS), 466

data remnant removal, 513

databases, exploiting, 493

date settings in installation, 264

Date/Time program, 214

daughterboards

- laptops, 144
- in NLX form factor, 7

DC adapters, 163

DC power supplies (DCPS) in laser printers, 372

DDoS (distributed denial of service) attacks, 834–835

DDR (Double Data Rate) SDRAM, 32–33

DDR2 memory, 33

de facto standards, 442

de jure standards, 342

/debug option, 261

Debugging Mode startup option, 315, 714

dedicated servers, 429

default scanner settings, 763–764, 763

defining problems, 115–116

DEFRAG command

- from command prompt, 672, 689
- for troubleshooting, 327

defragmenting disks, 290–291, 290–291, 706

- from command prompt, 672, 689
- in Windows 2000, 291, 292, 707
- in Windows XP, 292–293, 707

degaussing

- for network security, 491
- purpose, 603–604

DEL command

- from command prompt, 672
- in Recovery Console, 316, 716

delay, propagation, 468

Delete option for profiles, 217

deleting objects, 208, 235–236, 686

Delta (D) channels, 467

demineralized water, 129

denatured isopropyl alcohol, 130

denial of service (DoS) attacks, 817, 833–835

Descreeen scanner option, 764

desktop

- icons, 162, 206–208
- vs. laptops, 142–143
- Remote Desktop connection, 699–704, 701–703
- Windows, 195–198, 196–197

detection of penetration and theft, 501–502

developer, toner, 370

developing rollers, 377

developing step in laser print process, 376, 377

Device Manager, 217, 691

- for diagnosis, 621
- for resource assignment, 619
- for system resources, 617–619
- for troubleshooting, 328–329, 328
- working with, 692–694, 692–693

device states for laptops, 165

devices

- display. *See* display devices

## 882 DHCP for IP addresses – docking stations

- drivers. *See* drivers
- installing, 282–283
- updating, 514
- DHCP for IP addresses, 801
- diagnoses. *See also* troubleshooting
  - laptop problems, 170–172
  - procedures, 115–118
  - resources, 620–622
  - tools, 334–336, 722–726
- dial-up connections, 465, 788
- dialers, 465
- dictionary attacks, 833
- differential backups, 504–505
- Digital Subscriber Line (DSL), 787
  - endpoints, 465–466
  - operation, 465
- Digital Visual Interface (DVI), 57–58, 57–58, 149
- digitally signed driver, 281
- DIMM (Dual Inline Memory Module)
  - RAM, 15, 36, 36
- DIN connectors, 21, 22, 605
- DIP (Dual Inline Package) CPUs, 27, 27
- DIP switches, 26, 26
- DIR command
  - from command prompt, 672, 677–679
  - in Recovery Console, 316, 716
- direct memory access (DMA)
  - channels, 613
  - description, 616
- Direct-Sequence Spread Spectrum (DSSS), 499
- direct-solder method, 25
- directories. *See* folders
- Directory Services Restore Mode startup
  - option, 315, 713
- dirt
  - cleaning, 533
  - in preventative maintenance, 129–130
  - problems from, 128–129
- DISABLE command, 316, 716
- Disk Defragmenter, 230–231
- disk imaging, 257
- Disk Management screen, 228, 229
- disk mirroring, 106
- disk striping, 105
- disk wiping, 491
- DISKCOPY command, 672
- DISKPART command
  - from command prompt, 672
  - in Recovery Console, 316, 716
- disks. *See* drives and disks; floppy disks
  - and drives; hard drives
- dislodged chips and cards, 128
- display devices, 53, 600–601
  - cleaning, 173–174
  - concepts, 53
  - configuring, 602–604
  - disposal procedures, 553–554
  - installing, 601
  - laptop, 143, 149–154, 150, 173–174
  - LCDs, 61–63, 62
  - monitors, 60–61, 60
  - preventative maintenance, 623
  - removing, 601
  - troubleshooting, 125
  - upgrading, 106–107
  - video technologies, 53–60, 57–59
- Display program, 214
- Display Properties screen, 196, 197
- disposal procedures, 552
  - batteries, 552–553
  - chemical solvents, 554–555
  - display devices, 553–554
  - issues, 532–533
- distributed denial of service (DDoS)
  - attacks, 834–835
- distributed processing, 427
- distributions, Linux, 192
- DIX connectors, 451, 451
- DIX Ethernet networks, 448
- DMA (direct memory access)
  - channels, 613
  - description, 616
- DNS (Domain Name System)
  - purpose, 782–783
  - spoofing, 832
  - troubleshooting, 799
  - zones in, 783–784
- DNS Records, 784
- docking ports, 162, 162
- docking stations, 22, 162, 650

- DOCSIS (Data Over Cable Service Interface Specification), 466
- documentation
  - safety, 535–542
  - in troubleshooting, 310–311
- Documents menu, 201–202
- domain controllers, 216
- domain model networks, 794
- Domain Name System (DNS)
  - purpose, 782–783
  - spoofing, 832
  - troubleshooting, 799
  - zones in, 783–784
- Domain tab, 216
- DoS (denial of service) attacks, 817, 833–835
- dot-matrix printers
  - operation, 361–362, 361, 745–746
  - troubleshooting, 400–402
- dot pitch, 60
- double-clicks, 196
- Double Data Rate (DDR) SDRAM, 32–33
- double-sided/single-sided memory, 35
- Dr. Watson utility, 322, 621, 720
- draft quality printers, 362
- DRAM (dynamic random access memory), 32–33
- drive bays, laptops, 147
- drive imaging, 257
- drivers, 185
  - configuring, 283
  - current, 337
  - installing, 280–286, 284–285
  - loading, 283
  - locating, 282
  - NIC, 459
  - printer
    - bubble-jet, 747
    - calibrating, 754
    - corrupted, 719
    - installing, 397–398, 397, 752–754, 753
    - laser, 410
    - purpose, 386
    - wireless, 384
  - rolling back, 719
  - scanner
    - calibrating, 754
    - installing, 397–398, 397, 752–754, 753
  - security issues, 281
  - signing, 217
  - troubleshooting, 800
  - updating, 269–270
  - version-specific, 283–286, 284–285
- drives and disks. *See also* DVD drives; floppy disks and drives; hard drives caches, 293–295, 293–295
  - CD-ROM, 40–41, 40
    - laptops, 148–149, 149
    - requirements, 253
    - troubleshooting, 126
  - external, 45, 46
  - IDE, 100–102, 102
  - managing, 227–231, 326–327, 688–689
  - preparing, 100
  - RAID, 105–106
  - SCSI, 102–105, 103–104
  - thumb, 45, 45
  - for virtual memory, 223–224
- DSL (Digital Subscriber Line), 787
  - endpoints, 465–466
  - operation, 465
- DSSS (Direct-Sequence Spread Spectrum), 499
- dual-bank/single-bank memory, 35
- dual-booting, 219, 255
- dual-core processors, 29
- Dual Inline Memory Module (DIMM)
  - RAM, 15, 36, 36
- Dual Inline Package (DIP) CPUs, 27, 27
- dust, 129–130, 533
- DVD drives
  - burners, 41
  - laptops, 148–149
  - requirements, 253
  - troubleshooting, 126
- DVI (Digital Visual Interface), 57–58, 57–58, 149
- dye-sublimation printers, 381–382, 750
- dynamic random access memory (DRAM), 32–33

**E**

- e-mail exploitation, 493–494
- /e option
  - WINNT.EXE, 260
  - XCOPY, 681
- EALs (Evaluation Assurance Levels), 812–813
- ECC (Error Checking and Correcting), 31
- ECHO command, 672
- ECP (enhanced capabilities ports), 78
- EDIT command, 334, 670, 671, 672
- editing Registry, 222, 696
- .edu domain, 782
- educating users, 758
- Effects tab, 197
- EGA (Enhanced Graphics Adapter), 54
- EIDE (enhanced IDE) drives
  - connectors for, 20
  - working with, 100
- 8.3 naming convention, 227
- 802.11b standard, 161, 642
- 802.11g standard, 161
- 802.11x wireless protocols, 498–499
- electrical fires, 527
- electrical interference, 800
- electromagnetic interference (EMI), 449
- electron guns, 60
- electronic stepper motors, 372, 373
- electronics cleaner, 130
- electrophotographic (EP) laser printers.
  - See* laser printers
- electrostatic discharge (ESD), 546–549, 547–548
- eliminating possibilities in troubleshooting, 309
- Emergency Repair Disks (ERDs), 317–318, 318, 714
- EMI (electromagnetic interference), 449
- employer and employee environment responsibilities, 550
- emptying Recycle Bin, 208, 208
- Enable Boot Logging startup option, 314, 713
- ENABLE command, 316, 716
- Enable VGA Mode startup option, 314, 713
- encryption
  - file, 238
  - for home wireless networks, 472
  - for network security, 502–503
- End User License Agreement (EULA), 266
- endpoints, DSL, 465–466
- Enforce Password History policy, 823–824
- engine self-tests, 410–411, 411
- enhanced capabilities ports (ECP), 78
- Enhanced Graphics Adapter (EGA), 54
- enhanced IDE (EIDE) drives
  - connectors for, 20
  - working with, 100
- enhanced parallel ports (EPPs), 77–78
- envelope feeder, 391
- environment. *See* safety and environmental issues
- environment variables, 219, 296, 708
- EP (electrophotographic) laser printers.
  - See* laser printers
- EPPs (enhanced parallel ports), 77–78
- EPS12V connector standard, 51–52
- ERDs (Emergency Repair Disks), 317–318, 318, 714
- ergonomics for display devices, 601
- Error Checking and Correcting (ECC), 31
- errors
  - boot, 717–718
  - printer, 412
  - reporting, 325–326, 325
  - reproducing, 569–570
  - startup, 718–719
- ESD (electrostatic discharge), 546–549, 547–548
- ESD mats, 548, 548
- Ethernet networks, 448
  - for laptops, 161
  - wireless, 640–642, 641
- ethics, 575
- EULA (End User License Agreement), 266
- Evaluation Assurance Levels (EALs), 812–813
- evaluation in troubleshooting, 310
- Event Viewer, 691
  - for diagnosis, 621

- for errors and logging, 696–697
- for troubleshooting, 332
- in Windows 2000, 814, 815
- executive subsystems, 313, 712
- exhaust fans, 85, 85, 610, 612
  - laptops, 173
  - printer, 413
- expandability of laptops, 143
- expanding folders, 233, 685
- expansion buses
  - cards for, 66–69, 67–69
  - laptops, 156–161, 157, 160
- expansion slots, 11
  - ACR, 13, 14
  - AGP, 12, 13
  - AMR, 13
  - CNR, 14, 14
  - ISA, 11, 11
  - PCI, 12, 12
  - PCIe, 12–13
- Expiration Time parameter, 784
- ExpressBus, 159
- Extended Graphics Array (XGA), 55, 151–152
- extended partitions, 228, 599, 684
- extension magnets, 767
- external caches, 16
- external disk drives, 45, 46
- external endpoints, 466
- external SCSI devices, 104
- external storage drives, 106
- EXTRACT command
  - for CAB files, 334
  - in Recovery Console, 316, 716

---

## F

- /F option, XCOPY, 681
- fans, 85, 85, 610, 612
  - laptops, 173
  - printer, 413
- FAT (File Allocation Table) filesystem, 227, 818–819
- FAT32 filesystem, 227, 684
- fax modems, 391

- FDISK command, 228, 598
- feed rollers, 372, 373
- feeders, 391
- FHSS (Frequency-Hopping Spread Spectrum), 499
- fiber-optic cabling, 454–455, 454–456
- File Allocation Table (FAT) filesystem, 227, 818–819
- file formats for scanners, 762–763, 762
- file-related problems, 319
  - boot process, 321–322
  - common problems, 322–323
  - missing system files, 320
  - rebooting for, 324–325, 722
  - reporting for, 325–326, 325
  - swap files, 320
- file servers, 429
- File Transfer Protocol (FTP), 785
- filenames, 231
- files
  - attributes for
    - changing, 236–238, 236–237
    - managing, 333–334, 686–687
    - options for, 673–675, 673
  - copying, 677, 681–682
  - creating, 234–236, 235
  - deleting, 208, 235–236, 686
  - locking, 427
  - managing, 231–232
    - attributes, 236–238, 236–237
    - permissions, 238–240
    - tools, 333–334
    - Windows Explorer, 232–236, 232, 235
  - overview, 231–232
  - permissions for, 688
  - visibility of, 225, 225, 311–312, 311
- Files and Settings Transfer Wizard, 270
- filesystems, 227–228
  - hardening, 818–820, 820
  - in installation, 254
  - network security for, 497–498
  - in upgrades, 277
- filters
  - firewall, 496–497
  - in laser printers, 374–375

- Final Tasks page, 264
  - FIND command, 672
  - Find menu, 202–203, 202–203
  - finding files, 234, 686
  - finger mice, 155
  - finishers, printer, 391
  - fire safety, 527
  - Firefox browser, 791, 791
  - fireproof containers, 503–504
  - firewalls
    - for network security, 496–497
    - troubleshooting, 800
  - FireWire interface
    - cables and connectors, 83, 83, 606
    - ports, 73, 73
    - for printers, 384
  - firmware
    - limitations, 589
    - for motherboards, 26
    - for printers, 759
  - FIXBOOT command, 316, 716
  - FIXMBR command, 316, 716
  - flash memory, 42–45, 43–45
  - flashlights, 110, 544
  - flat-blade screwdrivers, 108, 108, 765–766
  - flatbed scanners, 394, 395, 750
  - flexibility, 572
  - flooding, UDP, 837
  - floor guards, 531, 531
  - floppy disks and drives
    - bootable, 114, 723
    - components of, 38–39, 40
    - configuring, 598
    - connectors, 20
    - interfaces, 20
    - laptops, 147, 147–148
    - power connectors, 48, 49
    - requirements, 253
    - troubleshooting, 125–126
  - /FLUSHDNS option, 680
  - foam, anti-static, 549
  - Folder Options program, 214
  - Folder Redirection extension, 822
  - folders
    - command prompt for, 675–679
    - creating, 234–236, 235, 686
    - deleting, 208, 235–236, 686
    - hidden, 225, 225
    - overview, 231–232
    - sharing, 794, 795
    - structure of, 684–686, 685
    - Windows Explorer for, 232–236, 235
  - fonts
    - adding and removing, 214
    - printer, 390
  - Fonts program, 214
  - form factors, motherboard, 6–7
  - FORMAT command
    - for bootable floppy disks, 114
    - from command prompt, 672
    - options, 679
    - in Recovery Console, 316, 716
    - for troubleshooting, 326
  - formats for scanners, 762–763, 762
  - formatter boards, 410
  - formatting drives, 227–228, 258–259, 599, 683–684
    - from command prompt, 679
    - in Windows 2000, 262
  - Frequency-Hopping Spread Spectrum (FHSS), 499
  - front ends in LANs, 427
  - front intake fans, 85
  - frontside bus (FSB), 9
  - /FS option, 679
  - FTP (File Transfer Protocol), 785
  - full backups, 504
  - Full Control permission, 795
  - full-duplex communications, 458
  - full installations, 254
  - function keys, 653
  - fuser assemblies, 374, 374, 378–379, 378
- 
- G**
- /G option, XCOPY, 681
  - G1 Sleeping mode, 164
  - game ports, 23, 23
  - garbage from laser printers, 409–410

gateways  
 purpose, 462  
 troubleshooting, 800  
 GDI (Graphics Device Interface), 753–754  
 General Packet Radio Service (GPRS), 639  
 general protection faults (GPFs), 322, 720  
 Ghost utility, 725  
 ghosting from laser printers, 409  
 glass plates for scanners, 392  
 global states for laptops, 164  
 Global System for Mobile  
   Communications (GSM), 639–640  
 .gov domain, 783  
 GPFs (general protection faults), 322, 720  
 GPRS (General Packet Radio Service), 639  
 graphical installation phase, 266–268,  
   267–269  
 Graphical User Interface (GUI), 185  
 graphics, icon, 205  
 Graphics Device Interface (GDI), 753–754  
 graphics mode video, 54  
 grayware, 496  
 Group Policy Editor, 823  
 GSM (Global System for Mobile  
   Communications), 639–640  
 GUI (Graphical User Interface), 185

---

## H

/H option, XCOPY, 681  
 H/V (horizontal/vertical) display settings  
   convergence, 603  
   linearity, 603  
   moire, 603  
   position, 602  
   size, 602, 604  
 HAL.DLL file, 226, 312, 712  
 half-duplex communications, 458  
 half self-tests, printer, 411  
 Halt state, 164  
 handheld PCs (HPCs), 141  
 handheld scanners, 395, 750  
 hard drives, 683  
   components of, 38, 39  
   configuring, 598

connectors, 20  
 cooling, 86, 86  
 defragmenting, 290–291, 290–291,  
   706  
   from command prompt, 672, 689  
   in Windows 2000, 291, 292, 707  
   in Windows XP, 292–293, 707  
 formatting, 227–228, 258–259, 599,  
   683–684  
   from command prompt, 679  
   in Windows 2000, 262  
 interfaces, 20  
 laptops, 147–148  
 optimizing, 230–231  
 partitioning, 227–229, 258, 598–599,  
   683–684  
 for printers, 390  
 requirements, 253  
 troubleshooting, 121  
 hard reboots, 722  
 hardening systems, 813  
   Access Control Lists, 820–821  
   Apple Macintosh, 818  
   file systems, 818–820, 820  
   Group Policy, 821–827  
   Novell NetWare, 817  
   Unix/Linux, 816–817  
   Windows 2000, 814–815, 815  
   Windows Server 2003, 816  
   Windows XP, 815–816  
 hardware  
   compatibility, 252, 272  
   drivers for. *See* drivers  
   for network security, 491–492  
   profiles for, 217  
   recommended, 336  
   removing from laptops, 168, 168–169,  
     646–648, 647–648  
   requirements, 252–253  
   in troubleshooting, 308  
   in upgrade reports, 277  
   in Windows 2000, 284–285, 284  
   in Windows XP, 285–286, 285  
 Hardware Compatibility List (HCL), 252,  
   272  
 Hardware tab, 216

- hardware tools
  - compressed air, 110
  - flashlights, 110
  - multi-meters, 111–113, 111
  - pliers, 110, 110
  - screwdrivers, 108–110, 108–109
  - soldering irons, 110–111
  - wire cutters/strippers, 111
- Hardware Wizard, 217
- hash algorithms, 502
- Hayes command set, 122
- hazard identification, 526
- HCL (Hardware Compatibility List), 252, 272
- HD DVD (High Density DVD)
  - technology, 46
- HDMI (High-Definition Multimedia Interface), 58
- head carriages, 363–365
- header connections, 24, 24
- headers in OSI model, 439
- heads, scanning, 392–394
- heat
  - cooling systems for. *See* cooling systems
  - laptops, 173
  - printer, 768
- heat sinks, 84, 610–612
- heat spreaders, 36
- help
  - for command prompt, 673
  - Remote Assistance feature, 703–704
  - for troubleshooting, 118
- Help command, 203
  - from command prompt, 672
  - in Recovery Console, 316, 716
  - working with, 679–680
- Help And Support command, 203
- hermaphroditic data connectors, 453
- hex drivers, 542
- Hex Extended Graphics Array (HXGA), 151
- Hibernation mode, 164
- Hidden attribute, 333, 675
- hidden files and folders, 225, 225, 311–312, 311
- hiding Taskbar, 199
- High-Definition Multimedia Interface (HDMI), 58
- High Density DVD (HD DVD)
  - technology, 46
- high-voltage power supplies (HVPS), 371, 407
- high-voltage probes, 529
- hijacking, TCP/IP, 836
- HINFO records parameter, 784
- hives, Registry, 221
- HKEY\_CLASSES\_ROOT hive, 221
- HKEY\_CURRENT\_CONFIG hive, 221
- HKEY\_CURRENT\_USER hive, 221
- HKEY\_LOCAL\_MACHINE hive, 221
- HKEY\_USERS hive, 221
- home computers
  - Remote Desktop connection for, 700
  - wireless networks, 470–474, 471, 474
- horizontal/vertical (H/V) display settings
  - convergence, 603
  - linearity, 603
  - moire, 603
  - position, 602
  - size, 602, 604
- host adapters, 38, 39
- hostnames, translating to IP addresses, 782–784
- hosts files, 782–783
- hotfixes, 828
- HP LaserJet printers
  - testing, 410–412, 411
  - troubleshooting, 413
- HPCs (handheld PCs), 141
- HTML (Hypertext Markup Language), 785
- HTT (Hyper-Threading Technology), 28
- HTTP (Hypertext Transfer Protocol), 785
- hubs
  - in star topologies, 435–436
  - types, 461
  - USB, 81, 82
- hue setting, 603
- human accidents, 545
- humidity, 546, 549
- HVPS (high-voltage power supplies), 371, 407

- HXGA (Hex Extended Graphics Array), 151
- hybrid topologies, 437
- Hyper-Threading Technology (HTT), 28
- HyperTerminal program, 122
- Hypertext Markup Language (HTML), 785
- Hypertext Transfer Protocol (HTTP), 785
- Hypertext Transfer Protocol (Secure), 785
- 
- I**
- i.Link, 83
- I/O (input/output)
- addresses, 613, 616–617
  - cards, 69
  - memory, 616
  - ports and cables, 120
- I/O\_MEM line, 616
- I&A (identification and authentication), 486
- IBM data connectors (IDCs), 453, 453
- ICANN (Internet Corporation for Assigned Names and Numbers), 447
- ICMP (Internet Control Message Protocol), 443
- attacks, 837
  - packets, 834
- icons, 205–208, 206
- ID numbers, SCSI, 105
- IDCs (IBM data connectors), 453, 453
- IDE (integrated drive electronics) drives, 100
- connectors for, 20
  - installation and configuration, 101–102, 102
  - pros and cons, 101
  - working with, 100–101
- identification and authentication (I&A), 486
- IEEE 802 project models, 441–442
- IEEE 802.3 CSMA/CD, 442
  - IEEE 802.5 Token Ring, 442
  - IEEE 802.11x wireless protocols, 498–499
- IEEE 1394 interface
- cables and connectors, 83, 83
  - ports, 73, 73
  - for printers, 384
- illegal operations, 322, 720
- image smudging from laser printers, 409
- IMAP (Internet Message Access Protocol), 785
- impact printers, 360, 744
- daisy-wheel, 360–361, 360, 744–745, 745
  - dot-matrix, 361–362, 361, 745–746
- impersonation, 829
- Inaccessible Boot Device error, 321, 717–718
- Incident Response policies, 505–506
- incremental backups, 504
- Indexing file option, 237
- Industry Standard Architecture (ISA)
- expansion slots, 11, 11
- .info domain, 783
- Information Flow model, 511, 511
- information gathering in troubleshooting, 309, 570
- Infrared Data Association (IrDA)
- standard, 74, 160, 637
- infrared methods
- for laptops, 159–160, 160, 637–639, 638
  - for networking, 788
  - ports, 73–74, 73
  - for printers, 383
- ink and ink cartridges, 388, 769
- bubble-jet printers, 362–363, 363, 403–404
  - refill kits, 388–389
- ink-dispersion printers, 746–748
- inkjet printers, 362, 746
- bubble-jet. *See* bubble-jet printers
  - cleaning, 766–767
- inoculating against viruses, 346
- input devices, 604–605. *See also*
- keyboards; mouse
  - configuring, 607–609
  - identifying, 62–66, 62

- installing, 605–607, 606
- laptops, 154–156, 156, 171, 653
- preventative maintenance, 623
- removing, 609
- troubleshooting, 171
- upgrading, 107
- input/output
  - addresses, 613, 616–617
  - cards, 69
  - memory, 616
  - ports and cables, 120
- Install a New Copy of Windows 2000 (Clean Install) option, 275
- installation manuals
  - for diagnosis, 620, 723–724
  - for troubleshooting, 335
- installing
  - cooling systems, 611–612
  - display devices, 601
  - home wireless networks, 470–474, 471, 474
  - IDE drives, 101–102, 102
  - input devices, 605–607, 606
  - motherboards, CPU, memory, and adapter cards, 592–594
  - NICs, 463–464
  - operating systems. *See* operating systems (OSs)
  - printers and scanners, 396–400, 397, 399, 751–754, 752–753
  - SCSI devices, 103–105, 103–104
  - storage devices, 596–598
- instruction sets, 29, 589
- integrated drive electronics (IDE) drives, 100
  - connectors for, 20
  - installation and configuration, 101–102, 102
  - pros and cons, 101
  - working with, 100–101
- Integrated Services Digital Network (ISDN), 466–467, 788
- integrated system boards, 6
- intelligent hubs, 461
- interfaces, 76
  - IEEE 1394
    - cables and connectors, 83, 83
    - ports, 73, 73
    - for printers, 384
  - parallel, 77–78, 78–79
  - printer, 368, 382–386
  - PS/2, 84, 84
  - RCA, 83–84, 83
  - scanner, 394, 396
  - serial, 78–81, 79–81
  - USB, 81–82, 82
  - Windows. *See* Windows operating systems
- interference
  - electrical, 800
  - EMI, 449
- interlaced technologies, 55
- internal endpoints, 466
- internal SCSI devices, 103–104
- Internet
  - connection types, 464
    - cable, 466
    - connection protocols, 470
    - dial-up/POTS, 465
    - DSL, 465–466
    - ISDN, 466–467
    - satellite, 467–468
    - summary, 469–470
    - VOIP, 469
    - wireless, 468–469
  - for troubleshooting, 335
- Internet Control Message Protocol (ICMP), 443
  - attacks, 837
  - packets, 834
- Internet Corporation for Assigned Names and Numbers (ICANN), 447
- Internet Explorer
  - cached files in, 294–295, 294–295
  - for networks, 790, 790
- Internet Message Access Protocol (IMAP), 785
- Internet Network Information Center (InterNIC), 447
- Internet Options program, 214
- Internet Protocol (IP), 443

Internet Service Providers (ISPs)  
  for Internet connections, 464, 786  
  for IP addresses, 641  
Internet telephony, 789  
Internet/Web resources for diagnosis, 620, 724  
Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX)  
  description, 443–444, 785  
  network addresses in, 445  
  troubleshooting, 800  
InterNIC (Internet Network Information Center), 447  
interrupt request (IRQ) lines, 613–615  
Invalid Boot Disk error, 321, 717  
invalid working directories, 324, 722  
inverse multiplexing, 467  
Invert Colors option, 764  
inverters for LCDs, 645  
IO.SYS file, 313  
IP (Internet Protocol), 443  
IP addresses  
  hostname translation to, 782–784  
  ISPs for, 641  
  spoofing, 832  
  troubleshooting, 801  
  in Windows XP, 798  
IP telephony, 789  
IPCONFIG command  
  from command prompt, 670, 672  
  for network troubleshooting, 797–798  
  options, 680–681, 680  
IPX/SPX (Internetwork Packet Exchange/Sequenced Packet Exchange) protocol  
  description, 443–444, 785  
  network addresses in, 445  
  troubleshooting, 800  
IR (infrared) ports, 73–74, 73  
IrDA (Infrared Data Association)  
  standard, 74, 160, 637  
IRQ (interrupt request) lines, 613–615  
ISA (Industry Standard Architecture)  
  expansion slots, 11, 11  
ISA bus type, 588

ISDN (Integrated Services Digital Network), 466–467, 788  
isolation in troubleshooting, 118–119  
isopropyl alcohol, 130  
ISPs (Internet Service Providers)  
  for Internet connections, 464, 786  
  for IP addresses, 641  
IT8 scanner targets, 398, 754

---

## J

jacks  
  audio/video, 74–75, 74  
  sound card, 24, 24  
jams, printer  
  bubble-jet, 404  
  dot-matrix, 401–402  
  laser, 404–406  
jargon, 576  
journaled filesystems (JFS), 503  
journaling, 503  
joystick ports, 23, 23  
jumpers, 26, 26

---

## K

/K option, XCOPY, 681  
KDCs (key distribution centers), 489  
Keep Printed Documents option, 755  
Kerberos authentication, 489  
key balance setting, 602  
key distribution centers (KDCs), 489  
Key fobs, 492  
keyboards, 64  
  cleaning, 124–125, 129  
  connectors, 21, 22  
  installing, 604–605  
  laptop, 154, 159  
  ports, 75, 75  
  requirements, 253  
  safety for, 529  
  spills, 534

troubleshooting, 124–125  
 upgrading, 107  
 keys, encryption, 502–503  
 keystone, 602  
 kiosks, 155

---

## L

L1 (Level 1) cache, 16  
 L2 (Level 2) cache, 16  
 labels  
   for dot-matrix printers, 402  
   icon, 205  
 lamps, scanner, 393  
 landing setting, 603  
 lanes, 13  
 language in communication, 576  
 LANs (local area networks), 427, 427,  
   789  
 laptop computers  
   architecture, 142  
   cases, 143–144  
   vs. desktops, 142–143  
   displays, 143, 149–154, 150, 643–645,  
     644, 652  
   docking stations, 162, 162  
   exam essentials, 174, 654–655  
   expansion buses and ports, 156–161,  
     157, 160  
   input devices, 154–156, 156, 653  
   memory, 145–147, 146–147  
   motherboards, 144, 144  
   objectives, 139–140, 631–633  
   power systems, 163–164  
     batteries, 162–163, 167, 167, 643,  
       651  
     requirements, 643, 643  
     states in, 164–165  
     troubleshooting, 651  
     types, 162–163  
   in Windows, 165–167, 166–167  
   preventative maintenance, 172–174  
   processors, 144–145  
   removing hardware from, 168,  
     168–169, 646–648, 647–648  
   review questions, 175–180, 656–661  
   storage devices, 147–149, 147–149  
   summary, 174, 654  
   troubleshooting, 170–172, 650–654  
   video, 651–652  
   video memory sharing, 648–649  
   wireless methods, 635  
     Bluetooth, 635–637, 637  
     cellular, 639–640  
     Ethernet, 640–642, 641  
     infrared, 637–639, 638  
     troubleshooting, 653  
     wireless/wired conflicts, 173  
     working with, 634  
 laser printers, 370  
   controller assemblies, 374  
   electrophotographic print process,  
     375–379, 375–379, 748–749  
   fuser assemblies, 374, 374  
   laser scanning assembly, 371, 372  
   memory, 760  
   ozone filters in, 374–375  
   paper transport assemblies, 372, 373  
   power supplies  
     DC, 372, 765  
     high-voltage, 371  
   testing, 410–412, 411  
   toner cartridges, 370–371, 371, 406  
   transfer corona assemblies, 373, 373  
   troubleshooting, 404–413, 408, 411  
 Last Known Good Configuration startup  
   option, 315, 713  
 latency, DDR2 memory, 33  
 LBA (Logical Block Addressing), 589  
 LCDs (liquid crystal displays), 53, 149,  
   643  
   backlights for, 644  
   inverters for, 645  
   maintenance, 153–154  
   overview, 61–63, 62  
   resolution, 151–153  
   technologies, 150, 150  
   troubleshooting, 652  
   video cards for, 644, 644  
 LED (light-emitting diode) page printers,  
   379–380

LEDs. *See* light-emitting diodes (LEDs)

Lee, Andrew Daulton, 830

letter quality (LQ) printers, 361, 745

Level 1 (L1) cache, 16

Level 2 (L2) cache, 16

License Agreement and Product Key screen, 276

light-emitting diode (LED) page printers, 379–380

light-emitting diodes (LEDs)

- for fiber-optic cabling, 454
- on laptops, 653
- NIC, 475
- power, 590
- printer, 413

light sources for scanners, 393

light with printers, 768

Lighten/Darken scanner option, 763

linearity setting, 603

link light on NICs, 475

Linux operating systems

- backups for, 826–827
- hardening, 816–817
- network cards for, 792, 792
- overview, 192–194

liquid cooling systems, 88, 610, 612

liquid crystal displays. *See* LCDs (liquid crystal displays)

List Folder Contents permission, 796

listening skills, 568

LISTSVC command, 316, 716

lithium ion battery disposal, 553

loading drivers, 283

local area networks (LANs), 427, 427, 789

local policies, 823–826

local ports, 751

Local Users and Groups, 691

locking workstations, 513

locks in security, 501

Logical Block Addressing (LBA), 589

logical partitions, 229, 684

logical topologies, 434

login issues, 323, 721

LOGON command, 316, 716

logs

- boot, 713
- Event Viewer, 697
- security, 827–828

loop back plugs, 622

Low Profile Extended (LPX) motherboards, 7

LQ (letter quality) printers, 361, 745

luminance signals, 58

---

## M

MAC addresses, 445

Mac operating system

- hardening, 818
- overview, 191–192

magnets, 767

main motors in dot-matrix printers, 402

maintenance

- LCDs, 153–154
- preventative. *See* preventative maintenance

maintenance stations, 363

MAKEBOOT.EXE utility, 318

/makelocalsource option, 261

malicious software protection, 508

man-in-the-middle attacks, 832

manuals

- for diagnosis, 620, 723–724
- for safety, 535–542
- in troubleshooting, 118, 335

MAP command, 316, 716

mapping printers, 759

master boot record (MBR)

- in boot process, 313, 712
- in partitions, 258

master computers, 257

master drives, 101, 102

Master File Table (MFT), 259

Material Safety Data Sheets (MSDSs), 535–542

MAUs (multistation access units), 449

maximized windows, 211, 212

Maximum Password Age policy, 823–824

- MBR (master boot record)
  - in boot process, 313, 712
  - in partitions, 258
- MD command
  - from command prompt, 672
  - in Recovery Console, 316, 716
  - working with, 675–677
- MDA (Message Digest Algorithm), 502
- mechanical off state, 164
- media
  - network, 449
    - access methods, 460
    - cabling, 450–457, 450–451, 454–456
    - NICs, 457–460
  - for printers, 386–387
- media bays, 162
- MEM command, 672
- memory, 30–31, 31
  - addresses, 613, 616–617
  - capacity and characteristics, 588–589
  - CMOS, 35
  - configuring, 594
  - cooling, 86
  - DDR, 32
  - DDR2, 33
  - DRAM, 32
  - flash, 42–45, 43–45
  - installing, 592–594
  - laptops, 145–147, 146–147
  - NIC, 459
  - packaging, 35–38
  - printer, 369, 390, 747, 759–760
  - Rambus DRAM, 34
  - removing, 590–592
  - requirements, 253
  - ROM, 35
  - sharing, 648–649
  - slots for, 15–16, 15
  - SRAM, 32, 34
  - virtual. *See* virtual memory
- memory cards, 43, 43
- menu bars, 210
- mesh topologies, 437, 437
- Message Digest Algorithm (MDA), 502
- meters, 111–112, 111, 544, 622
  - for current, 113, 114
  - overview, 765
  - for resistance, 112, 113
  - for voltage, 112, 113
- MFT (Master File Table), 259
- mice. *See* mouse
- Micro ATX motherboards, 6
- microcode, 29
- MicroDIMM memory, 38, 147, 147
- microfloppy diskettes, 39
- microSD products, 43
- Microsoft Diagnostics (MSD), 115
- Microsoft Windows. *See* Windows operating systems
- MIDI (Musical Instrument Digital Interface) connectors, 23
- migration in network security, 512
- .mil domain, 783
- mini-Centronics connectors, 78, 79
- Mini-DIN connectors, 75, 605
- Mini PCI standard, 158
- minifloppy diskettes, 39
- minimal installations, 254
- minimize buttons, 209, 209
- minimized windows, 211, 212
- Minimum Password Age policy, 823–824
- Minimum Password Length policy, 823–824
- minimum specifications, 252
- miniSD products, 43
- Mirror scanner option, 764
- mirroring disks, 106
- mirrors
  - for scanners, 393
  - as tools, 543
- Missing NTLDR error, 322
- missing system files, 320
- Mitnick, Kevin, 830
- MKDIR command
  - in Recovery Console, 316, 716
  - working with, 675–677
- MMC (MultiMediaCard) format, 43
- MMX (Multimedia Extensions)
  - microcode, 29

- mobile users, 822
- Modem Dialing Information screen, 263
- modems,
  - fax, 391
  - overview 67–68, 68
  - troubleshooting, 121–124, 122
- Modems program, 214
- modes, fiber-optic cabling, 454
- Modify permission, 795
- moire setting, 603
- Molex connectors, 50, 50
- monitors, 53, 60–61, 60
  - cleaning, 129
  - disposal procedures, 553–554
  - LCDs. *See* LCDs (liquid crystal displays)
  - lifting, 552
  - repairing, 106–107
  - safety for, 529
  - troubleshooting, 125
- monochrome video, 54
- mopiers, 389
- MORE command, 317, 716
- motherboards, 4–5, 5
  - BIOS chips, 25
  - cards
    - configuring, 594
    - installing, 592–594
    - removing, 590–592
  - chipsets, 9–10, 10
  - CMOS batteries, 25–26
  - components, 8–9, 8, 130
  - CPU slots, 16–19, 16–17
  - CPUs, 589
  - expansion slots, 11–14
  - firmware, 26
  - form factors, 6–7
  - jumpers and DIP switches, 26, 26
  - keyboard connectors, 21, 22
  - laptops, 144, 144
  - memory slots and external cache, 15–16, 15
  - onboard connectors, 20, 21
  - peripheral ports and connectors, 22–25, 23–25
  - power connectors, 19, 19
  - troubleshooting, 119
  - types, 5–6
- mouse
  - configuring, 608–609
  - installing, 604–605
  - laptop, 154–156, 156, 159
  - overview, 63–64, 63
  - ports, 75, 75, 159
  - requirements, 253
  - safety for, 529
  - troubleshooting, 124–125
  - upgrading, 107
- mouse clicks, 196
- mouse pads, 64
- MOVE command
  - from command prompt, 672
  - working with, 677
- MSCONFIG tool, 226, 313, 331, 696
- MSD (Microsoft Diagnostics), 115
- MSDSs (Material Safety Data Sheets), 535–542
- multi-core architecture, 28–29
- multi-meters, 111–112, 111, 544, 622
  - for current, 113, 114
  - overview, 765
  - for resistance, 112, 113
  - for voltage, 112, 113
- multifactor authentication, 489, 490
- multifunction printers, 391
- Multimedia Extensions (MMX)
  - microcode, 29
- multimedia input devices, 65
- Multimedia program, 214
- MultiMediaCard (MMC) format, 43
- multimode fiber, 454
- multiple file selections, 233, 685
- multiple-lock access control methods, 501
- multiplexers, 455
- multipurpose servers, 429
- multistation access units (MAUs), 449
- multitasking, 186, 188
- multithreading, 28, 186
- Musical Instrument Digital Interface (MIDI) connectors, 23

MX records, 784

My Computer icon, 206–207

My Network Places icon, 207

My Recent Documents menu, 201–202

## N

names

computer, 263

file, 231

NAT (Network Address Translation), 641

native resolution, LCDs, 152

natural elements, damage from, 530–531, 531

NBF (NetBIOS Frame), 444

NDIS (Network Driver Interface Specification), 444

NDS (NetWare Directory Services), 817

near letter quality (NLQ) printers, 362

near-line storage, 223

needle-nose pliers, 110, 110

.net domain, 783

NetBEUI (NetBIOS Extended User Interface) protocol, 444, 786

NetBIOS (Network Basic Input/Output System), 444, 786

NetBIOS Frame (NBF), 444

NetWare Directory Services (NDS), 817

NetWare operating system, hardening, 817

Network Address Translation (NAT), 641

Network Basic Input/Output System (NetBIOS), 444, 786

Network Driver Interface Specification (NDIS), 444

Network File System (NFS), 819

Network Identification tab, 216

network installations, 257

network interface cards (NICs), 430, 457–458

drivers, 459

installing, 463–464

for Linux, 792, 792

overview, 66–67, 67

PC bus type, 459

performance, 459

preparing data for, 458

for printers, 383, 390

sending and controlling data for, 458

settings, 459

troubleshooting, 126–127, 475

network interfaces, troubleshooting, 800

Network layer, 439, 440

Network Neighborhood icon, 207

network operating systems (NOSs)

hardening, 814

overview, 431–434, 432–433

network ports, 751

Network program, 214

network security

access control, 508–511, 509–512

authentication, 485–490, 487–490

backups, 503–505, 512

BIOS, 507–508

data migration, 512

data remnant removal, 513

encryption technologies, 502–503

exam essentials, 516

filesystem, 497–498

firewalls, 496–497

hardware, 491–492

Incident Response policies, 505–506

locking workstations, 513

malicious software protection, 508

objectives, 483–484

overview, 484–485

passwords, 513

physical, 501–502

problem areas, 513–515

review questions, 517–522

social-engineering attacks, 506–507

software exploitation, 492–496

summary, 515

wireless, 498–501

Network Setup Wizard, 792, 792

network systems

browsers, 789–791, 790–791

connectivity, 787–789, 791–792, 792–793

exam essentials, 802–803

objectives, 777–780

- preventative maintenance, 801–802
- protocols and technologies, 781–787
- resource sharing, 794–796, 794–796
- review questions, 804–808
- summary, 802
- tools for, 797–799
- troubleshooting, 799–801
  - in Windows 2000 installation, 264
- Networking tab, 331, 695
- networks and networking, 185
  - architectures, 448
    - ARCNet, 449
    - Ethernet, 448
    - Token Ring, 449
  - client software for
    - IEEE 802 project models, 441–442
    - OSI model, 438–440, 440
    - protocols, 443–448
  - components, 428–429
    - network operating systems, 431
    - resources, 430–432
    - servers, 429–430
    - workstations, 430
  - connectivity devices, 460–462
  - exam essentials, 476
  - in installation, 254
  - LANs vs. WANs, 426
    - LANs, 427, 427
    - WANs, 428, 428
  - laptops, 171–172, 653
  - login issues, 323, 721
  - media, 449
    - access methods, 460
    - cabling, 450–457, 450–451, 454–456
    - NICs, 457–460
  - principles, 425–426
  - protocols, 443
    - addressing, 445–448, 447
    - AppleTalk, 444–445
    - NetBEUI, 444
  - resources, 430–432
    - client-server model, 433–434, 433
    - peer-to-peer networks, 432–433, 432
  - review questions, 477–482
  - security. *See* network security
  - summary, 475–476
  - systems. *See* network systems
  - topologies, 434–438, 435–437
  - wireless, 468–469, 789, 832
    - cabling, 456
    - home, 470–474, 471, 474
    - for laptops, 161, 653
    - security for, 498–501
- New Low-profile Extended (NLX)
  - motherboards, 7
- New Technology File System (NTFS), 684
  - hardening, 818–819
  - security in, 497–498
  - in upgrades, 277
- NFS (Network File System), 819
- nickel cadmium (NiCd) battery disposal, 553
- nickel metal hydride (NiMH) battery
  - disposal, 553
- NICs. *See* network interface cards (NICs)
- NiMH (nickel metal hydride) battery
  - disposal, 553
- NLQ (near letter quality) printers, 362
- NLX (New Low-profile Extended)
  - motherboards, 7
- nondedicated servers, 429–430
- nonintegrated system boards, 5
- Noninterference model, 511, 512
- Northbridge chipsets, 9–10
- NOSs (network operating systems)
  - hardening, 814
  - overview, 431–434, 432–433
- Novell NetWare operating system,
  - hardening, 817
- Novell Storage Services (NSS), 819
- NS records, 784
- NSLOOKUP utility, 799
- NSS (Novell Storage Services), 819
- NT File System (NTFS), 228–229
- NTBACKUP.EXE utility
  - for troubleshooting, 327
  - working with, 690
- NTBOOTDD.SYS file, 226, 312
- NTBTLOG.TXT file, 713
- NTDETECT.COM file, 226, 312, 314, 712

NTFS (New Technology File System), 684  
 hardening, 818–819  
 security in, 497–498  
 in upgrades, 277

NTLDR file  
 in boot process, 226, 312–314, 712  
 missing, 320, 322, 718

NTOSKRNL.EXE file, 226, 312, 314,  
 712–713

NTOSKRNL.EXE missing or corrupt  
 error, 322, 718

null modem serial cables, 80, 80

## O

/O option  
 DIR, 678  
 XCOPY, 682–683

Occupational Safety and Health  
 Administration (OSHA), 536, 549–550

octets, 445

OFDM (Orthogonal Frequency Division  
 Multiplexing), 499

off board interfaces, 20

offsite backup storage, 504

ohms, measuring, 112, 113

onboard connectors, 20, 21

1/8-inch (3.5mm) stereo minijacks, 24

one-way hashes, 502

onsite backup storage, 503–504

open access points, 472

open source operating systems  
 defined, 185  
 Linux, 192–194

Open Systems Interconnection (OSI)  
 model, 438–440, 440

opening files, 233, 686

Operating System Not Found error, 265,  
 321, 717

operating systems (OSs), 663–668  
 hardening. *See* hardening systems  
 installing  
 computer preparation for, 258–259  
 drivers, 280–286, 284–285  
 exam essentials, 297–298  
 methods, 255–257  
 objectives, 249–250  
 options, 254–255  
 post-installation routines, 269–270  
 prerequisites, 251–253  
 review questions, 299–304  
 summary, 296  
 Windows 2000, 260–264, 263  
 Windows XP, 264–268, 265,  
 267–269

managing  
 command prompt. *See* command  
 prompt  
 exam essentials, 731–732  
 files and folders, 684–688, 685, 687  
 hard drives. *See* hard drives  
 review questions, 733–738  
 summary, 731  
 utilities. *See* Windows operating  
 systems

optimizing, 286, 704  
 defragmenting disks, 290–293,  
 290–292, 706–707  
 disk caches, 293–295, 293–295  
 temporary files, 295–296, 707–708  
 virtual memory, 286–290, 289, 291,  
 705–706, 706

overview, 184–185, 184  
 exam essentials, 241  
 file management. *See* files  
 folder management. *See* folders  
 Linux, 192–194  
 Mac OS, 191–192  
 objectives, 181–182  
 review questions, 242–247  
 summary, 240–241  
 terms and concepts, 185–186  
 Windows. *See* Windows operating  
 systems

troubleshooting, 710–711  
 applications, 720–722  
 auto-restart and startup errors,  
 718–719  
 boot disks and ERDs in, 714–715  
 boot errors, 717–718  
 boot process, 310–319, 711–713  
 diagnostic tools, 334–336, 722–726  
 exam essentials, 348–349

- file-related problems, 319–326, 325
  - objectives, 305–306
  - overview, 307
  - preventative maintenance, 336–347, 726–731, 728–729
  - printing, 719–720
  - Recovery Console, 715–717
  - review questions, 350–355
  - startup options, 713–714
  - steps, 308–310
  - summary, 347–348
  - Windows-based utilities, 326–334
  - updating, 513–514, 828–829
  - upgrading, 270–271
    - finalizing, 280
    - prerequisites, 271–273
    - to Windows 2000, 273–278, 274–276, 278
    - to Windows XP, 279, 279–280
  - optimizing
    - hard disks, 230–231
    - operating systems, 286, 704
      - defragmenting disks, 290–293, 290–292, 706–707
      - disk caches, 293–295, 293–295
      - temporary files, 295–296, 707–708
      - virtual memory, 286–290, 289, 291, 705–706, 706
    - printers, 400
    - scanners, 400, 761–764, 761–763
  - .org domain, 783
  - Orthogonal Frequency Division Multiplexing (OFDM), 499
  - OSHA (Occupational Safety and Health Administration), 536, 549–550
  - OSI (Open Systems Interconnection)
    - model, 438–440, 440
  - output size, scanner, 761–762, 761
  - overclocking, 29–30, 130
  - overheating, 130. *See also* cooling systems
  - ozone in printers, 374–375, 769
- 
- P**
- /P option, DIR, 678
  - P8 connectors, 49, 49
  - P9 connectors, 49, 49
  - packaging
    - CPU, 27, 27
    - memory, 35–38, 36–37
  - packet filter firewalls, 497
  - PACs (pin array cartridges), 16
  - page-description languages, 384–386, 747, 753–754
  - page printers
    - laser. *See* laser printers
    - LED, 379–380
    - troubleshooting, 404–413, 408, 411
  - PAGEFILE.SYS file, 224
  - paging files, 223–224, 287, 705
  - PAP (Password Authentication Protocol), 486
  - paper feeders, 365–366, 365–367
  - paper for printers, 386–387
  - paper-free environments, 743
  - paper jams, printer
    - bubble-jet, 404
    - dot-matrix, 401–402
    - laser, 404–406
  - paper pickup rollers, 372, 373
  - paper transport assemblies, 372, 373
  - paper trays, 365, 367, 391
  - Parallel ATA (PATA)
    - connectors, 20
    - description, 99
  - parallel ports, 77–78, 78–79, 382–383
  - parallelogram setting, 602
  - parity blocks, 106
  - parity checking, 31
  - parked printer heads, 748
  - partitions
    - creating, 227–229, 258, 598–599, 683–684
    - recovery, 725
  - passive hubs, 461
  - passive matrix LCDs, 62, 62, 150, 150
  - passive memory cooling, 86
  - passive termination in SCSI, 103
  - Password Authentication Protocol (PAP), 486
  - password-guessing attacks, 833
  - Password Policy settings, 823

**900** passwords – pincushion setting

- passwords
  - administrator, 263
  - in authentication, 486, 487
  - in network security, 513
- Passwords Must Meet Complexity Requirements Of The Installed Password Filter policy, 823
- PATA (Parallel ATA)
  - connectors, 20
  - description, 99
- patches
  - applying, 829
  - for hardening systems, 817
- paths, file, 231
- PC Card expansion bus, 156–158, 157
- PC Cards, 42
- PC2-3200 module, 33
- PC800 module, 34
- PC1600 module, 32
- PCI (Peripheral Component Interconnect)
  - bus type
  - characteristics, 588
  - expansion slots, 12, 12
- PCI Express (PCIe) expansion slots, 12–13
- PCL (Printer Control Language), 385–386, 753–754
- PCMCIA (Personal Computer Memory Card International Association)
  - expansion bus, 156–158, 157
- PDA's (Personal Digital Assistants), 141
- peel-off labels, 402
- peer-to-peer networks, 432–433, 432, 794
- Peltier cooling, 88
- penetration, detecting, 501–502
- Pentium M processors, 145
- performance, 218
  - hard disks, 230–231
  - laptops, 142
  - NICs, 459
  - operating systems, 286, 704
    - defragmenting disks, 290–293, 290–292, 706–707
    - disk caches, 293–295, 293–295
    - temporary files, 295–296, 707–708
    - virtual memory, 286–290, 289, 291, 705–706, 706
- printers, 400
  - scanners, 400, 761–764, 761–763
  - Task Manager for, 331, 695
- Performance Logs and Alerts, 691
- Performance Monitor, 815
- performance states for laptops, 165
- Performance tab, 331, 695
- Peripheral Component Interconnect (PCI)
  - bus type
  - characteristics, 588
  - expansion slots, 12, 12
- peripherals
  - interfaces for. *See* interfaces
  - ports and connectors for, 22–25, 23–25, 70–72, 71
  - power connectors for, 50, 50
- permissions
  - driver, 281
  - file, 238–240, 688
  - for resource sharing, 795–796, 796
  - troubleshooting, 801
- persistence of vision, 55
- Personal Computer Memory Card International Association (PCMCIA)
  - expansion bus, 156–158, 157
- personal computers. *See* components
- Personal Digital Assistants (PDAs), 141
- Personalize Your Software screen, 263
- PGA (Pin Grid Array) CPUs, 27, 27
- phase change cooling, 88
- phase (Hue or Tint) setting, 603
- Phillips screwdrivers, 108, 109, 765–766
- photosites in scanners, 393
- physical accidents, 545
- Physical layer, 439, 440
- physical security, 501–502
- physical topologies, 434
- pickup rollers
  - bubble-jet printers, 365, 366
  - laser printers, 372, 373, 404–406
- pickup stepper motors, 365
- piconets, 635
- pin array cartridges (PACs), 16
- pin balance setting, 602
- Pin Grid Array (PGA) CPUs, 27, 27
- pincushion setting, 602

- PING command
  - from command prompt, 672
  - for network troubleshooting, 681–682, 681, 799
- ping of death, 834
- ping time, 468
- pins, dot-matrix printer, 361, 361, 745
- pixels, 53
- Plain Old Telephone Service (POTS), 465, 788
- planar boards. *See* motherboards
- plenum-rated coating, 450
- pliers, 110, 110, 543
- Plug and Play (PnP) technology
  - for drivers, 281
  - for NICs, 463
  - for storage devices, 594
  - in upgrades, 277
  - in Windows, 189
- pointer speed, 608
- pointing devices
  - for laptops, 154–156, 156
  - mouse. *See* mouse
- policies
  - Group Policy, 821–827
  - security, 514
- polling, network, 460
- port replicators, 22, 162
- portability of laptops, 142
- portable computers, 61, 149. *See also* laptop computers
- portable installation type, 254
- ports, 69
  - addresses, 616–617
  - audio/video jacks, 74–75, 74
  - Centronics connector, 76, 76
  - IEEE 1394, 73, 73
  - infrared, 73–74, 73, 638
  - laptops, 156–161, 157, 160
  - parallel, 77–78, 78–79, 382–383
  - peripherals, 22–25, 23–25, 70–72, 71
  - printer, 368, 382–384, 397, 751
  - PS/2, 75, 75
  - scanner, 397, 751
  - serial, 78–81, 79–81, 382, 455
  - troubleshooting, 120
  - USB, 72–73, 72
- POST (power-on self-test), 118–119, 313, 712
- POST cards, 119
- post-installation routines, 269–270
- PostScript (PS) language, 385, 753–754
- POTS (Plain Old Telephone Service), 465, 788
- Power Meter tab, 166, 166
- power-on self-test (POST), 118–119, 313, 712
- Power Options program, 214
- power supplies and systems, 47–48, 47
  - bubble-jet printers, 368
  - connectors, 19, 19, 48–52, 48–52
  - fans, 85
  - for laptops, 163–164
    - batteries, 162–163, 167, 167, 643, 651
    - requirements, 643, 643
    - states in, 164–165
    - troubleshooting, 170, 651
    - types, 162–163
    - in Windows, 165–167, 166–167
  - laser printers, 371–372, 765
  - LEDs for, 590
  - managing, 163, 619
  - output capacity, 589
  - preventative maintenance, 623
  - removing, 599–600
  - safety for, 527–528
  - troubleshooting, 127–128
- PowerPC processor, 192
- preemptive multitasking, 186
- Presentation layer, 440, 440
- preventative maintenance, 622–623
  - components, 129–130
  - laptops, 172–174
  - network systems, 801–802
  - operating systems, 336, 726–727
    - backups, 339–342, 340–341
    - drivers, 337
    - recommended hardware, 336
    - restore points, 343–346, 343–345

## 902 PRI – profiles

- shutdown, 337–338
- viruses, 346–347
- Windows installation, 337
- Windows updates, 338–339, 339
- printers, 768–769
- PRI (Primary Rate Interface), 467
- primary mouse clicks, 196
- primary partitions, 228
- Primary Rate Interface (PRI), 467
- principals in KDC authentication, 489
- print buffer memory, 747
- print servers, 429, 636, 637
- Print Test Page option, 719
- Printer Command Language (PCL), 753–754
- printer control circuits, 368
- Printer Control Language (PCL), 385–386, 753–754
- printer controller assemblies, 374
- printers
  - calibrating, 398, 752
  - card slots in, 44, 44
  - cleaning, 130, 766–767
  - compatibility, 758
  - configuring, 754–756, 754–755
  - drivers
    - bubble-jet, 747
    - calibrating, 754
    - corrupted, 719
    - installing, 397–398, 397, 752–754, 753
    - laser, 410
    - purpose, 386
    - wireless, 384
  - dye-sublimation, 381–382, 750
  - education for, 758
  - exam essentials, 415–416, 770
  - firmware for, 759
  - impact, 360, 744
    - daisy-wheel, 360–361, 360, 744–745, 745
    - dot-matrix, 361–362, 361, 745–746
  - inkjet, 362, 746
    - bubble-jet. *See* bubble-jet printers
    - cleaning, 766–767
    - installing, 396–400, 397, 399, 751–754, 752–753, 757
    - interface components, 382–386
    - laser. *See* laser printers
    - mapping, 759
    - memory, 369, 390, 747, 759–760
    - network, 794, 794
    - objectives, 357–358, 739–742
    - optimizing, 400
    - ports, 368, 382–384, 397, 751
    - preventative maintenance, 768–769
    - process, 368–370, 743–744
    - review questions, 417–422, 771–776
    - safety for, 528–529, 768–769
    - solid-ink, 381, 749
    - summary, 414–415
    - supplies, 386–391
    - test pages, 398–400, 399, 757
    - testing, 410–412, 411
    - thermal, 381, 749–750
    - troubleshooting, 719–720, 764–767
    - upgrading, 389–391, 758–761
- Printers and Faxes window, 754, 755
- Printers program, 214
- printhead carriages, 363–365, 364
- printheads
  - bubble-jet printers, 362–363, 404
  - daisy-wheel printers, 360
- Printing Preferences window, 754, 755
- priorities in troubleshooting, 115
- privacy, 575
- private encryption keys, 502–503
- problems
  - defining, 115–116
  - troubleshooting. *See* troubleshooting
- Processes tab, 331, 695
- processor states for laptops, 164–165
- processors. *See* CPUs (central processing units)
- product activation, 266–267
- product keys, 266, 276
- professionalism. *See* communication and professionalism
- profiles
  - hardware and user, 217–218
  - roaming, 822

program notes in upgrade reports, 277  
 Programs menu, 201  
 propagation delay, 468  
 proprietary components
 

- motherboards, 7
- ports, 162

 protocols, network, 443
 

- addressing, 445–448, 447
- AppleTalk, 444–445
- identifying, 781–787
- NetBEUI, 444, 786

 proxy agents, 787  
 proxy firewalls, 497  
 PS (PostScript) language, 385, 753–754  
 PS/2
 

- connectors, 21, 22
- interface, 84, 84
- ports, 75, 75

 PTR records, 784  
 public encryption keys, 502–503  
 punctuality, 570–571  
 /PURGECACHE option, 725

---

## Q

/Q option
 

- DIR, 678
- FORMAT, 679

 Quad Extended Graphics Array (QXGA), 151  
 quality
 

- bubble-jet printers, 403–404
- dot-matrix printers, 400–401
- laptop construction, 143

 QXGA (Quad Extended Graphics Array), 151

---

## R

/R option, 681  
 rag stock of paper, 387  
 RAID (Redundant Array of Independent Disks), 105–106  
 RAM. *See* memory

Rambus DRAM (RDRAM), 34  
 RCA connectors, 83–84, 83  
 RCA jacks, 74–75, 74  
 RD command
 

- from command prompt, 673
- in Recovery Console, 317, 716
- working with, 675–677

 RDRAM (Rambus DRAM), 34  
 Read & Execute permission, 796  
 Read-only attribute, 333, 675  
 read-only memory (ROM), 35  
 Read permission, 796  
 Readiness Analyzer, 272  
 rear exhaust fans, 85  
 Reboot startup option, 315, 714  
 rebooting, problem solving by, 117, 324–325, 722  
 recent changes, troubleshooting after, 570  
 recommended hardware, 252–253, 336  
 recovery
 

- boot disks and ERDs in, 714–715
- boot process in, 711–713
- data loss, 502
- Recovery Console for, 715–717
- startup options in, 713–714
- Windows XP, 826

 recovery CDs, 621, 724–725  
 Recovery Console, 315–317, 715–717  
 Recycle Bin, 208, 208  
 recycling, 532–533  
 Redundant Array of Independent Disks (RAID), 105–106  
 refill kits, ink cartridge, 388–389  
 refresh rate, 61  
 Refresh Time parameter, 784  
 REGEDIT.EXE utility, 331–332, 696  
 REGEDT32.EXE utility, 331–332, 696  
 Regional Settings screen, 263  
 registered jack (RJ) connectors, 71, 71, 453–454  
 registration rollers, 372, 373  
 Registry, 221
 

- in boot process, 713
- editing, 222, 696
- errors in, 719
- for performance, 218

**904** /RELEASE parameter – rolling back drivers

- restoring, 222–223
  - in Windows 2000 installation, 264
- /RELEASE parameter, 680–681, 797–798
- Remote Assistance feature, 220, 703–704
- Remote Desktop connection, 699–704, 701–703
- Remote Installation Services (RIS), 822
- remote installations, 257
- Remote tab, 220
- removable storage devices, 42
  - cleaning, 130
  - external disk drives, 45, 46
  - flash memory, 42
  - memory cards, 43–44, 43–44
  - tape backup, 42
  - thumb drives, 45, 45
  - troubleshooting, 125–126
- removing
  - cooling systems, 610–611
  - display devices, 601
  - input devices, 609
  - laptop hardware, 168, 168–169, 646–648, 647–648
  - motherboards, CPU, memory, and adapter cards, 590–592
  - power supplies, 599–600
  - storage devices, 594–596
- REN command
  - from command prompt, 672
  - in Recovery Console, 317, 716
- /RENEW parameter, 680–681, 797–798
- repair tools, 542–544, 542
- repeaters, 461
- repetitive marks from laser printers, 407, 408
- replay attacks, 832–833
- reports
  - error, 325–326, 325
  - upgrade, 277–278, 278
- reproducing errors, 569–570
- Reset Account Lockout Counter After policy, 824
- Reset Tools option, 764
- resistance measurements, 112, 113
- Resize scanner option, 763
- resolution
  - LCD screens, 151–153
  - scanner, 394, 761–762, 761, 764
  - video, 53
- Resolution option, 764
- resources
  - assigning, 619, 620
  - available, 617–619, 618–619
  - diagnostic, 620–622
  - memory, 616–617
  - network, 430–432
    - client-server model, 433–434, 433
    - peer-to-peer, 432–433, 432
  - for startup applications, 710, 711
- respect, 572–575
- Restart option, 205
- restarting
  - services, 691–692, 691
  - in troubleshooting, 117, 324–325, 722
- restoration CDs, 725
- restore buttons, 209, 209
- restore points, 219, 343–346, 343–345, 697–699, 700–701, 731
- restored windows, 211, 212
- restoring
  - Registry, 222–223
  - user data files, 270
- Retry Time parameter, 784
- Return to OS Choices Menu startup option, 315, 714
- /REVERT option, 725
- RG cable type, 450–451
- ribbons and ribbon cartridges, 388
- right-clicking, 64
- RIMM RAM, 36, 37
- ring topologies, 436, 436, 442, 449
- RIS (Remote Installation Services), 822
- riser cards, 7
- RJ (registered jack) connectors, 71, 71, 453–454
- RMDIR command
  - in Recovery Console, 317, 716
  - working with, 675–677
- roaming profiles, 822
- roaming users, 821
- rolling back drivers, 719

ROM (read-only memory), 35  
 root directory, 232  
 rootkits, 495  
 rotation setting, 603  
 routers  
   description, 462  
   wireless, 641, 641  
 RS-232 cables, 455  
 Run command, 204, 204  
 Run Window, 204, 204

---

## S

/s option  
   DIR, 678  
   WINNT.EXE, 260  
   WINNT32.EXE, 260  
   XCOPY, 681  
 S/PDIF (Sony/Philips Digital Interface), 68  
 S-video, 59–60, 59  
 Safe Mode startup option, 314, 713  
 Safe Mode with Command Prompt  
   startup option, 314, 713  
 Safe Mode with Networking startup  
   option, 314, 713  
 SAFER+ (Secure and Fast Encryption  
   Routine) encryption, 636  
 safety and environmental issues  
   accidents, 542–544  
   cleaning, 533–534  
   computer components, 526  
   disposal issues, 532–533, 552–555  
   documentation, 535–542  
   electrostatic discharge, 546–549,  
     547–548  
   environmental hazards, 534–535  
   equipment handling, 551–552  
   exam essentials, 555  
   hazard identification in, 526  
   keyboard and mouse, 529  
   laptops, 172–173, 650  
   monitors, 529  
   natural elements, 530–531, 531  
   objectives, 523–524  
   overview, 525  
   power supplies, 527–528  
   printers, 528–529, 768–769  
   repair tools, 542–544, 542  
   review questions, 556–561  
   summary, 555  
   troubleshooting, 128–129  
   work environment, 549–551  
 safety plans, 550–551  
 Samba protocol, 796  
 SARC (Symantec's Anti-Virus Center), 346  
 SATA (Serial ATA) connectors, 20, 21,  
   52, 52  
 satellite connections, 467–468  
 satellite networks, 787  
 SCA connectors, 102  
 /SCANBOOT option, 726  
 scanners, 392, 393  
   calibrating, 398, 754  
   compatibility, 758  
   configuring, 754–756, 754–755  
   default settings, 763–764, 763  
   drivers  
     calibrating, 754  
     installing, 397–398, 397, 752–754,  
       753  
   education for, 758  
   exam essentials, 415–416, 770  
   file formats, 762–763, 762  
   flatbed, 394, 395, 750  
   glass plates and covers, 392  
   handheld, 395, 750  
   installing, 396–400, 397, 399,  
     751–754, 752–753  
   interfaces, 394, 396  
   objectives, 357–358, 739–742  
   optimizing, 400  
   process, 743–744, 750  
   resolution and output size, 761–762, 761  
   review questions, 417–422, 771–776  
   scanning heads, 392–394  
   sheet-fed, 395, 395  
   stepper motors, 394  
   summary, 414–415, 769–770  
   test pages, 757  
   troubleshooting, 414, 764–767  
   vulnerability, 828

- scanning assemblies, 371, 372
- /SCANNOW option, 725
- /SCANONCE option, 726
- scatternets, 635
- scheduled maintenance for printers, 768
- scheduling backups, 339–342, 340–341, 727–730, 728–729
- Screen Saver tab, 197
- screwdrivers, 108–110, 108–109, 542–543, 765–766
- scripts, 822–823
- SCs (subscriber connectors), 455, 456
- SCSI (small computer system interface)
  - devices
    - installing and configuration, 103–105, 103–104
    - printers, 383–384
    - working with, 102–103
- SD (Secure Digital) format, 43–44, 43
- SDIO (SD Input/Output) specification, 44
- SDR (single data rate) SDRAM, 32–33
- SDRAM (Synchronous DRAM), 32
- Search menu, 202–203, 202–203
- SECC (Single Edge Contact Cartridge)
  - form factor, 27
- secondary fans, 612
- secondary mouse clicks, 196
- secret self-tests, 411
- sectors, 259
- Secure and Fast Encryption Routine (SAFER+) encryption, 636
- Secure Digital (SD) format, 43–44, 43
- Secure Hash Algorithm (SHA), 502
- Secure Sockets Layer (SSL), 786
- security
  - attacks. *See* attacks
  - auditing and logging, 827–828
  - baselines for, 812–813
  - driver, 281
  - exam essentials, 840
  - file permissions, 688
  - general rules for exam, 837–839
  - hardening systems. *See* hardening systems
  - network. *See* network security
  - objectives, 809–811
  - operating system updating, 828–829
  - review questions, 841–846
  - social engineering attacks, 829–830
  - summary, 840
- Security log file, 332, 697
- security logs, 332, 697, 827–828
- Security Options settings, 824
- Security Settings extension, 822–823
- security tokens, 488–489, 489
- selecting
  - components, 587–588
  - CPUs, 589
  - files, 233, 685
- self-tests, printer, 410–411, 411
- sending and controlling NIC data, 458
- separator pads, 365
- separator pages, 756
- sequence number attacks, 836
- Serial ATA (SATA) connectors, 20, 21, 52, 52
- Serial Number parameter, 784
- serial ports, 78–81, 79–81, 382, 455
- server-based networks, 794
- servers, 429–430
- service manuals, 118
- service packs, 273, 828
- Service Set Identifiers (SSIDs), 471–472, 498
- services
  - managing, 708–709, 708–709
  - stopping and restarting, 691–692, 691
- Session layer, 439, 440
- SET command, 673
- Settings menu, 202
- Settings tab, 197
- setup files, 259
- Setup Wizard, 273–278, 274–276, 278
- SETVER command, 673
- SFC (System File Checker), 725–726
- SHA (Secure Hash Algorithm), 502
- shadow copies, 503
- share-level access privileges, 497
- Shared Folders, 691
- ShareNet, 427
- sharing
  - laptop video memory, 648–649
  - resources, 794–796, 794–796

- Sharpen scanner option, 764
- sheet-fed scanners, 395, 395
- shells, operating system, 185
- shielded twisted-pair (STP) cable, 452
- shortcuts, 264
- shoulder surfing, 830
- Shut Down command, 204–205
- shutting down, 204–205, 337–338
- SIG (Special Interest Group), 635
- signals
  - ISDN, 467
  - video, 58
- signing, driver, 217, 281
- Simple Mail Transfer Protocol (SMTP), 786
- simple problems, checking for, 116
- simultaneous multithreading (SMT), 28
- single data rate (SDR) SDRAM, 32–33
- Single Edge Contact Cartridge (SECC)
  - form factor, 27
- single-mode fiber optic, 454
- single-purpose servers, 429
- site licenses, 431
- site surveys, 500
- 64-bit system bus, 30
- size
  - memory, 588
  - scanner output, 761–762, 761
  - video, 602, 604
- slave drives, 101, 102
- sleep modes, 164–165
- slots. *See* expansion slots
- small computer system interface (SCSI)
  - devices
    - installation and configuration, 103–105, 103–104
    - printers, 383–384
    - working with, 102–103
- Small Outline DIMM (SoDIMM)
  - memory, 15, 37, 37, 146, 146
- smart cards, 491–492
- smoke, problems from, 128–129
- smoking, damage from, 535
- SMP (symmetric multiprocessing), 28
- SMT (simultaneous multithreading), 28
- SMTP (Simple Mail Transfer Protocol), 786
- smudging from laser printers, 409
- Smurf attacks, 837
- sneakernet, 426
- sniffing, active, 836
- SOA records, 784
- social-engineering attacks, 506–507, 829–830
- social side of troubleshooting, 117
- Socket Services software, 157
- SoDIMM (Small Outline DIMM)
  - memory, 15, 37, 37, 146, 146
- soft off state, 164
- software, 183
  - client, 430
  - exploiting, 492–496
  - in upgrade reports, 277
- Software Installation snap-in, 822
- software modems, 121
- Software Settings options, 823
- software tools, 114–115
- soldering irons, 110–111
- solenoids, printer, 360, 745, 745
- solid-ink printers, 381, 749
- Sony/Philips Digital Interface (S/PDIF), 68
- sound cards
  - description, 68, 69
  - jacks, 24, 24
  - troubleshooting, 126
- source code, operating system, 185
- Source Host parameter, 784
- Southbridge chipsets, 10
- spam, 496
- Special Interest Group (SIG), 635
- special permissions, 238–240
- specialty tools, 622
- speed
  - CPU, 30, 145, 589
  - memory, 588
- SPGA (Staggered PGA) layout, 27
- splash screens, 718
- spoke and wheel networks, 640
- spoofing attacks, 831–832
- Spyware, 494
- square connectors, 455
- SRAM (static random access memory), 32, 34
- SSIDs (Service Set Identifiers), 471–472, 498

- SSL (Secure Sockets Layer), 786
- ST (straight tip) connectors, 455, 456
- stabilizer bars
  - in bubble-jet printers, 365, 365
  - in scanners, 393
- Staggered PGA (SPGA) layout, 27
- Stand By option, 205
- standard parallel ports, 77
- standard permissions, 239
- standard screwdrivers, 108
- standard serial interface, 79–81, 80
- Standby mode, 164
- star topologies, 435–436, 435
- Start Menu, 195, 199–201, 200
  - Help command, 203
  - My Recent Documents submenu, 201–202
  - Programs submenu, 201
  - Run command, 204, 204
  - Search submenu, 202–203, 202–203
  - Settings submenu, 202
  - Shut Down command, 204–205
- Startup And Recovery options, 219
- startup environment, 709–710, 710–711
- startup errors, 718–719
- startup options
  - advanced, 713–714
  - in boot process, 314–315
- stateful inspection, 497
- stateful packet filtering, 497
- states
  - processor, 164–165
  - window, 211, 212
- static addresses, troubleshooting, 801
- static-charge eliminator strips, 373, 373
- static electricity, 546–549, 547–548
- static random access memory (SRAM), 32, 34
- status indicators on NICs, 475
- stepper motors
  - bubble-jet printers, 363–365, 364
  - dot-matrix printers, 402
  - laser printers, 372, 373
  - scanners, 394
- Stop-Clock state, 164
- stopping services, 691–692, 691
- storage devices, 38, 594. *See also specific devices by name*
  - advanced, 46–47
  - CD-R and CD-RW drives, 41
  - CD-ROM drives, 40–41, 40
  - configuring, 598–599
  - drives, 100–106, 102–104
  - DVD burners, 41
  - DVD-ROM drives, 41
  - external, 106
  - floppy drives, 38–39, 40
  - hard drives, 38, 39
  - installing, 596–598
  - on laptops, 147–149, 147–149
  - preventative maintenance, 623
  - removable, 42–45, 43–46
  - removing, 594–596
- Store Password Using Reversible Encryption For All Users In The Domain policy, 824
- STP (shielded twisted-pair) cable, 452
- straight tip (ST) connectors, 455, 456
- striping, disk, 105
- strippers, 543
- sublimate, 381
- submarining, 62, 150
- subnet masks, 446, 801
- subscriber connectors (SCs), 455, 456
- Super eXtended Graphics Array plus (SXGA+), 151–152
- Super I/O cards, 69
- supplies, printer, 386–391, 769
- SVGA (SuperVGA) video, 55
- swap files, 223–224, 287, 321, 705
- switches
  - network, 461
  - in star topologies, 436
- Switches command, 673
- SXGA+ (Super eXtended Graphics Array plus), 151–152
- Symantec's Anti-Virus Center (SARC), 346
- Symmetric encryption algorithms, 502
- symmetric multiprocessing (SMP), 28
- symptom reports, 569

SYN flood attacks, 835  
 Synchronous DRAM (SDRAM), 32  
 syntax for command prompt, 673  
 SYSEDIT tool, 313  
 sysprep utility, 257  
 System attribute, 333, 675  
 system boards. *See* motherboards  
 System Configuration Utility, 696  
 System control panel, 215–220, 216  
 System Failure options, 219  
 System File Checker (SFC), 725–726  
 system files  
     in boot process, 312  
     missing, 320  
     Windows, 224–226, 225  
 system limitations, 589  
 system lockups, 322, 720  
 System log file, 332, 697  
 system management tools, 327, 690  
     CMD, 332, 696  
     Computer Management Console, 329, 329, 690–692, 690–691  
     ConfigSafe, 332  
     Device Manager, 328–329, 328, 692–694, 692–693  
     Event Viewer, 332, 696–697  
     MSCONFIG.EXE, 331, 696  
     REGEDIT.EXE and REGEDT32.EXE, 331–332, 696  
     Remote Assistance feature, 703–704  
     Remote Desktop connection, 699–704, 701–703  
     System Restore, 697–699, 698, 700–701  
     Task Manager, 329–331, 330, 694–695, 694  
 system memory, 616  
 System program, 214  
 system properties, 207  
 System Restore, 343–346, 343–345, 697–699, 698, 700–701, 731  
 System Restore tab, 219–220  
 System Startup option, 219  
 System Tray, 198–199  
 system variables, 219  
 SYSTEMROOT command, 317, 716

---

**T**

/t option, 260  
 tablet PCs, 155  
 tailgating, 829  
 tape backup devices, 42  
 Task Manager, 329–331, 330, 620, 694–695, 694  
 Taskbar, 195, 198–199, 198  
 tasks, operating system, 184, 184  
 TCP (Transmission Control Protocol)  
     attacks, 835–837  
     purpose, 443  
     wrappers in, 817  
 TCP/IP (Transmission Control Protocol/Internet Protocol) suite, 786  
     addresses, 445–448, 447  
     DNS for, 782–784  
     protocols in, 443  
 TCP/IP hijacking, 836  
 TDMA (Time Division Multiple Access), 639  
 Telnet protocol  
     description, 786  
     security issues with, 497  
 /tempdrive option, 260  
 templates, administrative, 822–823  
 temporary files  
     managing, 295–296, 707–708  
     in Windows 2000 installation, 264  
 Temporary Internet Files directory, 294  
 terminal adapters, 466  
 terminating resistor packs, 102–104  
 test pages, 398–400, 399, 719, 757, 767  
 testing  
     backups, 342, 730–731  
     printers, 410–412, 411  
 text-based commands, 671–674  
 text-based installation phase, 266  
 text mode video, 54  
 theft, detecting, 501–502  
 themes, desktop, 196–197  
 thermal printers, 381, 749–750  
 thermally sensitive devices, protecting, 623  
 thrashing, 290, 321, 707  
 3.5mm (1/8-inch) stereo minijacks, 24

**910 32-bit Flat mode – troubleshooting**

- 32-bit Flat mode, 313, 712
- 32-bit system bus, 30
- 386 Enhanced mode, 188
- throttling, 29, 145
- thumb drives, 45, 45
- tilt setting, 603
- time
  - setting, 215, 215
  - in Windows 2000 installation, 264
- Time Division Multiple Access (TDMA), 639
- Time to Live (TTL) parameter, 784
- time zones, 215
- tint setting, 603
- title bars, 210
- token passing, 460
- Token Ring networks, 442, 449
- tokens, security, 488–489, 489
- toner and toner cartridges, 370
  - cleaning, 130
  - laser printers, 370–371, 371, 406
  - LED page printers, 379–380
  - recommended, 769
  - refilling, 388–389
- toolkits, 542, 542
- tools, 107
  - hardware. *See* hardware tools
  - network, 797–799
  - software, 114–115
- top-level domains, 782–783
- topologies, network, 434
  - bus, 434–435, 435
  - hybrid, 437
  - mesh, 437, 437
  - ring, 436, 436
  - star, 435, 435
  - summary, 438
- Torx screwdrivers, 109, 109, 765–766
- touch screens, 65–66, 155–156, 156
- touchpads, 155, 653
- Touchpoint feature, 155
- TRACERT command, 682, 799
- trackballs, 155
- training materials
  - for diagnosis, 620, 724
  - for troubleshooting, 335–336
- transfer corona assemblies, 373, 373, 406–407
- transferring step, 378, 378
- translating hostnames to IP addresses, 782–784
- Transmission Control Protocol (TCP)
  - attacks, 835–837
  - purpose, 443
  - wrappers in, 817
- Transmission Control Protocol/Internet Protocol (TCP/IP) suite, 786
  - addresses, 445–448, 447
  - DNS for, 782–784
  - protocols in, 443
- transparencies, 387, 749
- Transport layer, 439, 440
- trapezoidal setting, 602
- trays, printer, 391
- Trojan horses, 495–496
- troubleshooting, 115
  - BIOS issues, 127
  - case issues, 120
  - CD-ROM/DVD issues, 126
  - cooling issues, 120
  - customer reports in, 569–570
  - diagnostic procedures, 115–118
  - display device problems, 125
  - hard-disk system problems, 121
  - I/O ports and cables, 120
  - keyboard and mouse problems, 124–125
  - laptops, 170–172, 650–654
  - miscellaneous problems, 128–129
  - modem problems, 121–124, 122
  - motherboard and CPU problems, 119
  - network systems, 799–801
  - NICs, 126–127, 475
  - operating system. *See* operating systems (OSs)
  - power-supply problems, 127–128
  - printers
    - bubble-jet, 403–404
    - dot-matrix, 400–402
    - HP LaserJet, 413
    - laser and page, 404–413, 408, 411
    - tools for, 764–767
  - problem isolation in, 118–119

- removable disk-drives, 125–126
- scanners, 414, 764–767
- social side of, 117
- sound cards, 126
- tunneling, ICMP, 837
- Turn Off Computer command, 204–205
- twisted-pair cabling, 451–453, 452–453
- two-factor authentication system, 489, 490
- two-way hashes, 502
- TYPE command
  - from command prompt, 673
  - in Recovery Console, 317, 716
- typical installations, 254

---

## U

- /u option
  - WINNT.EXE, 260
  - XCOPY, 681
- UDCs (universal data connectors), 453, 453
- /udf option
  - WINNT.EXE, 260
  - WINNT32.EXE, 261
- UDP (User Datagram Protocol)
  - attacks, 836–837
  - purpose, 443
- Ultra eXtended Graphics Array (UXGA), 151–152
- UltraDMA technology, 100–101
- /unattend option, 260
- unattended installations, 256–257
- unidirectional satellite connections, 467
- uninterruptible power supplies (UPSs), 130
- universal data connectors (UDCs), 453, 453
- Universal Serial Bus. *See* USB (Universal Serial Bus)
- Unix operating system
  - file system, 819
  - hardening, 816–817
- unshielded twisted-pair (UTP), 452
- updating
  - applications, 514
  - Automatic Updates tab, 220
  - devices, 514
  - drivers, 269–270
  - for hardening systems, 817
  - operating systems, 338–339, 339, 513–514, 726–727, 828–829
  - for upgrades, 273
- Upgrade to Windows 2000 (Recommended) option, 274
- upgrading
  - display devices, 106–107
  - input/multimedia devices, 107
  - operating systems, 270–271
    - finalizing, 280
    - prerequisites, 271–273
    - to Windows 2000, 273–278, 274–276, 278
    - to Windows XP, 279, 279–280
  - printers, 389–391, 758–761
- UPSs (uninterruptible power supplies), 130
- USB (Universal Serial Bus)
  - Bluetooth devices, 636, 637
  - cables and connectors, 81–82, 82, 606
  - external drives, 45, 46
  - for input devices, 605
  - for laptops, 158–159
  - ports, 72–73, 72
  - for printers, 383, 399–400, 757
  - for scanners, 751
- user data files, restoring, 270
- User Datagram Protocol (UDP)
  - attacks, 836–837
  - purpose, 443
- user-level access privileges, 497
- user manuals
  - for diagnosis, 620, 723–724
  - for troubleshooting, 335
- User Must Logon To Change The Password policy, 824
- user profiles, 217
- User Rights Assignment settings, 824
- user variables, 219
- usernames in authentication, 486, 487
- users
  - dealing with. *See* communication and educating, 758

**912** Users tab – WEP

error reproduction by, 569–570  
 errors by, 116  
 mobile, 862  
 roaming, 821  
 satisfaction of, 566–569  
 in troubleshooting, 308–309, 569–570  
 Users tab, 331, 695  
 UTP (unshielded twisted-pair), 452  
 UXGA (Ultra eXtended Graphics Array),  
 151–152

**V**

/V option  
   FORMAT, 679  
   XCOPY, 681  
 vampire taps, 451, 451  
 variables, environment, 219, 296, 708  
 VDUs (video display units), 53  
 VER command, 673  
 verifying operating system installation, 270  
 version-specific drivers, 283–286, 284–285  
 versions, operating system, 185  
 vertical black lines from laser printers, 408  
 vertical scan frequency, 61  
 vertical white lines from laser printers,  
 408–409  
 very low insertion force (VLIF) principle, 16  
 VFAT (Virtual FAT) filesystem, 227  
 VGA (Video Graphics Array), 54–55  
 video. *See also* display devices; monitors  
   laptops, 171, 651–652  
   requirements, 253  
   technologies, 53–60, 57–59  
 video adapters, 53  
 video cards, 66, 67  
   chipset fans for, 85  
   for LCDs, 644, 644  
 video display units (VDUs), 53  
 Video Graphics Array (VGA), 54–55  
 video memory sharing, 648–649  
 views, files, 686  
 Virtual FAT (VFAT) filesystem, 227  
 virtual memory, 15, 223–224, 286–287  
   managing, 705–706, 706  
   purpose, 287–288

in Windows, 188  
   Windows 2000, 288, 289  
   Windows XP, 289–290, 289, 291  
 viruses  
   e-mail, 493–494  
   guarding against, 346–347  
   overview, 495  
   protection from, 508  
 visibility of files, 225, 225, 311–312, 311  
 VLIF (very low insertion force) principle, 16  
 Voice over IP (VOIP), 469, 789  
 voltage regulator modules (VRMs), 30  
 voltages  
   CPU, 589  
   vs. current, 528  
   laptop processors, 145  
   measuring, 112, 113  
 voltmeters, 544  
 VRAM (virtual RAM). *See* virtual  
   memory  
 vulnerability scanners, 828

**W**

/W option, 678  
 Wake On LAN cards, 127  
 WANs (wide area networks)  
   cellular, 639–640  
   vs. LANs, 789  
   overview, 428, 428  
 WAP (Wireless Access Protocol), 499–500  
 WAPs (wireless access points), 468  
   configuring, 471–472  
   for home networks, 470  
   for internal networks, 641  
 wardriving, 501, 642  
 water damage, 530, 545  
 watts, 48  
 Web browsers, 789–791, 790–791  
 Web resources for troubleshooting, 335  
 Web tab, 197  
 weight of paper, 387  
 Welcome to the Windows 2000 Setup  
   Wizard screen, 274  
 WEP (Wired Equivalent Privacy), 500

- WHUXGA (Wide Hex Ultra Extended Graphics Array), 151
- wide area networks (WANs)
  - cellular, 639–640
  - vs. LANs, 789
  - overview, 428, 428
- Wide Hex Ultra Extended Graphics Array (WHUXGA), 151
- Widescreen UXGA (WUXGA), 151–152
- WiFi Protected Access (WPA), 500
- WiFi standard, 161, 641
- wildcard characters
  - in command prompt, 677
  - in searches, 234
- Windows-based troubleshooting utilities, 326
  - disk management tools, 326–327
  - file management tools, 333–334
  - system management tools, 327–332
- Windows Catalog, 252, 272
- Windows Explorer
  - for file management, 685–686, 685
  - for troubleshooting, 333
  - working with, 232–236, 232, 235
- Windows Internet Name Service (WINS), 787, 801
- Windows operating systems, 186–187
  - command prompt, 220–221, 220
  - Control Panel, 212–220, 213, 215–216
  - desktop, 195–198, 196–197
  - development of, 187
  - disk management, 227–231
  - file management, 231–240
  - icons, 205–208, 206
  - interface, 194–195, 195
  - laptop power management, 165–167, 166–167
  - preventative maintenance, 726–727
  - Registry, 221–223
  - services, 708–709, 708–709
  - Start Menu, 199–205, 200
  - startup environment, 709–710, 710–711
  - system files, 224–226, 225
  - Taskbar, 198–199, 198
  - troubleshooting, 710–711
    - applications, 720–722
    - auto-restart and startup errors, 718–719
    - boot disks and ERDs in, 714–715
    - boot errors, 717–718
    - boot process, 711–713
    - diagnostic utilities, 722–726
    - printing, 719–720
    - Recovery Console, 715–717
    - startup options, 713–714
  - updating, 338–339, 339, 726–727
  - utilities, 688
    - disk management tools, 688–689
    - file management tools, 333–334
    - system management tools, 690–697, 690–694
- virtual memory, 223–224
- Windows 1, 187–188
- Windows 2, 188
- Windows 3.x, 188
- Windows 95, 188–189
- Windows 98/Me/NT, 189–190
- Windows 2000, 189–190
  - boot disks and ERDs, 317–318, 318, 714
  - boot process, 313–314, 711–713
  - defragmenting disks, 291, 292, 707
  - disk caches, 293–294, 293
  - hardening, 814–815, 815
  - hardware, 284–285, 284
  - important files, 312–313
  - installing, 260–264, 263
  - upgrading to, 273–278, 274–276, 278
  - virtual memory, 288, 289
- windows in
  - elements, 209–210, 209–210
  - states, 211, 212
- Windows Server 2003, 190, 816
- Windows Vista, 190–191
- Windows XP, 189–190
  - Automated System Recovery, 318–319, 505, 714–715
  - boot process, 313–314, 711–713
  - defragmenting disks, 292–293, 707
  - disk caches, 293–294, 293
  - folder sharing, 794, 795

## 914 Windows Settings options – zones

- hardening, 815–816
  - hardware, 285–286, 285
  - important files, 312–313
  - installing, 264–268, 265, 267–269
  - IP addresses, 798
  - network printers, 794, 794
  - recovering, 826
  - scheduling backups, 728–730, 728–729
  - upgrading to, 279, 279–280
  - virtual memory, 289–290, 289, 291
  - Windows Settings options, 823
  - Windows Terminal program, 122
  - Windows Update program, 280, 338–339, 339, 726–727
  - WINLOGON program, 713
  - Winmodems, 121
  - WinMSD utility, 621
  - WINNT.EXE program
    - options, 260
    - for upgrades, 273
  - WINNT32.EXE program
    - options, 260–261
    - for upgrades, 273
  - WINS (Windows Internet Name Service), 787, 801
  - wiping, disk, 491
  - wire cutters, 111, 543
  - Wired Equivalent Privacy (WEP), 500
  - wireless access points (WAPs), 468
    - configuring, 471–472
    - for home networks, 470
    - for internal networks, 641
  - Wireless Access Protocol (WAP), 499–500
  - wireless cards, 470, 472–473
  - Wireless Markup Language (WML), 499
  - wireless methods
    - for laptops, 161, 635
      - Bluetooth, 635–637, 637
      - cellular, 639–640
      - Ethernet, 640–642, 641
      - infrared, 637–639, 638
      - troubleshooting, 653
    - networking, 468–469, 789, 832
      - cabling, 456
      - home, 470–474, 471, 474
        - for laptops, 161, 653
        - security for, 498–501
      - for printers, 384
  - Wireless Personal Area Networks (WPANs)
    - for laptops, 161
    - specification for, 635
  - Wireless Transport Layer Security (WTLS), 498
  - Wireless Zero Configuration Service, 473
  - WML (Wireless Markup Language), 499
  - WMLScript environment, 499
  - work environment, 531, 531, 549–551
  - Workgroup tab, 216
  - working copy backups, 503
  - working directories, 324, 722
  - workstations
    - locking, 513
    - overview, 430
  - worms, 496
  - WPA (WiFi Protected Access), 500
  - WPANs (Wireless Personal Area Networks)
    - for laptops, 161
    - specification for, 635
  - wrappers, TCP, 817
  - Write permission, 796
  - writing step in print process, 376, 377
  - WTLS (Wireless Transport Layer Security), 498
  - WUXGA (Widescreen UXGA), 151–152
- 
- X**
- XCOPY command
    - from command prompt, 673
    - working with, 682–683
  - XGA (Extended Graphics Array), 55, 151–152
- 
- Z**
- zombies, 835
  - zones, DNS, 783–784