

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- Absolute time setting, 72
 - acceleration in Newtonian physics, 65–67
 - actions in BGE, 282–284, 283
 - Active Ipo, 266
 - Actor parameters, 289, **295–296**, 296
 - actuators, 279–280, 280, 283, 283, 285, 289
 - Add option for hair particles, 188–189
 - Add Driver option
 - shape keys, 52
 - springs, 57
 - Add New option
 - groups, 160
 - materials, 41
 - nodes, 8
 - particle systems, 61, 80, 88
 - textures, 11, 34, 43
 - Add Shape Key option, 50
 - Adhesion Weight setting, 352
 - Aero value, 111–112
 - Air Damp setting, 156
 - Alias Wavefront OBJ option, 347
 - Alpha setting
 - fire and smoke effects, 80, 82–86, 89, 93
 - hair texture, 173–175, 174
 - ivy, 356
 - milk, 250
 - stress-mapped textures, 135–136
 - transparency, 14–15
 - Amb Occ tab, 183
 - ambient occlusion (AO), 183
 - Amount setting for particles, 61
 - AngMap option, 21–22
 - angular sky maps, 21, 21
 - animals groups, boids for, 101
 - birds, **106–108**, *106–108*
 - goals and predators, **102–106**, *103–106*
 - setting up, **102**, *102*
 - Animated Mesh: Export button, 244, 245
 - animated obstacles, **242–245**, *243–246*
 - animators, 5
 - Append Branch setting, 343
 - Apply Bone Heat Weights To Vertex Groups
 - option, 150
 - Approximate ambient option, 183, 183
 - Arbaro software, 348
 - arm branching in L-Systems, 330, 330
 - Armature Bones tab, 55
 - Armature modifier, 149–150
 - Armature tab, 54
 - armatures
 - ragdoll physics, 310–313, *311*, *313*, **317–319**, *318–321*
 - rigid body simulation, **289**, 290
 - soft bodies, 110–111
 - springs, 54–57, 113, 115
 - T-shirt, 149–150
 - Array modifier
 - shape keys, 50, *51*, 53
 - soft bodies, 124, *124*
 - spring mesh modeling, 49
 - Avoid constraint, 101, 103
 - AvVel constraint, 101
 - axes
 - acceleration, 66
 - ngPlant, 342
 - Axis visualization, 68, 69
- ## B
- B-Spline interpolation, 186
 - Back setting in subsurface scattering, 19
 - Bake Settings button, 131
 - Bake tab, 64
 - baking
 - fluids, 215–217, 236
 - game Ipos, **284–285**, 285
 - particles, 64
 - soft bodies, **112**, 131

- ball-and-socket joints, 306–308, 307
- Ball option, 308
- balls
 - collisions, 94–97, 94–100
 - rigid body collision boundaries, 297–305, 298–304
 - soft bodies, 121–122, 121–122
 - stress-mapped textures, 132–138, 133–138
- base color
 - ngPlant, 344, 345
 - subsurface scattering, 19
 - water, 26, 26
- Bearing setting, 334
- Bend setting, 111, 121, 141
- BendStiff setting, 156, 158
- Best, Dale, 284
- Bezier curves, 125
- Big Buck Bunny, 166–167, 167, 182, 206, 206
- Billboards
 - fire and smoke effects, 80–81, 82, 85, 90
 - visualization, 69, 69, 74
- Birth button, 354, 354
- Blender Game Engine (BGE), 271–272
 - Ipos and actions, 282–284, 283
 - overview, 272, 272–275
 - rigid body simulation. *See* rigid body simulation
 - starting, 276–281, 276–282
- blur
 - rushing creek, 264, 265
 - subsurface scattering, 19
- bobj_import.py script, 266
- bodies of water, 24–40, 25–40
- boids, 101
 - birds, 106–108, 106–108
 - goals and predators, 102–106, 103–106
 - setting up, 102, 102
- bones, springs, 54–57, 54–55, 113–115, 114
- bottle of pop, 254–257, 254–259
- boundaries, collision, 295–305, 298–304
- Bounds setting, 291
- Box option, 297
- Box Select mode, 190–191, 193, 201
- Braid setting, 180, 181
- Branch Profile curves, 340–341, 340
- branching
 - L-Systems, 330, 330
 - ngPlant, 340–343, 340, 345, 346

- Branching Probability setting, 352
- Branching tab, 341, 343, 345, 346
- brightness, water, 32
- Brown setting, 66
- bubble effect, 236, 239
- buffer shadows, 210
- bullet physics, 2, 271
 - BGE. *See* Blender Game Engine (BGE)
 - physics visualization, 305–306, 306–307
 - quality, 305
 - resources, 324
 - rigid body simulation. *See* rigid body simulation
 - tips, 305
- Bullet Physics Contest 2007, 272, 273–275
- Bullet Physics Library, 6, 272, 324
- bump map textures, 250, 251

C

- Center constraint, 101
- children, hair particles, 171–173, 172–173, 178, 186, 194, 201
- Circle object, 55–56
- Circle visualization, 68, 69
- Clear Parent Inverse option, 302, 303
- cloth and clothing
 - flags, 41–45, 41–45
 - simulating, 146–158, 147–154, 157
- Cloth tab, 153, 156
- Cloth Advanced tab, 156, 158
- Cloth Collision tab, 112
- clouds
 - smoke, 90, 90
 - texture, 236, 238, 250, 251
- ClubSilo game, 272, 272
- clumping, hair, 176–180, 177–181, 186
- Col setting for subsurface scattering, 19
- Collision constraint, 101
- Collision modifier, 155
- Collision Quality setting, 156
- collisions
 - boids, 101
 - boundary types, 297–305, 298–304
 - cloth, 154–156, 154
 - soft bodies, 118–121, 118–121, 158–164, 159–164

- spheres, 94–97, 94–100
- stress-mapped textures, 133, 134
- color and colorband
 - fire and smoke effects, 83, 84
 - hair, 173
 - ngPlant, 344, 345
 - stress-mapped textures, 135–136
 - subsurface scattering, 19
 - water, 26, 26, 32, 33
- Colors tab
 - fire and smoke effects, 83
 - hair, 173
 - stress-mapped textures, 135
- columns, 349–355, 349–355
- Comb tool, 187, 193, 195–197
- compound objects, 297, 299, 302–303
- compressibility of fluids, 223–224
- Cone option, 297
- Cone Twist joints, 310
- constraints
 - boids, 101–103
 - passive-walking robot, 321–322, 322
 - ragdoll, 311–313, 312
 - rigid body joints, 306–310, 307–310
- Constraints tab, 306
- contrast, water, 32
- control bones, 113–115, 114
- controllers, 279–280, 279, 283–284, 288–289
- Convex Hull Polytope option, 297, 299–300, 299, 303–304
- Copy Location constraints, 115, 116
- Creative Commons license, 272
- creek, 259–264, 259–265
- Crests texture, 32, 33
- Cross visualization, 68, 69
- Crowd constraint, 101–102
- Crystal Space game development kit, 272
- Ctrl+Alt+Shift+P key combination
 - passive-walking robot, 322–323
 - working with, 288–294, 289–294
- Curl setting, 178, 179
- Cursor To Selected option, 27
- Curve and Surface tab, 129, 129
- curve editor, 340, 340
- Curve modifier, 122, 126, 128
- Curve object, 131
- Curve setting, 331, 331

- curves
 - Branch Profile, 340–341, 340
 - L-Systems, 331, 331
 - soft bodies, 121–131, 122–131
- Cut tool, 189, 197, 200
- cylinders
 - fluids, 224–226, 225
 - rigid body collision boundaries, 297

D

- Damp setting
 - Newtonian physics, 66
 - rigid body simulation, 295
- Damping setting
 - particles, 77, 78
 - soft bodies, 118
- Dark setting, 208
- Declination curve setting, 343
- Deep Shadow Maps, 18
- defined areas in fluid simulation, 214
- Deflect Emitter option, 190, 192
- deflection
 - hair, 190, 192
 - particles, 4, 77–79, 78–79
- demolition.py script, 158–164, 159–164
- demolition_config.py script, 159–162, 161–162
- demolition_solidify.py script, 159
- density
 - hair, 172, 186, 189, 199, 207
 - ngPlant, 343, 344
 - particle systems, 68
 - voxel, 231
- depth
 - noise, 83
 - transparency, 16
- Die On Hit option, 72
- Diffuse reflectivity settings, 250
- Dirt material, 208, 211
- displacement modifiers
 - cloth flags, 41–45, 41–45
 - lava, 13, 13
- Displacement texture, 27, 28, 32
- Domain objects, 214–218, 226–230
- Double-Sided option, 347
- Drag setting, 66

Draw buttons, 72
Draw tab for springs, 55
Drop Onto Ground script, 360, 361
Drops particles, 234–236, 235
Duplicate With Objects option, 288
Duplivert tool, 4
DVar slider, 199
Dynamic Actor object, 286
dynamic particles, 60, 79
 fire and smoke effects, 80–94, 80–93
 rigid body simulation, 295
Dynamic setting, 295

E

E Damp setting, 111
E Pull setting, 111
E Push setting, 111
Ebb, Matt, 139
editing hair particles, 185–192, 186–192
Effectors area, 72
El'Beem Fluid Simulator, 214, 224
elbows, ragdoll, 311–312
Elephants Dream movie, 166, 166
Elevation setting, 334
Emit From setting
 grass, 207
 hair, 169, 185
 particles, 63–64
Emitter particles
 colliding spheres, 94, 95
 controlling, 61, 62
Enable Stiffness Scaling setting, 158
End frames, 283
End setting, 63
End time, 229
Env setting, 14, 15
environment material, 14
equilibrium position in springs, 46
Error setting in subsurface scattering, 19
Even button for particles, 63
Explode modifier, 94–97, 94–100
Export Obj+Mlt option, 354
Export Wavefront Obj. option, 350
exporting fluids, 266–267, 267–268
Extrapolation setting
 cloth flag, 45
 fire and smoke effects, 92
 fluids, 244, 244
Extras tab
 fire and smoke effects, 81, 81, 88
 hair, 186
 particles, 72

F

Face Select mode, 48
Faces, particles, 63–64
fields, particles, 4
fire and smoke effects, 80–94, 80–93
First option for hair, 192
flagpole, 41
flags, 41–45, 41–45
flames, 80–94, 80–93
Flip Normals button, 353
Floats particles, 234–236, 235
flocks, boids for, 101
 birds, 106–108, 106–108
 goals and predators, 102–106, 103–106
 setting up, 102, 102
Fluid Simulation panel, 4, 215, 229–230, 264
Fluid Simulation tab, 217, 223, 232, 232
fluids and Fluid objects, 213
 animated obstacles, 242–245, 243–246
 bottle of pop, 254–257, 254–259
 Inflow and Outflow object, 224–228,
 225–227
 Ipo animation, 266, 266
 multiple objects, 218–220, 219–220
 obstacles, 239–242, 240–242
 options, 220–221, 221
 overview, 214–218, 215–217
 particles, 232–236, 232–235, 237–239
 resolution, 231, 231
 resources, 268–269
 rushing creek, 259–264, 259–265
 scripts and exporting, 266–267, 267–268
 settings, 252–253, 253
 size, 230
 splashiness, 232–233, 232
 strawberries and milk, 247–252, 248–252
 time, 229–230, 230
 viscosity, 221, 223, 223
flying birds, 106–108, 106–108

foliage. *See* trees and plants
 force fields
 particles, 73–76, 74–77
 soft bodies, 118–121, 118–121
 Force settings in L-Systems, 334, 334
 frame rate
 fluids, 229
 rigid body simulation, 285–288, 286–288
 Free Bake button, 64
 Fresnel setting, 250
 Friction setting
 cloth, 158
 particles, 78–79, 78
 soft bodies, 110
 Front setting in subsurface scattering, 19
 Frz and Frz2 settings, 334

G

Game logic area, 278, 278
 Game Play mode, 278, 280
 gelatin, 139–145, 140–146
 Gen3 tool, 348
 General tab for ngPlant, 341, 347
 Generate & Use SpeedVecs option, 264
 Generate Particles setting, 235–236
 Generic (6DoF) joints, 309–310, 310
 Generic constraints, 322, 322
 Generic joint option, 308
 Genrich, Daniel, 158
 getPose method, 56
 Ghost setting, 295
 glass and glass ball
 metal ball smashing through, 94–97,
 94–100
 rigid body collision boundaries, 297–305,
 298–304
 Global time setting, 72
 Goal constraint, 101, 103, 104
 goals
 boids, 101–106, 103–106
 soft bodies for, 116
 grass
 particles, 206–211, 206–212
 rushing creek, 263, 263–265
 gravity settings
 cloth, 156

 fluids, 252–253
 Ivy Generator, 352
 soft bodies, 111
 greenhouse. *See* trees and plants
 Grid option for particles, 63–64
 Group visualization, 69, 69
 groups of animals, boids for, 101
 birds, 106–108, 106–108
 goals and predators, 102–106, 103–106
 setting up, 102, 102
 Grow button, 353
 Growing panel, 352, 353

H

hair, 61, 165
 children particles, 171–173, 172–173, 178,
 186, 194, 201
 clumping, roughness, and kink, 176–180,
 177–181
 editing, 185–192, 186–192
 for grass, 206–211, 206–212
 lighting and rendering, 182–183, 182–183
 meshes, 183–184, 184–185
 overview, 166–167, 166–167
 parting, 201–202, 201–203
 setup, 168–175, 169–176
 soft bodies, 204, 204–205
 texture mapping, 180, 181
 textures, 199, 200
 X-axis mirroring, 200–201, 201
 Halo setting, 236, 238–239
 Hard setting
 fire and smoke effects, 84
 grass, 208
 Ivy Generator, 356
 Hard Noise setting, 83
 Hardness setting, 250
 Harmonic force fields, 74, 74
 haze, particle, 233–236, 234–235, 237–239
 hidden hairs, 191
 hinge constraints
 passive-walking robot, 321–322, 322
 ragdoll, 311–313, 312
 hinge joints, 306–308, 307–309
 hips, ragdoll, 315, 315
 Honey viscosity, 223

Hoop object, 134, 134
Hori option, 21
hot lava effect, 7–14, 8–14
hull objects
 collision boundaries, 302–304, 303
 rigid body simulation, 295–296, 296

I

Icospheres, 216, 216
IK constraints, 318, 320
Image Search setting
 Ivy Generator, 354
 ngPlant, 347
Import dialog box
 Ivy Generator, 354
 ngPlant, 347, 347
Import Obj+Mtl option, 351
index of refraction (IOR)
 fluids, 250
 representing, 15–16
 subsurface scattering, 19
Inflow objects
 fluids, 224–228, 225–227
 rushing creek, 261–262, 262
Init Both option, 220, 222
Init Shell option, 220–221, 222, 241
Init Volume option, 220–221, 222, 241
Initial Velocity setting
 grass, 207
 hair particles, 185
Inner setting for soft bodies, 118, 120
Input nodes, 8, 11
Instantly button, 72
interaction areas for fluids, 231
interpolation for hair particles, 186
Invert option for particles, 64
IOR (index of refraction)
 fluids, 250
 representing, 15–16
 subsurface scattering, 19
Ipo Curve Editor, 266, 266
Ipo Editor window, 285
 fire and smoke effects, 92
 fluids, 244, 244
 PyDrivers, 57
 shape keys, 52, 52–53

Ipos, 284
 actor parameters, boundaries, and hull
 types, 295–296, 296
 animation, 266, 266
 baking, 284–285, 285
 collision boundary types, 297–305,
 298–304
 Ctrl+Alt+Shift+P key combination,
 288–294, 289–294
 frame rate and simulation speed, 285–288,
 286–288
 working with, 282–284, 283
Irregular shadow buffer type, 18
Iterations setting for L-Systems, 335
Ivy Branch Size setting, 354
Ivy Generator, 349–356, 349–359
Ivy Leaf Size setting, 354
Ivy Size setting, 352

J

jiggling effects, 139–145, 140–146
joint constraints, 306–310, 307–310

K

Karhu, Janne, 100
Keep Length option, 189, 192
Keep Root option, 189, 189, 192
Keyed physics, 66–67, 67–68
Kill setting for particles, 79
kinematic viscosity, 223
kink, hair, 176–180, 177–181
KneeRoboWalk3pv.blend file, 321
knees, ragdoll, 311, 315, 315
knight piece, 14–15, 15

L

L-Systems, 327
 parameters, 327–334
 tree creation, 335–337, 335–337
lamps for water scene, 26
Last option for hair, 192
Lattice-Boltzmann method (LBM), 214, 268
Lattice tab, 142
lattices
 soft bodies, 121
 working with, 139–145, 140–146

- lava effect, 7–14, 8–14
- Leaf Probability setting, 354
- LeafObj setting, 335
- leaves
 - L-Systems, 333
 - materials, 250, 252, 252
- Length tool, 189, 197, 199
- Level constraint, 101
- life. *See* trees and plants
- life rings, 35–40, 36–40
- Life setting for particles, 63
- lighting
 - hair, 182–183, 182–183
 - water scene, 26
- lilies, 326, 326
- Limit Selection To Visible option, 191, 192
- Line visualization, 68, 69
- Links and Materials tab
 - hair, 171
 - soft bodies, 116
- Links And Pipeline tab, 8, 8, 175
- Links setting, 89
- Local Inflow Coords settings, 226
- Logic Buttons area, 2, 3, 276, 283, 289
- logo image, 41, 42
- Loop Cut tool, 141
- Loop setting, 72

M

- magma material node, 9
- Magnetic force fields, 74, 75–76
- Magnitude setting for L-Systems, 334
- Make Parent option, 302, 303
- Make Parent To Bone option, 54
- Make Vertex Parent option, 115
- Mancandy character
 - clothes for, 147–154, 147–154
 - overview, 155
- Manual setting for viscosity, 223
- Map Input settings
 - fire and smoke effects, 84, 86, 90
 - Ivy Generator, 356
 - stress-mapped textures, 135
- Map To settings, 9, 38
 - fire and smoke effects, 84–85

- grass, 208
- hair particles, 199
- stress-mapped textures, 135
- maps
 - bump, 250, 251
 - hair, 173, 175, 180, 181
 - sky, 20–22, 21–23
- Mark Seam option, 201
- Mass setting
 - rigid body simulation, 295
 - soft bodies, 111
- material index for smoke, 89, 89
- materials, 6–7, 7
 - fire and smoke effects, 82–83, 83
 - fluids, 250–252, 250–252
 - grass and dirt, 208
 - hair, 171, 175, 175
 - lava effect, 7–14, 8–14
 - ngPlant, 341, 344, 345, 347, 347
- math utilities library, 57
- Max Adhesion Distance setting, 352
- Max Float Length setting, 352
- Max Offset setting, 343, 344
- mesh chain and pendant, 121–131, 122–131
- meshes
 - grass, 207, 207
 - hair, 183–184, 184–185
 - particles, 60–61
 - spring modeling, 46–49, 46–50
- metal ball smashing through glass ball, 94–97, 94–100
- milk, 247–252, 248–252
- Min Offset setting, 343, 344
- Minnaert diffuse shader, 208
- Mirror modifier, 148
- Mirror Transp tab, 38
- mirroring, X-axis, 200–201, 201
- Mix nodes, 11–12
- modifiers
 - bodies of water, 24–40, 25–40
 - cloth flag, 41–45, 41–45
 - lattices, 142
 - soft bodies, 124, 126, 128
 - spring mesh modeling, 49
- motion blur for rushing creek, 264, 265
- multiple fluid objects, 218–220, 219–220

N

Newtonian physics, 65–66, 66, 80
ngPlant application
 interface, 339–341, 339–341
 overview, 337, 338–339
 palm tree, 342–347, 342–348
No Sleeping setting, 295
nodes, material, 7–14, 8–14
Nodes Editor, 9, 11
nodes windows, 8, 9
Noise Depth setting, 83
Noise Size setting, 83
Non-Uniform Rational B-Splines (NURBS)
 surfaces, 121
nonsimulation tools and techniques, 6
Normal direction
 grass, 207
 hair particles, 185
 Newtonian physics, 66
Normal velocity setting, 95
Noslip setting, 223
NURBS (Non-Uniform Rational B-Splines)
 surfaces, 121

O

Obj Export dialog box, 350, 350
Object Buttons area, 60
Object direction in Newtonian physics, 65
Object mode
 fluids, 218, 225
 rigid bodies, 289
 soft bodies, 130
 spring modeling, 49, 54
Object Offset setting
 soft bodies, 124, 125
 spring mesh modeling, 49
object-oriented programming (OOP), 58
Object visualization, 69
Objects And Links tab, 160, 160
observation, 361–362
Obstacle object, 242, 243
obstacles
 animated, 242–245, 243–246
 fluids, 239–242, 240–242
ocean tutorials, 24
Offset Influence curves, 340, 341

Oil viscosity, 223
OOP (object-oriented programming), 58
OpenFOAM tools, 5
orange soda, 257, 257–259
Orco-mapped images, 180
Oren-Nayar shader
 hair, 175
 Ivy Generator, 356
outdoor scenes, 359–360, 360–361
Outer setting for soft bodies, 118, 120
Outflow objects
 fluids, 224–228, 225–227
 rushing creek, 261, 263
Output nodes, 8

P

palm tree, 342–347, 342–348
Pan, Mike, 253
parameters, particles, 60–61, 60
parents
 hair particles, 176, 178, 194, 201
 rigid body objects, 302, 303
 vertices, 115, 115, 126, 128
Particle Edit Properties panel, 189
Particle System modifier, 97
Particle System tab, 61–64, 61–62, 64–65, 186
particles and particle systems, 59–60, 79
 baking, 64
 boids, 101
 birds, 106–108, 106–108
 goals and predators, 102–106, 103–106
 setting up, 102, 102
 deflection, 77–79, 78–79
 Explode modifier, 94–97, 94–100
 Extras tab, 72
 fire and smoke effects, 80–94, 80–93
 fluids, 232–236, 232–235, 237–239
 force fields, 73–76, 74–77
 grass, 206–211, 206–212
 hair. *See* hair
 haze, 233–236, 234–235, 237–239
 Newtonian physics, 66
 overview, 60
 parameters, 60–61, 60
 Particle System tab, 61–64, 61–62, 64–65
 Particles Buttons area, 4

- Physics tab, 65–67, 66–68
 - rigid body simulation, 295
 - splashes, 232–233, 232
 - visualization options, 67–72, 69–74
- Particles Buttons area, 2, 3, 60, 60
- parting hair, 201–202, 201–203
- PartSlip setting, 223
- passive-walking robot, 319–323, 320–323
- Path Edit mode, 190
- Path visualization, 69, 69
- PAttr option, 199
- Peach project, 166–168, 168, 348
- pendant, 121–131, 122–131
- Permeability setting, 79, 79
- Phong shader
 - grass, 208
 - hair, 175
- phosphorescent effect, 236, 239
- Phototropism curves, 340, 341, 343
- physical simulation functionality, 2–5, 3
- Physics Buttons area, 2–4, 3, 73
- Physics tab
 - boids, 67, 102
 - fire and smoke effects, 88
 - keyed physics, 66–67, 67–68
 - Newtonian physics, 65–66, 66
- Physics Visualization, 305–306, 306–307
- picture elements in fluid simulation, 214
- Pinning Of Cloth option, 156, 157
- pinning weights, 153, 153
- Pipeline setting, 89
- plants. *See* trees and plants
- Point Select mode, 190–191, 191, 193
- Point visualization, 67, 69
- pop bottle, 254–257, 254–259
- Pose mode for springs, 54–55, 57
- poseable springs. *See* springs
- PoseBone objects, 57
- precision for fluids, 231
- predators with boids, 102–106, 103–106
- Preview tab for hair, 175
- Primary Weight setting, 352
- Prob setting for L-Systems, 334
- Project Apricot, 272
- Proportional Editing tools, 191
- Prune setting, 334
- Psyco Python optimization, 163

- Puff tool, 189, 197, 197
- PyDriver setup, 56–58, 57–58
- Python scripting
 - controllers, 288
 - PyDrivers, 56–58
 - quality, 305

Q

- quality
 - cloth, 156
 - Python, 305

R

- Radial setting for hair, 178, 179
- Radius setting
 - L-Systems, 329, 329, 335
 - rigid bodies, 295, 296
 - subsurface scattering, 19
- ragdoll physics, 310–319, 311–321
- Random setting
 - colliding spheres, 95
 - fire and smoke effects, 80–81, 81
 - grass, 207
 - hair, 169
 - Newtonian physics, 66
 - particles, 63
- Random Weight setting, 352
- Randomize Loc Size Rot script, 360
- Rate setting for hair, 182
- Ray Mirror settings, 250
- ray tracing for IOR, 16
- ray transparency settings, 14–16, 16
 - fluids, 250
 - stress-mapped textures, 135
- RayMir slider, 38
- Reactor particles, 54, 61, 62
 - colliding spheres, 94–97, 94–100
 - fire and smoke effects, 88–89, 89
 - Newtonian physics, 66
- Real option for sky maps, 21
- Realworld Size field, 230, 252
- Record Game Physics To IPO option, 284–286, 285
- rectangular sky maps, 21, 21
- Reference Size setting, 182
- reframe_sequence.py script, 229–230, 266

- rekeying hairs, 191
 - Relative Offset setting, 49
 - Remove Doubles option, 191, 200
 - Render Amount setting for grass, 207
 - Render Layer tab for rushing creek, 264
 - Render options for particles, 72
 - resolution settings
 - fluids, 217, 231, 231
 - L-Systems, 330
 - RevAngle setting, 343, 345
 - RGB Curves node, 12–13
 - rigging springs, 54–56, 54–56
 - rigid body simulation, 284
 - actor parameters, boundaries, and hull types, 295–296, 296
 - armatures, 317–319, 318–321
 - baking game Ipos, 284–285, 285
 - collision boundary types, 297–305, 298–304
 - Ctrl+Alt+Shift+P key combination, 288–294, 289–294
 - frame rate and simulation speed, 285–288, 286–288
 - joint constraints, 306–310, 307–310
 - passive-walking robot, 319–323, 320–323
 - ragdoll physics, 310–315, 311–317
 - ripple pattern for flag, 43, 44
 - Rnd Damping setting, 78
 - Rnd Friction setting, 79
 - robot, passive-walking, 319–323, 320–323
 - rocks, creek bed, 260–261, 260–261
 - Rot direction, 66
 - RotAngle setting, 343
 - rotation settings
 - branching, 343
 - hair particles, 191, 196
 - Newtonian physics, 66
 - rigid body joints, 310
 - RotDamp setting, 295
 - RotY Ipo setting, 244
 - roughness settings
 - grass, 207
 - hair, 176–180, 177–181, 186
 - Ivy Generator, 356
 - Rubber object, 133
 - rubbery surfaces, 132–138, 133–138
 - Rube Goldberg machines, 272, 273–275
 - rushing creek, 259–264, 259–265
- ## S
- scaling
 - L-Systems, 329
 - rigid body collision boundaries, 301, 302
 - selected points, 191, 196
 - subsurface scattering, 19
 - scalp mesh, 184–185, 185
 - scattering, subsurface, 18–20, 18–20
 - science of simulation, 5–6
 - Scriptlinks method, 161
 - Scriptlinks tab, 161
 - scripts
 - BGE, 286–288, 287–288
 - fluids, 266–267, 267–268
 - PyDrivers, 56–58
 - Sculpt mode, 187
 - seams for hair particles, 201–202, 201–203
 - Set Editable option, 186
 - Set Smooth setting
 - fluids, 217
 - grass, 207
 - lattices, 141
 - shape keys, 50
 - stress-mapped textures, 133
 - Shaded mode
 - BGE, 278, 278
 - fluids, 217
 - Shader tab, 182
 - shaders
 - fire and smoke effects, 84
 - grass, 208
 - hair lighting and rendering, 182
 - Shadow And Spot tab, 182
 - shadows
 - grass, 210
 - hair lighting and rendering, 182
 - transparent, 16–18, 17
 - shape keys, 50–53, 51–53
 - Shape setting for hair clumping, 176, 177
 - Shapes tab, 50
 - Shear value for soft bodies, 111
 - shirt, 148–154, 148–154
 - Shorten setting for L-Systems, 329

- shoulders, ragdoll, 311, 312
- Show Children option, 190, 194
- Show Physics Visualization option, 305
- Show Time option, 190
- ShowPivot option, 308
- Simplification tab, 182, 182
- simulation, science of, 5–6
- 6DoF (Generic) joints, 309–310, 310
- size
 - deflection, 72
 - fluids, 230
- Size Deflect option, 72
- sky maps, 20–22, 21–23, 359
- slider joints, 306–308, 307
- Small-waves texture, 29, 30
- smoke, 88–94, 89–94
- Smooth setting for hair, 188
- soft bodies, 4, 109
 - baking, 112
 - cloth and clothing, 146–158, 147–154, 157
 - and curves, 121–131, 122–131
 - demolition, 158–164, 159–164
 - force fields and collisions, 118–121, 118–121
 - hair, 204, 204–205
 - lattices, 139–145, 140–146
 - overview, 110–112, 110–112
 - spring animation, 112–117, 113–117
 - stress-mapped textures, 132–138, 133–138
- Soft Body tab, 117, 131
- Soft Body Collision tab, 112
- Solid Draw mode, 120
- sources for fluids, 214
- Spec setting
 - fire and smoke effects, 84
 - grass, 208
 - Ivy Generator, 356
- Specials menu for hair, 191–192
- Specular shader, 208
- Speed setting for soft bodies, 111
- Sphere Blend texture, 38
- spheres
 - colliding, 94–97, 94–100
 - rigid body collision boundaries, 297
 - UV-mapped, 168–169, 169
- Spherical force field
 - boids, 103–104
 - overview, 76, 77
- spherical sky maps, 21–22, 21
- Spin setting
 - L-Systems, 330, 331
 - Newtonian physics, 66
- splashes, 255–257, 255–259
- splashiness of fluids, 232–233, 232
- split branching in L-Systems, 330, 330
- Spot type lights, 210
- Spring Damp setting, 156
- springs, 46
 - mesh modeling, 46–49, 46–50
 - PyDriver setup, 56–58, 57–58
 - rigging, 54–56, 54–56
 - shape keys, 50–53, 51–53
 - soft bodies for, 112–117, 113–117
- Sta setting, 61
- Start frames for Ipo, 283
- Start time for fluids, 229
- static particles, 79
- Static Triangle Mesh option, 297, 299, 303
- steam effect, 236, 238
- Stem setting
 - L-Systems, 333
 - ngPlant, 343, 343–344
- Stem Model setting, 345, 345–346
- stems, 250–252, 251–252
 - L-Systems, 333
 - ngPlant, 341, 343, 343–346
- Stencil texture, 34, 34, 85–90, 86–88, 90
- Steps setting for hair, 190
- stickiness of fluids, 221, 223
- Stiff Quads option, 111
- Strand mapping for hair, 173, 175, 180
- strand particles. *See* hair
- Strand Render option, 182
- Strands option, 175
- strawberries, 247–252, 248–252
- stress-mapped textures, 132–138, 133–138
- StructStiff setting, 156, 158
- Subdivide setting for hair, 192
- Subdivide Fractal setting, 207
- Subdivide Multi setting
 - cloth flag, 41
 - lattices, 141
 - stress-mapped textures, 133
- subdivided planes, 24, 25
- subLen setting, 332

- subOrient setting, 332, 333
- subSlope setting, 331, 332, 335
- Subsurf modifier
 - fluids, 214, 217
 - grass, 207
 - Ivy Generator, 356
 - lattices, 141
 - shape keys, 50, 52
 - soft bodies, 124
 - stress-mapped textures, 133
 - T-shirt, 155
- subsurface scattering
 - fluids, 250
 - overview, 18–20, 18–20
- Subsurface Scattering (SSS) tab, 18, 19
- subThickness setting, 332
- Surface Diffuse option, 183
- Surface Subdiv setting, 232–233, 233
- swarms, boids for, 101
 - birds, 106–108, 106–108
 - goals and predators, 102–106, 103–106
 - setting up, 102, 102

T

- T-shirt, 148–154, 148–154
- tablet monitor, 187
- Tan velocity, 66
- Terragen software, 20
- Tex setting for subsurface scattering, 19
- Text Editor window
 - fluid scripts, 229
 - L-Systems, 327, 327
 - scripts, 286–288, 287
 - soft bodies, 161
- Texture Buttons area, 135
- Texture tab, 34
 - fire and smoke effects, 85
 - hair, 171
- textured planes, 359
- textures, 6–7, 7
 - bodies of water, 24–40, 25–40
 - fire and smoke effects, 82–94, 83–94
 - fluids, 250–252, 250–252
 - force fields, 74
 - grass, 208, 209–210
 - hair, 171, 180, 181
 - Ivy Generator, 356
 - particle attributes with, 199, 200
 - stress-mapped, 132–138, 133–138
 - thick fluids, 221, 223
 - thickness of sub-branches setting, 332
 - thin fluids, 221, 223
 - ThinDwn setting, 329, 329, 335
 - 3D viewports, 280
 - three-point lighting for hair, 182
 - Thuerey, Nils, 224
 - Tiess, Robert J., 24
 - time settings
 - fluids, 229–230, 230
 - particles, 72
 - Tip Select mode, 190–191, 192
 - torso, ragdoll, 313–315, 314, 316
 - Torus object, 123–124, 123
 - Traceable setting for fire, 82
 - Tracers particles, 233, 235–236, 235
 - Transform Properties dialog box, 57
 - shape keys, 52–53, 53
 - soft bodies, 129
 - Transition setting for hair, 182
 - Translate Manipulator, 225, 226
 - translating selected points for hair, 191, 196
 - translucency, fluids, 250
 - transparency
 - ngPlant, 347
 - shadows, 16–18, 17
 - types, 14–16, 15–16
 - TraShadow setting, 17, 356
 - Tree From Curves option, 348
 - trees and plants, 325
 - Ivy Generator, 349–356, 349–359
 - L-Systems, 327
 - parameters, 327–334
 - tree creation, 335–337, 335–337
 - miscellaneous software, 347–348
 - ngPlant, 337–347, 338–347
 - interface, 339–341, 339–341
 - overview, 337, 338–339
 - palm tree, 342–347, 342–348
 - outdoor scenes, 359
 - positioning, 360
 - Tube texture, 38–39, 38
 - TubeDisp texture, 39, 39
 - Type drop-down menu, 61, 61

U

- U settings for lattices, 142
- Use Edges option, 111
- Use Goal option, 111
- Use Seams option, 201
- Use Thickness option, 334
- UV Face Select mode, 41
- UV/Image Editor window, 41, 335
- UV-maps
 - flag textures, 41, 42
 - Ivy Generator, 356
 - L-Systems, 335
 - spheres, 168–169, 169
- UV spheres for fluids, 221, 221
- UV texture for fire, 85, 86

V

- V settings for lattices, 142
- van Havre, Yorik, 342
- vegetation. *See* trees and plants
- Velocity constraint, 101
- velocity in Newtonian physics, 66
- Vertex Groups
 - birds, 107, 107
 - hair particles, 186
 - lattices, 143
 - soft bodies, 116, 116
 - T-shirt, 153
 - weights, 42, 43
- VGroup field, 107
- Viewport setting for hair, 182
- viscosity, 221, 223, 223
- visualization settings
 - fire and smoke effects, 81, 81, 88
 - grass, 207
 - hair, 182, 186
 - particles, 67–72, 69–74
- Volume option for Emitter particles, 63
- volumetric elements for fluids, 214

- Voronoi texture, 208, 211
- Vortex force fields, 76, 76
- voxels, 214, 231

W

- W settings for lattices, 142
- Wacom tablet monitor, 187, 188
- walking by passive-walking robot, 319–323, 320–323
- water
 - modeling, 24–40, 25–40
 - viscosity, 223
- Wave modifiers
 - birds, 107, 107
 - water, 26, 27
- Wave setting for hair, 180
- Weight Paint mode
 - hair, 184
 - soft bodies, 118
 - T-shirt, 150, 150–154
- weight settings
 - hair, 188
 - soft bodies, 129
 - vertex groups, 42, 43
- Weight tool for hair, 204
- Wind force fields, 76, 77
 - soft bodies, 119
 - T-shirt, 154, 154
- Wireframe Draw mode, 120

X

- X-axis for mirroring, 200–201, 201
- X-Ray option for springs, 54
- XTransp setting for fire, 82

Z

- Z transparency settings, 14, 16
 - grass, 208
 - hair, 175