

## Index

*Note:* Page numbers in **bold** refer to figures, schemes and tables.

- ABC triblock polymers 233, **235**  
 acceptor peptides 40  
 acetylated silicon 294  
 acetylcholinesterase inhibitors (AChE)  
 375–376  
 click chemistry screening with novel  
 peripheral site ligands<sup>47</sup> **369**  
 acetylene  
 containing (small) molecules attached with  
 Au nanoparticles via CuAAC **263**  
 as initiator 220  
 acetylene polymers  
 acetylene-appended PVA 4  
 grafting via RAFT to nanoparticles **256**  
 acetylene-EGFP 260–261  
 acetylene-functionalized block copolymers 345  
 acetylene-modified 2-ethinylnaphthalene **357**  
 acetylenic benzenesulfonamide, triazoles 370  
 activity-based protein profiling (ABPP) **38, 44**,  
 153, 312, 357  
 biotin-labeling 367–371  
 adriamycin, conjugation to MAb via oxime  
 bond formation 55  
 agarose gel electrophoresis of AzNPs **264**  
 aldehyde dehydrogenases (ALDH-1) 312  
 aldehyde micropatterns, preparation via  
 selective oxidation **66**  
 aldehydes, Tollens reaction 134, **134**  
 Alexa Fluor 488 and 568 **358**  
 alkenes  
 bioorthogonal ligations 37–38  
 Cu-free [3 + 2] cycloadditions **36**  
 light-induced decomposition of 2,  
 5-diaryltetrazoles **37**  
 alkoxyamine-*co*-HPMA 58  
 alkyne groups, polyvalent system 345  
 alkyne-biotin-FLAG tag 319  
 alkyne-containing analogs of lipoic acid 40  
 alkyne-containing nucleotides 224–225  
 alkyne-functionalized macromolecular  
 scaffolds **111**  
 alkyne-functionalized PLGA **299**  
 alkyne-modified uridine nucleosides 342, **343**  
 alkynes, *see also* azides and alkynes  
 alkynyl ManNAc 341  
 alkynyl-substituted sugar analogs **358**  
 allenylmagnesium bromide 22  
 Alzheimer amyloid-beta, interaction with  
 monosaccharide 301  
 amber suppressor 41  
 amides, traceless Staudinger ligation strategies  
**33**  
 amino acids  
 azidohomoalanine (AHA) 228, 316–317,  
 319–321  
 with fluorophores 41  
 new 314–316  
 with photochemical crosslinkers 41  
 proteomic profiling tools 318–321  
 SILAC 319  
 tRNA-synthetase (aaRS) enzymes 41  
 amino-bases, cocatalytic systems 124  
 aminoxy reagents, condensation reactions of  
 ketones and aldehydes **31**  
 aminoxy surfaces, micropatterned by  
 photodeprotection **65**  
 aminoxy-functionalized peptides 65–66  
 aminoxy-modified CCL-5, conjugation of  
 PEG **57**  
 aminoxy-RGD, conjugation to polymer  
 bearing aldehyde side-chains **60**  
 amphiphiles 232–236, **237**  
 computer-generated models of molecular,  
 super and giant **233**  
 protein-polystyrene conjugates 233  
 PS azide with tripeptide and BSA protein  
**234**  
 amyloid formation 39

400 *Index*

- 8,9-anhydroerythromycin A 366  
anthracene–maleimide conjugation 94–98, **100**  
anthracenes 196  
  9-anthracene methanol 94  
  photoinduced electron transfer (PET)  
  335–336  
anthrax detection, dendrimer-based diagnostic  
  178  
apoferritin (apo-HSF) 347, **348**  
arginine–glycine–aspartate (cRGD) derivatives  
  **60, 188, 242–244, 303–305**  
  aminoxy-RGD **60**  
  RGD peptide immobilization by click  
  chemistry **304**  
  tetrameric RGD-dendrimer synthesized via  
  CuAAC **188**  
arsenical dyes, ReAsH-EDT2 and  
  FLAsH-EDT2, proposed structures **331**  
atom transfer radical polymerization (ATRP) 2,  
  3, 58, 72, 89, 218–219, **221**  
  alkyne ATRP initiator 93  
  initiator-containing SAMs 301  
attenuated total reflectance–FTIR spectroscopy  
  61  
Au *see* gold  
Aza–Wittig reaction 3  
azacyclooctyne 36  
  structure **36**  
azide–alkyne click reactions  
  scaffold, two different supramolecular  
  receptors **120**  
  on surfaces, nanoparticles and interfaces  
  **156–163**  
  thermoset-formation by cross-linking **16**  
azide–alkyne ligation, various bulk materials  
  82–83  
azides  
  azidation with Nf-N3 of enantiopure  
  carbohydrate mimetics **25**  
  azide-functionalized macromolecular  
  scaffolds **110**  
  and diphenylphosphorylazide (DPPA) 368  
  explosive properties 373  
  <sup>18</sup>F-labeling 364–365  
  potential toxic side effects 5  
  Staudinger ligation **33**  
  synthesis of a secondary azide 25  
  toxicity 374  
  *see also* Cu-catalyzed azide-alkyne  
  cycloaddition (CuAAC); polyazides  
azides and alkynes  
  cowpea mosaic virus, cuAAC 80, 230–231,  
  281–284, 310  
  cycloaddition  
  copper-free 35–37  
  thermal and copper-catalyzed **70**  
  *see also* Cu-catalyzed azide-alkyne  
  cycloaddition (CuAAC)  
  difunctional monomers 71–72  
  end- and side-functionalized polymers, from  
  controlled polymerization techniques  
  **221–222**  
  labeled with F-18 **365**  
  azido-appended PVA 4  
  N-azidoacetylmannosamine 332  
  4-azidobenzoylformate 371  
  3-azidocoumarins  
  and acetylenes **334**  
  3-azido-7-hydroxycoumarin 342, **360**  
  N-(2-azidoethyl)-5-(dimethylamino)  
  naphthalene-1-sulfonamide **360**  
  azidohomoalanine (AHA)  
  labeling with AHA 321  
  new amino acid 228, 316–317, 319–321  
  3-azidopropyl methacrylate (AzPMA) 73  
  azidosugars 238  
  bacterial cofactor ligase 40  
  bacterial secretion systems 39  
  barbituric acid, and Hamilton receptor  
  **259**  
  BCECF-AM substrate 232  
  tris-(benzyltriazolylmethyl)amine (TBTA)  
  catalysis 257, 265, 302, 313  
  bio-orthogonal noncanonical amino acid  
  tagging (BONCAT) 319–321  
  bioconjugates *see* protein conjugates  
  bioimmobilization on surfaces 300–305  
  biological membranes 143–146  
  biomedical applications, dendrimer-based  
  platforms 177–194  
  biomolecules 355–378  
  amphiphiles 232–236  
  biohybrid materials 217–254  
  biopolymers 42  
  covalent labeling 4  
  glycoconjugates 236–247  
  oxime chemistry for surface immobilization  
  61  
  polymers natural and synthetic 42, 218–228  
  production 9  
  protein conjugates 228–232  
  ‘smart’ 54  
  bioorthogonal click reactions 4, 29–53  
  ligations 30–37  
  noncanonical amino acid tagging  
  (BONCAT) 41  
  schema **30**  
  biosensors 301  
  biotin  
  fluorescent dyes 328–329  
  immobilization on flat surfaces 301

- biotin azide, microcontact printing **298**  
 biotin isostere 40  
 biotin ligase 40  
 biotin–streptavidin binding 301  
 bisaminopyridine receptor 257  
 bisarsenical dyes, reAsH-EDT2 and  
     FLAsH-EDT2, proposed structures **331**  
 2,2-bis(hydroxymethyl)propionic acid,  
     glycodendrimer **239**  
 block copolymers (BCPs) 91–101, 148,  
     294–295  
     acetylene group 345  
     with attached iridium complexes **148**  
     characterization techniques 99–100  
     micelles, cross-linking 147–149  
     post-polymerization functionalization 95–98  
     pre-polymerization functionalization 92–95,  
         **94**  
     PS-PEG 148–149  
     RAFT-HDA concept **95**  
     random, for Con A binding studies **245**  
     spin-coating 294–296  
 Boc-aminoxyacetic acid 58  
     copolymerization with methyl methacrylate  
         61  
 Boc-protected aminoxy tetra(ethylene glycol)  
     methacrylate 64  
 BONCAT (bio-orthogonal noncanonical amino  
     acid tagging) 319–321  
 boron dipyrromethene (BODIPY), as  
     pre-fluorophore 337  
 bovine serum albumin (BSA) 80, **80**  
     heterodimer construction 232  
     ketone modification **59**  
     labeling 367  
     as a protein foot 232  
 breast cancer  
     antigen, globo-H 301  
     cell labeling 328  
 bromide substitution, azide terminated  
     polymers **95**  
 bromomagnesium acetylides 22  
 3-bromopropyltrichlorosilane 256  
  
 C-terminal ketone modification of hGH  
     **59**  
 calixarenes, functionalization 126  
 cancer cells  
     breast cancer antigen 301  
     breast cancer cell labeling 328  
     folate receptor 178  
     mDA-MB-435 incubated with MNP-13  
         **261**  
*Candida antarctica*, lipase B (CalB) 151,  
     230–231, 316  
 ε-caprolactone (CL) 97, 109, 129  
  
 carbocationic polymerization, poly(isobutene)  
     140–141  
 carbohydrate–protein interactions 18–25  
     click-dimerization-ring-closing metathesis  
         **21**  
     synthesis of fluorescent two-dye conjugates  
         **19**  
 carbohydrates 126  
     arrays, via oxime bond formation 62  
     clusters 236–237  
     cyclic carbohydrates 131  
     glycoclusters formed from click reaction of  
         sugar moieties to tetraalkyne  
         functionalized carbohydrate core  
         **240**  
     glycosylated biohybrid materials 236–237  
     macrocyclic carbohydrates **132**  
     mimetics, azidation with Nf-N3 enantiopure  
         **25**  
     small unilamellar vesicle (SUV) attachment  
         **146**  
     *see also* glycans; glycoconjugates  
 carbon nanotubes 269–272  
     attachment of cyclodextrines **129**  
     modification with cyclodextrines 127  
     polystyrene-modified single-walled **82**  
     single-walled nanotubes (SWNTs) 266,  
         269–272, **271, 272**  
 carbon–carbon multiple bonds 911  
 carbon-based nanomaterials 266–272  
     fullerenes 267–269  
 carbonic anhydrase 370  
 cardiac markers, biosensor 178  
 catenanes 123  
     *see also* rotaxanes  
 cationic polymerization 2  
 CdSe nanoparticles 257  
     binding via Hamilton receptor 142  
     polymersome membranes from PEO-PIB  
         **144**  
     purely thermal azide–alkyne reaction 155  
 cell culture, stable isotope labeling by amino  
     acids (SILAC) 319  
 cell labeling  
     breast cancer 328  
     fluorescence visualization of newly  
         synthesized proteins **339**  
     fluorogenic probing 339–341  
 cell surface  
     fluorogenic labeling of proteins **340**  
     glycan arrays 301  
     glycoconjugates 341  
     integrins 58  
     *see also* surfaces  
 cellulose fibers, grafting of macromolecular  
     chains to surface 299

402 *Index*

- chemical reporters 38–40
  - metabolic targeting of other biomolecules 44–45
- chemical vapor deposition (CVD) 297
- chemotherapeutic agents 367
- 4-chloro-7-nitro-2,1,3-benzoxadiazole (NBD-Cl) **330**
- chromatography
  - hILIC 371
  - hPLC 371
  - size-exclusion chromatography 345
- chondroitin sulfate (CS) glycosaminoglycan microarrays 61
- click chemistry
  - definition 1–2
  - limitations 5
  - reaction list **3**
- click reaction
  - defined 121
  - methodologies and isolation 96–97
- click-ROP–NMP compound **106**
- cocatalytic systems, amino-bases 124
- colloidal nanoparticles, CuACC 82–84
- composite films, layer-by-layer assembly 296
- confocal laser-scanning microscopy **276**
- conjugation reactions, proteins and peptides 53–69
- copolymers *see* block copolymers
- copper, cytotoxicity 5
- copper-catalyzed azide–alkyne cycloaddition (CuAAC) 2, 5, 70, 72, 121–123
  - ATRP 72–73
  - attachment of supramolecular entities 138
  - azide-modified saccharides 301–302
  - 3-azidocoumarins and acetylenes **334**
  - biomolecules 309
  - construction of polymeric blocks 96–97
  - copper-free nontoxic alternatives to CuAAC 31–44, 121
  - covalent ligation of gadolinium complex 317
  - cowpea mosaic virus 80, 230, 310, 344
  - dendronized linear polymers, grafting-to **75**
  - dNA chip construction **303**
  - fluorogenic reaction, 3-azido-BODIPY **338**
  - fluorogenic reactions 332
  - formation of photo- and ozone-cleavable networks **157**
  - functional nanomaterials 255–290
  - functionalizing flat surfaces 83
  - ligand structures **328**
  - linear polymer structures **71**
  - oligonucleotides 16
  - performed on duplex DNA **18**
  - polymerization mechanisms 70–72
  - polymerization methods 138
  - post-polymerization modification 72–74
  - protein conjugates 309–326
  - synthesis of conjugated polymers 72
  - toxicity 146
  - triazoles 24, **35**, 121
  - versatility and scope 218
- copper-free nontoxic alternatives to CuAAC 31–44, 121
  - applications 38–44
  - azide–alkyne cycloadditions 35–37
- copper(i) iodide–triethylamine–THF 110
- coumarins
  - 3-azido-7-hydroxycoumarin 342, **360**
  - D-340 **330**
  - electron donating group at the 7-position **334**
  - fluorogenic reactions 332–335
  - triazolocoumarins **336**, 348–349
- covalent labeling, living systems 4
- cowpea mosaic virus (CPMV) 281–284, 310
  - bioconjugation **344**, 345
  - CuAAC 80, 230
  - tetrasaccharide conjugation to fluorescein **231**
- crosslinked polymeric adhesives 4
- crown-ethers, or cryptands 128
- cucurbiturils, into rotaxanes 123, 126
- 5-cyanocyclopentadiene adduct 197
- cyclic peptides, membrane-spanning 131
- cyclo-[Pro-Val-(triazole)-Pro-Tyr] **12**
- cyclodextrins (CD) 126–127
  - attachment onto carbon nanotubes **129**
  - CD-SWNTs 270
  - cyclodextrin-modified porphyrins **128**
  - generation of DNA–cyclodextrin complexes **128**
- cyclopentadiene, reacting with benzoquinone 198
- cyclopentadienone 196
- cysteine residues
  - N*-palmitoylation 44
  - olefin metathesis 37
- definition, click chemistry 1–2
- dendritic star polymers *see* star polymers
- dendrimer-based platforms 177–194
  - defect structures 178
  - multifunctional device on single dendrimer **179**
- dendrimers 147
  - Boltorn dendrimers 147
  - cross-linked micelles **280**
  - functionalization 184–189
  - multifunctional device on single dendrimer **180**

- synthesis  
   convergent 183–184  
   convergent/divergent pathways **182**  
   divergent 179–183  
   *see also* peptidic dendrimers,  
   formylglycine-generating
- dendronized linear polymers, grafting-to via  
   CuAAC **75**
- 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 96
- 1,6-diazidohexane 71
- dibenzocyclooctyne probe, structure **36**
- Diels–Alder bonds, application to polymer  
   systems 199–209
- Diels–Alder cycloaddition reaction 3, 37, 91,  
   94, 379–398
- anthracene–maleimide conjugation 94–98
- crosslinkable E–O polymers containing  
   binary NLO chromophores 388–392
- degradation via aromatization, irreversible  
   linkage 198
- endo and exo isomers 197
- generalized **196**
- hetero Diels–Alder (HDA) concept 94, 99
- in-situ generated side-chain E–O polymers  
   by solid phase **387**
- influence of surfaces 197–198
- maleimidocaproyl-functionalized substrates  
   302
- NLO dendrimers 392–394
- poling **390**
- postfunctionalization method for side-chain  
   E–O polymers **381**
- reaction order 197
- retro (reverse) Diels–Alder concept  
   195–216, 247
- side-chain E–O polymers 380–388  
   *see also* CuAAC
- dienophile, diene, diels–Alder reaction **196**
- diethoxypropyl methacrylate (DEPMA) 58
- 7-diethylamino-3(4-maleimidylphenyl)-4-  
   methylcoumarin (D-340) **330**
- differential 2D gel electrophoresis (DIGE) 53,  
   54, 319
- differential scanning calorimetry (DSC) 385
- difluorinated cyclooctyne (DIFO) 36, 43, 358  
   DIFO-fluorophore reagents 43
- 6,8-difluoro-7-hydroxy-4-methylcoumarin  
   octanoate (DiFMU octanoate) 276
- 4-(*N,N*-dimethylam-inosulfonyl)-7-hydrazino-  
   1,3-benzoxadiazole (DBD-H) **330**
- 5-dimethylamino-naphthalene-1-sulfonyl  
   hydrazine (D-100) **330, 360**
- dimethylformamide (DMF) 95
- diphenyliodonium-9,10-dimethoxyanthracene-  
   2-sulfonate (DIAS) 63
- diphenylphosphorylazide (DPPA) 375
- 1,3-dipolar cycloaddition, azides and terminal  
   alkynes 2, 3
- dithiothreitol (DTT) 301–302
- DNA 131–137
- arrays 302
- assay in vivo by incorporation and  
   subsequent attachment of  
   fluorescein-dye **134**
- attachment to surfaces via stamping-methods  
   **137**
- combined labeling and methylation 136
- crosslinking using click reaction **136**
- cyclic, formation **137**
- detection and sequencing 14–18
- detection in vitro 134
- duplex DNA, cycloaddition reaction **18**
- fluorogenic conjugation 341–344
- labeling using fluoresceine **135**
- metallization 132, **134**
- phosphoramidite method 132
- polymerase chain reaction (PCR), tBTA  
   complexes Au nanoparticles 265
- scaffolding 131–137
- sequencing of specific DNA strands 224–225
- strategy for incorporation of click concepts  
   **133**
- transfer-printing onto azide-terminated glass  
   surfaces 135  
   *see also* oligonucleotides
- DNA chip, construction using CuAAC **303**
- domino-click synthesis 22
- novel bistriazoles **24**
- DOPE alkyne **146**
- dynamics polymers (dynamers) 138
- electro-optic (E–O) activities 119, 379
- electric field-dependent poling behavior **386**
- in-situ generated side-chain E–O polymers  
   by solid phase Diels–Alder click  
   reaction 388
- physical and optical properties **388**
- electro-optics, *see also* nonlinear optical  
   (NLO) materials
- electron microscopy images, solution  
   aggregates **81**
- Electrophorus electricus* AChE 369
- enhanced green fluorescent protein (EGFP)  
   260
- enoyl CoA hydratases (ECH-1) 312
- enzymes
- activity-based profiling 38–41
- formylglycine-generating enzyme (FGE)  
   40–41
- inhibitors 368–371

404 *Index*

- erythromycin, 8,9-anhydroerythromycin A, anti MRSA 366
- erythropoietin (Epo), PEGylated **56**
- Escherichia coli*
- cu tolerance 317
  - E. coli*-biotin conjugate **230**
  - intein-chitin fusion 56–57, 313
  - shiga-like toxins, serotype O157:H7 268, **269**
- 2-ethynyl-naphthalene, acetylene-modified **357**
- farnesyl transferase (PFTase), prenylation 313
- ferric iron oxide nanoparticles 258–260
- fiber networks 298–299
- FK866 (resveratrol) 367–368
- FLAG tagging 319–320
- FLAsH-EDT2 329
- fluorescamine, reaction with primary amine **329**
- fluorescein
- derivatives 282, 349
  - fluorescent labeling through click chemistry, schema 356
- fluorescein arsenical hairpin binder (FIAsH) 39, 329
- fluorescence resonance energy transfer (FRET) quenching 33–34, 332
- fluorescent markers 282, 349, 356–360
- in bioconjugation 328–354
  - cell surface glycoconjugates 341
  - coumarins 332–335
  - naringenin **356**
  - rhodamine 356
- fluorescent molecular patterning, by SECM 300
- fluorine labeling 364–365
- 4-fluoro-7-aminosulfonylbenzofuran (ABD-F) **330**
- fluorogenic reagents
- borondipyrromethene (BODIPY) as pre-fluorophore 337, **338**
  - structures **330**
- folate receptor, carcinoma KB cells 178
- formylglycine-generating enzyme (FGE) 40–41
- Fourier transform infrared (FT-IR) 101
- free-radical polymerization 72
- fucoanalogs 336
- fullerenes 267–269
- C60 hexakis adducts 268
  - functionalization of C60 with azides **269**
- fulvene 196
- furan (diene) and maleimide (dienophile) 196
- G-protein-coupled receptor activation 39
- gel permeation chromatography (GPC) 99
- GPC spectra for block copolymer formation **100**
- gels, formation by non-covalent interactions (hydrogen bonds) **154**
- gels and networks as scaffolds for synthetic reactions 147–153
- multivalent building blocks (selected examples) **149**
- gene transfection 178
- glass
- spin-coating 294–295
  - substrates incl. capillaries 61–62
- glass substrates incl. capillaries, aldehyde functionalization **62**
- glutathione-S-transferase (GSTO 1-1) 312
- glycans
- arrays on cell surface 301
  - fucoanalogs **336**
  - labeling **360**
  - metabolic engineering oligosaccharides **43–44**
  - specific fluorescent labeling **341**
  - in living cells, dynamic imaging **45**
  - posttranslational modifications of proteins 42
- N*-substituted glycine peptidic oligomers, chain elongation **226**
- glycine residues, *N*-myristoylation 44
- glycoblotting 61
- glycoconjugates 236–247
- cell surface, fluorescent-labeling 341
- glycodendrimer
- 2,2-bis(hydroxymethyl)propionic acid **239**
  - conjugated to a silica core for affinity chromatography **189**
- glycopeptidomimetics 35, 36, 366, **366**
- glycopolymers 244–245
- prepared via ATRP **283**
- glycoproteins 238–240
- mimic prepared by coupling of clicked glycopolymer to BSA **246**
- glycosaminoglycan microarrays 61
- glycosylated molecules
- sugar functions as azide or alkyne **242**
  - synthesis 371
- gold nanoparticles 261–262
- binding via Hamilton receptor 146, 259–262, **259**
  - decane-thiol ligands 262
  - decoration with SWNTs **266**
  - modification via CuAAC reaction 261–262
  - TEM, on DNA **265, 266**
- gold nanorods, acetylene or azide functionalized ligands 265

- graft copolymers 107–113  
 alkyne main chains 111–112  
 azide- and alkyne-functionalized polymer chains **109**  
 GPC traces of PHEMA-g-PEG **112**  
 non-CuAAC routes 113  
 poly(ethylene oxide) (PEO) 73, 143  
 grafting, macromolecular chains to surface of cellulose fibers 299  
 green fluorescent protein (GFP) 313  
 enhanced (EGFP) 260  
 mitochondrially targeted 340  
 Grignard reagent 22
- Hamilton receptor, gold nanoparticles **142**, 257, 259–262, **259**
- Hawker-type-nitroxide initiator 140  
 HEMA 64  
 hemagglutination, dendrimeric vs monomeric mannose 184  
 heme cofactor, PEG-b-PS 80  
 hepatitis C virus (HCV) RNA, internal ribosome entry site 225  
 hetero Diels–Alder (HDA) concept 94, 99  
 hexa-peri-hexabenzocoronene (HBC) **273**  
 HSA-MNP agglomeration **262**  
 Huisgen 1,3-dipolar cycloaddition reaction *see* copper-catalyzed azide–alkyne cycloaddition (CuAAC); Diels–Alder  
 human serum albumin (HSA) 260  
 hydrazides, condensation reactions of ketones and aldehydes **31**
- hydrogels  
 PEG/PVA 82–83  
 poly(vinyl alcohol)-based, synthesis 4  
 protein–polymer **58**
- hydrogen bonds  
 ionophoric abilities 129  
 self-assembled monolayers (SAMs) 141  
 hydrogen-bonding network, L,L-pIAA **223**  
 hydrophilic interaction liquid chromatography (HILIC) 371
- incident photon-to-current conversion efficiency (IPCE) 270  
 inorganic nanomaterials 256–266  
 integrins, cell surface 58  
 intein-chitin binding domain, tripartite fusion expressed in *E. coli* 56–57, 312  
 intein-mediated thioester formation **313**  
 interlocked structures, formation 126  
 iron oxide nanoparticles 257–258  
 isobaric tags for relative and absolute quantification (iTRAQ) 319  
 isotope-coded affinity tags (ICAT) 319
- Keck-allylation 21  
 ketone-modified BSA **59**  
 ketone-modified CCL-5, conjugation of PEG **57**  
 ketones and aldehydes, condensations with heteroatom-bound amines 31–32  
 Knorr-reaction 21
- labeling  
 azidohomoalanine (AHA) 321  
 bovine serum albumin (BSA) 360  
 breast cancer cells 328  
 cell surface glycoconjugates 341  
 covalent labeling 4  
 DNA, combined labeling and methylation 136  
 fluorine 364–365  
 glycans **43–44**  
 metabolic labeling of proteins 5, 41–44  
 site-specific labeling of proteins 39–41  
 stable isotope labeling by amino acids in cell culture (SILAC) 319  
 sugar derivatives, attachment of biotin 359  
 Langmuir layers 143  
 Langmuir–Blodgett layers 155  
 layer-by-layer assembly, composite films 296–297  
 light-induced decomposition, 2,5-diaryltetrazoles 37  
 linezolid  
 mimics **367**  
 structure–activity relationship (SAR) studies 366  
 lipase B (CalB), *Candida antarctica* 144, 230–231  
 lipid oligonucleotides (ONs), synthesis 225–227, **227**  
 liposomes 143–144, 274–275  
 liquid crystalline polymers **152**  
 living radical polymerization (LRP) 244  
 LUMO-lowering, electron-withdrawing fluorine atoms 36
- macrocycles (cyclic polymers) 128–131, **131**  
 nonclassical hydrogen bonding system 129  
 macrolactamization  
 linear peptoids **13**  
 propargyl glycine azido leucine **12**
- macromolecules  
 blocks, stars, combs 89–118  
 cascade functionalization **76**  
 cascade side-chain functionalization 73  
 click modification of well-defined polystyrene prepared by ATRP **74**  
 post-polymerization modification 72–74

406 *Index*

- macromolecules (*Cont.*)  
 telechelic 148  
*see also* biomolecules; supramolecular materials
- magainin-based compounds 13
- magnetic nanoparticles (MNP) 257  
 functionalization with Pd catalyst **260**
- MALDI-TOF-analysis 140–141
- maleimides 196–198  
 homopolymerization 198
- maltose, synthesis **372**
- maltose-binding protein (MBP) 260, 313
- Mannich reaction 357
- mass spectrometry (MS)  
 with affinity purification 319  
 proteomic profiling tools 318–321
- membrane-spanning channels 128
- membranes 143–146  
 protein conformational changes 39
- metabolic labeling of proteins 41–44
- methionine, unnatural analogs 41
- methionyl-tRNA synthetase (MetRS) 316, 321
- methotrexate, poly(amidoamine) (PAMAM) dendrimers 177–178
- 2-methoxy-2, 4-diphenyl-3(2H)-furanone (MDPF) **330**
- micelles 278–281, 345  
 cross-linked, dendrimers **280**, 345  
 functionalized with azides or acetylenes **279**
- microbicides, sexually transmitted diseases 178
- microcontact printing 83  
 absence of copper catalyst **84**  
 azido self-assembled monolayers (SAMs) 83  
 biotin azide **298**  
 immobilization of saccharide molecules 302
- micropatterned protein assemblies using streptavidin as linker **64**
- monoclonal antibodies (MAb), protein–drug conjugates 55
- monosaccharides, unnatural 43
- MRI, magnetic nanoparticles (MNP) 257
- mRNA hairpin loop binding agents 22
- mRNA translation, imaging 39
- MRSA (multi-resistant *Staphylococcus aureus*) 366
- muramyl dipeptide (MDP) 357
- myoglobin, conjugated with a PS144-b-PEG113 block copolymer **81**
- N-C* heterocyclization 22
- N*-acetylmannosamine (ManNAc) 43
- N*-Oxo-*C*-keto GFP 58
- N*-terminal oxidation via transamination with sodium glyoxylate **54**
- nanomaterials 81–84, 156–163, 255–290  
 applications of fluorogenic CuAAC 345–348  
 assembly using DNA 139  
 binding via Hamilton receptor 142  
 carbon-based 266–272  
 cross-linked 278–279  
 grafting of acetylene polymers prepared via RAFT to nanoparticles **256**  
 hydrogen-bonding systems, sAMs 141  
 inorganic 256–266  
 and interfaces, azide–alkyne click reactions **156–163**  
 self-assembled organic structures 272–281  
 surface-functionalization 155  
 virus particles 281–284
- nanotubes  
 carbon nanotubes **82**, 127, **129**, 269–272  
 formation, triazoles **241**  
 polystyrene-modified single-walled carbon nanotubes **82**  
 single-walled nanotubes (SWNTs) 266
- naphthalene-2,3-carboxaldehyde (NPA) **330**
- naringenin, fluorescent labeling **363**
- networks  
 as scaffolds for synthetic reactions 148  
*see also* gels and networks
- nicotinamide adenine dinucleotide (NAD)  
 assay 368  
 biosynthesis 368
- nicotinamide phosphoribosyltransferase (NMPRTase) 368
- NIPAM-co-AzPAM block 280
- 4-chloro-7-nitro-2,1,3-benzoxadiazole (NBD-Cl) **330**
- nitrogen-rich compounds *see* azides; triazoles
- nitroxide-mediated polymerization (NMP) 2, 72, **140**
- nonlinear optical (NLO) materials 379–398  
 diene NLO dendrimers **395**  
 electro-optic (E-O) activities 379  
 frechet–dendron chromophore **395**  
 nLO dendrimers 392–394  
 summary of physical properties **396**  
 synthesis of side-chain E-O polymers by catalyzed post-esterification for PS-FTC **384**  
 synthesis of thermoreversibly crosslinkable side-chain E-O polymer **383**  
 three-arm NLO dendrimers 392  
 types of polymers **380**
- nuclear magnetic resonance (NMR) 94, 99–100
- nucleosides, alkyne modified uridine 342, **343**
- nucleotides, alkyne-containing 224–225

- olefin metathesis 37
- oleic acid, with azide or acetylene
  - functionalized ligands **259**
- oligonucleotides 14–18, 224–225
  - arrays 61, 302
  - CuAAC 16
  - immobilization, oxime bond formation **60**
  - lipid ONs 225–227
  - oligodeoxyribonucleotides (ODNs) 342
  - thymidine derivative at 5-position with AZT **16**
  - see also* DNA
- oligosaccharides 18–22
  - C3-symmetric glucosamine oligosaccharides 22
  - glycosylated beta-peptides 22
  - metabolic engineering **43**
  - synthesis of pseudo-oligosaccharides **22–23**
- optoelectronically active materials 119
  - see also* electro-optic (E-O) activities
- oxanorbornadiene, structure 36
- oxime bond formation **54**
  - immobilization of oligonucleotides **61**
  - protein–drug conjugates 55
- oxime chemistry 3, 53–69
  - micropatterns 63–64
- P*-selectin-glycoprotein-ligand-1 (PSGL-1),
  - mimic 317
- 5-O-palmitoylindole 264
- pantethienylation 44
- patient-specific drugs (personalized medicine) 178
- PEG-b-PS, linked to heme cofactor 80
- PEGylated compounds
  - CCL-5 (RANTES) 56
  - erythropoietin (Epo) **56**
  - porous silicon (pSi) substrates 294
  - proteins 228–229
  - SOD, site-specific azide functionality using CuAAC **229**
- pentamethyldiethylenetriamine (PMDETA)
  - catalyst system 93, 109, 267
  - as ligand 102
- peptide dendrimers 13–14
  - CuAAC 2
- peptide derivatives
  - azide-containing dipeptide analogs **11**
  - chain replaced by carbamate derivative 366
  - enzymatic peptide coupling **11**
  - synthesis of tetrapeptides **10**
  - synthesis of triazole-glycosylated beta-peptides 24
  - triazole-based covalently modified, synthesis 10–12, **10**
- peptide-bond isosteres, cyclotetrapeptide
  - mimics 11
- peptoids 12–13
  - linear, macrolactamization **13**
  - modification of peptoid side chains **14**
  - modified via click reaction of azides 12–13
  - noncyclic peptoid derivatives 13
- perfluorocyclobutyl units 72
- phenylalanine, unnatural analogs 41
- phenylalanyl-tRNA synthetase (PheRS) 315
- phenylphenanthridinium group 370
- phosphines
  - phosphine–fluorophore conjugates, fluorescence resonance energy transfer (FRET) quenching 33–34
  - probes, fluorescence resonance energy transfer (FRET) quenching 34
  - tris(carboxylethyl)phosphine (TCEP) 124, 282, 327, 340
- phosphinoyl-ligands, replacement with azide or acetylene derivatives **258**
- phospholipids, structures **274**
- phosphoramidites 225
- photoacid generator (PAG) 63
- photochemical deprotection 63
- photoclick chemistry 37
- photoinduced electron transfer (PET),
  - anthracenes 335–336
- pirenzepine derivatives **358**
- PMDETA *see* pentamethyldiethylenetriamine
- podophyllotoxin 367
- poly(3,3-diethoxypropyl methacrylate) (PDEPMA) 63
- poly(alkyl aryl) ethers 72
- poly(amidoamine) (PAMAM) dendrimers 177–178
  - bis-MPA dendron with targeted and imaging units 184
  - convergent synthesis of asymmetrical dendrimers **187**
  - convergent synthesis of polyglycerol dendrimers, Nile Red solubilization **185**
  - generation 3 polymeric dendrimer with cleavable periphery **189**
  - tetrameric RGD-dendrimer synthesized via CuAAC **188**
  - thiol-ene chemistry **183**
- polyazides 373–374
  - 1,4-disubstituted 1,2,3-triazoles 374
  - explosive properties 373
  - Ullmann-type coupling reaction **374**
  - see also* azides
- polybutadiene-*b*-poly(ethylene oxide) (PBD-*b*-PEO) 276

408 *Index*

- polycaprolactone, grafting of macromolecular chains to surface of cellulose fibers 299  
 polycondensation 72  
 poly(dimethylsiloxane) (PDMS) 66  
   stamp 83  
 polydispersity index (PDI) 100  
 poly( $\epsilon$ -caprolactone) (PCL) 97, 109  
 polyester dendron **277**  
 poly(ethylene glycol) (PEG) 64  
   azide-functionalized PEG 102, 220  
   hydrogels 82–83  
   linker 265  
   PEGylated proteins 228–229  
   PEGylation of SOD with a site-specific azide functionality using CuAAC **229**  
 poly(ethylene oxide) (PEO), graft copolymers 73, 143  
 poly(flourenylene-triazolene) 72  
 poly(glycidyl methacrylate) (PGMA) copolymers, aTRP 73  
 poly(isobutene), carbocationic polymerization 140–141  
 polyisocyanides 220, **223**, **224**  
 poly(lactide-co-glycolide) (PLGA) 298  
 polymer chains, grafting of linear polymer chains onto alkyne-functionalized silane monolayers **295**  
 polymer fibers  
   networks 297–298  
   testis-specific protease (TSP50) 298  
 polymer networks 198–199  
   defined 198  
 polymerase chain reaction (PCR), tBTA complexes Au nanoparticles 265  
 polymers/polymerization  
   adhesives, crosslinked 4  
   chemical vapor deposition (CVD) 297  
   comparative utilization 91  
   controlled polymerization techniques for CuAAC reaction **219**  
   cyclic polymers, generation 129  
   dynamics polymers (dynamers) 138  
   initiators 55  
   layer-by-layer assembly 296–297  
   mechanisms, CuAAC 70–72  
   with multiple functional side chains (CuAAC) 73  
   natural and synthetic 218–228  
   natural and synthetic biopolymers 42, 218–228  
   PAzPMA 73  
   polymer–biomacromolecule conjugation 76–81  
   protein and peptide conjugation 54–60  
   RAFT 2–3, 58  
   reversible folding of helical polymers into gels **142**  
   scaffolds 140  
   ‘smart’ polymers 54–60  
   *see also* block copolymers (BCPs)  
 polymersomes 143, 275–278  
   membranes, PEO–PIB block copolymers and silicification of outer shell **144**  
   modification of surfaces via azide–alkyne click reaction **145**  
   PS-*b*-PIAT 276  
 poly(methyl methacrylate) (PMMA) 97, 220  
   anthracenyl PMMA-AMA with NLO chromophores 386–387  
 poly(*N*-isopropyl acrylamide) (PNIPAM) **109**, 129, 140  
 poly(propargyl methacrylate) 297  
 poly(tBA-MMA) **296**  
 polystyrene  
   cyclic **132**  
   functionalization 141  
   modified single-walled carbon nanotubes **82**  
   prepared by ATRP **74**  
   terpolymer, spin-coated 296  
   utilization **91**  
 poly(vinyl acetate) (PVAc) 112  
 poly(vinyl alcohol)-based hydrogels, synthesis 4, 82–83  
 poly(vinyl chloride), reversible cross-linking 196–197  
 pore-forming compounds 13  
 porphyrines, cyclodextrin-modified **128**  
 post-polymerization modification 72–76  
 pre-fluorophore, boron dipyrromethene (BODIPY) 337, **338**  
 prenylation, protein farnesyl transferase (PFTase) 313  
 propargyl glycine azido leucine, macrolactamization **12**  
 propargyl maleimide 80  
 propargyl methacrylate 297  
*alpha*-propargyl-*delta*-valerolactone 220  
*O*-propargylated fluorescein derivatives 356  
*a,w*-bis(*O*-propargyl)diethylene glycol 71  
 1-*O*-propargylmaltose **379**  
 protein conjugates 228–232, 309–326  
   applications of fluorogenic CuAAC 337–348  
   DNA 341–344  
   nanoparticles/polymers 345–348  
   probing of cellular components 339–341  
   viruses 344–345  
   azido group as anchorage for bioconjugation 332  
 BONCAT 318–321

- cotranslational functionalization with azides and alkynes 314–318
- fluorescent dyes 328–354
- posttranslational addition of azides and alkynes 310–314
- posttranslational modification 317
- protein-polystyrene conjugates, giant amphiphiles 233
- protein farnesyl transferase (PFTase), prenylation 313
- protein tyrosine phosphatase (PTP) inhibitors 370
  - bis(alpha-ketocarboxylic acid) **371**
- proteins 44
  - covalent introduction of azides and alkynes **311**
  - expressed protein ligation (EPL) 56
  - incorporation of unnatural amino acids **42**
  - lipid-modified 44–45
  - metabolic labeling 5, 41–44
  - micropatterned protein assemblies using streptavidin as linker **64**
  - profiling, activity-based (ABPP) **38, 44, 153**
  - protein–drug conjugates, oxime bond formation 55
  - protein/peptide–polymer conjugates 54–60
  - residue-specific labeling 41
  - site-specific conjugation 63
  - site-specific labeling 39–41
  - SSbG 317
- proteomic profiling 318–321
- pyridine units, linked by triazoles 141
- pyridoxal-5-phosphate (PLP) 54–56
- pyridyl disulfide 55
- pyrimidine triphosphates, 5-Modified **17**
- pyrone 196
- pyrrolinone **329**
- quantum dots (CdSe nanoparticles) 257
- quinine, CD-SWNTs **272**
- quinone, immobilized on gold surface, reacting with cyclopentadiene 197–198
- regioselection 2
- residue-specific protein labeling 41
- resins, networks as scaffolds for synthetic reactions 148
- resorufin 329
- resorufin arsenical hairpin binder (ReAsH) 39, 329
- resveratrol 373
  - triazole-modified analogs **367, 368**
- reversible addition–fragmentation chain transfer (RAFT) polymerization 2, 58, 72, 89–90, 345–346
  - RAFT initiator 257
  - RAFT–HDA concept **95**
  - Z-group approach 90
- RGD *see* arginine–glycine–aspartate
- rhodamine, fluorescent markers 356, 358–359
- ring-opening metathesis polymerization (ROMP) 2–3, 72, 138, **139, 148**
  - ROMP polymers, formation of DNA block copolymeric micelles **150**
- ring-opening polymerization (ROP) 2, 72, 90, 109
- RNA
  - internal ribosome entry site (IRES) 225
  - synthesis 44–45
- rotaxanes 72, 123–126
  - formation, via click stoppering **125**
- ruthenium catalyst 21
- ruthenium complexes, copper-free nontoxic alternatives to CuAAC 121
- scaffolds
  - alkyne-functionalized macromolecular scaffolds **111**
  - azide-functionalized macromolecular scaffolds **110, 120**
  - biopolymers 217
  - DNA 131–137
  - gels and networks, for synthetic reactions 147–153
  - networks as scaffolds for synthetic reactions 148
  - polymers 144
  - tissue engineering, polyisocyanides 220, **223, 224**
  - viruses 230
- scanning electrochemical microscopy (SECM) 300
- SDS-PAGE 346
- self-assembled monolayers (SAMs) 61, 66, 153–155
  - azido, microcontact printing 83
  - glyco-SAMs 301
  - hydrogen-bonding systems 141
  - surfaces and interfaces 153–155
- self-assembled organic structures 272–281
- sexually transmitted diseases 178
- shell cross-linked knedel-like (SCK) nanoparticles, fluorogenic click reaction 345, 347
- silica nanoparticles
  - compatible with polymer systems 256–258
  - passivation of native silicon surfaces 294
  - PEGylated porous silicon (pSi) substrates 294
- silicon dioxide, spin-coating 294–295

410 *Index*

- single-walled nanotubes (SWNTs) 266, 269–272, **272**
  - functionalization with alkyne moieties and reaction with azido-zinc-phthalocyanine **271**
- sinomenine 357
- size-exclusion chromatography 345
- small unilamellar vesicle (SUV) **151**
- sodium azide, toxicity 373
- sodium glyoxylate, transamination **54**
- solution aggregates, electron microscopy images **81**
- spatially patterned surfaces 299–300
- stable isotope labeling by amino acids in cell culture (SILAC) 319
- star polymers 101–107, 127, 151
  - A<sub>4</sub>, CuAAC routes 101–102
  - b-PEG 3-arm star block copolymers **103, 105**
  - dendritic star polymers 107
  - Diels–Alder reaction
    - anthracene–maleimide Diels–Alder cycloaddition 102–103
    - furan-protected maleimide end-functionalized polymer and trianthracene core **104**
  - divergent and convergent synthesis approach to dendritic star polymers by a combined ATRP/click approach **108**
  - heteroarm star polymers **106**
  - PMDETA as ligand 102
  - RAFT HDA concept 102
  - Staudinger ligation 4, 32–35
  - Staudinger reaction 3, 122, 332
  - fluorogenic reactions **333**
- steganacin 367
- strain-promoted cycloaddition 3
- streptavidin micropatterns
  - immobilization of *N*-terminal aldehyde-modified 65
  - via binding to biotinylated surface **63**
- structure-activity relationship (SAR) studies, linezolid 366
- styrene, nitroxide-mediated polymerization 346–347
- N*-substituted glycine peptoidic oligomers, chain elongation **226**
- sugar derivatives, labeling 359
- sugar-containing macrocyclic compounds 21–22
- sugars
  - hemi-protected aldehydes 225
  - immobilization of saccharide molecules 302
  - tetrasaccharide conjugation to fluorescein, and CPMV **231**
  - unnatural monosaccharides 43
- supramolecular materials 119–175
  - biological membranes 143–146
  - cyclodextrins 126–127
  - dendrimers 147
  - DNA 14–18, 131–137
  - gels, formation by non-covalent interactions (hydrogen bonds) **154**
  - gels and networks 147–153
  - macrocycles (cyclic polymers) 128–131
  - polymers 138–143
  - rotaxanes 72, 123–126
  - self-assembled monolayers (SAMs) 61, 66, 153–155
- surface engineering 291–308
  - azide–alkyne click reactions **162–169, 292–294**
  - glass substrates incl. capillaries 61–62
  - immobilization of protein and peptides 60–69
  - and interfaces, self-assembled monolayers (SAMs) 155
- surface plasmon resonance (SPR) spectroscopy **61, 302**
- surfaces
  - bioimmobilization 300–305
  - flat, CuACC 83
  - spatially patterned 299–300
- target-guided synthesis (TGS) 370
- testis-specific protease (TSP50), biodegradable polymer fibers 298
- tetraazidomethane **373**
- tetracysteine
  - FIAsH/ReAsH method 39–40
  - motif (CCXXCC) 39
- tetrahydrofuran (THF) 95
- tetrapeptides, synthesis **10**
- TFA, deprotection 61
- thermal and copper-catalyzed cycloaddition of azides and alkynes **70**
- Thermomyces lanuginosa* lipase (TLL) 232, 264
  - TLL–BSA heterodimer **232**
- Thermoset-formation, by cross-linking via azide–alkyne click reaction **155**
- thiol-ene reaction 3, 91
- tobacco mosaic virus (TMV) 284, **285**
  - CuAAC reaction 345
- Tollens reaction 132
  - metallization via attached aldehydes **134**
- transient fibers, crosslinking, formed via amide-bond-assembly **153**
- triarylphosphines, Staudinger ligation **33**

- triazole-based covalently modified peptide derivatives
  - dendrimers **15**
  - dendrons 2
  - synthesis **10**
- triazoles
  - acetylenic benzenesulfonamide 370
  - analogs 367
    - cell viability assay 368
  - 1,2,3-bistriazoles 22, **24**
  - compared with amide and nanotube formation **241**
  - functionalities within polymer structure 71
  - linking pyridine units 141
  - 1,2,3-triazole-containing dendrimers 71–72
  - 1,2,3-triazole-containing dimeric saccharides 21
  - 1,2,3-triazoles 35, 121, 361
    - 1,4-disubstituted 381
  - see also* Huisgen-reaction
- triazolocoumarins **336**, 348–349
  - combinatorial synthesis and screening **336**
- triazolophanes, nonclassical hydrogen bonding system 129
- triazolyl glycoamino acids 242
- triisopropylsilyl (TIPS) group 342
- trimethylsilyl (TMS) 93
  - protecting group 342
- triphenylsulfonium triflate 63
- tris-(benzyltriazolylmethyl)amine (TBTA), catalysis 257, 265, 302, 311, 313
- tris-(carboxyethyl)phosphine (TCEP) 124, 282, 327, 340
- tubulin, inhibition of assembly 373
- Ullmann-type coupling reaction, polyazides **381**
- uridine nucleosides, alkyne modified 342, **343**
- viral trafficking patterns 39
- viruses 281–284
  - cowpea mosaic virus (CPMV) 80, 230–231, 281–284, 310, 344
  - fluorogenic conjugation 344–345
  - modifications by CuAAC reactions **346**
  - scaffolds 230
  - tobacco mosaic virus (TMV) 284, **285**, 345
- yeast, phenylalanyl-tRNA synthetase (PheRS) 315
- zinc protoporphyrinIX (ZnPPIX) 233–234
- zinc-phthalocyanine (ZnPc), reaction with acetylene–SWNT 270
- zwitterionic polymers 220

