

## Subject Index

### a

absorption spectrum of  $\text{BaBPO}_5$  314  
 alkylammonium cations 269  
 alloy(s) 158  
 anion segregation 97

### b

(B,C,N) compounds 121 ff  
 of calcium and lanthanum 121 ff  
 band structure  
 of  $\text{CaNi}(\text{BN})$  137  
 of  $\text{La}_3(\text{B}_2\text{N}_4)$  136  
 of  $\text{La}_3\text{Ni}_2(\text{BN})_2\text{N}$  137  
 of  $\text{Li}_2\text{AlAg}$  145  
 of  $\text{Li}_2\text{ZnGe}$  151  
 battery, anodic materials 148  
 Bergman polyhedra 143  
 body-centered cubic structure 29  
 borides of calcium and lanthanum 123  
 borophosphate systems 305 ff  
 building block approach 209 ff

### c

calcium  
 carbide ( $\text{CaC}_2$ ) 124  
 carbodiimide 126  
 nitride 126  
 nitridoborates 126 f  
 charge density matching 261  
 close(st) packing 29 ff  
 cubic close(st) packing 29  
 deviations from 30  
 hexagonal close(st) packing 29  
 radii 41  
 cluster(s)  
 complexes  $\text{M}_3\text{Q}_4$  and  $\text{M}_3\text{Q}_7$  107 f,  
 112 ff  
 configuration 95  
 connectivities 81  
 excision of 109 f

framework dimensions 81, 85 ff  
 low-dimensional cluster materials 79 ff  
 octahedral cluster units 81  
 trinuclear molybdenum and tungsten  
 105 ff  
 $[(\text{Zr}_6\text{Z})\text{X}_{18}]$  62  
 crown ethers 18 ff  
 crystal orbital Hamiltonian population  
 (COHP) 21 ff  
 crystal orbital overlap population (COHP)  
 for  $\text{Ca}_5\text{In}_9\text{Sn}_6$  165  
 for  $\text{La}_2\text{Ca}_3\text{Ge}_4$  190  
 for  $\text{SrCa}_2\text{In}_2\text{Ge}$  164  
 crystal packing forces 268  
 crystal structure(s)  
 of  $\text{A}_2\text{EuM}_2\text{Se}_6$  218  
 of  $\text{A}_3\text{Nb}_6\text{Cl}_{12}\text{O}_2$  86  
 of  $\text{ASmGeSe}_4$  216  
 of  $\text{A}_2\text{Ti}_2\text{Nb}_6\text{Cl}_{14}\text{O}_5$  86  
 of  $\text{A}_3\text{Ti}_8\text{Nb}_{18}\text{Cl}_5\text{O}_{12}$  88 f  
 of  $\text{AgReO}_4(\text{pyz})$  255, 257  
 of  $\text{AgReO}_4\text{Co}(\text{pzc})_2(\text{H}_2\text{O})_2$  257  
 of  $\text{AgReO}_4\text{Cu}(\text{pzc})_2$  259  
 of  $\text{AgReO}_4\text{Ni}(\text{pzc})_2(\text{H}_2\text{O})_2$  257  
 of  $\text{BaBPO}_5$  307  
 of  $\text{Ba}_3\text{BP}_7$  307  
 of  $\text{Ba}_3\text{BP}_3\text{O}_{12}$  306  
 of  $\text{Ba}_2\text{NiS}_3$  166  
 of  $\text{Ca}_3(\text{BN}_2)_2$  127 f  
 of  $\text{Ca}_3(\text{BN}_2)\text{N}$  122  
 of  $\text{CaB}_{4-x}\text{C}_x$  122  
 of  $\text{CaB}_6$  122  
 of  $\text{Ca}_{11}(\text{CN})_2\text{N}_6$  122  
 of  $\text{Ca}_3\text{Cl}_2\text{C}_3$  122  
 of  $\text{Ca}_3\text{Cl}_2(\text{CBN})$  122  
 of  $\text{Ca}_5\text{In}_9\text{Sn}_6$  165  
 of  $\text{CaNi}(\text{BN})$  136  
 of  $\text{Co}(\text{pyz})\text{V}_4\text{O}_{10}$  263 f  
 of  $\text{CsCu}_2\text{Cl}_3$  271

- of  $\text{Cs}_2\text{Cu}_7(\text{P}_2\text{O}_7)_4 \cdot 6\text{CsCl}$  (CU-9) 245  
 of  $\text{Cs}_5\text{In}_3\text{As}_4$  198  
 of  $\text{Cs}_{13}\text{Nb}_2\text{In}_6\text{As}_{10}$  203  
 of  $\text{Cs}_{24}\text{Nb}_2\text{In}_{12}\text{As}_{18}$  203  
 of  $\text{Cs}_2\text{Ti}_4\text{Nb}_6\text{Cl}_{18}\text{O}_6$  87  
 of  $\text{Cs}_2\text{Ti}_3(\text{Nb}_6\text{Cl}_{12.5}\text{O}_4)_2\text{Cl}_2$  92  
 of  $\text{Cs}_3[\text{ZrCl}_5][(\text{Zr}_6\text{B})\text{Cl}_{15}]$  and derivatives 71 f  
 of  $\text{Cu}_{5.47}\text{Fe}_{2.9}\text{Sn}_{13.1}\text{S}_{32}$  233 f  
 of  $\text{Cu}_{7.38}\text{Mn}_4\text{Sn}_{12}\text{S}_{32}$  235  
 of  $\text{Cu}_{7.07}\text{Ni}_4\text{Sn}_{12}\text{S}_{32}$  235  
 of  $[\text{Cu}_2(\text{pzc})_2(\text{H}_2\text{O})_2(\text{ReO}_4)]$  254  
 of  $\text{Cu}(\text{pyz})_2\text{V}_6\text{O}_{16}(\text{H}_2\text{O})_{0.22}$  262  
 of  $\text{Cu}_{5.5}\text{Si}\square_{1.5}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  227 f  
 of  $\text{EuIn}_2\text{P}_2$  175  
 of  $\text{Eu}_3\text{InP}_3$  175 f  
 of  $\text{Eu}_3\text{In}_2\text{P}_4$  175  
 of  $(\text{H}_2\text{NEt}_2)_2\text{Zr}_2\text{Cl}_{10}$  273  
 of  $(\text{H}_2\text{NMe}_2)\text{Cu}_2\text{Cl}_3$  271  
 of  $\text{KBa}_2\text{InAs}_3$  199  
 of  $\text{K}_2\text{Cs}_3\text{Cu}_3(\text{P}_2\text{O}_7)_2\text{Cl}_3$  (CU-2) 243  
 of  $\text{K}_4[(\text{Zr}_6\text{C})\text{Br}_{18}]$  and derivatives 76 f  
 of  $\text{La}_3(\text{B}_2\text{N}_4)$  136  
 of  $\text{La}_5(\text{B}_3\text{N}_6)(\text{BN}_3)$  135  
 of  $\text{La}_6(\text{B}_3\text{N}_6)(\text{BN}_3)\text{N}$  135  
 of  $\text{LaNi}(\text{BN})$  136  
 of  $\text{La}_3\text{Ni}_2(\text{BN})_2\text{N}$  136  
 of  $\text{Li}_{17}\text{Ag}_3\text{Sn}_6$  167  
 of  $\text{Li}_5\text{AlSi}_2$  147  
 of  $\text{Li}_9\text{AlSi}_3$  147  
 of  $\text{Li}_2\text{Ga}_7$  143  
 of  $\text{Li}_5\text{Ga}_4$  143  
 of  $\text{Li}_{13}\text{Cu}_6\text{Ga}_{21}$  144  
 of  $\text{LiZnGe}$  149  
 of  $\text{Li}_2\text{ZnGe}$  150 f  
 of  $\text{Li}_8\text{Zn}_2\text{Ge}_3$  152  
 of  $(\text{Me}_4\text{N})\text{V}_4\text{O}_{10}$  263 f  
 of  $\text{Mn}_{14}\text{Al}_{56+x}\text{Ge}_{3-x}$  186  
 of  $(\text{NMe}_4)\text{Cu}_2\text{Cl}_3$  271  
 of  $\text{Na}_2\text{Cs}_3\text{Cu}_3(\text{P}_2\text{O}_7)_2\text{Cl}_3$  (CU-4) 244  
 of  $\text{NaEuGeSe}_4$  217  
 of  $\text{Na}_8\text{Eu}_2(\text{Si}_2\text{Se}_6)_2$  218  
 of  $\text{Na}_8\text{Ge}_4\text{Se}_{10}$  219  
 of  $\text{Na}_5\text{RbCu}_4(\text{AsO}_4)_4\text{Cl}_2$  248  
 of  $\text{Na}_9\text{Sm}(\text{Ge}_2\text{Se}_6)_2$  218  
 of  $\text{Na}[(\text{Zr}_6\text{B})\text{I}_{14}]$  and derivatives 67 f  
 of  $\text{PbLu}_3\text{Ti}_2\text{Nb}_6\text{Cl}_{15}\text{O}_6$  87  
 of  $\text{PrI}_2$  46 ff  
 of  $\text{R}_5\text{Tt}_4$  (R=rare earth metal; Tt=Si, Ge) 189  
 of  $\text{Sr}_3(\text{BN})_2$  127 f  
 of  $\text{SrCa}_2\text{In}_2\text{Ge}$  163  
 of  $\text{Ti}_2\text{Nb}_6\text{Cl}_{14}\text{O}_4$  90 f  
 of  $\text{TlF}$ ,  $\text{TlCl}$  21  
 of  $[(\text{Zr}_6\text{B})\text{Cl}_{13}]$  and derivatives 64 f  
 of  $[(\text{Zr}_6\text{C})\text{I}_{12}]$  and derivatives 63 f  
 cyclic voltammogram  
 of  $\text{Cu}_{5.5}\text{Si}_{1.5}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  231  
 of  $\text{Li}_9\text{AlSi}_3$  148  
 of  $\text{Li}_2\text{ZnGe}$  148
- d**
- decomposition  
 of  $\text{NaAlH}_4$  286  
 of TiN-doped  $\text{NaAlH}_4$  287  
 density functional theory (DFT) 95 f, 117  
 density of states (DOS) 21 ff  
 for B-N bonding states 130  
 for  $\text{Ba}_2\text{NiS}_3$  167  
 for  $\text{Ca}_5\text{In}_9\text{Sn}_6$  165  
 for  $\text{La}_2\text{Ca}_3\text{Ge}_4$  190  
 for  $\text{Li}_2\text{AlAg}$  145  
 for  $\text{Li}_2\text{ZnGe}$  151  
 for  $\text{Li}_8\text{Zn}_2\text{Ge}_3$  153  
 for  $\text{Mn}_{14}\text{Al}_{56}\text{Ge}_3$  187  
 for  $\text{SrCa}_2\text{In}_2\text{Ge}$  164  
 for  $\text{TlCl}$  22  
 for  $\text{TlF}$  22  
 density parameter 30  
 diad effect 11  
 dihalides  
 of Sm, Eu, Yb 1  
 of Nd, Dy, Tm 1  
 dimensional reduction 108  
 diphenylethyne, reduction with  
 $\text{NaAlH}_4$  289  
 DSC diagram of  $\text{PrI}_2$  56  
 DTA diagram of  $\text{La}_3(\text{B}_3\text{N}_6)$  132
- e**
- electron counts 61  
 electron localization function (ELF) 106  
 electronic structure(s)  
 configuration 99 f  
 of transition metal clusters 84
- f**
- Fermi level 21, 51  
 fluorescent decay profile  
 for  $\text{BaBPO}_5$  311  
 for  $\text{Ba}_3\text{BPO}_7$  311  
 for  $\text{Ba}_3\text{BP}_3\text{O}_{12}$  309 f  
 for  $\text{Ba}_3\text{BP}_3\text{O}_{12}:\text{Ce}^{3+}$  318  
 of  $\text{Ba}_3\text{BP}_3\text{O}_{12}:\text{Eu}^{2+}$  320 f  
 framework(s)  
 anionic 152

- anisotropy 82  
 dimensions 81 ff
- g**  
 gadolinium sesquichloride ( $\text{Gd}_2\text{Cl}_3$ ) 8
- h**  
 heterometallic perhenates 252 f  
 heterometallic vanadates 259 f  
 host-guest chemistry 18, 118  
 Hückel parameters 17  
 Hume-Rothery phases 159  
 hybridization 17, 20  
 hybrid materials 239 ff, 251 ff  
 hydrogen bonding 267 ff  
   electronic implications 272 f
- i**  
 icosahedral symmetry 144  
 ionization enthalpies 3  
 inert electron pair 15 ff  
 interaction scheme 25  
 inter-electronic repulsion 1, 4, 10  
 intermetallics  
   electron-poor 161  
   geometric requirements 158  
   Ce-Ca-Ge 188 f  
   La-Ca-Ge 188 f  
   Li-Al-Ag 145  
   Li-Al-Si 146  
   Li-Zn-Ge 149  
   Mn-Al-Ge 184 f  
   polar 157 ff  
    $\pi$  systems 162 f
- k**  
 Kepler's conjecture 30  
 kissing number problem 30
- l**  
 lanthanide chemistry 1, 4  
 lanthanide metal clusters 8  
 lanthanum nitridoborates 131 f  
   structures of 134 f  
 lattice enthalpy 12  
 layered hybrid solids  
   perhenates 251 ff  
   vanadates 251 ff  
 ligand  
   arrangement 94  
   combination strategy 79 ff  
   exchange reactions 112  
   field stabilization energy 12
- liquid-liquid separation 9  
 lithium Zintl phases 141 ff  
   lone pair of electrons 15 ff  
   distortions 17  
 luminescence spectrum  
   of  $\text{BaBPO}_5$  312  
   of  $\text{Ba}_3\text{BPO}_7$  309 f  
   of  $\text{Ba}_3\text{BP}_3\text{O}_{12}$  308  
   of  $\text{BaBPO}_5\text{:Ce}^{3+}$  317  
   of  $\text{Ba}_3\text{BPO}_7\text{:Ce}^{3+}$  317  
   of  $\text{Ba}_3\text{BP}_3\text{O}_{12}\text{:Ce}^{3+}$  316  
   of  $\text{Ba}_3\text{BP}_3\text{O}_{12}\text{:Eu}^{2+}$  319
- m**  
 magnetic susceptibility  
   vs. temperature of  $\text{Cu}_{5.5}\text{Si}\square_{1.5}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$   
     231  
   vs. temperature of  $\text{EuIn}_2\text{P}_2$  179  
   vs. temperature of  $\text{Eu}_3\text{InP}_3$  179  
   vs. temperature of  $\text{Eu}_3\text{In}_2\text{P}_4$  179  
 magnetoresistance 174  
   vs. temperature of  $\text{EuIn}_2\text{P}_2$  and  $\text{Eu}_3\text{In}_2\text{P}_4$   
     180  
 main-group elements 15  
 metal-metal bonding  
   in niobium chlorides 80  
   in trinuclear molybdenum and tungsten  
     clusters 106  
 mixed-halide systems 61  
 Mössbauer spectrum  
   of  $\text{Cu}_{5.47}\text{Fe}_{2.9}\text{Sn}_{13.1}\text{S}_{32}$  ( $^{57}\text{Fe}$ ) 234  
   of  $\text{Cu}_{5.47}\text{Fe}_{2.9}\text{Sn}_{13.1}\text{S}_{32}$  ( $^{119}\text{Sn}$ ) 233  
   of  $\text{Cu}_{5.5}\text{Si}\square_{1.5}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  ( $^{119}\text{Sn}$ ) 229  
   of  $\text{Cu}_{5.5}\text{Si}\square_{1.5}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  ( $^{57}\text{Fe}$ ) 230  
 molecular conductors 115  
 molybdenum  
   trinuclear cluster chalcogenides 105 ff  
 morphologies of nanomaterials 296 f  
   control of 299 f
- n**  
 nanoparticles 279 ff  
 nanosized materials 295  
 nanosynthesis methods 295 f  
 $[\text{NbAs}_4]$  tetrahedra 199 ff  
 neighbouring parameter 32  
 nephelauxetic effect 9  
 niobium  
   chlorides 83  
   oxide clusters 83  
   oxychlorides 85  
 nitridoborate anions 133  
 NMR spectrum

of CaC<sub>2</sub>-II and -III 125  
 of high surface area TiN 284  
 non-centrosymmetric solids (NCS) 240

**o**

optical transmittance spectrum  
 of BaBPO<sub>5</sub> 313  
 orbital interaction diagram  
 for NbAs<sub>5</sub><sup>6-</sup> 201

**p**

pillared hybrids 256 f  
 phase diagram  
 of the system K/P/Eu 211  
 of the system K/P/La 211  
 of the system Pr/PrI<sub>3</sub> 48  
 polyhedral packing in A<sub>2</sub>RE(P<sub>2</sub>S<sub>6</sub>)<sub>1/2</sub>(PS<sub>4</sub>)  
 212  
 praseodymium di-iodide (PrI<sub>2</sub>) 45 ff  
 phases 47 f  
 powder X-ray diffraction 52 ff  
 structures 48 ff  
 synthesis 47 f

**q**

quasicrystals 143

**r**

rare-earth element(s) 1  
 in Zintl phases 173 ff  
 chalcantimonites 213 f  
 chalcoarsenites 213 f  
 chalcophosphates 210 ff  
 chalcotri- and tetrelates 215 f  
 rare-earth metal di-iodides 45 ff  
 metallic 45 f  
 salt-like 45 f  
 reduced zirconium halides 61  
 reduced rare-earth metal halides 46  
 relativistic effects 15 ff  
 repulsion, inter-electronic 1, 4, 10  
 resistivity  
 vs. temperature of Cu<sub>5.5</sub>Si□□<sub>1.5</sub>.  
 Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub>  
 230  
 vs. temperature of Eu<sub>3</sub>InP<sub>3</sub> and Eu<sub>3</sub>In<sub>2</sub>P<sub>4</sub>  
 177  
 vs. temperature of Eu<sub>2</sub>InP<sub>2</sub> 178  
 RKKY theory 173, 196

**s**

salt-inclusion synthesis 239, 241 f  
 Samson polyhedron 143 f

scintillation materials 305 ff  
 Ba<sub>3</sub>BP<sub>3</sub>O<sub>12</sub>:Eu<sup>2+</sup> 318  
 shell structure 15  
 solventless thermolysis 295 ff  
 s-p mixing 17  
 space filling 98  
 spin-pairing energy 9  
 spinel 225 ff  
 stability sequence 2  
 standard enthalpy 5  
 stereochemical activity 15 ff  
 structural units M(H<sub>2</sub>O)<sub>x</sub>(ReO<sub>4</sub>)<sub>y</sub> 253  
 structure-directing forces 268  
 structure-forming factors 183  
 structure-property relationships 183  
 structures  
 of binary compounds 43  
 of elements 42  
 of the anions {[Mo<sub>3</sub>S<sub>7</sub>X<sub>3</sub>]Br}<sup>n-</sup> 114  
 of the anion [NbIn<sub>3</sub>As<sub>5</sub>]<sup>7-</sup> 202  
 of the cations [Mo<sub>3</sub>S<sub>4</sub>Cl<sub>3</sub>(Me-BPE)<sub>3</sub>]<sup>+</sup> 111  
 of the dimers [Nb<sub>2</sub>As<sub>6</sub>] 205  
 of V<sub>2</sub>O<sub>5</sub><sup>3-</sup> layers  
 ideal 42  
 supramolecular adducts 117

**t**

TEM image(s)  
 of Ag nanocoins 301  
 of Bi<sub>2</sub>S<sub>3</sub> nanowires 298  
 of Cu<sub>2</sub>S ribbons 297  
 of NiS nanocrystals 298  
 of Pb<sub>3</sub>O<sub>2</sub>Cl<sub>2</sub> nanobelts 299  
 tetrad effect 9  
 TG-DSC curve of Ba<sub>3</sub>BP<sub>3</sub>O<sub>12</sub> 321  
 thermoluminescence glow curve  
 of BaBPO<sub>5</sub> 315  
 titanium niobium oxychlorides 79 ff  
 titanium nitride (TiN) nanoparticles  
 catalytic properties 279 ff, 288 f  
 high surface area 281  
 in hydrogen storage applications 285 f  
 nitrogen physisorption isotherms 282  
 synthesis 280 f  
 transmission electron micrograph 283  
 thallium 15 ff  
 halides 21  
 theory-guided exploration 183  
 thiospinel(s)  
 cation-deficient quaternary 225 ff  
 typical structure 226  
 transformation of close-packing arrange-  
 ments 35 ff

of hcp to ideal rutile structure 37  
trigonal of ccp 35  
transition metal containing open frame-  
works (TMCOF) 240  
transition series 1  
tungsten, trinuclear cluster chalcogenides  
105 ff

**v**

valence bond theory 17  
valence electron configuration (VEC) 99f,  
142

**w**

wavefunctions 17

**x**

X-ray powder diffraction  
of the  $\text{AgSC}_{12}\text{H}_{25}$  precursor 301  
of  $\text{Ca}_3(\text{BN}_2)_2$  128  
of high surface area TiN 284  
of praseodymium di-iodide ( $\text{PrI}_2$ ) 52 ff

**z**

Zintl border 157  
Zintl phases 141 ff, 157 ff  
niobium arsenides 195 ff  
with rare-earth metals 173 ff  
Zintl-Klemm concept 141, 160 ff  
classical 173  
zirconium  
clusters 61  
halides 61  
mixed chloride-iodide clusters 63

