

Index

A

A-DEP (Automatic Depth of Field)
shooting mode, 5, 20–21, 251

absorbed/reflected light, 95–96

action photography, 125–128

Add original decision data (C.Fn-19), 50

Adobe Bridge, 237

Adobe Camera Raw, 225, 236–239

*Adobe Camera Raw for Digital
Photographers Only*, 163

Adobe Camera Raw Studio Skills, 163

Adobe Photoshop editing, 226–228

Adobe RGB color space, 72

AE (Auto Exposure) lock, 28–29, 251

AE (Automatic Exposure), defined, 252

AEB (Auto Exposure Bracketing), 27–28

AF (autofocus). *See also* Creative Zone
modes; focus

AF-assist beam (C.Fn-05), 46–47

AF modes, 32–34, 35, 50

AF points

AE lock with, 28

defined, 34

overview, 2

red flash on/off (C.Fn-10), 48

selection method (C.Fn-13), 45, 49

setting, 6–7, 34–35

viewing, 15–16

in Basic Zone modes, 33

in Creative Zone modes, 33–35

defined, 252

drive modes and, 33–34

speed factors, 32–33

stop button function (C.Fn-18), 50

AF/AE lock button (C.Fn-04), 46

AI (Artificial Intelligence) AF modes,
33–34, 35, 50

ambient light, 251

animal photography, 183–186

aperture. *See also* exposure; light
choosing, 82

defined, 81, 251

f-stops, 234, 254

narrow aperture, 82

wide-angle lenses, 119

wide aperture, 81

Aperture-priority AE mode (Av). *See also*
Creative Zone modes

defined, 5, 21, 251

Flash sync speed (C.Fn-03), 46

Safety shift (C.Fn-16), 49–50

architectural photography, 128–133

art photography, 160–163, 248

artifacts, 252

ASMP (American Society of Media
Photographers), 133

Auto Playback option, 38–39

Auto Reset numbering option, 62

Auto White Balance (AWB) option, 6, 7,
63, 64

Automatic Depth of Field (A-DEP)
shooting mode, 5, 20–21, 251

automatic exposure (AE), defined, 252

automatic flash, 44, 252

automatic focus. *See* AF

automatic shooting modes. *See* Basic
Zone modes

Av (Aperture Value) mode, 252. *See also*
Aperture-priority AE mode

axial chromatic aberration, 252

B

backgrounds, 105, 187

backing up images, 220, 242

backlighting, 97–98, 252

- balance. *See also* white balance
 - color balance, 253
 - in composition, 103
 - daylight-balance, 254
 - gray-balance, 255
 - barrel distortion, 252
 - Basic Zone modes. *See also* Creative Zone modes
 - autofocus, 33
 - Close-up mode, 18–19
 - defined, 4
 - Flash Off mode, 19
 - Full Auto mode, 17
 - Landscape mode, 18
 - metering mode in, 24
 - Night Portrait mode, 19
 - overview, 2, 3, 16
 - Portrait mode, 17–18
 - setting, 2–3
 - Sports mode, 19
 - batteries, 53–54
 - bit depth, 235, 252
 - black-and-white photography, 133–137, 163
 - blocked up, 252
 - blooming, 252
 - bokeh, 117
 - bounce light, 187, 188, 252
 - bracketing
 - Auto Exposure Bracketing (AEB), 27–28
 - Bracket sequence/Auto cancel (C.Fn-09), 47–48
 - defined, 252
 - white balance (WB-BKT), 63, 65–66
 - brightness, 252
 - buffer, 252
 - Bulb exposure option, 29, 252
 - Burian, Peter K., 198, 199, 206, 207
 - business photography, 137–140
 - butterfly lighting, 98
- C**
- calibration, 252–253
 - camera profiles, 253
 - Camera Raw. *See* Adobe Camera Raw; RAW images
 - candid photography, 140–143
 - Canon 30D EOS SLRs. *See also* Custom Functions; flash; images; histograms
 - batteries, 53–54
 - cautions, 2, 39
 - CMOS sensor, 13, 253
 - controls
 - for CF cards, 13
 - diopter control, 15
 - LCD panel, 1–2, 14, 15
 - lens controls, 13
 - Main dial, 54–55
 - Menu button, 2–3, 4
 - overview, 11–13
 - pictured, 12–16
 - Quick Control dial, 54–55
 - viewfinder, 14–16
 - firmware/software updates, 245–246, 247
 - histograms
 - defined, 29–31, 255
 - evaluating exposure with, 31, 170–171
 - luminance histograms, 32
 - RGB histograms, 32
 - Internet resources, 247–249
 - media cards. *See also* CF card readers, 222–223
 - choosing, 55–56
 - CompactFlash cards, 13, 55–58
 - microdrives, 55, 56
 - overview, 1, 11
 - remote shooting, 223–225
 - setup basics. *See also* Basic Zone modes; Creative Zone modes
 - CF card formatting, 2–3, 57
 - date and time, 58
 - file formats/quality, 3, 58–61
 - file numbering, 3–4, 61–62
 - overview, 53
 - shooting modes and, 2
 - SLR, defined, 258
 - taking first pictures, 1–2
 - Canon Digital Photo Professional, 236–239
 - Canon EX-series Speedlites, 44, 45, 187
 - Canon File Viewer Utility, 223, 225
 - Canon Zoombrowser EX, 221–225
 - Cartier-Bresson, Henri, 110, 160, 198

- Center-weighted average metering, 25–26
- CF (CompactFlash) cards
 - avoiding losing images, 57
 - card readers, 222–223
 - defined, 55–56, 256
 - firmware updates, 246
 - formatting, 2–3
 - versus microdrives, 55, 56
 - pictured, 13
 - reformatting, 57
 - shooting with/without, 57–58
- C.Fn. *See* Custom Functions
- child photography, 143–146
- chroma noise, 79, 253
- chromatic aberrations, 252, 253
- close-up (macro) lenses, 114, 115, 120–122
- close-up (macro) photography, 163–167
- Close-up shooting mode, 18–19
- CMOS sensors, 13, 253
- color. *See also* white balance
 - camera profiles, 253
 - composing with, 106–107
 - correcting, 227–228, 252–253
 - gray-balanced, 255
 - hue, 255
 - ICC profiles, 255
 - reflected/absorbed color, 95–96
 - RGB color model, 235, 258
 - RGB histograms, 32
 - saturation, 258
- color balance, 253
- color cast, 253
- color filters in Monochrome Style, 71, 134, 163
- color gamut, 7
- color space, 7, 72–73, 253, 258
- color temperature *See also* light
 - artificial light *See also* flash
 - defined, 252
 - electronic flash, 94–95
 - fluorescent/other, 91, 95
 - overview, 91
 - tungsten, 91, 95
 - cool, 90–91, 253
 - daylight-balance, 254
 - defined, 89–92, 253
 - Kelvin scale, 62–65, 256
 - natural light
 - diffused, 91, 93–94
 - midday, 91, 93
 - overview, 91, 92
 - sunrise, 91, 92
 - sunset, 91, 93
 - warm, 90–91, 259
 - white balance and, 62–65, 90, 92
- commercial assignment photography, 146–149, 248
- composition
 - backgrounds, 105
 - balance, 103
 - colors, 106–107
 - filling frames, 104–105
 - focus/depth of field, 107–108
 - leading lines, 110
 - line meanings, 104
 - overview, 101–102, 109
 - rule of thirds, 105–106
 - space/perspective, 109–110
 - symmetry, 103
 - tension, 104
 - tone/contrast, 109
 - viewpoints, 109
- compression, 253, 256
- Continuous numbering option, 3–4, 62
- contrast, 109, 253
- contrasty, 96, 253
- cool color temperature, 90–91, 253
- copyrighting images, 243
- .CR2 file extension, 236
- Creative Zone modes. *See also* Basic Zone
 - modes; Custom Functions
 - A-DEP mode, 5, 20–21
 - Aperture-priority AE mode (Av)
 - defined, 5, 21, 251
 - Flash sync speed (C.Fn-03), 46
 - Safety shift (C.Fn-16), 49–50
 - built-in flash with, 42, 187
 - Custom Functions, 45–51
 - defined, 4
 - Manual mode, 5, 22
 - overview, 2, 3, 19

Creative Zone modes (*continued*)

- Program AE mode, 5, 20, 22
- setting, 2–3
- setting options. *See also* AF; Picture Styles; white balance
 - AE bracketing, 27–28
 - AE lock, 28–29, 251
 - aperture, 82
 - autofocus modes, 32–34
 - autofocus points, 6–7, 34–35
 - Bulb exposure, 29
 - color space, 7, 72–73
 - drive modes, 7, 22–23
 - exposure compensation, 26, 254
 - flash exposure compensation, 45, 188
 - flash exposure lock, 43, 45, 187
 - ISO settings, 5–6, 73–74
 - metering modes, 7–8, 23–26
 - Picture Styles, 8, 67–72
 - white balance, 6, 62–67
- Shutter-priority AE mode (Tv), 5, 21, 49–50, 258

crop, 254

Curves command in Photoshop, 227

Custom Functions. *See also* Canon 30D EOS SLRs

- 1: SET function when shooting, 45–46
- 2: Long exposure noise reduction, 46, 80, 85, 133
- 3: Flash sync speed in Av mode, 46
- 4: Shutter/AE lock button, 46
- 5: AF-assist beam, 46–47
- 6: Exposure level increments, 47
- 7: Flash firing, 47
- 8: ISO expansion, 47, 73
- 9: Bracket sequence/Auto cancel, 47–48
- 10: Superimposed display, 48
- 11: Menu button display position, 48
- 12: Mirror lockup, 48–49
- 13: AF point selection method, 45, 49
- 14: E-TTL II flash exposure, 49
- 15: Shutter curtain sync, 49
- 16: Safety shift in Av or Tv, 49–50
- 17: Magnified view, 50
- 18: Lens AF stop button function, 50
- 19: Add original decision data, 50

- defined, 45
- setting, 50–51

D

- Data Verification Kit DVK-E2, 50
- date/time setup, 58
- daylight. *See* natural light
- daylight-balance, 254
- deleting images, 39
- depth of field
 - controlling, 107–108
 - defined, 83, 113, 254
 - extensive depth of field, 83
 - focal length and, 84
 - shallow depth of field, 83, 84
 - subject distance and, 84
 - telephoto lenses, 112, 120
 - wide-angle lenses, 113, 118–119
- diffused light, 91, 93–94
- digital photos. *See* images
- digital zoom, 254
- dioptr control, 15
- directional lighting, 97–99
- distortion. *See* lens aberrations
- downloading images. *See* images
- dpi (dots per inch), 254
- DPOF (Digital Print Order Format) options, 230–231
- DPP (Digital Photo Professional) program, 236–239
- drive modes. *See also* Creative Zone modes
 - autofocus modes and, 33–34
 - High-speed continuous mode, 23
 - Low-speed continuous mode, 23
 - maximum burst rates and, 23, 61
 - overview, 7, 22–23
 - Self-timer mode, 7, 179
 - setting, 7
 - Single-shot mode, 23
- dynamic range, 254

E

- E-TTL II autoflash, 44
- E-TTL II flash exposure (C.Fn-14), 49
- editorial photography, 149–153, 248
- environmental portrait photography, 153–156

EOS Utility dialog box, 224
 erasing images, 39
 Evaluative metering mode, 24–25
 event photography, 156–160
 Everton, MacDuff, 160
 EX-series Speedlites, Canon, 44, 45, 187
 exposure
 Auto Exposure lock, 28–29, 46, 251
 automatic exposure, 252
 bracketing
 Auto Exposure Bracketing, 27–28
 Bracket sequence/Auto cancel
 (C.Fn-09), 47–48
 defined, 252
 defined, 254
 depth of field and, 83–84
 elements. *See also* aperture; light
 aperture, 81–82, 251
 ISO settings, 73–74, 78–80
 light, 78
 overview of, 78, 87–88
 shutter speed, 84–86
 equivalent exposures, 87
 evaluating in histograms, 29–32
 overexposure, 235, 257
 underexposure, 235, 259
 exposure compensation (basic), 26, 254
 exposure compensation, flash, 45, 188
 Exposure level increments (C.Fn-06), 47
 extender devices, 122, 254
 extensive depth of field, 83

F

Faithful Picture Style, 68, 69
 FEB (Flash Exposure Bracketing), 44
 file compression, 253, 256
 file formats. *See also* images
 defined, 254
 JPEG format
 defined, 60, 256
 printing from camera, 228–231
 versus RAW format, 234
 white balance options, 63
 overview, 58–60
 RAW format
 advantages, 233
 conversion programs, 236–241
 defined, 60, 257
 exposure, 234–235
 versus JPEG images, 234
 maximum burst rates, 60–61
 sample conversion, 240–241
 white balance options, 63, 64
 workflow, 242–243
 setting quality levels, 3, 61
 TIFF format, 258–259
 file numbering options, 3–4, 61–62
 filters
 defined, 254
 in Monochrome Picture Style, 71, 134, 163
 for nature photos, 170–171, 172
 panoramic photos and, 182
 polarizing filters, 172, 257
 unsharp mask filter, 259
 fine-art photography, 160–163, 248
 fireworks photography, 176
 flare, lens, 99, 254
 flash. *See also* Canon 30D EOS SLRs
 accessories/attachments, 187, 188
 built-in flash
 automatic flash, 44, 252
 with Creative Zone modes, 42, 187
 with EF-S lenses, 41–42
 flash exposure bracketing, 44
 flash exposure compensation, 45, 188
 flash exposure lock, 43, 45, 187
 flash sync speed, 40, 44
 overview, 40–41, 188
 for portraits, 188
 red-eye reduction, 43
 C.Fn-03: Flash sync speed in Av mode, 46
 C.Fn-05: AF-assist beam, 46–47
 C.Fn-07: Flash firing, 47
 C.Fn-14: E-TTL II exposure, 49
 C.Fn-15: Shutter curtain sync, 49
 color temperature of, 94–95
 external flash units
 hot shoe mounts, 255
 for portraits, 187–188
 Speedlites, 44, 45, 187

Flash Exposure Bracketing (FEB), 44
 Flash Off shooting mode, 19
 Flash Output Reduction feature, 187
 flower and garden photography, 163–167
 fluorescent light, 91, 95
 focal length
 defined, 84, 255
 extender devices, 122, 254
 multiplication factor, 111–112
 focal points, 255
 focus. *See also* AF
 defined, 255
 differential focus, 107–108
 factors, 32
 plane of critical focus, 257
 food photography, 167–170
 formatting CF cards, 2–3, 57
 frames, 104–105, 255
 front lighting, 97, 255
 f-stops. *See* aperture
 Full Auto shooting mode, 17, 22

G

gigabytes, 255
 gray cards, 255
 gray-balanced, 255
 grayscale, 95–96, 255

H

hard/harsh light, 96
 highlights, 255
 high-side lighting, 97
 histograms. *See also* Canon 30D EOS SLRs
 defined, 29–31, 255
 evaluating exposure with, 31, 170–171
 luminance histograms, 32
 RGB histograms, 32
 hue, 255

I

ICC (International Color Consortium), 72
 ICC color profiles, 255
 image flaws. *See also* lens aberrations; noise
 artifacts, 252
 blocked up, 252
 blooming, 252
 moiré, 256

overexposure, 257
 underexposure, 235, 259
 vignetting, 259
 images. *See also* photographic specialties
 avoiding losing from CF cards, 57
 bit depth, 235, 252
 copyrighting, 243
 downloading to computers
 using card readers, 222–223
 and organizing/backing up, 220
 overview, 219
 using PCMCIA cards, 223
 by shooting tethered, 223–226
 via USB cable, 219–222
 dynamic range, 254
 editing, 226–228
 erasing, 39
 file format/quality options. *See also* file
 formats
 JPEG format, 60
 overview, 58–60
 RAW format, 60–61
 setting quality, 3, 61
 file numbering options, 3–4, 61–62
 high-key images, 134
 low-key images, 134
 metadata, 58, 256
 midtones, 256
 playback options
 changing review time, 35–36
 index display, 37–38
 initial review, 35
 jumping among images, 38
 magnified view, 37, 50
 overview, 35
 single-image display, 36–37
 slide show, 38–39
 printing from camera, 228–231
 protecting from erasure, 39–40
 resampling, 257
 resolution, 258
 sharpening, 258
 upsampling, 163
 interior photography, 130–133
 Internet resources. *See* Web site addresses
 IS (Image Stabilization), 50, 119

ISO (International Organization of Standards), 78
 ISO expansion (C.Fn-08), 47, 73
 ISO settings. *See also* exposure; light
 changing, 5–6, 73–74, 80
 defined, 78–79, 256
 noise and, 79–80

J

JPEG images. *See also* file formats; images
 defined, 60, 256
 printing from camera, 228–231
 versus RAW images, 234
 white balance options, 63

K

K (Kelvin) scale. *See* color temperature
 keystoneing, 119
 Krengel, Cricket, 161, 172

L

landscape photography, 170–175
 Landscape Picture Style, 68, 69
 Landscape shooting mode, 18
 LCD panel, 1–2, 14, 15
 leading lines, 110
 lens aberrations. *See also* image flaws; noise
 barrel distortion, 252
 chromatic aberrations, 252, 253
 flare, 99, 254
 keystoneing, 119
 pincushion distortion, 257
 telephoto lenses, 120, 258
 wide-angle lenses, 119, 129
 Lens AF stop button function (C.Fn-18), 50
 lenses. *See also* AF; aperture; focus
 angle of view, 251
 Canon lenses site, 247
 EF-S lenses, 41–42
 focal length extenders, 122, 254
 focal-length multiplication factor, 111–112
 infinity position, 255
 lens controls, 13
 macro lenses, 114, 115, 120–122
 normal lenses, 113, 114, 120, 257
 overview, 111, 113

single-focal-length (prime) lenses, 116, 117–118
 telephoto lenses
 defined, 113–114, 115, 119
 depth of field, 112, 120
 effects, 120, 258
 focal-length multiplication factor, 111–112
 as macro lenses, 120, 121
 perspective, 120
 slowness, 120
 tilt-and-shift lenses, 129
 TTL system, 259
 wide-angle lenses
 apertures, 119
 defined, 113, 114, 259
 depth of field, 113, 118–119
 distortion, 119, 129
 focal-length multiplication factor, 112
 perspective, 119
 zoom lenses, 116–117
 light. *See also* exposure; flash; metering
 modes
 ambient light, 251
 bounce light, 187, 188, 252
 brightness, 252
 butterfly lighting, 98
 color temperature
 defined, 89–91
 diffused light, 91, 93–94
 electronic flash, 94–95
 fluorescent/other, 91, 95
 Kelvin scale, 62, 63, 64–65, 256
 midday, 91, 93
 and reflected color, 96
 sunrise, 91, 92
 sunset, 91, 93
 tungsten light, 91, 95
 white balance and, 62–65, 90, 92
 contrasty light, 96
 direction
 back, 98–99
 front, 97, 255
 high-side, 97

Continued

light, direction (*continued*)
 overview, 97
 side, 98
 top, 98, 259
 exposure and, 78, 87
 grayscale and, 95–96
 hardness/harshness, 96
 highlights, 255
 lightness/luminance, 256
 overview, 89
 Paramount lighting, 98
 softening, 187, 188
 softness, 96–97
 light meters, 95–96, 257, 258
 light reflectors, 187, 209, 257
 line meanings, 104
 linear capture, 234, 256
 lines, leading, 110
 Long exposure noise reduction (C.Fn-02), 46, 80, 85, 133
 lossy/lossless compression, 253, 256
 low-light photography, 175–179
 luminance, 256
 luminance histograms, 32
 luminance noise, 79

M

M (Manual) shooting mode, 5, 22, 256
 macro lenses, 114, 115, 120–122
 macro photography, 163–167
 Magnified view (C.Fn-17), 50
 Main dial control, 54–55
 Manual Reset numbering option, 62
 maximum burst rates, 23, 60–61
 media/memory cards. *See* CF
 megabytes, 256
 megapixels, 256
 Menu button, 2–3, 4
 Menu button display position (C.Fn-11), 48
 metadata, 58, 256
 metering modes. *See also* Creative Zone modes; light
 AE lock with, 28
 in Basic Zone modes, 24
 Center-weighted average mode, 25–26
 defined, 7–8, 23–24

Evaluative mode, 24–25
 Partial mode, 25
 setting, 8, 24
 Spot mode, 25
 meters, light, 95–96, 257, 258
 microdrives, 55, 56
 midday light, 91, 93
 midtones, 256
The Mind's Eye (Cartier-Bresson), 110
 mirets, 66
 Mirror lockup (C.Fn-12), 48–49
 moiré, 256
 Monochrome Picture Style. *See also* Picture Styles
 color filters, 71, 134, 163
 customizing, 70–71
 defined, 68, 69
 resetting defaults, 71

N

natural light
 diffused, 91, 93–94
 midday, 91, 93
 overview, 91, 92
 sunrise, 91, 92
 sunset, 91, 93
 nature photography, 170–175, 248
 Neutral Picture Style, 68, 69
 night photography, 175–179
 Night Portrait shooting mode, 19
 noise. *See also* image flaws; lens aberrations
 checking for, 80
 chroma noise, 79, 253
 defined, 79, 257
 luminance noise, 79
 reducing, 46, 80, 85, 133
 nonlinear relationships, 257
 normal lenses, 113, 114, 120, 257

O

One-Shot AF mode, 33–34, 35, 50
 Oppenheim, Selina, 147
 organizing images, 220
 outdoor light. *See* natural light
 overexposure, 235, 257

P

- P (Program) AE shooting mode, 5, 20, 22
- panning technique, 257
- panoramic photography, 180–182
- Paramount lighting, 98
- Partial metering mode, 25
- PCMCIA cards, 223
- Penn, Irving, 160
- perspective
 - controlling perception of, 109–110
 - telephoto lenses, 120
 - wide-angle lenses, 119, 129
- pet photography, 183–186
- Photographer's Market*, 150
- photographic specialties
 - action/sports, 125–128
 - animal/pet, 183–186
 - architectural/interior, 128–133
 - black-and-white, 133–137, 163
 - business, 137–140
 - candid, 140–143
 - child, 143–146
 - commercial assignment, 146–149, 248
 - editorial/photojournalism, 149–153, 249
 - event, 156–160
 - fine-art, 160–163, 248
 - flower/macro, 163–167
 - food, 167–170
 - landscape/nature, 170–175, 248
 - night/evening/low-light, 175–179
 - panoramic, 180–182
 - portrait, environmental, 153–156
 - portrait, traditional, 186–191, 249
 - product, 191–194
 - still-life, 191–194
 - stock, 194–198, 249
 - street, 198–201
 - sunrise/sunset, 201–205
 - travel, 205–209
 - weather, 210–213
 - wedding, 213–218, 249
- photography resources. *See* Web site
 - addresses
- photos. *See* images
- Photoshop editing, 226–228
- Photoshop resources, 247, 248
- photosite, 257
- PhotoStitch program, 180
- Picture Styles. *See also* Creative Zone modes
 - choosing, 8, 69–70
 - customizing, 70
 - defined, 67–69
 - Faithful, 68, 69
 - Landscape, 68, 69
 - Monochrome
 - color filters, 71, 134, 163
 - customizing, 70–71
 - defined, 68, 69
 - resetting defaults, 71
 - Neutral, 68, 69
 - overview, 171
 - Portrait, 68, 69
 - resetting defaults, 70
 - Standard, 68
 - user-defined styles, 71–72
- pincushion distortion, 257
- pixels, 235, 257
- playback options. *See also* images
 - changing review time, 35–36
 - index display, 37–38
 - initial review, 35
 - jumping among images, 38
 - magnified view, 37, 50
 - overview, 35
 - single-image display, 36–37
 - slide show, 38–39
- polarizing filters, 172, 257
- Portfolios That Sell* (Oppenheim), 147
- Portrait Picture Style, 68, 69
- Portrait shooting mode, 17–18
- Portrait shooting mode, night, 19
- portraits. *See also* photographic specialties
 - environmental, 153–156
 - traditional, 186–191, 249
- prime (single-focal-length) lenses, 116, 117–118
- printing from camera, 228–231
- product photography, 191–194
- programmed modes. *See* Basic Zone modes; Creative Zone modes

Q

- quality options. *See also* images
 - JPEG format, 60
 - maximum burst rates and, 60–61
 - overview, 58–60
 - RAW format, 60
 - setting, 3, 61
- Quick Control dial, 54–55

R

- RAM (Random Access Memory), 257
- RAW Image Task application, 225–226
- RAW images. *See also* file formats; images
 - advantages, 233
 - conversion programs, 236–241
 - defined, 60, 257
 - exposure, 234–235
 - versus JPEG images, 234
 - maximum burst rates, 60–61
 - sample conversion, 240–241
 - white balance options, 63, 64
 - workflow, 242–243
- red-eye reduction, 43
- reflected color, 96
- reflected light meters, 95–96, 257, 258
- reflectors, 187, 209, 257
- resampling images, 257
- resolution, 258
- RGB (Red, Blue, Green) color model, 235, 258
- RGB color spaces, 72, 258
- RGB histograms, 32
- rule of thirds, 105–106

S

- Safety shift in Av or Tv (C.Fn-16), 49–50
- saturation, 258
- scrims, 94
- Self-timer drive mode, 7, 179
- sensors, CMOS, 13, 253
- SET function when shooting (C.Fn-01), 45–46
- sharpening images, 258
- shiftable shooting modes, 5
- Shooting menu, 3
- shooting modes. *See* Basic Zone modes; Creative Zone modes

- shooting tethered, 223–226
- Shutter curtain sync (C.Fn-15), 49
- shutter speed, 84–86
- Shutter/AE lock button (C.Fn-04), 46
- Shutter-priority AE mode (Tv). *See also* Creative Zone modes
 - defined, 5, 21, 258
 - Safety shift (C.Fn-16), 49–50
- shutters, defined, 258
- side lighting, 97
- silhouettes, 205, 258
- single-focal-length (prime) lenses, 116, 117–118
- SLR (Single Lens Reflex) cameras, 258
- Smith, Meg, 215
- soft light, 96–97
- softening light, 187, 188
- Speedlites, Canon, 44, 45, 187
- sports photography, 125–128
- Sports shooting mode, 19
- Spot metering mode, 25
- spot meters, 258
- sRGB color space, 72, 258
- Standard Picture Style, 68
- still-life photography, 191–194
- stock photography, 194–198, 249
- street photography, 198–201
- sunrise/sunset photography, 91, 92, 93, 201–205
- Superimposed display (C.Fn-10), 48
- symmetry in composition, 103

T

- telephoto lenses. *See also* lenses
 - defined, 113–114, 115, 119
 - depth of field, 112, 120
 - effects, 120, 258
 - focal-length multiplication factor, 111–112
 - as macro lenses, 120, 121
 - perspective, 120
 - slowness, 120
- temperature. *See* color temperature
- TIFF (Tagged Image File Format), 258–259
- tilt-and-shift lenses, 129
- time/date setup, 58

tonal range, 259
 top lighting, 97, 259
 travel photography, 205–209
 TTL (Through the Lens) system, 259
 tungsten light, 91, 95, 259
 Tv (Time Value) mode. *See* Shutter-priority AE mode

U

underexposure, 235, 259
 unsharp mask filter, 259
 upsampling images, 163
 USB cable, image downloads via, 219–222

V

viewfinders, 14–16, 259
 viewpoints in composition, 109
 vignetting, 259

W

warm color temperature, 90–91, 259
 weather photography, 210–213
 Web site addresses
 American Society of Media Photographers, 133
 Canon, 245–247
 ICC color profiles, 255
 image copyrights, 243
 learning about light, 94
 noise reduction programs, 80
 Peter K. Burian, 198
 photography publications, 247
 Photoshop, 247, 248
 Picture Styles/Parameters, 67

professional organizations, 248–249
 Rob Galbraith, 56, 246
 white balance tutorials, 95
 wedding photography, 213–217, 249
 white balance. *See also* color
 Bracket sequence/Auto cancel (C.Fn-09), 47–48
 defined, 259
 online tutorials, 95
 options
 auto bracketing, 63, 65–66
 Auto White Balance (AWB), 6, 7, 63, 64
 color temperature (K), 62–65, 90, 92
 correction, 63, 66–67
 custom, 63, 64, 65, 211
 defined, 63
 for JPEG images, 63
 overview, 62–63
 for RAW images, 63, 64
 wide-angle lenses. *See also* lenses
 apertures, 119
 defined, 113, 114, 259
 depth of field, 113, 118–119
 distortion, 119, 129
 focal-length multiplication factor, 112
 perspective, 119

Z

zoom, digital, 254
 zoom, optical, 257
 zoom lenses, 116–117
 zoom setting, normal, 257
 Zoombrowser EX, 221, 222, 223, 224–225

