
INDEX

- Adaptive,
 beamformer, 55, 62, 80
 coherence estimate (ACE), 5, 80, 88,
 132, 137–138, 144–146
 degrees of freedom (ADoFs), 63, 77, 81,
 87, 90
 filter, *see* filtering
 illumination, 21, 25, 49
 matched filtering (AMF), 80, 82, 114,
 133, 139, 148–149
 parametric AMF (PAMF), 82, 84
 processing, 35, 55, 72, 76, 91, 103, 156
 radar, 1, 2, 4, 11, 56, 130
 system, 1, 25, 72, 76
 transmission, 22, 24, 41
 threshold, 34
- Bayesian,
 approach, 9–12, 21, 26, 67, 169, 214
 cost function, 204
 covariance estimation, 63
 filter, 62–63
 inference, 11
 paradigm, 13
 tracking, 11–15, 18–20
- Censoring, 5, 93, 131–132,
 135–146, 160
- CFAR, *see* Constant false alarm rate
- Classification, 1, 3, 6, 105, 108,
 197–198, 203
 error, 204
 fuzzy, 6, 51, 179–183
 hard, 179–182
 knowledge based, 199, 205, 213,
 215–216
 maximum likelihood, 204, 218
 statistical, 208, 214–216
 target, 6, 184–185, 197, 204, 215
- Clutter, 5
 ground, 35, 56, 60, 131, 201
 heterogeneous, 44, 46, 88, 91, 104,
 130–131, 142, 149, 167
 lake, 28
 map, 33, 42, 176
 model, 27, 88, 147–148, 176, 179
 radar, 10–14, 62
 rank, 94, 154
 real world, 60
 ridge, 56, 78, 140–142, 149–151, 154
 sea, 19
 spectrum, 57, 78, 113, 147
 statistics, 14, 45–46, 88, 178, 186
 suppression, 6, 23, 33, 36, 63, 67, 156
 vegetation, 201
- Cognition, 9–12
 cognitive radar, 1, 3, 4, 9–12, 23,
 25, 27
- Conditional mean estimate (CME), 17
- Confusion matrix, 216–217, 220–222
- Constant false alarm rate (CFAR), 2, 5, 7,
 33–35, 45–47, 70, 75, 80, 103, 113,
 135, 137–141
- Correlation anomaly receiver, 21
- Covariance matrix estimation, 5, 58, 63, 87,
 94, 129, 147
- Data,
 association, cheap joint probabilistic
 (CJPDA), 6, 173
 association, joint probabilistic (JPDA), 6,
 168, 173

Data (*Continued*)

- association, nearest-neighbour (NN), 6, 168, 173, 194
- association, nearest neighbour cheap joint probabilistic (NNCJPDA), 168, 173, 188
- association, probabilistic (PDA), 6, 168
- contamination, 129, 131, 136, 139, 147
- cube, 59, 93–94, 141–143, 151, 161
- domain implementation, 58, 89
- generation, 205, 212–216
- MCARM, 37, 44, 62–64, 94–95, 115–117
- processing, 1–4, 6–8, 34, 37, 41–44
- selection, 5, 59, 62
- starvation, *see* Sample starvation
- training, 5, 44–45, 59, 62–63, 75–77, 80–88, 129–133, 135–136, 156, 199–206, 208, 212, 216
- Detection, 1–3, 5–6, 103, 231
 - adaptive, 35, 105
 - error, decision error trade-off (DET), 220
 - target, 11, 13–15, 26, 28, 33, 45, 72, 77, 94, 130, 132, 137, 151–152, 156, 161, 175, 197, 238–239, 247, 252, 258–260
- Digital terrain elevation data (DTED), 2, 178
- Doppler,
 - filter, 56, 143, 157
 - information, 200, 218
 - radar, 151, 154, 197, 199, 201, 209, 222
 - signature, 198, 200, 209, 212
- Dynamic programming, 27, 226
 - approximate dynamic programming (ADP), 27
- Echo location, 23
- Electromagnetic signature, 35
- Filtering, 2, 6, 169, 185
 - adaptive, 5, 36, 62
 - Bayesian, *see* Bayesian filter
 - direct, 66, 89
 - Doppler, *see* Doppler filter
 - Kalman, *see* Kalman filter
- FRACTA, 5, 93, 129, 132–139
- Frequency modulation (FM), 22, 24
- Fuzzy, 7
 - classification, *see* Classification
 - logic, 6–7, 51, 194, 227–229, 244, 248, 251–256, 259–262
 - rules, 180, 246, 248–249

- Gate, validation, 181
- Gaussian mixture model (GMM), 203, 207, 212
 - Greedy GMM, 216–217
- Generalized likelihood ratio test (GLRT), 80
- Geographic information system (GIS), *see* Information
- Global information grid (GIG), *see* Information
- Ground moving target indicator (GMTI), *see* Target
- Grouped periodogram test, 13
- Hidden Markov model (HMM), 17
- Homeland security, 9
- Information, 1, 4
 - amplitude, 6, 168, 188, 193
 - geographic information system (GIS), 2, 178
 - global information grid (GIG), 43
 - meteorological, 167
 - prior, 66–67, 123, 148, 184, 199, 247, 252, 257
- Intelligence, 25, 225
 - artificial intelligence (AI), 4, 7, 38, 50
 - autonomous intelligent radar system (AIRS), 3, 8, 41–43
 - intelligent platform network, 41
 - intelligent radar, 25
 - intelligent signal processing, 4
- Kalman filter (KF), 6, 38, 46, 65, 169, 231, 237, 254
 - extended KF (EKF), 6, 46, 168
- KASSPER, *see* Knowledge aided sensor signal processing and expert reasoning
- Knowledge aided (KA), 2, 55, 91
 - knowledge aided covariance estimation (KACE), 5, 132, 147
 - knowledge aided processing, 4, 64, 70, 81, 92, 129
 - knowledge aided sensor signal processing and expert reasoning (KASSPER), 2, 4, 7, 38, 45, 55, 60, 67, 70, 81, 94, 141
 - knowledge aided space time adaptive processing (KA-STAP), 61, 67
- Knowledge based (KB), 1, 12, 31, 197
 - knowledge based classification, *see* Classification
 - knowledge based processing, 3, 31, 92

- knowledge based space time adaptive processing (KB-STAP), 2, 95, 98
- knowledge based system (KBS), 1, 39
- knowledge based tracking, 5, 167
- Land Cover Land Use (LCLU), 2, 62
- Logic,
 - data association, 168
 - fuzzy, *see* Fuzzy
 - M/N, 6, 168, 174–175, 181, 188
- Majority voting, 6, 197, 216–222
- Maximum likelihood (ML), 6, 64–65, 80, 88, 93, 105, 130, 197
 - Fast ML (FML), 132
- MCARM, *see* Data
- Minimum mean-squared estimate (MMSE), 17
- Minimum variance distortionless response (MVDNR), 80
- Model,
 - clutter, *see* clutter
 - constant velocity (CV), 171
 - coordinated turn (CT), 171
 - interacting multiple model (IMM), 6, 46–49, 168–172, 177
 - locomotion, 6, 197, 200–201, 205–215
 - simulation, 45, 229
 - space-state, 10
 - stick, 208–209
 - target, 14, 79, 171, 201, 203, 205, 208, 213–214, 217
- Monte Carlo, 48–49, 85–86, 188–189, 215
- Moving target indication (MTI), *see* Target
- Multiple hypotheses, 204
- Net-Centric, 43
- Non-homogeneity detector (NHD), 86, 92–96
- Non-homogeneous environment, *see* clutter, heterogeneous clutter
- Ontologies, 40–41
- Peak filter, 13
- Phased array, 27, 33, 50, 76, 225–227
- Prioritization, 6, 50, 227–230, 243–246, 253–261
- Probability,
 - association, 172–174
 - detection, 35–36, 43, 85–86, 169, 181, 189
 - false alarm, 36, 79, 85, 116, 138, 146, 150, 152, 174–175, 181
 - gating, 173–174
- Processing, 2, 35
 - data, *see* Data processing
 - knowledge based, *see* Knowledge based processing
 - reduced-rank, 37, 156
 - reduced-dimension, 36, 84, 157, 161
- Radar,
 - adaptive, 1, 2, 4, 55
 - adaptive illumination, 21
 - airborne, 2, 38, 46, 56, 60, 69, 78, 91, 115, 142
 - cell, 168, 174, 178–180
 - cognitive, *see* cognition
 - Doppler, *see* Doppler
 - ground surveillance, 197–201, 218
 - line-of-sight, 178, 201
 - measurements, 37, 58, 167
 - monostatic, 34
 - multifunction, 4, 6–7, 9, 27, 34, 50, 226–227, 231
 - multi-input multi-output (MIMO), 4, 71–72
 - network, 28
 - real data, 19, 193, 201, 206, 215
 - resource management, 6–7, 28, 50, 226, 228, 230–231, 244, 256–257
 - space-based, 44
 - surveillance region, 176, 178, 181
 - synthetic aperture radar (SAR), 2, 50, 62, 198
- Resource management, *see* Radar resource management
- Robotics, 1, 39–40, 208
- Sample matrix inversion (SMI), 36, 45, 80, 112
 - loaded SMI, 134, 141
 - modified SMI, 80, 114–115
- Sample starvation, 5, 130, 132, 137, 147, 152, 154, 163
- Scheduling, 4, 6, 28, 50–51, 225–232, 235, 240–244, 253–255
 - look-ahead, 55, 67, 69–70
- Semantic Web, 3–4, 40
- Space time adaptive processing (STAP), 2, 4–5, 33, 36–38, 56–60, 75–77, 103–107, 129, 132–134, 157–161
- STAP, *see* Space time adaptive processing

- State-space model, *see* Model
- State estimation, 11, 15
- Target,
- automatic target recognition (ATR), 6, 198–199, 203
 - classification, *see* classification
 - detection, *see* detection
 - ground moving target indicator (GMTI), 2, 4–5, 47, 94, 129, 131, 140
 - identification, 37, 41, 168, 198
 - moving target indication (MTI), 33, 57, 61
- Track,
- confirmed, 174–177, 180–183, 187–189, 192
 - false, 6, 167, 176, 181, 187, 192
 - initiation, 6, 167–169, 174, 176, 181, 183, 187, 194, 230
 - manager, 230
 - new, 175, 182–183, 187
 - tentative, 175, 182–183, 187–188, 192
 - terminated, 168, 174–176, 182–183, 188
- Tracking, 2–3, 5, 14, 40–41, 197, 227–229
- filter, 16, 18, 37, 169–170, 174–175
 - knowledge-based, *see* Knowledge based tracking
 - load, 235–237, 259–262
 - multi-target, 172
 - smoother, 15, 18
 - task, 232, 236–245, 258
- Transition matrix, 16–18
- inverse, 17
- Validation gate, *see* Gate