

Index

- 802.11 (Wireless LAN), 105
- 802.15.4 (ZigBee), 77
- Actor–actor coordination, 216
- Actuator, 74, 211
- Ad hoc network, 67
 - Definition, 70
 - Properties, 68
- Ad Hoc on Demand Distance Vector (AODV), 134
- Ad hoc routing, 123
 - AODV, 134
 - Classification, 127
 - DSDV, 131
 - DSR, 132
 - DYMO, 138
 - Geographical, 130
 - Hybrid, 129
 - On-demand, 128
 - Power-aware, 130
 - Proactive, 127
 - RABR, 141
 - Reactive, 128
- Adaptive listening, 116
- Adaptive Self-Configuring Sensor Network Topologies (ASCENT), 234
- Address-based routing, 79
- Addressing, 143
- Affinity
 - Link, 141
 - Measure, 320
- Affinity maturation, 319
- Agent-based systems
 - Routing, 170
- Aggregation, *see* Data aggregation
- Agriculture, 88
- Alliance, 258
- Allocation, *see* Task allocation
- Amplification, 50
- Ant Colony Optimization (ACO), 313
- Ant foraging, 312
- Ant-based routing, 315
 - AntHocNet, 316
 - AntNet, 315
 - Task allocation, 316
 - AntHocNet, 159, 316
- Antibody, 319
- Antigen, 319
- AntNet, 315
- Area coverage, 84
- Artificial Immune System (AIS), 39, 310, 318
 - Affinity measure, 321
 - Application examples, 322
 - Principles, 318
 - Shape-space, 320
- Artificial Neural Networks (ANN), 38, 309
- Asimov, 26
- Attractor, 28, 38, 167
- Auction, 258
 - Auction-based task allocation, 257
 - Combinatorial, 260
 - Sequential, 260
- Autonomic networking, 43
- Autonomous system, 41
- Availability, 298

- Back-off
 - Binary, *see* Binary Exponential Back-off (BEB)
 - Random distribution, 233, 289
- Base station, 73, 205
- Battery, 77
- Battery management, 293
- Belousov-Zhabotinskiy reaction, 4, 36
- Bifurcation diagram, 25
- Binary Exponential Back-off (BEB), 112
- Bio-inspired, 37, 305
 - Artificial immune system, 39, 310
 - Artificial neural networks, 38, 309
 - Attractor schemes, 38
 - Cellular automata, 38
 - Cellular signaling pathways, 39, 311
 - Computing, 306
 - Evolutionary algorithms, 39, 308
 - Molecular computing, 39, 312
 - Networking, 306
 - Self-organization, 40
 - Swarm intelligence, 38, 310
 - Systems, 306
 - Techniques, 38
- Blueprint, 22
- Broadcasting, 160
- BTnode, 77
- Busy tone, 111
- Carrier sensing, 100, 116, 121
- Cell
 - Cellular network, 326
 - Proliferating, 35
- Cellular automata, 38
- Cellular network, 326
 - Motif, 326
- Cellular signaling pathways, 39, 311, 323
 - Applicability, 327
 - Cellular signaling network, 326
 - Intercellular signaling, 325
 - Intracellular signaling, 324
 - Principles, 323
- Center-based task assignment, 259
- Chain-based aggregation, 181
- Challenge problem
 - Sensor, 258
- Channel utilization, 294
- Clear To send (CTS), 111
- Clock drift, 221
- Clock synchronization, 220
- Clustering, 185
 - Classification, 187
 - HEED, 195
 - Hierarchical, 190
 - k -means, 189
 - LEACH, 192
 - Pervasive, 177
 - Principles, 186
 - Requirements, 187
 - Single-linkage, 191
- Collaboration, 216, 247
 - Emergent, 248
 - Intentional, 248
- Collision, 109
- Combinatorial auction, 260
- Communication
 - Real-time, 93, 215
 - Stigmergic, 263, 286, 313
- Complex system, 17
- Computing
 - DNA, 39
 - Molecular, 39, 312
- Connectivity, 84, 298
- Contention-based protocols, 110
- Controlability, 30
- Cooperation
 - Emergent, 262
 - Intentional, 255
- Coordination, 215, 223
 - Alliance, 258
 - ASCENT, 234
 - DEPR, 235
 - Distributed, 231
 - Scalable, 231
 - Selfish nodes, 237
 - Sensor-actor, 215
 - Span, 232
 - Stimulated, 237
- Cougar, 239
- Coverage, 83
 - Area, 84, 297

- Connected, 299
- k*-coverage, 84, 297
- Radio, 84
- Sensor, 84
- Target, 84, 297
- Cristian's algorithm, 225
- Cross-layer, 99
- Cross-layer optimization, 218
- Cross-mechanism interference, 30
- Data aggregation, 80, 178, 193
 - Chain-based, 181
 - Definition, 179
 - Grid-based, 183
 - Limitations, 180
 - Objectives, 180
 - Topologies, 181
 - Tree-based, 182
- Data dissemination, 153, 156
- Data fusion
 - Definition, 179
- Data-centric communication, 80, 153
 - Directed diffusion, 173
 - Flooding, 160
 - Gossiping, 163
 - WPDD, 168
- Data-centric routing, *see* Data-centric communication
- Deployment, 84
 - Random, 84
 - Regular, 84
- Destination Sequenced Distance Vector (DSDV), 131
- Determinism, 30
- Differential equation model, 59
- Diffuse transmission, 52, 106, 312
- Diffusion techniques, 106, 154
- Directed diffusion, 173
 - Aggressive diffusion, 176
 - Anticipatory diffusion, 176
 - Pervasive clustering, 177
- Distance measure, 321
- Distributed coordination, 215, 231
- Distributed Event-driven Partitioning and Routing (DEPR), 235
- Distributed system, 11
- DNA, 39, 312
- Dual Busy Tone Multiple Access (DBTMA), 111
- Duplicate Address Detection (DAD), 144
- Duty-cycle, 114
- Dynamic Address Allocation, 146
 - DAA, 146
 - DAD, 144
 - PDAD, 145
- Dynamic address assignment, 143
- Dynamic Host Configuration Protocol (DHCP), 144
- Dynamic MANET on Demand (DYMO), 138
- Dynamic negotiation, 258
- Dynamic Source Routing (DSR), 132
- Embedded system, 74, 76
- Emergence, 19
 - Definition, 20
 - Properties, 24
- Emergency operation, 87, 212
- Emergent cooperation, 262
- Emergent property, 19, 24
- Emotion-controlled task allocation, 258
- Encounter pattern, 265
- Energy, 293
 - Management, 293
 - Transmission power, 294
- Energy distribution, 192
- Epitope, 319
- Euclidean distance, 321
- Evaluation, 291
 - Energy, 293
 - Network lifetime, 295
 - Scalability, 292
- Evolutionary Algorithm (EA), 39, 308
- Expanding ring search, 135
- Exposed terminal problem, 111
- External control, 22
- Facilitator, 255
- Feedback, 50, 278
 - Negative, 51
 - Positive, 50
- Fire detection, 212
- First responders, 212

- Flooding, 160
 - Geocast, 160
 - Probabilistic, *see* Gossiping
 - Topology-assisted, 162
- Foraging, 312
- Forward Error Correction (FEC), 169

- Genetic Algorithm (GA), 39
- Geocast flooding, 160
- Geographical routing, 130
- Global Positioning System (GPS), 98, 225
- Global state, 103
- Gossiping, 163
 - Attractor, 167
 - FEC, 169
 - Smart, 167
 - Spatial, 166
 - Two-threshold scheme, 165
 - WPDD, 168
- Gradient, 173
- Great Duck Island, 87
- Greedy Perimeter stateless Routing (GPSR), 130
- Grid-based aggregation, 183

- Habitat monitoring, 87
- Hamming distance, 321
- Health care, 88
- Hidden terminal problem, 110
- Hierarchical clustering, 190
- Hill-climbing search, 260
- Home automation, 88
- Horizontal categorization, 97
- Hybrid Energy-Efficient Distributed Clustering (HEED), 195
- Hybrid routing, 129

- Idle listening, 110
- Immune system, *see* Artificial Immune System (AIS)
- Implosion effect, 51
- In-network operation and control, 154, 158, 238
 - Cougar, 239
 - RSN, 239
- In-network processing, 93
- Inhibition, *see* Negative feedback
- Intentional cooperation, 255
- Interactions, 52, 282
 - between individuals, 52
 - with the environment, 52
- Interactivity, 72
- Intruder detection, 212

- k*-coverage, 84, 297
- k*-means, 189

- Lamport timestamp, 222
- Latency, 298
- Laws of robotics, 26
- Layered system architecture, 99
- Learning
 - Self-learning, 318
 - Supervised, 309
 - Unsupervised, 186, 309
- Lifetime, *see* Network lifetime
- Link affinity, 141
- Local state, 99, 106
- Location information, 98, 104
- Logistics, 89
- Loss, 298
- Low-Energy Adaptive Clustering Hierarchy (LEACH), 192

- Mammalian immune system, 319
- Management and control, 10
 - Centralized, 10
 - Distributed, 11
 - History, 7
 - Self-organized, 14
- Manhattan distance, 321
- Mediation, 260
- Medium Access Control (MAC), 109
 - DBTMA, 111
 - MACA, 111
 - MACA-BI, 113
 - MACAW, 112
 - PCM, 119
 - S-MAC, 113
- Mica mote, 77
- Middleware, 12

- Mobile Ad Hoc Network (MANET), 44, 70
 - Definition, 71
- Mobility, 70
 - Spatial, 70
 - Temporal, 70
- Modeling, 58, 306
 - Differential equation, 59
 - Monte Carlo simulation, 60
- Molecular biology, 323
- Molecular computing, 39, 312
- Monte Carlo simulation, 60
- Moore's Law, 7
- Motif, 326
- Multi-agent systems, 255
- Multi-hop network, 68
- Multi-robot system, 42
- Multi-Robot Task Allocation (MRTA), 216, 248, 254
 - Classification, 252
- Multiple Access with Collision Avoidance (MACA), 111
- Murdoch, 257

- Natural self-organization, 33
 - Examples, 34
- Negative selection, 319
- Neighborhood information, 98, 105
- Neighborhood relations, 70
- Network
 - Ad hoc, 67
 - Infrastructure, 67
 - MANET, 70
 - Overlay, 44
 - Peer to peer, 44
 - SANET, 45, 205
 - Sensor, 73
 - VANET, 45
 - Wireless mesh, 68
- Network Allocation Vector (NAV), 112
- Network capacity, 124, 292
- Network lifetime, 92, 217, 295
- Network Time Protocol (NTP), 226
- Network-centric operation, 158
- Network-centric pre-processing, 153, 158

- Neural network, *see* Artificial Neural Network (ANN)
- Nuglet, 237
- Nut/OS, 79

- On-demand routing, *see* Reactive routing
- Open Agent Architecture (OAA), 255
- Overhearing, 110
- Overlay network, 44

- Passive duplicate address detection, 145
- Pathogen, 319
- Peer-to-peer network, *see* Overlay network
- Pervasive clustering, 177
- Pervasive computing, 9, 43
- Pheromone trail, 313
- Positive selection, 319
- Post-facto synchronization, 229
- Power-aware routing, 130
- Power-Control MAC (PCM), 119
- Precision agriculture, 88
- Predictability, 30
- Proactive routing, 127
 - DSDV, 131
- Probabilistic algorithms, 99
- Probabilistic techniques, 53, 107, 286
- Processing element, 74
- Profile matching, 94
- Proliferating cell, 35
- Protocol overhead, 292
- Protocol stack, 80, 99

- Quality of Service (QoS), 93, 124, 295

- Radio coverage, 84
- Radio transceiver, 77
- Random deployment, 84
- Random walk, 171, 313
- Randomized carrier sense, 116
- Reaction-diffusion system, 4, 37
- Reactive routing, 128
 - AODV, 134
 - DSR, 132
 - DYMO, 138
- Ready-to-send, 111

- Real-time communication, 93, 215
- Real-time operation, 214, 217
- Real-time system, 93
- Received signal strength, 120, 143, 194
- Receiver-based synchronization, 230
- Receptor, 319, 323
- Recruitment, 313
- Regular deployment, 84
- Reinforcement learning, 320
- Resilient Overlay Network (RON), 44
- Resource allocation, *see* Task allocation
- Reverse path, 133, 157
- Reverse path forwarding, 157
- Robertino, 211
- Robot
 - Mobile, 206
 - Multi-robot system, 42
- Robot-assisted sensor networks, 208
- Robustness, 92
- Route Error (RERR), 133, 136
- Route Reply (RREP), 132, 135
- Route Request (RREQ), 132, 135
- Route stability, 141
- Route-Lifetime Assessment Based Routing (RABR), 141
- Routing
 - Ad hoc, *see* Ad hoc routing
 - Address-based, 79
 - Ant-based, 315
 - Data-centric, 80
 - Principles, 125
 - Requirements, 123
- RTS/CTS handshake, 111
- Rule-based Sensor Network (RSN), 239, 327
- Rumor routing, 170
- S-MAC, 113
 - Adaptive listening, 116
 - Performance, 118
 - Synchronization, 115
- Scalability, 30, 292
 - Determinism, 293
 - Network capacity, 292
 - Protocol overhead, 292
- Scalable coordination, 231
- Self-learning, 318
- Self-organization, 4, 19
 - Bio-inspired, 40
 - Definition, 19
 - Design paradigms, 54
 - Feedback, 50, 278
 - Interactions, 52, 282
 - Limitations, 30
 - Methods, 49, 101, 275
 - Modeling, 58
 - Natural, 33
 - Probabilistic, 53, 286
 - Properties, 5, 20
 - Sensor and Actor Network (SANET), 277
 - Sensor network, 95
 - Technical system, 41
- Self-X capabilities, 23
- Selfish nodes, 218, 237
- Sensor, 73, 77
- Sensor and Actor Network (SANET), 45, 205
 - Applications, 212
 - Composition, 206
 - Definition, 209
 - Limitations, 217
 - Node, 210
 - Self-organization, 277
- Sensor challenge problem, 258
- Sensor coverage, 84
- Sensor network, 73
 - Application, 86
 - Constraints, 90
 - Coverage, 83
 - Definition, 75
 - Deployment, 84
 - Energy, 83
 - Protocol stack, 81
 - Pull, 81
 - Push, 81
 - Reprogramming, 93
 - Research objectives, 92
 - Self-organization, 95, 101
- Sensor network assisted robots, 207

- Sensor node, 76
 - Hardware, 77
 - Operating system, 78
 - Programming, 78
- Sensor-actor coordination, 215
- Sensor-MAC, *see* S-MAC
- Sequential auction, 260
- Service disruption tolerance, 298
- Shape-space, 321
- Signal strength, 120, 143, 194
- Signaling
 - Cellular, 323
 - Intercellular, 325
 - Intracellular, 324
 - Molecule, 325
- Signaling pathways, *see* Cellular signaling pathways
- Single-hop network, 68
- Single-linkage clustering, 191
- Smart home, 88
- Snowballing effect, 51
- Social dominance, 266
- Software deployment, 93
- Software development, 30
- Software management, 93
- Source routing, 132
- Span, 232
- Spatial information, 155
- Spatial mobility, 70
- Stigmergic action, 102
- Stigmergic communication, 263, 286, 313
- Stigmergy, 52
- Stimulated coordination, 237
- Stimulation by state, 264
- Stimulation by work, 263
- Supervised learning, 309
- Suppression, *see* Negative feedback
- Swarm intelligence, 38, 310, 312
 - ACO, 313
 - Ant foraging, 312
 - Ant-based routing, 315
- Synchronization
 - Clock, 220
 - Complexity, 225
 - Time, *see* Time synchronization
 - Weak, *see* Coordination
- Synchronized islands, 115
- System architecture, 8
 - Layered, 99
- System power management, 294
- System test, 30
- Target coverage, 84
- Target tracking, 84
- Task allocation, 216, 247
 - Auction-based, 257
 - Classification, 252
 - Dynamic negotiation, 258
 - Emotion-controlled, 258
 - Mediation, 260
 - MRTA, 216, 248
 - Murdoch, 257
 - OAA, 255
- Technical self-organization, 41
- Temperature control, 212
- Template, 22
- Temporal information, 129, 156
- Temporal mobility, 70
- Terminode, 45
- Time
 - Absolute, 220
 - Logical, 222
 - Relative, 221
- Time synchronization, 223
 - Cristian's algorithm, 225
 - Errors, 227
 - External synchronization, 229
 - Internal synchronization, 229
 - NTP, 226
 - Post-facto, 229
 - RBS, 230
 - Requirements, 224
 - Sensor network, 228
 - TPSN, 230
 - Virtual clock, 228
- Time To Live (TTL), 135, 160
- Timing-sync protocol, 230
- TinyOS, 79
- Topology information, 129
- Topology-assisted flooding, 162

Transmission power management, 294

Tree-based aggregation, 182

Ubiquitous computing, 9, 43

Unsupervised control, 38

Unsupervised learning, 186, 309

User interaction, 72

Vehicular Ad Hoc Network (VANET),
45

Vertical categorization, 99

Weighted Probabilistic Data

Dissemination (WPDD),
168

Wireless LAN (WLAN), 105

Wireless Mesh Network (WMN), 68

Wireless Sensor Network (WSN),
73

Workload distribution, 233

ZebraNet, 87

ZigBee, 77