

# Index

- ABAQUS, 4, 6, 275–301, 309
- Accuracy, 1, 70, 77, 79, 82, 92, 99, 105, 117–118, 129, 154, 160, 175
- Admissible,
  - displacement, 69–70, 261
  - solution, 48, 50, 56
  - trial solution, 60, 95, 106, 120, 143, 191, 207, 224
  - weight function, 56, 60, 93, 106, 120, 191, 207, 224
- Advection matrix, 121
- Advection-diffusion, 9, 65–66, 70, 93, 121–122, 146–148, 189, 207–209
- Analysis, 1–4, 6–9, 22, 31, 41–42, 47, 58–60, 67, 70–72, 93, 96, 99, 114–115, 117–118, 154, 186, 204, 212, 215–217, 223, 231, 280, 282, 284–287, 289–290, 295, 298, 301
  - linear, 2–4, 204, 216
  - nonlinear, 2–4, 204, 216
  - stress, 1–4, 22, 41–42, 47, 58–60, 67, 70–71, 93, 96, 99, 114–115, 215–217, 231, 287, 289
- Approximation of trial solution, 77–92
- Assembled,
  - external force matrix, 96, 102, 264
  - stiffness equations, 17, 96, 122
  - stiffness matrix, 17, 96, 121, 192, 264
  - system matrix, 25, 27, 96, 264
- Assembly,
  - direct, 18, 20, 23, 25, 32, 96, 101–103, 128, 192, 195–196, 263–264
  - procedure, 18, 20, 96
  - matrix operation, 96, 100
- Assumption,
  - Linearity, 216
  - small-displacement, 217
  - normality, 250, 254, 267
  - plane stress, 267
- Axial force, 12–14, 74, 111, 272
- Axial strain, 13, 218, 251
- Balance principle, 146
- Bar, 11–40, 41–44, 46, 58–60, 62, 73–76, 98–100, 106–107, 113, 115, 123–124, 126–128, 172, 191, 212, 216, 272, 311
- Beam, 4, 70, 244, 249–273
  - theory, 244, 249, 251, 266, 269, 271
- Bilinear,
  - Function, 182
  - monomial/term, 161, 165–166
  - shape functions, 164–165, 182
  - element, 269
- Body force, 42, 68, 74–76, 97–99, 109, 115, 124, 128–129, 220–221, 229–230, 236, 241, 245, 264, 307–308
  - matrix, 99, 109, 124, 229, 236, 264
- Boundary,
  - arbitrary, 58–61, 105–107
  - condition, 17, 20, 22, 31, 39, 41, 44, 46–48, 50, 52–54, 56, 58–64, 66–67, 69, 72–75, 93–95, 99–100, 104–106, 108, 111–112, 118–121, 123–126, 129, 131, 139, 141–143, 145, 148, 150–151, 193, 202–207, 209, 212, 223–224, 231–233, 242–243, 245, 254–258, 262, 264, 269, 280–282, 287–289, 295–296, 309
  - essential boundary condition, 50, 53–54, 56, 58, 60, 62–64, 67, 73, 93–95, 100, 104, 106, 112, 118–120, 142–143, 193, 204–205, 209, 224, 242, 245, 256, 258
  - natural boundary condition, 50, 53–54, 56, 58, 61–64, 66, 69, 72–73, 93, 104–105, 112, 118, 123, 131, 139, 142, 145, 148, 202, 204, 206–207, 209, 224, 232–233, 242, 254–255, 258, 262
  - traction boundary condition, 47–48, 50, 52–53, 59, 129, 223–224
  - homogeneous boundary condition, 232–233

- Boundary,
  - curved, 152, 154, 164, 168
  - domain, 204, 305–306
  - flux matrix, 100–102, 123, 196, 199, 211
  - force matrix, 110, 230, 232, 236, 241, 263–264
  - generalized, 62–64, 67, 111, 242
  - integral, 137–138, 306
  - nodes, 106, 193, 308–309
  - value problem, 58, 62–63, 111
- Bulk modulus, 223
- $C^0$ ,
  - $C^0$  continuity/continuous, 60, 71–72, 77–79, 85, 117, 143, 151, 153, 157, 164, 166, 182, 226
  - $C^0$  functions, 50, 60, 71, 81, 256
  - $C^0$  (global) shape function, 118, 157–158
- $C^1$ ,
  - $C^1$  continuity, 50, 159, 259
  - $C^1$  functions, 50, 256, 258
  - $C^1$  shape function, 260
- Chain rule, 167, 179
- Collapsing node, 177, 181, 188
- Collapsing quadrilateral element, 176
- Commercial software/finite element program,
  - 106, 171, 176, 202, 275–301, 311
- Completeness, 77–81, 117, 152–153, 177–178, 202
- Conductivity, 46, 50, 99–100, 140–141, 151, 193, 203–205, 278–279
  - Anisotropic, 141–142, 203
  - Isotropic, 193, 203, 205
  - Thermal, 46, 99, 278
- Conductance matrix, 100–101, 123, 191, 193–195, 198–199, 211, 222
- Conservation,
  - Laws, 24–25, 47
  - Energy, 45
  - principle/equation, 65, 146–148
- Constitutive,
  - Equation, 46, 222–223
  - Matrix, 233
- Continuity, 24–25, 41, 44, 49–50, 71–72, 77–78, 81, 84–85, 117, 147, 152–153, 157, 159–160, 163–164, 166, 182, 191, 216, 256, 259
- Control volume, 45, 65, 139–140, 146–147, 149–150, 217–218
- Convection, 44, 63–64, 73, 121, 125, 146, 149–150, 204
- Convergence, 70, 77, 84, 105, 113–120, 152–153, 160, 177, 202, 206, 269, 311
  - by analysis, 118–120
  - by numerical experiment, 115–118
  - mathematical theory, 77
  - property, 84
  - rate, 116–117, 152–153, 160, 203, 269
- Coordinate system,
  - Cartesian, 165, 182, 184, 217
  - local, 28, 35, 267–268
  - global, 30, 32, 268, 272, 303
  - element, 28–29, 272–273
- Counterclockwise, 28, 137–138, 154, 156, 161, 168, 174, 182, 193–194, 211, 228, 250, 254, 306
- Cross-section, 7, 12–13, 25, 37–38, 40, 42–43, 45, 47, 52, 65, 74–75, 97–99, 111, 115, 123–124, 126–129, 212, 249, 252, 270–272, 287, 289
- Cubic,
  - Element, 160, 172, 174–176
  - serendipity quadrilateral, 171
  - shape functions, 82–83, 169
- Curvature, 252–253
- Diffusion, 9, 46–47, 62, 64–67, 70, 93, 99, 120–122, 131, 146–148, 189, 207–209, 222
- Direct,
  - Approach, 11–40, 172
  - Assembly, 18, 20, 23, 25, 32, 96, 101–103, 192, 195–196, 263–264
  - construction of shape functions, 82–83
  - integration, 229–230
- Discrete,
  - Equation, 26, 41–42, 66, 93–97, 105–107, 120, 160, 207, 222, 256, 260–261
  - Equilibrium, 97
  - structure, 15
  - system, 11–40, 96–97, 148
- Discretization, 93, 225–228, 258–261, 309
- Displacement,
  - boundary condition, 20, 22, 39, 48, 50, 52, 58, 224
  - element, 13, 19, 30, 35, 124, 259
  - field, 43, 69, 71, 78, 90–91, 111, 115, 127–128, 216, 218, 224–226, 228, 232, 249, 256, 259–260, 262, 267–269
  - global, 18–19, 21, 39, 226, 263, 265
  - infinitesimal, 218
  - matrix, 13, 17, 21, 28, 30, 34, 39, 226–227, 235–236, 242, 259, 263, 265
  - nodal, 11, 13–22, 28–29, 35–37, 39, 90–91, 95, 97, 109, 111, 124, 128, 226, 230, 232, 241–242, 261–262, 270, 273, 309
  - of the midline, 251, 254, 256
  - prescribed, 20, 22, 49, 51, 58–59, 231, 233
  - small, 28, 217, 290
- Distributed,
  - loading, 42, 109, 124, 240, 262, 264, 271
  - moment, 74
  - source, 211, 307
  - spring, 74

- Divergence,  
 operator, 133, 140  
 theorem, 134–139, 148–149  
 element, 85, 95, 99, 106, 112, 125–126,  
 164–165, 168, 173, 181, 183, 187, 199, 207,  
 226, 307  
 problem, 11, 46, 52, 54, 59, 99, 137–138,  
 141–142, 145, 150, 152, 175, 189, 205, 212,  
 225, 258, 308
- E-nodes, 20–21, 269
- Elasticity,  
 matrix, 222  
 linear, 42, 215, 222–224, 233, 239–240, 250  
 problem, 42, 62–63, 118, 124, 215, 224, 233,  
 238, 275
- Element,  
 body force matrix, 99, 109, 124, 229, 236, 264, 307  
 brick, 181, 187  
 boundary force matrix, 241  
 coordinate system, 28–29, 272–273  
 degrees of freedom, 308  
 displacement matrix, 13, 30, 259  
 external force matrix, 96, 227, 246  
 flux matrix, 191, 207  
 force matrix, 29–30, 121, 246  
 gauss points, 202, 242  
 hexahedral, 181–183, 187  
 high order, 82, 98, 117, 120, 159, 160, 164, 168–172,  
 181–185, 268  
 iso-parametric-3, 152, 164, 166, 168–169, 173, 175,  
 177–178, 188, 190, 268  
 number, 12, 32, 153, 168, 197  
 parent, 164–167, 172–173, 178, 181, 199, 234–235,  
 247  
 physical, 164, 166, 168, 173, 175, 183, 247  
 quadrilateral, 14, 153, 161, 163–166, 169–170, 176–  
 177, 179, 181, 186, 188, 193, 197–198, 201, 212,  
 233, 244, 268, 275, 284, 289  
 rectangular, 161, 163, 165, 186, 242  
 serendipity, 171, 246  
 shape functions, 79–80, 84–85, 90, 94–95, 98, 100,  
 108–109, 151, 157, 163–164, 171, 185–186,  
 195, 198, 226  
 shell, 3, 249–250, 265–269  
 size, 77, 91, 116–117, 151, 283  
 stiffness matrix, 13–15, 16–17, 20, 23, 28, 31, 96–98,  
 108, 124, 128, 227, 263, 272  
 sub-parametric, 175  
 temperature matrix, 190, 197  
 tetrahedral, 181, 183–185  
 triangular, 3, 14, 152–157, 159–161, 166, 172–176,  
 180–181, 184–187, 193, 195, 210–213, 230,  
 241, 243–246, 261, 267  
 wedge, 181
- Energy, 30–31, 44–46, 63–65, 67–72, 76, 114–115,  
 117–120, 125, 139–142, 144, 146, 150, 196,  
 206–207, 222, 261–262  
 balance, 45, 139–142, 144, 150  
 external, 67  
 error, 115, 117  
 heat, 45–46, 64, 139–140, 196  
 internal, 67, 69, 262  
 mathematical, 70  
 norm, 71, 117–120, 125, 206–207  
 physical, 70  
 principle, 69, 72  
 strain, 69–71
- Engineering beam theory, 249, 251
- Equilibrium, 9, 12, 14, 16, 18, 34, 38, 40, 43–44, 50,  
 52, 69, 72, 75–76, 97, 129, 217, 219–224,  
 240, 245, 253–255, 270, 272  
 equation, 16, 34, 43–44, 50, 52, 72, 75, 129,  
 221–224, 253–255, 272
- Error, 52, 91, 105, 113–120, 123, 125, 154, 204,  
 207, 216, 239, 312  
 average, 114  
 estimation, 120  
 energy, 115, 117  
 norm, 116  
 normalized, 114–115
- Essential boundary, 50–51, 53–56, 58, 60, 62–64,  
 67, 73, 93–95, 100, 103–106, 112,  
 118–120, 142–144, 191, 193, 196,  
 204–205, 209, 211, 224, 227, 242, 245,  
 256, 258, 262  
 node, 106, 193  
 condition, 50, 53–54, 56, 58, 60, 62–64, 67, 73,  
 93–95, 100, 104, 106, 112, 118–120,  
 142–143, 193, 204–205, 209, 224, 242,  
 245, 256, 258
- Euler-Bernoulli beam theory, 249, 266
- External force, 15–16, 19–21, 33, 43, 96–97, 128,  
 227, 246, 261  
 matrix, 96–97, 128, 227, 246, 261
- F-nodes, 20, 192, 228, 262
- Finite difference method, 1, 41, 169
- Finite Element,  
 applications, 1, 4, 7–9, 24–25, 62–63, 99, 115,  
 118, 131, 151, 169, 192, 201, 203–204,  
 215–216, 249–250, 265, 269, 311  
 approximation, 78–79, 81, 95, 104, 120, 131,  
 152, 159, 189–191, 202–203, 207, 226, 239  
 formulation, 93, 189, 209, 215, 249  
 model, 2, 4, 7–8, 15, 32, 93, 121, 124–125, 154,  
 169, 190, 204, 232, 239, 271, 309  
 software/program, 6, 106, 118, 154, 171, 176,  
 202, 217, 249, 275–301, 311
- Flexural strain, 251, 267

- Flux, 24–26, 45–46, 50, 60–61, 63, 67, 71, 75,  
 99–102, 104, 114, 123, 126, 131, 133,  
 139–143, 146, 149, 189, 191–193,  
 196–203, 205, 207, 209–212, 240,  
 280–282, 308  
 boundary flux matrix, 100–102, 123, 196, 199, 211  
 electric charge, 75  
 element flux matrix, 191, 207  
 force, 240  
 heat, 45, 71, 131, 139, 141, 192, 281–282  
 matrix, 100–102, 123, 131, 191, 196, 198–201,  
 207, 211–212  
 nodal, 25, 207, 209–210, 308  
 prescribed, 46, 142–143, 205  
 potential law, 24
- Force matrix,  
 body, 99, 109, 124, 229, 236, 264, 307  
 boundary, 110, 230, 232, 236, 241, 263–264  
 element, 30, 121, 246  
 external, 96–97, 126, 227, 246, 261  
 internal, 13, 30
- Fourier law, 139, 141–142, 146, 148
- Free node, 21, 120
- Galerkin, 84, 126, 207–209  
 formulation, 207  
 least square stabilization, 208  
 method, 207–209  
 weak form, 208
- Gather,  
 matrix, 19, 84, 95  
 operator, 101, 107, 157, 192, 261
- Gauss, 77, 85–92, 109–110, 115, 124, 151, 164,  
 179–181, 185, 193, 197–202, 210,  
 235–238, 242, 269  
 formula, 88, 90  
 integration, 87–88, 91–92, 180, 269  
 point, 88–89, 199–202, 236–238, 242  
 quadrature, 77, 85–89, 91–92, 109–110, 115,  
 124, 151, 164, 179, 181, 185, 193, 197–199,  
 210, 235
- Generalized,  
 boundary condition, 62–64, 67, 111, 242  
 Fourier law, 141, 148  
 Hooke's law, 222  
 plane strain, 223  
 plane stress, 223  
 strain, 253  
 stress-strain law, 253, 256
- Global,  
 conductance matrix, 100–101, 123, 195  
 coordinate system, 30, 32, 268, 272, 303  
 displacement, 18–19, 21, 39, 226, 263, 265  
 displacement matrix, 21, 39, 263, 265  
 flux, 196  
 force matrix, 21, 124, 242, 246  
 node, 12, 16–18, 26, 32, 85, 95, 158, 194, 210  
 node number, 12, 16–18, 26, 95, 158, 194, 210  
 shape function, 84–85, 94–95, 157–158, 166  
 source matrix, 123, 196  
 stiffness matrix, 17–18, 20, 23, 38, 124, 263
- Gradient, 46, 75, 103–105, 132–137, 139–142,  
 145–146, 154, 160–161, 166–167, 176,  
 190–191, 198, 203, 212, 217, 219, 222, 226,  
 229, 245, 305–306  
 operator, 132–133, 146, 167, 191, 222, 226, 229  
 shape function/solution, 160, 166, 176,  
 190–191, 305–306  
 temperature, 46, 103–105, 136–138, 140–142,  
 146, 191, 219, 222, 226, 229
- Green's formula, 135–136, 139, 143–144
- Heat,  
 conduction, 2, 4, 41, 44–45, 47, 60–62, 67, 70–71,  
 73, 77, 93, 96, 99, 114–115, 123, 125, 131,  
 133, 142–143, 146, 150–151, 189, 200,  
 203–204, 239–240, 275  
 energy, 45–46, 64, 139–140, 196  
 flow, 44–46, 135, 140–141, 204, 275  
 flux, 45, 71, 131, 139, 141, 192, 281–282  
 inflow, 61, 140  
 source, 45, 99, 123, 139, 193, 209, 211–212,  
 280, 307–308  
 transfer, 1, 4, 44, 63, 70, 150, 280, 283, 285–286
- Hermite polynomial, 259–260
- High order,  
 Gauss quadrature formulas, 10, 115  
 Taylor's formula, 120  
 element, 82, 98, 117, 120, 159, 160, 164,  
 168–172, 181–185, 268
- Hooke's law, 12–14, 43, 69, 75, 215, 222, 241,  
 252–253, 267
- Incompressible,  
 fluid, 65, 147  
 material, 147, 223  
 nearly, 223
- Integration by parts, 48–49, 51, 55, 59, 61, 66, 131,  
 134–136, 139, 148, 208, 257
- Internal,  
 energy, 67, 69, 262  
 force, 11–13, 15, 17, 28, 30, 43, 97  
 moment, 253–254
- Interpolation, 80, 82, 91, 119–120, 125, 182, 229–231  
 function, 119–120, 125, 182  
 Lagrange, 82  
 property, 80
- Isoparametric, 3, 152, 164, 166, 168–169, 171,  
 173–175, 177–178, 182, 186, 188, 190, 268  
 concept, 164, 169, 174, 182, 268

- element, 3, 152, 164, 166, 168–169, 173, 175, 177–178, 188, 190, 268
  - shape function, 166, 168
- Isotropic, 140–142, 148, 203, 205, 207, 210, 212, 222–223, 241, 243, 245, 267
  - conductivity, 203, 205
  - constant diffusion, 207
  - Hooke's law, 241
  - material, 140–142, 148, 210, 212, 222–223, 243, 245, 267
  - symmetry, 141
- Jacobian matrix, 167–168, 176, 179–180, 183, 198, 235
- L2,
  - error, 114, 116
  - norm, 91, 114, 116, 203
- Lagrange, 82, 117, 171, 174, 247, 308
  - family, 171
  - interpolants, 82, 117, 174
- Laplacian operators, 145
- Least squares, 207–209
- Mapping, 86, 164–165, 167, 169–170, 179, 182, 184
- Material moduli matrix,
- Mesh, 1–2, 4, 6–7, 11, 15–16, 20, 77–78, 84–86, 91, 93–94, 99–100, 104–108, 116–118, 122–123, 126–127, 129, 139, 152, 154, 157–159, 161, 164–166, 169, 176, 182, 193, 197, 200–203, 205–207, 210–213, 225–226, 233–234, 238–240, 242–246, 260, 263, 265, 272, 275, 282–286, 289, 291, 297–301, 307, 309
  - coarse, 77, 240, 298–299
  - fine, 77, 203, 212, 239, 244, 300
  - generation, 1
  - refinement, 77, 275, 291
- Midside node, 168, 174
- Midsurface, 266–268
- Minimum potential energy, 31, 67–71, 76, 115, 261–262
- Moment of inertia, 74, 252, 270, 272
- Multidimensional, 28, 93, 104, 131, 151, 154, 189, 207
- Natural boundary, 50, 53–54, 56, 58, 61–64, 66, 69, 72–73, 93, 96, 101, 104–105, 112, 118, 123, 131, 139, 142–145, 148, 196, 200, 202, 204, 206–207, 209, 224, 232–233, 242, 254–255, 258, 262
  - conditions, 50, 58, 61–62, 66, 69, 104, 112, 118, 131, 148, 202, 204, 206–207, 209, 224, 232–233, 242, 254–255, 258, 262
- Nodal,
  - displacements, 11, 13–16, 18–22, 28, 35–37, 39, 90–91, 95, 97, 109, 111, 124, 128, 226, 230, 241–242, 261–262, 270, 273, 309
  - forces, 11, 13–17, 19, 28–29, 35–36, 109, 230, 241, 247, 259, 261, 268, 308
  - fluxes, 207, 210, 308
  - temperatures, 1, 104, 125, 190, 203, 211
- Norm, 28, 45, 59, 61, 65, 71, 91, 113–120, 125, 134, 136–137, 139–142, 171, 174, 203, 206–207, 219–220, 222, 232–233, 241–242, 249–250, 252, 254–256, 266–268, 289, 295, 305, 307
- Normality assumption, 250, 254
- Numerical,
  - integration, 85, 180–181, 212, 229, 243
  - method/ approach, 1, 41
  - solution, 151
- One-dimensional, 24, 41–42, 45, 58–59, 62, 64–65, 67, 77–79, 83, 86, 90, 93, 107, 113, 115, 119, 121, 124, 126, 131, 133–135, 142, 144–145, 151, 155, 157, 161–162, 165, 168–169, 171, 177, 179–180, 182, 187, 190, 207, 217, 222, 245, 269
  - approximation, 77–92
  - finite element formulation, 93–129
  - problems, 41–76
- Operator,
  - divergence, 140
  - gather/scatter, 96, 101, 107, 157, 192, 261
  - gradient, 132–133, 146, 167, 191, 219, 222, 226, 229
  - Laplacian, 141, 145
- Orthogonality, 29, 36
- Parent, 15, 17, 57, 76, 86, 109, 145, 164–170, 172–173, 175, 178–184, 198–199, 234–235, 247, 284
  - coordinate, 164, 167, 170, 172, 179, 181
  - domain, 86, 109, 179–180, 198–199
  - element, 164–167, 172–173, 178, 181, 199, 234–235, 247
- Partition method, 63–64, 111–112
- Pascal triangle, 153, 159–161, 175
- Patch test, 177, 202–203
- Penalty method, 22, 39, 63–64, 97, 111–112, 192
- Physical,
  - coordinates, 164, 166–167, 172
  - domain, 86, 164–165, 168, 170, 179, 181, 183–184, 199, 201, 236
  - element, 164, 166, 168, 173, 175, 183, 247
  - energy, 70
- Piecewise continuous, 50–51
- Plane strain, 222–223, 289–290
- Plane stress, 222–223, 233, 238, 242, 252, 267, 279, 294, 297
- Poisson's ratio, 223, 233, 242, 244, 287, 294
- Polynomial expansion, 81, 151–153, 160–161
- Post-processing, 11, 31, 34, 93, 103, 107, 111, 201–202, 265

- Potential, 2–3, 24–26, 31, 67–71, 76, 115, 131, 134,  
160, 261–262  
energy, 31, 67–71, 76, 115, 261–262  
field, 2, 134
- Prescribed,  
boundary value, 44  
displacement, 20, 22, 49, 51, 58–59, 231, 233  
flux, 46, 142–143, 205  
temperature, 46, 142–143, 202, 205, 243  
traction, 52, 58, 62, 126, 231, 242
- Pressure, 7, 25, 31, 246–247, 261, 295–296  
field, 25  
vessel, 7
- Programming, 9, 202, 269
- Quadratic,  
displacement field, 128  
element, 81, 91, 108, 116–117, 120, 123–124,  
126–128, 159–160, 168, 174, 177, 269, 297  
shape function, 82, 168, 187, 269  
trial solution, 57–58, 75
- Rate of,  
convergence, 91, 116–117, 152–153, 160, 203, 269  
heat energy, 45  
heat flow, 45
- Reduced stiffness matrix, 39
- Residual, 52–53, 97, 112–113, 196, 207–209
- Rotations, 261, 266, 268–269, 271  
matrix, 29, 36, 272
- Scalar field, 131, 134, 136, 189, 305
- Scatter and add, 18, 20, 25–26, 96, 121
- Scatter matrix, 190
- Shape function,  
element, 79–80, 84–85, 90, 94–95, 98, 100, 108–109,  
151, 157, 163–164, 171, 185–186, 190,  
195, 198, 226  
global, 84–85, 94–95, 157–158, 166
- Shear,  
force, 28, 252, 254, 265, 272–273  
modulus, 74, 223  
strain, 217–218, 222, 251
- Shell, 3, 249–250, 265–269, 277, 292  
element, 3, 249–250, 265–269  
theory, 266–268
- Singular, 17, 71, 97, 176, 204, 232, 239–240, 310
- Small displacement, 28, 217, 290
- Solution quality, 103, 111, 113
- Solver, 4, 202, 309–312
- Space, 2, 27–28, 60, 66, 71, 90, 118–119, 122, 127,  
143, 256, 258, 266, 268, 277, 292
- St Venant's principle, 239
- Stability, 122, 204, 207
- Steady-state heat conduction, 47, 131, 239, 275
- Stiffness matrix, 13–18, 20, 23, 28–31, 38–39, 48,  
50, 60, 96–98, 108–109, 124, 126–128,  
222, 227, 229, 235–236, 242, 260,  
262–263, 269–272
- Strain,  
energy, 69–71  
field, 90, 215, 241
- Strain-displacement equation, 14, 43, 49, 69, 215,  
217, 222, 226, 267
- Stress,  
field, 111, 218  
vector, 219–220
- Stress-strain law, 13, 43–44, 49, 57, 69, 74, 107,  
216–217, 222, 245, 252–253, 256, 267
- Stress-traction relation, 240
- Strong form, 41–42, 44, 46–56, 58–67, 69–70,  
72–75, 93, 103, 115, 118, 123, 125,  
131–132, 139, 142, 144, 146, 149–150,  
202, 224, 254, 256–258, 265
- Symmetric matrix, 30, 219
- Temperature, 1–2, 4, 7, 31, 44–46, 50, 60, 63, 70–71,  
73–74, 77–78, 90, 99, 103–105, 123, 125–126,  
131, 134, 139–143, 146, 149–151, 186, 190,  
193, 196–197, 200–206, 210–212, 243,  
280–281, 284–286
- Tetrahedral, 181, 183–185  
coordinates, 183  
domain, 185  
element, 181, 183–185
- Thermal,  
conductivity, 46, 99, 123, 278  
expansion, 74, 243  
radiation, 44
- Traction, 42, 44, 47–50, 52–53, 58–59, 62, 68,  
93, 115, 124, 126, 129, 219–221,  
223–224, 230–233, 236, 240–242, 245,  
288–289, 295  
boundary condition, 47–48, 50, 52–53, 59, 129,  
223–224  
vector, 220–221
- Transport, 46, 64–67, 147
- Transverse shear strain, 251
- Trial solutions, 48, 50, 52–54, 56–60, 66, 71, 77–78,  
81, 84–85, 93–95, 106, 113, 120, 126, 131,  
143, 151–152, 157, 189, 191, 207–208,  
224, 258, 260
- Triangular,  
coordinates, 172–176, 187, 229  
domain, 152, 181, 210–211, 241, 243  
element, 3, 14, 152–157, 159–161, 166,  
172–176, 180–181, 184–187, 193, 195,  
210–213, 230, 241, 243–246,  
261, 267  
mesh, 154, 242

- Truss,  
  element, 28, 35, 270  
  member, 11  
  structure, 11, 20, 27, 31, 37, 40
- Unit normal, 59, 61, 134, 136–137, 220, 305, 307
- Variational,  
  approach/methods, 9, 70, 72, 268  
  calculus, 67–68  
  principle, 3, 67, 69–70
- Vector field problems, 215
- Vertical displacement, 39, 254
- Virtual work, 31, 47, 69, 76
- Von Mises stress, 238
- Weak form, 11, 41–42, 47–57, 59–61, 63–64,  
  66–67, 69–78, 81, 85, 93–95, 97–98, 105,  
  112–113, 118–120, 125–126, 131–132, 139,  
  142–146, 148–150, 172, 189, 192, 202,  
  207–208, 215, 217, 224–227, 231,  
  242–243, 245, 254–258, 260, 270, 272
- Weight function, 47–57, 59–61, 64, 66–67, 71–73,  
  75, 77–78, 81, 84–85, 93–95, 97, 106, 113,  
  118, 120, 126, 139, 142–144, 148, 151,  
  189–191, 207–209, 224–227, 245,  
  255–256, 258, 260
- Young's modulus, 12, 37–38, 40, 43, 74–75, 97–98,  
  100, 115, 124, 126–129, 222–223, 233, 242,  
  244, 270–272, 287, 294

