

Index

• Symbols •

- & (ampersand), adding strings together with, 84–86
- + (plus sign), adding strings together with, 84–86

• A •

- abstract code, 107
- abstraction, creating with objects, 182
- accelerator keys, on forms, 158
- Access 2007 All-in-One Desk Reference For Dummies* (Simpson, Young, and Barrows), 330
- Access 2007 For Dummies* (Kaufeld, Fuller, and Cook), 330
- Access 2007 Forms & Reports For Dummies* (Underdahl), 330
- AccessExternalProgram function, calling, 364–365
- accessibility, of user environment, 258
- Acronym fields, hiding, 351–352
- ActiveX controls, Web sites offering, 388
- Add Watch dialog box, modifying expressions with, 153–154
- aesthetics, of user environment, 258
- ampersand (&), adding strings together with, 84–86
- application configuration information, storing, 230–231
- application library, overview, 30
- Application object, using in Access, 332–334
- application plans, creating, 67
- arguments, in If function, 119
- arithmetic operators, overview, 106
- arrays
 - classifying, 208
 - copying data between, 211–213
 - function of, 205

- two-dimensional, 208–211
- understanding usage of, 206–208
- asynchronous calls, accessing external programs with, 357
- automatic macro execution, reasons for disabling, 46

• B •

- balloon help, changing, 259
- Barrows, Alison (*Access 2007 All-in-One Desk Reference For Dummies*), 330
- base 2 format, computers using, 93–94
- base 8 format, using, 94–96
- base 10 format, defined, 92
- base 16 format, using, 94–96
- beta programs, finding run-time errors in, 136–137
- binary numbers, computers using, 93–94
- bits, computer storing information as, 79
- Boolean data type, making decisions with, 98
- breakpoints
 - executing, 148
 - viewing current value of variables at, 149–150
- buffer overrun
 - avoiding, 139
 - validating user input to avoid, 176
- bugs. *See also* Debug tool; debugging
 - avoiding buffer overrun, 176
 - finding with conditional compilation, 63–64
 - fixing in one-line programs, 39
 - from GoTo statement, 130
 - origins of, 40
 - reasons for avoiding, 138
 - recovering from, 140–143
 - reporting, 146
 - understanding, 134
 - understanding compile errors, 135–136
 - understanding run-time errors, 136–137

bugs (*continued*)

- understanding semantic errors, 137–138
- understanding syntax errors, 134–135
- using error handlers for, 144–145
- ways of avoiding run-time, 139–140
- writing error handlers for, 145–147

buttons

- adding to Ribbon interface, 269–271
- creating toggle, 273–274

• C •

calculations

- ability to perform, 13
- performing in Excel, 326
- using currency values for money, 100–101
- using numbers for, 92–97
- using scientific values for math, 99–100

callbacks

- performing tasks while loading Ribbon interface, 271–272
- understanding, 269

calls

- accessing external programs with, 357–358
- creating in Win32 API, 358–362
- encapsulating to external programs, 362–364
- to external programs, 364–365

Caption property, for Window objects, 285–286

Case Else clause, adding to Select Case statement, 123

character codes, using in strings, 87–88

characters

- creating special, 87–88
- getting numeric value of, 88

Chart object, accessing, 306–308

charts

- creating in Excel with Charts collection, 314–319
- designing rotating presentation of in Excel, 321–323

Charts collection, creating charts in Excel with, 314–319

check boxes, using on forms, 165–167

class modules

- function of, 22
- as VBA program element, 53

classes

- adding error handling to, 200–202
- advantages in object-oriented programming, 182
- basic design overview, 185–186
- defining properties for, 186–190
- versus Functions/Subs, 183
- initializing, 195–196
- instantiating objects with, 184
- versus objects, 181–182
- types of, 184–185
- useful, 197–198

Clipboard

- copying record to, 352–354
- interacting with when writing applications, 165

CloseHandle() call, defining, 362

code

- abstract, 107
- accessing VBA programs from other VBA, 45
- adding breakpoints to, 148
- adding comments to, 77–78
- adding modules, 69
- creating application plans for, 67
- creating readable, 77
- debugging before changing, 390
- debugging run-time errors with, 137
- defining projects for, 68–69
- designing procedures for, 70
- error recovery, 140–143
- executing one line at a time, 149
- for handling user events, 160
- Lego approach to writing, 66
- Microsoft providing fixes for, 392
- saving and restoring, 147
- taking from VBA Help feature, 394
- updating with search-and-replace feature, 390–391
- using Microsoft to create VBA programs, 47–48
- Web sites offering, 386–387
- writing error-handling, 144–146
- writing statements for, 70

- code locking
 - for security, 63
 - using, 64
- Code window
 - function of, 17
 - implementing one-line program design with, 36
 - using, 25–27
- collections. *See also specific collections*
 - accessing predefined objects from, 219–220
 - adding keyed data to, 217–219
 - Charts, 314–319
 - common used in Access, 344–345
 - Connections, 344
 - creating own, 222–228
 - creating/using, 213–217
 - Databases, 345
 - deciding when to use, 216
 - Documents, 278–280
 - Fields, 345
 - InlineShape, 292–295
 - overview, 213
 - QueryDefs, 345
 - Recordsets, 345
 - Relations, 345
 - Sheets, 308–314
 - TableDefs, 345
 - Templates, 281–283
 - understanding, 205
 - Windows, 283–286, 319–321
 - Workbooks, 306–308
 - Workspaces, 334–336
- color, of user environment, 258
- combo boxes, using on forms, 170–172
- command buttons, executing tasks with, 163–165
- Command object, 345
- commands, accessing special in Access
 - with DoCmd object, 345–347
- comments
 - adding to code, 77–78
 - adding to custom functions in Excel, 326–327
- comparison operators, overview, 106
- comparisons, using If...Then...Else statement for, 115–117
- “Compatibility Mode,” added to early Word files, 288, 297
- compile errors, understanding, 135–136
- compiler, function of, 135–136
- compiler options, understanding, 65–66
- complexity, If...Then statement
 - reducing, 113
- component class, understanding, 184. *See also classes*
- concatenation, of strings, 84–86
- conditional compilation, adding, 63–64
- configuration files
 - reading, 235–238
 - writing, 232–235
- Connections collection, 344
- consistency, If...Then statement
 - providing, 112
- constants
 - advantages of using, 82–83
 - declaring, 80–81
 - defining scope for, 83
 - using enumerated, 194–195
 - versus variables, 80
- content, modifying on toolbars/menus, 263–264
- content nation operators, overview, 106
- continuation characters, using, 73
- control class, understanding, 184–185. *See also classes*
- control structures, function of, 112. *See also structures*
- controls
 - adding to forms, 159
 - adding to Toolbox, 172–173
 - basic, 158–159
 - CheckBox, 165–167
 - ComboBox, 170–172
 - for forms, 158
 - Frames, 167–170
 - Label, 160–161
 - ListBox, 170–172
 - OptionButton, 167–170
 - TextBox, 161–163
 - ToggleButton, 165–167

- conversions
 - considerations for properties, 189–190
 - performing between strings and numbers, 96–97
 - performing in Excel, 325–326
 - Cook, Ken (*Access 2007 For Dummies*), 330
 - Corel applications, using VBA with, 15
 - CreateProcess() call
 - accessing external programs with, 357–358
 - defining, 358–361
 - creating a process, understanding, 357–358
 - currency, defined, 92
 - currency values, using for money
 - calculations, 100–101
 - CurrentDB object
 - converting numeric type values into strings in Access, 343–344
 - getting database configuration information with in Access, 341–343
 - Custom UI Editor
 - adding tabs/groups/buttons to Ribbon interface with, 267–269
 - changing Ribbon interface with, 267–269
 - potential errors using, 276
 - cutting, in Object Browser, 32
- D •
- data
 - adding keyed to collections, 217–219
 - classifying arrays by, 208
 - computer storing, 79
 - copying from array to array, 211–213
 - creating and using array for string, 206–208
 - defining schema for XML, 243–245
 - exporting XML to disk, 246–247
 - finding in strings using parsing, 90–92
 - formatting, 104–106
 - storing in arrays, 206–213
 - storing in collections, 213–220
 - storing on disk, 231–232
 - writing XML to disk, 243
 - data conversion, performing in Excel, 325–326
 - data sets
 - accessing collection items, 219–220
 - adding keyed data to collections for, 217–219
 - using collections for, 213–217
 - data tips feature, 149–150
 - data translation, storing, 231
 - data types
 - Boolean, 98
 - creating own, 222–228
 - Currency, 100–101
 - Date and Time, 101–103
 - InNumber, 145
 - numbers, 92–97
 - overview, 83–84
 - reasons to create own, 222
 - scientific, 99–100
 - strings, 84–92
 - understanding user-defined, 221–222
 - database management, defined, 330
 - databases. *See also* Microsoft Access
 - accessing information from, 13–14
 - adding data to, 217–219
 - adding users to, 335–336
 - getting configuration information on, 341–343
 - Databases collection, 345
 - date values, using, 101–103
 - DBEngine object, modifying security with in Access, 336–341
 - Debug tool
 - accessing, 148
 - executing breakpoints for, 148–149
 - executing one line of code at a time with, 149
 - using with collections, 220
 - Debug.Assert method
 - executing breaks with, 149
 - using with Immediate window, 150–151
 - debugging
 - code before changing, 390
 - with conditional compilation, 63–64
 - with Immediate window, 150–151
 - debugging code, using for run-time errors, 137
 - Debug.Print method, using with Immediate window, 150–151
 - decimal format, defined, 92
 - decisions
 - handling unforeseen, 123
 - using If . . . Then statement for, 113–115
 - using IIf function for inline, 119–120
 - using Select Case statement for multiple, 120–123

declarations, constant versus variables, 80–81
 decoration, on forms, 158
 digital signature, adding to projects, 203–204
 dimensions, array, 208
 disk storage. *See also* storage
 of application configuration information, 230–231
 of data, 231–232
 for data translation, 231
 overview, 229–230
 writing INI files for, 232–235
 disks
 exporting XML data to, 246–247
 importing XML data from, 247
 displaying, toolbars/menus, 261–263
 displays, changing user environment, 259
 DLL (Dynamic Link Library) files, libraries in, 30
 Do Until...Loop statement, using, 126
 Do While...Loop statement, using, 124–126
 DoCmd object, accessing special commands in Access with, 345–347
 document automation, abilities, 12
 document folders, storing application configuration information in, 231
 documents
 accessing specific text elements in Word, 286–289
 automatically saving using XSLT, 252–253
 creating simple XML, 247–249
 getting information on, 278–280
 manipulating text in Word, 295–299
 manually saving using XSLT, 250–252
 saving in WordML versus XML, 240–243
 selecting objects in Word, 291–295
 sending notes from Word to Excel worksheets, 374–378
 sending Word by Outlook e-mail, 368–374
 Documents collection, using in Word, 278–280
 Documents objects, in Documents collection, 278
 Do...Loop Until statement, using, 126
 Do...Loop While statement, using, 126
 Dynamic Link Library (DLL) files, libraries in, 30
 dynamic lists, versus static lists, 170

• E •

editing, using Do While...Loop statement, 124–126
 efficiency, with changed user environment, 260
 e-mail
 list servers accessed through, 386
 processing Outlook with Word, 365–368
 reporting errors with, 146
 sending with Outlook, 368–374
 encapsulation, in object-oriented programming, 182
 e-newsletters, for VBA resources, 382–383
 enumerated constants, using in objects, 194–195
 enumerating constants, value of, 83
 envelopes
 designing form for, 300
 printing, 301–302
 error handling
 adding to classes, 200–202
 adding to programs, 145–147
 understanding, 144–145
 usefulness of, 133
 error trapping
 usefulness of, 133
 using with Select Case statement, 122
 errors. *See also* Debug tool; debugging
 avoiding buffer overrun, 176
 finding with conditional compilation, 63–64
 fixing in one-line programs, 39
 from GoTo statement, 130
 origins of, 40
 potential using Custom UI Editor, 276
 reasons for avoiding, 138
 recovering from, 140–143
 reporting, 146
 understanding, 134
 understanding compile, 135–136
 understanding run-time, 136–137
 understanding semantic, 137–138
 understanding syntax, 134–135
 using error handlers for, 144–145
 ways of avoiding run-time, 139–140
 writing error handlers for, 145–147
 event handler, code as, 160

events

- firing, 193–194
- handling form, 176–177
- understanding object, 18
- user interaction as, 160

exits, using `GoTo` statement for, 132

exporting, XML data to disk, 246–247

eXtensible Markup Language (XML)

- creating document in Word, 247–249
- defining schema for data, 243–245
- exporting data to disk, 246–247
- importing data from disk, 247
- overview, 239–240
- using XSLT with, 249–253
- versus WordML, 240–243
- writing data to disk, 243

eXtensible Style Language Transformation (XSLT)

- automatically saving Word documents using, 252–253
- manually saving Word documents using, 250–252
- overview, 249–250

external programs. *See also* programs

- accessing, 357–358
- calling, 364–365
- encapsulating call process to, 362–364
- interacting with, 357

● F ●

failing gracefully, 144–145

feature bloat, problems of, 356

features

- adding to applications, 14
- searching in Object Browser, 31

fields, defined, 329

Fields collection, 345

files

- “Compatibility Mode” added to early Word, 288, 297
- compatibility with Ribbon interface, 267
- libraries in Dynamic Link Library, 30
- reading configuration, 235–238
- reporting errors with text, 146
- writing configuration, 232–235

flexibility, of form display, 158

flow

- form, 157
- redirecting program, 130–132
- of user environment, 258

flowcharting technique, designing VBA programs with, 35

folders, storing application configuration information in, 230–231

For Each . . . Next statement, using, 129–130

Format function, using, 104–105

formatting, data, 104–106

forms

- adding controls to, 159
- creating attractive, 174
- creating connection between modules, 175
- creating to interact with two-dimensional arrays, 209–211
- designing, 156–157

designing envelope/label in Word, 300

displaying text on with Label control, 160–161

executing tasks with command buttons on, 163–165

function of, 22

getting user input with text boxes on, 161–163

handling events for, 176–177

layout considerations of, 157–158

modeless versus modal, 175

modifying form and control properties of, 173–174

overview, 155

two parts of, 160

using check boxes and toggle buttons on, 165–167

using creatively, 156

using lists boxes and combo boxes on, 170–172

using option buttons and frames on, 167–170

validating user input for, 175–176

as VBA program element, 53

working within Access, 351–354

For . . . Next statement, using, 127–129

frames, using on forms, 167–170

Fuller, Laurie Ulrich (*Access 2007 For Dummies*), 330

Function elements
 versus classes, 183
 function of, 53
 using, 61
 writing, 73–75

• G •

Get method, constructing properties with, 187
 global variables
 defining scope with, 76–77
 using with option buttons, 168–169
 GoTo statement
 misuse of, 131–132
 overview, 130
 using correctly, 130–131
 graphics
 changing user environment, 259
 of user environment, 258
 groups, adding to Ribbon interface, 269–271

• H •

handles, Win32 API returning, 358
 hard drive space, checking for lack of, 140–143
 Help window, using with properties, 24–25
 hexadecimal numbers, using, 94–96
 hiding, toolbars/menus, 261–263
 highlights
 applying to text in Word, 296–298
 removing from text in Word, 298–299

• I •

IDE (Integrated Development Environment), overview, 16–17
 If...Then statement
 benefits of, 112–113
 using for decisions, 113–115
 If...Then...Else statement, using for comparisons, 115–117
 IIf function, using, 119–120
 Immediate window
 debugging with, 150–151
 using, 27–29

importing, XML data from disk, 247
 IMSI TurboCad, using VBA with, 15
 index, in arrays, 207
 information. *See* data
 inheritance, in object-oriented programming, 182
 INI files
 reading, 235–238
 writing, 232–235
 initialization, of classes, 195–196
 inline decisions, using IIf function for, 119–120
 InlineShape collection, working with embedded objects using, 292–295
 InNumber data types, function of, 145
 input
 getting user with text boxes, 161–163
 reacting to user, 274–276
 validating user, 175–176
 input errors, avoiding, 139
 InputBox function, function of, 145
 instancing property, setting, 197
 integers, defined, 92
 Integrated Development Environment (IDE), overview, 16–17

• K •

Kaufeld, John (*Access 2007 For Dummies*), 330

• L •

Label control, displaying text with, 160–161
 labels
 designing form for, 300
 printing, 302–304
 Lego approach
 adding modules, 69
 creating application plans, 67
 defining projects, 68–69
 designing procedures, 70
 overview, 66
 writing statements, 70
 Let method, constructing properties with, 187
 libraries, versus projects, 30

- library references, missing, 139–140
- list servers, as VBA resource, 386
- lists
 - dynamic versus static, 170
 - using lists boxes and combo boxes for, 170–172
 - using option buttons for, 167–170
- lists boxes, using on forms, 170–172
- Locals window, using, 151–152
- logic, of user environment, 258
- logical operators, overview, 106
- logs, maintaining for troubleshooting, 393
- loops
 - Do Until...Loop, 126
 - Do While...Loop statement, 124–126
 - Do...Loop Until, 126
 - Do...Loop While, 126
 - For Each...Next, 129–130
 - For...Next, 127–129
 - overview, 124
 - replacing with GoTo statement, 132
- LTrim, function of, 89

• M •

- Macro dialog box
 - modifying macros through, 58
 - running programs with, 40–41
- Macro Recorder
 - modifying macros with, 58–60
 - overview, 54
 - using menu interface with, 57–58
 - using Ribbon interface with, 54–56
- macros
 - automatically executing, 46
 - displaying available in Access 2007, 332
 - modifying with Macro Recorder, 58–60
 - recording using menu interface, 57–58
 - recording using Ribbon interface, 54–56
 - setting security for in Office, 20–21
 - using under Vista, 19–20
- magazines, for VBA resources, 382
- Mansfield, Richard (*XML All-in-One Desk Reference For Dummies*), 240
- math calculations
 - performing in Excel, 326
 - using scientific values for, 99–100
- memory leaks, avoiding, 364
- menu entries, defining, 45

- menus
 - adding/removing, 265–266
 - changing, 258–259, 260–261
 - displaying/hiding, 261–263
 - modifying content on, 263–264
- message boxes, reporting errors with, 146
- methods
 - calling, 191–193
 - understanding object, 18
- Microsoft iGrafx series, using VBA with, 15
- Microsoft Access
 - accessing special commands in with DoCmd object, 345–347
 - adding form-related programs to, 351–354
 - common objects in collections used in, 344–345
 - converting numeric type values into strings with CurrentDB object, 343–344
 - creating automatic programs, 354
 - creating SQL query in, 347–349
 - creating sub-procedures in, 331–332
 - defining work area with Workspaces collection in, 334–336
 - getting database configuration information with CurrentDB object in, 341–343
 - modifying security with DBEngine object in, 336–341
 - objects in, 331
 - overview, 329–331
 - using Application object in, 332–334
 - using SQL queries in, 349–351
- Microsoft Excel
 - accessing worksheets with Sheets collection in, 308–311
 - adding and formatting worksheets with Sheets collection in, 311–313
 - adding comments to custom functions in, 326–327
 - creating charts in with Charts collection, 314–319
 - creating linkage to XSD file, 245–246
 - deleting worksheets with Sheets collection in, 314
 - designing report in, 107–109
 - developing custom functions in, 324–325
 - document automation in, 12
 - macro storage locations in, 56

- performing data conversion in, 325–326
 - performing math calculations in, 326
 - selecting objects in, 321–323
 - sending notes to from Word, 374–378
 - using `Windows` collection in, 319–321
 - using `Workbooks` collection in, 306–308
 - Microsoft Internet Explorer, opening XML documents with, 241
 - Microsoft Knowledge Base
 - finding Microsoft mistakes on, 39
 - providing code fixes, 392
 - Microsoft Office. *See also specific applications*
 - accessing Registry, 290–291
 - finding VBA in, 10–11
 - home page, 381
 - setting macro security for, 20–21
 - starting Visual Basic Editor in, 18–19
 - using VBA with, 12–15
 - Microsoft Outlook
 - processing e-mail from with Word, 365–368
 - sending e-mail with, 368–374
 - Microsoft Scripting Runtime Library,
 - checking for lack of hard drive space with, 141
 - Microsoft Visual Basic for Applications
 - home page, 381
 - Microsoft Visual Basic home page, 381
 - Microsoft Word
 - accessing documents in, 286–289
 - automatically saving documents using XSLT, 252–253
 - creating XML document in, 247–249
 - designing envelope/label forms in, 300
 - document automation in, 12
 - macro storage locations in, 56
 - manipulating text in, 295–299
 - manually saving documents using XSLT, 250–252
 - processing Outlook e-mail with, 365–368
 - saving documents in WordML versus XML, 240–243
 - selecting objects, 291–295
 - sending documents by Outlook e-mail, 368–374
 - sending notes to Excel from, 374–378
 - using `Documents` collection in, 278–280
 - using `Templates` collection in, 281–283
 - using `Windows` collection in, 283–286
 - Microsoft-specific newsgroups, as VBA resource, 384–385
 - modal forms, choosing, 175
 - modeless forms, choosing, 175
 - modular programming. *See* Lego approach
 - modules
 - adding, 69
 - creating connection between forms in, 175
 - exporting from programs, 147
 - function of, 22
 - importing in programs, 147
 - as VBA program element, 53
 - money, using currency values for
 - calculations of, 100–101
 - Mozilla Firefox, opening XML documents with, 241
 - MsgBox function, displaying MessageBox with, 36–37
- N •
- names, searching in Object Browser, 31
 - naming
 - projects, 62
 - properties, 190
 - nesting, control structures, 112
 - newsgroups
 - providing code fixes, 392
 - as VBA resource, 384–386
 - newsletters, for VBA resources, 382–383
 - Normal.dot template, 280, 281
 - Normal.dotm template, 280, 281
 - Normal.dotx template, 280, 281
 - notes, sending from Word to Excel, 374–378
 - numbers
 - converting into strings in Access, 343–344
 - performing conversions between strings, 96–97
 - understanding types of, 92–93
 - using octal and hex values, 93–96
- O •
- Object Browser
 - using, 29–32
 - using with collections, 220
 - Object Linking and Embedding (OLE),
 - understanding, 291–292

- object-oriented programming (OOP), understanding, 182
 - objects
 - in Access, 331
 - accessing predefined from collections, 219–220
 - Application, 332–334
 - browsing, 30
 - Chart, 306–308
 - versus classes, 181–182
 - Command, 345
 - common used in Access, 344–345
 - creating, 222–223
 - creating collection of, 223–225
 - creating event, 194–195
 - creating method, 191–193
 - CurrentDB, 341–344
 - DBEngine, 336–341
 - DoCmd, 345–347
 - Documents, 278
 - instantiating, 184
 - Pane, 283, 288
 - providing error handling in, 200–202
 - seeing in Project Explorer, 21–22
 - selecting in Excel, 321–323
 - Templates, 278, 281
 - testing, 198–199
 - understanding, 18
 - using enumerated constants in, 194–195
 - using With statement with, 202
 - Window, 283–286
 - Workbook, 306–308
 - working with embedded, 292–295
 - Worksheet, 306–308
 - Workspace, 334–336
 - octal numbers, using, 94–96
 - Office library, overview, 30
 - OLE (Object Linking and Embedding), understanding, 291–292
 - On Error GoTo 0 statement, function of, 145
 - one-line programs
 - creating in Immediate window, 28–29
 - designing, 35
 - fixing bugs in, 39
 - implementing design of, 36–37
 - planning creation of, 34
 - testing design as, 38–39
 - OOP (object-oriented programming), understanding, 182
 - operators, understanding, 106–107
 - Option Base Number statement, function of, 65
 - option buttons, using on forms, 167–170
 - Option Compare Method statement, function of, 65
 - Option Explicit statement
 - finding variable typos with, 134–135
 - function of, 65
 - Option Private Module statement, function of, 65
 - overview, creating, 67
- *p* ●
- Pane object
 - accessing data within Word documents with, 288
 - versus Window object, 283
 - parsing, extracting information from strings using, 90–92
 - pasting, in Object Browser, 32
 - periodicals, for VBA resources, 382
 - planning, creation of one-line programs, 34
 - plus sign (+), adding strings together with, 84–86
 - printing
 - envelopes, 301–302
 - labels, 302–304
 - privacy, including in program structure, 51
 - Private keyword, function of, 75
 - procedural languages, versus object-oriented programming, 182
 - procedures
 - designing, 70
 - Functions/Subs for, 183
 - program resource problems, avoiding, 139
 - programs. *See also* external programs; VBA programs; *specific programs*
 - ability to modify, 9, 14–15
 - adding error handlers to, 145–147
 - adding new features to, 14
 - customizing interface of, 12–13
 - debugging with conditional compilation, 63–64

- developing test for user-defined data types, 227–228
 - disrupting existing flow of, 130–132
 - exporting/importing modules from/to, 147
 - failing gracefully, 144–145
 - listing windows in, 319–321
 - problems of feature bloat in, 356
 - understanding, 52–53
 - using new objects in, 198–199
 - progress meter, using in Access, 333–334
 - Project Explorer, using, 21–23
 - Project Explorer window, function of, 17
 - project folders, storing application configuration information in, 231
 - projects
 - accessing setting options for, 61–62
 - adding conditional compilation to, 63–64
 - adding digital signature to, 203–204
 - defining, 68–69
 - versus libraries, 30
 - locking, 64
 - naming, 62
 - versus programs, 52–53
 - understanding, 21
 - as VBA program element, 53
 - prompts, on forms, 158
 - properties
 - construction methods for, 187–189
 - conversion considerations for, 189–190
 - creating default for user-defined data types, 225–227
 - function of, 186
 - modifying form, 173–174
 - modifying on toolbars/menus, 263–264
 - naming considerations for, 190
 - setting instancing, 197
 - understanding object, 18
 - using Help window with, 24–25
 - Properties dialog box, displaying in Office, 71
 - Properties window
 - function of, 17
 - using, 23–25
 - property types, understanding, 23–24
 - prototypes, for Win 32 API, 357
 - pseudo-code
 - designing one-line programs with, 35
 - implementing program design with, 36–37
 - Public keyword, function of, 75
- **Q** •
- queries
 - creating an SQL, 347–349
 - using SQL in Access, 349–351
 - QueryDefs collection, 345
- **R** •
- real numbers, defined, 92
 - records, defined, 329
 - Recordsets collection, 345
 - recovery, from errors, 140–143
 - Registry
 - accessing in Office, 290–291
 - storing settings, 289
 - Vista restricting access to, 289
 - working with embedded objects using, 292–295
 - Relations collection, 345
 - reports, designing in Microsoft Excel, 107–109
 - Ribbon interface
 - adding tabs/groups/buttons to, 269–271
 - changes in Office 2007, 10–11
 - changing menus and toolbars versus, 260–261
 - changing with Custom UI Editor, 267–269
 - customizing in Excel, 318–319
 - displaying toolbars, 263
 - file compatibility with, 267
 - modifying existing tabs on, 272–276
 - overview, 266
 - performing tasks while loading, 271–272
 - recording macros using, 54–56
 - Rich Site Summary (RSS), as VBA resource, 383–384
 - right-clicking, in Project Explorer, 22–23
 - rotating chart presentation, designing in Excel, 321–323
 - RTrim, function of, 89
 - Run Sub/User Form button, running VBA programs with, 38
 - run-time errors
 - lack of hard drive space, 140–143
 - understanding, 136–137
 - ways of avoiding, 139–140

• S •

- SaveAs method, writing XML data to disk with, 243
- schemas, working with XML data with, 243–245
- scientific values, using for math calculations, 99–100
- scope
 - defining effects of, 76–77
 - including in program structure, 51
 - overview, 75
 - of properties, 187
 - purpose of, 75
 - for variables and constants, 83
- search-and-replace feature, updating code with, 390–391
- security
 - avoiding buffer overrun for, 176
 - with changed user environment, 260
 - code locking for, 63
 - issues when working with Vista and Access, 336
 - modifying in Access, 337–341
 - setting for macros in Office, 20–21
 - setting property, 187
 - for Vista, 19–20
- Select Case statement
 - adding Case Else clause to, 123
 - using, 121–123
- semantic errors, understanding, 137–138
- SendKeys function, 128–129
- Set method, constructing properties with, 187
- settings
 - changing user, 259
 - storing, 229–230
 - storing in Registry, 289
 - writing INI files for storing, 232–235
- Sheets collection
 - accessing worksheets with, 308–311
 - adding and formatting worksheets with, 311–313
 - deleting worksheets with, 314
- shortcut keys, defining, 42
- Simpson, Allen (*Access 2007 All-in-One Desk Reference For Dummies*), 330
- space
 - checking for lack of hard drive, 140–143
 - removing excess from strings, 89–90
- spaghetti code, defined, 66
- special characters, creating, 87–88
- special entries, working within Project Explorer, 23
- speed, If . . . Then statement providing, 112
- SQL
 - creating query in, 347–349
 - overview, 347
 - resources for, 349
 - using queries from, 349–351
- SQL For Dummies (Taylor), 349
- statements
 - as VBA program element, 53
 - writing, 70
- Static keyword, adding to properties, 187
- static lists, versus dynamic lists, 170
- StdOLE Library, overview, 30
- Step Into button (Debug tool), 149
- Step Out button (Debug tool), 149
- Step Over button (Debug tool), 149
- storage. *See also* disk storage
 - for macros, 56, 57
 - understanding computer, 79
 - using arrays for, 206–213
 - using collections for, 213–220
 - using constants versus variables, 80–83
- strings
 - adding together, 84–86
 - converting in Excel, 325–326
 - converting numeric type values into in Access, 343–344
 - creating and using arrays for data in, 206–208
 - finding information in, 90–92
 - overview, 84
 - performing conversions between numbers, 96–97
 - removing excess space from, 89–90
 - using character codes in, 87–88
- structures
 - controlling program execution with, 112
 - If . . . Then statement, 112–115
 - If . . . Then . . . Else statement, 115–117

If function, 119–120
 overview, 51–52, 111
 Select Case, 120–123
 Sub elements
 versus classes, 183
 function of, 53
 implementing one-line program design
 with, 36
 using, 60–61
 writing, 71–73
 Summary tab (Properties dialog box),
 usefulness of, 71
 synchronous calls, accessing external
 programs with, 357
 syntax errors, understanding, 134–135

• T •

TableDefs collection, 345
 tabs
 adding to Ribbon interface, 269–271
 creating custom user interface for,
 273–274
 modifying on Ribbon interface, 272–273
 setting to react to user input, 274–276
 Taylor, Allen G. (*SQL For Dummies*), 349
 templates
 getting information on documents using
 specific, 278–280
 listing properties of Word, 282–283
 understanding Word, 281
 Templates collection, using in Word,
 281–283
 Templates objects
 versus Documents objects, 278
 understanding, 281
 test program, developing for user-defined
 data types, 227–228
 testing
 objects, 198–199
 one-line program design, 38–39
 text
 displaying with Label control, 160–161
 manipulating in Word, 295–299
 typing in Code window, 27
 using strings for, 84–92

text boxes, getting user input using,
 161–163
 text files, reporting errors with, 146
 third-party components, Web sites
 offering, 388
 third-party fixes, for code problems, 393
 time values, using, 101–103
 toggle buttons
 creating, 273–274
 using on forms, 165–167
 toolbar buttons, defining for VBA
 programs, 42–44
 toolbars
 adding VBA program to, 43–44
 adding/removing, 265–266
 changing, 258–259, 260–261
 displaying/hiding, 261–263
 modifying content on, 263–264
 Toolbox
 adding controls to, 172–173
 adding controls to forms with, 159
 overview, 17–18
 tools
 ability to make special, 14
 Web sites offering, 387–388
 training, with changed user environment,
 259
 Trim, function of, 89
 two-dimensional arrays
 creating, 208–209
 creating forms to interact with, 209–211
 typos, as syntax errors, 134–135

• U •

Underdahl, Brian (*Access 2007 Forms &
 Reports For Dummies*), 330
 update plan, creating, 395
 updating
 with changed user environment, 259
 code, 390–396
 user environment
 beneficial changes available, 258–259
 overview, 257–258
 potential problems with changing,
 259–260

user folders, storing application
 configuration information in, 230

user interface

- adding controls to forms for, 159
- basic controls for, 158–159
- creating custom for Ribbon interface
 tabs, 273–274
- designing forms for, 156–157
- displaying text for with `Label` control,
 160–161
- form layout considerations for, 157–158
- getting input with text boxes, 161–163
- reacting to user input, 274–276
- of user environment, 258
- using check boxes and toggle buttons for,
 165–167
- using forms for, 155–156
- using option buttons for, 167–170
- validating user input, 175–176

user-defined data types

- creating collection, 223–225
- creating default property for, 225–227
- creating object, 222–223
- developing test program for, 227–228
- reasons to create, 222
- understanding, 221–222

users, providing code assistance, 394

• U •

variables

- advantages of using, 81–82
- versus constants, 80
- creating in Immediate window, 28
- declaring, 80–81
- defining scope for, 83
- viewing current value of at breakpoints,
 149–150

variant data, working with, 103–104

VBA library, overview, 30

VBA options, finding, 10–11

VBA programs. *See also* one-line programs

- accessing from other VBA code, 45
- defining toolbar button for, 42–44
- elements of, 53
- executing automatically, 46
- planning creation of, 34
- running with a shortcut key, 42

- running with Macro dialog box, 40–41
- running with menu entry, 45
- running with Run Sub/User Form button, 38
- structure in, 51–52
- using Microsoft code to create, 47–48

views, setting to access Word document
 data, 288

Visio, macro storage locations in, 57

Vista

- restricting Registry access, 289
- security for, 19
- security issues when working with
 Access, 336

Visual Basic Editor

- accessing in Access 2007, 330–331
- starting, 18–19

• W •

Wagner, Richard (*XML All-in-One Desk
 Reference For Dummies*), 240

`WaitForSingleObject()` call, defining,
 361–362

Watches window

- adding watch expression with, 153
- using, 152
- using Add Watch dialog box in, 153–154

Web sites

- for ActiveX controls and third-party
 components resources, 388
- for code resources, 386–387
- for e-newsletter VBA resources, 382–383
- for general VBA resources, 381
- list servers accessed through, 386
- for magazine and periodical VBA
 resources, 382
- for Microsoft-specific newsgroups, 384–385
- for SQL resources, 349
- for third-party newsgroups, 385–386
- for tools resources, 387–388

wildcard characters, for search-and-
 replace, 391


Win32 Application Programming Interface
 (API)

- accessing external programs through,
 357–358
- calling external programs with, 364–365
- creating calls in, 358–362

encapsulating call process to external programs, 362–364
 VBA providing access to, 357
 Window object, managing document view with, 283–286
 Windows collection
 using in Excel, 319–321
 using in Word, 283–286
 Windows Event Log, reporting errors with, 146
 With statement, using with objects, 202
 WordML, versus XML, 240–243
 words, modifying using Do While...Loop statement, 124–126
 Workbook object, using in Excel, 306–308
 Workbooks collection, using in Excel, 306–308
 workgroup folders, storing application configuration information in, 231
 Worksheet object, accessing, 306–308
 worksheets
 accessing with Sheets collection, 308–311
 accessing with Workbooks collection, 306–308
 adding and formatting with Sheets collection, 311–313
 deleting with Sheets collection, 314
 selecting objects in Excel, 321–323
 sending notes from Word documents to Excel, 374–378
 Workspace object, defining work area with in Access, 334–336
 Workspaces collection, defining work area with in Access, 334–336



XML (eXtensible Markup Language)
 creating document in Word, 247–249
 defining schema for data, 243–245
 exporting data to disk, 246–247
 importing data from disk, 247
 overview, 239–240
 using XSLT with, 249–253
 versus WordML, 240–243
 writing data to disk, 243
XML All-in-One Desk Reference For Dummies (Wagner and Mansfield), 240
 XML Schema Definition (XSD)
 creating, 244–245
 creating linkage to Excel worksheet, 245–246
 XSLT (eXtensible Style Language Transformation)
 automatically saving Word documents using, 252–253
 manually saving Word documents using, 250–252
 overview, 249–250



Young, Margaret Levine (*Access 2007 All-in-One Desk Reference For Dummies*), 330

