

## Index

### A

- Academic and intelligence testing, 30
- Academic difficulties: inattention and, 7; math difficulties, 189–191; reading difficulties, 177–179; writing difficulties, 196–199, 217–219
- Academic strategies: for composition and written expression, 203–207; handwriting tips, 214–217; math strategies, 192–196; prewriting techniques, 199–203; reading interventions, 179–189; revising and editing, 207–210; spelling strategies, 210–214. *See also* Checklists for teachers
- Activity reinforcers: for home, 81–82; for school, 131–132
- ADD (Attention Deficit Disorder), defined, 1, 5
- Adderall (mixed amphetamine salts), 40. *See also* Stimulant medications
- ADHD (Attention Deficit/Hyperactivity Disorder): ADD versus, 1; behavioral characteristics of, 5–11; definitions of, 2–3; diagnosis of, 24–33; executive functions and, 11–13; look-alikes, 22–24; possible causes of, 19–22; risk factors, 3–5; three types of, 1; treatment for, 33–38, 222–223; what we do not yet know about, 16; what we know about, 13–16
- ADHD national organizations and resource centers, 246
- Adolescents, special issues with, 4, 242–246
- Advocacy tips for parents, 105–108
- Allen, J., 229
- Alternative and complementary treatments, 37–38
- Americans with Disabilities Act of 1990 (ADA), 61
- Amphetamine stimulants, examples of, 40. *See also* Stimulant medications
- Antidepressants, 43–44
- Anxiety, as coexisting disorder, 4, 17, 23, 243
- Aromatherapy, 87
- Art therapy and creative outlets, 37, 230
- Assignments, tips for teachers on: homework tips, 151–154; long-term projects, 161–162; modifications of, 163–165; recording deadlines, 160
- Atomoxetine (Strattera), 43
- Attention, students': focusing, 136–139; maintaining, 139–144; seat work and, 144–146
- Attention Deficit Disorder Association (ADDA), 36, 246
- Auray, D. P., 205
- Auto accidents, 4

### B

- Barkley, R. A., 4, 11, 79, 248
- Behavior modification, 34–35. *See also* Behavioral treatment
- Behavior problems, prevention of: at home, 73–75; outside home, 75–77; at school, 120–124
- Behavior rating scales, 28

- Behavioral treatment: contracts, 52;  
daily report cards, 35, 45–51;  
defined, 34–35, 44–45; response cost,  
52; token programs, 35, 51, 71, 76
- Bersma, D., 228
- Biofeedback, 37–38
- Birth complications, 21
- Books and other resources by Sandra  
Rief, 249–250
- Brain differences, structural, 22
- Brain injury, 21
- Brain gym, 228
- Breathing techniques, 227–228
- Brown, T. E., 11
- C**
- Causes of ADHD, possible, 19–22
- CHADD (Children and Adults with  
Attention Deficit/Hyperactivity  
Disorder), 31, 35, 36, 44, 102, 112,  
222–223, 239, 246
- Challenging behavior: tips for parents  
on, 77–79; tips for teachers on,  
125–130
- Chappell, J., 229
- Checklists for parents: advocacy tips,  
105–108; challenging behaviors,  
77–79; children's needs, 67–69;  
directions, 83–85; discipline,  
69–72; environmental modifications  
at home, 85–87; evaluation,  
110–112; homework tips, 94–98;  
organizational tips, 87–91;  
prevention of behavior problems  
at home, 73–75; prevention of  
behavior problems outside home,  
75–77; recommended do's and  
don'ts, 99–101; rewards and  
reinforcers, 80–83; school staff,  
103–104; supports and training,  
101–103; time management, 91–94.  
*See also* Other important checklists  
for parents and teachers
- Checklists for teachers: challenging  
behavior, 125–130; classroom  
management, 113–120;  
communicating with parents,  
149–150; directions, 124–125;  
evaluations for ADHD, 172–175;  
focusing students' attention,  
136–139; homework tips,  
151–154; maintaining students'  
attention, 139–144; modifications  
of assignments, 163–165;  
modifications of materials, 165–168;  
prevention of behavior problems,  
120–124; rewards and reinforcers,  
130–132; strategies for inattentive  
students, 146–149; testing  
adaptations and supports, 169–172.  
*See also* Other important checklists  
for parents and teachers
- Chemical imbalance, as possible cause,  
20–21
- Clark, L., 79
- Classroom environmental supports:  
importance of, 132–133; music,  
136; space considerations, 134–135;  
student seating, 133–134; visual and  
auditory cues, 135–136
- Classroom management: academic  
support, 117–118; addressing  
misbehavior, 119–120; climate,  
113; contingency management,  
118; monitoring, 115–116; positive  
attention, 116–117; procedures  
and routines, 114; proximity and  
movement, 114–115; rules, 113–114;  
signals, 115; stretch breaks, 117
- Classroom placements, 108–109
- Classroom transitions, 121–122
- Coaching, ADHD, 36
- Coexisting conditions, 4, 14,  
17–19, 27
- Cogmed Working Memory Training  
Program, 38
- Combined type (AD/HD-C), 1
- Comorbidities: consequences of, 18–19;  
defined, 17
- Complementary and alternative  
treatments, 37–38
- Contingency management, 118
- Contracts, 52
- Copeland, L., 79

**D**

- Daily report cards (DRCs), 35, 45–51, 154
- Denckla, M., 11
- Depression, as coexisting disorder, 4, 18, 23, 243
- Desipramine (Norpramin), 43
- Dexedrine (dextroamphetamine), 40.  
*See also* Stimulant medications
- Diagnosis: as complex process, 25–26; DSM-IV criteria and, 26–27; history and, 27–28; observations and, 29–30; physical exam and, 30; professionals who can make, 27, 31–33; school information for, 28–29; team approach to, 221–222; testing and, 30. *See also* Evaluation for ADHD
- Diagnostic and Statistical Manual of Mental Disorders*, 5, 26
- Diet and sleep, 37
- Directions: from parents, 83–85; from teachers, 124–125
- Discipline, positive and effective, 69–72
- Doctors: primary care physicians, 31; qualifications of, 107; team approach and, 53, 55, 221, 222
- Dopamine, 21, 40
- Drivers with ADHD, 4

**E**

- Educational rights for students with ADHD: IDEA and, 1, 60, 61–62, 63, 63, 129; Section 504 of the Rehabilitation Act of 1973 and, 32, 60, 61–62, 63–66; tips for parents on, 105–107; two laws on, 60–61; Web resources on, 248
- Empowering Writers*, 205
- Environmental factors, as possible cause, 22
- Environmental supports: in classroom, 132–136; in home, 85–87
- Evaluation for ADHD: recommendations for parents on, 110–112; recommendations for teachers on, 172–175. *See also* Diagnosis

- Executive functions (of the brain), 11–13
- Exercise: benefits of, 37, 230–231; sports, 37, 230–231, 234–235; yoga, 227, 228

**F**

- Families, impact of ADHD on, 55–57
- Family counseling, 35
- Fetzer, N., 205
- Fidget toys, 119, 248
- Fluency, reading, 186–187
- Focalin (dexmethylphenidate), 40.  
*See also* Stimulant medications
- Focusing students' attention: auditory techniques for, 136–137; tech advantage and, 137–138; visual techniques for, 137
- Francis, E., 193

**G**

- Girls, ADHD in, 14, 24–25
- Graphomotor skills, 198
- Greene, R., 79

**H**

- Halpern, S., 229
- Handwriting tips and strategies, 214–217
- Handwriting Without Tears*, 214
- Heimburge, J. A., 207
- Heininger, J., 79
- Heredity, as possible cause, 19–20
- History, medical and behavioral, 27–28
- Homework supply kit, 89
- Homework tips: for parents, 94–98; for teachers, 151–154
- Hyperactivity, symptoms of, 8–10

**I**

- Imagery, guided, 228–229
- Imipramine (Tofranil), 43
- Individualized education plan (IEP), 30, 62–63, 66, 105–106, 112, 175
- Individuals with Disabilities Education Act (IDEA), 1, 32, 60–62, 63, 64–65, 66, 129
- Inspiration and Kidspiration software programs, 158, 201–202, 219

**J**

Jenson, E., 86

**K**

Khalsa, S. K., 228

Kindergarten teachers, tips for, 239–241

Kitaro, 229

Klein, R., 229

**L**

Lamb, G., 86, 230

Lead poisoning, 22

Leisure activities, 231

Luby, T., 228

**M**

MacKenzie, R., 79

Mariconda, B., 205

Material reinforcers: at home, 82–83;  
at school, 132

Math: difficulties, 189–191; strategies  
and interventions, 192–196

Math facts, recalling, 226

Math material supports and  
adaptations, 167–168

Medication treatment: description of,  
34, 39–44; effectiveness of, 15; social  
skills and, 237; teachers, parents,  
and, 52–55; for young children, 239

Memory strategies: building memory,  
224–225; importance of, 223–224;  
links and associations, 226;  
mnemonics, 193, 213, 225–226;  
software program, 38; storytelling,  
227; visual reminders, 90–91, 115,  
156–157

Methylphenidates, defined, 40

Mind mapping, 201

Mnemonics, 193, 213, 225–226

Multisensory spelling strategies, 210–214

Music: for classroom, 136; for  
relaxation, 229–230

**N**

Nadeau, K., 25

Neurotransmitters, deficiency in, 20–21,  
34, 40

Noise, classroom, 135

Norepinephrine, 21, 40

Nortriptyline (Pamelor), 43

**O**

Olsen, J., 214

Oppositional defiant disorder (ODD),  
4, 17, 77–78, 243

Organizational tips for parents: general  
tips, 91; homework supply kit, 89;  
supplies and materials, 87–88; visual  
reminders, 90–91; work area, 89–90

Organizational tips for teachers:  
graphic organizers and software,  
158, 201; monitoring and incentives,  
157–158; spare supplies, 159; visual  
reminders, 156–157; work space,  
155–156

Other important checklists for parents  
and teachers: adolescents with  
ADHD, 4, 242–246; books and  
other resources, 249–250; memory  
strategies, 223–227; relaxation  
strategies, 227–232; social skills  
interventions, 232–237; team  
approach, 221–223; Web resources,  
246–249; young children with  
ADHD, 237–241

Out-of-classroom school settings,  
122–124

**P**

Pamelor (nortriptyline), 43

Parent training, 35, 222

Parents, checklists for: advocacy tips,  
105–108; challenging behaviors,  
77–79; children's needs, 67–69;  
directions, 83–85; discipline,  
69–72; environmental modifications  
at home, 85–87; evaluation,  
110–112; homework tips, 94–98;  
organizational tips, 87–91;  
prevention of behavior problems  
at home, 73–75; prevention of  
behavior problems outside home,  
75–77; recommended do's and  
don'ts, 99–101; rewards and

- reinforcers, 80–83; school staff, 103–104; supports and training, 101–103; time management, 91–94.  
*See also* Other important checklists for parents and teachers
- Partner activities in classroom, 143–144
- Pelham, W., 51
- Pharmacological treatment, 34. *See also* Medication treatment
- Phelan, T., 79
- Physical exam, 30
- Positive attention from teachers, 116–117
- Positive discipline, 69–72
- Positive traits and ADHD, 60
- Predominantly Hyperactive-Impulsive type (AD/HD-HI): defined, 1; symptoms of, 8–11
- Predominantly Inattentive type (AD/HD-1), defined, 1; symptoms of, 5–7
- Preschool and kindergarten teachers, tips for, 239–241
- Prevalence of ADHD, 3–4
- Prevention of behavior problems: at home, 73–75; outside home, 75–77; at school, 120–124
- Prewriting techniques, 199–203
- Psychotherapy, 35–36
- Q**
- Questioning techniques for increasing student engagement, 141–142
- Quinn, P., 25
- R**
- Rabiner, D., 248
- Reading: difficulties, 177–179; strategies and interventions, 179–189
- Recorders, digital or tape, 166, 219
- Recording for the Blind and Dyslexic (RFB&D), 188
- Records: maintaining good, 108; school, 29
- Rehabilitation Act of 1973, Section 504 of, 32, 60, 61–62, 63–66
- Relaxation strategies: art, 37, 230; breathing techniques, 227–228; exercise, 37, 230–231; fun and laughter, 227; leisure activities, 231; music, 136, 229–230; visualization, 228–229; yoga, 227, 228
- Resources: books, 249; Web sites, 246–250
- Response cost, 52
- Response opportunities in classroom, 142–144
- Rewards and reinforcers: for home, 80–83; for school, 130–132
- Reznick, C., 229
- Risk factors, 3–5
- Ritalin (methylphenidate), 40. *See also* Stimulant medications
- Rodriguez, D., 193
- Rodriguez, J., 193
- Rules, classroom, 113–114
- S**
- Scales, behavior rating, 28
- School, moving to new, 109–110
- School records, 29
- School staff, communicating with, 103–104
- School success: critical elements for, 59; impact of ADHD on, 57–59
- School supplies, 87–88, 159
- Schoolwide programs for prosocial behaviors, 233–234
- Seat work, students' attention and, 144–146
- Seating, student, 133–134
- Section 504 of the Rehabilitation Act of 1973, 32, 60, 61–62, 63–66
- Singleton, M., 228
- Sleep problems, 18, 43
- Small group and partner responses, 143–144
- Social reinforcers: for home, 80–81; for school, 130
- Social skills interventions: child interventions, 234–236; defined, 35; need for, 232; parent interventions, 236–237; school interventions, 233–234
- Software programs, helpful, 158, 201–202, 219

- Song and movement, as spelling strategy, 211–212
- Songs, as memory booster, 226
- Special education, 1, 36, 60–66
- Spelling strategies, multisensory, 210–214
- Sports, 37, 230–231, 234–235
- Stagg, H., 229
- Statistics on ADHD, 3–4
- Step Up to Writing*, 205
- Stimulant medications, 15, 34, 39–43
- Strattera (atomoxetine), 43
- Student support team (SST), 32, 105, 111, 173
- Students' attention: focusing, 136–139; maintaining, 139–144; seat work and, 144–146
- Study buddies, 145
- Summer camps and treatment programs, 237
- Support groups, 36, 222–223, 246
- Supports and training for parents, 101–103, 222
- Symptoms of ADHD, 5–11
- T**
- “Take a break” area, 126
- Tape recorders, 166, 219
- Taylor, J., 79
- Teachers, checklists for: challenging behavior, 125–130; classroom management, 113–120; communicating with parents, 149–150; directions, 124–125; evaluations for ADHD, 172–175; focusing students' attention, 136–139; homework tips, 151–154; maintaining students' attention, 139–144; modifications of assignments, 163–165; modifications of materials, 165–168; prevention of behavior problems, 120–124; rewards and reinforcers, 130–132; strategies for inattentive students, 146–149; testing adaptations and supports, 169–172. *See also* Other important checklists for parents and teachers
- Teachers, preschool and kindergarten, 239–241
- Team approach to ADHD: diagnostic process, 221–222; effectiveness of, 15; monitoring, 223; treatment plan, 222–223
- Teens and preteens with ADHD: counseling for, 35–36; special issues of, 242–246
- Testing adaptations and supports, 169–172
- Time management tips for parents: long-term projects, 93–94; routines, 93; tools, schedules, and supports, 91–93
- Time management tips for teachers: assignment sheets and calendars, 160–161; general tips, 162–163; long-term projects, 161–162; schedules, 161; time awareness, 159–160
- Time Tables the Fun Way*, 193
- Timers, 122, 136, 137, 162
- Tofranil (imipramine), 43
- Token economies and token programs, 35, 51, 71, 76
- Toobaloo whisper phone, 182
- Toxins, prenatal exposure to, 21
- Toys, fidget, 119, 248
- Traits common in individuals with ADHD, positive, 60
- Treatment: behavioral, 44–52; medication, 15, 39–44, 52–55; multimodal, 33–38; team approach to, 222–223
- Treatment, behavioral: contracts, 52; daily report cards, 45–51; defined, 44–45; effectiveness of, 15, 34; response cost, 52; token programs, 51, 71, 76
- Treatment, medication: description of, 34, 39–44; effectiveness of, 15, 34; teachers, parents, and, 52–55; for young children, 239
- Treatment, multimodal: alternative treatments, 37–38; components of, 34–35; educational interventions, 36; important points of, 33–34; psychosocial interventions, 35–36

**V**

- Venn diagrams, defined, 184
- Visual and auditory cues in classroom, 135–136
- Visual reminders: from parents, 90–91; from teachers, 115, 156–157
- Visual timers, 122, 137
- Visualization, 228–229
- Vocabulary: decoding, fluency, and, 185–186; methods for teaching, 187–188; sentence structure and, 204

**W**

- Web resources, 246–249
- Weiss, S., 79
- Wellbutrin (bupropion), 44
- Wenig, M., 228
- Whisper phones, 182
- Whole group and unison responses, 142–143
- Wilens, T., 44
- Winston, G., 229

- Work area, child's : at home, 89–90; at school, 155–156
- Writing: accommodating for, 217–219; compensating for, 167; composition and written expression, 203–207; difficulties, 196–199; handwriting tips, 214–217; prewriting techniques, 199–203; revising and editing, 207–210; spelling strategies, 210–214
- Writing Connections*, 205

**Y**

- Yates, D., 193
- Yoga, 227, 228
- Young children, ADHD in:
  - early intervention, 238–239;
  - identification of, 237–238; tips for teachers on, 239–241

**Z**

- Zamfir, 229