

Index

- adaptation, 53, 60–62, 155–159, 171–174, 266–267
- ad-hoc
 - community, 345–353
 - group, 190–191, 345, 363–364, 370
- advertising, 301, 313–316, 328–330
- ambient intelligence, 9, 371, 375, 379
- annotate, 20, 23, 26, 278
- anomaly detection, 213–214
- application, 2–5, 7–31, 35–44, 227–261
- Application Programming Interface (API), 51, 155, 162, 207, 285
- application request, 62, 74, 162–166, 170
 - control request, 63
 - disposal request, 63
 - modality output request, 62
 - modality subscription request, 63
- applications and services, 2–5, 7–31, 35–44, 227–261
- architecture scalability, 90–94
- asset, 302, 306, 346–347
- association, 345–348, 352–353
- author, 357–358
- autonomy, 343, 346–348, 364

- backward and forward compatibility, 283
- Basic Usage Record Provider (BURP)
 - see Usage Record Provider (URP)
- Bayesian classifier, 132

- Best Matching Service Discovery, 73, 140
- BeTelGeuse, 115–116
- Big Loop, 14–16, 276–277, 292
- blog, 109, 229–233
- blogging, 11–12
- business
 - growth potential, 298, 323
 - interface, 307, 309
 - logic,
 - change in, 298, 323
 - model, 295–341
 - generic business model, 295–296, 310
 - closed model, 308
 - open model, 308
 - model component, 296–299
 - users/customers, 297, 299–300, 311, 314, 317, 319
 - products/services, 297, 300–301, 311, 314, 317, 320
 - earnings logic, 297, 301–302, 312, 315, 318, 320
 - resources, 297, 302–303, 312, 315, 318, 321
 - suppliers/actors, 298, 303–307, 312, 315, 318, 321
 - organisation/architecture, 298, 307–309, 312, 316, 319, 321
 - processes, 298, 309–310, 313, 316, 319, 322

- civil law partnership, 350–353, 379
- C-log Provider, 109
- Collaborative
 - Service Engineering Framework, 384
 - user centric design process, 12
- community, 11, 186–188, 231, 275, 287–288
 - see also ad-hoc community
- connected presence, 336
- consumer
 - electronics, 2, 10, 306, 327, 334, 339
 - protection, 341, 345, 353, 360, 377
- Content
 - creation, 249, 277–278, 333
 - Routing, 158–159
- Context
 - awareness, 99–100, 123, 227, 266, 271, 277–278
 - Awareness Function, 43–44, 45–49, 84
 - Broker, 47, 99, 110–114
 - Consumer, 43, 99–104, 109
 - discovery, 45, 100
 - element, 49–50, 103, 198–201
 - gathering, 114
 - Gathering and Interpretation, 47–48, 172, 174–175, 194–195
 - interpretation, 100–101, 124, 175, 198–200
 - information provider, 306
 - labelling, 127–128
 - Management Framework, 43, 45–50, 100–110
 - ontology, 99–102, 104–109
 - Provider, 43, 45, 99–104, 109
 - Provider advertisement, 102, 111, 114
 - Provider query, 113
 - Provider Registration Interface, 112–113
 - Provider Trust Engine, 205, 220
 - pull, 104
 - push, 104
 - query, 103
 - recognition, 127, 266
 - Representation Framework, 45, 99–104
 - sharing, 188, 191, 229–232, 274, 277
 - simulation, 117–123
 - Source, 43, 100–101
 - subscription, 102–104
 - variable, 117–119
- Contextual Personalisation, 170–181, 244
- ContextWatcher, 92, 105, 110, 115, 126, 229–233
- contractual arrangement, 343, 345–346, 348–352, 378–379
- convergence, 2, 7–9, 297, 303, 311, 323
- copyright, 340, 345, 356–360
- Customer
 - needs, 297
 - Relationship Management (CRM), 298, 300, 309–310, 312–313
 - value, 300, 330
- data protection, 340, 343–345, 350, 355–356
- database protection, 358
- default profile subset, 176–178
- Device
 - Agent, 61–62, 158–161
 - and modality description, 62, 155, 163–166
 - and service discovery, 61
 - independence, 155, 384
- Digital
 - applications and services, 11
 - Rights Management (DRM), 360, 376–377
- disabilities, 326, 337
- disappearing computer, 9
- discovery mechanism, 133–134, 155–156, 163–165, 239
- domain name, 360, 377
- dynamic
 - marketplace, 324
 - value nets, 305
- embedded devices, 7, 10, 142–143
- EMMA, 169–170
- employment relationship, 349–350
- empirical measurement, 13
- Environment Provider, 109, 232–233
- ethical, 260, 326, 335, 344, 353–354, 376
- eTOM, 66, 70
- evaluation, 263–294
 - user evaluation, 15–16, 24, 263–279

- technical evaluation, 263–265, 280–290
- concept evaluation, 292
- reference implementation evaluation, 292
- evaluation question, 284–291
- evaluation dimension, 284–291
 - ease to implement applications, 285–286
 - exploitability of component functions, 286–288
 - evolution, 290–291
 - impact on network architecture and terminals, 289–290
 - testability, 288–289
- expert evaluation, 16
- family, 2, 10–12, 17–22, 24–25, 264, 351
- FamilyMap, 222–223, 248–252, 271–272
- fission, 61, 86, 159–160, 166, 384
- functional components interworking, 69–79
- fusion, 61, 158–160, 163, 166, 168–170, 384
- future scenarios, 295, 323–324, 327, 338
- GAF, 44, 56–60, 193–202
 - GAF Façade, 57, 194–195
 - GAF Trust Engine, 50–51, 204–206
- Gateway Function, 61–62, 157–163
- Group
 - Allocator, 59–60, 194, 201–202
 - awareness, 190–191
 - Awareness Function, 44, 56–60, 193–202
 - awareness provider, 307
 - communications, 185–202
 - context, 48, 50–51, 190–191, 194–195, 198–201
 - Context Function, 48–49
 - Context Gathering and Interpretation, 48, 194–195
 - Context Inference, 48
 - Context Interpretation, 198–201
 - Data Policy/ies, 192, 196–197, 209–210
 - evolution, 57, 60
 - information, 48, 57, 60, 190–192, 197
 - management, 57, 59–60, 190, 275–276
 - Manager, 57, 59, 194–197
 - membership, 192, 196–197, 209–210
 - membership policy/ies, 192, 196–197, 209–210
 - name, 192
 - policies, 209–211
 - preferences, 192, 197–198
 - Principal, 60, 197
 - Profile Manager, 194–198
 - profile, 192–193, 196–198
 - rationale, 192
 - simulator, 119–123
 - state, 192–193
 - template, 57, 59–60, 197
- heuristics, 14, 124
- human
 - communication, 25
 - interaction, 25, 154
- human-centred design, 12–13
- human-computer interaction, 154–155, 271, 279
- identity and trust provider, 306
- inclusion, 14, 337
- Individual Profile Manager, 53, 182, 194, 201
- innovation
 - disruptive innovation, 302
 - innovation strategies, 300
- input interpretation, 155
- Instant Messaging, 11–12, 24, 79, 187, 229
- Integration, 2, 16, 55, 82–83, 265, 288
 - and testing, 281, 283–284
 - and Validation Centre, 265, 281, 283–284, 286, 289
- intellectual property rights (IPR), 340, 343–345, 353, 356, 360, 376–377
- intelligent
 - environment, 9–10
 - home, 10
 - networked home, 10
 - space, 9
- interaction mode, 25
- interoperability, 2, 38–39, 183, 308
- intrusion detection, 213–215

- IP Multimedia Subsystem (IMS), 38, 79–87, 290
 - Core, 79, 82, 86
 - mapping, 79–87
 - OMA Service Enablers, 83
 - Session Initiation Protocol (SIP), 79, 85–86
- iterative design, 13
- Java, 115–116, 215, 241–242, 261, 290
 - servlets, 79
 - Technology for the Wireless Industry (JWTI), 286
 - virtual machine, 109
- key distribution protocols, 212
- KML Provider, 109
- Law of Demeter (LoD), 40
- legal
 - and regulatory framework, 343–382
 - person, 347–348
- Location
 - clustering, 124–126
 - data, 22, 109, 115, 173, 222
 - Provider, 104, 109, 126, 231–233
 - based service, 12, 124
- machine learning, 49, 99, 120, 123–133, 183, 258
- management action, 43
- Management and Rules Layer, 206–207, 209
- Management Interface, 43
- MobiCar, 74, 123, 256–259, 274, 370
- Mobile
 - applications and services, 7, 11, 21–22, 25, 40–41
 - application service, 40–41
 - Content Communities (MC2) project, 373–375
 - device, 16, 36, 40–41, 126–128, 143, 155
 - phone, 1, 8, 12, 21–22, 41, 124, 133
 - Services Architecture, 35–97
 - requirements, 25–26, 36–39
 - hurdles in service provisioning, 38–39
 - Services Reference Model, 39–44
 - service building blocks, 41–44
 - World, 1–2, 7–8
- MobiLife, 4–5, 264–266, 273–274, 277–278, 286
- MobilOWL-S, 138, 140
- moblog, 12
- mock-up, 1–16, 26, 265, 270–272, 276–277, 292
- Modality Function, 61–62, 157–163, 166, 168–169, 175, 182
- modify policy, 219
- mosaic society, 2
- multidisciplinary
 - teams, 13
 - collaboration, 16
- Multimedia Infotainer, 240–244
- multimodal
 - input, 168–170
 - interfaces, 25, 154–170
 - output, 166–168
- multimodality, 153–170, 271–273
- narrative, 21, 324
- obligation to a form, 347, 351
- ontology, 47, 56, 99–102, 104–109, 111–114, 141
 - see also MobilOWL-S, OWL, OWL-S
- Operational Management Function, 44, 66–69
 - service management, 67
 - resource management, 67
 - data collection, 67
- Operational Personal Context, 47–48, 74
- opportunities and threats
 - on the marketplace, 296–298
- OSGi, 215–216
- output selection, 156
- OWL, 99, 101–102, 105–108, 136–138
 - MobilOWL-S, 138, 140
 - OWL-S, 106, 108, 136–138
- patent, 345, 356, 358–360, 374–375
- payment system, 320–321, 334
- permanent groups, 191

- permissive approach, 211
- Personal
 - acceptance, 28
 - Context Function, 47–48, 168, 242
 - Context Monitor, 234–238, 260, 371
- Personalisation, 37, 170–181, 245, 266
 - Function, 44, 53–56
 - entity, 54–56
 - entry, 54–56
 - profile, 54–56
 - provider, 306
- pervasive computing, 4, 9, 107, 375
- phased approach, 13
- Photo Provider, 109, 231–232
- Policy
 - conflict, 211, 217, 220
 - Decision Point (PDP), 51, 204, 209
 - Enforcement Point (PEP), 51–53, 204–205, 208
 - Layers, 206–207
 - Management, 207, 209
- portability, 38–39, 286–287, 289
- portal device, 156–163, 245–246, 248
- Preference Provider, 109, 231
- presence service, 11
- pricing,
 - competitive, 301
 - cost-based, 301
 - value-based, 297, 301
- Privacy
 - control, 87, 186
 - Display Widget, 195, 211, 218–221
 - preferences, 213, 218
 - Platform for Privacy Preferences (P3P), 213
 - protection, 186, 222, 273, 367
- Privacy and Trust, 37, 43–44, 203–223, 273–275, 353, 368
 - Function, 44, 50–53
- Proactive
 - Service Portal, 135, 235–240
 - Service Provisioning, 44, 64, 72–74, 99, 133–145, 235
- probe, 15–16, 26, 265
- product
 - development, 12–13, 281, 300
 - management, 300
- products/services, 297, 300–301, 311, 314, 317, 320
- profile
 - Individual Profile Management, 176–181
 - Profile Editor, 172, 174, 179
 - Profile Management, 179, 181, 198
 - Profile Manager, 53–56, 129–130, 132
 - Profile Manager Core, 179
 - Profile Storage, 179
 - Profile Structure, 176–178
 - Profile Subset, 176–178, 198
 - Profile Subset Manager, 179
 - Profile Subset Search, 179
 - user profile, 171–172, 176–179
- prototype, 4, 13–16, 26–29, 264–266
- proxy, 160, 346, 348–349
 - Context Broker, 110, 114
- qualifier, 53–56, 176, 179, 181
 - Schema Qualifier, 54–56
 - Context Qualifier, 54–56, 177
- Quality
 - of Service (QoS), 8, 26, 90, 280, 288, 316, 361
 - of Context (QoC), 90
- questionnaire, 283–284, 287
- Reasoning Function, 49
 - Basic Usage Record Provider, 49
 - Inferer, 49
 - Learner, 49
 - Recommender, 49, 129–132, 140–142
- recommendation, 132–135, 138–142, 168, 172–175, 181–182, 239
- recommendation-based service discovery, 138–142
- Recommender, 49, 129–132, 140–142
 - service, 315
- Reference
 - architecture, 155, 283
 - point, 36, 79–80, 83–84, 289–290, 308
 - Model, 35–36, 39–44, 80–83, 366
- reflexivity, 29, 270

- reputation systems, 212–213
- requirements, 25–26, 36–39
- Resource Handling, 159, 162, 169
- resources and capabilities, 306, 326, 338
- restrictive approach, 211
- RuBaCRI, 132
- rule-based reasoning, 132
- run-time security, 215–216

- sandbox, 215–216
- scalability,
 - architecture, 90–95
 - components, 91–92
 - performance metrics, 90–91
 - simulation, 92–95
- scenario,
 - future scenarios, 295, 323–324, 327, 338
 - scenario method, 322
 - scenario evaluation, 25, 265
- self-promoting
 - service detection and republishing, 142
 - services, 142–145
- Semantic Web, 105
- sensitive data, 337, 363, 365, 369
- sensor, 9–10, 14, 24, 43–45, 109, 115–117
 - sensor data, 117–118, 124, 162, 172–173, 199, 271
 - sensor networks, 9
 - sensor simulation, 117–123
- Service
 - broker, 140–141
 - Catalogue Provisioning, 63
 - categorisation, 135–139
 - chaining, 11
 - composition, 4, 65–66
 - Configurations Provisioning, 63–64
 - descriptor, 64–65
 - discovery, 65–66, 72, 133–134, 138–142, 239–240
 - enabler, 82–83, 85, 87, 284, 289, 308–309
 - Lifecycle Management, 87–90
 - Oriented Architecture (SOA), 4, 90, 133–134, 307–309, 339
 - business interface, 307–309
 - service interface, 307–309
 - technical interface, 307–309
 - promoter, 142–143, 145
 - provider, 37–38, 63–65, 86–90, 133–138, 285–288, 301–303
 - Provisioning Function, 44, 63–65
 - registry, 135
 - representation, 136
 - requester, 133–134, 136, 138
 - taxonomy, 136–138
 - trial, 281, 292
 - Usage Function, 44, 65–66
 - Service Composition, 66
 - Service Discovery, 66
 - Service Execution, 66
- SMIL, 162
- social
 - acceptance, 28–29
 - interaction, 18, 154, 186, 222, 252, 279–280
 - media, 336
 - networks, 191, 339
 - ties, 336
- standardisation, 87, 271, 297, 308, 312–334
- supply chain, 88–89, 305, 338
- SWAMI project, 371–373
- Symbian, 115, 216, 235–236, 261
 - platform security, 216
- symbol string clustering, 126–127

- technology adoption lifecycle, 300
- test plan, 283
- TimeGems, 189, 252–256, 260, 370
- trademark, 356, 360, 374, 377
- tradeoffs,
 - privacy and usability, 221, 223
- Transformer, 61, 159, 168
- Trust
 - management, 203, 212–213
 - Engine, 50–52, 194–195, 203–211, 213–215, 220–222, 256
 - Context Provider (CP) Trust Engine, 51, 204–205, 208–209, 220
 - GAF Trust Engine, 50–51, 204–205
 - User Trust Engine, 50–51, 203–205, 209–210, 220
 - Seed, 51, 206–207, 213

- ubiquitous computing, 9, 187, 191, 260, 375, 379
- UCD
 - agenda, 26–27, 29
 - process, 12–16, 29–30, 265, 278, 291
- UML-Psi, 92, 94
- usability, 14, 16, 27–28, 228, 266, 269–271
 - traditional, 28
 - mobile, 28
- Usage
 - behaviour, 44, 49–50, 90, 172, 174
 - Record Provider (URP), 49, 129–130, 139, 174, 181
- User
 - acceptance, 28, 36–37, 170, 263, 269
 - centricity, 13–14, 263
 - communities, 305, 340, 345
 - context, 47, 60, 99, 117–120, 155, 171–174
 - data, 171–177, 179–181, 220
 - evaluation, 15–16, 24, 263–280
 - Interface Adaptation Function (UIAF), 44, 60–63, 80–81, 86, 158–159
 - application request, 62–63, 74, 162–165
 - control functionality, 61, 158
 - Device Agent, 61–62, 158–161
 - device and service discovery, 61
 - Gateway Function, 61–62, 157–163
 - Host Device, 62, 165–166
 - input functionality, 61, 158
 - Modality Function, 61–62, 157–163
 - output functionality, 61, 158
 - physical modalities, 62, 165
 - Transformer, 61, 159, 168
 - Interface devices, 156, 158
 - modelling, 115, 124, 128–130, 183
 - requirement, 4, 24–26
 - research plan, 26
 - Trust Engine, 50–51, 203–205, 209–210, 220
- user-centred design, 12–16, 26, 36, 265, 291
- user-generated content, 337
- value
 - creation, 298–300, 303–308, 312, 322, 330–332, 336
 - net/network, 5, 37, 281, 297–338
- vectorial approach, 284
- view policy, 219
- visualisation, 102, 126, 154, 216–223, 255
- web logging, 11
- Wellness Provider, 109, 231
- Wellness-aware Multimodal Gaming System, 244–248, 271, 275, 369
- wish list, 27, 30
- work team, 345, 349–350, 352–353, 375, 378–379

