

INDEX

- .prj, 106
- .pro, 106
- .sis installation file, 21, 24, 31, 43
- .ts files, 44, 45

- a.exec(), 34
- AccountsWidget, 117–19, 120, 121
- active objects, 103–5
- ActiveState Perl, 15
- AJAX, 57
- Alarms API, 78–80
- AOWrapper, 110
- AOWrapper.cpp, 108
- AOWrapper.h, 108
- AOWrapperPrivate.cpp, 108
- AOWrapperPrivate.h, 108
- Apple Store, 1
- arrays, 98

- BallExample, 143–5
- Bluetooth, 3, 9, 14, 21, 26, 31
- bouncing ball example, 142–6
- buffer descriptors, 97
- byte-order property, 54

- C, 4
- C class, 96
- CActive, 103, 104
- CActiveScheduler, 104
- Calendar API, 78, 80–2
- call-back functions, 35
- Camera API, 78, 82–4, 175–8
- CameraDemo, 175–8
- CAOWrapperPrivate, 111–14
- Capabilities, 59
- Carbide.c++, 106, 132

- Carbide.c++ IDE, 19–20, 29
 - configuring QT support in, 21
 - using, with Qt for Symbian, 21–6
 - patching, 20
- CBase class, 96
- central widget, 47
- CExample, 100
- classes, 109–10
 - Symbian-specific, 110–15
- cleanup stack, 99–100
- clicked() signal, 48
- communication, 51–63
- connect(), 35, 36, 37
- ConstructL, 98, 100

- data types, 95–8
- Debug perspective, 22
- deep copy, 43
- descriptors, 96–8
- development of Qt, 7–10
- dialogs, 46–7
- displaying recent messages, 122–9
- Document Object Model (DOM), 57
- Dynamic Link Library (DLL), 101, 102

- email, 71
- EPOC16, 4
- EPOC32, 4
- Ericsson, 4
- error codes, 115–16
- error handling, 105
- event listeners, 35
- events, 48–9
 - delivery, 48–9
- exception handling, 98–9
- EXE, 101, 102
- executable files, 101–2

- EXEXP, 101
- exitButton, 33, 35

- files, 52–6
- Flash, 8
- Forum Nokia Wiki, 77
- FriendClient, 158–63
- FriendListForm, 163
- FriendsApp, 156–69
- FTP, 56, 57, 149

- Google, 1, 7, 58, 62
- graphical user interface (GUI), 6, 101, 164
- Greenphone, 7–8

- heap descriptors, 97
- ‘Hello World’ application, 13, 22–5, 29–31
- HTTP, 56, 57, 58, 61–2, 149, 157

- implicit sharing, 43
- Input/Output, 52
- installation of Qt for Symbian, 20–1
- Installer API, 78, 84–5
- internationalization, 43–5
- IRDA, 3

- Java, 2, 3, 8
 - SWING module, 7
- Java Runtime Environment, 14

- Keyhole Markup Language, 58
- Landmarks API, 78, 85–6
- layouts, 32–4
- leaves, 98–9
- licensing, 10
- Loader, 117
- Location API, 178–80
- LoginForm, 163, 164
- LString, 42

- M classes, 96
- Maemo, 75
- MagnetWidget.cpp, 108
- MagnetWidget.h, 108
- MagnetWidget.pro, 107, 108–10
- main(), 34
- Markfile, 106
- Matsushita, 4

- memory, 5–6
 - allocation, 116
 - management, 34–5, 98–101
- Messaging API, 117–21, 172–5
- meta-information, 42
- meta-object compiler (moc), 39–40
- microkernel architecture, 5
- MMS, 9, 71, 172
- MOAP(S), 4
- mobile developers, 1–4
- mobile domain, 7–9
- Mobile Java, 65
- Motorola, 4, 15
- MyWorkerClass, 137–42

- naming conventions, 95–8
- networking, 56–63
- NetworkServices, 59
- Novia Ovi Suite, 1, 14, 21, 26
- NTT DOCOMO, 4

- object model, 37–8
- object ownership, 34–5
- Open C/C++, 3, 6
 - plug-in, 17–18
- options menu, 146–9

- painting, 49–51
- Perl, 15
- perspective, 22
- platform security, 102
- PLUGIN, 101
- pointer descriptors, 97
- private implementation (pimp) pattern, 107
- Profile API, 78, 87–8
- properties, 42
- Psion, 4, 5
- public slots:, 38, 39, 60, 130, 138, 165, 167
- Python, 6, 8, 65
- Python for S60, 3

- Q_OBJECT macro, 40
- QAction, 146, 147
- QApplication, 30, 34
- QBuffer, 52
- QByteArray, 52
- QContact, 68
- QContactManager, 68

- QCoreApplication, 48, 49, 53
- QDataStream, 52, 53, 54, 56
- QDialog, 46
- QEvent, 48–9
- QFile, 53, 57
- QFtp, 57
- QGeoAreaMonitor, 70
- QGeoCoordinate, 70
- QGeoPositionInfo, 70
- QGeoPositionInfoSource, 70
- QGeoSatelliteInfo, 70
- QGeoSatelliteInfoSource, 70
- QHBoxLayout, 40
- QHttp, 57
- QIntValidator, 40
- QIODevice, 52, 53, 56
- QLabel, 30, 40, 107, 119, 149, 153, 172, 179
- QLineEdit, 39, 40, 41, 60
- QMainWindow, 47, 60, 136, 137, 140
- qmake*, 43
- QMediaPlaylist, 72
- QMessageServiceAction, 71, 122, 123
- QMessageStore, 118, 119, 123
- QMetaObject, 42
- QMouseEvent, 49
- QNetworkAccessManager, 57, 149
- QNetworkConfigurationManager, 67
- QNetworkReply, 57, 149
- QNetworkRequest, 57
- QObject, 34, 35, 37, 38, 42, 44, 49, 131
- QPainter, 51, 142
- QPaintEvent, 49, 50, 51
- QProcess, 52
- QPushButton, 42, 48
- QServicePluginInterface, 129
- QSlider, 153
- QStackedLayout, 119, 120
- QString, 41, 42, 43, 53, 55
- QSystemDeviceInfo, 74
- QSystemInfo, 74
- Qt C++, 22, 24, 25, 26
 - Property Editor, 22, 24, 132
 - Widget Box, 22, 24
- Qt Commercial Version, 10
- Qt Designer, 7, 29, 44
- Qt Designer Editor, 24, 132
- Qt GNU GPL v3.0, 10
- Qt GNU LGPL v2.1, 10
- Qt-like API extensions, 77–93
- Qt Linguist, 7, 45
- QT Mobility APIs, 65–76
 - audio file, 72
 - Battery status, 74
 - bearer management, 65–6
 - contacts, 67, 68–9
 - Device information, 73
 - device information, 74
 - Display information, 73
 - features, 73
 - Input method, 74
 - location, 69–71
 - messaging, 71
 - multimedia, 72
 - Network, 73
 - network session, 67
 - Power state, 74
 - Profile, 74
 - publish and subscribe, 72–3
 - service framework, 73
 - SIM, 74
 - Storage information, 73
 - system information, 73–5
 - Version, 73
 - videos, 72
- QtCore, 52, 106
- QTcpServer, 56
- QTcpSocket, 56
- QTextStream, 52, 56
- QtGui, 106, 108
- QThread, 119
- QTimer, 142
- QTimerEvent, 49
- QtNetwork, 106
- QTranslator, 45, 46
- QtScript, 106
- QtServiceFramework, 131
- QtSoftware, 7
- QtSvg, 106
- QtTest, 106
- QtWebKit, 106
- QtXml, 106
- QtXmlPatterns, 58
- quit (), 34
- QVariant, 55
- QVBoxLayout, 33

- QWidget, 33, 34, 46, 61, 142, 169
- QXmlStreamReader, 57, 58, 63, 157

- R classes, 96
- RBuf descriptor, 42
- RecentMessagesWidget, 122–8
- RIM, 1
- RotateWidget, 49, 50
- RThread, 105

- S60, 4
- SAMSUNG, 1
- SAX parser, 153, 158
- Sensor API, 78, 88–9, 107, 110, 115, 169–72
- Series 40 (S40), 8
- service framework, 129–32
- Service Framework Library, 131
- service plug-in, 129–32
- setValue(int), 36, 37
- shallow copy, 43
- show(), 33
- SIBO, 4
- SIGNAL(), 36
- ‘signals and slots’, 35–7
 - basic, 35–6
 - connecting, 40–1
 - custom, 38
 - implementation, 39
- Simple API for XML (SAX), 57
- SimpleMultiplier, 37, 38, 39, 41
- Skype, 7
- slider, 33
- SLOT(), 36
- SMS, 9, 71, 117, 172
- Sony Ericsson, 4, 15
- spinBox, 33
- SQL, 6
- startTimer(), method 51
- static classes, 96
- streams, 52–6
- StringLoader, 44
- Symbian C++, 3, 8, 15, 16
- Symbian Developer Library, 17
- Symbian OS, 4–6
 - class naming conventions, 95–8
- Symbian Platform SDK, 13, 15–17
 - documentation folder, 17
 - epoc32, 17
 - installation, 16
 - patching 3rd Edition feature Pack 1, 16

- T classes, 95–6
- TCP, 56, 57
- TDes, 97
- TDesC, 97
- Telephony API, 78, 90–1
- TFixedArray, 98
- thin templates, 101–2
- threads, 105
- timers, 49–51
- TPriority, 104
- translation of text, 44–5
- TRAP harness, 98
- Trolltech, 7–8
- two-phase construction, 100

- UID1, 102
- UID2, 102
- UID3, 102
- UDP, 56
- UIQ, 4, 15
- UIQ3, 33
- User Interface (UI), 42–7
- Utils API, 78, 91–2

- validators, 40–1
- valueChanged(int), 36, 37
- Vibra API, 78, 92–3
- Visual Studio, 29
- Volvo, 7

- Web 2.0, 57
- website downloader, 149–52
- widgets, 132–7
 - implementation, 48
 - sub-classing, 45–6
 - using, 48
- Windows, 13
- Windows Mobile, 75
- worker class example, 137–42

- XML, 6, 42, 44, 56–63, 132, 152–3, 156, 157, 158
- XMLDataView, 59–60
- XQAccelerationDataPostFilter, 172
- XQAccelerationSensor, 169, 170
- XQAlarms, 78, 79
- XQCalendar, 81–2
- XQCamera, 82–3, 175

XQConversions, 91
XQDeviceOrientation, 88–9, 169
XQLandmark, 86
XQLandmarkManager, 86
XQLocation, 178, 179
XQMessaging, 172, 174, 175

XQProfile, 87–8
XQTelephony, 90–1
XQUtils, 91–2
XQVibra, 92–3
XQViewFinderWidget, 175