

# INDEX

- (Multiple) phase-shift keying (M-PSK), 132
- 3G cellular networks, 121
- 3G cellular service, 124
- 3GPP, 122, 123
- 3GPP2, 122, 127
  
- ACQUIRE, 23
- Activation, 1
- Active tag, 106
- Adaptive threshold-sensitive energy-efficient network protocol (APTEEN), 23
- Address-centric, 22
- Airborne agents, 4
- Airflow measurement, 54
- Air traffic control, 43
- AM, 101
- Amplitude modulation (AM), 101
- AMR, 12
- APIs, 13
- Applications, 42
- APTEEN, 23
- ARPAnet, 27
- Artificial intelligence, 2
- Asset management, 56
- Automated meter reading (AMR), 12
- Automatic meter reading, 43
  
- Backscatter, 106
- Base station transceiver (BTS), 127
- Binary PSK (BPSK), 132
- Bluetooth, 8, 30, 110
- Body-worn medical sensors, 43
- Borders monitoring, insert 2
- BPSK, 132
- BTS, 127
- Building automation, 53
- Building loss, 100
  
- C1WSNs, 7, 38
- C2WSNs, 7, 38
- CADR, 23
- Call state control function (CSCF), 124
- Category 1 WSNs (C1WSNs), 7, 38
- Category 2 WSNs (C2WSNs), 7, 38
- CBM, 65
- CDMA, 122, 129
- Centibots, 43
- Chemical and biological measurements, 77
- Chemical contamination analysis, 90
- Civil and environmental engineering, 67
- CMOS (complementary metal-oxide semiconductor), 7

- Code-division multiple access (CDMA), 122, 129
- Cognitive radio (CR), 101, 120
- Coherent demodulation, 133
- Coherently detected DPSK, 136
- Cold-war era military sensor networks, 26
- Collaborative data processing, 85
- Combat field surveillance, 43
- Command, 11
- Commercial applications, 11
- Commercial building and control, 49
- Commercial-off-the-shelf (COTS), 27, 64
- Communication, 11, 79
- Communication drivers, 80
- Communication processors, 80
- Components in a sensor network, 1
- Computation, 25
- Computational logic, 78
- Condition-based maintenance (CBM), 65
- Connectivity and topology, 30
- Constrained anisotropic diffusion routing (CADR), 23
- Constrained energy use, 85
- Control, 1, 11
- Control and actuation systems, 18
- Control networks, 18
- Cooperative, 40
- COTS, 27, 64
- COUGAR, 23
- CR, 101, 120
- CSCF, 124
  
- DARPA, 27
- Data-centric, 22
- Data management, 25
- Data processing, 26, 29, 80
- Data rate, 118
- Defense Advanced Research Projects Agency (DARPA), 27
- Defense systems, 43
- Department of Homeland Security (DHS), 88
- Deterministic routing WSN systems, 70
- DHS, 88
- Differential detection, 133
- Differential quaternary phase-shift keying (DQPSK), 134
- Differentially detected DPSK, 136
- Diffraction, 95, 96
- Diffuse multipath, 96
- Directed diffusion, 23
- Direct-sequence spread spectrum (DSSS), 103
- Disposable microsensors, 11
- Distributed data querying, 25
- Distributed robotics, 44
- Distributed sensor networks (DSN), 27
- DQPSK, 134
- DSN, 27
- DSSS, 103
  
- Earthquake-oriented sensors, 4
- EKG, 58
- Electromagnetic interference (EMI), 106
- Embedded computing, 3
- Embedded networking sensing, 4
- Embedded sensing, 77
- Embedding, 16
- EMI, 106
- Encoding, 137
- Encryption, 76
- Energy, 53
- Energy monitoring, 55
- Enhanced data rate (EDR), 111
- Entity tracking, 24
- Environmental applications, 10
- Environmental control, 44
- Environment-oriented WSN, 76
  
- Fab environment, 62
- Failure, 86
- FEC, 135, 137
- FHSS, 103
- Fixed-mobile convergence operators, 130
- Fleet management, 56
- FM, 101
- Forward error-correction (FEC) coding, 135
- Free-space wave, 94
- Frequency hopping spread spectrum (FHSS), 103
- Frequency modulation (FM), 101
- Frequency-division multiplexing, 115
  
- GAF, 24
- GBR, 23
- GEAR, 24
- General Packet Radio Service (GPRS), 125
- Generic protocol stack, 20
- Geographic adaptive fidelity (GAF), 24
- Geographic and energy aware routing (GEAR), 24
- Global identification, 17
- Global positioning system (GPS), 15
- Global system for mobile communications (GSM), 122
- GPRS, 123
- GPRS/GSM, 21
- GPS, 15
- Grid computing, 25
- GSM, 122

- Habitat monitoring, 68
- Hardware, 79
- Harvard University, 58
- Health applications, 10
- Heartbeat sensors, 44
- Heating, ventilation, and air-conditioning (HVAC), 11
- High-frequency tags, 107
- Highway monitoring, 63
- Historical survey of sensor networks, 26
- Home applications, 10
- Home control, 51
- Home security, 44
- Home subscriber server (HSS), 125
- Hotspot/WiMax, 117
- HSS, 125
- HVAC, 11, 50
  
- IEEE 1451.5 (Wireless Sensor Working Group), 14
- IEEE 802.11a/b/g, 14, 21
- IEEE 802.11b/g Frequency bands, 113
- IEEE 802.11e, 112
- IEEE 802.11n Protocol, 105
- IEEE 802.15.1 PAN/Bluetooth, 14, 21
- IEEE 802.15.3 ultrawideband (UWB), 14
- IEEE 802.15.4, 8, 14, 21, 50
- IEEE 802.16 WiMax, 14
- IEEE 802.22, 120
- IEEE PAN, 104
- Image-based sensors, 11
- Indoor interference, 99
- Indoor signal strength, 98
- Industrial automation, 56
- Industrial monitoring, 49
- Industrial, scientific, and medical (ISM), 8
- Intelligence, surveillance, and reconnaissance (ISR), 41
- Interference, 100
- ISM band, 8, 104
- ISR, 41
  
- Lab-on-a-chip, 4
- Large sensor population, 15
- Large topology support, 85
- Law-enforcement, 41
- LEACH, 23
- Lighting, 53
- Lighting control, 45
- Limb movements, 58
- Location information, 24
- Location-finding system, 29
  
- Low-duty-cycle, 7
- Low energy-adaptive clustering hierarchy (LEACH), 23
  
- Magnetic field sensors, 3
- MANET, 9
- Manufacturing control, 45
- MECN, 24
- Medical applications, 57
- MEMSs, 3, 88
- Meter reading, 49
- Microclimate assessment, 41
- Micro-electromechanical systems (MEMSs), 3, 88
- Microscale, 83
- Microsensors, 4
- Military applications, 10, 64
- Military examples, 65
- Military surveillance, 66
- Military tactical surveillance, 45
- MIMO, 116
- Miniature sensor, 19
- Miniaturization, 87
- Minimum energy communication network (MECN), 24
- Mobile ad hoc network (MANET), 9
- Mobile switching center (MSC) server, 124
- Modulation, 101
- Modulation basics, 131
- Modulation schemes, 102
- Monitoring for toxic chemicals, 45
- Motes, 3
- Moving Pictures Expert Group 4 (MPEG-4), 2, 28
- MPEG-4, 2, 28
- M-PSK, 132
- MSC, 124
- Multihop, 40
- Multihop networking, 7
- Multipath, 95
- Multipath types, 96
- Multiple-input, multiple-output (MIMO), 116
- Multipoint-to-point, 40
- Muscle activity, 58
  
- Nanoscale, 83
- Nanoscale electromechanical systems (NEMS), 28
- Nanoscale sensor applications, 69
- National Oceanographic and Atmospheric Administration (NOAA), 26
- National security, 3
- National security applications, 49, 86
- NEMO, 9

- NEMS, 28
- Network design, 25
- Network mobility (NEMO), 9
- Networking security, 21
- Node unit costs, 30
- Noncooperative, 40
- Nonpropagating WSN systems, 70
  
- OEMs, 6
- OFDM, 115
- Operating environment, 17
- Operating system, 80
- Operating systems and middleware, 19
- Original equipment manufacturers (OEMs), 6
  
- Passive sensors, 18
- Patch antenna, 108
- Path loss, 97
- PEGASIS, 23
- Perimeter security, 46
- Personal health diagnosis, 46
- Phase modulation (PM), 101
- Phase shift keying (PSK), 102
- Physical connectivity, 21
- Physical measurement, 77
- Physical security, 10
- Piezoelectric, 41
- PM, 101
- Point-to-point, 39
- Power, 78
- Power consumption, 6, 29, 84
- Power-efficient gathering in sensor information systems (PEGASIS), 23
- Power generator, 29
- Power management, 2
- Power unit, 18
- Present-day sensor network research, 28
- Processing architecture, 17
- Processing unit, 18
- Programming interfaces (APIs), 13
- Propagation impairments, 94
- Protocol comparison, 105
- Protocols, 104
- Protocol stack, 20
- PSK, 102
- Public safety, 48
  
- QAM, 102, 135
- QoS, 24, 112, 118
- Quadrature amplitude modulation (QAM), 102, 135
- Quality of service (QoS), 24, 112, 118
- Querying capabilities, 85
- Querying techniques, 89
  
- Radiation and nuclear-threat detection systems, 46
- Radio-frequency identification (RFID), 104
- Radio-frequency integrated circuits (RFICs), 6
- Radio propagation modes, 95
- Radio system design, 100
- Radio technology, 94
- Reconfigurable sensor networks, 62
- Reconnaissance, 4
- Reed-Solomon (RS), 138
- Reflection, 95, 96
- RFICs, 6
- RFID, 50, 57, 104
- RFID tag, 46, 109
- RFID tags' frequency, 109
- Routing and data dissemination, 22
- RS, 137
- Rumor routing gradient-based routing (GBR), 23
  
- SAR, 24
- Scattering, 95, 96
- Security, 25
- Self-configurable and self-organizing WSN systems, 70
- Self-configuring, 26
- Self-organization, 85
- Sensing of temperature, 55
- Sensing unit, 18
- Sensor drivers, 80
- Sensor field, 15
- Sensor protocols for information via negotiation (SPIN), 23
- Sensor taxonomy, 80
- Sensor technology, 76
- Sensor transducer (s), 79
- Sequential assignment routing (SAR), 24
- SG, 124
- Shannon's equation, 102
- Signal attenuation due, 99
- Signaling gateway (SG), 125
- Signal processing, 2, 14
- Singlehop, 39
- Small minimum energy communication network (SMECN), 24
- Smart bricks, 47
- SMECN, 24
- Software, 78
- Software-defined radios, 14
- Specular multipath, 96
- Spectrum, 118
- SPEED, 24
- SPIN, 23

- Standards for transport protocols, 19
- Stateless protocol for end-to-end delay (SPEED), 24
- Tag-reading sensors, 75
- Target deduction, 24
- Taxonomy, 84
- Taxonomy of WSN technology, 69
- TCCs, 138
- TDMA, 109, 122
- TEEN, 23
- Telemedicine, 47
- Third Generation Partnership Project (3GPP), 122
- Third Generation Partnership Project 2 (3GPP2), 122
- Third generation sensors, 28
- Threshold-sensitive energy-efficient sensor network protocol (TEEN), 23
- Time-division multiple access (TDMA), 109, 122
- TinyOS, 14, 19, 67
- Topology, 86
- Toxic agents, 43
- Traffic surveillance, 11
- Transmission channels, 30
- Tsunami alerting, 47
- Turbo coding, 138
- Turbo convolutional codes (TCCs), 138
- Typical sensing node, 18
- Typical sensor network arrangement, 16
- UFAD, 54
- UMTS, 122
- UMTS release 5, 126
- Underfloor air distribution (UFAD) systems, 54
- UNII, 114
- UNII bands, 104
- Universal terrestrial access network (UTAN), 124
- Universal terrestrial radio access (UTRA), 122
- UTAN, 124
- UTRA, 123
- UWB, 112
- Video surveillance, 10
- Voice over packet, 6
- Weight, 6
- Wi-Fi (IEEE 802.11), 119
- Wi-Fi tags to track children, 48
- Wildfire instrumentation, 68
- WiMax, 28, 31, 119
- Wireless automated meter reading (AMR), 12
- Wireless mesh networks (WMNs), 9
- Wireless motes, 2
- Wireless router, 39
- Wireless sensor networks (WSNs), 2
- WLAN, 112
- WMN, 9
- WNS, 3
- WN trends, 87
- ZigBee, 8, 14, 21, 28, 50, 104, 116
- ZigBee Alliance, 22
- ZigBee protocol stack, 117

