

Index

Symbols and Numerics

\ (backslash), 402–403
{ } (curly brackets), 208, 402–403
80004005: Data source name not found error message, 631
800a0bcd: Either BOF or EOF is true error message, 632
80040e07: Data type mismatch in criteria expression error message, 631
80040e10: Too few parameters error message, 631
80040e14: Syntax error in INSERT INTO statement error message, 631
80040e21: ODBC error on Insert or Update error message, 631

A

absolute paths, 45–46
Access databases, 627
accessibility
 designing with, 37
 options, 129
 overview, 35
 restricting access to pages, 725–726
 settings, 438–439

accessing
 AP Elements panel, 21
 Code Navigator, 240
 Link Checker panel, 475
action
 defined, 371–372
 JavaScript behavior, 371–372
 Set Text of Frame, 403–404
 Set Text of Status Bar, 405
 Swap Image Restore, 411
 Validate Form, 412
Active Server Pages (ASP)
 building detail pages in, 690–694
 building master pages in, 690–694
 overview, 576
ActiveX Control
 overview, 138
 setting properties, 141–143
adding. *See also*
 attaching; building;
 creating; inserting
accessibility settings
 to frames with Tag Editor, 439
alternating row
 background colors, 261
ColdFusion database
 connections, 616–621
columns to tables, 161–163
content to layers, 350

Design Notes to files, 532–534
dynamic form elements
 to pages, 660–661
dynamic text, 650
Fireworks as image editor, 314–315
Flash movies to pages, 128–132
floating frames to pages, 443–445
form buttons, 187–188
forms to pages, 719–720
forms to update pages, 732–735
frames, 427
Go button, 393–394
hyperlinks, 114
image border, 101
image fields, 185–186
image links, 100, 117, 126
inline style to pages, 205–206
Insert Record behavior, 721–722
JavaScript to HTML pages, 372–374
JSP (JavaServer Page)
 database connections, 608–610
Log In User server
 behavior to pages, 724–725
 logic to delete records, 742–743
Netscape Navigator Plugins, 143–145
<noframes> content, 441–442

- accessibility settings to frames with Tag Editor *(continued)*
- parameters to media objects, 141–142
- PHP database connections, 583–587
- properties to CSS styles, 221–222
- recordset navigation bars, 658–660
- rows to tables, 161–163
- Set Text of Frame action to pages, 403–404
- Set Text of Status Bar action to pages, 405
- Shockwave movies, 138–140
- Spry effects, 387–389
- style information to layer styles, 363–364
- style to new/existing style sheets, 214–217
- Swap Image behavior to pages, 410–411
- text, 73–74
- titles to framesets, 433
- adjusting
 - AP Div layers, 357–358
 - default file extensions, 63
 - editable tag attributes, 263–264
 - JavaScript behaviors, 378–379
 - library highlighting preferences, 279
 - links sitewide, 497–498
 - source formatting, 492–496
 - table rows, 258–259
 - targets, 100–101
 - z-index (stacking order), 356
- Administer Website dialog box, 548–551
- administering sites with Contribute, 547–549
- Adobe
 - Dreamweaver Exchange, 128, 412–413, 683
 - Extension Manager, 413–414
 - Flash, 34, 329–331
 - FlashPaper software, 132–133
 - Illustrator, 40
 - Labs Spry effects, 389
 - Learning Guide, 133
 - Online Developers Guide, 418
 - Online Forums, 29
 - Photoshop, 34, 40
 - Product Improvement Program, 29
 - resources, 6
 - TechNote 15220, 504
 - Training, 29
 - Web site, 29, 132, 245, 413, 526
- Adobe AIR
 - downloading, 341
 - Marketplace Web site, 342
 - overview, 341–342
- Adobe Bridge
 - inserting files from, 339
 - launching from Dreamweaver, 338
 - launching Dreamweaver from, 338
 - overview, 337–338
 - Web site, 338
- Adobe Flash For Dummies* (Finkelstein & Leete), 128
- advanced method of site setup, 49–53
- advanced styling Web sites, 196
- AIFF (Audio Interchange File Format) file format, 146
- AIR applications. *See* Adobe AIR
- Air extension instructions Web site, 342
- Ajax Web site, 341
- Align option, 131
- aligning images, 102–103
- All mode, 220
- alternate text, 102
- Ampsoft Web site, 83
- analyzing errors in Code view, 474
- anchor points, 68
- AP Div layers. *See also* layers
 - adjusting, 357–358
 - attaching Drag AP Element behavior, 384–386
 - changing z-index, 356
 - converting to tables, 365–367
 - converting tables to, 365, 367
 - Drag AP Element behavior, 383–386
 - drawing, 349–350
 - editing visibility, 356–357
 - managing with AP Elements Panel, 353–357
 - moving, 358
 - naming layers, 355
 - overview, 347–348
 - preventing overlap, 354–355

- resizing, 358
- selecting, 357–358
- AP elements, 68
- AP Elements panel
 - accessing, 21
 - managing AP Div layers with, 353–357
- Apache, 572
- App Developer/App Developer Plus layout option, 10
- Appear/Fade dialog box, 388–389
- Apple iPhone, 339
- applets, 138
- application bar, 14
- application layer, 570
- application servers. *See also* specific servers
 - Active Server Pages (ASP), 576
 - ASP.NET, 576
 - ColdFusion, 577
 - Java Server Pages (JSP), 576–577
 - PHP, 574–576
 - Web server combinations, 577–578
- applications
 - choosing application servers, 574–577
 - choosing platforms, 571
 - choosing Web servers, 571–574
 - databases, 580–582
 - overview, 569–570
 - setting up Testing Server, 578–580
 - Web/application server combinations, 577–578
- applying
 - custom class styles to style sheets, 219
 - source formatting, 496–497
 - templates to pages, 270–271
- architecture, 39
- ASP (Active Server Pages)
 - building detail pages in, 690–694
 - building master pages in, 690–694
 - overview, 576
- ASP database connections
 - connecting with custom connection string, 593–594
 - connecting with Data Source Name (DSN), 591–593
 - connecting to remote database without DSN, 594–596
 - connection types, 589–590
 - creating new pages, 590–591
 - deleting, 597
 - editing, 596–597
 - overview, 589–590
- ASP.NET
 - building detail pages in, 694, 702
 - building master pages in, 694
 - creating links that open detail pages, 700–702
 - creating master pages, 700
 - creating new pages, 600–601
 - dataset, 645
 - developing detail pages for, 700–702
 - developing master pages for, 700–702
 - overview, 576
 - system requirements, 713
- ASP.NET database
 - connections
 - connection types, 599–600
 - deleting, 605
 - editing, 605
 - overview, 599–600
- Assets panel
 - inserting images, 96
 - Library area, 279–280
- Attach External Style Sheet dialog box, 207, 217–218
- attaching. *See also* adding Design Notes to files, 529–530
 - Drag AP Element behavior to AP Div layer, 384–386
 - JavaScript behaviors, 377–378
 - Set Text of Container behavior to pages, 402–403
 - style sheets to documents, 217–218
- attributes. *See also* image attributes
 - creating editable tag, 261–264
 - <frame>, 435
 - <frameset>, 434
 - <href>, 115, 117
 - <name>, 119

attributes (*continued*)
 searching code for, 467
 searching for, 86–88
 setting Flash movie,
 130–132
audience expectations,
 32–33
Audio Interchange File
 Format (AIFF) file
 format, 146
Autoplay option, 131

B

background activity
 logs, 522
background colors, 261
Background properties,
 225–226
\ (backslash), 402–403
bandwidth capabilities, 33
base URLs, 577
Beach, Matt, SitePoint
 article, 40
behaviors. *See also*
 JavaScript behaviors
 Behaviors panel, 375–376
 controlling layers with,
 364–365
 creating custom Server,
 683–686
 defined, 276
 editing Jump Menu,
 392–393
 Jump Menu, 184, 391–394
 third-party, 412–414
Bg Color option, 131
bindings
 Binding menu, 640
 defined, 649
block-level element, 346
Block properties, 227–229
block snippets, 294
<blockquote> tag, 78
<body> tag
 adding text, 73
 design view, 16
 style rendering
 toolbar, 14
bold
 CSS, 80
 HTML, 78
borders
 adding image, 101
 Border properties,
 230–231
Box properties, 229–230
BoxTop Web site, 42
BrandGopher tool, 342
Bridge. *See* Adobe Bridge
brightness (image), 104
brochureware, 34
broken links, 475
Browser Compatibility
 panel, 472–473
 setting target browsers
 for, 471–472
 testing (Web sites),
 470–475
browsers
 floating frames in
 older, 446
 launching, 115
 optimization, 38
 previewing dynamic Web
 pages in, 669–670
 previewing pages in, 461
 previewing pages in
 multiple, 463–464
 setting for Browser
 Compatibility, 471–472
 setting primary/
 secondary, 461–463
support Web sites, 460
usage statistics, 38
budget, 35
building. *See also* adding;
 creating; inserting
 confirmation pages,
 739–742
 detail pages, 690–694,
 697–699
 framesets, 424
 login pages, 724–725
 master pages, 690–694
 nested templates,
 264–266
OLE DB connections,
 601–604
pages to delete records,
 737–743
record insert pages,
 719–722
recordsets, 708–711
results pages, 708–712
SQL Server
 connections, 604
 update pages, 727–735
Web pages that
 use ColdFusion
 components, 678–680
buttons
 adding form, 187–188
 CSS Styles panel viewing,
 207–208
 Go, 393–394
 image-editing, 103–104
 radio, 180–183, 674–675
 rollover, 311
 templates, 128

C

Call JavaScript behavior,
 379–380

- Call JavaScript dialog box, 380
- Cascading Style Sheets.
See CSS (Cascading Style Sheets)
- Celic, Danilo (blogger), 305
- cells
 - formatting table, 163–164
 - inserting images in tables, 163
 - inserting text in tables, 163
 - merging in tables, 160
 - splitting in tables, 160–161
- center (CSS), 80
- centering single images in browser window, 226
- CFCs (ColdFusion Components)
 - building Web pages, 678–680
 - conditional code block execution, 683
 - creating, 680–683
 - overview, 677–678
- Change Link Sitewide dialog box, 123, 497–498
- Change Property behavior, 380–382
- Change Property dialog box, 381–382
- changing
 - AP Div layers, 357–358
 - default file extensions, 63
 - editable tag attributes, 263–264
 - JavaScript behaviors, 378–379
 - library highlighting preferences, 279
 - links sitewide, 497–498
 - source formatting, 492–496
 - table rows, 258–259
 - targets, 100–101
 - z-index (stacking order), 356
- check boxes
 - adding to forms, 673–674
 - inserting in forms, 178–180
- Check In/Check Out Files feature
 - enabling, 535–536
 - overview, 535
 - using, 536–537
- check page, 18
- Check Plug-in behavior, 382–383
- Check Plugin dialog box, 382–383
- Check Spelling dialog box, 489–490
- checking
 - grammar, 488–490
 - links, 475–477
 - readability, 488–490
 - the Site Definition_mm folder, 555
 - spelling, 488–490
- choosing
 - AP Div layers, 357–358
 - application servers, 574–577
 - databases, 582
 - platforms, 571
 - Web servers, 571–574
 - workspace layout, 9–11
- class CSS styles, 209–210
- class (HTML), 77
- Class option, 132
- Classic layout option, 10
- Clean Up HTML/XHTML dialog box, 490–492
- Clean Up Word HTML dialog box, 487–488
- cleaning Word HTML, 487–488
- client expectations, 32
- client-side image maps, 68
- client-side JavaScript behaviors
 - actions, 371–372
 - adding to HTML pages, 372–374
 - attaching, 377–378
 - Call, 379–380
 - Change Property, 380–382
 - changing, 378–379
 - Check Plug-in, 382–383
 - deleting, 378–379
 - deprecated, 370
 - Drag AP Element, 383–386
 - Dreamweaver default, 374–379
 - events, 371
 - Go to URL, 389–391
 - in Internet Explorer, 382
 - Jump Menu, 391, 392–393
 - Jump Menu Go, 393–394
 - Open Browser Window, 394–397
 - overview, 370–372
 - Popup Message, 397–398
 - Preload Images, 399
 - Set Nav Bar Image, 400–401

- client-side JavaScript
 - behaviors (*continued*)
 - Set Text of Container, 402–403
 - Set Text of Field, 406
 - Set Text of Frame, 403–404
 - Set Text of Status Bar, 404–405
 - Show-Hide Elements, 407–409
 - Swap Image, 409–411
 - Swap Image Restore, 411
 - updating old, 379
- cloaking
 - defined, 510
 - disabling options, 511–512
 - enabling options, 511–512
 - individual folders, 513
 - overview, 52, 510–511
 - uncloaking cloaked file types, 513–514
- code
 - applying source
 - formatting, 496–497
 - block execution, 683
 - Category preferences, 493–496
 - changing links, 497–498
 - checking spelling, grammar, and readability, 488–490
 - cleaning up Word HTML, 487–488
 - consistency in HTML/XHTML, 490–492
 - formatting overview, 484
 - Live, 17
 - local link, 44
 - overview, 483–484
 - Paste Special
 - command, 486
 - samples, 2
 - searching for tags and attributes, 467
 - setting copy and paste preferences, 485–486
 - setting formatting preferences, 492
 - source formatting
 - overview, 492
 - validating, 468–470
 - Code Category
 - preferences, 493–496
 - Code files, 665
 - Code Navigator feature, 63, 240–241
 - Code Snippets, 295–304.
 - See also* snippets
 - Code view
 - analyzing errors in, 474
 - coding links in, 126
 - defined, 16
 - JavaScript
 - behaviors, 373
 - Macintosh location of, 13
 - moving styles within, 237
 - templates in, 251
 - Windows location of, 12
 - Coder layout option, 11
 - Coder Plus layout
 - option, 11
 - coding links, 126
 - coding toolbar
 - defined, 14
 - Macintosh location of, 13
 - Windows location of, 12
 - ColdFusion
 - building detail pages in, 690–694
 - building master pages in, 690–694
 - creating documents, 616–617
 - debugging applications (Windows), 17, 481–482
 - Help, 8
 - overview, 577
 - Resources Support Web site, 508
 - ColdFusion Administrator
 - configuring database connections with, 618–620
 - editing ColdFusion database applications with, 622–623
 - ColdFusion Components (CFCs)
 - building Web pages, 678–680
 - conditional code block execution, 683
 - creating CFCs, 680–683
 - overview, 677–678
 - ColdFusion database
 - connections
 - adding, 616–621
 - deleting, 623
 - editing, 621–623
 - overview, 615–616
 - collapsed mode, 21
 - colors
 - background, 261
 - icons, 22
 - columns
 - adding to tables, 161–163
 - defining in File view, 539–541
 - deleting from tables, 163
 - merging in tables, 158–161
 - sorting, 541
 - splitting in tables, 158–161
 - commands
 - Get, 517
 - History Panel, 306–310
 - Insert Flash Video, 133
 - menu, 310

- Paste Special, 486
 - Put, 517
 - Synchronize Files, 523–526
 - comment out, 204
 - comments, 68
 - comp, 40
 - compiling update pages, 730
 - compound CSS styles, 212–214
 - Configure RDS Server dialog box, 508–509
 - configuring
 - database connections
 - with ColdFusion Administrator, 618–620
 - database connections in Dreamweaver, 620–621
 - MySQL database
 - connections for PHP, 583–597
 - remote access types, 501–502
 - confirmation pages
 - building, 739–742
 - creating delete links to open, 738
 - defining URL parameters to pass, 738–739
 - connecting
 - to ASP databases with custom connection strings, 593–594
 - to ASP databases with Data Source Name (DSN), 591–593
 - to Contribute sites, 552–553
 - to databases, 611–612
 - to databases with virtual paths, 596
 - to remote databases without DSN, 594–596
 - Connection String
 - Template dialog box, 601
 - connections. *See also* remote connections
 - ASP database, 589–590
 - ASP.NET database, 599–600
 - fixing problems, 554–555
 - OLE DB, 599–600, 602–603
 - SQL Server, 600
 - connections string (URL), 607
 - content, 38–39
 - content (dynamic)
 - adding form elements to pages, 660–661
 - database recordsets, 653–660
 - Databases panel, 638–639
 - defining form
 - parameters, 639–641
 - defining session
 - variables, 643–644
 - defining URL
 - parameters, 641–643
 - displaying, 649–650
 - formatting, 651–652
 - forms, 671–676
 - Live Data mode, 663–669
 - overview, 637
 - previewing in browser, 669–670
 - recordsets, 645–647
 - testing, 652–653
 - without Live Data, 670
- contrast, 104
 - Contribute files
 - managing, 558–563
 - modifying, 561–562
 - rolling back, 559–561
 - Contribute sites
 - deleting files on remote, 562
 - editing, 563–565
 - editing style sheets in, 564–565
 - overview, 557–558
 - updating templates in, 564
 - Contribute software
 - administering sites, 547–549
 - best practices, 544–545
 - connecting to sites, 552–553
 - creating templates, 549–551
 - enabling site
 - compatibility with, 545–547
 - overview, 53, 543–544
 - setting file/folder permission, 553
 - site-organization tips, 551–552
 - special files, 553–554
 - troubleshooting sites, 554–555
 - controlling
 - layer positioning with CSS, 361–364
 - layer style with CSS, 361–364
 - layers with behaviors, 364–365
 - media objects with parameters, 141–142
 - Convert AP Divs to Table dialog box, 366–367
 - Convert Inline CSS dialog box, 238–239
 - Convert Tables to AP Divs dialog box, 367

- converting
 - AP Div layers to tables, 365–367
 - HTML files to XHTML, 456
 - HTML pages into templates, 245–247
 - inline styles to CSS rules, 237–239
 - from pixels to percentages in tables, 164–165
 - tables to AP Div layers, 365, 367
- cookies, 643
- Copy HTML code Wizard dialog box, 326
- copy and paste
 - History Panel
 - commands, 309
 - setting preferences, 485–486
 - Web sites, 337
 - workflow, 335–336
- copying library items
 - between sites, 284–285
- copyright, 35
- Create Component dialog box, 680–683
- Create a New Code Block dialog box, 684–686
- creating. *See also* adding; building; inserting
 - buttons in forms, 187–188
 - Code Snippets, 295–304
 - ColdFusion components, 680–683
 - ColdFusion documents, 616–617
 - Contribute templates, 549–551
 - CSS styles, 209
 - custom framesets, 426
 - custom Server behaviors, 683–686
 - database connections for PHP, 585–587
 - delete links to open confirmation pages, 738
 - detail pages, 702
 - dynamic new PHP pages, 583–584
 - editable regions, 249–251
 - editable tag attributes, 261–264
 - E-mail links, 117–118, 126
 - empty library items, 278
 - floating frames, 443–446
 - frames, 422–426
 - framesets, 422–426
 - History Panel
 - commands, 306–310
 - hotspot, 106–107
 - HTML forms, 171–173
 - HTML forms on login page, 724
 - image links, 117, 126
 - inline styles, 81–83
 - interactive images, 104–111
 - JavaScript snippets, 297–300
 - jump menus, 391–392
 - layers, 349–353
 - library items, 276–278
 - links that open detail pages, 700–702
 - links to update pages, 728–730
 - lists, 84–85
 - master pages, 694–695, 700
 - mobile content, 340
 - named anchor links, 119–121, 126
 - nested framesets, 428–429
 - nested layers, 350–352
 - nested templates, 264–265
 - new ASP pages, 590–591
 - new ASP.NET pages, 600–601
 - new documents, 59–61
 - new documents from templates, 266–267
 - new JSP documents, 610–611
 - new templates, 247–249
 - new XHTML documents, 454–455
 - null links, 121–122
 - optional editable regions on templates, 255–257
 - optional regions on templates, 255–257
 - preload layers, 408–409
 - record insert pages, 716–719
 - recordset to store URL parameter, 730–732
 - repeating regions, 259
 - repeating regions in templates, 258–260
 - repeating tables, 259–260
 - script links, 121–122
 - search pages, 705–707
 - selection-based library items, 277–278
 - server-side includes (SSIs), 286–289
 - snippets with graphics, 302–304
 - snippets with wrap option, 300–302
 - tables, 152–155
 - templates, 244–249
 - temporary links, 121–122
 - text links, 115–117, 126

- text snippets, 295–297
- XHTML documents, 454–455
- cropping images, 103
- cross-application
 - integration
 - Adobe AIR, 341–342
 - Adobe Flash, 329–331
 - Adobe’s Bridge, 337–339
 - Device Central, 339–341
 - Photoshop Graphics, 331–337
- cross-platform, 2
- CSS (Cascading Style Sheets), 200. *See also* style sheets
 - adding style to new/ existing, 214–217
 - Advisor, 29
 - aligning images, 102
 - applying custom class styles, 219
 - attaching to documents, 217–218
 - Beauty Web site, 6
 - bold, 80
 - cascading rules Web sites, 209
 - Code Navigator, 240–241
 - controlling layer
 - positioning with, 361–364
 - controlling layer style with, 361–364
 - converting inline styles to CSS rules, 237–239
 - declaration, 208
 - Design Time Style Sheets, 239–240
 - dialog box command, 80
 - display, 69
 - editing, 220–222
 - exporting internal styles
 - to external style sheets, 236–237
 - files, 665
 - italics, 80
 - overview, 199–201
 - panel, 79
 - panel group
 - (accessing), 21
 - Properties Inspector, 203
 - resources, 6
 - selector, 208
 - tag redefines, 212
 - text options, 79–80
 - types, 202–206
 - Web sites, 203
 - Zen Garden Web site, 6
- CSS (Cascading Style Sheets) Styles
 - adding properties to, 221–222
 - class, 209–210
 - compound, 212–214
 - creating, 209
 - CSS Styles panel, 206–208
 - deleting, 222
 - external styles, 201, 204–205
 - inline styles, 201, 205–206
 - internal styles, 202–204
 - renaming, 235–236
 - renaming CSS styles, 235–236
 - types, 208–212
- CSS Rule Definition
 - dialog box
 - background properties, 225–226
 - block properties, 227–229
 - border properties, 230–231
 - box properties, 229–230
 - Edit Rule, 207
 - editing in All mode, 220
 - editing in Current mode, 221
 - extensions properties, 234–235
 - list properties, 231–232
 - overview, 222–223
 - positioning properties, 232–234
 - type properties, 223–225
- CSS Styles panel
 - compound styles, 212–214
 - creating CSS styles with, 209
 - CSS tag redefines, 212
 - custom styles, 209–210
 - ID styles, 210–212
 - modes, 206–207
 - panes, 207
 - viewing buttons, 207–208
 - curly brackets ({}), 208, 402–403, 406
- Current mode, 221
- custom class styles, 219
- Custom Connection String
 - dialog box, 593–594, 596–597
- custom connection strings
 - connecting to databases with, 593–594
 - overview, 590
- custom CSS styles
 - overview, 209–210
 - renaming, 235–236
- Custom JDBC
 - Connection, 608
- custom layout, 25–26

customizing
File view columns,
539–540
workspace, 25–26

D

data
importing tabular, 165
importing tabular files,
69–70
link properties, 603–604
normalization rules, 581
organizing in forms,
170–171
relationships, 581
Data Link Properties
dialog box, 603–604
Data Source Name (DSN)
connecting to ASP
databases with,
591–593
connecting to remote
ASP databases
without, 594–596
Data Source Name (DSN)
dialog box, 591–592,
596–597
overview, 589
database connections. *See*
also specific database
connections
ASP (Active Server
Pages), 589–597
ASP.NET, 599–605
ColdFusion, 615–623
errors, 625–626
file permissions, 629
JSP (JavaServer Pages),
607–613
PHP, 583–588
troubleshooting basic,
626–628
types, 608–609

*Database Development
For Dummies*
(Taylor), 581
databases
Access, 627
choosing, 582
connecting to, 611–612
Oracle, 602, 627, 629
overview, 580–581
setting up tables, 724
troubleshooting
general, 633
validating username and
password, 627
verifying contact with
servers, 626–627
Databases panel, 638–639
DataGrid dialog box,
700–702
dataset, 645
DataSet dialog box, 700
debug in browser, 17
debugging ColdFusion
applications
(Windows), 481–482
declaration, 208
default file extensions, 63
default settings, 26
defining
form parameters,
639–641
recordsets, 645–647
session variables,
643–644
URL parameter to pass
confirmation pages,
738–739
URL parameters, 641–643
definition options, 50
deHaan, Jen, Flash Video
with Dreamweaver
tutorial, 138
delete links, 738

delete pages
adding logic, 742–743
building, 737–743
testing, 744–745
Delete Record dialog box,
742–743
deleting
ASP database
connections, 597
ASP.NET database
connections, 605
ColdFusion database
connections, 623
CSS styles, 222
Design Notes, 532
editable regions, 251–252
files, 562
frames, 427–428
Go buttons, 393–394
History Panel
commands, 309–310
images, 97
JavaScript behaviors,
378–379
JSP database
connections, 613
library items, 283
links, 122–123
Mark of the Web
code, 465
PHP database
connections, 588
rows and columns from
tables, 163
site from managed-sites
list, 55
snippets, 305
template files, 272–273
delimited, 69
dependent files
defined, 665
uploading to tester
server, 665–666

- Dependent Files dialog
 - box, 521–522
- deprecated JavaScript behaviors, 370
- design
 - graphics, 41–42
 - overview, 34
 - stages, 31–32
- Design Notes
 - adding to files, 529–530, 532–534
 - disabling, 531–532
 - editing, 534–535
 - enabling, 314, 531–532
 - overview, 52, 311
 - removing, 532
 - types, 530
 - viewing, 534–535
- Design Time Style Sheets
 - feature, 239–240
- Design view
 - defined, 16
 - displaying embedded
 - Flash movies in, 129–130
 - framesets, 422–423
 - JavaScript behaviors, 373
 - Macintosh location of, 12
 - nested templates, 266
 - SSI file editing, 291
 - templates in, 251
 - Windows location of, 12
- design view on left, 17
- design view on top, 17
- Designer Compact layout option, 11
- Designer layout option, 11
- detaching
 - library items, 284
 - templates from pages, 271
- detail pages
 - building, 690–694, 697–699
 - creating, 702
 - creating links that open, 700–702
 - defined, 689
 - setting uplinks to open, 695–697
 - testing, 702–703
- Device Central, 339–340
- dialog box. *See also* CSS Rule Definition dialog box; Dynamic Data dialog box; Input Tag Accessibility Attributes dialog box; Preferences dialog box; Recordset dialog box; Site Definition dialog box
- Administer Website, 548–551
- Appear/Fade, 388–389
- Attach External Style Sheet, 207, 217–218
- Call JavaScript, 380
- Change Links Sitewide, 123, 497–498
- Change Property, 381–382
- Check Plugin, 382–383
- Check Spelling, 489–490
- Clean Up HTML/XHTML, 490–492
- Clean Up Word HTML, 487–488
- Configure RDS Server, 508–509
- Connection String Template, 601
- Convert AP Divs to Table, 366–367
- Convert Inline CSS, 238–239
- Convert Tables to AP Divs, 367
- Copy HTML Code Wizard, 326
- Create Component, 680–683
- Create a New Code Block, 684–686
- creating new document, 60
- CSS Rule Definition, 207, 220–221
- Custom Connection String, 593–594, 596–597
- Data Link Properties, 603–604
- Data Source Name (DSN), 591–592, 596–597
- DataGrid, 700–702
- DataSet, 700
- Delete Record, 742–743
- Dependent Files, 521–522
- Design Time Style Sheets, 239–240
- Drag AP Element, 385–386
- Dreamweaver
 - Preferences, 314–315, 330, 492, 669
- Dynamic CheckBox, 674
- Dynamic List/Menu, 676
- Dynamic Radio Group, 675
- Dynamic Table, 695, 711
- Dynamic Text Field, 651–652, 656–657, 661, 741
- Editable Tag Attributes, 262–264
- Export, 319, 324

- dialog box (*continued*)
 - Export Site without Template Markup, 254–255
 - Fieldset, 192
 - Find and Replace, 86
 - Fireworks Preferences, 313–314
 - Form Variable, 640–641
 - Frame Tag Accessibility
 - Attributes, 424, 425–426
 - Generate Behavior, 686
 - Go to URL, 390–391
 - Hyperlink, 116–117, 701–702
 - Image Placeholder, 97
 - Image Preview, 322–323, 333–336
 - Import Tabular Data, 70, 165
 - Import Word Document, 70
 - Inconsistent Region
 - Names, 253–254, 270
 - Insert Div Tag, 347
 - Insert Fireworks HTML, 324–325
 - Insert FlashPaper, 132–133
 - Insert FLV, 134–135, 136–138
 - Insert Jump Menu, 391–393
 - Insert master-Detail Page Set, 691–693
 - Insert Navigation Bar, 108
 - Insert Other
 - Character, 83
 - Insert Record, 721–722
 - Insert Repeating Table, 260
 - Insert Rollover Image, 105
 - Insert Rows or Columns, 162–163
 - Inserting Fireworks HTML, 110
 - Keyboard Shortcuts, 303
 - Live Data Settings, 667–668
 - Locate HTML File, 327
 - Log In User, 725
 - Login to ColdFusion Remote Development Services (RDS), 618
 - Manage Sites, 46, 500, 545–580
 - Move To External Style Sheet, 236–237
 - MySQL Connection, 585–588
 - Named Anchor, 120
 - New CSS Rule, 80, 207, 214–216
 - New Document, 264–267, 424
 - New Editable Region, 250–251
 - New Optional Editable Region, 257
 - New Optional Region, 256–257
 - New Repeating Region, 259
 - New Server Behavior, 684
 - Object Tag Accessibility
 - Attributes, 129
 - OLE DB Connection, 601–603, 605
 - Open Browser Window, 394–397
 - Open Microsoft Visual SourceSafe, 509–510
 - Optional region, 258
 - Page Properties, 434, 66
 - Parameters, 696–697, 728–729, 739
 - Paste Special, 486, 75
 - Popup Message, 398
 - preferences, 26, 67
 - Preload Images, 399
 - Radio group, 182–183
 - Record Insertion Form, 716–718
 - Record Update Form, 732–734
 - Recordset Navigation Bar, 659
 - Rename Style, 235–236
 - Repeat Region, 654–655, 657
 - Reports, 478–479
 - Restrict Access to Page, 726
 - Roll Back Page, 560–561
 - Sample Style Sheets, 218
 - Save as Template, 245–249
 - Select Database, 586
 - Select Extension to Install, 414
 - Select File, 123, 696–697
 - Select Image Source, 95, 185–186, 316
 - Select ODBC DSN, 592
 - Select Template, 270
 - Server Behavior Builder, 684
 - Session Variable, 644
 - Set Nav Bar Image, 400–401
 - Set Text of Container, 402–403
 - Set Text of Field, 406
 - Set Text of Frame, 403–404
 - Set Text of Status Bar, 405
 - Show-Hide Elements, 407–408
 - Show Pop-up Menu, 328

- Snippets, 296–297, 298–299, 300–301, 305
- Sort Table, 166–167
- Split Cell, 160–161
- SQL Server
 - Connection, 605
- Swap Image, 410–411
- Synchronize Files, 525–526
- Tables, 154–155
- Tag Chooser, 124–125, 443–445
- Tag Editor, 125
- Target Browsers, 471–472
- Template Properties, 263–264
- Test Value, 699, 710
- Update Files, 123, 283
- Update HTML File, 327
- Update Pages, 254, 269–270, 282
- Update Template Files, 253–254, 268
- URL Variables, 740
- Validate Form, 192–193
- View Data, 723–724
- Windows Feature, 573
- diff tools, 526
- disabling
 - cloaking options, 511–512
 - Design Notes, 531–532
 - Frame Accessibility settings, 438–439
- displaying
 - dynamic content, 649–650
 - files in predefined framesets, 425–426
 - results, 711–712
- <div> tag, 73
- dock, 21
- DocType. *See* document type definition (DTD)
- document-relative paths, 44
- document tab
 - Macintosh location of, 13
 - Windows location of, 12
- document toolbar
 - defined, 14
 - Macintosh location of, 13
 - overview, 16–18
 - Windows location of, 12
- document type definition (DTD)
 - component of XHTML files, 449
 - defined, 61
 - setting, 449–450
 - transitional, 449
 - XHTML code compliance tools, 450–453
- Document window
 - defined, 14
 - Flash movies, 129
 - Macintosh location of, 13
 - tab bar, 15
 - Windows location of, 12
- documents
 - attaching style sheets to, 217–218
 - creating ColdFusion, 616–617
 - creating new, 59–61
 - creating new JSP, 610–611
 - creating from templates, 266–267
 - creating XHTML, 454–455
 - inserting Fireworks HTML in Dreamweaver, 324–325
 - inserting Fireworks images in Dreamweaver, 316
 - inserting library items in, 279–280
 - pasting Fireworks HTML in Dreamweaver, 325–326
 - root-relative links vs., 290
 - saving, 62–64
 - updating documents that use library items, 281–282
 - updating Fireworks HTML in Dreamweaver, 326–327
- downloading
 - Adobe AIR applications, 341
 - extensions from Adobe Dreamweaver Exchange Web site, 413
 - files from remote servers, 521–522
 - setting size, 464–466
 - setting times, 464–466
 - snippets, 295
 - trial version of Fireworks, 312
- Drag AP Element
 - behavior, 383–386
- Drag AP Element dialog box, 385–386
- drawing AP Div layers, 349–350
- Dreamweaver Developer Center Web site, 91
- Dreamweaver Exchange
 - defined, 28
 - Web site, 6
- Dreamweaver
 - Extensions, 6
- Dreamweaver Preferences
 - dialog box, 314–315, 330, 492, 669

- Dreamweaver Site Wizard dialog box, 46
 - Dreamweaver Support Center
 - defined, 29
 - Web site, 6
 - DreamweaverCtrls.
 - dll Dreamweaver
 - .NET component file
 - download, 713
 - Dreamweaver's LiveDocs
 - Web site, 370
 - drivers, 608–609
 - dropping layers, 350
 - DSN (Data Source Name)
 - connecting to ASP databases with, 591–593
 - connecting to remote ASP databases without, 594–596
 - Data Source Name (DSN) dialog box, 591–592, 596–597
 - overview, 589
 - DTD (document type definition)
 - component of XHTML files, 449
 - defined, 61
 - setting, 449–450
 - transitional, 449
 - XHTML code compliance tools, 450–453
 - Dual Screen layout option, 11
 - duplicating sites, 54
 - Dynamic CheckBox dialog box, 674
 - dynamic content
 - adding form elements to pages, 660–661
 - database recordsets, 653–660
 - Databases panel, 638–639
 - defining form parameters, 639–641
 - defining session variables, 643–644
 - defining URL parameters, 641–643
 - displaying, 649–650
 - formatting, 651–652
 - forms, 671–676
 - Live Data mode, 663–669
 - overview, 637
 - previewing in browser, 669–670
 - recordsets, 645–647
 - testing, 652–653
 - without Live Data, 670
 - Dynamic Data dialog box
 - adding check boxes, 674
 - adding radio buttons, 675
 - building confirmation pages, 741
 - creating links toupdate pages, 729–730
 - inserting lists and menus, 676
 - inserting text fields, 672–673
 - setting up links to open detail pages, 697
 - Dynamic Drive DHTML Scripts Web site, 6
 - Dynamic List/Menu dialog box, 676
 - Dynamic Radio Group dialog box, 675
 - Dynamic Table dialog box, 695, 711
 - dynamic text, adding, 650
 - Dynamic Text dialog box, 651–652, 656–657, 741
 - Dynamic Text Field dialog box, 661
-
- ## E
-
- EarthWeb JavaScripts Web site, 6
 - Edit option, 132
 - edit rule (CSS), 79
 - editable regions
 - creating, 249–251
 - overview, 249
 - removing, 251–252
 - renaming, 252–254
 - of templates, 243
 - editable tag attributes
 - changing, 263–264
 - resetting to uneditable, 264
 - Editable Tag Attributes dialog box, 262–264
 - editing
 - AP Div layer visibility, 356–357
 - ASP database connections, 596–597
 - ASP.NET database connections, 605
 - ColdFusion database connections, 621–623
 - Contribute sites, 563–565
 - CSS (Cascading Style Sheets), 220–222
 - Design Notes, 534–535
 - files, 561
 - Fireworks pop-up menus, 327–328
 - images, 97, 103
 - images in Fireworks tables, 320–321
 - JSP database connections, 612–613
 - Jump Menu behavior, 392–393
 - layer visibility, 356–357
 - library items, 281–285
 - links, 122–123
 - <noframes> content, 442

- pasted optimized
 - graphic's original PSD, 336–337
- PHP database
 - connections, 587–588
- roundtrip, 311, 327–328
- rows and columns in
 - tables, 158–161
- server-side includes (SSIs), 291
- Smart Object's
 - optimization
 - settings, 335
- Smart Object's original PSD, 335
- snippets, 305
- style sheets in
 - Contribute sites, 564–565
- styles, 241
- tags and attributes, 86–88
- templates, 267–270
- text, 74
- triple-click, 74
- 80004005: Data source name not found error message, 631
- 800a0bcd: Either BOF or EOF is true error message, 632
- 80040e07: Data type mismatch in criteria expression error message, 631
- 80040e10: Too few parameters error message, 631
- 80040e14: Syntax error in INSERT INTO statement error message, 631
- 80040e21: ODBC error on Insert or Update error message, 631
- elements
 - adding, dynamic form, 660–661
 - AP, 68
 - block-level, 346
 - invisible, 66, 68–69, 171
 - invisible page, 66–69
 - of visitor experience, 39
 - yellow script
 - invisible, 299
- tag, 75
- E-mail addresses,
 - encrypting, 118
- E-mail links
 - creating, 117–118, 126
 - overview, 114
- Email Riddler
 - software, 118
- embedding
 - compared with linking sound, 147–148
 - embedded styles, 68
 - sound files, 148
 - video compared with linking, 147
- empty library items, 278
- enabling
 - Check In/Check Out Files feature, 535–536
 - cloaking options, 511–512
 - Contribute users to use templates, 562–563
 - Design Notes, 314, 531–532
 - Frame Accessibility settings, 438–439
 - site compatibility with Contribute software, 545–547
 - Welcome Screen, 62
- encoders, 128
- encrypting E-mail addresses, 118
- Equilibrium's Debabelizer Web site, 42
- errors
 - 80004005: Data source name not found, 631
 - 800a0bcd: Either BOF or EOF is true, 632
 - 80040e07: Data type mismatch in criteria expression, 631
 - 80040e10: Too few parameters, 631
 - 80040e14: Syntax error in INSERT INTO statement, 631
 - 80040e21: ODBC error on Insert or Update, 631
 - analyzing in Code view, 474
 - defined, 472
 - fixing, 474
 - troubleshooting
 - Microsoft error messages, 630–632
 - viewing, 474
- event handler, 276
- events, 371
- Excel files, 70–71
- expanded layout mode, 152
- expanded mode, 21
- expanding panels, 21
- expectations
 - audience, 32–33
 - client, 32
- Export dialog box, 319, 324
- Export Site without Template Markup dialog box, 254–255

- exporting
 - Fireworks image files to same site folder, 315
 - internal styles to
 - external style sheets, 236–237
 - sites, 54
 - sites within template markup, 254–255
- expressions, regular, 90–91
- eXtensible HyperText Markup Language (XHTML)
 - automatic code
 - compliance tools, 450–453
 - benefits, 447–448
 - code consistency, 490–492
 - converting HTML files to, 456
 - creating documents, 454–455
 - framesets in, 423
 - overview, 447
 - strict vs. transitional rules, 449–450
 - syntax, 448–450, 454–456
 - transforming HTML document code into, 455
 - validating, 456
- eXtensible Markup Language (XML)
 - defined, 255
 - saving reports as files, 480
 - tutorial, 447
- Extension Manager (Adobe), 413–414
- extensions
 - changing default file, 62–63
 - uninstalling, 413–414

- Extensions properties, 234–235
- external CSS styles, 201, 204–205
- external style sheets, 236–237

F

- F1 (help), 26
- Fade. *See* Appear/Fade dialog box
- Federal Rehabilitation Act Web site, 37
- fields
 - check boxes, 178–180
 - file upload, 186–187
 - hidden, 176–178
 - hidden form, 68
 - list, 183–184
 - menu, 183–184
 - radio buttons, 180–183
 - Spry Validation, 195–196
 - text, 174–176
- Fieldset dialog box, 192
- file-based databases, troubleshooting, 628–630
- file extensions. *See* file formats
- file formats
 - changing default, 62–63
 - Flash movies, 127–128
 - sound, 145–146
- File option, 131
- File Transfer Protocol (FTP)
 - overview, 500
 - remote access type, 502–505
 - viewing file transfer activity with FTP log, 481
 - viewing logs, 522–523
- File view, 53, 539–541

- files
 - adding Design Notes to, 532–534
 - attaching Design Notes to, 529–530
 - Check In/Check Out Files feature, 535–537
 - Code, 665
 - Contribute special, 553–554
 - converting HTML to XHTML, 456
 - create new, 25
 - CSS, 665
 - deleting, 562
 - deleting template, 272–273
 - dependent, 665–666
 - displaying in predefined framesets, 425–426
 - downloading from remote server, 521–522
 - editing, 561
 - embedding sound, 148
 - Excel, 70–71
 - Fireworks, 168
 - .fla, 127
 - Flash movies (.swf), 127, 128–132
 - Flash Video (.flv), 128
 - image, 665
 - ImageReady HTML, 168
 - importing tabular data, 69–70
 - inserting from Adobe Bridge, 339
 - linking to sound, 148
 - management, 17
 - managing Contribute, 558–563
 - modifying Contribute, 561–562
 - moving, 561
 - opening existing, 65

- orphaned, 475
- permissions, 629
- PNG (Portable Network Graphics), 312
- renaming, 561
- reverting to previous, 64
- rolling back, 559–561
- saving reports as XML, 480
- server-side includes (SSIs), 665
- setting Contribute permissions, 553
- specifying original, 101
- SSIs, 289
- .swc, 128
- .swt, 127
- synchronizing, 524–526
- transferring
 - dependent, 516
- transferring to/from Contribute sites, 552–553
- transfers, 515–517
- uncloaking cloaked file types, 513–514
- unlocking checked out, 563
- upload fields, 186–187
- uploading to remote servers, 520–521
- viewing newest without synchronization, 523–524
- viewing transfer activity with FTP log, 481
- Files panel
 - create new files, 25
 - defined, 15
 - inserting images, 96
 - Macintosh location of, 13
 - overview, 23–25
 - transfer options, 518–520
 - viewing, 53
 - Windows location of, 12
- Find and Replace dialog box
- finding databases
 - physical path, 595
- Finkelstein, Ellen, *Adobe Flash For Dummies*, 128
- Fireworks
 - adding as image editor, 314–315
 - downloading trial version, 312
 - editing images in tables, 320–321
 - editing pop-up menus, 327–328
 - exporting image files to same site folder, 315
 - generated HTML files, 168
 - HTML, 324–327
 - inserting, 110–111
 - inserting in Dreamweaver documents, 324–325
 - inserting images in Dreamweaver documents, 316
 - optimizing images in, 322–323
 - overview, 311–312
 - pasting in Dreamweaver documents, 325–326
 - replacing image placeholders with graphics, 316–320
 - roundtrip editing, 327–328, 328
 - saving files in same site folder, 315
 - setting launch-and-edit preferences, 312–314
- tables, 320
- updating in Dreamweaver documents, 326–327
- Fireworks Preferences dialog box, 313–314
- fixing. *See also* troubleshooting
 - connection problems, 554–555
 - errors, 474
 - links, 475–477
- .fla files, 127
- Flash (Adobe), 34, 329–331
- Flash Developer Center, 138
- Flash files, 127
- Flash ID option, 130
- Flash movies. *See also* movies
 - adding to pages, 128–132
 - file formats, 127–128
 - previewing, 130
 - setting attributes, 130–132
- Flash Video Encoder, 128
- files, 128
- formats, 133
- inserting, 133–138
- FlashPaper
 - inserting, 132–133
 - object, 133
 - software (Adobe), 132–133
 - toolbar functionality testing, 133
- floating frames
 - adding to pages, 443–445
 - creating, 443–446
 - in older browsers, 446
- .flv files, 128
- focus rectangle, 188

- folders
 - checking the the Site
 - Definition_mm folder, 555
 - cloaking individual, 513
 - local, 43
 - remote, 44, 499
 - setting Contribute permissions, 553
 - setting up remote, 500–501
 - testing server, 44
- tag, 86
- fonts
 - acceptable, 82
 - CSS, 80
 - sets, 83
- <form> tag, 68, 171–173
- form delimiter, 68
- form objects, 173
- form parameters, 639–641
- Form Variable dialog box, 640–641
- formats
 - Flash videos, 133
 - HTML, 77
 - Real Audio file, 146
 - sound file, 145–146
- formatting
 - applying source, 496–497
 - changing links, 497–498
 - checking spelling, grammar, and readability, 488–490
 - cleaning up Word HTML, 487–488
 - Code Category preferences, 493–496
 - consistency in HTML/XHTML code, 490–492
 - dynamic content, 651–652
 - overview, 484
 - Paste Special command, 486
 - setting code formatting preferences, 492
 - setting copy and paste preferences, 485–486
 - source overview, 492
 - table cells, 163–164
 - tables with Properties Inspector, 156–158
- forms. *See also* dynamic content; tables
 - adding, 719–720
 - adding check boxes, 673–674
 - adding to update pages, 732–735
 - buttons, 186–188
 - check boxes, 178–180
 - creating HTML, 171–173
 - defining parameters, 639–641
 - file upload fields, 186–187
 - hidden fields, 176–178
 - image fields, 185–186
 - inserting lists and menus, 676
 - inserting text fields, 671–673
 - jump menus, 184
 - label tags, 188–189
 - lists, 183–184
 - menu fields, 183–184
 - organizing data, 170–171
 - overview, 169–170, 671
 - radio buttons, 180–183, 674–675
 - security, 169–170
 - text areas, 176
 - text fields, 174–176
 - validating with JavaScript, 192–193
 - validating with Spry framework, 193–196
- Foti, Massimo, 305
- <frame> attributes, 435
- Frame Tag Accessibility
 - Attributes dialog box, 424–426
- frames
 - adding, 427
 - adding accessibility settings, 438–439
 - adding floating, 443–445
 - advantages, 421–422
 - creating, 422–426
 - defined, 419
 - disadvantages, 422
 - floating, 443–446
 - inline, 443–446
 - opening pages in, 429–431
 - overview, 419–422
 - resizing, 428
 - saving, 431–433
 - setting background color of files in, 434
 - setting properties, 434–435, 437–438
 - targeting with links, 439–441
- framesets
 - attributes, 434
 - building, 424
 - creating, 422–426
 - creating custom, 426
 - defined, 420
 - Design view, 422–423
 - displaying files in predefined, 425–426
 - DTD, 450
 - nested, 428–429
 - predefined, 424–425
 - saving, 431–433
 - setting properties, 435–436
 - titling, 433
 - in XHTML (eXtensible HyperText Markup Languages), 423

Free CSS Templates Web site, 6
 FTP (File Transfer Protocol) overview, 500
 remote access type, 502–505
 viewing file transfer activity with FTP log, 481
 viewing logs, 522–523

G

Generate Behavior dialog box, 686
 GeoTrust, 169
 Get command, 517
 GET method, 640
 GIF (Graphics Interchange Format), 41
 Go buttons, 393–394
 Go to URL behavior, 389–391
 Go to URL dialog box, 390–391
 goals (client), 32
 grammar checking, 488–490
 graphics. *See also* images
 creating snippets with, 302–304
 defined, 41
 design, 41–42
 optimizing, 311
 reoptimizing pasted optimized, 337
 Graphics Interchange Format (GIF), 41
 grids, 18–19
 guides, 19

H

<h1> tag, 75

H option, 131
 H Space option, 131
 Hand tool, 20
 height (table), 161
 help
 references panel, 27–28
 support center, 28–29
 updating, 29
 Web site, 27
 hexadecimal numbers, 82
 hidden fields, 176–178
 hidden form fields, 68
 hiding regions on pages, 660
 History panel
 copy and paste commands, 309
 creating commands, 306–310
 deleting commands, 309–310
 overview, 306–307
 playing commands, 308–309
 recording commands, 307–308, 310
 renaming commands, 309–310
 horizontal padding, 100
 host provider Web sites, 500
 hosted sites, 571
 hosting your own site, 572
 Hot Dreamweaver Fever Web site, 6
 hotspots, 106
 <hr> tag, 75
 <href> attribute, 115, 117
 <html> tag, 61
 HTML (HyperText Markup Language)
 adding JavaScript to pages, 372–374
 aligning images, 102
 bold, 78

class, 77
 cleaning Word, 487–488
 code consistency, 490–492
 converting files to XHTML, 456
 converting into templates, 245–247
 creating forms, 171–173
 creating forms on login page, 724
 formatting options, 76
 ImageReady files, 168
 inserting Fireworks, 110–111
 italics, 78
 list item, 79
 ordered list, 78
 outdent, 78
 Properties Inspector, 77–79, 203
 repeating regions in tables, 656–658
 reports, 477–480
 text options, 77–79
 transforming document code into XHTML, 455
 unordered list, 78
HTML, XHTML, & CSS For Dummies (Tittel), 35
 Hyperlink dialog box, 116–117, 701–702
 hyperlinks
 adding, 114
 broken, 475
 changing sitewide, 497–498
 checking, 475–477
 coding, 126
 creating E-Mail, 117–118, 126
 creating image, 117, 126
 creating named anchor, 119–121, 126
 creating script, 121–122

hyperlinks (*continued*)
 creating temporary,
 121–123
 creating text,
 115–117, 126
 creating to update pages,
 728–730
 deleting, 122–123
 document vs. root-
 relative, 290
 editing, 122–123
 fixing, 475–477
 HTML, 78
 null, 121–122, 377, 395
 overview, 45, 113–115
 regular, 114
 setting up to open detail
 pages, 695–697
 targeting frames with,
 439–441
 testing, 115
 types, 114

1

IBM DB2 App Driver
 (DB2), 608
IBM DB2 Net Driver
 (DB2), 608
IBM Universal
 databases, 628
icon, Navigator, 240
ID CSS styles, 211–212
ID (HTML), 77
identifying problems
 within databases, 632
IIS (Microsoft) databases,
 573–574, 628–630
Illustrator (Adobe), 40
image attributes
 adjusting targets,
 100–101
 aligning, 102–103
 alternate text, 101–102
 borders, 101

 height, 99–100
 horizontal padding, 100
 image links, 100
 naming, 99
 original file, 101
 resetting, 100
 resizing, 100
 vertical padding, 100
 width, 99–100
image-editing buttons,
 103–104
image files
 exporting to same site
 folder, 315
 overview, 665
image placeholders
 defined, 316
 replacing with Fireworks
 graphics, 316–320
 using, 97–98
Image Preview dialog box,
 322–323, 333–335, 336
ImageReady HTML
 files, 168
images. *See also* graphics
 aligning, 102–103
 brightness, 104
 contrast, 104
 cropping, 103
 deleting, 97
 editing in Fireworks
 tables, 320–321
 editor, 314–315
 fields, 185–186
 horizontal padding, 100
 inserting, 94–96
 inserting in table
 cells, 163
 links, 117, 126
 map, 106–107
 navigation bar, 108–110
 optimizing in Fireworks,
 322–323
 over state, 371
 resampling, 103

 resetting, 100
 resizing, 100
 rollover, 104–106
 sharpening, 104
 updating from
 original, 103
 vertical padding, 100
Import Tabular Data
 dialog box, 165
importing
 Excel files, 70–71
 sites, 54
 tabular data, 165
 tabular data files, 69–70
 Word files, 70–71
Inconsistent Region
 Names dialog box,
 253–254, 270
indent (HTML), 78
Inet Driver
 (SQLServer), 608
inline CSS styles, 201,
 205–206
inline frames, 443–446
inline styles
 adding to pages, 205–206
 converting to CSS rules,
 237–239
 creating, 81–83
Input Tag Accessibility
 Attributes dialog box
 adding HTML forms,
 720–721
 building conformation
 pages, 741–742
 creating search
 pages, 706
 form buttons, 187
 inserting Spry Validation
 Fields, 195
<label> tags, 189
Insert Div Tag dialog
 box, 347
Insert Fireworks HTML
 dialog box, 324–325

- Insert Flash Video
 - command, 133
- Insert FlashPaper dialog box, 132–133
- Insert FLV dialog box, 134–135, 136–138
- Insert Jump Menu dialog box, 391–393
- Insert Master-detail Page Set dialog box, 691–693
- Insert menu, 96
- Insert panel
 - defined, 14
 - inserting images, 94–95
 - Macintosh location of, 13
 - using, 22–23
 - Windows location of, 12
- Insert Record dialog box, 721–722
- Insert Repeating Table dialog box, 260
- Insert Rows or Columns dialog box, 162–163
- inserting. *See also* adding;
building; creating
 - check boxes in forms, 178–180
- <div> tag layers, 347
- <fieldset> tags, 191–192
- file fields in forms, 186–187
- files from Adobe Bridge, 339
- Fireworks HTML, 110–111
- Fireworks HTML
 - in Dreamweaver documents, 324–325
- Fireworks images
 - in Dreamweaver documents, 316
- Flash movies, 128–132
- Flash video, 133–138
- FlashPaper, 132–133
- images, 94–96
- images in table cells, 163
- <label> tags, 189
- layers, 350
- <legend> tags, 191–192
- library items in
 - documents, 279–280
- list fields, 183–184
- lists in forms, 676
- Mark of the Web code, 464–465
- media objects, 139
- menu fields, 183–184
- menus in forms, 676
- navigation bars, 108–110
- radio buttons, 180–183
- server-side includes (SSIs), 289–290
- Smart Objects into Dreamweaver, 332–335
- special characters, 83–84
- Spry Validation Fields, 195–196
- Spry Widgets on pages, 417–418
- .swf files, 128–132
- tables, 153–155
- text areas, 176
- text fields, 174–176
- text fields in forms, 671–673
- text in table cells, 163
- installing
 - extensions with Extension Manager, 413–414
 - Java Runtime Environment, 609
 - JDBC driver, 609–610
 - Microsoft IIS, 573–574
- internal CSS styles, 201–204
- Internet Explorer
 - ColdFusion applications, 481
 - JavaScript behaviors, 382
- Internet resources. *See also* sites
 - Adobe, 29, 132, 245, 413, 526
 - Adobe AIR application, 341–342
 - Adobe AIR Marketplace, 342
 - Adobe Bridge, 338
 - Adobe Dreamweaver Exchange button templates, 128
 - Adobe Dreamweaver Knowledge Base, 29
 - Adobe Exchange, 412–413, 683
 - Adobe Labs Spry effects, 389
 - Adobe Learning Guide, 133
 - Adobe Online Developers Guide, 418
 - Adobe TechNote 15220, 504
 - advanced styling, 196
 - Ajax, 341
 - Ampsoft, 83
 - Apache, 572
 - Apple iPhone, 339
 - BoxTop, 42
 - browser support, 460
 - browser testing, 144
 - ColdFusion Resources Support, 508
 - Copy/Paste workflow, 337
 - creating mobile content, 340
 - CSS Beauty, 6

- Internet resources
 - (continued)*
 - CSS (Cascading Style Sheets), 203, 209
 - CSS Zen Garden, 6
 - Danilo Celic's blog, 305
 - Dreamweaver Developer Center, 91
 - Dreamweaver Exchange, 6
 - Dreamweaver Help, 27
 - Dreamweaver LiveDocs, 370
 - Dreamweaver Support Center, 6
 - DreamweaverCtrls.dll Dreamweaver.NET component file download, 713
 - Dynamic Drive DHTML Scripts, 6
 - EarthWeb JavaScripts, 6
 - Email Riddler, 118
 - Equilibrium's Debabelizer, 42
 - Federal Rehabilitation Act, 37
 - Fireworks trial version, 312
 - Flash, 128
 - Flash Developer Center, 138
 - Flash Video with Dreamweaver tutorial, 138
 - GeoTrust, 169
 - host providers, 500
 - Hot Dreamweaver Fever, 6
 - HTML, XHTML, & CSS For Dummies* (Tittel), 35
 - IPv6-enabled FTP server, 504
 - Jakarta Tomcat, 576
 - JavaScript Source, 6
 - JavaScriptKit, 373
 - Kaosweaver, 6
 - Luckychair, 6
 - management tasks, 558–559
 - MarkUpNow.com, 168
 - Massimo Foti, 305
 - MDAC download, 590, 600, 713
 - Microsoft Office Access, 582
 - Microsoft software, 509
 - Microsoft SQL Server, 582
 - MySQL, 582
 - .NET Framework download, 713
 - PostgreSQL, 582
 - Project Seven, 6
 - regular expressions, 91
 - “Screen Size Matters,” 36
 - SitePoint article, 40
 - Sitepoint CSS Reference, 6
 - snippets, 295
 - Sorensen Squeeze, 128
 - Spinwave, 42
 - Spry Data Sets, 415
 - Spry effects, 389
 - Spry Framework, 418
 - Spry Validation, 194
 - Subversion software, 519, 538
 - Sun, 609
 - Sun's JDBC Data Access API Drivers, 610
 - Support Center, 474
 - testing, 460–466
 - Thawte, 169
 - Tim Williams, 118
 - VeriSign, 169
 - W3 Schools, 6, 38, 118, 169, 255, 371, 471
 - W3 Schools hexadecimal equivalents, 82
 - W3 Schools unicode symbols, 84
 - W3C, 212
 - W3.org, 255
 - Web Accessibility Initiative, 6, 37
 - Web Monkey, 6
 - Web site notes, 82
 - WebDAV (Web-based Distributed Authoring and Versioning), 506
 - WebTeacher's JavaScript, 371
 - World Wide Web Consortium (W3C), 6, 37, 218
 - XForms, 169
 - XML tutorial, 447
 - invisible elements
 - defined, 66, 171
 - examples of, 68–69
 - iPhone (Apple), 339
 - IPv6-enabled FTP server
 - Web site, 504
 - italics
 - CSS, 80
 - HTML, 78
-
- ## I
-
- Jakarta Tomcat, 576
 - Java Applet
 - overview, 138
 - setting properties, 140–141
 - Java Database Connectivity (JDBC) drivers, 608–610
 - Java Runtime Environment, 609

- Java Server Pages (JSP)
 building detail pages in,
 690–694
 building master pages in,
 690–694
 creating new documents,
 610–611
 overview, 576
- JavaScript
 adding to HTML pages,
 372–374
 defined, 369, 371
 encryption software
 application, 118
 overview, 369–370
 resources, 6
 snippets, 297–300
 types, 371
 validating forms with,
 192–193
- JavaScript behaviors. *See*
also behaviors
 actions, 371–372
 adding to HTML pages,
 372–374
 attaching, 377–378
 Call, 379–380
 Change Property,
 380–382
 changing, 378–379
 Check Plug-in, 382–383
 deleting, 378–379
 deprecated, 370
 Drag AP Element,
 383–386
 Dreamweaver default,
 374–379
 events, 371
 Go to URL, 389–391
 in Internet Explorer, 382
 Jump Menu, 391,
 392–393
 Jump Menu Go, 393–394
 Open Browser Window,
 394–397
 overview, 370, 371–372
 Popup Message, 397–398
 Preload Images, 399
 Set Nav Bar Image,
 400–401
 Set Text of Container,
 402–403
 Set Text of Field, 406
 Set Text of Frame,
 403–404
 Set Text of Status Bar,
 404–405
 Show-Hide Elements,
 407–409
 Swap Image, 409–411
 Swap Image Restore, 411
 updating old, 379
- JavaScript For Dummies*
 (Vander Veer), 372
- JavaScript Source Web
 site, 6
- JavaServer Pages (JSP)
 database connections
 adding, 608–610
 connecting to databases,
 611–612
 creating new documents,
 610–611
 deleting, 613
 editing, 612–613
 overview, 607
 troubleshooting, 632
- Jump Menu behavior
 adding Go button to,
 393–394
 creating, 391–392
 defined, 391
 editing, 392–393
 Go behavior, 393–394
 overview, 184
 removing Go button
 from, 394
- justify align (CSS), 80
-
- ## K
-
- Kaosweaver Web site, 6
- Keyboard Shortcuts
 dialog box, 303
- keyboard shortcuts for
 playing snippets, 303
-
- ## L
-
- label tags, 188–189
- Labs Spry effects
 (Adobe), 389
- launching
 Adobe Bridge from
 Dreamweaver, 338
 browsers, 115

- launching (*continued*)
 - Dreamweaver from
 - Adobe Bridge, 338
 - Media External Editor, 148–149
 - layer styles
 - adding style information to, 363–364
 - controlling with CSS, 361–364
 - layers. *See also* AP Div layers
 - adding content, 350
 - application, 570
 - changing z-index, 356
 - controlling with
 - behaviors, 364–365
 - controlling positioning with CSS, 361–364
 - controlling style and positioning with CSS, 361–364
 - creating, 349–353
 - dropping, 350
 - editing visibility, 356–357
 - inserting, 350
 - logic, 570
 - naming, 355
 - nested, 350–352
 - Netscape, 408
 - overview, 345–348
 - pre-load, 408–409
 - preferences, 352–353
 - preventing overlap, 354–355
 - properties, 358–361
 - types, 347
 - visibility, 407
 - layout
 - creating new document options, 61
 - custom, 25–26
 - deleting selected, 26
 - modes, 152–153
 - renaming saved, 26
 - restoring default settings, 26
 - workspace, 9–11
 - layout objects. *See* layers
 - layout options
 - App Developer/App Developer Plus, 10
 - Classic, 10
 - Coder, 11
 - Coder Plus, 11
 - Designer, 11
 - Designer Compact, 11
 - Dual Screen, 11
 - Learning Guide (Adobe), 133
 - Leete, Gurdy, *Adobe Flash For Dummies*, 128
 - left (CSS), 80
 - Library area (Assets panel), 279–280
 - library highlighting preferences, 279
 - library items
 - copying between sites, 284–285
 - creating, 276–278
 - defined, 276
 - deleting, 283
 - detaching, 284
 - editing, 281–285
 - empty, 278
 - inserting in documents, 279–280
 - managing, 281–285
 - modifying, 284
 - overview, 275, 276
 - re-creating, 285
 - renaming, 282–283
 - line breaks, 68
 - Link Checker panel, 475–477
 - link paths
 - changing, 51
 - examples of, 44
 - link targets, 122
 - linking
 - compared with
 - embedding sound, 147–148
 - compared with
 - embedding video, 147
 - to sound files, 148
 - links
 - adding, 114
 - broken, 475
 - changing sitewide, 497–498
 - checking, 475–477
 - coding, 126
 - creating E-mail, 117–118, 126
 - creating image, 117, 126
 - creating named anchor, 119–121, 126
 - creating script, 121–122
 - creating temporary, 121–123
 - creating text, 115–117, 126
 - creating to update pages, 728–730
 - deleting, 122–123
 - document vs. root-relative, 290
 - editing, 122–123
 - fixing, 475–477
 - HTML, 78
 - local, 44
 - null, 121–122, 377, 395
 - overview, 45, 113–115
 - setting up to open detail pages, 695–697
 - targeting frames with, 439–441
 - temporary, 114, 121–122
 - testing, 115
 - text, 115–117, 126
 - types, 114

- list
 - creating, 84–85
 - fields, 183–184
 - item (HTML), 79
 - List properties, 231–232
 - live code, 17
 - Live Data mode
 - overview, 663–665
 - parameters for user
 - input, 667–668
 - troubleshooting, 668–669
 - uploading dependent
 - files to testing server, 665–666
 - Live Data Settings dialog
 - box, 667–668
 - live view, 17
 - LiveDocs (Dreamweaver)
 - Web site, 370
 - local folder, 43
 - local link, 44
 - Local/Network
 - overview, 501
 - remote access type, 506
 - local root folder, 43
 - Locate HTML File dialog
 - box, 327
 - lock guides, 19
 - Log In User dialog
 - box, 725
 - logic layer, 570
 - Login to ColdFusion
 - Remote Development Services (RDS) dialog
 - box, 618
 - login pages, 724–725
 - Loop option, 130
 - Luckychair Web site, 6
-
- M
-
- Mac OS X setup for PHP, 575–576
 - Macintosh
 - Apache server, 572
 - location of document
 - tab, 13
 - location of document
 - toolbar, 13
 - main menu locator, 10
 - opening ColdFusion
 - pages on, 481
 - Windows workspace
 - differences, 10
 - Macromedia. *See* Adobe
 - main menu, 10
 - Manage Extensions, 28
 - Manage Sites dialog box
 - Contribute compatibility, 545–546
 - setting up remote
 - folders, 500
 - site setup, 46
 - Testing Server, 578–580
 - viewing, 53
 - managed site
 - overview, 43
 - setting up with wizard, 46–49
 - managed-sites list, 55
 - management tasks, 558–559
 - managing
 - AP Div layers with AP Elements Panel, 353–357
 - Contribute files, 558–563
 - library items, 281–285
 - multiple sites, 53–55
 - snippets, 305–306
 - templates, 271–272
 - Mark of the Web code
 - inserting, 464–465
 - removing, 465
 - master pages
 - building, 690–694
 - creating, 694–695, 700
 - defined, 689
 - testing, 702–703
 - MDAC download, 590, 600, 713
 - Media External Editor, 148–149
 - media objects
 - controlling with
 - parameters, 141–142
 - inserting, 139
 - media types, 138–139
 - menu fields, 183–184
 - menus
 - Bindings, 640
 - Commands, 310
 - creating jump, 391–392
 - Fireworks pop-up, 327–328
 - Insert, 96
 - jump, 184, 391
 - main, 10
 - options, 21
 - set magnification, 20
 - merging
 - cells in tables, 160
 - rows and columns in
 - tables, 158–161
 - messages, 473
 - methods
 - advanced site setup, 49–53
 - GET, 640
 - POST, 640
 - Microsoft
 - Access databases, 602–603
 - IIS, 573–574, 628–630
 - Office Access, 582
 - software Web site, 509
 - SQL Server, 582
 - SQL Server
 - databases, 602
 - troubleshooting error
 - messages, 630–632
 - Visio wireframe, 40

Microsoft Excel, 70–71
 Microsoft Visual
 SourceSafe
 overview, 501
 remote access type,
 509–510
 Microsoft Windows
 debugging ColdFusion
 applications, 481–482
 importing Word/Excel
 files, 70–71
 location of document
 tab, 12
 location of document
 toolbar, 12
 Macintosh workspace
 differences, 10
 main menu locator, 10
 setup, 575
 Vista, 573
 workspace, 10, 12
 XP, 573–574
 XP Service Pac 2,
 464–465
 .midi/.mid
 (Musical Instrument
 Digital Interface) file
 format, 146
 mobile content, 340
 mockup, 40
 modes. *See also* Live Data
 mode
 All, 220
 collapsed, 21
 Current, 221
 expanded, 21
 expanded layout, 152
 standard layout, 152
 modifying
 Contribute files, 561–562
 library items, 284
 nested templates,
 265–266

optional regions in
 templates, 257–258
 templates, 268–269
 monitor resolution, 36
 Motion Picture Experts
 Group Audio (.mp3),
 145–146
 .mov file format, 146
 Move To External Style
 Sheet dialog box,
 236–237
 movies. *See also* Flash
 movies; video
 adding Shockwave,
 138–140
 Quick Time, 139
 moving
 AP Div layers, 358
 files, 561
 images, 97
 styles within Code
 view, 237
 MPEG-Audio Layer-3,
 145–146
 .mp3 (Motion Picture
 Experts Group Audio),
 145–146
 multiple documents,
 saving, 64
 multiple sites, managing,
 53–55
 Musical Instrument Digital
 Interface (.midi/.mid)
 file format, 146
 MySQL
 configuring database
 connections for PHP,
 583–597
 Driver, 608
 overview, 582
 troubleshooting
 databases, 627
 MySQL Connection dialog
 box, 585–588

N

<name> attribute, 119
 named anchor
 defined, 68
 links, 114, 119–121, 126
 Named Anchor dialog
 box, 120
 naming
 AP Div layers, 355
 frameset files, 433
 images, 99
 layers, 355
 navigation bars
 adding recordset,
 658–660
 inserting with images,
 108–110
 navigation plan, 34
 nested compound tag
 styles, 213
 nested framesets, 428–429
 nested layers
 creating, 350–352
 defined, 350
 nested templates
 building, 264–266
 defined, 264
 Design view, 266
 modifying, 265–266
 .NET Framework
 download, 713
 Netscape layers, 408
 Netscape Navigator
 plug-in
 adding, 143–145
 overview, 139
 playing, 144–145
 setting properties, 144
 Network/Local remote
 access type, 506
 New CSS Rule dialog box,
 207, 214–216

-
- New Document dialog box, 264–267, 424
 - New Editable Region dialog box, 250–251
 - New Optional Editable Region dialog box, 257
 - New Optional Region dialog box, 256–257
 - New Repeating Region dialog box, 259
 - New Server Behavior dialog box, 684
 - <noframes> content, 442
 - non-Dreamweaver tables, 167–168
 - non-visual server markup tags, 68
 - normalization rules, 581
 - null links
 - creating, 121–122
 - defined, 377, 395
- O**
-
- Object Tag Accessibility Attributes dialog box, 129
 - objects
 - adding parameters to media, 141–142
 - form, 173
 - overview, 22. *See also* Smart Objects
 - OLE controls. *See* ActiveX Control
 - OLE DB Connection dialog box, 601–603, 605
 - OLE DB connections
 - building, 601–604
 - data link properties, 603–604
 - overview, 599–600
 - settings, 602–603
 - templates, 601–603
 - Online Developers Guide (Adobe), 418
 - Online Forums (Adobe), 29
 - online help, Extension Manager, 414
 - Open Browser Window behavior, 394–397
 - Open Browser Window dialog box, 394–397
 - Open Microsoft Visual SourceSafe Database dialog box, 509–510
 - open-source product, 572
 - opening pages in frames, 429–431
 - operating system usage statistics, 38
 - optimizing
 - browsers, 38
 - defined, 41
 - graphics, 41–42, 311
 - images in Fireworks, 322–323
 - programs, 168
 - optional editable regions
 - creating in templates, 255–257
 - defined, 256
 - Optional Region dialog box, 258
 - optional regions
 - creating in templates, 255–257
 - modifying in templates, 257–258
 - options
 - accessibility, 129
 - Align, 131
 - Autoplay, 131
 - Bg Color, 131
 - Class, 132
 - cloaking, 511–512
 - definition, 50
 - Edit, 132
 - File, 131
 - Flash ID, 130
 - H, 131
 - H Space, 131
 - layout, 10
 - Loop, 130
 - menu, 21
 - Parameters, 132
 - paste, 75
 - Play, 132
 - Quality, 131
 - Reset Size, 132
 - Scale, 131
 - Snap to Grid, 18
 - Stop, 132
 - V Space, 131
 - view, 18
 - W, 131
 - Wmode, 131
 - Oracle databases
 - names file access, 629
 - overview, 602
 - troubleshooting, 627
 - Oracle Thin Driver (Oracle), 608
 - ordered list (HTML), 78
 - organizing
 - data in forms, 170–171
 - root folder, 44–46
 - orphaned files, 475
 - OS Widget Library (OWL), 9
 - outdent (HTML), 78
 - over state image, 371
- P**
-
- <p> tag, 78
 - Pacific Surf site structure, 44–45

- page elements, invisible, 66–69
- page properties
 - CSS, 80
 - dialog box, 66
 - HTML, 79
 - setting, 65–66
- Page Properties dialog box, 434
- pages. *See also* detail
 - pages; master pages
 - adding dynamic form elements, 660–661
 - adding Flash movies, 128–132
 - adding floating frames, 443–445
 - adding forms, 719–720
 - adding inline style, 205–206
 - adding Log In User server behavior, 724–725
 - adding Set Text of Frame action, 403–404
 - adding Set Text of Status Bar action, 405
 - adding Swap Image behavior, 410–411
 - adding to update, 732–735
 - applying templates to, 270–271
 - attaching Set Text of Container behavior, 402–403
 - ColdFusion component, 678–680
 - confirmation, 739–742
 - creating new pages
 - with ASP database connections, 590–591
 - detaching templates from, 271
 - hiding regions, 660
 - inserting Spry Widgets, 417–418
 - login, 724–725
 - opening in frames, 429–431
 - previewing in
 - browsers, 461
 - previewing in multiple browsers, 463–464
 - record insert, 719–722
 - restricting access to, 725–726
 - results, 708–712
 - search, 705–707, 712–714, 727
 - showing regions, 660
 - testing with browser
 - Compatibility report, 470–475
 - update, 727–735
 - updating, 268–270
 - panel dock
 - Mac location of, 13
 - overview, 21
 - Windows location of, 12
 - panel group
 - accessing, 21–22
 - defined, 15
 - Mac location of, 13
 - Windows location of, 12
 - panels. *See also* CSS Styles
 - panel
 - accessing, 21–22
 - AP Elements, 21, 353–357
 - Assets, 96, 279–280
 - Behaviors, 375–376
 - Browser Compatibility, 472–473
 - Databases, 638–639
 - expanding, 21
 - Files, 23–25, 518–520
 - History, 306–310
 - insert, 22–23
 - Link Checker, 475–477
 - references, 27–28
 - resizing, 21
 - Results, 466–467
 - Site Reports, 477
 - Validation, 468–469
 - parameters
 - adding to media objects, 141–142
 - controlling media objects, 141–142
 - defining form, 639–641
 - form, 639–641
 - providing for user input, 667–668
 - Parameters dialog box, 696–697, 728–729, 739
 - Parameters option, 132
 - paste options, 75
 - Paste Special
 - command, 486
 - Paste Special dialog box, 486
 - pasting Fireworks HTML in Dreamweaver documents, 325–326
 - path
 - absolute, 45–46
 - document-relative, 44–45
 - site root-relative, 45
 - paths
 - physical, 594–595
 - virtual, 595–596
 - percentages, converting
 - from pixels in tables, 164–165
 - Photoshop (Adobe), 34, 40
 - Photoshop Graphics
 - Copy/Paste workflow, 335–336
 - editing pasted optimized graphic's original PSD, 336–337
 - editing Smart Object's optimization settings, 335

- editing Smart Object's
 - original PSD, 335
- overview, 331
- reoptimizing
 - pasted optimized graphic, 337
- Smart Objects workflow, 331–335
- PHP
 - adding database
 - connections, 583–587
 - building detail pages in, 690–694
 - building master pages in, 690–694
 - configuring MySQL
 - database connections for, 583–597
 - Mac OS X setup, 575–576
 - overview, 574
 - Windows setup, 575
- PHP database
 - connections
 - adding, 583–587
 - deleting, 588
 - editing, 587–588
- physical path, 594–595
- pixels, converting to
 - percentages in tables, 164–165
- placeholder images, 97
- placeholder text, 2
- planning
 - elements of, 21
 - site layout, 39–41
- Play option, 132
- playing
 - History Panel
 - commands, 308–309
 - Netscape Navigator plug-ins, 144–145
 - snippets with keyboard shortcuts, 303
- plug-ins
 - Netscape Navigator, 139, 143–145
 - troubleshooting, 145
- PNG (Portable Network Graphic) files, 41, 312
- pop-up menus, 327–328
- Popup Message behavior, 397–398
- Popup Message dialog
 - box, 398
- Portable Network Graphic (PNG) files, 41, 312
- Positioning properties, 232–234
- POST method, 640
- PostgreSQL, 582
- predefined framesets, 424–425
- preferences
 - Code Category, 493–496
 - library highlighting, 279
 - setting, 26
 - setting code
 - formatting, 492
 - setting copy and paste, 485–486
 - setting Fireworks launch-and-edit, 312–314
 - setting layer, 352–353
 - setting Validator, 469–470
- Preferences dialog box
 - AP Div layers, 357
 - changing invisible elements, 67
 - changing library
 - highlighting preferences, 279
 - creating nested layers, 351–353
 - creating XHTML-compliant files, 454–455
- Media External Editor, 149
- setting Copy and Paste preferences, 485–486
- setting download times and size, 465–466
- setting preferences, 26
- setting primary/secondary browsers, 461–462
- setting Validator preferences, 469–470
- Preload Images
 - behavior, 399
- Preload Images dialog
 - box, 399
- preload layers, 408–409
- preset snippets, 294–295
- preventing layer overlap, 354–355
- preview/debug in
 - browser, 17
- previewing
 - dynamic Web pages in browsers, 669–670
 - Flash movies, 130
 - FlashPaper object, 133
 - movies with Netscape Navigator
 - plug-ins, 145
 - pages in browsers, 461
 - pages in multiple browsers, 463–464
- previous version (file), reverting to, 64
- primary browsers, 461–463
- Product Improvement Program (Adobe), 29
- production server, 554
- Progressive Download Video
 - inserting Flash video with, 134–136
 - overview, 134

Project Seven Web site, 6
properties
 adding to CSS styles, 221–222
 Background, 225–226
 Block, 227–229
 Border, 230–231
 Box, 229–230
 data link, 603–604
 Extensions, 234–235
 List, 231–232
 page, 65–66, 79–80
 Positioning, 232–234
 setting ActiveX control, 141–143
 setting frame, 434–435, 437–438
 setting frameset, 435–436
 setting Java Applet, 140–141
 setting layer, 358–361
 setting Netscape Navigator, 144
 setting Shockwave movie, 139–140
 Type, 223–225
Properties Inspector
 adding hyperlinks, 114
 adjusting targets, 100–101
 aligning images, 102–103
 alternate text, 101–102
 creating CSS styles with, 209
 CSS, 79–80
 defined, 15
 formatting tables with, 156–158
 hotspots, 107
 HTML, 77–79
 image borders, 101

image-editing buttons, 103–104
image links, 100
image width/height, 99–100
layer properties, 359
Macintosh location of, 13
modifying Flash video settings, 136
naming images, 99
original file, 101
Parameters button, 141
resetting, 100
resizing, 100
setting Flash movie attributes, 130–132
setting frame properties, 434–435, 437–438
setting frameset properties, 435–436
setting text properties, 76–77
using, 23
vertical or horizontal padding, 100
Windows location of, 12
PSD, editing Smart Object's original, 335
publishing online. *See* cloaking; files; remote connection
Put command, 517

Q

.qt/.qtm file format, 146
Quality option, 131
query, 645
Quick Tag Editor, 253
Quick Time Movie, 139
Quick Time file format, 146

R

radio buttons
 defined, 180
 forms, 674–675
 inserting groups of, 182–183
 inserting one at a time, 180–182
Radio Group dialog box, 182–183
Rapid Development Services (RDS)
 overview, 501
 remote access type, 508–509
 specifying login information, 617–618
.ra/.ram file format, 146
RDS (Rapid Development Services)
 overview, 501
 remote access type, 508–509
 specifying login information, 617–618
re-creating library items, 285
readability, 488–490
Real Audio file format, 146
record insert pages
 adding forms, 719–720
 adding Insert Record server behavior, 721–722
 building block by block, 719–722
 building login pages, 724–725
 creating, 716–719
 overview, 715

- restricting access, 725–726
- testing, 722–724
- Record Insertion Form
 - dialog box, 716–718
- Record Update Form
 - dialog box, 732–734
- recording History Panel
 - commands, 307–308, 310
- Recordset dialog box, 646–647, 697–699, 708–710, 731–732
- Recordset Navigation Bar
 - dialog box, 659
- recordsets
 - adding navigation bars, 658–660
 - building, 708–711
 - creating to store URL parameter, 730–732
 - defined, 645
 - defining, 645–647
 - hiding regions on pages, 660
 - overview, 645, 653–654
 - repeating regions in HTML tables, 656–658
 - repeating regions on pages, 654–656
 - showing regions on pages, 660
- references panel, 27–28
- refresh design view, 18
- registration pages, 29
- regular expressions, 90–91
- regular hyperlinks, 114
- relational databases.
 - See databases
- remote access type
 - configuring, 501–502
 - defined, 500
- remote connections
 - configuring remote access type, 501–502
 - creating, 499–510
 - defined, 499
 - FTP (File Transfer Protocol), 500, 502–505
 - Local, 501, 506
 - Microsoft VisualSourceSafe, 501, 509–510
 - Network, 501, 506
 - RDS (Rapid Development Services), 501, 508–509
 - setting up remote folders, 500–501
 - WebDAV (Web-based Distributed Authoring and Versioning), 501, 506–507
- remote folder
 - defined, 499
 - overview, 44
- remote info, 52
- remote server
 - Files panel transfer options, 518–520
 - getting files from, 521–522
 - overview, 517
 - putting files on, 520–521
 - viewing FTP and background file activity logs, 522–523
- remote site view, 25
- removing
 - ASP database connections, 597
 - ASP.NET database connections, 623
- ColdFusion database
 - connections, 623
- CSS styles, 222
- Design Notes, 532
- editable regions, 251–252
- files, 562
- frames, 427–428
- Go buttons, 393–394
- History panel
 - commands, 309–310
- images, 97
- JavaScript behaviors, 378–379
- JSP database
 - connections, 613
- library items, 283
- links, 122–123
- Mark of the Web
 - code, 465
- PHP database
 - connections, 588
- rows and columns from tables, 163
- site from managed-sites list, 55
- snippets, 305
- template files, 272–273
- Rename Style dialog box, 235–236
- renaming
 - CSS styles, 235–236
 - editable regions, 252–254
 - files, 561
 - History Panel
 - commands, 309–310
 - library items, 282–283
 - templates, 272
- reoptimizing
 - pasted optimized graphic, 337
- Repeat Region dialog box, 654–655, 657

- repeating regions
 - creating, 259
 - creating in templates, 258–260
 - defined, 258
- repeating tables, 259–260
- replacing image
 - placeholders with fireworks graphics, 316–320
- reports
 - launching, 477–480
 - saving as XML files, 480
 - Workflow, 477–480
- Reports dialog box, 478–479
- repositioning panels, 21
- repository, site view, 25
- resampling images, 103
- Reset Size option, 132
- resetting
 - editable tag attributes to uneditable, 264
 - image, 100
- resizing
 - AP Div layers, 358
 - frames, 428
 - image, 100
 - panel, 21
- resolution of monitor, 36
- Restrict Access to Page dialog box, 726
- restricting access to pages, 725–726
- results, displaying, 711–712
- results pages
 - building, 708–712
 - overview, 727
 - testing, 712–714
- Results panel, 466–467
- reusing searches, 90
- reviewing source
 - formatting, 492–496
- right (CSS), 80
- Roll Back Page dialog box, 560–561
- rollover buttons, 311
- rollover images, 104–106
- root folder, 44–46
- root-relative, document links vs., 290
- roundtrip editing
 - defined, 311
 - overview, 327–328
- rows
 - adding
 - alternating background colors, 261
 - adding to tables, 161–163
 - adjusting table, 258–259
 - deleting from tables, 163
 - merging in tables, 158–161
 - splitting in tables, 158–161
- .rpm file format, 146
- rulers, 18–19
- rules
 - Background category, 225–226
 - Block category, 227–229
 - Border category, 230–231
 - Box category, 229–230
 - data normalization, 581
 - edit, 79
 - Extensions category, 234–235
 - List category, 231–232
 - Positioning category, 232–234
 - strict vs. transitional XHTML, 449–450
 - targeted, 79
 - Type category, 223–225
- running
 - Server Debug report on ColdFusion page, 482
 - Validation panel, 468–469

S

- Sample Style Sheets dialog box, 218
- Save as template dialog box, 245–249
- saving
 - copies of files, 63–64
 - documents, 62–63
 - Fireworks files in same site folders, 315
 - frames/framesets, 431–433
 - multiple documents, 64
 - reports as XML files, 480
 - searches, 90
- Scale option, 131
- “Screen Size Matters” (Catalyst Group Design) Web site, 36
- <script> tag, 68
- script links, 121–122
- scripts
 - cut and paste cursor tail, 373–374
 - defined, 68
 - links, 121–122
 - using <noframes> tag to display messages, 441
- search pages
 - creating, 705–707
 - overview, 727
 - testing, 712–714
- searching
 - code for tags and attributes, 467
 - regular expressions, 90–91
 - reusing searches, 90
 - saving searches, 90
 - specific tags, 88–90
 - for tags and attributes, 86–88
- secondary browsers, 461–463

- Secure Sockets Layer (SSL), 169
- security, 169–170
- Select Database dialog box, 586
- Select Extension to Install dialog box, 414
- Select File dialog box, 123, 696–697
- Select Image Source dialog box, 185–186, 316
- Select ODBC DSN dialog box, 592
- Select Template dialog box, 270
- select tool, 20
- selecting
 - AP Div layers, 357–358
 - application servers, 574–577
 - databases, 582
 - platforms, 571
 - Web servers, 571–574
 - workspace layout, 9–11
- selection-based library items, 277–278
- selector, 208
- Server Behavior Builder dialog box, 684
- Server behaviors
 - creating custom, 683–686
 - defined, 683
- server debug, 17
- server scripts, 247
- server-side includes (SSIs)
 - creating, 286–289
 - defined, 45, 69, 285
 - editing, 291
 - files, 665
 - inserting, 289–290
 - overview, 275, 285–286
 - types, 289
- servers. *See also* application servers
 - Apache, 572
 - production, 554
 - remote, 517–523
 - staging, 554
 - verifying contact with database, 626–627
- session
 - defined, 643
 - defining variables, 643–644
- Session Variable dialog box, 644
- set magnification menu, 20
- Set Nav Bar Image behavior, 400–401
- Set Nav Bar Image dialog box, 400–401
- Set Text of Container behavior, 402–403
- Set Text of Container dialog box, 402–403
- Set Text of Field dialog box, 406
- Set Text of Frame dialog box, 403–404
- Set Text of Status Bar behavior, 404–405
- Set Text of Status Bar dialog box, 405
- setting frame properties, 434–435, 437–438
- setting up
 - managed sites, 46
 - Testing Server, 578–580
- setting(s)
 - accessibility, 438–439
 - ActiveX control properties, 141–143
 - background color of files in frames, 434
 - code formatting preferences, 492
- Contribute file/folder permissions, 553
- copy and paste preferences, 485–486
- default, 26
- download times and size, 464–466
- DTD (document type definition), 449–450
- editing Smart Object's optimization, 335
- Flash movie attributes, 130–132
- frame accessibility, 438–439
- frame properties, 434–435, 437–438
- frameset properties, 435–436
- Java Applet properties, 140–141
- launch-and-edit preferences in Fireworks, 312–314
- layer preferences, 352–353
- layer properties, 358–361
- link targets, 122
- Netscape Navigator plug-in properties, 144
- OLE DB connection, 602–603
- primary browsers, 461–463
- restoring default workspace layout, 26
- secondary browsers, 461–463
- Shockwave movie properties, 139–140
- table width and height, 161

- setting(s) (*continued*)
 - target browsers
 - for Browser
 - Compatibility, 471–472
 - text properties, 76–77
 - up database tables, 724
 - up links to open detail pages, 695–697
 - up remote folders, 500–501
 - Validator preferences, 469–470
- sharing snippets, 304–305
- sharpening images, 104
- Shockwave movies
 - adding, 138–140
 - overview, 138
 - setting properties, 139–140
- show dynamic text as, 69
- Show-Hide Elements
 - behavior, 407–409
- Show-Hide Elements dialog box, 407–408
- Show Pop-up Menu dialog box, 328
- showing regions on pages, 660
- Shrink O’Matic tool, 342
- Site Definition dialog box
 - administering Contribute sites, 547–549
 - checking files in and out, 535–536
 - Contribute
 - compatibility, 546
 - creating Contribute templates, 550
 - customizing File view columns, 539–541
 - disabling cloaking options, 511–512
 - disabling Design Notes, 531–532
 - enabling cloaking options, 511–512
 - enabling Design Notes, 314, 531–532
 - fixing connection problems, 554–555
 - FTP, 502–505
 - Local/Network access, 506
 - setting up remote folders, 500–501
 - Subversion, 537–538
 - uncloaking cloaked file types, 513–514
- site design
 - issues, 33–36
 - monitor resolution, 36
- site layout, 39–41
- site management, 24
- Site Reports panel, 477
- site root-relative paths, 45
- site view, 24–25
- sitemap, 40
- Sitepoint CSS Reference Web site, 6
- SitePoint Web site, 40
- sites. *See also* Web sites
 - advanced method setup, 49–53
 - advances setup method, 49–53
 - copying library items between, 284–285
 - duplicating, 54
 - exporting, 54
 - hosted, 571
 - hosting your own, 572
 - importing, 54
 - managing multiple, 53–55
 - removing from managed-sites list, 55
 - updating ones that use library items, 281–282
 - wizard setup, 46–49
- size (CSS), 80
- slicing, 41
- Smart Objects
 - Copy/Paste workflow, 335–336
 - editing optimization settings, 335
 - editing original PSD, 335
 - icon, 331–332
 - inserting into Dreamweaver, 332–335
 - workflow, 331–335
- Snap to Grid option, 18
- Snippet dialog box, 296–301, 305
- snippets
 - block, 294
 - Code, 295–304
 - creating with graphics, 302–304
 - creating JavaScript, 297–300
 - creating text, 295–297
 - creating with wrap option, 300–302
 - defined, 293
 - deleting, 305
 - downloading, 295
 - editing, 305
 - managing, 305–306
 - overview, 293–294
 - playing with keyboard shortcuts, 303
 - preset, 294–295
 - sharing, 304–305
 - text, 295–297
 - types, 294
- software
 - Email Riddler, 118
 - Subversion, 537–538
 - Sorensen Squeeze encoder, 128

- Sort Table dialog box, 166–167
- sorting
 - columns, 541
 - table information, 166–167
- sound files
 - embedding compared
 - with linking, 147–148
 - file formats, 145–146
- source formatting
 - applying, 496–497
 - changing, 492–496
 - reviewing, 492–496
- tag, 73, 206
- special characters, 83–84
- specific tags, 88–90
- spell checking, 488–490
- Spinwave Web site, 42
- Split Cell dialog box, 160–161
- split code view, 17
- split vertically, 17
- split view, 16
- splitting
 - cells in tables, 160–161
 - rows and columns in tables, 158–161
- Spry
 - Data Sets, 415
 - Framework, 28, 193–196, 418
 - Validation, 193–196, 415
- Spry Data Sets, Web sites, 415
- Spry effects (Adobe)
 - adding, 387–389
 - components, 386–387
 - defined, 415
 - overview, 386–387
 - types, 387
 - Web sites, 389
- Spry Widgets
 - inserting onto pages, 417–418
 - overview, 370, 415
 - types, 415–416
- SQL Server Connection dialog box, 605
- SQL Server connections
 - building, 604
 - overview, 600
- SQL Server databases,
 - troubleshooting, 627
- Src option, 131
- SSIs (server-side includes)
 - creating, 286–289
 - defined, 45, 69, 285
 - editing, 291
 - files, 665
 - inserting, 289–290
 - overview, 275, 285–286
 - types, 289
- SSL (Secure Sockets Layer), 169
- stacking order. *See* z-index
- staging server, 554
- standard layout mode, 152
- standard toolbar, 14
- starting
 - Adobe Bridge from Dreamweaver, 338
 - browsers, 115
 - Dreamweaver from Adobe Bridge, 338
 - Media External Editor, 148–149
- status bar
 - overview, 19–20
 - Windows location of, 12
- Stop option, 132
- stored procedure, 638
- streaming video
 - inserting Flash video
 - with, 136–138
 - overview, 134
- strict DTD, 449
- tag, 75
- <style> tag, 68, 204
- style rendering toolbar, 14
- style sheets
 - adding style to new/
 - existing, 214–217
 - applying custom class styles, 219
 - attaching to documents, 217–218
 - editing in Contribute sites, 564–565
 - external, 236–237
- styles
 - adding information to layer styles, 363–364
 - adding to new/existing style sheets, 214–217
 - advanced styling Web sites, 196
 - converting inline to CSS rules, 237–239
 - creating inline, 81–83
 - defined, 76
 - editing, 241
 - layer, 361–364
 - moving within Code view, 237
- Subversion (SVN) software, 519, 537–538
- Sun JDBC-ODBC Driver (ODBC Database), 608
- Sun Web site, 609
- Sun's JDBC Data Access API Drivers Web site, 610
- support center, 28–29

- Support Center Web site, 474
 - SVN (Subversion)
 - software, 519, 537–538
 - Swap Image behavior, 409–411
 - Swap Image dialog box, 410–411
 - Swap Image Restore
 - action, 411
 - .swc files, 128
 - .swf files, 127–132
 - .swt files, 127
 - Synchronize Files
 - command, 523–526
 - Synchronize Files dialog box, 525–526
 - synchronizing files, 524–526
 - syntax, XHTML
 - (eXtensible HyperText Markup Language), 448–450, 454–456
 - system requirements for ASP.NET, 713
- T**
-
- tab bar, 15
 - Table dialog box, 153–154
 - tables. *See also* forms
 - adding columns, 161–163
 - adding rows, 161–163
 - adjusting rows, 258–259
 - converting to AP Div layers, 365, 367
 - converting AP Div layers to, 365–367
 - converting from pixels to percentages, 164–165
 - creating, 152–155
 - creating repeating, 259–260
 - deleting rows and columns, 163
 - editing images in
 - Fireworks, 320–321
 - formatting cells, 163–164
 - formatting with
 - Properties Inspector, 156–158
 - importing data, 165
 - inserting, 153–155
 - inserting text/images in
 - cells, 163
 - layout modes, 152–153
 - merging cells, 160
 - merging rows and columns, 158–161
 - non-Dreamweaver, 167–168
 - setting width and height, 161
 - sorting information, 166–167
 - splitting cells, 160–161
 - splitting rows and columns, 158–161
 - turning on visual aids, 155–156
 - Tag Chooser, 124–125
 - Tag Chooser dialog box, 443–445
 - Tag Editor, adding
 - accessibility settings to frames with, 439
 - Tag Editor dialog box, 125
 - tag selector, 15
 - tags
 - <a>, 115, 117, 119
 - <blockquote>, 78
 - <body>, 14, 16, 73, 226
 - <div>, 73, 347–348
 - , 75
 - <fieldset>, 189–192
 - , 86
 - <form>, 68, 171–173
 - <frameset>, 420–421
 - <h1>, 75
 - <hr>, 75
 - <html>, 61
 - <label>, 188–189
 - <legend>, 191–192
 - non-visual server markup, 68
 - <noscript>, 374
 - <object>, 129
 - <p>, 78
 - <script>, 68
 - searching code for, 467
 - searching for, 86–88
 - , 75, 206
 - , 75
 - <style>, 68, 204
 - Visual Server Markup, 68
 - Target Browsers dialog box, 471–472
 - target visitor bandwidth capabilities, 33
 - targeted rule, 79
 - targeting frames with links, 439–441
 - targets
 - adjusting, 100–101
 - HTML, 79
 - setting link, 122
 - Taylor, Allen G., *Database Development For Dummies*, 581
 - technical overview, 35
 - TechNote 15220 (Adobe), 504
 - Template Properties dialog box, 263–264
 - templates. *See also* editable regions
 - adding alternating row background colors, 261
 - applying to pages, 270–271
 - building nested, 264–266
 - for building OLE DB connections, 601–603
 - button, 128

- converting HTML pages
 - into, 245–247
- creating, 244–249
- creating Contribute,
 - 549–551
- creating editable tag
 - attributes, 261–264
- creating new, 247–249
- creating new documents
 - from, 266–267
- creating optional/
 - optional editable
 - regions, 255–258
- creating repeating
 - regions, 258–260
- deleting files, 272–273
- detaching from
 - pages, 271
- editable regions, 243
- editing, 267–270
- enabling Contribute
 - users to use, 562–563
- exporting sites within
 - template markup,
 - 254–255
- managing, 271–272
- modifying, 268–269
- modifying optional
 - regions, 257–258
- overview, 53, 243–244
- renaming, 272
- server scripts, 247
- uneditable regions, 243
- updating in Contribute
 - sites, 564
- updating pages, 267–270,
 - 269–270
- temporary links
 - creating, 121–122
 - overview, 114
- Test Value dialog box,
 - 699, 710
- testing
 - Browser Compatibility
 - panel, 472–473
 - Browser Compatibility
 - report, 470–475
 - checking links, 475–477
 - delete pages, 744–745
 - detail pages, 702–703
 - dynamic content,
 - 652–653
 - dynamic text, 652–653
 - fixing errors, 474
 - fixing links, 475–477
 - FlashPaper toolbar
 - functionality, 133
 - general guidelines,
 - 460–461
 - HTML pages in multiple
 - browsers, 245
 - hyperlinks, 115
 - master pages, 702–703
 - previewing pages in
 - browser, 461
 - previewing pages in
 - multiple browsers,
 - 463–464
 - record insert pages,
 - 722–724
 - results pages, 712–714
 - search pages, 712–714
 - setting download times
 - and size, 464–466
 - setting primary/
 - secondary browsers,
 - 461–463
 - site view, 25
 - update pages, 735–737
 - viewing errors, 474
 - Web sites, 460–466
- Testing Server
 - folder, 44
 - overview, 52
 - setting up, 578–580
 - uploading dependent
 - files, 665–666
- text
 - adding, 73–74
 - adding dynamic, 650
 - alternate, 102
 - areas, 176
 - color, 80
 - editing, 74
 - fields, 174–176
 - indent, 78
 - inserting in table
 - cells, 163
 - links, 115–117, 126
 - outdent, 78
 - removing, 75–76
 - snippets, 295–297
 - text options
 - CSS, 79–80
 - HTML, 77–79
 - Thawte, 169
 - third-party behaviors
 - Adobe Exchange,
 - 412–413
 - Extension Manager,
 - 413–414
 - overview, 412
 - third-party online credit
 - card processing
 - service, 169
 - Timeloc tool, 342
 - tips
 - creating mobile
 - content, 340
 - site-organization,
 - 551–552
 - title
 - defined, 17
 - framesets, 433
 - HTML, 78
 - Tittel, Ed, *HTML, XHTML, & CSS For Dummies*, 35
 - toggle, 14
 - toolbar
 - coding, 12–14
 - document, 16–18

- toolbar (*continued*)
 - examples of, 14–15
 - standard, 14
 - style rendering, 14
 - tools
 - automatic code
 - compliance, 450–453
 - BrandGopher, 342
 - diff, 526
 - Hand, 20
 - Select, 20
 - Shrink O'Matic, 342
 - Timeloc, 342
 - zoom, 20
 - Training (Adobe), 29
 - transferring
 - dependent files, 516
 - files to/from Contribute sites, 552–553
 - transforming HTML
 - document code into XHTML, 455
 - transitional DTD, 449
 - triple-click, editing, 74
 - troubleshooting. *See also* fixing
 - Access databases, 627
 - basic database
 - connections, 626–628
 - Contribute sites, 554–555
 - file-based databases, 628–630
 - general databases, 633
 - IBM Universal
 - databases, 628
 - IIS databases, 628–630
 - JSP database
 - connections, 632
 - Live Data mode, 668–669
 - Microsoft error
 - messages, 630–632
 - MySQL databases, 627
 - Oracle databases, 627
 - plug-ins, 145
 - SQL Server
 - databases, 627
 - turning on table visual aids, 155–156
 - tutorials, XML, 447
 - Type properties, 223–225
-
- ## U
-
- uncloning cloaked file types, 513–514
 - uneditable regions of templates, 243
 - Uniform Resource Locator (URL)
 - base, 577
 - connection string, 607
 - database connection types, 608–609
 - defined, 44
 - uninstalling extensions
 - with Extension Manager, 413–414
 - units of measure, 81
 - unlocking
 - checked out files, 563
 - guides, 19
 - unordered, 84
 - unordered list (HTML), 78
 - Update Files dialog box, 123, 283
 - Update HTML File dialog box, 327
 - update pages
 - adding forms to, 732–735
 - building, 727–735
 - compiling, 730
 - creating links to, 728–730
 - overview, 728
 - process, 728
 - testing, 735–737
 - Update Pages dialog box, 254, 269–270, 282
 - Update Template Files dialog box, 253–254, 268
 - updating. *See also* update pages
 - documents/sites that use library items, 281–282
 - Fireworks HTML
 - in Dreamweaver
 - documents, 326–327
 - help, 29
 - old JavaScript behaviors, 379
 - pages, 268–270
 - templates in Contribute sites, 564
- updating images from original, 103
- uploading
 - dependent files to testing server, 665–666
 - files to remote servers, 520–521
- URL parameters
 - creating recordset to store, 730–732
 - defining, 641–643
 - defining to pass confirmation pages, 738–739
- URL (Uniform Resource Locator)
 - base, 577
 - connection string, 607
 - database connection types, 608–609
 - defined, 44
- URL Variables dialog box, 740
- usability, 34–35

V

V Space option, 131
 Validate Form action, 412
 Validate Form dialog box, 192–193
 validate markup, 18
 validating
 code, 468–470
 database username and password, 627
 forms with JavaScript, 192–193
 forms with Spry framework, 193–196
 XHTML, 456
 Validation panel, 468–469
 Validator preferences, setting, 469–470
 Vander Veer, Emily A., *JavaScript For Dummies*, 372
 verifying
 contact with database server, 626–627
 Microsoft IIS, 573–574
 VeriSign, 169
 version control
 overview, 52
 using with Subversion, 537–538
 vertical padding, image, 100
 video. *See also* movies
 embedding compared with linking, 147
 inserting Flash, 133–138
 progressive download, 134–136
 streaming, 134, 136–138
 Video Encoder (Flash), 128

View Data dialog box, 723–724
 viewing
 background activity logs, 522
 CSS layout block properties, 227
 Design Notes, 534–535
 errors, 474
 file transfer activity with FTP log, 481
 FTP logs, 522–523
 Live Data in dynamic Web pages, 663–669
 newest files without synchronization, 523–524
 options, 18
 Welcome Screen, 12
 views. *See also* Code view;
 Design view
 defined, 639
 File, 53, 539–541
 live, 17
 local site, 24
 refresh design, 18
 remote site, 25
 repository site, 25
 split, 16
 split code, 17
 split vertically, 17
 virtual path, 595–596
 virtual SSIs, 289
 visibility, 407
 editing AP Div layer, 356–357
 Visio (Microsoft), 40
 visitor
 bandwidth capabilities, 33
 experience elements, 39

visual aids
 defined, 18
 table, 155–156
 visual server markup tags, 68
 Visual SourceSafe (Microsoft), 501, 509–510

W

W option, 131
 W3C Web site, 6, 212
 W3.org Web site, 255
 W3Schools
 CSS Tutorial Web site, 6
 Web site, 6, 118, 255, 371, 471
 warnings, 472–473
 .wav file format
 (Waveform Extension), 146
 Waveform Extension
 (.wav) file format, 146
 Web Accessibility Initiative Web site, 6, 37
 Web addresses, 2
 Web applications
 choosing application servers, 574–577
 choosing platforms, 571
 choosing Web servers, 571–574
 databases, 580–582
 overview, 569–570
 setting up Testing Server, 578–580
 Web/application server combinations, 577–578

- Web Design: The L Line, The Express Line to Learning* (Jenkins), 31
- Web design stages, 31–32
- Web pages. *See also* detail
 - pages; master pages
 - adding dynamic forms elements, 660–661
 - adding Flash movies, 128–132
 - adding floating frames, 443–445
 - adding forms, 719–720
 - adding inline style, 205–206
 - adding Log In User Server behavior, 724–725
 - adding to update, 732–735
 - applying templates to, 270–271
 - ColdFusion component, 678–680
 - confirmation, 739–742
 - creating new pages
 - with ASP database connections, 590–591
 - detaching templates from, 271
 - hiding regions, 660
 - login, 724–725
 - opening in frames, 429–431
 - previewing in
 - browsers, 461
 - previewing in multiple browsers, 463–464
 - record insert, 719–722
 - restricting access to, 725–726
 - results, 708–712
 - testing with Browser
 - Compatibility report, 470–475
 - update, 727–735
 - updating, 268–270
 - Web root, default, 577
 - Web-safe palette, 82
 - Web security, 169–170
 - Web servers
 - Apache, 572
 - application server combinations, 577–578
 - hosted sites, 571
 - hosting your own site, 572
 - Microsoft IIS, 573–574
 - types, 36
 - Web sites. *See also* sites
 - Adobe, 29, 132, 245, 413, 526
 - Adobe AIR application, 341–342
 - Adobe AIR Marketplace, 342
 - Adobe Bridge, 338
 - Adobe Dreamweaver Exchange button templates, 128
 - Adobe Dreamweaver Knowledge Base, 29
 - Adobe Exchange, 412–413, 683
 - Adobe Labs Spry effects, 389
 - Adobe Learning Guide, 133
 - Adobe Online Developers Guide, 418
 - Adobe TechNote 15220, 504
 - advanced styling, 196
 - Ajax, 341
 - Ampsoft, 83
 - Apache, 572
 - Apple iPhone, 339
 - BoxTop, 42
 - browser support, 460
 - browser testing, 144
 - ColdFusion Resources Support, 508
 - Copy/Paste workflow, 337
 - creating mobile content, 340
 - CSS Beauty, 6
 - CSS (Cascading Style Sheets), 203, 309
 - CSS Zen Garden, 6
 - Danilo Celic’s blog, 305
 - defined, 43
 - designing with
 - accessibility, 37
 - Dreamweaver Developer Center, 91
 - Dreamweaver Exchange, 6
 - Dreamweaver Help, 27
 - Dreamweaver LiveDocs, 370
 - Dreamweaver Support Center, 6
 - DreamweaverCtrls.dll Dreamweaver .NET component file download, 713
 - Dynamic Drive DHTML Scripts, 6
 - EarthWeb JavaScripts, 6
 - Email Riddler, 118
 - Equilibrium’s Debabelizer, 42
 - Federal Rehabilitation Act, 37

- Fireworks trial
 - version, 312
- Flash, 128
- Flash Developer Center, 138
- Flash Video
 - with Dreamweaver tutorial, 138
- GeoTrust, 169
- host providers, 500
- Hot Dreamweaver Fever, 6
- HTML, XHTML, & CSS For Dummies* (Tittel), 35
- IPv6-enabled FTP server, 504
- Jakarta Tomcat, 576
- JavaScript Source, 6
- JavaScriptKit, 373
- Kaosweaver, 6
- Luckychair, 6
- management tasks, 558–559
- MarkUpNow.com, 168
- Massimo Foti, 305
- MDAC download, 590, 600, 713
- Microsoft Office Access, 582
- Microsoft software, 509
- Microsoft SQL Server, 582
- MySQL, 582
- .NET Framework
 - download, 713
 - notes, 82
 - planning elements of, 31
- PostgreSQL, 582
- Project Seven, 6
- regular expressions, 91
- “Screen Size Matters,” 36
- SitePoint article, 40
- Sitepoint CSS Reference, 6
- snippets, 295
- Sorensen Squeeze, 128
- Spinwave, 42
- Spry Data Sets, 415
- Spry effects, 389
- Spry Framework, 418
- Spry Validation, 194
- structure, 43–44
- Subversion software, 519, 538
- Sun, 609
- Sun’s JDBC Data Access API Drivers, 610
- Support Center, 474
- testing, 460–466
- Thawte, 169
- Tim Williams, 118
- VeriSign, 169
- W3 Schools, 6, 38, 118, 169, 255, 371, 471
- W3 Schools hexadecimal equivalents, 82
- W3 Schools unicode symbols, 84
- W3C, 212
- W3.org, 255
- Web Accessibility Initiative, 6, 37
- Web Monkey, 6
- Web site notes, 82
- WebDAV (Web-based Distributed Authoring and Versioning), 506
- WebTeacher’s
 - JavaScript, 371
- World Wide Web Consortium (W3C), 6, 37, 218
- XForms, 169
- XML tutorial, 447
- WebDAV (Web-based Distributed Authoring and Versioning)
 - overview, 501
 - remote access type, 506–507
 - Web site, 506
- WebTeacher’s JavaScript Web site, 371
- Welcome Screen
 - creating new documents, 59–61
 - enabling, 62
 - overview, 12–13
- What You See Is What You Get (WYSIWYG), 16
- widgets. *See also* Spry Widgets
 - defined, 194
 - Spry Validation, 194–196
- width (tables), 161
- Windows Feature dialog box, 573
- Windows (Microsoft)
 - debugging ColdFusion applications, 481–482
 - importing Word/Excel files, 70–71
 - location of document tab, 12
 - location of document toolbar, 12
 - Macintosh workspace differences, 10
 - main menu locator, 10
 - setup, 575
 - setup for PHP, 575
 - Vista, 573
 - workspace, 10, 12
 - XP, 573–574
 - XP Service Pack 2, 464–465
- wireframe, 40

wizard (site setup), 46–49
Wmode option, 131

Wojtowicz, Marcin
(JavaScriptKit), 373

Word

cleaning HTML, 487–488
importing files from,
70–71

Workflow reports, 477–480

workflow for Web

design, 31

workspace

customizing, 25–26

Dreamweaver, 11–15

workspace layout

choosing, 9–11

restoring default

settings, 26

Windows vs. Macintosh

differences, 10

World Wide Web

Consortium (W3C),
6, 218

wrap snippets

creating, 300–302

overview, 294–295

WYSIWYG (What You See
Is What You Get), 16

X

X/Y coordinates, 18

XForms, 169–170

XHTML (eXtensible

HyperText Markup
Language)

automatic code

compliance tools,
450–453

benefits, 447–448

code consistency,

490–492

converting HTML files

to, 456

creating documents,

454–455

framesets in, 423

overview, 447

strict vs. transitional

rules, 449–450

syntax, 448–450, 454–456

transforming HTML

document code

into, 455

validating, 456

XML (eXtensible Markup
Language)

defined, 255

saving reports as

files, 480

tutorial, 447

Y

yellow script invisible
element, 299

Z

z-index

changing, 356

defined, 353

zoom tool, 20

