

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols

- * / (asterisk slash), in JSP comments, 51
- .dll extensions, 344
- .jsp extensions, 303, 303
- .so extensions, 344
- .tld files (Tag Library Descriptor), 476, 480
- .tmp extensions, 334
- .war archive files, 586, 586
- .xml files, 303
- // (double forward slashes), in JSP comments, 51
- /web-inf subdirectory, 584, 584, 586, 589
- ; (semicolons) in SQL code, 407
- @ directives, 52–53

Numbers

- 100% Pure Java Cookbook, 321–322
- 80-20 rule, 256

A

- Abstract Window Toolkit (AWT), useful classes, 360
- AbstractedQueryAccess class, **516–546**
 - AbstractedQueryAccess.java (code listing), **516–529**
 - AbstractQueryAccessSearchResults.jsp (code listing), **539–543**, 542–543
 - AbstractQueryAccessSetup.html (code listing), 539
 - AbstractQueryDetailSearchResults.jsp (code listing), **543–546**, 546
 - Revised ConnectionManager.java (code listing), 529–539
- access. *See also* database access
 - dynamic authentication and, 398–399
 - management of, MVC, 409–410
 - servlets and, 27–36
- action tags, 52
- Active Server Pages (ASP)
 - basics of, 7
 - engines/interpreters, 7
- AddAccount.jsp (code listing), 209–210, 210
- addLineNumbersToText.pl (code listing), 334, 337
- AddOrderItem.jsp (code listing), 215–217, 217
- AddProduct.jsp (code listing), 206–207, 207, 417, 419
- An Introduction to Database Systems* (Addison-Wesley, 1999), 189
- Ant, **269–270**, 269–270
- Apache. *See also* Tomcat
 - Apache projects, using, **269–280**
 - Ant, using, **269–270**, 269–270
 - JMeter, using, **270–277**, 271, 273–274
 - Junit, using, **277–280**, 280
 - described, 4, 10
 - Jakarta Apache Taglibs software group, 475

- APIs (Application Program Interfaces)
 - JSP and servlet APIs, listed, 591–609
 - proposed JSTL API reference, **623–634**
 - C—Core tags, 623–627
 - FMT—Formatting tags, 627–630
 - sql—SQL database access and presentation tags, 633–634
 - X—XML validation features, 630–633
- AppJspMvcHeader.jsp (code listing), 409–410
- AppJspMvc.jsp (code listing), 409
- applets, watermarking
 - basics of, **358–359**
 - ImageDisplay applet, **360–365**, 364
- Application Program Interfaces. *See* APIs (Application Program Interfaces)
- applications. *See also* internalization, of applications; JSP applications, deploying
 - application-controlled authentication, 167
 - application scope, 67, 127
 - helpful application components, **388–398**
 - Connection Manager, improved, **388–393**
 - DBConnection Properties file, 393
 - PropStore, improved, **393–398**
 - web applications, packaging (Java), **614–616**, 615–616
- architecture. *See also* web application models and advanced architecture
 - for performance, **255–256**
- archives, Java (jars), **614–616**, 615–616
- arrays, and JSPs, 79
- ASP (Active Server Pages)
 - basics of, 7
 - engines/interpreters, 7
- assertions
 - defined, 234
 - error handling and debugging and AssertTest.java (code listing), 237–238, 238
 - enabling and disabling at runtime, **236**
 - when and how to use, **235**
 - AssertTest.java (code listing), 237–238, 238
- authentication
 - handling roles, permissions and access, **398–407**
 - authentication tables, **406–408**
 - basics of, **398–399**
 - UserAuth, **399–406**
 - security (JSP), when sharing data and, **167–175**
 - Logout.jsp (code listing), 174–175, 174–175
 - SecuredApplication2.jsp (code listing), 173, 173
 - SecuredApplication.jsp (code listing), 172, 172
 - SecurityHeader.jsp (code listing), 171
 - UserAuth.java (code listing), 167–169
 - UserAuth.jsp (code listing), 169–171
- AuthenticationInserts.sql (code listing), 407–408
- AuthenticationTables.sql (code listing), 406–407
- AWT (Abstract Window Toolkit), useful classes, 360

- UserAuth.jsp (code listing), 169–171
- AuthenticationInserts.sql (code listing), 407–408
- AuthenticationTables.sql (code listing), 406–407
- AWT (Abstract Window Toolkit), useful classes, 360

B

- BadQueryStore.java (code listing), 505–508
- BadQueryStoreSearchResults.jsp (code listing), 509–512
- bandwidth timing, and benchmarking, 264
- BasketHeader.jsp (code listing), 164, 164
- BeanTools.java (code listing), 114–115, 150–151
- benchmarking, **263–268**
 - defined, 263
 - timing bandwidth and, **264**
 - timing functions, **264–267**, 267
 - tuning Java code, **267–268**
- BodyTags, and text, **483–492**
 - PigLatinBodyTagTest.jsp (code listing), 491–492, 492
 - PigLatinTranslator.java (code listing), 486–490
 - PigLatinTranslatorTag.java (code listing), **484–485**
 - PigLatinTranslatorTag.tld (code listing), 490–491
- BogusOrderCalculate.jsp (code listing), 155–156, 156
- BogusOrderSetup.html (code listing), 154, 154
- Booch, Grady, 255
- bulletin boards, 224–225
- bundle tag, 628

C

- C/C++, and learning JSP, 6
- C—Core tags, 623–627
- c16EJB.SQL (code listing), 514–516
- C7TestingPlan.jmx (code listing), 275–277
- caching, optimal (XML), 316
- CallQueryStoreEJB.jsp (code listing), 576
- Cascading Style Sheets (CSSs) and XML, 290–293
- catch tag, 623
- Cello, Joe, 189
- CGI (Common Gateway Interface), and Perl, 7
- CheckUserInfo.jsp (code listing), 138–140, 140, 142
- choose tag, 623, 630
- classes. *See also* DittoResultSet
 - BeanTools class, 613–614, 613–614
 - changes in Sun transitory and mutable, 365
 - classes and compilation, Java, **611–614**, 613–614
 - extension classes, installing, 365
 - inherited methods and, 591
 - javax.servlet packages, listed, 591–609
 - JSTL classes, listed, 501

- Servlet classes, 26
 - TQueryStore, 547, 548–549
 - TQueryStoreBean, 547, 549–557
 - TQueryStoreHome, 547, 556–557
 - TQueryStorePK, 546, 547–548
 - useful AWT classes, 360
- Client-Side Source Generated by LatinStudent.xls and Horace.1.11.xml (code listing), 313–315
- client side, using XML on, 290–293, 291–292
- clients, relationship to JSP, 4
- code. *See also* commenting JSP code; scripting elements
 - clean code and debugging, 228–229
 - data access and manipulation code, removing, 516–546
 - AbstractedQueryAccess.java (code listing), 516–529
 - AbstractQueryAccessSearchResults.jsp (code listing), 539–543, 542–543
 - AbstractQueryAccessSetup.html (code listing), 539
 - AbstractQueryDetailSearchResults.jsp (code listing), 543–546, 546
 - Revised ConnectionManager.java (code listing), 529–539
 - data access code and Entity Beans, 504–513, 512–513
 - HTML code vs. JSP code, 86–87
 - recovering source code, 176–180, 177–180
 - tuning Java code, 267–268
- Code Complete* (Microsoft Press, 1993), 223, 229
- code listings
 - Connection Manager
 - AddAccount.jsp, 209–210, 210
 - AddOrderItem.jsp, 215–217, 217
 - AddProduct.jsp, 206–207, 207
 - ConnectionManager.java, 196–200
 - ConnectionManagerTest.jsp, 201, 201
 - CreateOrder.jsp, 212–213, 213
 - InsertAccount.jsp, 210–211, 211
 - InsertProduct.jsp, 207–208, 208
 - ProcessNewOrder.jsp, 213–214, 214
 - SearchesWithJavaScript.jsp, 202–203, 203
 - SearchResultsWithJavaScript.jsp, 203–206, 206
 - ShowOrderDetails.jsp, 217–219, 219
 - custom tags
 - JavaScriptDropDownRequiredTag.java, 493–496
 - JavaScriptDropDownRequiredTagTest.jsp, 497–499, 499
 - JavaScriptDropDownRequiredTag.tld, 497
 - JavaScriptDropDownRequiredValidationTag.java, 496
 - JavaScriptInputRequiredTag.java, 478–480
 - JavaScriptInputRequiredTagTest.jsp, 482–483, 483
 - JavaScriptInputRequiredTag.tld, 481
 - PigLatinBodyTagTest.jsp, 491–492, 492
 - PigLatinTranslator.java, 486–490
 - PigLatinTranslatorTag.java, 484–485
 - PigLatinTranslatorTag.tld, 490–491
- database access
 - DatabaseAndTables.sql, 188–189
 - JdbcConnectError.jsp, 186–187, 187
 - JdbcSetupTest.jsp, 185–186, 186
 - Searches.jsp, 191–192, 192
 - SearchResultDisplay.jsp, 192–195
 - SimpleConnect.jsp, 189–191, 191
- database programming, advanced
 - ConfigDBErrorPage.jsp, 470
 - ConfigDB.jsp, 467–470, 470
 - DittoResultSet.java, 449–456
 - OracleRowSetExample, 446–448
 - QuizBean.java, 465–467
 - Quiz.jsp, 471–473, 473
 - ResultSetLimitations.jsp, 438–441, 441
 - SolvingResultSetLimitations.jsp, 442–446, 445
 - TableDefinitions.sql, 464
 - VocabInserts.sql, 464
 - WordLookup.java, 457–464
- EJBs
 - AbstractedQueryAccess.java, 516–529
 - AbstractQueryAccessSearchResults.jsp, 539–543, 542–543
 - AbstractQueryAccessSetup.html, 539
 - AbstractQueryDetailSearchResults.jsp, 543–546, 546
 - BadQueryStore.java, 505–508
 - BadQueryStoreSearchResults.jsp, 509–512
 - c16EJB.SQL, 514–516
 - CallQueryStoreEJB.jsp, 575–576, 576
 - ejb-jar.xml, 574
 - ErrorPage.jsp, 512
 - Jboss.xml, 573–574
 - Revised ConnectionManager.java, 529–539
 - TQueryStoreBean.java, 550–556
 - TQueryStoreHome.java, 556–557
 - TQueryStore.java, 548
 - TQueryStorePK.java, 547–548
 - TQueryStoreTestClient, 557–573
 - web.xml, 574–575
- error handling and debugging
 - AssertTest.java, 237–238, 238
 - ExceptionTest.java, 231–233
 - ExceptionTest.java, 231–233
 - LogWriter.java, 239–242
 - LogWriter.sql, 239
 - ProblemMain.jsp, 225–226
 - ProblemSource.jsp, 226–227
 - StdRedirector.java, 242–246
 - ViewLogs.java, 246–250
 - ViewLogs.jsp, 250–252, 251–252
- graphic displays, changing
 - HTMLEmbeddedImages.html, 378–379, 379
 - ImageDisplay.html, 359–360, 364
 - ImageDisply.java, 360–364
 - ImageLabeler.java, 371–375
 - ImageLoaderDemo.html, 376, 376
 - ImageLoader.java, 369–371
- HTTP and servlets
 - PropertiesDemo.java, 37–38
 - PropertiesDemo.properties, 38–39
 - RequestDump.java, 27–31, 30–31
 - RequestDump.shtml, 31–36, 32–35
 - SalaryQuote.java, 39–44
 - SalaryQuote.properties, 44–45
 - SalaryQuote.shtml, 45–47, 46–47
- interfaces
 - GetPathWithJNLh, 345
 - GetPathWithJNLjava, 344–345
 - PullPath.c, 346
- internalization, of applications
 - ImageFileNames_en.properties, 382
 - PropertiesDemo_de.properties, 383–384
 - PropertiesDemoLocale.java, 382–383
 - PropStore.java, 380–382
- Java
 - EmailTest.java, 619–620, 620
 - InetAddressInfo.java, 618–619, 619
 - NullTest.java, 620–621, 621
 - SimpleTest.java—The Simplest Java Class, 611
 - TestStatic.java, 617, 617
- JavaBean code and scripting
 - BeanTools.java, 114–115, 612–613, 614
 - ErrorTest.java, 113–114
 - MjspUserPreferencesBean.java, 112–113
 - UserInfo.java, 104–111
- JavaBeans
 - BeanTools.java, 150–151
 - CheckUserInfo.jsp, 138–140, 140, 142
 - InsertUser.jsp, 141–142, 141–142
 - UserInfo.java, 143–150
 - UserInfo.jsp, 136–138, 138
- JSP applications, deploying
 - test.jsp, 585, 585
 - web.xml, 584–585, 585
 - web.xml file for Chapter 15, 587
 - web.xml for Chapter 13, 587
 - web.xml for Master JSP.war, 589
- JSP processing
 - CommentProcessing.jsp, 57–58, 58
 - DumpMethods.java, 66–67, 67
 - DumpSessionInfo.jsp, 68, 70, 70–73, 71–73
 - ForwardSetup.jsp, 54–55, 55
 - ForwardTest.jsp, 55–56, 59
 - InquiryProcessing.jsp, 57, 57
 - Partial Listing of Forwardtest.jsp as mangled by the JavaServer Engine for Preprocessing and Caching, 63–64
- JSP security when sharing data
 - BasketHeader.jsp, 164, 164

- BogusOrderCalculate.jsp, 155–156, 156
- BogusOrderSetup.html, 154, 154
- FinalizeOrder.jsp, 156–158, 158
- HappyTimesBasket.jsp, 163–164, 164
- HappyTimesMenu.jsp, 160–161, 161
- HappyTimesMunchies.jsp, 161–162, 162
- Logout.jsp, 174–175, 174–175
- MoreOrders.jsp, 165, 165
- SecuredApplication2.jsp, 173, 173
- SecuredApplication.jsp, 172, 172
- SecurityHeader.jsp, 171
- UserAuth.java, 167–169
- UserAuth.jsp, 169–171
- performance
 - C7TestingPlan.jmx, 275–277
 - HandlingLongQueries.html, 257–260, 260
 - ShowLongQuery.jsp, 261–262, 262
 - Timing.java, 265–267, 267
 - UserInfoTest.java, 278–280, 280
- RMI
 - FileSystemProfiler.java, 347–349
 - IRemoteFileSystemProfiler.java, 349–350
 - mypolicy.security, 355–356
 - PullRemoteFSProfile.java, 352–355, 354–355
 - RemoteFileSystemProfiler.java, 350–352
- scripting elements. *See also* JavaBean code and scripting (*this heading*)
 - Declaring and Using a Static Variable, 80
 - ErrorDemo.jsp, 94–95, 94
 - ErrorPage.jsp, 95–97, 95
 - ErrorTest.java, 113–114
 - Excerpt from FlowControl.jsp, 84–85
 - Excerpt from ScopeIssues.jsp, 81
 - FlowControl.jsp, 97–100, 97
 - Header.jsp, 90
 - HTML Code Showing the Client-Side Code Generated for ScopeIssues.jsp, 86
 - JSP Code: ScopeIssues.jsp, 87
 - MJjspUserPreferencesBean.java, 112–113
 - MJjspUserPreferences.jsp, 91, 92–93
 - ScopeIssues.jsp, 83–84, 100–102, 100
 - String or StringBuffer: Why Go through the Trouble?, 88–89
 - UserInfo.java, 104–112
- web application models and advanced architecture
 - AddProduct.jsp, 417, 419
 - AppJspMvcHeader.jsp, 409–410
 - AppJspMvc.jsp, 409
 - AuthenticationInserts.sql, 407–408
 - AuthenticationTables.sql, 406–407
 - ConnectionManager.java, 388–393
 - DBConnect_en_US.properties, 393
 - Director.java, 422–426
 - Director.jsp, 410–412
 - DirectorServletBeanHeader.jsp, 427
 - InsertProduct.jsp, 417–418
 - Login.jsp, 414–415
 - Logout.jsp, 416
 - MVC Servlet compliant ShowOrderDetails.jsp, 432–434, 434
 - PropStore.java, 394–398
 - QueryTool.java, 405–406
 - Revised Login.jsp, 426–427, 427
 - SearchesWith, 428–429
 - SearchesWithJavaScript.jsp, 429
 - SearchResultsWithJavaScript.jsp, 429–432, 432
 - TestPropStore_en_US.properties, 398
 - UserAuth.java, 399–405
 - UserBanner.jsp, 413
- wrappers
 - addLineNumbersToText.pl, 334, 337
 - EnterLinesToNumber.html, 335–336, 335
 - ShowNumberedLines.jsp, 336–337
 - SimpleProgramWrapper.java, 326–334
 - SplitPGN.pl, 339–343, 343
- XML
 - Client-Side Source Generated by LatinStudent.xls and Horace.1.11.xml, 313–315
 - Horace.1.11withXSLStudentReference.xml, 301, 301
 - Horace.1.11withXSLTeacherReference.xml, 302, 302
 - Horace.1.11.xml, 299–300
 - Horace.1.5.xml, 287–290, 289–290
 - LatinStudent.xml, 295–297
 - LatinTeacher.xml, 297–299
 - Poem.dtd, 286–287
 - SelectView.jsp, 310–311
 - StudentsLatin.css, 290
 - TransformedText.jsp, 312–313, 312–313
 - UserXml.java, 304
 - XmlFiles.html, 311
 - XMLXSLConverter.java, 305–310
 - XslFiles.html, 311
- ColdFusion, basics of, 8
- commenting JSP code
 - basics of, 51–52
 - directives, 52–60
 - errorPage directive, 59–60
 - forward tag, 54–59, 55, 57–58
 - import directive, 52–53
 - import Language tag, 53
 - include tag, 53
 - commenting XML, 284–285, 285
- CommentProcessing.jsp (code listing), 57–58, 58
- Common Gateway Interface (CGI), and Perl, 7
- Common Object Request Broker Architecture (CORBA), 319
- compilation and classes, Java, 611–614, 613–614
- Component beans, 132
- config, Post action parameter, 82
- ConfigDBErrorPage.jsp (code listing), 470
- ConfigDB.jsp (code listing), 467–470, 470
- Connection Manager
 - ConnectionManager.java (code listing), 196–200
 - ConnectionManagerTest.jsp (code listing), 201, 201
 - for dynamic application configuration, 388–393
 - JavaScript and, 202–220
 - AddAccount.jsp (code listing), 209–210, 210
 - AddOrderItem.jsp (code listing), 215–217, 217
 - AddProduct.jsp (code listing), 206–207, 207
 - CreateOrder.jsp (code listing), 212–213, 213
 - InsertAccount.jsp (code listing), 210–211, 211
 - InsertProduct.jsp (code listing), 207–208, 208
 - ProcessNewOrder.jsp (code listing), 213–214, 214
 - SearchesWithJavaScript.jsp (code listing), 202–203, 203
 - SearchResultsWithJavaScript.jsp (code listing), 203–206, 206
 - ShowOrderDetails.jsp (code listing), 217–219, 219
 - solving result set limitations and, 446
 - connection pooling. *See* Connection Manager
 - ConnectionManager.java (code listing), 388–393
 - constructors, JavaBeans
 - multiple constructors, 120
 - no-arguments constructor, 119
 - constructions and idioms, Java, 617–621, 617, 619–621
 - cookies
 - accessibility of, 169–171
 - adding Cookie Manager, JMeter, 273–274, 273
 - http.Cookie class, 597
 - Cooper, Alan, 6
 - CORBA (Common Object Request Broker Architecture), 319
 - core functions, JSTL class, 501
 - Create function. *See* query access
 - CreateOrder.jsp (code listing), 212–213, 213
 - CSSs (Cascading Style Sheets), and XML, 290–293
 - D**
 - data
 - data migration using XML/XSL, 316–317
 - metadata, defined, 513
 - security when sharing, JSP, 153–166
 - hidden fields, 153–159, 154, 156, 158
 - hiding, 159
 - saving and retrieving session information, 160–166, 161–162, 164–166
 - URL rewriting, 159
 - data access

- code, abstracting with Entity Beans, **504–513**, *512–513*
 - code, removing with AbstractedQueryAccess class, **516–546**
 - AbstractedQueryAccess.java (code listing), **516–529**
 - AbstractQueryAccessSearchResults.jsp (code listing), **539–543**, *542–543*
 - AbstractQueryAccessSetup.html (code listing), **539**
 - AbstractQueryDetailSearchResults.jsp (code listing), **543–546**, *546*
 - Revised ConnectionManager.java (code listing), **529–539**
 - moving away from presentation layer, DittoResultSet, **456–465**
 - database access, **183–220**. *See also* Connection Manager
 - connection pooling. *See* Connection Manager
 - connectivity and JDBC, **183–196**
 - checking null value parameters, **195–196**
 - DatabaseAndTables.sql (code listing), **188–189**
 - Searches.jsp (code listing), **191–192**, *192*
 - SearchResultDisplay.jsp (code listing), **192–195**
 - SimpleConnect.jsp (code listing), **189–191**, *191*
 - starting JDBC, **184–187**
 - summary, **220**
 - database access JSTL class, **501**
 - DatabaseAndTables.sql (code listing), **188–189**
 - database programming, advanced, **437–474**
 - DittoResultSet, **448–474**
 - basics of, **448–456**
 - JSPs supporting quiz application, **467–474**, *470*, *473*
 - moving data access away from presentation layer, **456–465**
 - QuizBean, **465–467**
 - java.sql.Connection and java.sql.ResultSet problems, **437–446**
 - ResultSetLimitations.jsp (code listing), **438–441**, *441*
 - SolvingResultSetLimitations.jsp (code listing), **442–446**, *445*
 - RowSet, **446–448**
 - summary, **474**
 - databases
 - database-driven framework for abstracting queries, **513–516**
 - database logging errors, **239–242**
 - usage of in the development cycle, **36–37**
 - Date, C. J., **189**
 - dates
 - formatDate tag, **629–630**
 - parseDate tag, **630**
 - scanning log files based on, **251**, *251*
 - values, displaying, **89**
 - DBConnect_en_US.properties (code listing), **393**
 - DBCConnection Properties file, **393**
 - debug global class variable, **44**
 - debugging
 - JBuilder and debugging information, **14**, *14*
 - TRACE request and, **24**
 - Declaring and Using a Static Variable (code listing), **80**
 - DELETE request, HTTP, **23**
 - deployment descriptor file
 - attributes of web.xml deployment descriptor, **586–589**
 - default, **583–586**, *584–586*
 - design
 - database design, study resources, **189**
 - JavaBeans, **122–126**
 - basics of, **122–125**
 - guidelines for, **131–133**
 - null and, **125–126**, *126*
 - object-oriented XML design, **294**
 - Design Patterns* (Addison-Wesley, 1995), **255**
 - Designing Web Usability* (New Riders Publishing, 1999), **6**, *254*
 - DHTML, and HTML, **135**
 - directives, JSP, **52–60**
 - errorPage, **59–60**
 - forward tag, **54–59**, *55*, *57–58*
 - import, **52–53**
 - import Language tag, **53**
 - include tag, **53**
 - Director JSP, and MVC using JSPs, **410–418**, *415*
 - directories
 - /web-inf subdirectory, **584**, *584*, *586*, *589*
 - BeanTools directory hierarchy, **613**, *613*
 - directory layout for project, **61**, *61*
 - WEB-INF directory, **589**
 - Webapps directory, **585–586**, *586*
 - Director.java (code listing), **422–426**
 - Director.jsp (code listing), **410–412**
 - DirectorServletBeanHeader.jsp (code listing), **427**
 - DittoResultSet, **448–474**
 - basics of, **448–456**
 - JSPs supporting quiz application, **467–474**, *470*, *473*
 - moving data access away from presentation layer, **456–465**
 - QuizBean, **465–467**
 - DittoResultSet.java (code listing), **449–456**
 - DTDs
 - basics of, **286–290**, *289–290*
 - Tag Library Descriptor file and, **480**
 - DumpMethods.java (code listing), **66–67**, *67*
 - DumpSessionInfo.jsp (code listing), **68**, *70*, *70–73*, *71–73*
 - dynamic errors, **228**
- E**
- eighty-twenty rule, **256**
 - ejb-jar.xml (code listing), **574**
 - EJBs. *See* Enterprise JavaBeans (EJBs)
 - elements, defined (XML), **282**
 - The Elements of Java Style* (Cambridge University Press, 2000), **229**
 - EmailTest.java (code listing), **619–620**, *620*
 - encoding
 - defined, **283**
 - XML, encoding, **283–284**, *284*
 - EnterLinesToNumber.html (code listing), **335–336**, *335*
 - Enterprise JavaBeans (EJBs), **503–577**
 - data access and manipulation code, removing, **516–546**
 - AbstractedQueryAccess.java (code listing), **516–529**
 - AbstractQueryAccessSearchResults.jsp (code listing), **539–543**, *542–543*
 - AbstractQueryAccessSetup.html (code listing), **539**
 - AbstractQueryDetailSearchResults.jsp (code listing), **543–546**, *546*
 - Revised ConnectionManager.java (code listing), **529–539**
 - database-driven framework for abstracting queries, **513–516**
 - Entity Beans
 - abstracting data access code with, **504–513**, *512–513*
 - basics of, **504**
 - JBoss, **573–576**, *576*
 - overview, **504**
 - query access with Read, Write and Create functions, **546–573**
 - Entity Bean, **549–557**
 - testing EJBs, **557–573**
 - TQueryStore.java (code listing), **548**
 - TQueryStorePK.java (code listing), **547–548**
 - Session Beans, **504**
 - summary, **577**
- Entity Beans
 - abstracting data access code with, **504–513**, *512–513*
 - basics of, **504**
- environments
 - integrating varied environments. *See* interfaces; Remote Method Invocation (RMI); wrappers, Java
 - server environments. *See* server environments
- error handling and debugging, **221–252**
 - assertions, **234–238**
 - AssertTest.java (code listing), **237–238**, *238*
 - enabling and disabling, **236**
 - using, **235**
- debugging users' experience, **221–225**
- error prevention, **222**, **228–229**
- Help files, **223–225**
- testing, **222–223**
- error types, **225–229**
 - dynamic errors, **228**
 - library errors, **227–228**
 - syntax errors, **225–227**

- exceptions, 229–234
 - ExceptionTest.java (code listing), 231–233
 - finally keyword and, 230
 - structured exception handling, 233–234
 - throwing exceptions, 230
 - try/catch blocks and, 230
- logging errors, 239–252
 - database logging, 239–242
 - logging to files, 242
 - trimming giant log files, 242–246
 - ViewLogs.java (code listing), 246–250
 - ViewLogs.jsp (code listing), 250–252, 251–252
- summary, 252
- error prevention with Validation tag
 - JavaScriptDropdownRequiredTag.java (code listing), 493–496
 - JavaScriptDropdownRequiredTagTest.jsp (code listing), 497–499, 499
 - JavaScriptDropdownRequiredTag.tld (code listing), 497
 - JavaScriptDropdownRequired-ValidationTag.java (code listing), 496
- ErrorDemo.jsp (code listing), 94–95, 94
- errorPage directive, 59–60
- ErrorMessage.jsp (code listing), 95–97, 95, 512
- ErrorTest.java (code listing), 113–114
- events
 - naming events, JavaBeans, 130–131
 - Servlet Specification 2.3, and event management, 47
- examples. *See also* code listings
 - setting up for, 581–583, 582–583, 589–590
 - viewing, 583
- exception, Post action parameter, 82
- exceptions
 - defined, 229
 - error handling and debugging and, 229–234
 - ExceptionTest.java (code listing), 231–233
 - finally keyword and, 230
 - structured exception handling, 233–234
 - throwing exceptions, 230
 - try/catch blocks and, 230
 - Exception vs. exception, 60
 - vs. runtime errors, 229
- ExceptionTest.java (code listing), 231–233
- Excerpt from FlowControl.jsp (code listing), 84–85
- Excerpt from ScopeIssues.jsp (code listing), 81
- Extensible Markup Language. *See* XML (Extensible Markup Language)
- extensions, integrating. *See* graphic displays, changing
- F**
- FAQ, 224–225
- fields, hidden
 - advantages and disadvantages of, 158–159
 - using to pass data, 153–158, 154, 156, 158
- files
 - .xml files, and .jsp extensions, 303
 - changes to JSP files, and revising code, 64
 - locations of, and wrappers, 337–338
 - logging errors and
 - logging to files, 242
 - trimming giant log files, 242–246
 - property files, 37–39
 - server log files and security, 87
 - source files for project, 61–62, 61
- FileSystemProfiler.java (code listing), 347–349
- filters, and Servlet Specification 2.3, 48
- FinalizeOrder.jsp (code listing), 156–158, 158
- finally keyword, and exception handling, 230
- flow control statements, and JSPs, 83–85
- FlowControl.jsp (code listing), 97–100, 97
- FMT—Formatting tags, 627–630
- forEach tag, 624–625, 631
- formatDate tag, 629–630
- formatNumber tag, 628–629
- formatting functions (JSTL class), 501
- Forte for Java, 15–16, 15–16
- forTokens tag, 625
- forward tag, 54–59, 55, 57–58
- ForwardSetup.jsp (code listing), 54–55, 55
- ForwardTest.jsp (code listing), 55–56, 59
- functions
 - declaring variables and functions in JSPs, 79–80
 - inside Java classes, defined, 79
 - next member function, for data access, 189
 - timing functions, and benchmarking, 264–267, 267
- G**
- Gagnon, Real, 349
- Gamma, Erich, 255
- GenericServlet class, 593
- GET requests
 - HTTP and
 - basics of, 21
 - vs. POST request, 36
 - scripting and, 82
- GetPathWithJNL.h (code listing), 345
- GetPathWithJNL.java (code listing), 344–345
- GIF restrictions, 379
- graphic displays, changing, 358–380
 - servlet-based watermarking systems, 365–380
 - ImageLabeler, 371–375, 379–380
 - ImageLoader, 369–371, 376–378, 377–379, 379–380
 - JAI package installation, 365–368, 366–368
 - watermarking applets, 358–365
 - basics of, 358–359
 - ImageDisplay.html (code listing), 359–360, 364
 - ImageDisplay.java (code listing), 360–364
 - java.awt and javax.swing, 360
- graphic walk-throughs, in Help files, 225
- Guthrie, Rhett, 268
- H**
- HandlingLongQueries.html (code listing), 257–260, 260
- HappyTimesBasket.jsp (code listing), 163–164, 164
- HappyTimesMenu.jsp (code listing), 160–161, 161
- HappyTimesMunchies.jsp (code listing), 161–162, 162
- hardware, and benchmarking, 263–264
- HEAD request, HTTP, 22–23, 22
- Header.jsp (code listing), 90
- heap size, setting, 166, 166
- Help files, 223–225
- hidden fields, and security, 153–159, 154, 156, 158
- history of JSP, 3–4
- Hoenicke, Jochen, 176
- Horace1.11withXSLStudentReference.xml (code listing), 301, 301
- Horace1.11withXSLTeacherReference.xml (code listing), 302, 302
- Horace1.11.xml (code listing), 299–300
- Horace1.5.xml (code listing), 287–290, 289–290
- HTML
 - comparing with JSP code, 86–87
 - HTML Code Showing the Client-Side Code Generated for ScopeIssues.jsp (code listing), 86
 - learning JSP and, 6
 - restricting generation of within Beans, 133–135, 151
 - tags, 130
 - XML and
 - generating flat HTML from XML, 304–316
 - HTML vs. XML, 281, 283–285, 284–285
- HTML Code Showing the Client-Side Code Generated for ScopeIssues.jsp (code listing), 86
- HTMLEmbeddedImages.html (code listing), 378–379, 379
- HTTP and servlets, 19–48
 - behaviors and limitations of HTTP, 20–21
 - HTTP basics, 19–20
 - HTTP requests, 21–26
 - DELETE request, 23
 - GET request, 21
 - HEAD request, 22–23, 22
 - HTTP exchange, 21–22
 - OPTIONS request, 24–26, 24–26
 - POST request, 23
 - PUT request, 23
 - TRACE request, 24
 - servlet programming, 36–48
 - application life-cycle event management, 47
 - database usage in development cycle, 36–37
 - filters, 48

- property files, 37–39
 - SalaryQuote.java (code listing), 39–44
 - SalaryQuote.properties (code listing), 44–45
 - SalaryQuote.shtml (code listing), 45–47, 46–47
 - Servlet advantages, 47
 - Servlets, 26–36
 - access and variables and, 27–36
 - basics of, 26–27
 - to GET or to POST, 36
 - RequestDump.java (code listing), 27–31, 30–31
 - RequestDump.shtml (code listing), 31–36, 32–35
 - summary, 48
 - http.Cookie class, 597
 - http.HttpServlet class, 597–598
 - http.HttpServletRequest Wrapper class, 598–599
 - http.HttpServletResponse Wrapper class, 599–600
 - http.HttpSessionBindingEvent class, 600
 - http.HttpSessionEvent class, 600
 - http.HttpUtils class, 600
 - hyperlinks, for submit actions, 162
 - Hypertext Transfer Protocol (HTTP). *See* HTTP and Servlets
- I**
- IDEs (Integrated Development Environments), 11–16
 - Forte for Java, 15–16, 15–16
 - IDE windows, and error checking, 228
 - importance of reading documentation, 62
 - JBuilder, 12–14, 12–14
 - JDeveloper, 15
 - other IDEs, 16
 - reflection and JavaBeans behavior and, 132
 - Visual J+, Visual J++ and Visual J#.net and, 16
 - VisualCafé and, 16
 - idioms and constructions, Java, 617–621, 617, 619–621
 - if tag, 624, 631
 - ImageDisplay.html (code listing), 359–360, 364
 - ImageDisply.java (code listing), 360–364
 - ImageFileNames_en.properties (code listing), 382
 - ImageLabeler, 371–375, 379–380
 - ImageLabeler.java (code listing), 371–375
 - ImageLoader, 369–371, 376–378, 377–379, 379–380
 - ImageLoaderDemo.html (code listing), 376, 376
 - ImageLoader.java (code listing), 369–371
 - images. *See* graphic displays, changing
 - implicit objects, 81–82
 - import directive, 52–53
 - import Language tag, 53
 - import tag, 624
 - include tag, 53
 - indexOf() method, 619–620, 620
 - InetAddressInfo.java (code listing), 618–619, 619
 - The Inmates Are Running the Asylum* (Sams, 1999), 6
 - InquiryProcessing.jsp (code listing), 57, 57
 - insert statement, JavaBeans, 123–124
 - InsertAccount.jsp (code listing), 210–211, 211
 - InsertProduct.jsp (code listing), 207–208, 208, 417–418
 - InsertUser.jsp (code listing), 141–142, 141–142
 - Integrated Development Environments. *See* IDEs (Integrated Development Environments)
 - interfaces, 343–346
 - internalization, of applications, 380–384
 - InvalidateSession.jsp, 69
 - iPlanet/Netscape, 10
 - IRemoteFileSystemProfiler.java (code listing), 349–350
- J**
- J2EE, and server environments, 8–9
 - JAI package installation, 365–368, 366–368
 - Jakarta Apache. *See* Apache
 - Jars (Java archives), 614–616, 615–616
 - Java
 - history of, 3
 - Java application programming and learning JSP, 6
 - objects. *See* strings
 - a primer for, 611–621
 - classes and compilation, 611–614, 613–614
 - common constructions and idioms, 617–621, 617, 619–621
 - packaging web applications, 614–616, 615–616
 - tuning code, 267–268
 - Java 2, *J2SE 1.4 Complete* (Sybex, 2002), 504
 - Java 2 *Performance and Idiom Guide* (Prentice Hall PTR, 1999), 268
 - Java 2 Platform, Enterprise Edition, and server environments, 8–9
 - Java archives (jars), 614–616, 615–616
 - Java Database Connectivity. *See* JDBC (Java Database Connectivity)
 - Java Optimize and Decompile Environment (JODE), 176–180, 177–180
 - Java Software Development Kit, installation, 581
 - Java Standard Tag Library (JSTL). *See* JSTL (Java Standard Tag Library); tags, custom
 - java.awt, 360
 - JavaBeans, 117–152. *See also* Enterprise JavaBeans (EJBs); Entity Beans
 - bugs in, 132–136
 - basics of, 132–133
 - restricting HTML generation, 133–135
 - white-box testing, 135–136
 - code to support JSPs scripting, 104–115
 - BeanTools.java (code listing), 114–115
 - ErrorTest.java (code listing), 113–114
 - MjspUserPreferencesBean.java (code listing), 112–113
 - UserInfo.java (code listing), 104–112
 - design considerations, 122–126
 - basics of, 122–125
 - null and, 122, 125–126, 126
 - design guidelines, 131–133
 - vs. EJB Session Beans, 504
 - examples, 136–151
 - BeanTools.java (code listing), 150–151
 - CheckUserInfo.jsp (code listing), 138–140, 140, 142
 - good practices, 151
 - InsertUser.jsp (code listing), 141–142, 141–142
 - UserInfo.java (code listing), 143–150
 - UserInfo.jsp (code listing), 136–138, 138
 - naming conventions, 127–131
 - avoiding variable name collisions, 130
 - naming events, 130–131
 - naming indexed properties, 128–130
 - naming properties, 128
 - session events, 131
 - overview, 117–122
 - development of, 118
 - requirements, 118–122
 - reflection and, 132
 - scope, 126–127
 - summary, 152
 - JavaScript
 - Connection Manager and, 202–220
 - AddAccount.jsp (code listing), 209–210, 210
 - AddOrderItem.jsp (code listing), 215–217, 217
 - AddProduct.jsp (code listing), 206–207, 207
 - CreateOrder.jsp (code listing), 212–213, 213
 - InsertAccount.jsp (code listing), 210–211, 211
 - InsertProduct.jsp (code listing), 207–208, 208
 - ProcessNewOrder.jsp (code listing), 213–214, 214
 - SearchesWithJavaScript.jsp (code listing), 202–203, 203
 - SearchResultsWithJavaScript.jsp (code listing), 203–206, 206
 - ShowOrderDetails.jsp (code listing), 217–219, 219
 - variables in JSPs and, 77–78
 - JavaScriptDropdownRequiredTag.java (code listing), 493–496
 - JavaScriptDropdownRequiredTagTest.jsp (code listing), 497–499, 499
 - JavaScriptDropdownRequiredTag.tld (code listing), 497
 - JavaScriptDropdownRequiredValidationTag.java (code listing), 496
 - JavaScriptInputRequiredTag.java (code listing), 478–480
 - JavaScriptInputRequiredTagTest.jsp (code listing), 482–483, 483
 - JavaScriptInputRequiredTag.tld (code listing), 481
 - JavaServer Engine

- JSP processing and. *See also* reflection
 - application scope and, 67
 - compilation of JSP pages and, 61
 - intermediary files and, 64
 - JSP directions to. *See* tags, JSP pages
 - page scope and, 74
 - request scope and, 74
 - session scope and, 68
 - necessity for with examples, 581
 - reflection and JavaBeans behavior and, 132
 - war files, unpacking and, 616
- JavaServer Pages. *See* JSP
- java.sql.Connection and java.sql.ResultSet-
 - problems, 437–446
 - ResultSetLimitations.jsp (code listing), 438–441, 441
 - SolvingResultSetLimitations.jsp (code listing), 442–446, 445
- java.sql.ResultSet
 - DittoResultSet as replacement for
 - basics of, 448–456
 - JSPs supporting quiz application, 467–474, 470, 473
 - moving data access away from presentation layer, 456–465
 - QuizBean, 465–467
 - java.sql.Connection problems and, 437–446
 - ResultSetLimitations.jsp (code listing), 438–441, 441
 - SolvingResultSetLimitations.jsp (code listing), 442–446, 445
- javax.servlet class
 - GenericServlet class, 593
 - ServletContextAttributeEvent class, 593
 - ServletContextEvent class, 593
 - ServletException class, 596
 - ServletInputStream class, 594
 - ServletOutputStream class, 594
 - ServletRequestWrapper class, 595
 - ServletResponseWrapper class, 595–596
 - UnavailableException class, 596–597
- javax.servlet package
 - APIs listed, 591–609
 - commonly inherited methods, 591
 - javax.servlet class, 591–597
 - javax.servlet.http class, 592, 597–600
 - javax.servlet.jsp class, 601–604
 - javax.servlet.jsp.tagext class, 592, 606–609
- javax.servlet.http
 - http.Cookie class, 597
 - http.HttpServlet class, 597–598
 - http.HttpServletRequestWrapper class, 598–599
 - http.HttpServletResponseWrapper class, 599–600
 - http.HttpSessionBindingEvent class, 600
 - http.HttpServletRequest class, 600
 - http.HttpUtils class, 600
- javax.servlet.jsp class
 - jsp.JspEngineInfo class, 601
 - jsp.JspException class, 603–604
 - jsp.JspFactory class, 601
 - jsp.JspTagException class, 604
- jsp.JspWriter class, 601–602
- jsp.PageContext class, 602–603
- javax.servlet.jsp.tagext class
 - jsp.tagext.BodyContent class, 604–606
 - jsp.tagext.BodyTagSupport class, 606
 - jsp.tagext.PageData class, 606
 - jsp.tagext.TagAttributeInfo class, 606
 - jsp.tagext.TagData class, 607
 - jsp.tagext.TagExtraInfo class, 607
 - jsp.tagext.TagInfo class, 607
 - jsp.tagext.TagLibraryInfo class, 608
 - jsp.tagext.TagLibraryValidator class, 608
 - jsp.tagext.TagSupport class, 608
 - jsp.tagext.TagVariableInfo class, 609
 - jsp.tagext.ValidationMessage class, 609
 - jsp.tagext.VariableInfo class, 609
- javax.sql.DataSource, 446
- javax.swing, 360
- JBoss
 - basics of, 11
 - EJBs, 573–576, 576
 - examples and, 590
- JBoss.xml (code listing), 573–574
- JBuilder
 - basics of, 12–14, 12–14
 - debug window, 47, 47
- JDBC (Java Database Connectivity)
 - connectivity and, 183–196
 - checking null value parameters, 195–196
 - DatabaseAndTables.sql (code listing), 188–189
 - Searches.jsp (code listing), 191–192, 192
 - SearchResultDisplay.jsp (code listing), 192–195
 - SimpleConnect.jsp (code listing), 189–191, 191
 - starting, 184–187
 - JDBC2.x solution to ResultSet problems, 446–448
- JdbcConnectError.jsp (code listing), 186–187, 187
- JDBCSetupTest.jsp (code listing), 185–186, 186
- JDeveloper, 15
- JDK (Java Software Development Kit),
 - installation, 581
- JMeter, 270–277, 271, 273–274
- Jode (Java Optimize and Decompile Environment), 176–180, 177–180
- JSDK (Java Software Development Kit),
 - installation, 581
- JSP applications, deploying, 583–590
 - default deployment descriptor file, 583–586, 584–586
 - setting up for examples, 589–590
 - web.xml deployment descriptor, 586–589
- JSP basics, 3–17. *See also* JSP pages; JSP processing
 - comparing Web programming languages, 7–8
 - fundamentals of, 4–7
 - advantages, 5
 - described, 4–5
 - history of, 3–4
 - learning, 6
 - getting started, 17
 - IDEs, 11–16
 - Forte for Java, 15–16, 15–16
 - JBuilder, 12–14, 12–14
 - JDeveloper, 15
 - other IDEs, 16
 - Visual J+, Visual J++ and Visual J#.net, 16
 - VisualCafé, 16
 - as server-side language, 4
 - summary, 17
 - various server environments and, 8–16
 - iPlanet/Netscape, 10
 - J2EE and, 8–9
 - JBoss, 11
 - Oracle9i application server, 11
 - Tomcat, 9–10, 9
 - Web-Sphere, 11
 - WebLogic, 10
- JSP Code: ScopesIssues.jsp (code listing), 87
- JSP-MVC sample application, 418–421, 419–421
- JSP pages
 - anatomy of, 60–61
 - defined, 4
 - server processing. *See* server processing of JSP pages
 - tag elements of. *See* tags, JSP pages
 - variables in
 - arrays, 79
 - basics of, 77–78
 - declaring variables and functions, 79–80
 - variable scope, 81
 - working with servlet-based, 427
- JSP processing, 49–74
 - page anatomy, 60–61
 - server processing of JSP pages, 61–74
 - application scope, 67
 - compiling pages, 61–64, 61–62
 - page scope, 74
 - reflection, basics, 64–65, 65
 - reflection, in depth, 66–67, 67
 - request scope, 74
 - session scope, 68–74, 70–73
 - summary, 74
 - tags. *See also* commenting JSP code; JSP tags, 50
- JSP security. *See* security (JSP), when sharing data
- jsp.JspEngineInfo class, 601
- jsp.JspException class, 603–604
- jsp.JspFactory class, 601
- jsp.JspTagException class, 604
- jsp.JspWriter class, 601–602
- jsp.PageContext class, 602–603
- jsp.tagext.BodyContent class, 604–606
- jsp.tagext.BodyTagSupport class, 606
- jsp.tagext.PageData class, 606
- jsp.tagext.TagAttributeInfo class, 606
- jsp.tagext.TagData class, 607
- jsp.tagext.TagExtraInfo class, 607

jsp.tagext.TagInfo class, 607
 jsp.tagext.TagLibraryInfo class, 608
 jsp.tagext.TagLibraryValidator class, 608
 jsp.tagext.TagSupport class, 608
 jsp.tagext.TagVariableInfo class, 609
 jsp.tagext.ValidationMessage class, 609
 jsp.tagext.VariableInfo class, 609
 JSTL (Java Standard Tag Library)
 classes, listed, 501
 proposed API reference, 623–634.
See also tags, custom
 C—Core tags, 623–627
 FMT—Formatting tags, 627–630
 sql—SQL database access and
 presentation tags, 633–634
 X—XML validation features, 630–633
 Junit, 277–280, 280

K

Kaye, Michael H., 293
 keywords
 finally keyword, and exceptions, 230
 package keyword, 612
 static keyword, 617–619
 XML as reserved keyword, 286

L

languages, for Java wrappers, 322–323
 Larman, Craig, 268
 LatinStudent.xml (code listing), 295–297
 LatinTeacher.xml (code listing), 297–299
 legacy applications, integrating. *See* interfaces;
 Remote Method Invocation (RMI);
 wrappers, Java
 library errors, 227–228
 load testing, 268–269
 locale tag, 627
 logging errors
 database logging, 239–242
 logging to files, 242
 trimming giant log files, 242–246
 ViewLogs.java (code listing), 246–250
 ViewLogs.jsp (code listing), 250–252,
 251–252
 Login.jsp (code listing), 415
 Logout.jsp (code listing), 174–175, 174–175, 416
 LogWriter class, 239–242
 LogWriter.java (code listing), 239–242
 LogWriter.sql (code listing), 239

M

masked entries, JavaBeans, 122–123
Mastering Enterprise JavaBeans, 2nd Edition (John
 Wiley & Sons, 2001), 504
Mastering XML, Premium Edition (Sybex, 2001), 282
Mastering XSLT (Sybex, 2002), 293
 McConnell, Steve, 223, 229
 message tag, 628
 metadata, defined, 513
 meter, defined, 294
 methods
 commonly inherited, listed, 591
 functions as, 79
 indexOf() method, 619–620, 620

servlet's service methods, 26
 tag methods, 476–477
 TQueryStoreBean methods, listed, 549
 Microsoft languages, and ASP, 7
 military time, displaying values, 90
 MjspUserPreferencesBean.java (code listing),
 112–113
 MjspUserPreferences.jsp (code listing), 91, 92–93
 Model-View Controllers (MVCs)
 constructing using controlling servlets,
 422–435
 Director.java (code listing), 422–426
 DirectorServletBeanHeader.jsp
 (code listing), 427
 MVC Servlet compliant ShowOrder-
 Details.jsp (code listing),
 432–434, 434
 Revised Login.jsp (code listing),
 426–427, 427
 SearchesWithJavaScript.jsp (code
 listing), 428–429, 429
 SearchResultsWithJavaScript.jsp
 (code listing), 429–432, 432
 using JSPs, 409–421
 Director JSP, 410–418, 415
 management of roles and access,
 409–410
 sample JSP-MVC application,
 418–421, 419–421
 MoreOrders.jsp (code listing), 165, 165
 multithreading support, JavaBeans, 120–121
 MVC Servlet compliant ShowOrderDetails.jsp
 (code listing), 432–434, 434
 MVCs. *See* Model-View Controllers (MVCs)
 mypolicy.security (code listing), 355–356
 MySQL, for examples, 589–590

N

name mangling, 62–64
 naming conventions, JavaBeans, 127–131
 avoiding variable name collisions, 130
 naming events, 130–131
 naming indexed properties, 128–130
 naming properties, 128
 session events, 131
 Netscape. *See* iPlanet/Netscape
 New Library Wizard, JAI, 367, 367
 next member function, 189
 Nielsen, Jakob, 6, 254
 nix abbreviation, 4
 no-arguments constructor, JavaBeans, 119
 nulls
 checking null value parameters, JDBC,
 195–196
 handling, 620–621, 621
 in Java vs. SQL, 125–126, 126
 public properties, and JavaBeans, 122
 NullTest.java (code listing), 620–621, 621
 NumbersDates.jsp (code listing), 102–104, 102

O

Object-Oriented Analysis and Design with Applications
 (Addison-Wesley, 1994), 255
 objects. *See also* server-side object lifespans

implicit objects, 81–82
 optimization, 255–256
 OPTIONS request, HTTP, 24–26, 24–26
 Oracle9i application server, 11
 OracleRowSetExample (code listing), 446–448
 otherwise tag, 625, 631
 out, Post action parameter, 82
 out tag, 623–624, 630–631
 out.print and out.println, 87

P

package keyword, 612
 page, Post action parameter, 82
 page scope, 74, 127
 page scope variables, 81
 pageContext, Post action parameter, 82
 param tag, 625, 628, 631, 634
 Pareto, Vilfredo, 256
 parse tag, 632
 parseDate tag, 630
 parseNumber tag, 629
 Partial Listing of Forwardtest.jsp as mangled by
 the JavaServer Engine for Preprocessing and
 Caching (code listing), 63–64
 passwords
 default, on database installation, 185
 dynamic authentication and, 398–399
 testing, 167–169
 UserAuth.java (code listing), 399–405
 performance, 253–280
 architecture and, 255–256
 problems and solutions, 256–263
 HandlingLongQueries.html (code
 listing), 257–260, 260
 ShowLongQuery.jsp (code listing),
 261–262, 262
 summary, 280
 testing, 263–280. *See also* Apache, Apache
 projects, using; benchmarking
 load testing, 268–269
 users and, 253–254
 Perl, 7, 323
 permissions, and dynamic authentication, 398–399
 persistence, JavaBeans, 121
 PGN (Portable Game Notation), 339–343, 343
 PHP, 8
 Pig Latin basics, 485
 PigLatinBodyTagTest.jsp (code listing),
 491–492, 492
 PigLatinTranslator.java (code listing), 486–490
 PigLatinTranslatorTag.java (code listing),
 484–485
 PigLatinTranslatorTag.tld (code listing),
 490–491
 PNG (Portable Network Graphics), 380
 Poem.dtd (code listing), 286–287
 pop-up windows, 64–65, 65
 Portable Game Notation (PGN),
 339–343, 343
 Portable Network Graphics (PNG), 380
 Post action parameters, 82
 POST requests
 HTTP
 basics of, 23

- vs. GET request, 36
- SalaryQuote servlet and, 46, 46
- parameters of, listed, 82
- scripting and, 82
- Practical Extraction and Report Language (Perl), 7, 323
- presentation layer, moving data access away from (DittoResultSet), 456–465
- print, displaying values, 87
- ProblemMain.jsp (code listing), 225–226
- ProblemSource.jsp (code listing), 226–227
- processing. *See* JSP processing; server processing of JSP pages
- ProcessNewOrder.jsp (code listing), 213–214, 214
- profiling, 268–269
- program failures. *See* exceptions
- programs, interfacing Java with other. *See* interfaces; Remote Method Invocation (RMI); wrappers, Java
- properties, JavaBeans
 - naming, 128–130
 - public, 121–122
- PropertiesDemo_de.properties (code listing), 383–384
- PropertiesDemo.java (code listing), 37–38
- PropertiesDemoLocale.java (code listing), 382–383
- PropertiesDemo.properties (code listing), 38–39
- property files, 37–39
- PropStore, 393–398
- PropStore.java (code listing), 380–382, 394–398
- proxies, 20
- public properties, JavaBeans, 121–122
- PullPath.c (code listing), 346
- PullRemoteFSProfile.java (code listing), 352–355, 354–355
- PUT request, HTTP, 23

Q

- quantitative meter, defined, 294
- query access, Entity Bean for, 546–573
 - Entity Bean, 549–557
 - testing EJBs, 557–573
 - TQueryStore.java (code listing), 548
 - TQueryStorePK.java (code listing), 547–548
- query strings, defined, 21
- query tag, 633
- QueryTool.java (code listing), 405–406
- QuizBean, 465–467
- QuizBean.java (code listing), 465–467
- Quiz.jsp (code listing), 471–473, 473

R

- Read function. *See* query access
- redirect tag, 626
- reference books
 - Code Complete* (Microsoft Press, 1993), 223, 229
 - Design Patterns* (Addison-Wesley, 1995), 255

- Designing Web Usability* (New Riders Publishing, 1999), 6, 254
- The Elements of Java Style* (Cambridge University Press, 2000), 229
- The Inmates Are Running the Asylum* (Sams, 1999), 6
- An Introduction to Database Systems* (Addison-Wesley, 1999), 189
- Java 2, J2SE 1.4 Complete* (Sybex, 2002), 504
- Java 2 Performance and Idiom Guide* (Prentice Hall PTR, 1999), 268
- Mastering Enterprise JavaBeans, 2nd Edition* (John Wiley & Sons, 2001), 504
- Mastering XML, Premium Edition* (Sybex, 2001), 282
- Object-Oriented Analysis and Design with Applications* (Addison-Wesley, 1994), 255
- SQL for Smarties* (Morgan Kaufmann, 1999), 189
- XSLT Programmer's Reference* (Wrox, 2001), 293
- reflection
 - basics of, 64–65, 65
 - in depth, 66–67, 67
 - JavaBeans and, 132
- regression testing, and debugging, 223
- Remote Method Invocation (RMI)
 - integrating legacy applications and, 346–356
 - basics of, 346–347
 - FileSystemProfiler.java (code listing), 347–349
 - IRemoteFileSystemProfiler.java (code listing), 349–350
 - mypolicy.security (code listing), 355–356
 - PullRemoteFSProfile.java (code listing), 352–355, 354–355
 - RemoteFileSystemProfiler.java (code listing), 350–352
 - JavaBeans and, 118
- RemoteFileSystemProfiler.java (code listing), 350–352
- remove tag, 626
- request scope, 74, 127
- RequestDump.java (code listing), 27–31, 30–31
- RequestDump.shtml (code listing), 31–36, 32–35
- requestEncoding tag, 627
- requests
 - defined, 81
 - HTTP, 21–26
 - DELETE request, 23
 - GET request, 21
 - HEAD request, 22–23, 22
 - OPTIONS request, 24–26, 24–26
 - POST request, 23
 - PUT request, 23
 - request scope, 74
 - seeing the HTTP exchange, 21–22
 - TRACE request, 24
 - request-brokering servlet. *See* ImageLoader
 - resources. *See* reference books; web resources, listed; web sites for information
 - response, Post action parameter, 82

ResultSet

- DittoResultSet as replacement for
 - basics of, 448–456
 - JSPs supporting quiz application, 467–474, 470, 473
 - moving data access away from presentation layer, 456–465
 - QuizBean, 465–467
- and java.sql.Connection problems, 437–446
 - ResultSetLimitations.jsp (code listing), 438–441, 441
 - SolvingResultSetLimitations.jsp (code listing), 442–446, 445
- JDBC2.x solution to ResultSet problems, 446–448
- ResultSetLimitations.jsp (code listing), 438–441, 441
- Revised ConnectionManager.java (code listing), 529–539
- Revised Login.jsp (code listing), 426–427, 427
- RMI. *See* Remote Method Invocation (RMI)
- roles
 - dynamic authentication and, 398–399
 - management of, MVC, 409–410
- Roman, Ed, et al., 504
- RowSets
 - defined, 446
 - as solution to ResultSet problems, 446–448
- runtime errors
 - vs. exceptions, 229
 - handling, 236

S

- SalaryQuote servlet
 - SalaryQuote.java (code listing), 39–44
 - SalaryQuote.properties (code listing), 44–45
 - SalaryQuote.shtml (code listing), 45–47, 46–47
- scope
 - JavaBeans, 126–127
 - JSP processing and
 - application scope, 67
 - page scope, 74
 - request scope, 74
 - session scope, 68–74, 70–73
- ScopeIssues.jsp (code listing), 83–84, 100–102, 100
- script, avoiding in HTML from JavaBeans, 135
- scripting elements, 77–115. *See also* code examples, 90–104
 - ErrorDemo.jsp (code listing), 94–95, 95
 - ErrorPage.jsp (code listing), 96–97
 - FlowControl.jsp (code listing), 97–100, 97
 - Header.jsp (code listing), 90–91, 91
 - MjspUserPreferences.jsp (code listing), 92–93
 - NumbersDates.jsp (code listing), 102–104, 102
 - ScopeIssues.jsp (code listing), 100–102, 100

- flow control statements, 83–85
- implicit objects, 81–82
- JavaBean code to support examples, 104–115
 - BeanTools.java (code listing), 114–115
 - ErrorTest.java (code listing), 113–114
 - MJspUserPreferencesBean.java (code listing), 112–113
- summary, 115
- values, displaying, 86–90
 - basics of, 86, 86
 - dates, 89
 - military time, 90
 - print, 87
 - strings, 88–89
- variables in JSPs
 - arrays, 79
 - basics of, 77–78
 - declaring variables and functions, 79–80
 - variable scope, 81
- scriptlet tags, 50
- Searches.jsp (code listing), 191–192, 192
- SearchesWithJavaScript.jsp (code listing), 202–203, 203, 428–429, 429
- SearchResultDisplay.jsp (code listing), 192–195
- SearchResultsWithJavaScript.jsp (code listing), 203–206, 206, 429–432, 432
- SecuredApplication2.jsp (code listing), 173, 173
- SecuredApplication.jsp (code listing), 172, 172
- security
 - caution on changing policy, 356
 - database installation default password and, 185
 - hidden fields in Director JSP and, 416
 - masked entries, JavaBeans, 122–123
 - server log files and, 87
 - specifying input parameters to system calls, 322
- security (JSP), when sharing data, 153–181
 - additional security concerns, 175–180
 - basics of, 175
 - recovering source code, 176–180, 177–180
 - authentication, 167–175
 - Logout.jsp (code listing), 174–175, 174–175
 - SecuredApplication2.jsp (code listing), 173, 173
 - SecuredApplication.jsp (code listing), 172, 172
 - SecurityHeader.jsp (code listing), 171
 - UserAuth.java (code listing), 167–169
 - UserAuth.jsp (code listing), 169–171
 - sharing data, 153–166
 - hidden fields, 153–159, 154, 156, 158
 - saving and retrieving session information, 160–166, 161–162, 164–166
 - URL rewriting, 159
 - summary, 180–181
 - SecurityHeader.jsp (code listing), 171
 - SelectView.jsp (code listing), 310–311
 - semicolons in SQL code, 407
 - server environments, 8–16
 - iPlanet/Netscape, 10
 - J2EE, 8–9
 - JBoss, 11
 - Oracle9i application server, 11
 - Tomcat, 9–10, 9
 - Web-Sphere, 11
 - WebLogic, 10
 - server log files, and security, 87
 - server processing of JSP pages, 61–74
 - application scope, 67
 - compiling pages, 61–64, 61–62
 - page scope, 74
 - reflection, 64–65, 65, 66–67, 67
 - request scope, 74
 - session scope, 68–74, 70–73
 - server-side object lifespans
 - application scope, 67
 - page scope, 74
 - request scope, 74
 - session scope, 68–74, 70–73
 - DumpSessionInfo.jsp (code listing), 68
 - InvalidateSession.jsp (code listing), 69
 - SetSessionAttribute.jsp (code listing), 69
 - servlet containers, defined, 4–5
 - ServletContextAttributeEvent class, 593
 - ServletContextEvent class, 593
 - ServletException class, 596
 - ServletInputStream class, 594
 - ServletOutputStream class, 594
 - ServletRequestWrapper class, 595
 - ServletResponseWrapper class, 595–596
 - servlets
 - access and variables and, 27–36
 - basics of, 26–27
 - constructing MVCs using controlling servlets, 422–435
 - Director.java (code listing), 422–426
 - DirectorServletBeanHeader.jsp (code listing), 427
 - MVC Servlet compliant ShowOrderDetails.jsp (code listing), 432–434, 434
 - Revised Login.jsp (code listing), 426–427, 427
 - SearchesWithJavaScript.jsp (code listing), 428–429, 429
 - SearchResultsWithJavaScript.jsp (code listing), 429–432, 432
 - defined, 26
 - described, 4–5
 - JSP/servlet environment installation, 581–583, 582–583
 - servlet-based watermarking systems, 365–380
 - ImageLabeler, 371–375, 379–380
 - ImageLoader, 369–371, 376–378, 377–379, 379–380
 - JAI package installation, 365–368, 366–368
 - servlet programming, 36–48
 - application life-cycle event management, 47
 - database usage in the development cycle, 36–37
 - filters, 48
 - property files, 37–39
 - SalaryQuote.java (code listing), 39–44
 - SalaryQuote.properties (code listing), 44–45
 - SalaryQuote.shtml (code listing), 45–47, 46–47
 - servlet advantages, 47
 - values available to
 - GET request vs. POST request, 36
 - RequestDump.java (code listing), 27–31, 30–31
 - RequestDump.shtml (code listing), 31–36, 32–35
 - Session Beans, 504
 - session, Post action parameter, 82
 - sessions
 - session information, saving and retrieving, 160–166, 161–162, 164–166
 - session scope
 - JavaBeans, 127
 - JSP, 68–74, 70–73
 - session size, 166, 166
 - set tag, 626, 632
 - setDataSource tag, 634
 - SetSessionAttribute.jsp (code listing), 69, 70, 70
 - ShowLongQuery.jsp (code listing), 261–262, 262
 - ShowNumberedLines.jsp (code listing), 336–337
 - ShowOrderDetails.jsp (code listing), 217–219, 219
 - SimpleConnect.jsp (code listing), 189–191, 191
 - SimpleProgramWrapper.java (code listing), 326–334
 - SimpleTest.java—The Simplest Java Class (code listing), 611
 - Social Security numbers
 - Bean Tools utility test, 150–151
 - CheckUserInfo.jsp and, 142, 142
 - masked entries for security and, 122–123
 - SolvingResultSetLimitations.jsp (code listing), 442–446, 445
 - SplitPGN.pl (code listing), 343, 343
 - SQL
 - code listings
 - AuthenticationInserts.sql, 407–408
 - AuthenticationTables.sql, 406–407
 - c16EJB.SQL, 514–516
 - DatabaseAndTables.sql, 188–189
 - LogWriter.sql, 239
 - ResultSetLimitations.jsp, 438–441, 441
 - SolvingResultSetLimitations.jsp, 442–446, 445
 - VocabInserts.sql, 464
 - empty strings in, 124
 - importance of offline testing, 421
 - null in Java vs. SQL, 122, 125–126, 126
 - semicolons in code, 407
 - sql—SQL database access and presentation tags, 633–634
 - SQL for Smarties (Morgan Kaufmann, 1999), 189
 - startup configuration, tracking, 229
 - static constant variables for tags, listed, 476–477
 - static keyword, 617–619
 - StdRedirector.java (code listing), 242–246

String or StringBuffer: Why Go through the Trouble? (code listing), 88–89

strings

- displaying values, 88–89
- manipulation of, 619–620, 620

Struts, 387, 435

StudentsLatin.css (code listing), 290

submit actions, 162

Swing, 360

synchronizing, multithreading and (JavaBeans), 120–121

syntax errors, 225–227

system call wrappers, 320–322

system calls, executing, 324–325

system level failures. *See* runtime errors

T

TableDefinitions.sql (code listing), 464

Tag Library Descriptor file, 476, 480

tags

- elements and, XML, 282–283
- hiding, using CSS definitions, 291
- HTML, and JavaBeans, 130
- redefining attributes, XML, 290
- tag library packages, 623–634
 - C—Core tags, 623–627
 - FMT—Formatting tags, 627–630
 - sql—SQL database access and presentation tags, 633–634
 - X—XML validation features, 630–633

tags, custom, 475–502

- BodyTags and text, 483–492
 - PigLatinBodyTagTest.jsp (code listing), 491–492, 492
 - PigLatinTranslator.java (code listing), 486–490
 - PigLatinTranslatorTag.java (code listing), 484–485
 - PigLatinTranslatorTag.tld (code listing), 490–491
- creating simple, 478–483
 - code for, 478–480
 - potential pitfalls, 480–483, 483
 - Tag Library Descriptor file, 480
- Java Standard Tag Library overview, 501
- potential problems with, 500–501
- reasons for using, 476
- summary, 502
- tag interference, 476–478
- Validation tag for error prevention, 493–500
 - JavaScriptDropDownRequiredTag.java (code listing), 493–496
 - JavaScriptDropDownRequiredTagTest.jsp (code listing), 497–499, 499
 - JavaScriptDropDownRequiredTag.tld (code listing), 497
 - JavaScriptDropDownRequiredValidationTag.java (code listing), 496

tags, JSP pages, 49–60

- @ directives, 52

- action tags, 52
- commenting JSP code, 51–60
 - directives basics, 52
 - errorPage directive, 59–60
 - forward tag, 54–59, 55, 57–58
 - import directive, 52–53
 - import Language tag, 53
 - include tag, 53
- JSP tags, 50
- TeachersLatin.css (code listing), 290–293, 290–291
- testing
 - database access, 185–186
 - difficulties with JavaScript errors, 262
 - DittoResultSet, 456
 - EJBs using standalone test clients, 557–573
 - JavaBean code to support examples, 113–114
 - optimization and, 256
 - passwords, 167–169
 - performance, 263–280. *See also*
 - benchmarking
 - load testing, 268–269
 - performance, using Apache projects, 269–280
 - Ant, using, 269–270, 269–270
 - JMeter, using, 270–277, 271, 273–274
 - Junit, using, 277–280, 280
 - to prevent errors, 222–223
 - regression testing, 223
 - user names, 167–169
 - white-box testing
 - debugging and, 223
 - JavaBeans, 135–136, 223
- test.jsp (code listing), 585, 585
- TestPropStore_en_US.properties (code listing), 398
- TestStatic.java (code listing), 617, 617
- text, and BodyTags, 483–492
 - PigLatinBodyTagTest.jsp (code listing), 491–492, 492
 - PigLatinTranslator.java (code listing), 486–490
 - PigLatinTranslatorTag.java (code listing), 484–485
 - PigLatinTranslatorTag.tld (code listing), 490–491
- timeouts, defined, 20
- timeZone tag, 627
- Timing.java (code listing), 265–267, 267
- TLD file. *See* Tag Library Descriptor file
- Tomcat
 - basics of, 9–10, 9
 - default deployment descriptor for setup (code listing), 584–585, 585
 - installing, 581–583, 581–583, 582–583
- TQueryStoreBean, 549–557
- TQueryStoreBean.java (code listing), 550–556
- TQueryStoreHome.java (code listing), 556–557
- TQueryStore.java (code listing), 548
- TQueryStorePK.java (code listing), 547–548
- TQueryStoreTestClient (code listing), 557–573
- TRACE request, HTTP, 24
- transaction tag, 633

- transform tag, 632–633
- TransformedText.jsp (code listing), 312–313, 312–313
- troubleshooting. *See* error handling and debugging
- try/catch blocks, 230

U

- UnavailableException class, 596–597
- update tag, 634
- url tag, 626–627
- URLs, rewriting and security (JSP), 159
- user names, testing, 167–169
- UserAuth, 399–406
- UserAuth.java (code listing), 167–169, 399–405
- UserAuth.jsp (code listing), 169–171
- UserBanner.jsp (code listing), 413
- UserInfo.java (code listing), 104–111, 104–112, 143–150
- UserInfo.jsp (code listing), 136–138, 138
- UserInfoTest.java (code listing), 278–280, 280
- users
 - debugging users' experience, 221–225
 - error prevention, 222
 - Help files, 223–225
 - testing, 222–223
 - importance of in performance considerations, 253–254
- UserXml.java (code listing), 304
- Utility beans, 132

V

- Validation tags, for error prevention, 493–500
 - JavaScriptDropDownRequiredTag.java (code listing), 493–496
 - JavaScriptDropDownRequiredTagTest.jsp (code listing), 497–499, 499
 - JavaScriptDropDownRequiredTag.tld (code listing), 497
 - JavaScriptDropDownRequiredValidationTag.java (code listing), 496
- Value Beans, 132
- values
 - checking null value parameters, JDBC, 195
 - displaying in JSPs, 86–90
 - basics of, 86, 86
 - dates, 89
 - military time, 90
 - print, 87
 - strings, 88–89
 - Value Beans, 132
 - XSL templates and, 295–301
- variables
 - avoiding variable name collisions, JavaBeans, 130
 - Java code variables, listed, 78
 - in JSPs
 - arrays, 79
 - basics of, 77–78
 - declaring variables and functions, 79–80
 - variable scope, 81
 - static constant variables for tags, listed, 476–477

- variant types, 77–78
 - Vermeulen, Al, 229
 - ViewLogs.java (code listing), 246–250
 - ViewLogs.jsp (code listing), 250–252, 251–252
 - visual interface. *See* IDEs
 - Visual J+ and Visual J++, 16
 - Visual J#.net, 16
 - VisualCafé, 16
 - VocabInserts.sql (code listing), 464
- W**
- war files, 614–616, 616
 - wars, defined, 614
 - watermarking
 - applet, 358–365
 - basics of, 358–359
 - ImageDisplay.html (code listing), 359–360, 364
 - ImageDisply.java (code listing), 360–364
 - java.awt and javax.swing, 360
 - described, 358
 - servlet-based systems for, 365–380
 - ImageLabeler, 371–375, 379–380
 - ImageLoader, 369–371, 376–378, 377–379, 379–380
 - JAI package installation, 365–368, 366–368
 - watermarking applet vs. servlet, 358
 - web application models and advanced architectures, 387–435
 - constructing MVCs using controlling servlets, 422–435
 - Director.java (code listing), 422–426
 - DirectorServletBeanHeader.jsp (code listing), 427
 - MVC Servlet compliant
 - ShowOrderDetails.jsp (code listing), 432–434, 434
 - Revised Login.jsp (code listing), 426–427, 427
 - SearchesWithJavaScript.jsp (code listing), 428–429, 429
 - SearchResultsWithJavaScript.jsp (code listing), 429–432, 432
 - dynamic authentication, 398–408
 - authentication tables, 406–408
 - basics of, 398–399
 - dynamic authentication JavaBean, 399–406
 - helpful application components, 388–398
 - DBCConnection Properties file, 393
 - improved Connection Manager, 388–393
 - improved PropStore, 393–398
 - MVC using JSPs, 409–421
 - Director JSP, 410–418, 415
 - management of roles and access, 409–410
 - sample JSP-MVC application, 418–421, 419–421
 - summary, 435
 - web applications, packaging, 614–616, 615–616
 - WEB-INF directory, 589
 - Web programming languages, comparing, 7–8
 - web resources, listed, 635–636. *See also* web sites for information
 - web sites for information
 - 100% Pure Java Cookbook, 321
 - Apache, 269, 270
 - Apache Jakarta project's Struts implementation, 387
 - downloading
 - Ant, 270
 - IDEs, 12
 - J2EESDK, 581
 - JAI package, 365
 - JBoss, 573, 590
 - JDK, 581
 - MySQL, 589
 - Silver Mountain software for shareware, 465
 - Tomcat, 582
 - Tomcat, free software, 10
 - DTDs
 - J2EE version of, 480
 - published by Sun, 480
 - fonts and programs for writing in Greek, Hebrew, and Latin, 464
 - GIF restrictions, 379
 - HandlingLongQueries.html code, 259
 - HTTP, documents and code, 23
 - Jakob Nielsen's site, 254
 - JMeter, 274
 - Jode, 176
 - JSTL standardization, 501
 - Junit, 277
 - nix abbreviated operating systems, listed, 4
 - open source, 176
 - PNG specifications, 380
 - Real Gagnon's site, 349
 - word lists for classical texts, 464
 - XML specs, 282
 - Web-Sphere, 11
 - Webapps directory, 584, 585–586, 586
 - WebLogic, 10
 - web.xml (code listing), 574–575, 584–585
 - web.xml deployment descriptor file, 586–589
 - web.xml file, 584, 584
 - web.xml file for Chapter 13 (code listing), 587
 - web.xml file for Chapter 15 (code listing), 587
 - web.xml for Master JSP.war (code listing), 589
 - when tag, 627, 633
 - white-box testing
 - debugging and, 223
 - JavaBeans and, 135–136
 - White, Chuck, 282, 293
 - WordLookup.java (code listing), 457–464
 - wrappers, Java, 319–343
 - basics of, 319–320
 - common languages for, 322–323
 - executing system calls, 324–325
 - large-scale application wrappers, 338–343, 343
 - simple wrappers, 325–338
 - addLineNumbersToText.pl (code listing), 334, 337
 - EnterLinesToNumber.html (code listing), 335–336, 335
 - ShowNumberedLines.jsp (code listing), 336–337
 - SimpleProgramWrapper.java (code listing), 326–334
 - system call wrappers, 320–322
 - Write function. *See* query access
- X**
- X—XML validation features, 630–633
 - XML (Extensible Markup Language), 281–317. *See also* XSL templates, writing
 - basics of, 282–290
 - components of, 282
 - described, 282–283
 - HTML and, 283–285, 284–285
 - simple XML documents, 285, 286
 - using DTDs, 286–290, 289–290
 - verifying, 286
 - Cascading Style Sheets (CSSs) and, 290–293
 - HTML and
 - basics of, 283–285
 - generating flat HTML from XML, 304–316
 - XML vs. HTML, 281
 - necessity of to write JSPs, 282
 - summary, 317
 - using on the client side, 290–293, 291–292
 - XML processing JSTL class, 501
 - XmlFiles.html (code listing), 311
 - XMLXSLConverter.java (code listing), 305–310
 - XSL templates, writing, 293–317
 - basics of
 - object-oriented design in, 294
 - value selection in, 295–301
 - displaying XML/XSL templates, 301–303, 301–303
 - generating flat HTML from XML, 304–316
 - Client-Side Source Generated by LatinStudent.xls and Horace.1.11.xml (code listing), 313–315
 - extending the XML-XSL application, 316
 - improving XSL-XML transformation application, 315–316
 - optimal caching, 316
 - SelectView.jsp (code listing), 310–311
 - TransformedText.jsp (code listing), 312–313, 312–313
 - UserXml.java (code listing), 304
 - XmlFiles.html (code listing), 311
 - XMLXSLConverter.java (code listing), 305–310
 - XslFiles.html (code listing), 311