

Index

- Abundance sensitivity 99–100, 231
Accelerator mass spectrometry, *see* AMS
Accuracy, of isotope ratio measurements 228–31
Aerosols 304–6
Age dating methods 399–407
 ^{14}C 168, 313, 406–7, 413
 cosmogenic radionuclides in 413–14
 K–Ar/Ca 406
 Lu–Hf 404
 Pb–Pb 249, 400–3
 Rb–Sr 19, 234, 247–8, 403–4
 Re–Os 404–6
 Sm–Nd 404
 summary of techniques 401
 Th–Pb 400–3
 U–Pb 248, 400–3
 see also Geochronology
Allende meteorite 413
Alloys
 trace and bulk analysis 260–7
Alpine Iceman 239
Aluminium, and neurodegenerative diseases 359
Alzheimer's disease
 amyloid plaque analysis 353, 372
 element analysis and protein identification 358,
 359
 protein spot analysis 234, 235, 360
 tau proteins in 355
Amplifiers, *see* Ion detectors
AMS 167–9
 abundance sensitivity 100
 isotope ratio measurements by 227
 in radiocarbon measurements 406–7
 in radionuclide determination 311, 313
 secondary ion sources in 65
Analyzers 77–98
 see also Double-focusing sector field mas
 spectrometer; Ion cyclotron resonance mass
 analyzer; Ion trap mass analyzer; Quadrupole
 mass analyzer; Sector field analyzer;
 Time-of-flight mass analyzer
Andesite, trace element determination 202–3
Anode rays, discovery 7
Antimony
 in drinking water 385
 volatile species analysis 218
Application fields of inorganic MS 256, 298
Archaeology 457–8
Argon
 diatomic ions 450–3
 K–Ar age dating 406
Arsenic
 in drinking water 382
 in foodstuffs 382
 in hair 350, 351, 436
 speciation 325–6
 trace analysis 335
 volatile species identification 217

- Aston mass spectrographs 12–16
 Atmospheric pressure ion (API) source 70
 Atomic mass unit 2
 Atomic mass 2
 Atomic number 1
 Atomic weight 2, 224
 Autospark system 45
- Bioengineering 338–43
 Biology 317–36
 elemental speciation 322–6
 imaging of tissues 333–6, 366–72
 isotope ratio measurements 331–3
 sample digestion 317
 single cells 335
 trace analysis 318–22, 333–6
 see also Proteins
 Biomolecular templating 340
 Biotite 404
 Blood
 analysis 345–8
 plasma, phosphoric acid triesters in 217
 Body fluids 345–9
 Bones analysis 349–52
 Boron nitride
 clusters 444–6
 and graphite mixture 446
 mass spectrum 185–7
 trace analysis 275
 Boron, isotope ratio measurements 246–7
 Borophosphosilicate glass, sputtering of 185, 186
 Brain tissue analysis 200–1, 204–5, 367–70
 protein spots 234, 235, 358–62, 429
 Bromate, in blood 347
 Bromine, determination in geological samples 396–7
 Bulk analysis (ultratrace analysis)
 long-lived radionuclides 427–30
 of metals and alloys 260–7
 methods 259–60
 non-conducting materials 271–7
 semiconductors 268–71
- ^{14}C dating 168, 313, 406–7, 413
 C-geometry 84
 Cadmium 228, 382
 mass spectrum 15
 Caesium iodide, trace analysis 270–1
 Calcium
 K–Ca age dating 406
 metabolism in bone 348
 in serum 347
 Calcium fluoride clusters 446
- Calibration
 external 193–4, 202–3
 standard addition 194, 204–5
 see also Isotope dilution analysis (IDA)
 Calibration curve 188
 see also Quantification procedures
 Calutron 19
 Capillary electrophoresis
 coupling to ICP-MS, *see* CE-ICP-MS
 rare earth element separation 183–5
 spallation target 422–3
 speciation 149–50
 Carbide cluster ions 446–50
 Carbon
 clusters 441–6
 see also Diamond; Graphite
 Carboplatin 308, 457
 Cassiterite 407
 Catalytic converters 307
 CE-ICP-MS 149–50, 240, 330–1
 Ceramics
 archaeological analysis 457–8
 trace analysis 271–7
 Certified reference materials (CRMs) 189, 194–5
 biological 318–22
 certification procedures 198
 one point calibration using 189–93
 Channel electron multiplier 108–9
 Chemical warfare agents 436–7
 Chernobyl nuclear power plant 241–2, 243, 352–3
 Chlorine, determination in geological samples 396–7
 Chondrites 411, 412, 413
 Chromatography
 gas (GC) 215
 see also GC-MS
 ion-exchange 303, 324, 326
 liquid (LC) 91, 324
 see also HPLC
 size exclusion 300
 Chromium
 determination in DNA 353–4
 in foodstuffs 383
 speciation 301, 303, 307, 322–4
 Chromium oxide layer, depth profile 281, 282
 Cisplatin (CPC) 308, 457
 Climate change research 221
 Clinical application, *see* Medicine
 Clusters 440–53
 boron nitride 441–6
 calcium fluoride 446
 carbon 441–6
 classification 441

- formation methods 440–1, 442
- heteronuclear 446
- metal oxide/graphite mixtures 446–50
- sodium 441
- Coating systems 283–4
- Codex Alimentarius Commission (CAC) 380
- Cold spray ionization 71
- Cold vapour technique 43, 146–7, 381
- Collision induced dissociation (CID) 127
- Collision reaction interface (CRI) 127, 129
- Collision/reaction cell
 - collision gases 123, 127
 - hexapole collision cell 126, 127
 - octopole 124, 127
 - reactions 127, 128, 130
 - see also* Dynamic reaction cell
- Cometary and Interstellar Dust Analyzer (CIDA) 411
- Concentration
 - detection range 259
 - units 259
- Consolidated Engineering Corporation 19
- Copper
 - in brain tissue 367–70, 372, 373
 - isotope abundances 223
 - and neurodegenerative diseases 356
 - in proteins 329, 332–3
 - in renal tissue 370
 - trace analysis 263–4
- Cosmic abundance curve 411
- Cosmochemistry 410–14
 - age dating in 413–14
 - cosmogenic radionuclides 413–14
 - isotope analysis 412–13
 - trace analysis 410–12
- CRMs, *see* Certified reference materials (CRMs)
- Cyclotron equation 96

- Dalton 2
- Daly detector 109–10
- DART 56
- Dead time correction 231
- Demountable concentric nebulizer (DCN) 142
- Dempster mass spectrometer 10–12, 15
- Depleted uranium (DU) 242–3, 348–9, 366, 430
- Depth profiling 277–86
- Detection range, in concentration determination 259
- Di-isotopic elements 2
- Diamond
 - in meteorites 412
 - n-type 293
 - trace element analysis 200
- Digestion
 - fusion methods 210
 - microwave assisted 209–10, 263, 307
 - open vessel 209, 300, 381
- DIHEN 142–3, 425–6, 453
- Direct Analysis in Real Time (DART) 56
- Direct injection high efficiency nebulizer (DIHEN) 142–3, 425–6, 453
- Direct ionization techniques 27
- Dispersion distance 80
- Dissociation energies 450–1, 452, 453
- Double-focusing sector field ICP mass spectrometry, *see* ICP-SFMS
- Double-focusing sector field mass spectrometers 83–7, 98
 - for all masses simultaneously 85–7
 - history 16–17, 19–20
 - for one mass 84–5
 - with Mattauch–Herzog geometry 86–7, 138, 153–4
 - with Nier–Johnson geometry 84, 161
 - see also* ICP-SFMS
- Doublet method 180
- Drugs 457
- Dual gas flow technique 201
- Dynamic mass separation systems 87–98
 - ion cyclotron resonance mass analyzer 95–8
 - ion trap mass analyzer 94–5
 - see also* Quadrupole ion trap
 - see also* Quadrupole mass analyzer; time-of-flight mass analyzer
- Dynamic range 188
- Dynamic reaction cell (DRC) 124–7
- Dysprosium, isotopic composition 224

- EELS 372
- Einstein's equivalence principle 14
- Electron
 - discovery 9
- Electron energy loss spectrometry (EELS) 372
- Electron ionization ion source 65–8, 72
 - introduction 11, 65
 - ion current produced by 65–6
 - ionization efficiency curves for 66–7
 - with Knudsen cell 67–8
 - principles 66
- Electron impact ionization (EI) 65
 - in glow discharge 53, 54
 - in isotope analysis 232
- Electron ionization mass spectrometry 65–7, 169–70
- Electrospray ion source 70–1

- Electrospray ionization mass spectrometry, *see* ESI-MS
- Electrothermal vaporization (ETV) 43
see also ETV-ICP-MS
- Elementary charge 3
- Environmental science 298–313
aerosols 304–6
applications of inorganic MS 298
contaminant determination 308–9
applications of inorganic MS in 309
isotope ratio measurements in 308–11
multi-elemental analysis of samples 306
particles 304–6, 430–1
radionuclides 311–13
sample preparation 300
waters 300–4
- Erbium, atomic composition 224
- ESI-MS 22, 70–1, 347
- ETV-ICP-MS 43, 245, 321, 429–30
- EXAFS 372
- FAAS 146
- Faraday cup 103–5
and secondary electron multiplier 107–8
- FFF-ICP-MS 306
- Field flow fractionation (FFF) 150, 306
- Fingerprinting
in forensic analysis 434–5
of gemstones 395
- Fish scale analysis 322
- Flame atomic absorption spectrometry (FAAS) 146
- Flow injection
in ICP-MS 148–50
micronebulization in 148
- Fluorescence screen 113–14
- Focal plane camera 113
- Food analysis 380–6
drinking water 382, 383, 385
isotope ratios 385–6
mineral and bottled water 385
speciation 381–4
trace analysis 385–6
- Forensic analysis 433–8
element species 436–7
fingerprinting 434–5
isotope ratio measurements 438
multi-element analysis 435–6
nuclear forensic studies 437–8
trace analysis 436–7
- Formaldehyde 220
- Fourier transform ion cyclotron resonance mass spectrometry, *see* FTICR-MS
- Fractionation effects, in LA-ICP-MS 41–2, 49, 390–1
- FTICR-MS 21, 95–7
- Full width at half maximum (FWHM) 98–9
- Gadolinium 422–3
- Gallium arsenide
synthetic laboratory standard 199–201
trace analysis 268, 269–70
- Gallium 457
- Gas chromatography isotope ratio mass spectrometry, *see* GC-IRMS
- Gas chromatography mass spectrometry, *see* GC-MS
- Gas source mass spectrometry, *see* GSMS
- Gases
analysis
applications of inorganic MS for 216–20
sampling and sample preparation 215–16
stable isotope ratio measurements 220–1
mass spectra (1920) 12, 13
- GC-ICP-MS 215–16, 217–20, 232
- GC-IRMS 220, 232
- GC-MC-ICP-MS 218–19
- GC-MS 21, 67
- GD-SFMS 132, 157–60
- GDMS 52–6, 157–60
dc GD 52–6, 157–8
characteristics 275
disadvantages 55–6
isotope ratio measurements by 226–8
quadrupole based 157, 158
rf GD 52–6, 158–60
characteristics 275
magneton-enhanced (rf MGDMS) 56
SSMS *vs.* 52
in surface analysis 281–3
- Gel electrophoresis 324, 327, 355, 429
- Gemstones, fingerprinting of 395
- Geochemistry
isotope ratio measurements in 246–50
sample preparation 388–90
see also Cosmochemistry; geology
- Geochronology 19, 247, 400
isotope ratio measurements in 237–9, 247–50
see also Age dating methods
- Geology
imaging 407
isotope analysis 398–407
isotope fine variation 398–9
microlocal analysis 407
multi-element analysis 392–6

- sample preparation 388–90
- trace analysis 396–8
 - applications of inorganic MS in 398
 - see also* Age dating methods; geochemistry
- GeoReM* 195
- Glasses
 - mass spectrum measured by rf GDMS 178, 179
 - reference materials
 - lithium analysis 398–9
 - MPI-DING 392–4, 407
 - RSCs 190–1
 - uranium analysis 208, 273
 - sample analysis 435–6
 - trace analysis 272–4
- Glow discharge ion source 51–6, 72
 - dc 52–6
 - Grimm-type 54, 55
 - ionization mechanisms 53–4
 - with pin-shaped cathode 52–3
 - with planar (disc) cathode 52
 - rf 56
 - see also* GDMS
- Glow discharge mass spectrometry, *see* GDMS
- Glue technique 389
- Gold
 - fingerprinting 434
 - trace analysis 264–5
- Granite, RSC 190
- Graphite
 - and boron nitride mixture 446
 - cluster formation 441–6
 - and metal oxide mixture 446–50
 - supernova 412–13
 - surface contamination 289, 290
 - trace analysis 265, 266
- GSMS, isotope ratio measurements by 232
- GSSMS 45
- Gunpowder 434–5
- Hafnium
 - determination in geological samples 398
 - isotope ratio measurements 225
 - Lu–Hf age dating 404
 - mass spectrum 179–80
- Hair analysis 349–52, 436
- High performance liquid chromatography, *see* HPLC
- High purity materials 256, 290–1
 - abbreviations 259
- High temperature mass spectrometer 170
- Hip implants 339–40
- History of mass spectrometry 7–22
- HPLC 133, 211
- HPLC-CV-MC-ICP-MS 381
- HPLC-ICP-MS 142, 148–9, 150, 199, 307
- HPLC-MC-ICP-MS 239
- Hydride generation 43–4, 146–7, 216
- Hydrochloric acid, high purity 290
- Ice samples 303–4
- ICP-CC-QMS 126–7, 233
 - isotope ratio measurements by 232–4, 243–5
- ICP-IT-MS 95
- ICP-MS 21, 120–53
 - in biology 317–36
 - collision cell (CC) in, *see* ICP-CC-QMS
 - collision reaction interface (CRI) in 123–31
 - Daly collector system in 109–10
 - Dynamic Reaction Cell (DRC) in 123–31
 - effect of pre-evaporation on ion distributions 34–5
 - in environmental science 298–311
 - external calibration 193–4
 - flow injection in 147–50
 - in forensic analysis 433–8
 - in geology 389, 396, 397–8, 402–6
 - hydride generation in 146–7
 - hyphenated techniques 147–50
 - ICP-OES 28
 - ICP-OES *vs.* 29
 - INAA *vs.* 352–3
 - instrumental background 118
 - instrumental developments 120
 - interface region 118
 - isotope ratio measurements by 228, 241, 245–6
 - LA-ICP-MS *vs.*, in trace analysis of solid samples 271
 - main parts 119, 120
 - mass discrimination effect in 229–30
 - matrix effects in 231
 - in medicine, applications 362, 367
 - Octopole Reaction Cell (ORC) 124
 - overview of instrumentation 120–1
 - quadrupole based, *see* ICP-QMS
 - in radionuclide determination 416–18, 419–24
 - RSC measurements by, comparison with LA-ICP-MS 190–1, 192
 - sample preparation for 209–11
 - semi-quantitative analysis in 188–9
 - shielded torch in 36, 37
 - solution introduction systems in 141–7
 - in trace analysis of high purity solutions 290–1

ICP-MS (*Continued*)

- see also* CE-ICP-MS; ETV-ICP-MS;
 - FFF-ICP-MS; GC-ICP-MS; HPLC-ICP-MS;
 - ICP-SFMS; ICP-ToF-MS; Inductively coupled plasma ion source; LA-ICP-MS;
 - LA-MC-ICP-MS; MC-ICP-MS;
 - SEC-ICP-MS
- ICP-*oa*-TOF-MS 133
- ICP-OES, ICP-MS *vs.* 29
- ICP-ORC-MS 124
- ICP-QMS 121–3
 - figures of merit for 129
 - instrumental outline 122
 - isotope ratio measurements by 232–4
 - photon stop in 118
 - see also* ICP-MS
- ICP-SFMS 131–2
 - abundance sensitivity 100
 - with GD-SFMS 132
 - instrumental background 118
 - isotope ratio measurements by 228, 241–2, 244
 - performance 132, 139–40
 - shielded torch in 36, 37
- ICP-ToF-MS 133–5
- ICP, *see* Inductively coupled plasma ion source
- ICR-MS, first application 20
- IDMS 196–9
 - applications 239–40
 - see also* Isotope dilution analysis (IDA)
- Imaging mass spectrometry
 - biological tissues 333–6, 362–75
 - in materials science 292–3
 - medical tissues 366–72
- Indium, trace analysis 261
- Inductively coupled plasma optical emission spectrometry, *see* ICP-OES
- Inductively coupled plasma ion source
 - 28–44, 72
 - electrothermal vaporization coupled to 43
 - hydride generation and cold vapour technique coupled to 43–4, 146–7
 - ion intensity
 - as function of nebulizer gas flow rate 32, 33, 34–5
 - as function of rf power 32–4, 35
 - ionization efficiency 31–2
 - laser ablation coupled to 38–43
 - see also* LA-ICP-MS
 - plasma gas temperature 30–1
 - sample introduction systems in 37–8
 - schematic 29
 - see also* ICP-MS

- Inductively coupled plasma mass spectrometry, *see* ICP-MS
- Inductively coupled plasma optical emission spectrometry, *see* ICP-OES, ICP-MS *vs.*
- Instrumental neutron activation analysis (INAA)
 - 319, 352
 - ICP-MS *vs.* 352–3
- Instrumentation, *see* Mass spectrometers
- Insulators 272–7
 - see also* Ceramics; Glasses; Polymers, trace analysis
- Interferences 123, 180–7, 231, 459–60
 - atomic ions 180–5
 - cluster ions 185–7
 - double charged ions 129, 180
 - polyatomic ions 180–9
 - reduction via gas flow modulation 183
- Iodine
 - determination in geological samples 396–8
 - isotope ratio measurements 243–6, 311–13
- Ion cyclotron resonance mass analyzer 95–8
- Ion cyclotron resonance mass spectrometry, *see* ICR-MS, first application
- Ion detectors 103–14
 - channel electron multiplier 108–9
 - Daly detector 109–10
 - Faraday cup 103–5
 - and secondary electron multiplier 107–8
 - fluorescence screen 113–14
 - microchannel plates 108–9
 - multiple ion collection system 111–13
 - photographic ion detection 113–14
 - secondary electron multiplier 105–7
 - and Faraday cup 107–8
- Ion lenses 118
 - see also* Lens effect
- Ion separation 77–100
 - comparison of systems 97–8
 - dynamic systems 77
 - see also* Dynamic mass separation systems
 - static systems 77
 - see also* Sector field analyzers
 - see also* Abundance sensitivity; Mass resolution
- Ion sources 25–72
 - comparison of 72
 - processes in 25–6
 - see also* Electron ionization source; Electrospray ion source; Glow discharge ion source; Inductively coupled plasma ion source; Laser ion source; MALDI source; Secondary ion sources; Spark ion source; Thermal surface ion source

- Ion trap mass analyzer 94–6
see also Quadrupole ion trap
- Ion(s)
 energy spread 84, 90, 92
 extraction 35, 118, 122
 optics 35, 86
- Ionization efficiency, in thermal surface ionization 57
- Ionization techniques 26–7
- Iridium
 calibration curve in high purity platinum 204
 determination in geological samples 396
- Iron
 in blood 345–8
 in foodstuffs 383
 isotope ratio measurements 310–11, 347
 in proteins 327, 329
- Irradiation, in MALDI-MS 70
- Isobaric interferences, *see* Interferences
- Isobars 3
- Isotope abundances 2, 223
 absolute 231
 variations of 224
- Isotope dilution analysis (IDA) 194, 196–9, 205, 207–8
 applications 198–9, 239–41
 on line 205, 207–8
 principles 194
 species-specific 198–9
 species-unspecific 196–9
 ultratrace analysis 196
- Isotope dilution mass spectrometry, *see* IDMS
- Isotope ratio measurements 223–50
 accuracy limits 228–31
 application fields 226
 biological samples 331–3
 capability of inorganic MS in 226–8
 environmental samples 308–11
 in forensic analysis 438
 in geochemistry 246–50
 in geochronology 237, 246–50
 by GSMS 232
 by ICP-QMS 232–4
 IDMS applications 239–41
 by LA-ICP-MS 228, 234–6, 249
 applications 236, 245–6
 of long-lived radionuclides 241–6, 427–30
 by multiple ion collector MS 237–9, 241, 246–7
 precision limits 228–31
 on stable isotopes, applications 240
- Isotope(s) 1, 223
 history 9
- Johnson noise, of Faraday cup 103–4
- Jupiter 414
- Kinetic energy, of ions 4
- Knudsen effusion mass spectrometry 67–8, 170–1
- LA-ICP-MS 21, 38–43, 123, 150–3
 in biology 317–18, 321–2, 323, 327–36
 in biotechnology 340–3
 in brain research 355–61
 in forensic analysis 433–8
 fractionation effects in 39–42, 48–9, 390–1
 in geology 388–9, 393–6, 397, 402–3, 407
 ICP-MS vs., in trace analysis of solid samples 271
 isotope ratio measurements by 228, 234–6, 249
 applications 236, 245–6
 in long lived radionuclide analysis 427–30
 in medicine 356–62, 366–75
 applications 363–6
 near field, effect in 42, 153
 RSCs of reference materials measured by 190, 191
 comparison with ICP-MS 190–1, 192
 sample preparation for 209–11
 solution based calibration in 201–8
 external calibration technique 202–3
 on line isotope dilution analysis 205, 207–8
 standard addition technique 204–5
 in surface analysis 283–7
 trace element determination by 189–92
- LA-MC-ICP-MS 135, 406
- LAMMA instruments 154–5
- LAMPAS 154
- Lanthanides 301, 302, 423, 450–1
see also REE
- Laser ablation inductively coupled plasma mass spectrometry, *see* LA-ICP-MS
- Laser ablation systems 39, 150–3, 367
- Laser induced breakdown spectroscopy (LIBS) 46
- Laser ion source 46–51, 72
 laser plasma ionization 46–50
 principle 46, 47
 resonant laser ionization 50–1
see also LIMS; RIMS
- Laser ionization mass spectrometry, *see* LIMS
- Laser power density 391
- Layered systems, analytical methods 259–60
- Lead
 in bone 352
 in brain tissue 370, 374
 in drinking water 383
 in foodstuffs 383
 impurity analysis in nanoclusters 341

- Lead (*Continued*)
- isotope ratio measurements 247, 309–10, 438
 - Pb–Pb age dating 249, 400–3
 - Th–Pb age dating 400, 400–3
 - U–Pb age dating 248, 400–3
 - volatile species analysis 218
- Lens effect
- of electric sector field 82–3
 - of homogeneous magnetic field 79–80
- Lens equation 82–3
- LIBS 46
- LIMA instruments 154–5
- Limits of detection (LODs)
- dependence on laser spot diameter 394
 - of trace analysis techniques on environmental samples 298
- LIMS 21, 46–50, 154–5
- charge of positive ions and initial energies as function of laser power density in 49, 50
 - isotope ratio measurements by 226
 - reflection mode 47–8
 - relative sensitivity coefficients as function of laser power density in 48–9
 - with SSMS 153–4
 - transmission mode 47, 48
 - see also* Laser ion source
- Liquid metal ion guns (LMIGs), 64, 366
- Liquid metal ion guns, in SIMS 64–5
- Liquid samples, features of atomic spectrometric analysis techniques 298–9
- Lithium, isotope analysis 246, 398–9
- LMIGs, *see* Liquid metal ion guns
- Long-lived radionuclides 415–31
- application fields for determination 416
 - applications of inorganic MS in determination 424, 425
 - half-life determination 418–19
 - isotope ratio measurements 241–6, 427–30
 - mass spectrometry detection limits 418
 - oxide ion formation 453
 - particle analysis 430–1
 - small sample volumes 424–7
 - trace/matrix separation 419–24
 - ultratrace analysis 424–7
- Lujavrite, RSC 190
- Lutetium, Lu–Hf age dating 404
- Magnesium
- alloys 293
 - isotope ratio measurements 232–3
 - isotopes, discovery 11
 - mass spectrum 12, 179–81, 183–7
- Magnetic sector field mass spectrometers
- 60° 17, 78
 - 90° 78
 - 180° 10–12, 15, 19
 - see also* Sector field analyzers
- MALDI-MS 21–2, 69–70
- in biology 333–6
 - ionization degree 70
 - in medicine 356–9, 362
- MALDI source 69–70
- Manhattan Project 17
- Mars 414
- Mass bias, *see* Mass discrimination effect
- Mass calibration 180
- Mass defect 3
- as function of atomic number 14, 15
- Mass discrimination effect 229–30
- correction approaches 230
- Mass filter 90
- Mass number 1
- Mass resolution 16, 98–100
- full width at half maximum (FWHM) definition 99
 - improvements in 16, 20
 - peak width definition 98, 99
 - required for separation of atomic ions
 - from argide ions 182
 - from oxide ions 182
 - 10% valley definition 98, 99
- Mass spectrometers 117–71
- computer system 118, 120
 - Knudsen effusion 67–8, 170–1
 - pressure gauges 117
 - vacuum system 117–18
 - see also* AMS; GDMS; GSMS; ICP-MS; LA-ICP-MS; LIMS; MC-ICP-MS; RIMS; SIMS; SNMS; SSMS; TIMS; ToF-MS; ToF-SIMS
- Mass spectrometry
- advantages 5–6
 - comparison of methods
 - measuring concentration range 255–6, 258
 - power of detection 255–6, 259
 - for trace element determination 257
 - introduction to 1–6
 - principle of operation 3–5
 - setup 3–4
 - trends 6, 459
- Mass spectrum 2
- Mass-to-charge ratio 3
- Materials science 256–93

- alloys 260–7
- application fields in 258
- depth profiling 277–86
- imaging 292–3
- metals 260–7
- microlocal analysis 291–2
- multilayers 259–60, 278–87
- thick layers 277–87
- thin films 277–87
- see also* Bulk analysis (ultratrace analysis); High purity materials; Trace analysis
- Mathieu equation 88–9
- Matrix-assisted laser desorption/ionization mass spectrometry, *see* MALDI-MS
- Matrix-assisted laser desorption/ionization source 69–70, 72
- Matrix effects 190, 230–1
- Mattauch–Herzog geometry 16
 - double-focusing mass spectrometers with 86–7, 138, 153–4
- MC-ICP-MS 135–40
 - abundance sensitivity 100
 - in geology 399
 - isotope ratio measurements by 237–9, 240, 241–2, 249
 - mass discrimination effect in 230
 - mass resolution 137–8
 - multiple ion collectors 111–13
 - performance 139–40
 - schematics 136
- MC-ICP-SFMS 228
- MC-TIMS 160–1
 - isotope ratio measurements by 237–9, 249
 - mass discrimination effect in 230
 - multiple ion collectors 111–13
- Medicine 344–75
 - body fluids 345–9
 - bones analysis 349–52
 - hair analysis 349–52
 - microanalysis of small amounts of samples 352–3
 - nail analysis 349–52
 - sample preparation 344–5
 - serum analysis 345–8
 - single cell analysis 372–5
 - storage of medical samples 344–5
 - tissues 362–6
 - imaging MS of 366–72
 - see also* Brain tissue analysis
 - tooth analysis 349–52
 - ultrafine particles 375
 - see also* Blood; Proteins
- Menckes' syndrome 359
- Mercury
 - in foodstuffs 381–2
 - speciation 326
 - toxicity 381
 - volatile species analysis 218
- Metal(s)
 - trace and bulk analysis 260–7
- Metal argide ions 450–3
- Metal–carbon cluster ions 448–9
- Metal-containing proteins 332–3
- Metal-humic substance complexation 326
- Meteorites 411, 412, 414
 - Allende 413
- Methylmercury (MeHg)
 - in fish tissue 381–2
 - species determination 215, 326
- MGDMS, *rf* 56
- MIC-SSMS 392
- Microanalysis 352–3
- Microchannel plates 108–9
- Microdialysis 353
- Microelectronics, application fields in 258
- Microlocal analysis
 - in geology 407
 - in materials research 291–2
- Micronebulizers 141–5
 - absolute sensitivity comparison 426
 - APEX 141, 144
 - Aridus 141, 142, 144–5, 426
 - DIHEN 142–4, 425–6, 453
 - DS-5, 144, 426, 428
 - MicroMist 141, 144, 426
- Microsampling 460–1
- Microwave plasmas 36
- Milk
 - cattle 386
 - premature human 383
- Miniaturization 460
- Molecular ions, *see* Polyatomic ions
- Molybdenum, isotope ratio measurements 238
- Monazite, REE determination in 392
- Mono gas flow technique 201–2
- Mono-isotopic elements 1–2
- Mosses, radionuclides in 428
- MPI-DING reference glasses 392–4, 407
- MS/MS 133
- Multi-layered systems 259–60, 278–87
- Multiple ion collector ICP-MS, *see* MC-ICP-MS
- Multiple ion counting (MC) technique 113

- Nail analysis 349–52, 436–7
- NAMS 305
- Nanoaerosol mass spectrometer 305
- Nanobiotechnology 340–3
- Napoleon Bonaparte, hair 350, 436
- Naturally occurring radioactive materials (NORMs) 418
- Nebulizers
- characteristics for uranium determination 146
 - pneumatic 141–5
 - see also* Micronebulizers
 - ultrasonic 145–6
- Negative thermal ionization mass spectrometry (NTIMS) 58–9, 72
- Neodymium
- atomic composition 224
 - mass spectrum 15
 - in nuclear fuel 430
 - Sm–Nd age dating 404
- Neon
- isotopes, discovery 9
 - mass spectrum 9, 10
- Nerve agents 436
- NF-LA-ICP-MS 42, 153
- Nickel
- isotope analysis 399, 413
 - speciation 326
- Nier–Johnson geometry, mass spectrometers with 84–5, 162–3
- Nier mass spectrometer 17–18
- Niobium, determination in geological samples 398
- Nitric acid, high purity 290–1
- Noble metals, determination in high-purity gold 264–5
- Non-conducting materials
- trace analysis 271–5
 - applications of inorganic MS in 276
- NTIMS 58–9, 72
- Nuclear fallout 241, 416
- Nuclear forensic studies 437–8
- Nuclear fuel, long-lived radionuclides in 416, 423–4, 430
- Octopole collision cell, ion trap with 95
- Orange juice 386
- Orbitrap 95, 460
- Organogermanium 457
- Organophosphorus species 436–7
- Organotin compounds 303
- Osmium
- isotope ratio 405
 - Re–Os age dating 404–6
 - trace analysis 263
- Oxaliplatin 308, 457
- Oxygen, isotope analysis 399, 437
- Paint sample analysis 438
- Palladium
- in environmental samples 307–8
 - nanoclusters, impurity determination in 265
- Parabola mass spectrograph 9–10
- Particles 304–6, 430–1
- ultrafine 375
- Peak tailing 98–100
- Penning ionization, in glow discharge 53, 54
- Penning traps 95–7
- Perovskite layers 200
- stoichiometry determination 285–6
- Pesticides
- analysis 217, 384
 - in foodstuffs 385
- PGEs, *see* Platinum group elements (PGEs)
- Pharmaceutical applications 456–7
- Phosphorus
- mass spectrum, with isobaric polyatomic ions 180, 181
 - in proteins 326–31, 355–6
 - relation to neurodegenerative diseases 353
- Photochemical alkylation 216, 217
- Photographic ion detection 113–14
- Photon stop 118
- Planetary science 410–14
- Plasma–polymer films 280
- Plasma source ion trap (PSIT) mass spectrometer 95, 128, 130
- Platinum
- nanoclusters
 - Cu determination in 207
 - impurity determination in 266–8
 - nucleation on biopolymers 342–3
 - in renal tissue 368, 370–1
 - trace analysis 264
- Platinum group elements (PGEs) 306–7, 384, 397–8
- Plutonium
- age determination of particles 437
 - in foodstuffs 385
 - half-life determination 418–19
 - isotope ratio measurements 243, 246, 312–13
 - in nuclear fuel samples 415–16, 430
 - in urine 421, 422
- Polonium 438
- Poly-isotopic elements 2

- Polyatomic ions 440–53
 abundances 441
 formation 440–1
see also Clusters
- Polycyclic aromatic hydrocarbons (PAHs) 438
- Polymers, trace analysis 274
- Post-ionization techniques 27
- Potassium, K–Ar/Ca age dating 406
- Potential energy, of ions 4
- Pressure gauges 117
- Prism effect
 of electric sector field 82
 of homogeneous magnetic field 80–1
- Process chemicals 290
- Proteins 326–31, 332–3, 353–62
- Quadrupole ion trap 20, 130
- Quadrupole mass analyzer 87–91, 98
 with cylindrical rods 87–8
 with hyperbolic rods 90
 stability diagram 89–90
- Quadrupole mass spectrometers 20
 triple 91
see also ICP-QMS
- Qualitative analysis 177–87
 finding orientation 177–8
 interference problems, *see* Interferences
 isotopic pattern 178–80
 mass determination 180
- Quantification procedures 187–208
 calibration curves using CRMs or standard solutions 193–6
 one point calibration using CRM 189–93
 semi-quantitative analysis 188–9
 solution based calibration in LA-ICP-MS 201–8
 using synthetic laboratory standards 199–201
see also Isotope dilution analysis (IDA)
- Radioactive waste
 characterization 415–16
 determination of long-lived radionuclides in 424
 mass spectrum 182–3
- Radionuclides
 cosmogenic 413–14
 detection 114
 environmental monitoring 311–13
see also Long-lived radionuclides
- Radium
 in environmental samples 419–20
 in mineral water 385
- Rare earth elements (REEs)
 determination 274, 392
 mass spectrum
 in irradiated tantalum target 183–5
 natural isotopic pattern 183–5
 polyatomic ion formation of 450–3
 properties 451
- RE-ADH 329, 330
- REEs, *see* Rare earth elements (REEs)
- Reference materials, *see* Certified reference materials; Standard reference materials
- Reflectron 21
- Refractory metals, ultratrace analysis 262
- Relative sensitivity coefficients (RSCs) 48–9, 189–92
 definition 189
- Relative sensitivity factors (RSFs) 61–5
 in silicon matrix 62–5
- Resolving power, *see* Mass resolution
- Resonance ionization mass spectrometry, *see* RIMS
- Resonant laser ionization 50–1
- Retarding potential quadrupole (RPQ) lens 160
- Rhenium
¹⁸⁷Re in nature 405
 Re–Os age dating 404–6
- Rhodium foil, noble metals determination 286–7
- RIMS 50–1, 155–6
 isotope ratio measurements by 227
 pathways for 50–1
 of solid samples 51
- RSCs, *see* Relative sensitivity coefficients (RSCs)
- RSFs, *see* Relative sensitivity factors (RSFs)
- Rubidium
 isotope ratio measurements 249
 Rb–Sr age dating 19, 234, 247–8, 403–4
- Ruthenium
 in blood 348
 isotope analysis 245
- S-geometry 85
- Saha–Langmuir equation 57
 modified 59
- Samarium, Sm–Nd age dating 404
- Sample introduction 43
- Sample preparation 208–12
 environmental science 298
 geology 388–90
 for ICP-MS 209–11
 medicine 344–5
 preconcentration of analytes 211
 for solid MS 208
 trace matrix separation 211–12
- Sarin 436
- Scandium, trace analysis 263
- Sea of Galilee 301, 302, 308–9, 310, 312–13
- SEC-ICP-MS 300

- Secondary electron multiplier 105–7
and Faraday cup 107–8
- Secondary ion mass spectrometry, *see* SIMS
- Secondary ion sources 60–5, 72
principles 61, 62
sputtering process in 60–1
see also SIMS
- Sector field analyzers 78–87
combination of magnetic and electric 83–7
see also Double-focusing sector field mass spectrometers
electric 81–3, 98
lens effect 82–3
prism effect 82
magnetic 78–81, 98
lens effect 79–80
prism effect 80–1
see also Magnetic sector field mass spectrometers
- Selenium
in blood 347
in brain tissue 372, 374
determination in biological samples 320
in fission product solutions 429
in foodstuffs 382–3, 384
in proteins 326–7, 330–1
speciation 324–5, 330, 382–3
in urine 348
volatile species identification 218
- Selenomethionine (SeMet) 198, 199, 329, 331, 382–3
- Semiconductors 268–71, 275, 287–91
- Semipermeable membrane devices (SPMD) 300
- Sensitive High Resolution Ion MicroProbe (SHRIMP) 164, 249, 403
- Sensitivity 188
- Serum, analysis 345–8
- SHRIMP 164, 249, 403
- Silicate reference materials, quantitative analysis 394, 396
see also Glasses, reference materials
- Silicon
isotope ratio measurements 239
mass spectrum, in high purity GaAs 185
trace analysis 270
wafer surface contamination 287, 289
- Silver 205, 388
- SIMS 20, 60–5, 161–8
in biology 334, 336
in cosmochemistry 410–2
Cs molecular/polyatomic ion 63–4, 189
in forensic analysis 433, 435, 437
in geology 399, 402–3, 407
interference problems 185, 186
isotope ratio measurements by 227
main features 167
in medicine 362, 372
with multiple ion collector 166–7
with Nier–Johnson geometry 161–2
quadrupole based 164–5
semi-quantitative analysis in 189
with SNMS 165–6
sputter processes in 26
static, *see* SSIMS, in surface contamination analysis
in surface analysis 277–9
see also Secondary ion sources; ToF-SIMS
- SIRMS 169–70, 220–1
- Size exclusion chromatography 300
- Smoke analysis 304–6
- Snail tissues 335
- SNMS 60–5, 161, 164–7
direct bombardment mode (DBM) 165
e-beam 61, 164–5
high frequency mode (HFM) 165
laser post-ionization in 61
main features 167
plasma 61, 164
with SIMS 165–6
in surface analysis 279–81
see also Secondary ion sources
- Sodium aluminium phosphate (SALP) 384
- Solar cells, depth profile 279
- Solar System
evolution 232, 239, 249, 413
origin 411, 413
- Solid oxide fuel cells (SOFC) 282–3, 291–2
- Solid phase extraction (SPE) 300
- Solid phase microextraction (SPME) 300, 301, 303
- Solution based calibration in ICP-MS 193–4
- Solution calibration in ICP-MS 193–4, 201–3
- Solution introduction systems, in ICP-MS 141–7
- Space science 410–4
- Spallation nuclides 422–3
- Spark ion source 44–6, 72
introduction 16
see also SSMS
- Spark source mass spectrometry, *see* SSMS
- Speciation
arsenic 325–6
chromium 301, 303, 307, 322–4
in food analysis 381–5
mercury 326

- nickel 326
- selenium 324–5, 330, 382–3
- tellurium 325
- Sputtered ion source, *see* Secondary ion sources
- Sputtered neutral mass spectrometry, *see* SNMS
- SSIMS, in surface contamination analysis 287, 289
- SSMS 44–6, 153–4
 - current–voltage curve of spark plasma 45, 46
 - GDMS *vs.* 52
 - in geology 392
 - gliding (GSSMS) 45
 - isotope ratio measurements by 226
 - see also* MIC-SSMS
- Stable isotope ratio mass spectrometers, *see* SIRMS
- Stable isotope ratio measurements gases 220–1
 - volatile compounds 220–1
 - see also* SIRMS
- Stable isotopes, discovery of existence 14
- Standard addition 194, 204–5
- Standard reference materials 224–5, 461
 - see also* Certified reference materials
- Stardust mission 411
- Steel
 - trace analysis
 - low alloy standard steel 261–2
 - wet digested steel samples 263
- Strontium
 - ⁹⁰Sr determination in presence of Zr 34, 421
 - in body fluids 422–3
 - isotope analysis 244, 249, 310, 389
 - mass spectrum 187
 - Rb–Sr age dating 19, 234, 247–8, 402–4
- Sulfur, in proteins 327–9, 358, 361
- Surface acoustic wave (SAW) devices 285
- Surface analysis 277–87
 - comparison of methods 288
 - depth profiling 277–85
 - imaging 292–3
 - microlocal analysis 291–2
- Surface contamination 287–91
- SWIFT technique 97
- Syenite, RSC 190
- Tandem mass spectrometry, *see* MS/MS
- Tantalum
 - determination in geological samples 398
 - spallation reactions in 422–3
- Tau protein 332–3, 355
- Taylor cone 71
- TE-NTIMS 231
- TEAMS 268, 281
- Technetium 419
- Tellurium, speciation 325
- Thallium
 - in bone 352, 436
 - in hair 350–1, 436
 - in nail 436
- Thermal ionization mass spectrometry, *see* TIMS
- Thermal surface ionization source 56–60, 72
 - double filament 57, 58
 - single filament 57, 58
 - see also* TIMS
- Thick layers 277–87
- Thin films 277–87
- Thomson (Th) 3
- Thorium
 - calibration curve 195–6
 - in brain sample 204–5, 206
 - isotope ratio measurements 311
 - Th–Pb age dating 400, 402–3
 - in urine 427
- Thyroid analysis 352–3
- Time-of-flight mass analyzer 91–3, 98
 - with reflectron 92–3
- Time-of-flight mass spectrometry, *see* ToF-MS
- TIMS 160–1
 - development 19
 - elements analyzed by 59–60
 - emitter techniques 57–8
 - in geology 402–4
 - ionization curves in 57, 59
 - isotope ratio measurements by 226–8
 - mass discrimination effect in 229–30
 - matrix effects in 231
 - negative (NTIMS) 59–60, 72
 - see also* MC-TIMS; TE-NTIMS; Thermal surface ion source
- Tin
 - butyl 198, 217–18, 220
 - volatile species analysis 218, 220
- Tissue analysis 361–3
 - imaging MS
 - biological tissues 333–6, 363–75
 - medical tissues 362–72
 - see also* Brain tissue analysis
- Tobacco smoke, analysis 218
- ToF-MS 21, 93–5, 133–5
- ToF-SIMS 64–5, 133, 163–4
- Tooth analysis 349–50
- Torch integrated sample introduction system (TISIS) 144
- Total evaporation negative ion thermal ionization mass spectrometry, *see* TE-NTIMS

- Trace analysis 260–76
 biological samples 318–22, 333–6
 cosmochemical 410–12
 forensic samples 436
 geological samples 396–8
 applications of inorganic MS in 398
 metals and alloys 260–6
 applications of inorganic MS in 267–8
 methods 259–60
 non-conducting materials 272–7
 applications of inorganic MS in 276
 semiconductors 268–71
 applications of inorganic MS in 272
- Trace element accelerator mass spectrometry,
see TEAMS
- Trace element concentrations, analysis equation
 189
- Trace element species, *see* Speciation
- Trace matrix separation 211–12
- Tracer experiments
 on tau protein 332–3
 on transport phenomena 331–2
- Transport phenomena 331–2
- Transverse magnification
 of electric sector field 83
 of magnetic sector field 79–80
- Tree bark samples 319–20
- Triple quadrupole mass spectrometers 91
- Tungsten, isotope ratio measurements 247, 399
- Ultratrace analysis, *see* Bulk analysis (ultratrace
 analysis)
- Uranium
 analysis in glass standard reference material 208,
 273
 in brain tissue 204–6, 367, 372, 374, 429
 calibration curve 195–6
 depleted (DU) 242–3, 348–9, 366, 430
 in foodstuffs 384–5
 in hair 349–50, 351
 hydride formation rate 417
 isotope analysis 234, 237–8, 241–3, 310, 311–13
 isotope separation 17–19
 protein 358, 360–1
 trace analysis 273, 274
 U–Pb age dating 248, 400, 402–3
 in urine samples 420–1, 422, 427
- Urine analysis 234, 348–9, 420–2, 427
- Vacuum system 117
- Van't Hoff equation 68
- Vapour phase decomposition (VPD) 287, 289
- Venus 414
- VERA 168, 169
- Volatile compounds
 analysis
 applications of inorganic MS for 216–20
 sampling and sample preparation 215–16
 stable isotope ratio measurements of 220–1
- Water
 bottled 385
 drinking 382, 384, 385
 mineral 385
 samples 300–4
 ultrapure 290
- Wien velocity filter 7–8
- Wilson's disease 359
- XANES 372
- Yttrium, mass spectrum 187
- Zeolites 389
- Zinc
 in brain tissue 367–70, 372, 373
 in proteins 329, 330, 332–3, 342, 343
 in renal tissue 369, 370
 trace analysis 261, 265
- Zircon 396, 404
 REE determination in 392
- Zirconium
 determination in geological samples 398
 isotope ratio measurements 237–8
 mass spectrum 187

