

Index

Note: Page numbers appearing in bold refer to figures and page numbers appearing in italic refer to tables.

- Acceleration
 - level, 36–38, **251**, **276**
 - sensor, 6, 7, **65**, 78, **79**, 82, 93, 102, 113, 123, **124**, 150, 173
 - signal, 15, **16**, 92, 123, **266**, **278**
 - value, 115
- Accelerometer, 131–132, 227, **259**, **266**
- Air-borne noise, 43
- Allowable number of cycles, 104, 284
- ANPSD, 90, 113, 115–116, 119, **120**, 182–183, **246**, **268**, 287
- Arbitrary general loading, 205
- Axle-sensitive, 36

- Ballast-less, 36, 43, 46
- Beam theory, 26, **191**, 192, **193**, 194
- Bending stiffness
 - cable, 190, **191**, **193**, 194
 - determination, 26, 146, 150, 197
 - oscillation, 150
 - related, 150, 197, 286
- Booted sleepers, 41, **42**
- BRIMOS[®], 8, 47, 48, 78, 89–90, **91**, 92, 94, 112, 113, 122, 159, 168, **259**, 287
- BRIMOS[®] Recorder, 18, 29, 31, **33**, 34, 78, 90, 160, 285

- Cable
 - boundary condition, 35, 40, 66, 85, 93, 114, 173, 176, 188, 192, 193
 - vibration, 28, 152, 153
- Cable-stayed bridges, 15, 20, 29, 90, 94, 152, 248, 258, 272, 275, 279
- Cable theory, 25, 191, 192, 194
- Calibration truck crossings, 100
- Coarse mesh, 101, 102
- Component transfer functions, 217, 219
- Convolution integral, 207, 209
- Crack growth approach, 108
- Crack-initiation, 108
- Cross-sectional behaviour, 98, 253

- Damage accumulation, 104, 106, 255
- Damage detection, 89, 129, 134, 149, 154, 155, 157, 174, 217, 222, 254
- Damage matrix, 104, 105, 107
- Damage per year effect, 105
- Damping
 - coefficients, 11, 185, 286
 - value, 7, 11, 18, 19, 24, **68**, 153, 161, 213, **251**
- Differential equation, 174, 178, 179, 180, 181, 188, 201, 204, 205, 212, 223

- Dirichlet's conditions, 201, 202
Discrete Fourier transformation, *see*
Fourier discrete transformation
Ductility, 108
Duhamel integral, 178, 207, 209
Dynamic impact, 36, 37, 39
- Effective cable force, *see* Cable force
Eigenfrequency, 9, 10, 11, 15, 18, 26, 28,
50, **58**, 80, 81, 82, 111, 112, 135, 146,
147, 150, 153, 160, 168, 169, 183, 185,
190, 197, 198, 257, 274, 286
Eigenvalue, 135, 180, 213, 214, 286
Excitation
ambient, 78, 113, 130, 149, 173, 183, 223
forced, 178
parametric, 27, 28
- Fast Fourier transformation, *see* Fourier
fast transformation
Fatigue life assessment, 97
Fatigue Relevance FR, 107, 284, 287
Floating track slab, 43, 46, **48**, 49
Fourier
coefficients, 182, 199
discrete transformation, 118, 182, 203,
205, 287
fast transformation, 48, 182, 203, 287
integrals, 199, 201, 202, 208
inverse transformation, 203, 212
series, 182, 199, 200, 201, **202**
transformation, 181, 199, 203
transformed function, 203
Free-vibration response, 207, 209
Frequency domain, 100, 129, 169, 181,
183, 208, 209, 211, 223, 226, 268,
285, 286
- Global behaviour, 61, 98, 253, 280
Ground-borne noise, 39, 40, 46
- High Cycle Fatigue, 104, 108
Hot spot areas, 102
- IMAC, 26, 151, 156, 158, 190, 197
Image function, 204
Image space, 204
Impedance, 41, 211, 284
Impulse, 178, 206, 207, 209, 283, 286
Inherent force, *see* Cable force
Insertion loss, 40, **46**, 47, **48**
- Inverse Fourier transformation, *see*
Fourier inverse transformation
Inverse transformation, 204, 205
- Laplace transform, 213, 214, 219, 287
Laplace transformation, 204, 205, 212
Local systems, 51, 98, 253
Lognormal Distribution, 107
- Mass-spring system (MSS), 43, **44**, 46, **47**,
48, 92, 94, 287
Material memory, 98
MDOF, 176, 179, 180, 181, 208, 209, 213,
214, 219, 287
Meshing procedure, 102
Mode shape, 7, 8, 9, 10, 18, 26, 30, 47, 78,
81, 82, 86, 90, 112, 113, 115, 118, 120,
121, 129, 130, 132, 133, 135, 136, 140,
141, 144, 145, 146, 149, 153, 159, 164,
165, 166, 167, 168, 174, 176, 178, 180,
181, 182, 183, **184**, 185, 190, 209, 223,
227, 232, **251**, **261**, **262**, **269**, **270**, **271**,
278, 285, 286
Modified Miner Rule, 104
- Natural frequency, *see* Eigenfrequency
Noise and vibration, 39, 40, 43, 44, 47
Nominal stress, 101, 102, 103
Normal Distribution, 107
Notch class, 103, 104
- Partial damage, 104, 283
Periodic functions, 199, 201
Permanent way, 36
Principal stress range, 103
Probability of failure, 107
- Rail pad, 42, **43**
Railway, 3, 7, 12, 21, 31, 35, 36, 39, 40, 44,
46, 58, **60**, 90, 92, 112, 130
Rainflow algorithm, 98
Rainflow matrix, **100**, 104, 105
Randomly induced traffic loading, 97
Redundancy, 108, 159, 227
Refinement, 102
Remaining operational lifetime, 21, 97
Residual stress, 101, 103, 104
- Scruton number, 285
SDOF, 176, 178, 179, 180, 181, 207, 208,
212, 213, 214, **215**, **217**, **218**, 287

- Sensor
 - instrumentation, 252, 265, 279
- Serviceability limit states, 107, 158
- Sleepers, 36, 37, **38**, 39, 41, **42**, **44**, 45, 46, 284, 286, 287
- Stay cables, *see* Cables
- Stress life approach, 101, 104, 108
- Structural response, 112, 150, 167, 174, 176, 208, 214, 217, 221
- Structural stress, 7, 12, 13, 15, 16, 17, 34, 35, 57, 93, 101, 108, 114, 123, 126, 174, 176, 178, 185, 250, 263
- Structure's overall capacity, 98, 253
- Sub-ballast mats, 41, **42**, 46

- Tendon
 - external, 16, 30, 35, 149, 192, 197
 - force, 15, 151, 197
 - internal, 57
- Tensile force, *see* Cable force

- Time domain, 13, 100, 129, 149, 170, 181, 188, 203, **206**, 209, 210, 215, **216**, 223, 226, 267, 268, 286
- Time history response, 206
- Total damage, 104
- Track, 35, 36, 37, **38**, 39, 41, **42**, **43**, **44**, **45**, **46**, **48**, 49, 272, 275
- Transfer functions, 173, 174, 199, 205, 208, 209, 210, 211, 212, 214, 215, **217**, **218**, 219, 221, 284

- Under sleeper pads, 41, **42**, 45, 46

- Vibration analysis, 53, 81, 205, 235

- Weibull Distribution, 107
- Weld toe, 101, 102, 103
- Wöhler Curves, 255

- Z-transformation, 199, 204, 205

