

INDEX

A

absorbing state, 76
acceptable risk, 239, 249
acceptance–rejection method, 210
accessible, 77
active earth force, 206
active earth pressure coefficient, 406
additive rules, 8
advanced estimation techniques, 189–202
aliases, 100
allowable stress design, 245
Anderson–Darling test, 174, 178
anisotropic correlation structure, 121, 371
aperiodic, 78
area of isolated excursions, 139, 143
arithmetic average, 151
arithmetic generators, 204
assessing risk, 241–244
asymptotic extreme value distributions, 63
asymptotic independence, 178
autoregressive processes, 107
averages,
 arithmetic, 151, 395
 geometric, 58, 152, 395
 harmonic, 155, 396
 over space, 180
 over the ensemble, 180

B

balance equations, 82
band-limited white noise, 106

Bayes' theorem, 12, 67
Bayesian updating, 13
bearing capacity, 347–372
 $c - \phi$ soils, 347–356
 empirical corrections, 353
 equivalent soil properties, 349, 361–362
 lifetime failure probability, 359, 365
 load and resistance factor design, 357–372
 logarithmic spiral, 347, 358
 mean and variance, 349–351
 probabilistic interpretation, 354–355
 probability density function, 354
 probability of failure, 361–364
 weakest path, 347
 worst-case resistance factors, 369
bearing capacity factors, 347
Bernoulli family, 32, 43
Bernoulli process, 32
Bernoulli trials, 32, 212
best linear unbiased estimation, 127, 182
bias, 164, 357
binomial distribution, 34, 68, 212
birth-and-death process, 83
bivariate distribution, 21
 lognormal, 59
 normal, 54
block permeability, 270
bounded tanh distribution, 60
Brownian motion, 107, 111, 135, 198

C

calibration of load and resistance factors, 249
 going beyond calibration, 255
cautious estimate, 251

central limit theorem, 52
 central tendency, 18
 Chapman–Kolmogorov equations, 74
 characteristic load, 245, 357
 characteristic resistance, 245
 characteristic ultimate geotechnical resistance, 358–359
 characteristic values, 251
 chi-square distribution, 50, 458
 chi-square test, 172, 177
 choosing a distribution, 162
 classes of states, 77
 coefficient of variation, 18, 20
 cohesion, 347, 348, 415
 combination, 6
 common distributions
 continuous, 43–62
 discrete, 32–43
 computing statistics of local averages, 451
 conditional distributions, 55, 332
 conditional mean, 55–56, 129
 conditional probability, 9
 conditional simulation of random field, 234
 conditional variance, 129
 conductivity matrix, 265–266
 consistency, 164
 consistent approximation, 320
 continuous random variables, 16
 continuous-time process, 71
 continuous-time Markov chain, 81
 continuum models, 183
 correlation, 92
 correlation coefficient, 22
 correlation function, 93
 autoregressive, 107
 fractal, 111
 Gaussian, 110, 125
 Markov, 110, 123
 polynomial decaying, 107
 triangular, 106, 122
 white noise, 104, 122
 correlation length, 103, 131
 cost trade-off, 240
 countable, 71
 counting principles, 5
 covariance, 20, 68
 covariance function, 93
 in higher dimensions, 114
 covariance matrix decomposition, 216
 cross-correlation, 121
 cumulative distribution function, 17

D

Darcy's law, 297
 De Morgan's rules, 67
 dead load, 248, 251
 decision making, 258
 deep foundations, 373–480
 bilinear spring model, 374
 end bearing, 373
 finite-element model, 374
 probabilistic behaviour, 377–380
 side friction, 373
 degrees of freedom, 173
 descriptive statistics, 161
 design methodologies, 245
 design failure, 419
 derivative process, 135
 deterministic, 203
 differential settlement, 318–322, 326–329
 differentiation length, 281
 Dirac delta function, 105, 122
 discrete probability distributions, 15
 discrete sample spaces, 5
 discrete Fourier transform method, 217
 discrete random variables, 15
 discrete random variable simulation, 211–212
 discrete-time, discrete-state Markov chains, 71
 discrete-time random process, 71, 99
 discrete uniform, 212
 disjoint events, 4, 10
 distributions,
 continuous, 43–62
 discrete, 32–43
 downcrossing rate, 137
 drains, 305–310
 drawdown, 301, 307

E

earth dams, 297–310
 drains, 305–310
 drawdown distribution, 299–302, 307–308
 extreme hydraulic gradients, 304–310
 flow rate distribution, 299–301
 gradient distribution, 309–310
 hydraulic gradients, 304, 309–310
 permeability, 298
 predicted flow rate statistics, 302–304
 earth pressures, 401–414
 active, 405–414
 active earth force, 206
 active earth pressure coefficient, 406

design reliability (active), 409
 first-order approximation (passive), 401
 passive, 401–405
 passive earth pressure coefficient, 401
 probability of failure (active), 410–412
 Rankine equation, 401
 second-order approximation (passive), 403
 effective number, 138, 150
 effective permeability, 266, 270, 302
 efficiency, 164
 elasticity problems, 247
 ellipsoidal correlation structure, 120, 124
 empirical distribution, 162, 171, 174, 211
 ensemble, 180, 209
 equi-likely outcomes, 5
 equidistant points, 119
 equivalent description, 16
 equivalent cohesion, 361, 395
 equivalent friction angle, 361
 equivalent N_c factor, 361
 ergodic states, 78
 ergodicity, 180
 estimate, 33
 estimating,
 correlation, 186
 distribution parameters, 164
 first- and second-order statistical parameters, 195
 in the presence of correlation, 178
 mean, 184
 second-order structure, 189
 trends, 185
 variance, 185
 estimation, 161–202
 estimator error, 129, 131, 162
 event, 3
 event definition, 14
 event probability, 7
 event trees, 11
 exact extreme value distribution, 62
 excursions, 137–149
 area of isolated excursions, 143
 clustering measure, 146
 global maxima (extremes), 149
 integral geometric characteristic, 145
 number of holes, 143
 number of isolated excursions, 141
 total area, 141
 exit gradients, 281, 288–295
 expectation, 18, 68
 expected first passage time, 77
 expected recurrence time, 77
 expected value, 18

experiment, 3
 exponential distribution, 43, 68, 210
 extreme value distributions, 62
 asymptotic, 63
 exact, 62
 extremes of random fields, 138, 149

F

factor of safety, 245–248
 factored load, 248
 factored resistance, 248
 factored strength, 248
 factorial operator, 6
 failure surface, 235, 242
 fast Fourier transform method, 217
 finite-difference approximation, 107
 centered, 135
 finite-scale model, 195
 first passage time, 75
 first return time, 75
 first upcrossing, 138
 first-order autoregressive process, 108
 first-order reliability method (FORM), 241
 first-order second-moment (FOSM) method, 31
 flow rate, 265, 267, 270, 276–279, 302–304
 fluid flow, *see* groundwater modeling
 foundation consolidation settlement, 132–134
 fractal model, 198
 fractal process, 111
 fractional Gaussian noise, 111–113, 228
 fractional Brownian motion, 111, 198, 228
 free surface, 297, 299, 307
 frequency density plot, 169, 286
 full period generator, 205
 functions of random variables, 24, 68

G

gamma distribution, 45, 69, 210
 gamma function, 47
 Gaussian correlation function, 110, 125
 Gaussian distribution, 50
 Gaussian process, 91
 Gaussian quadrature, 125, 449
 generator periodicity, 205
 generator seed, 204
 geometric average, 152
 geometric distribution, 36, 68, 212
 geostatistics, 130
 geotechnical resistance factor, 357, 359, 364–370
 global liquefaction, 431

goodness-of-fit, 168
 goodness-of-fit tests, 172
 groundwater modeling, 265–310
 earth dams, 297–310
 exit gradient analysis, 288–295
 finite-element model, 265
 free-surface elevation, 307
 gradient statistics, 304
 internal gradients, 309
 one-dimensional flow, 266
 three-dimensional flow, 282–287
 two-dimensional flow, 269–282

H

Hasofer–Lind first-order reliability method (FORM), 241
 hazards, 259
 higher dimensional random fields, 113–125
 histogram, 168
 homogeneous, 181–182
 hydraulic gradient, 304, 309–310
 hydraulic head, 265

I

ideal white noise, 104
 impact, 259
 importance factor, 239, 357, 359
 independent events, 10
 inference, 161
 inferential statistics, 161, 182
 intensity, 81
 intersection, 4
 inverse function, 25
 inverse problems, 50
 inverse transform method, 208
 irreducible Markov chain, 78
 irreducible ergodic Markov chain, 78
 isotropy, 92
 isotropic correlation structure, 118, 131
 isotropic radial spectral density function, 120

J

Jacobian, 26

K

k -Erlang distribution, 45
 k -step transition matrix, 74

Kolmogorov–Smirnov test, 174, 177
 kriging, 130, 182

L

lag vector, 114
 Lagrangian parameters, 131
 Laplace's equation, 265, 275
 level III determination of resistance factors, 258
 limit states design, 247
 linear systems, 98
 linear combinations, 23, 68
 linear congruential generators, 204
 linear transformations, 29
 liquefaction, 425–434
 earthquake model, 428–429
 finite-element model, 430
 Imperial Wildfowl Management Area, 426
 liquefaction measures, 430–431
 probabilistic interpretation, 432–434
 soil characterization, 426–428
 liquefaction index, 431
 live load, 248, 251
 load and resistance factor design, 248–255
 load bias factors, 357
 load factor, 248, 357
 local average subdivision, 223–232
 lognormal distribution, 56–60, 69, 211
 characteristics, 57
 correlation coefficient transformation, 60
 multiplicative central limit theorem, 58
 transformations, 57
 long memory processes, 111

M

marginal distribution, 26, 54
 Markov correlation function, 110, 123
 Markov property or assumption, 72, 110
 maximum-likelihood estimators, 166
 maximum-likelihood method, 164
 mean, 18
 mean downcrossing rate, 137
 mean rate, 44, 137
 mean rate of occurrence or success, 41, 81
 mean recurrence time, 37
 mean square differentiable, 110, 135
 mean upcrossing rate, 137
 median, 19
 median load, 339

memoryless, 37, 44, 81
 method of moments, 164
 mine pillar capacity, 415–424
 bearing capacity factor, 416
 coefficient of variation, 418–419
 distribution, 418–419
 mean bearing capacity factor, 418
 probability of failure, 419–423
 M/M/1 queueing model, 86
 M/M/s queueing model, 86
 mode, 50, 58
 model moments, 165
 moments of functions, 29
 Monte Carlo simulation, 203, 235–238
 moving-average method, 214
 moving local average, 101
 multiple resistance factor design, 248
 multiplication rule, 5
 multiplicative LCG, 206
 multivariate normal distribution, 54
 multivariate lognormal distribution, 59
 mutually exclusive, 4

N

negative binomial distribution, 38, 68, 212
 nominal value, 245
 nominal factor of safety, 245
 nonnull state, 77
 nonstationary correlation structure, 92
 normal approximation to binomial, 53
 normal equations, 186
 normal distribution, 50, 69, 211, 446–447
 null set, 3
 null state, 77
 number of histogram intervals, 169, 173
 number of isolated excursions, 139, 141
 number of realizations required, 237
 numerical integration, 449
 Nyquist frequency, 100

O

$1/f$ noise, 111
 one-dimensional flow, 266–269
 one-sided spectral density function, 97, 122
 one-to-one function, 25
 order statistic, 171
 Ornstein–Uhlenbeck process, 107
 orthonormal basis, 95
 outlier, 176

P

p -value, 174
 partial resistance factors, 248
 partial safety factors, 247
 partition, 8, 11
 passive earth pressure coefficient, 401
 period, 194, 205
 periodic states, 77
 periodicity, 205
 permeability, 265, 269, 276, 298
 permutation, 6
 physically unrealizable, 106
 piles, 373
 point estimate method, 242
 point estimates, 164
 point statistics, 183
 point versus local average statistics, 183, 351
 pointwise correlation, 122, 183
 Poisson distribution, 40, 68, 212
 polynomial decaying correlation function, 107
 positive definite, 95, 119
 positive recurrent state, 77–78
 positive skew, 57
 posterior probability, 13
 potential field statistics, 278
 Prandtl's equation, 347
 principal aliases, 100
 prior probability, 13
 probability, 7
 probability density function, 16
 probability distribution, 15
 probability mass function, 15
 probability–probability plot, 171
 pseudo-random-number generator, 203–206

Q

quadrant symmetry, 117
 quantile–quantile plot, 171
 queueing models, 86
 simulation, 212

R

radial transformation method, 211
 Rankine's equation, 401
 Rayleigh distribution, 49
 random fields, 71, 91–125
 random number generators, 204

random processes, 71, 91–125
 random sample, 178
 random variables, 14
 random-field generator, 214–235
 realization, 15
 reasonable fit, 168
 rectangular averaging area, 120
 recurrence time, 75
 recurrent state, 76
 relative likelihoods, 16
 relative-likelihood function, 167
 reliability-based design, 239–262
 for exit gradients, 292–295
 for seepage, 285
 for settlement, 337–346
 reliability index, 241, 256
 resistance factor, 357, 359, 364–370
 return period, 37
 risk-based decision making, 258
 runs test, 207

S

safety margin, 256
 sample correlation function, 190
 sample mean, 19
 sample median, 19
 sample moments, 164
 sample semivariogram, 191
 sample spaces, 3
 sample spectral density function, 194
 sample variance function, 192
 scale effect, 223
 scale of fluctuation, 103
 second-order stationarity, 92
 self-similar process, 111
 separable correlation structure, 115, 118
 serial correlation, 206
 serviceability limit states, 247
 set operators, 4
 set theory, 4
 settlement of shallow foundations, 311–346
 design methodology, 330–331
 design simulations, 341–343
 differential settlement, 318–322, 326–329
 mean and variance, 332–333
 resistance factors for design, 335–346
 strip footing risk assessment, 329–334
 three-dimensional model, 322–329
 two-dimensional model, 312–321
 variability, 331

side friction, 373
 simulation, 203–238
 acceptance–rejection method, 210
 comparison of methods, 233
 convolution, 209
 conditional random fields, 234
 covariance matrix decomposition, 216
 discrete Fourier transform method, 217
 fast Fourier transform method, 217
 inverse transform method, 208
 local average subdivision method, 223
 Monte Carlo, 235
 moving average method, 214
 nonuniform random variables, 208
 queueing processes, 212
 random fields, 214–234
 random number generators, 204
 turning-bands method, 221
 sine integral, 106
 single-random-variable approach, 383
 slope stability, 381–400
 affect of local averaging, 386–389
 averaging domain, 396
 deterministic analysis, 382–383
 equivalent cohesion, 395
 predicted probability of failure, 396–399
 shear strength characterization, 381–382
 simulated probability of failure, 383–384, 389–392
 single random variable approach, 383–384, 389
 random finite-element method, 385
 reliability model, 393–400
 spatial dependence, 91
 spatial homogeneity, 182
 spectral density function, 96
 in higher dimensions, 114
 spectral representation, 96, 114
 square root of covariance matrix, 95
 stability problems, 247
 standard deviation, 20
 standard error, 33, 238
 standard normal, 51
 standardization, 51
 state, 71
 state equations, 78
 state space, 71
 statistical homogeneity, 92
 statistics of local averages, 451
 stationarity, 92, 180
 stationary, 73, 113
 steady-state flow/seepage, 265, 267
 steady-state probabilities, 77
 stochastic finite-element method, 274

strip footing bearing capacity, 359, 361, 369
 strip footing settlement, 329–335
 Student t -distribution, 49, 447
 subset, 3
 sufficiency, 164
 superposition, 98

T

Taylor's series, 30, 68
 Terzaghi's equation, 347
 testing random number generators, 206
 threshold excursions, 134, 138
 area, 143
 clustering, 146
 extremes, 138, 149
 first upcrossing, 138
 integral geometric characteristics, 145
 local averaging, 140
 number, 141
 number of holes, 143
 rate, 137
 total area, 141
 time spent in each state, 81
 total load, 363
 total load factor, 369
 total probability theorem, 10–12
 total resistance factor, 248
 two-dimensional flow, 269–282
 trace-driven simulation, 162
 transfer function, 98
 transient state, 76
 transition probabilities, 71
 transition probability matrix, 73
 trends, 181, 185
 triangular correlation function, 106, 122
 turning-bands method, 221
 two-sided spectral density function, 97
 type I extreme value distribution, 64, 69
 type II extreme value distribution, 64, 69
 type III extreme value distribution, 66, 69

U

ultimate geotechnical resistance, 357
 ultimate limit states, 247
 unbiased, 33, 51, 59, 127, 184
 unbiasedness, 164
 unconditional, 10, 75
 uniform distribution, 47, 68, 210
 uniform soil, 358, 361, 382, 416
 union, 4
 unit area spectral density function, 118
 upcrossing rate, 137
 uplift, 280

V

variability at a point, 91
 variance, 20, 68
 variance function, 100–103
 in higher dimensions, 115
 variance minimization problem, 127, 131
 vector dot product, 115
 vector–matrix notation, 55–56
 Venn diagram, 4

W

wavelet coefficient variance, 193
 weak stationarity, 92
 weakest-link mechanisms, 247
 Weibull distribution, 48, 69, 211
 white noise process, 104, 122
 white noise intensity, 105
 Wiener–Khinchine relations, 97
 working stress design, 245

Y

Yule–Walker equations, 128

