

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

-
- A**
- About Plug-ins page, 330
 - Absolute Bottom image alignment, 108, *108*
 - absolute hyperlinks, 118, 120, *120*
 - Absolute Middle image alignment, 109, *109*
 - absolute text size, 77–78, *77–78*
 - Access Key field, 120
 - accessibility, designing for, 112
 - action/event equation, 323–325
 - Action field, 220
 - active link color, 68
 - Active Server Pages (ASP)
 - database connections for, 388–392, *389–391*
 - working with, 372, 376
 - ActiveX controls, 250
 - alternate images for, 254, *254*
 - class IDs for, 251–252, *252*
 - codebases for, 252–253, *252*
 - file paths for, 253, *253*
 - inserting, 251
 - tags for, 253–254, *254*
 - Add Action option, 326
 - Add After End Tag option, 99
 - Add After Start Tag option, 99
 - Add Before End Tag option, 99
 - Add Before Start Tag option, 99
 - Add Behavior option, 362
 - Add Behavior to Timeline option, 362
 - Add Browser dialog box, 71, *71*
 - Add Frame option, 357
 - Add Keyframe option, 361
 - Add Object to Library option, 191
 - Add Object to Timeline option, 355
 - Add Shortcut option, 45
 - Add to Existing Style option, 91
 - Add to Favorites List option, 210
 - Add to Timeline option, 355
 - Advanced Recordset dialog box, 403–404
 - AIFF (Audio Interchange File Format), 256
 - aligning
 - cells, 143, *143*
 - in cells, 151–152, *152*
 - in CSS, 292
 - Flash movies, 237–238, *238*
 - horizontal rules, 83–84, *84*
 - images, 106–110, *107–109*
 - Java applets, 245, *245*
 - Netscape plug-ins, 248–249, *249*
 - tables, 137, *137*
 - text, 82, *82*
 - Alignment tool, 82
 - alternative elements
 - for ActiveX controls, 254, *254*
 - for images, 111–112, *112*
 - for Java applets, 246, *246*
 - Always Go to First URL if Detection is Not Possible option, 330
 - anchors, named, 122–123, *122*
 - for different pages, 124–125, *125*
 - organizing, 123, *123*
 - for same page, 123–124, *124*
 - Andreessen, Marc, 5–6
 - animated GIFs, 104
 - animation, 42. *See also* timelines
 - creating, 359–362, *360–362*
 - length of, 357
 - animation bars, 357–358, *357–358*
 - Animation channels, 353, *353*
 - Answers panel, 28
 - Anything option, 343
 - AOL browser, 10
 - Apache Tomcat server, 379
 - applets, 243–244
 - aligning, 245, *245*
 - Alt images and text for, 246, *246*
 - inserting, 244
 - resizing, 244–245, *244–245*
 - application servers, 377–379
 - applying
 - CSS, 300–301, *301*
 - HTML styles, 93
 - Library Items, 191–192, *192*
 - Templates, 202–204, *204*
 - Area Within Layer option, 335
 - Ariel font, 79
 - ARPAnet, 4
 - ASP (Active Server Pages)
 - database connections for, 388–392, *389–391*
 - working with, 372, 376

ASP.NET
 database connections for, 392–394, 393–394
 working with, 372–373, 376

Assets panel, 37, 37, 207
 adding assets to, 211–215, 213
 editing assets in, 213–214, 214
 Favorites list, 210–211, 211
 previewing assets in, 209
 refreshing site lists, 209
 working with, 208–209, 208

associated files, updating, 264

Atomic Cartoons, 24, 25

Attachment menu, 291

AU format, 255

audio, 255–256
 behaviors for, 337–338, 337
 embedding, 257
 linking to, 256–257

Audio Interchange File Format (AIFF), 256

Auto option
 for frame scrollbars, 174
 for layer overflow, 314

Auto Apply option, 93

Auto High option, 239

Auto Low option, 239

Automatically Upload Files to Server on Save option, 274

Autoplay option, 241

autoplaying
 Flash movies, 240–241, 241
 timelines, 365, 365

Autostretch columns, 152–153, 153

background color
 cells, 151, 151
 in CSS, 290, 290
 Flash movies, 238–239, 238
 layers, 313, 313
 pages, 66–67, 67
 in tables, 137–138, 138, 150, 150

Background Color option, 290

Background Image option, 290

background images
 in CSS, 290–291, 290–291
 for layers, 313–314, 313
 for pages, 65–66, 65–66
 for tables, 139

bandwidth considerations, 23–24

Baseline image alignment, 108, 108

Becoming Human page, 114, 114

Behavior channel, 353, 353

Behavior panel, 37, 37, 325, 325

behaviors, 321–322
 action/event equation for, 323–325
 for browser versions, 330–332, 331
 deleting, 327
 for form validation, 342–343, 343
 for frame text, 340, 340
 inserting, 325–326, 325–326
 integrating, 348–349, 349
 JavaScript, 329, 329
 for layers
 dragging, 333–336, 334–335
 text, 341, 341
 visibility, 342, 342
 for movies, 332–333, 333
 for opening browser windows, 336–337, 337
 order of, 327–328
 for plug-ins, 329–330, 330
 for pop-up menus, 344–348, 345–348
 for pop-up messages, 338, 338
 for preloading images, 338–339, 338
 properties of, 327
 for rollovers, 344, 344
 for server, 381–382, 381
 for sound, 337–338, 337
 for status bar text, 339–340, 339–340
 for text field text, 341–342, 341
 in timelines, 362–364, 362–364
 for URLs, 336, 336

Berners-Lee, Tim, 5

Bindings panel, 43, 43, 381, 381, 403

blank targets, 125, 181

blinking text, 289

blocks in CSS, 291–293, 291

bold style, 81

Border Color swatch, 173, 173, 178, 178

borders
 in CSS, 294–295
 for frames, 172–173, 172–173
 for framesets
 color, 178, 178
 thickness, 177–178, 177
 visibility, 176–177, 177
 for images, 113, 113
 for Netscape plug-ins, 249, 249
 for pop-up menus, 347
 in tables
 setting, 138, 138
 thickness, 136, 136

Bottom image alignment, 108, 108

Box attribute, 293

boxes in CSS, 293–294, 293–294

branding, 19, 20

B

breadcrumb trails, 20, 21
 broken links, 265–266, 265
 Browser News, 11
 browser wars, 11
 Browser Watch, 11
 browsers, 5, 10–12, 70–71
 editing lists of, 71–72, 72
 launching, 72, 72
 opening windows, behaviors for, 336–337, 337
 target, 71, 71
 versions, behaviors for, 330–332, 331
 Bullet Image attribute, 295
 bulleted lists, 86–89
 Bulwer-Lytton, Edward, 75
 buttons in forms, 229–230, 229–230

C

Call JavaScript dialog box, 329, 329
 Campaign for Canadian World Domination, 231, 231
 Carlson, Matthew, 366
 Cascading Style Sheets. *See* CSS (Cascading Style Sheets)
 Case menu, 290
 cells, 134, 134
 aligning, 143, 143
 alignment in, 151–152, 152
 background color for, 151, 151
 inserting, 146–147, 146
 in menus, 347
 merging, 144, 144
 moving, 148–149, 149
 padding and spacing, 136–137, 136–137, 150, 150
 size of, 148, 148, 151, 151
 CFML (ColdFusion Markup Language), 373
 Change Attribute search option, 98
 Change Tag search option, 98
 Char Width field
 for file fields, 230
 for text boxes, 222
 check boxes, 224–225, 225
 Check Browser dialog box, 331, 331
 Check In/Check Out feature, 277–280, 278–279
 Check Links Sitewide option, 264
 Check Out Files When Opening option, 279
 Check Plug-in dialog box, 329–330, 330
 Check Spelling dialog box, 94
 Checked Value field, 225
 checking
 links, 264–265, 264
 spelling, 94, 94
 Chen, Jimmy, 101
 Chiang, Doug, 72
 Choose Document Type dialog box, 383, 383
 Choose Home Page dialog box, 54
 Choose Local Images Folder dialog box, 51
 Choose Remote Folder dialog box, 274
 Choose Spacer Image dialog box, 153–154, 154
 Circular Hotspot tool, 128
 class IDs, 251–252, 252
 classes for CSS, 297–298, 297–298
 Clear attribute, 294
 Clear Existing Style option, 91
 Clear Paragraph Style option, 94
 Clear Selection Style option, 94
 clearing HTML styles, 94
 client-server model, 9, 370
 clipping area of layers, 315–316, 316
 Cloak Files Ending With setting, 269
 cloaking files, 269–270, 269–270
 Code Hints feature, 29
 Code Inspector, 38, 38
 Code Navigation menu, 35
 Code View, 410
 codebases, 252–253, 252
 coding tools, 29
 ColdFusion
 database connections for, 387–388
 working with, 373–374, 376–377, 379
 ColdFusion Markup Language (CFML), 373
 collapsing panels groups, 49, 49
 color
 in Assets panel, 208, 212
 cell background, 151, 151
 in CSS, 295
 Flash movie background, 238–239, 238
 Flash text, 101
 fonts, 80–81, 80
 frame borders, 173, 173
 frameset borders, 178, 178
 in GIF format, 104
 for HTML styles, 92
 in JPEG format, 104
 layer background, 313, 313
 Library Items, 192
 in navigation, 19
 pages
 background, 66–67, 67
 link, 68, 68
 text, 67, 67
 in PNG format, 105
 pop-up menus, 347
 syntax, 29
 in tables
 background, 137–138, 138, 150, 150
 borders, 138, 138

- Color attributes, 295
- Color dialog box
 - for background, 67, 67
 - for fonts, 80
 - for links, 68
- Color menu for CSS, 290
- Color Palette
 - for background, 66–67, 67
 - for cells, 150
 - for fonts, 80
- columns
 - in framesets, 178–180, 179
 - for Site Maps, 56
 - in tables, 134, 134
 - adding, 141–142, 141–142
 - Autostretch, 152–153, 153
 - deleting, 142
 - selecting, 141, 141
 - setting, 135
- Components panel, 43, 43, 381, 381
- concept art, 15–16, 16
- configuring Design Notes, 267–268, 267
- Connection String Template dialog box, 393, 393
- connections, database. *See* database connections
- consistency in navigation, 17–18, 17
- Constrained option, 334
- Containing option, 98
- content
 - for dynamic databases, 402
 - adding, 411
 - form-submitted data for, 404–409, 405–409
 - images, 413–415, 415
 - multiple records, 416–418, 417–418
 - navigating, 418–420, 419–420
 - record counters, 420–421, 421
 - Recordsets for, 402–404, 403
 - text, 412–413, 416
 - for frames, 180
 - for layers, 309–310, 309–310
- Control Shockwave or Flash dialog box, 332, 332
- Convert to 3.0 Compatible Browser dialog box, 302, 302
- converting
 - CSS to HTML markup, 302, 302
 - page elements to Library Items, 191
- Copy to Site command, 194, 207, 211
- copying
 - Favorites list assets, 211
 - Library Items, 194
 - Templates, 206–207
- Courier font, 79
- Courier New font, 79
- Create New Data Source dialog box, 389, 389, 391

- CSS (Cascading Style Sheets), 8, 285–288, 287
 - applying, 300–301, 301
 - background in, 290–291, 291
 - blocks in, 291–293, 291
 - borders in, 294–295
 - boxes in, 293–294, 293–294
 - converting to HTML markup, 302, 302
 - creating, 297
 - editing, 302
 - extensions in, 296–297, 296
 - external, 303–304
 - hyperlinks in, 299–300
 - lists in, 295–296, 295
 - positioning in, 296
 - removing styles from, 301, 301
 - style classes for, 297–298, 297–298
 - tags in, 299
 - type styles in, 288–290, 289
 - working with, 303, 303
- CSS Styles panel, 38, 38, 303–304
- CSS Styles to HTML Markup option, 302
- Current Document search option, 95
- Cursor attribute, 296
- Custom JDBC Connection, 395
- CWD (Canadian World Domination), 231, 231

D

- DARPA (Defense Agency Research Projects Administration), 4
- Data Link Properties dialog box, 394, 394
- Data Source Name (DSN) dialog box, 390–392, 391, 397, 425, 425, 431, 431, 436, 436
- Data Source Name (DSN) for database connections, 388–392, 389–391
- database connections, 385–387
 - for ASP, 388–392, 389–391
 - for ASP.NET, 392–394, 393–394
 - for ColdFusion, 387–388
 - deleting, 398
 - editing, 397
 - for JSP, 394–396, 395–396
 - for PHP, 396–397, 396
- database-driven applications, 369–370
 - application servers for, 377–379
 - ASP for, 372, 376
 - ASP.NET for, 372–373, 376
 - ColdFusion for, 373–374, 376–377
 - connecting to databases in. *See* database connections
 - content for. *See* content
 - database structure in, 398–399, 398–399
 - document types for, 382–383, 382–383

- JSP for, 375
- new features for, 29–30
- operation of, 370–372
- PHP for, 374–375
- selecting, 375–377
- server behaviors for, 381–382, 381
- testing servers for, 384–385, 384
- tools for, 380–381, 380–381
- Databases panel, 43, 43, 381, 381
- dates, inserting, 89–90, 90
- Decorations for CSS, 289
- defaults and Default option
 - Default Size/Download Time, 47
 - for Flash movie scale, 240
 - for frame scrollbars, 174
 - for layer visibility, 315
 - for text boxes, 223
- Defense Agency Research Projects Administration (DARPA), 4
- Define HTML Style dialog box, 91–93, 91–92
- Define Sites dialog box, 54–55
- definition lists, 87
- delays for pop-up menus, 347
- Delete Library Item command, 195
- Delete Remote Files Not on Local Drive option, 281
- Delete Row command, 143
- Delete Style option, 93
- deleting
 - behaviors, 327
 - CSS styles, 301, 301
 - database connections, 398
 - Favorites list assets, 210
 - frames, 168
 - HTML styles, 93
 - keyboard shortcuts, 45
 - Launcher tools, 34
 - layers, 310
 - Library Items, 194–195
 - local sites, 58
 - radio buttons, 226
 - rows and columns, 142–143
 - spacer images, 155, 155
 - Templates, 206
 - timeline objects, 358–359
- Dependent File dialog box, 276–277
- Dept 3 site, 366, 366
- Design Notes, 266–267, 266–267
 - configuring, 267–268, 267
 - creating, 268, 268
 - viewing, 268–269
- Design Notes Dialog box, 268–269, 268
- Detach from Original option, 194
- Detach from Template option, 204
- detaching
 - Library Items, 193–194
 - Templates, 204
- detail pages, 424–429, 425–428
- DHTML (Dynamic HTML), 7–8, 283. *See also* behaviors; CSS (Cascading Style Sheets); layers; timelines
- dial-up modems, 24
- Diaz, Raul, 366
- digital audio, 255
- digitalorganism studio, 58, 59
- Director program, 242
- Display attribute, 293
- Display Dependent Files option, 56
- Display Files Marked as Hidden option, 56
- div tag, 316
- Djojo Studios, 421–422, 421
- docked panels, 36, 48, 48
- Document object Mode (DOM), 286
- Document Size/Download Time indicator, 33
- Document Title field, 35
- Document Toolbar, 34–35
- document types for database-driven applications, 382–383, 382–383
- Document Window, 32, 32
 - Document Size/Download Time indicator, 33
 - Document Toolbar, 34–35
 - Launcher, 34, 34
 - Standard Toolbar, 35
 - Tag Selector, 33
 - Window Size, 33
- documents
 - cloaking, 269–270, 269–270
 - creating, 261, 261
 - moving, 263–264, 263–264
 - opening, 62–64, 62–63, 260–261, 260
 - saving, 64
 - in Site Maps, 56–57, 56
 - synchronizing, 280–281, 280
- Dolin, Guthrie, 366
- DOM (Document object Mode), 286
- domain names, 52
- dormant layers, 309–310, 309
- Doug Chiang Studio, 72, 73
- Download Time indicator, 33
- downloading from remote sites, 276–277
- Drag Layer dialog box, 333–334, 333
- dragging layers, 333–336, 334–335
- Draw Layer icon, 308
- Draw Layout Cell icon, 146
- Draw Layout Table icon, 145
- drivers, database, 385, 387
- drop-down menus in forms, 226–227, 226–227
- DSN (Data Source Name) for database connections, 388–392, 389–391

Duplicate Set dialog box, 44
 dynamic applications, 423

- database-driven. *See* database-driven applications
- Insert Records page for, 429–435, 430–434
- Login page for, 440–443, 441–442
- Master/Detail pages for, 424–429, 425–428
- search engine for, 443–447, 445–447
- User Registration page for, 435–440, 436–438

 Dynamic HTML (DHTML), 7–8, 283. *See also* behaviors; CSS (Cascading Style Sheets); layers; timelines
 dynamic images, 413–415, 415
 Dynamic Page option, 383, 425
 Dynamic Table dialog box, 417, 417, 447, 447
 dynamic text

- adding, 412–413
- formatting, 416

 dynamic tools

- Bindings panel, 381, 381
- Components panel, 381, 381
- Databases panel, 381, 381
- Insert bar, 380, 380
- Server Behaviors panel, 381, 381

e-mail, links to, 126–127, 126
 E-mail Address option, 343
 E-mail Link dialog box, 126, 126
 Edit Browser dialog box, 72, 72
 Edit Font List dialog box, 80, 288
 Edit Library Item option, 190–191, 193
 Edit Local Copies on My Machine option, 52
 Edit NoFrames Content command, 183–184
 Edit Sites dialog box, 58

- for Check In/Check Out, 278
- for cloaking, 269
- for Design Notes, 267
- for new documents, 62, 62
- for remote sites, 271
- for Testing Server, 384–385

 Edit Style Sheet dialog box, 299–300, 302
 Edit URL dialog box, 214, 214
 editable regions in Templates, 198–199, 199
 editing

- assets, 213–214, 214
- browser lists, 71–72, 72
- CSS, 302
- database connections, 397
- HTML styles, 92–93
- Jump Menus, 131
- keyboard shortcuts, 44–45, 44–45
- Library Items, 192–193
- local sites, 58
- Templates, 205

editors, external

- defining, 46, 46
- for images, 113

 embed tags for ActiveX controls, 253–254, 254
 embedding audio files, 257
 Enable Cloaking option, 269
 Enable File Check In and Check Out option, 273–274, 279
 Engelbart, Douglas, 4
 Enter Plug-in option, 330
 Entire Local Site search option, 95
 environment, 43

- Default Size/Download Time defaults, 47
- external editors, 46, 46
- keyboard shortcuts, 44–45, 44–45
- panels, 47–49, 48–49
- window size presets, 46–47, 47

 event handlers, 323
 events in action/event equation, 323–325
 Exact Fit option, 240
 Expand/Collapse option, 275–276
 expanding panels groups, 49, 49
 Extension Manager, 349, 382
 Extensions attribute in CSS, 296–297, 296
 extensions for files, 261
 external CSS, 287, 287

- creating, 303–304
- linking to, 304, 304

 External Editor dialog box, 46
 external editors

- defining, 46, 46
- for images, 113

 external file based assets, 213–214, 214

E

F

Favorites list, 210–211, 211
 File Explorer, 28
 file fields in forms, 230–231, 230
 File Names option, 56
 File Status option, 35
 files

- cloaking, 269–270, 269–270
- creating, 261, 261
- moving, 263–264, 263–264
- opening, 62–64, 62–63, 260–261, 260
- saving, 64
- in Site Maps, 56–57, 56
- synchronizing, 280–281, 280

 Filter attribute, 297
 Find and Replace feature, 94–99, 95–97
 firewalls, 273
 Fireworks MX, 46
 fixing broken links, 265–266, 265

- FLA extension, 236
 - Flash movies, 234–235
 - aligning, 237–238, 238
 - in Assets panel, 208, 212
 - background color of, 238–239, 238
 - behaviors for, 332–333, 333
 - dimensions of, 237, 237
 - inserting, 235–236, 236
 - looping and autoplating, 240–241, 241
 - previewing, 241
 - quality of, 239–240, 239
 - scale of, 240, 240
 - Flash text, 99–101, 100
 - Flash Text dialog box, 101
 - floating objects in CSS, 293–294
 - Folder search option, 95
 - folders
 - cloaking, 269–270, 269–270
 - creating, 262, 262
 - for Favorites list assets, 210–211, 211
 - fonts
 - changing, 79–80, 79
 - color of, 80–81, 80
 - in CSS, 288
 - for Flash text, 101
 - form-submitted data, 404–405
 - GET method for, 407–409, 408–409
 - POST method for, 405–407, 405–407
 - sessions variables for, 409–411
 - formats for images, 104–105
 - formatting
 - dynamic text, 416
 - styles for. *See* CSS (Cascading Style Sheets)
 - forms, 217
 - buttons in, 229–230, 229–230
 - check boxes and radio buttons in, 224–225, 225
 - creating, 218
 - drop-down menus in, 226–227, 226–227
 - file fields in, 230–231, 230
 - inserting, 218–220, 218–219
 - names and values for, 220–221
 - radio groups in, 225–226, 225
 - scrolling lists in, 228–229, 228–229
 - text fields in, 221–224, 221–224
 - validating, 342–343, 343
 - frames
 - in pages, 159–160, 161
 - borders for, 172–173, 172–173
 - content in, 180
 - deleting, 168
 - Insert bar for, 163–167, 163–166
 - links in, 180–181, 181
 - locking, 174–175, 175
 - margins for, 171, 171
 - naming, 169–170, 169–170
 - nesting, 164–167, 165–166
 - NoFrames content for, 183–184, 183
 - resizing, 167–168, 168
 - saving, 182–183
 - scrollbars in, 173–174, 174
 - sources of, 170–171, 170
 - splitting for, 162–163, 162
 - text in, 340, 340
 - in timelines, 353–354, 354
 - behaviors for, 362–364, 362–364
 - moving to, 364, 364
 - rate setting for, 359
 - Frames Bar, 353, 353
 - Frames panel, 38–39, 38
 - framesets, 175–176, 175–176
 - borders for
 - color, 178, 178
 - thickness, 177–178, 177
 - visibility, 176–177, 177
 - column and row dimensions in, 178–180, 179
 - FTP
 - remote site server connections with, 271–273, 272
 - in Site panel, 41
-
- G**
- geek speak, 21
 - Get and Put Newer Files option, 281
 - GET method, 220, 407–409, 408–409
 - Get Newer Files from Remote option, 281
 - GIF (Graphics Interchange Format), 104
 - Glenn A. Black Laboratory of Archaeology, 14–15, 15
 - Go To Timeline Frame dialog box, 364, 364
 - Go To URL dialog box, 336, 336
 - Graphics Interchange Format (GIF), 104
 - gray literature, 21–22
 - grayscale in PNG format, 105
 - Green project, 375
 - grouping panels, 48–49, 48–49
-
- H**
- handles
 - for images, 111, 111
 - for layers, 311, 311
 - for tables, 140, 140, 147–148, 147–148
 - Head Content command, 213
 - height
 - cells, 151, 151
 - in CSS, 293
 - Flash movies, 237, 237
 - frame margins, 171, 171

- images, 110, *110*
- Java applets, *244–245, 244–245*
- layers, 311–312
- menu items, 347
- Netscape plug-ins, *248, 248*
- scrolling lists, 229
- tables, 139, *139, 149, 149*
- Height attribute, 293
- Helvetica font, 79
- Hidden option
 - for layer overflow, 314
 - for layer visibility, 315
- Hide Menu on MouseOut Event option, 348
- hiding layers, *342, 342*
- High option for Flash movies, 240
- high speed connections, 24
- History panel, 39, *39*
- home pages for Site Map layouts, 54
- Horizontal Position attribute, 291
- horizontal rules, 83–84, *83–84*
- HotJava browser, 10
- hotkeys for target browsers, 72
- hotspots in image maps, *128, 128*
- HTML (Hypertext Markup Language), 5–8, 7, 9
 - converting CSS to, *302, 302*
 - styles, 90–91, *91*
 - applying, 93
 - clearing, 94
 - creating, 91–92, *91–92*
 - deleting, 93
 - editing, 92–93
- HTML and HTM extension, 63
- HTML Styles panel, 39, *39, 91–93, 91*
- Hyperlink dialog box, 119–120, *119*
- hyperlinks, 5, 117–118
 - absolute, 118, 120, *120*
 - adding, 119
 - to audio files, *256–257*
 - checking, *264–265, 264*
 - color for, 68, *68*
 - e-mail, *126–127, 126*
 - to external CSS, *304, 304*
 - fixing, *265–266, 265*
 - in frames, 180–181, *181*
 - image maps for, *127–129, 127–128*
 - Jump Menu for, *129–131, 130*
 - named anchors for, *122–125, 122–125*
 - Point to File icon, *121, 121*
 - redefining, 299–300
 - relative, 118–120, *119*
 - targets for, *125–126, 125*
- Hypertext Markup Language. *See* HTML (Hypertext Markup Language)
- i2x site, 215, *216*
- IA diagrams (information architecture diagrams), 13–14, *14*
- icons in navigation, 22
- ilayer tag, 317
- image maps, 127, *127*
 - hotspots in, *128, 128*
 - integrating links in, 129
- Image Placeholder dialog box, 105, *105*
- images, 103
 - for ActiveX controls, *254, 254*
 - aligning, *106–110, 107–109*
 - ALT tag for, *111–112, 112*
 - in Assets panel, 208, 212
 - borders for, *113, 113*
 - dynamic, *413–415, 415*
 - external editors for, 113
 - formats for, *104–105*
 - for Java applet alternate content, *246, 246*
 - for layers, *313–314, 313*
 - Low Source, *112–113, 112*
 - in navigation, 22
 - for page background, *65–66, 65–66*
 - placing, *105–106, 105*
 - preloading, *338–339, 338*
 - saving Site Maps as, *57–58*
 - in tables
 - adding, *140–141, 141*
 - background, 139
 - spacer, *153–155, 154–155*
 - Tracing Images feature, *68–70, 69–70*
- Inconsistent Region Names dialog box, 204, *204*
- indenting text, 84–85, *85*
- indexed color, 105
- Info 2 Extreme site, 215, *216*
- information architecture diagrams (IA diagrams), 13–14, *14*
- information design and architecture, 13–14, *14*
- information distribution, 18
- Inherit option, 315
- Init Val field, 222
- Initial State options, 225
- Insert ActiveX option, 251
- Insert Applet option, 244
- Insert bar, 36, *36*
 - for dynamic tools, *380, 380*
 - for Flash movies, 235
 - for Flash text, 100, *100*
 - for forms, 218
 - for frames, *163–167, 163–166*
 - for Java applets, 244
 - for layers, *308–309, 309*
 - for special characters, 89, *89*
 - for tables, 145

Insert Bottom and Nested Left Frame option, 164, *164*
 Insert Bottom and Nested Right Frame option, 164, *164*
 Insert Bottom Frame option, 164, *164*
 Insert Date dialog box, 90, *90*
 Insert E-mail Link dialog box, 126
 Insert Flash option, 235
 Insert Flash Text dialog box, 100, *100*
 Insert Go Button After Menu option, 130
 Insert Horizontal Rule option, 83
 Insert Jump Menu dialog box, 130, *130*
 Insert Left and Bottom Frames option, 165, *165*
 Insert Left and Nested Bottom Frame option, 165, *165*
 Insert Left Frame option, 163, *163*
 Insert Library Item option, 192
 Insert Master Detail Page Set dialog box, 426–427, *426*
 Insert Plug-in option, 247, 257
 Insert Record dialog box, 434, *434*
 Insert Records page, 429–435, *430–434*
 Insert Repeating Table dialog box, 201, *201*
 Insert Right and Nested Bottom Frame option, 165, *165*
 Insert Right and Nested Top Frame option, 166, *166*
 Insert Right Frame option, 163, *163*
 Insert Row command, 143
 Insert Shockwave option, 242
 Insert Table dialog box, 134–136, *135*
 Insert Top and Bottom Frames option, 165, *165*
 Insert Top and Nested Left Frame option, 166, *166*
 Insert Top and Nested Right Frame option, 166, *166*
 Insert Top Frame option, 164, *164*
 Inside Tag option, 98
 Install New Extension option, 349
 interactive design

- bandwidth considerations in, 23–24
- fundamentals of, 12
- information design and architecture, 13–14, *14*
- intuitive navigation in, 16–23, *17, 20–21*
- storyboards and concept art in, 15–16, *16*
- visual metaphors in, 14–15, *15*

 interface

- Document Window, 32–35, *32, 34*
- Insert bar, 36, *36*
- panels, 36–43, *36–43*
- Property Inspector, 36, *36*
- workspace options, 30–32, *31–32*

 interlaced GIFs, 104
 Internet Explorer browser, 10–12, 70
 Invisible Elements

- for form delimiters, 405
- for forms, 219
- for layers, 310
- for named anchors, 123

 italic style, 81

Jakarta Tomcat servers, 377
 Java applets, 243–244

- aligning, 245, *245*
- Alt images and text for, 246, *246*
- inserting, 244
- resizing, 244–245, *244–245*

 JavaScript, 8, 329, *329*
 JDBC (Java Database Connectivity), 385–386, 395–396
 Johanson, Donald, 114
 JPEG (Joint Photographic Experts Group) format, 104
 JRun servers, 377, 379
 JSP, 375, 394–396, *395–396*
 Jump Menus

- building, 129–131, *130*
- editing, 131

K
 Kbps (kilobits per second), 23
 keyboard shortcuts, 44–45, *44–45*
 keyframes, 353–354, *354*

L
 Label column, 226
 labels in navigation, 21–22
 Langlevelator, 421, *421*
 LANs for remote site server connections, 273–274, *274*
 Launch and Edit Feature, 28
 Launcher, 34, *34*
 launching target browsers, 72, *72*
 Lay Out Using options, 226
 layers, 307

- background color of, 313, *313*
- background images for, 313–314, *313*
- clipping area of, 315–316, *316*
- content for, 309–310, *309–310*
- creating, 308–309, *308–309*
- deleting, 310
- dragging, 333–336, *334–335*
- moving, 312, *312*
- naming, 317, *317*
- nesting, 319, *319*
- overflow, 314, *314*
- overlapping, 318, *318*
- resizing, 311–312, *311*
- selecting, 310, *310*
- stacking order of, 318, *318*
- tags for, 316–317, *316*
- text for, 341, *341*
- visibility of, 315, *315*, 319, *319*, 342, *342*

Layers panel, 39, 39, 317–319, 317–319

Layout view for tables, 144–145

- Autostretch columns in, 152–153, 153
- background color in, 150, 150
- cells in
 - inserting, 146–147, 146
 - moving, 148–149, 149
 - padding and spacing, 150, 150
 - resizing, 148, 148
- inserting tables in, 145–146, 145
- resizing tables in, 147–148, 147
- spacer images in, 153–155, 154–155
- width and height of tables in, 149, 149

Leakey, Richard, 155

Leakey Foundation site, 155, 156

Leave on Top option, 335

Left image alignment, 109, 109

length of animation, 357

Lerdorf, Rasmus, 374

Letter Spacing for CSS, 292

Library, 40, 40

Library Item Editor, 190–191, 193

Library Items, 187–189

- applying, 191–192, 192
- copying, 194
- creating, 189–191, 189–190
- deleting, 194–195
- detaching, 193–194
- editing, 192–193
- renaming, 193

Library Update Pages command, 193

Line Breaks option, 226

Line Height menu, 289

Lingo language, 242

link buildouts, 20

Link Checker dialog box, 265–266

Link Checker panel, 264–265

Link External Style dialog box, 304, 304

Link to New File dialog box, 56, 56

links. *See* hyperlinks

List Item New Style setting, 88

List Item Reset Count To setting, 89

List/Menu option, 226, 228

List Properties dialog box, 88, 88

List Type setting, 88

List Values dialog box, 131, 131, 227–228, 227

lists

- in CSS, 295–296, 295
- definition, 87
- ordered, 85–86
- properties of, 88–89, 88
- unordered, 86–87

Live Data View, 30

live layers, 309, 309

local DNS, 388–391, 389–391

Local Info setting, 51–52, 51

Local/Network option, 273

local sites, 50

- defining, 50
- deleting, 58
- editing, 58
- Local Info for, 51–52, 51
- Site Definition Wizard for, 52–53, 52
- Site Map layout for, 53–58, 53–56

locking frames, 174–175, 175

Log In User dialog box, 442, 442

Login page, 440–443, 441–442

logos, 19, 20

Loop option, 241

looping Flash movies, 240–241, 241

Low option for Flash movies, 239

Low Source images, 112–113, 112

M

Macromedia Exchange, 382

Macromedia Extension Manager, 349

Maintain Design Notes option, 268

Make Column Autostretch command, 153

Make Custom Style (class) option, 297

maps

- image, 127, 127
 - hotspots in, 128, 128
 - integrating links in, 129
- Site Maps, 53, 53
 - defining and viewing, 54–55, 54–55
 - files in, 56–57, 56
 - manipulating, 55–56
 - saving as images, 57–58

Margin attributes, 294

margins

- in CSS, 294
- for frames, 171, 171

Master Detail Page Set dialog box, 426–427, 426

Master/Detail page sets, 424–429, 425–428

Max Chars field

- for file fields, 230–231
- for text boxes, 222

MDAC (Microsoft Data Access Components) packages, 385

Menu Delay setting, 347

Menu Position option, 348

menus

- in forms, 226–227, 226–227
- pop-up, 344–348, 345–348

merging cells, 144, 144

- messages, pop-up, 338, 338
 - metaphors, 14–15, 15
 - Microsoft Data Access Components (MDAC) packages, 385
 - Middle image alignment, 109, 109
 - MIDI (Musical Instrument Digital Interface), 256
 - MNO files, 267
 - Moccu site, 257, 258
 - Modify Data Source option, 388
 - Modify Page Properties dialog box, 57
 - Mojotown site, 320, 320
 - Mojovator, 320
 - Mosaic web browser, 6–7, 7
 - Motion Picture Experts Group Audio (MPEG-Audio Layer-3), 256
 - movies
 - in Assets panel, 209, 212
 - behaviors for, 332–333, 333
 - Flash. *See* Flash movies
 - Shockwave, 242–243
 - moving
 - animation bars, 357–358, 357–358
 - cells, 148–149, 149
 - files, 263–264, 263–264
 - layers, 312, 312
 - MP3 files, 256
 - MPEG-Audio Layer-3 (Motion Picture Experts Group Audio), 256
 - multiline text fields, 223, 223
 - multimedia, 233–234
 - ActiveX controls, 250–254, 252–254
 - audio, 255–257
 - Flash movies. *See* Flash movies
 - Java applets, 243–246, 244–246
 - Netscape plug-ins, 246–250, 248–249
 - Shockwave files, 241–243
 - multiple navigation paths, 22–23
 - multiple records, dynamic display of, 416–418, 417–418
 - Musical Instrument Digital Interface (MIDI), 256
 - MyAccess utility, 377
 - MySQL Connection dialog box, 396, 396
 - MySQL language, 377, 386
-
- N**
- Named Anchor dialog box, 122, 122, 124
 - named anchors, 122–123, 122
 - for different pages, 124–125, 125
 - organizing, 123, 123
 - for same page, 123–124, 124
 - names
 - domain, 52
 - duplicate sets, 44
 - files, 63, 261
 - form items, 220–221
 - frames, 169–170, 169–170
 - FTP hosts, 272
 - HTML styles, 91
 - Image Maps, 127
 - layers, 317, 317
 - Library Items, 193
 - local sites, 51
 - named anchors, 122, 124
 - pages, 64–65
 - Panel Groups, 49
 - single-line text fields, 222
 - Templates, 205–206
 - timelines, 356
 - National Geographic site, 282
 - National Science Foundation (NSF), 5
 - navigation, 16–17
 - consistency in, 17–18, 17
 - help for, 18–19
 - multiple paths in, 22–23
 - visual cues in, 19–22, 20–21
 - NeonSky Creative Media, 114
 - nesting
 - frames, 164–167, 165–166
 - layers, 319, 319
 - Netscape browser, 10–11, 70
 - Netscape plug-ins, 246–247
 - aligning, 248–249, 249
 - borders for, 249, 249
 - inserting, 247
 - previewing, 250
 - resizing, 247–248, 248
 - URLs for, 249, 249
 - New Color option, 215
 - New Document dialog box, 62, 382–383, 382–383
 - for dynamic pages, 425
 - for templates, 203
 - New Editable Region dialog box, 199–200, 199
 - New Favorites Folder option, 211
 - new features
 - coding tools, 29
 - dynamic database driven technologies, 29–30
 - workspace and workflow enhancements, 28–29
 - New File option, 261
 - New Folder option, 262
 - New Library Item command, 190
 - New Optional Region dialog box, 200–201, 200
 - New Style dialog box, 297, 297, 299
 - New Template option, 197
 - New URL option, 215
 - No Border option, 240
 - No Resize option, 175

No Server Technology option, 52
 NoFrames content, 183–184, 183
 None buttons, 229
 Not Containing option, 98
 Not Inside Tag option, 98
 notes, 266–267, 266–267
 configuring, 267–268, 267
 creating, 268, 268
 viewing, 268–269
 _notes folder, 267
 NSF (National Science Foundation), 5
 NSFnet, 5
 Num Lines setting, 223, 223
 Number From option, 343
 Number of Columns setting, 56
 numbered lists, 85–86, 88–89
 Numbers option, 343

Oak language, 243, 375
 Object Linking & Embedding Database (OLE DB), 385–386
 object tags for ActiveX controls, 253–254, 254
 ODBC (Open Database Connectivity), 386
 for ASP, 372, 376
 for database connections, 385
 for JSP, 394
 ODBC Data Source Administrator, 387, 389–390, 389
 ODBC Microsoft Access Setup dialog box, 390
 OLE DB (Object Linking & Embedding Database), 385–386
 OLE DB Connection dialog box, 393–394, 393
 Open Browser Window behavior, 336
 Open Browser Window dialog box, 337, 337
 Open Database Connectivity (ODBC), 386
 for ASP, 372, 376
 for database connections, 385
 for JSP, 394
 Open Site command, 63
 opening
 browser windows, 336–337, 337
 documents, 62–64, 62–63, 260–261, 260
 optional regions in Templates, 199–200, 200
 options menus, 36
 order
 of behaviors, 327–328
 of layers, 318, 318
 ordered lists, 85–86, 88–89
 outdenting text, 84–85, 85
 Over State Text Color swatch, 347
 overflow, layer, 314, 314
 overlapping layers, 318, 318

P

padding and spacing cells, 136–137, 136–137, 150, 150
 Padding attributes, 294
 Page Break attribute, 296
 Page Properties dialog box, 64, 64
 for background color, 66–67, 66
 for background images, 65–66, 66
 for link color, 68, 68
 for names, 65
 for text color, 67, 67
 for Tracing Images, 69–70, 70
 Page Titles option, 56
 pages
 background for
 color, 66–67, 67
 images, 65–66, 65–66
 link color for, 68, 68
 names for, 64–65
 text color for, 67, 67
 Tracing Images for, 68–70, 69–70
 panels, 36–43, 36–43
 collapsing and expanding, 49, 49
 customizing, 47–48, 48
 grouping, 48–49, 48–49
 Parameters dialog box, 253, 253
 _parent link target, 181
 passwords
 in forms, 224, 224
 for FTP hosts, 272
 paths for ActiveX controls, 253, 253
 percentages
 for frame column width, 180
 for table width, 135
 PHP (Personal Home Page)
 database connections for, 396–397, 396
 working with, 374–375
 PHP server, 379
 Physical option, 223
 pixels for table width, 135
 placeholders
 for documents, 261
 for images, 105, 105
 Play Sound dialog box, 337, 337
 Play Timeline dialog box, 363, 363
 Playheads, 354
 playing timelines, 363, 363, 365, 365
 plug-ins
 behaviors for, 329–330, 330
 Netscape, 246–250, 248–249
 PNG (Portable Network Graphic) format, 104
 Point to File icon, 121, 121
 Pointer Hotspot tool, 129
 Polygon Hotspot tool, 128

- pop-up menus, 344–348, 345–348
 - pop-up messages, 338, 338
 - Popup Message dialog box, 338, 338
 - Portable Network Graphic (PNG) format, 104
 - Position attribute, 296
 - positioning in CSS, 296
 - POST method, 220, 405–407, 405–407
 - Preferences dialog box
 - for browser targets, 71, 71
 - for Document Size/Document Time, 47
 - for external editors, 46, 46
 - for firewalls, 273
 - for form delimiters, 219, 405
 - for interfaces, 30
 - for Launcher, 34
 - for layers, 310
 - for Library Items, 192, 192
 - for named anchors, 123
 - for Window Size, 47, 47
 - for workspace, 32
 - Preload Images dialog box, 338–339, 338
 - preloading images, 338–339, 338
 - Prevent Overlaps option, 318
 - Preview/Debug in Browser option, 35
 - previewing
 - assets, 209
 - in browsers, 70–72, 71–721
 - Flash movies, 241
 - Netscape plug-ins, 250
 - Property Inspector tool, 36, 36
 - for ActiveX controls, 251–254, 252–254
 - for audio files, 256
 - for cells, 150–152, 151–152
 - aligning, 143, 143
 - merging, 144
 - for check boxes, 225, 225
 - for CSS, 301
 - for Flash movies, 236–241, 237–241
 - for font color, 80, 80
 - for fonts, 79, 79
 - for forms, 219
 - buttons, 229, 229
 - file fields, 230
 - multiline text fields, 223, 223
 - scrolling lists, 228–229, 228
 - for frames
 - borders, 172–173, 172–173, 176–178, 177
 - dimensions, 179, 179
 - links, 181, 181
 - margins, 171, 171
 - names, 169–170, 169
 - password fields, 224
 - scrollbars, 174, 174
 - size, 175
 - source, 170, 170
 - for framesets, 176
 - for horizontal rules, 83–84, 84
 - for hotspots, 128
 - for Image Maps, 127–128, 127–128
 - for images
 - aligning, 106–107, 107
 - borders, 113, 113
 - external editors, 113
 - Low Source, 112, 112
 - size, 110–112, 110, 112
 - for Java applets, 244–246, 244–246
 - for layers
 - clipping area, 316, 316
 - moving, 312, 312
 - overflow, 314, 314
 - resizing, 311–312, 311
 - tags, 316, 316
 - visibility, 315, 315
 - for Library Items, 194
 - for links
 - absolute, 120, 120
 - e-mail, 126–127, 126
 - relative, 119, 119
 - targets, 125–126, 125
 - for lists, 85–87
 - for menus, 227, 227
 - for named anchors, 123–125, 124–125
 - for Netscape plug-ins, 247–250, 248–250
 - for Point to File icon, 121
 - for tables
 - aligning, 137, 137
 - background color, 138, 138
 - background images, 139
 - border color, 138, 138
 - columns, 141–142, 142, 153, 153
 - rows, 141–142, 142
 - size, 139, 139, 149, 149
 - for text
 - aligning, 82
 - boxes, 222–223, 222–223
 - dynamic, 416
 - size, 77–78, 77
 - style, 81
 - pseudoclasses, 299
 - Put Newer Files to Remote option, 280
-
- Q**
- quality
 - of Flash movies, 239–240, 239
 - of images, 110

radio buttons, 224–225, 225

Radio Group dialog box, 225, 225

radio groups, 225–226, 225

record counters, 420–421, 421

Recordset dialog box, 403, 403, 426, 426, 437, 437

Recordset Navigation Bar dialog box, 419, 419

Recordset Navigation Status dialog box, 421, 421

Recordsets, 402–404, 403

Rectangular Hotspot tool, 128

Red Industries, 72

Redefine HTML Tag option, 299

redefining tag styles, 286, 299–300

Reference option, 35

Reference panel, 40, 40

Refresh Design View option, 35

Refresh Local File List Automatically option, 51

Refresh Remote File List Automatically option, 274

Refresh Site List option, 214

refreshing remote sites, 281

relative hyperlinks, 118–120, 119

relative measurements

- frame column width, 180
- text size, 78

remote DNS, 391–392

Remote Folder dialog box, 384

remote sites, 270–271, 270

- Check In/Check Out feature for, 277–280, 278–279
- connecting to, 274–275, 275
- connecting to servers
 - with FTP, 271–273, 272
 - with LANs, 273–274, 274
- downloading from, 276–277
- local sites for, 50
- setting up, 271, 271
- synchronizing files in, 280–281, 280
- uploading to, 275–276, 276

Remove Action option, 327

Remove Attribute option, 99

Remove Frame option, 357

Remove from Favorites option, 210

Remove Object option, 359

Remove Shortcut option, 45

Remove Tag and Contents option, 98

Rename Panel Group dialog box, 49

renaming

- Library Items, 193
- Panel Groups, 49
- Templates, 205–206

Repeat menu, 291

repeatable regions in Templates, 201, 201

repeating tables, 201

Replace Contents Only search option, 98

R Replace Tag and Content search option, 98

Request Variable dialog box, 408

Reset buttons, 229

resizing

- cells, 148, 148
- Flash movies, 237, 237
- frames, 167–168, 168
- images, 110–111, 110
- Java applets, 244–245, 244–245
- layers, 311–312, 311
- Netscape plug-ins, 247–248, 248
- tables, 139–140, 139–140, 147–148, 147

Restore Images onMouseOut option, 344

Restore Z-Index option, 335

Right image alignment, 109, 109

Robota: Reign of Machines project, 72

rollovers, 344, 344

rows

- in framesets, 178–180, 179
- in tables, 134, 134
 - adding, 141–142, 141–142
 - deleting, 142
 - selecting, 141, 141
 - setting, 135

S

Same for All option, 295

Save All command, 64

Save All Frames command, 182

Save As dialog box for frames, 182–183

Save As Template dialog box, 198, 198, 202, 202

Save Frameset command, 182

Save Site Map dialog box, 57

Save Spacer Image File As dialog box, 154

Save Style Sheet File As dialog box, 304

saving

- documents, 64
- frames, 182–183
- Site Maps as images, 57–58
- Templates, 202, 202

scale of Flash movies, 240, 240

screen readers, 22–23

scripts, 209, 213

Scroll option for layer overflow, 314

scrollbars in frames, 173–174, 174

scrolling lists, 228–229, 228–229

scrolling pages, 83

search and replace feature, 94–99, 95–97

search engine, 443–447, 445–447

Searchbots, 447, 448

security for Java applets, 243

Select Database dialog box, 390

- Select Extension to Install dialog box, 349
- Select File dialog box
 - for ActiveX controls, 251, 254
 - for browser behavior, 332
 - for Flash movies, 236
 - for Java applets, 244, 246
 - for links, 129–130
 - checking, 265
 - relative, 119–120
 - targets, 125
 - for named anchors, 124
 - for plug-ins, 247, 330
 - for pop-up menus, 345
 - for preloading images, 339
 - for Shockwave files, 243
 - for sound, 257, 338
 - for URLs, 336
- Select HTML File dialog box, 171
- Select Image Source dialog box, 65, 65, 105
 - for bullet images, 295
 - for dynamic images, 414–415, 415
 - for Low Source images, 113
 - for table images, 139, 141
 - for Tracing Images, 69, 69
- Select Plug-in option, 330
- Select Spacer Image File dialog box, 154
- Select Template dialog box, 203, 203
- Selected Files in Site search option, 95
- Selected Local Files Only, 280
- self targets, 125, 181
- Server Behaviors panel, 43, 43, 381, 381
- servers
 - in client-server model, 370–371
 - for database-driven applications, 377–379
 - behaviors, 381–382, 381
 - testing, 384–385, 384
 - in Web, 9
- Session IDs, 409
- Session Variable dialog box, 410
- sessions variables, 409–411
- Set Text of Frame dialog box, 340, 340
- Set Text of Layer dialog box, 341, 341
- Set Text of Status Bar dialog box, 340, 340
- Set Text of Text Field dialog box, 341, 341
- shading horizontal rules, 84, 84
- Shadow Color swatch, 348
- Shockwave files, 241–243
 - in Assets panel, 208, 212
 - behaviors for, 332–333, 333
- shortcuts, editing, 44–45, 44–45
- Show Borders option, 347
- Show By Default option, 200
- Show Code and Design View option, 34
 - Show Code View option, 34, 410
 - Show Design View option, 35
 - Show Events For menu, 329
 - Show-Hide Layer dialog box, 342, 342
 - Show if Not First Record behavior, 420
 - Show in Launcher option, 34
 - Show Pop-Up Menu dialog box, 345–346, 345–346, 348, 348
 - Show When File Is Opened option, 268
- single-line text boxes, 221–222, 221–222
- Site Checker dialog box, 265
- Site Definition dialog box, 52, 52
 - for Design Notes, 267, 267, 269, 269
 - for Local Info, 51, 51
 - for local site editing, 58
 - for Site Map layouts, 54–55, 54
 - for Testing Server, 384, 384
- Site Definition Wizard, 52–53, 52
- Site Maps, 53, 53
 - defining and viewing, 54–55, 54–55
 - files in, 56–57, 56
 - manipulating, 55–56
 - saving as images, 57–58
- Site panel, 40–41, 41
- Site window
 - creating folders in, 262, 262
 - files in
 - creating, 261, 261
 - moving, 263–264, 263–264
 - opening, 260–261, 260
 - links in
 - checking, 264–265, 264
 - fixing, 265–266, 265
 - for remote sites. *See* remote sites
- Sitespring panel, 42, 42
- size
 - cells, 148, 148, 151, 151
 - Document Window, 33
 - file fields, 230
 - Flash movies, 237, 237
 - frames, 167–168, 168
 - horizontal rules, 83, 83
 - images, 110–112, 110, 112
 - Java applets, 244–245, 244–245
 - layers, 311–312, 311
 - menu items, 347
 - Netscape plug-ins, 247–248, 248
 - scrolling lists, 229
 - tables, 135–136, 139–140, 139–140, 147–149, 147, 149
 - text, 76–78, 77–78
 - text boxes, 222
 - window, presets, 46–47
- Size Change command, 78

- Size menu for CSS, 289
 - Smithsonian Museum site, 282
 - Snippets panel, 29
 - sound, 255–256
 - behaviors for, 337–338, 337
 - embedding, 257
 - linking to, 256–257
 - sources of frames, 170–171, 170
 - spacer images, 153
 - adding, 154–155, 154–155
 - deleting, 155, 155
 - special characters, 89, 89
 - spell checking, 94, 94
 - Split Frame Down option, 162, 162
 - Split Frame Left option, 162, 162
 - Split Frame Right option, 162, 162
 - Split Frame Up option, 162, 162
 - splitting for frames, 162–163, 162
 - SQL (Structured Query Language), 404
 - stacking order of layers, 318, 318
 - Standard Toolbar, 35
 - Standard view for tables, 134
 - aligning tables in, 137, 137
 - background color in, 137–138, 138
 - background images in, 139
 - borders in
 - color, 138, 138
 - thickness, 136, 136
 - cells in
 - aligning, 143, 143
 - merging, 144, 144
 - padding and spacing, 136–137, 136–137
 - images in, 140–141, 141
 - resizing tables in, 139–140, 139–140
 - rows and columns, 135, 141–142, 141–142
 - text in, 140, 140
 - width of tables in, 135–136
 - Start Count setting, 88
 - status bar text, 339–340, 339–340
 - Stop Timeline dialog box, 364, 364
 - stopping timelines, 364, 364
 - storyboards
 - benefits of, 69
 - in interactive design, 15–16, 16
 - Strip Tag search option, 98
 - Structured Query Language (SQL), 404
 - Style attributes, 295
 - style classes, 286, 297–298, 297–298
 - Style Definition dialog box, 288, 298–300, 298, 302, 304
 - Style menu, 289
 - style sheets. *See* CSS (Cascading Style Sheets)
 - styles
 - HTML, 90–91, 91
 - applying, 93
 - clearing, 94
 - creating, 91–92, 91–92
 - deleting, 93
 - editing, 92–93
 - list, 88
 - text, 81, 81
 - Submit buttons, 229
 - Superphonic Rockonauts, 320
 - Swap Image dialog box, 344, 344
 - Swap Image Restore behavior, 344
 - SWF extension, 236
 - switching local sites, 270, 270
 - Synchronize Files dialog box, 280–281, 280
 - synchronizing files, 280–281, 280
 - syntax coloring, 29
 - system fonts, 79
-
- T**
- Tab Index field, 120
 - Table Properties dialog box, 135, 137
 - tables, 133–134, 134
 - cells in. *See* cells
 - in Layout view. *See* Layout view for tables
 - in Standard view. *See* Standard view for tables
 - Tag Inspector, 29
 - Tag Selector, 33
 - tags, 6–7, 7
 - for ActiveX controls, 253–254, 254
 - for layers, 316–317, 316
 - redefining, 286, 299–300
 - searching for, 97–99, 97
 - target browsers
 - adding, 71, 71
 - launching, 72, 72
 - targets for links in frames, 180–181, 181
 - Taylor, Brian, 131
 - Template Editor, 197, 200–201, 205
 - Templates, 187, 195–196
 - applying, 202–204, 204
 - copying, 206–207
 - creating, 196–197, 197
 - deleting, 206
 - detaching, 204
 - editable regions in, 198–199, 199
 - editing, 205
 - from existing documents, 198, 198
 - optional regions in, 199–200, 200
 - renaming, 205–206
 - repeatable regions in, 201, 201
 - saving, 202, 202
 - Templates panel, 41–42, 41
 - terminology for labels, 21
 - Terra Incognita site, 114, 281–282, 282

- testing servers, 384–385, 384
 - text, 75
 - aligning, 82, 82
 - in CSS, 292
 - Flash movies to, 237–238, 238
 - images with, 106–110, 107–109
 - Java applets to, 245, 245
 - Netscape plug-ins to, 248–249, 249
 - color for, 67, 67
 - creating and placing, 76
 - dates, 89–90, 90
 - dynamic, 412–413, 416
 - find and replace, 94–99, 95–97
 - Flash, 99–101, 100
 - fonts for, 79–80, 79–80
 - frame, 340, 340
 - horizontal rules, 83–84, 83–84
 - HTML styles for, 90–94, 91–92
 - hyperlinks to
 - absolute, 120, 120
 - relative, 119–120, 119
 - indenting and outdenting, 84–85, 85
 - for Java applet alternate content, 246, 246
 - layer, 341, 341
 - lists, 85–89, 88
 - sizing, 76–78, 77–78
 - special characters, 89, 89
 - spell checking, 94, 94
 - status bar, 339–340, 339–340
 - styles of, 81, 81
 - in tables, 140, 140
 - text field behaviors for, 341–342, 341
 - Text Align attribute, 292
 - text fields
 - behaviors for, 341–342, 341
 - in forms
 - multiline, 223, 223
 - password, 224, 224
 - single-line text boxes, 221–222, 221–222
 - Text Indent attribute, 292
 - Text Indent option, 84–85
 - Text Top image alignment, 108, 108
 - textual-based navigation, 22
 - The Zone site, 399, 399
 - thickness of borders, 295
 - frameset, 177–178, 177
 - table, 136, 136
 - Time Format menu, 90
 - Timeline Controls, 353, 353
 - Timeline panel, 352–356, 353–356
 - timelines, 42, 42, 351–352
 - for animation, 357, 359–362, 360–362
 - creating, 354–356, 355–356
 - frames and keyframes in, 353–354, 354
 - behaviors for, 362–364, 362–364
 - rates for, 359
 - naming, 356
 - parts of, 352–353, 353
 - playing, 363, 363, 365, 365
 - removing objects from, 358–359
 - stopping, 364, 364
 - Times font, 79
 - Times New Roman font, 79
 - Title field
 - for relative links, 120
 - for Site Maps, 57
 - Titoonic site, 184
 - Toggle HTML/CSS Mode icon, 301
 - Tomcat servers, 377, 379
 - Toolbars
 - Document, 34–35
 - Standard, 35
 - tools
 - dynamic, 380–381, 380–381
 - in Launcher, 34
 - _top link target, 181
 - Tracing Images feature, 68–70, 69–70
 - transparency in PNG format, 105
 - transparent GIFs, 104
 - true-color images, 105
 - Turn Off Read Only option, 280
 - tweening, 360
 - Type menu, 295
 - type styles in CSS, 288–290, 289
 - typefaces, 76
 - typographic site, 101, 102
-
- ## U
- UltraDev tool, 29–30
 - Uncloak option, 270
 - Uncloak All option, 270
 - Unconstrained option, 334
 - underline style, 81
 - unordered lists, 86–89
 - untitled folder, 262
 - untitled.html file, 261
 - Up State Cell Color swatch, 347
 - Up State Text Color swatch, 346
 - Update Automatically on Save option, 90
 - Update Current Page command, 193
 - Update Files dialog box, 57, 264, 264
 - Update Page When Template Changes option, 204
 - Update Pages dialog box, 193
 - Upload Design Notes for Sharing option, 268
 - uploading to remote sites, 275–276, 276

URLs, 118
 in Assets panel, 208, 212
 behaviors for, 336, 336
 for Netscape plug-ins, 249, 249
 Use CSS Selector option, 300
 Use Firewall option, 273
 User Registration page, 435–440, 436–438
 Using Driver on Testing Server option, 396
 Using Driver on this Machine option, 396
 Using Local DSN option, 425, 431

V

Validate Form dialog box, 343, 343
 validation, form, 342–343, 343
 Value column for radio groups, 226
 values for forms, 220–221
 variables, session, 409–411
 Variant option for CSS, 289
 VBScript, 8
 versions, browser, 330–332, 331
 Vertical Alignment attribute, 292
 Vertical Position for CSS, 291
 View Options option, 35
 Virtual Cocktail Hour site, 349, 350
 Virtual option for text boxes, 223
 visibility
 of frameset borders, 176–177, 177
 of layers, 315, 315, 319, 319, 342, 342
 Visible option
 for layer overflow, 314
 for layer visibility, 315
 visited link color, 68
 visual cues in navigation, 19–22, 20–21
 visual metaphors, 14–15, 15
 vocabulary in navigation, 22

When Dropped Call JavaScript option, 336
 When Selected Go To URL option, 130
 Whitespace attribute, 292
 width
 cells, 151, 151
 in CSS, 293, 295
 file fields, 230
 Flash movies, 237, 237
 frame margins, 171, 171
 images, 110, 110
 Java applets, 244–245, 244–245
 layers, 311–312
 menu items, 347
 Netscape plug-ins, 248, 248
 tables, 135–136, 139, 139, 149, 149
 text boxes, 222
 Width attribute, 293, 295
 Window Size, 33
 window size presets, 46–47, 47
 With Attributes search option, 98
 Without Attribute search option, 98
 Word Spacing attribute, 292
 workflow enhancements, 28–29
 workspace
 enhancements for, 28–29
 new options for, 30–32, 31–32
 Workspace Setup dialog box, 32, 32
 World Wide Web, 4
 browsers for, 10–12
 history of, 4–6
 HTML for, 6–8, 6–7, 9
 operation of, 9–10
 World Wide Web Consortium (W3C), 11–12
 wrapping in text boxes, 223

X

XHTML, 8, 29
 XL5 Design site, 131, 132
 XML, 29

Z

W3C (World Wide Web Consortium), 11–12
 WAV files, 256
 Web-Safe Colors, 66
 Webmonkey site, 305, 305
 WebSphere, 379
 Weight menu, 289
 When Dragging, Bring Layer to Front option, 335

Z-Index for layers, 318, 335
 Zonecomics.com site, 399, 399