

Index

Note: Bold page numbers refer to diagrams and tables.

- abdominal mass, rapidly enlarging 374
- abdominal pain
 - acute 537–6
 - recurrent 346–7
- abuse
 - child 202, 203, 208–10
 - emotional 203
 - mandatory reporting 202
 - physical 202, 203–6, 250, 328
 - sexual 203, 206–8
- acetaminophen, poisoning 19–20
- acid–base problems 75–7
 - in newborn 83
- acid–base status, indicators of 75–6, **77**
- acidosis
 - metabolic 75, **76–7**
 - in renal failure 503
 - respiratory 75, **76–7**
- acne 272–3
- acrodermatitis, papular 275
- ACTH deficiency 321
- activated charcoal, use in poisoning 15–18
- acute abdominal pain 536–7
- acute bilateral lymphadenitis 415–16
- acute disseminated encephalomyelitis (ADEM) 462
- acute haemolysis 366, **367**
- acute infectious gastroenteritis 336
 - admission to hospital 338
 - assessment of dehydration 331, **337**
 - clinical features 336
 - differential diagnoses of vomiting and diarrhoea 336
 - management guidelines of
 - dehydration and nutrition 338, **339**
 - specific recommendations 340
- acute laryngeal obstruction 8–9
- acute oliguria 78
- acute pain 64
 - analgesics for 55–61
 - assessment of 54–5
- acute pharyngitis, recurrent 294
- acute red eye 328–31
- acute renal failure 499–503
 - indications for dialysis/haemofiltration 503
- acute rheumatic fever 385–6
- acute scrotum 534
- acute suppurative otitis media (ASOM) 288–9
- acute tonsillitis 293–4
- acute unilateral lymphadenitis 416
- acute viral bronchiolitis, assessment and management 511, **512**
- Addison's disease 320
- ADEM see acute disseminated encephalomyelitis
- adenitis see lymphadenitis
- adenotonsillar hypertrophy, obstructive 152
- adenotonsillectomy 152, 153
- adenovirus infection 402
- ADHD see attention deficit hyperactivity disorder
- adherence, in adolescents 179

Index

- adolescent medicine referrals 181
- adolescent mental health 181–2
- adolescents 175–8
 - burden of disease 175
 - clinical approach 176–8
 - confidentiality 176–7, **177**
 - deliberate self-harm and suicide 182–3
 - depression 182–3
 - developmental challenges 176
 - developmental screening 177–8, **177**
 - health outcomes 176
 - high-risk 180–1
 - with intellectual or complex disability 180
 - physical examination 178
 - psychosocial screening 177–8, **177**
 - social health perspectives 176
 - see *also* young people with chronic illnesses and disabilities
- adrenal hyperplasia, congenital 317, 320–1
 - hyperfunction 321–2
 - hypofunction 320–1
- adrenal insufficiency
 - primary 320–1
 - secondary 321
 - steroid cover for stress 321
- adrenal medullary tumours 322
- adrenarchoe, premature 318
- adrenocortical hyperplasia 321–2
- adrenocortical tumours 321
- adverse drug reactions 544
- aggressive behaviour 139–40
 - management 139–40
- AIDS 417–18
- airway
 - acute laryngeal obstruction 6, 8
 - acute obstruction 9
 - maintenance 1–3
 - obstruction in the newborn 443
- albumin (solutions) 84
- alkalosis
 - metabolic 75–6, **76–7**
 - respiratory 75, **76–7**
- allergic conjunctivitis 330
- allergic diseases 224–6
- allergic oedema 6
- allergic rhinitis 226–8, 238
 - classification **226**
- allergy tests 224–5
- alopecia, traumatic 285
- alopecia areata 285
- ALTE see apparent life-threatening episode
- ambiguous genitalia 319–20, 542
- amblyopia 333
- amenorrhoea 352–3
- amphetamines, poisoning 22
- anaemia 360
 - classification **362**
 - haemoglobinopathies 365–6
 - haemolysis 366
 - immigrant children 128
 - investigation 360
 - iron deficiency 360–3
 - sickle cell 365–6, **367**
- analgesia
 - general principles 56
 - multimodal, for acute pain 55
- analgesics, for acute pain 55–61
- anaphylaxis 6
 - action plans 230
 - adrenaline autoinjectors (Epipen) 230
- angio-oedema 234
 - hereditary 235
- angular deformities in children 474–7
- anion gap 76
- ankle fractures 481
- ankle injuries 482
- anogenital rashes 283–4
- anogenital warts 276
- anorexia nervosa 185
 - refeeding syndrome 99–101
- anterior mediastinal mass 374
- antibiotic allergy 235–6
- antibiotic resistance 381
- antibody responses and IgG subclasses 239
- anticoagulant therapy 371
- anticonvulsants 68

- in chronic pain 68
- guidelines for use **456–7**
- indications for commencing 454–5
- principles 455–8
- antihistamines 228, **228**
- antimicrobial guidelines 600–12
 - cardiovascular **602–3**
 - central nervous system **600–1**
 - eye **601–2**
 - gastrointestinal **603**
 - genitourinary **604**
 - respiratory **605–6**
 - septicaemia **609–10**
 - skin/soft tissue/bone **607–9**
- antimicrobial prescribing, rational 380
- antiregurgitation formulas 89
- antithyroid drugs 315
- anuria 78
- anxiety disorders 190–3
 - common symptoms **191**
 - general principles of assessment and management 193
 - generalised anxiety disorder 191, 193
 - obsessive-compulsive disorder 191–2, 194
 - paediatric medical traumatic stress 192, 195
 - post-traumatic stress disorder 192, **194**, 195
 - school refusal 191, 193–4
 - traumatic stress disorders 192
- anxiolytics 64
- Apgar score 435, **436**
- apnoea 222, 451
- apparent life-threatening episode (ALTE) 220–2
- appendicitis 536
- arterial puncture 38–9
- arthralgia 525–7
 - causes of 528–9
- arthritis
 - assessment 525–7
 - causes of 528–9
 - investigations 526–7, **527**
 - juvenile chronic (rheumatoid) 528
 - postenteric reactive 530
 - poststreptococcal reactive 530
 - postviral 530
 - septic 485–6
- ascending cholangitis, antimicrobial guidelines **603**
- Asperger's syndrome 174
- aspirated foreign body 9
- asplenia, immunisation guidelines 123
- asthma
 - acute
 - assessment of severity 507, **507**
 - drug delivery 509
 - drug delivery devices **509**
 - hospital discharge and home treatment 509
 - management 507, **508**
 - allergic factors in 233–4
 - cough in 517–18
 - critical 10, 507
 - establishing diagnosis and patterns 505–6
 - interval asthma management **510**, 511
 - investigations 506–7
 - patterns of **510**
- atopic dermatitis, allergic factors in 232–3
- atopic eczema 277–8
 - allergic factors 232–3
- attention deficit hyperactivity disorder (ADHD) 140–3
 - diagnostic criteria **141**
 - medications 142, **143**
- audiological testing 291–2
- aural trauma 296
- Australian Childhood Immunisation Register 110
- Australian standard vaccination schedule 2008 114–15, **115**
- autism spectrum disorder 172–4
- autoimmune destruction 320
- autopsy 216–17
 - guidelines for consent 216–17
 - for suspected metabolic disease 429–30

Index

- baclofen 69
bacteraemia, occult 383–4
bacterial infections 385–91
 in cystic fibrosis **521**
 in the newborn 442
bacterial meningitis 407–13
 antibiotic prophylaxis for contacts of meningitis cases **412**
 antibiotic treatment 410
 intrepretation of CSF findings 408–9, **409**
balanitis 534–5, **535**
Barlow's sign **473**
Bartonella henselae 416
base excess 75–6, **76–7**
batteries, button or disc, poisoning 22
Bazett's formula **261**
BCG vaccination 48
Beckwith-Wiedemann syndrome **541**
bedtime struggles 149–50
bedwetting 157–9, **158**
bee venom anaphylaxis 238
behaviour modification
 in aggressive/oppositional-defiant disorder 139–40
 in attention deficit hyperactivity disorder (ADHD) 142
 in temper tantrums 138–9
behavioural problems 136–43
benign focal epilepsy 453
benign hypermobility 530–1
benign nocturnal limb pains 530
benign paroxysmal vertigo **459–60**
bicarbonate 76
 in newborns 83
Bier's block 52
biliary atresia 349, 439
bipolar disorder 201
bites, animal, antimicrobial guidelines **607**
black rashes 281–2
Blackfan–Diamond syndrome 368
blister, single 272
blocked nasolacrimal duct 330
blood cultures, collection 31
blood pressure, centiles **497**
blood products, in immunodeficiency treatment 242
blood transfusion 371–2
blue rashes 281–2
blunt head injuries 467–9
BMI see body mass index
body fluid composition, in children **74**
body mass index (BMI) 106
 centiles
bone marrow transplantation in immunodeficiency 242
botulism 461
bow-legs 475–6, **476**
bowel obstruction, pain management 61
box jellyfish 28–9
brain abscess 414
 antimicrobial guidelines **600**
brain death 215–16
breast-fed infants, bowel actions 87
breast-feeding
 appetite spurts 85
 assessment **86**
 expressed milk 87, 93–4
 frequency of feeds 85
 growth 88
 length of feeds 85
 and maternal drugs 88
 and maternal illness 88
 and the sick neonate 93–4
 temporary cessation 87
breast hyperplasia in newborns 437
breast milk, qualities of 87
breast problems 358
 premature thelarche 318
breath-holding attacks 138, 458, **459–60**
bronchiolitis, acute viral 510–11, **512**
bronchopulmonary dysplasia 450
Brovic central venous catheter, access of 35
bruising, in newborn 437
bulimia nervosa 186
bupivacaine **60**
burns
 assessment 243, **244–5**

- chemical 328
- eye 328
- fever and antibiotic choice 249
- first aid 243–5
- fluid maintenance 247–8
- fluid resuscitation 247, **247**
- follow-up 250
- local wound care 249
 - major 246–50
 - minor 245–6
 - nutrition 249
 - pain relief 245
 - from physical abuse 250
 - room temperature 249
 - special therapy 249–50
 - treatment aims 243
 - whole blood use 248
- calcium metabolism, disorders 322–5
- Campylobacter jejuni* infection 402
- Candida* napkin dermatitis 284
- capillary haemangiomas 451
- cardiac dysrhythmias, management 3–6
- cardiac murmurs 251
 - clinical assessment 251–2
 - ‘innocent murmur’ 251
- cardiorespiratory arrest 1–6
 - airway maintenance and ventilation 1–3
 - compression–ventilation rates and ratios 3, **4**
 - diagnosis and management 1–2
 - drug treatment 4
 - external cardiac compression 3
 - management **2**
- cat-scratch disease 416
- cataracts, congenital 335
- catheterisation
 - accessing central venous catheters 33–5
 - umbilical artery 36–8, **37**
 - umbilical vein 35–6, **37**
 - urethral 42, **43**
- caustic substances, poisoning 22–3
- celecoxib **60**
- cellulitis 416–17
 - antimicrobial guidelines **607**
 - orbital 331–2
 - antimicrobial guidelines **601**
 - periorbital 331, **332**
 - antimicrobial guidelines **602**
 - peritonsillar 294
- central nervous system infections 407–14
 - antimicrobial guidelines **600–1**
- central venous catheters 376
 - accessing 33–5
- cephalhaematoma 432
- cerebral oedema in diabetic ketoacidosis 304–5
- cerebral palsy 167–70
 - aetiology 167
 - associated disorders 167–8
 - classification 167
 - management 168–70
 - pain in children and adolescents with 70
 - referrals 169–70
- cerebrospinal fluid, findings 408–9, **409**
- cerebrospinal fluid shunt problems
 - shunt infection 471
 - subacute shunt obstruction 470–1
- cervical lymphadenitis 415–16
- chalazion 333–4
- charcoal, use in poisoning 18
- chemical burns, to the eye 328
- chemotherapy patients
 - fever in 375–7
 - treatment issues 377–9
- chest radiographs, in asthma 507
- chickenpox 399–400
- child abuse 203
 - definition 202
 - emotional abuse 203
 - mandatory reporting 202
 - neglect 203, 206
 - physical abuse 203–6
 - aims of assessment 204
 - examination 204–6
 - history taking in evaluation of injured child 204, **205**

Index

- child abuse (*cont.*)
 - interviewing parents 206
 - investigations 206
 - and purpuric rashes 281
 - sexual abuse 206–8
 - tertiary referral centres 208
- Chironex box jellyfish 28–9
- Chlamydia* 330
- choledochal cyst 439
- Christmas disease 369
- chroming *see* petroleum distillates
- chronic diarrhoea 341
 - investigation **342**
- chronic fatigue syndrome 186
- chronic pain **65**
 - cognitive behavioural therapy 67
 - management 64–9
 - non-pharmacological techniques 66–7
 - patient assessment 64
 - pharmacological techniques 68–9
 - treatment goals 66
- chronic renal failure 503–4
- circumcision 536
- clavicle fractures 479
- clicky hips, in neonates 438
- clonidine 69
- Clostridium difficile* infection 403–4
 - antimicrobial guidelines **603**
- club foot **473**, 473–4
- coagulation abnormalities 368–70
 - general measures 369
 - investigation 368–9, **368**
- codeine **58**
- coeliac disease 341–3
 - presentations **343**
 - serological screening tests 343
- colic 136–8
 - irritability, in children with disability 170
- community acquired needle-stick injuries 419
- complement studies 240
- complementary medicines 546
- complex regional pain syndrome (CRPS) 69
- compliance *see* adherence
- compression–ventilation rates and ratios 3, **4**
- concussion 467
- condoms 358
- confidentiality, in assessing adolescents 176–7, **177**
- confusional arousals **459–60**
- congenital adrenal hyperplasia 317–21
- congenital cataracts 335
- congenital foot deformities **473**
- congenital gynaecologic obstructive anomalies 358
- congenital heart disease, in the newborn 252–3
- congenital hypothyroidism 313
- congenital lung disease 524
- congenital pigmented naevi 283
- congenital talipes equinovarus **473**, 473–4
- conjugate pneumococcal vaccine 117
- conjunctivitis 328
 - allergic 229
 - neonatal 328–30
 - in older children 330
- consciousness, level of **467**
- constipation 154–7
 - associated with chemotherapy 378
 - chronic 154–7
 - disimpaction 156
 - irritation, in children with disability 170
 - medications **156–7**
- contact dermatitis 237
- continuous subcutaneous insulin infusion (CSII) 307–8
 - complications **309**
- contraception 358–9
- conversion disorder 197
- convulsions 10–12
- corneal abrasion **329**
 - irritability, in children with disability 170
- corneal light reflex **333**

- corneal ulceration 331
 - causes and management **331**
- Coroner's cases 217
- cough 517
 - acute 517
 - management 518
 - persistent 517
 - recurrent 517
- court appearances 210, **210**
- cover test **334**
- cow's milk-based formulas 88–9
- cow's milk products, introduction of 89–90
- cow's milk protein
 - allergy 343–4
 - intolerance 344–5
 - see also food allergy
- COX-2 inhibitors **60**
- coxsackie A virus 392
- CPR 1–6
- craniosynostosis 464
- Crohn's disease 345
- croup 8–9
 - management **515**
- CRPS (complex regional pain syndrome) 69
- crying infant 136
- cryoprecipitate 370
- CSF see *cerebrospinal fluid entries*
- Cushing syndrome 319, 321–2
- cyanosis
 - hypercyanotic spells 255
 - neonatal 253–4
- cystic fibrosis
 - background 519
 - diagnosis 519–20
 - management 520, **521–2**
 - non-pulmonary complications 520–4, **524**
 - screening 519
- cytomegalovirus (CMV) infection 390–2
- daydreams **459–60**
- daytime wetting 159
 - dysfunctional voiding 159
- neurological and urological pathology 159
- urge incontinence 159
- death of a child 211
 - after death
 - autopsy 216–17
 - Coroner's cases 217
 - healthcare team members' role 218–19
 - moment of death 216
 - surviving siblings 218
 - viewing the body 216
 - before death 211–14
 - communicating with children about death and dying 213
 - healthcare team members' responsibilities 211–13, 214
 - interview in a hospital setting 211–13
 - preparations for death 214
 - siblings 214
 - follow-up 218–19
 - sudden unexpected death 215–16
- dehydration 71–2
 - in acute gastroenteritis 337, **337**
- delayed puberty 315
 - causes 316
 - investigations 316
 - treatment 316
- delayed speech 144–6
- deliberate self-harm see self-harm
- dental abscess 264–5
 - irritability, in children with disability 170
- dental caries 262–4
 - irritability, in children with disability 170
 - risk factors **263**
- dental development
 - permanent dentition 262, **263**
 - primary dentition 262, **263**
- dental emergencies 264–5
- dental health, immigrant children 134
- dental trauma 265–7
 - bleeding from the mouth 267
 - jaw fractures 267

Index

- dental trauma (*cont.*)
mucosal lacerations 265–7
permanent dentition 265, **266**
primary dentition **266**
- depression 192–3, 195–6
in adolescents 182–3
common symptoms **194**
postnatal 449
severe acne as risk for 273
- dermatitis
Candida napkin 284
contact 237
irritant 236
irritant napkin 283–4
perianal streptococcal 284
seborrhoeic 278
- developmental delay 163–5
detection 160–5
persistent 163
transient 163
- developmental disability 163, 165
- developmental dysplasia of the hip 472, **473**
- developmental milestones **161–2**
- developmental problems, children at risk of **164**
- developmental screening,
adolescents 177–8, **177**
- developmental surveillance 160–5
- dextrose infusions **82**
- diabetes mellitus, type 1: 298
new presentation, mildly unwell 299
- diabetes mellitus, type 2: 298
- diabetic child
continuous subcutaneous insulin
infusion 307–8, **309**
hyperglycaemia, mildly unwell
(known diabetic) 299
hypoglycaemia in 304, **304**
sick day management 305, **306**
and surgery 305–7
- diabetic ketoacidosis 299–305
cerebral oedema 303–5
complications 303–4
as CSI complication **309**
fluid requirements 300–2, **301–2**
history 300
investigations 300
management 300–3
- dialysis, indications 503
- diaphragmatic herniation **541**, 542
- diarrhoea
chronic 341, **342**
infectious 401–2
toddler 341
- DIC see disseminated intravascular
coagulation
- diclofenac **59**
- Dientamoeba fragilis* infection 403
- digital nerve block 52–3, **53**
- dimercaptosuccinic acid (DMSA) scan
493
- diphtheria, tetanus, pertussis (DTPa-IPV)
vaccine 116
- disability
developmental 163, 165
intellectual 165–7
pain management 70
- displaced teeth 267
- disseminated intravascular coagulation
(DIC) **367, 368, 369**, 374
- distal intestinal obstruction syndrome
(DIOS) 520–4, **523**
- divorce 200
- DKA see diabetic ketoacidosis
- Down syndrome see trisomy 21
- drowning 7–8
- drug administration 543
adverse drug reactions 544
dosing considerations 543
medication errors 545
therapeutic drug monitoring 545
- drug errors 545
- drug interactions 545, 546
- dry skin, neonates 436
- DTPa-IPV vaccine 116
- dysmenorrhoea 352
- early childhood caries 262
- early intervention, in developmental
delay 164–5
- eating disorders 185–6

- ECC see external cardiac compression
 ECG interpretation 258–61, **260**, **261**
 echoviruses 392
 ectopic pregnancy 357
 eczema 277–8
 allergic factors in 232–3
 eczema herpeticum 271–2
 eczematous rashes 277–8
 education, in developmental delay 165
 egg allergy
 and influenza vaccine 122
 and MMR vaccine 118
 elbow, pulled 483
 electrolyte deficit 72
 electrolyte therapy 71
 conversion factors and formulae 84
 electrolyte deficit 72
 emergency contraception 359
 emergency restraint 183–5
 emotional abuse 203
 encephalitis 413–14, 461
 antimicrobial guidelines **600**
 encephalopathies 461–2
 encopresis see faecal incontinence
 encysted hydrocele of the cord **533**,
 533
 endocarditis, infective 257–8, **259**
 antimicrobial guidelines **602–3**
 prophylaxis in at-risk groups **603**
 endocrine conditions 298–325
 endotracheal tubes 4, **435**
 energy requirements, infants 92–3
 enteral feeding 96–8
 at home 98
 monitoring 97
 nasogastric 97
 problems 98
 selection of feed **96**, **97**, **97**
 transition to oral feeding 97–8
 types of regimens **98**
Enterobius vermicularis infection
 404
 enteroviral infections 280, 392–3
 enuresis, nocturnal 157–9, **158**
 envenomation
 Chironex box jellyfish 28–9
 Irukandji jellyfish 29
 snake bite 23–6
 spider bite 26–8
 eosinophilic enteritis 232
 eosinophilic oesophagitis 232
 epiglottitis 8, 513–16
 antimicrobial guidelines **605**
 epilepsy 10–12, 453–4
 anticonvulsant therapy 454–8,
 456–7
 benign focal 453
 characteristics **151**
 idiopathic generalised 453–4
 nocturnal frontal lobe epilepsy 151
 non-epileptic paroxysmal events 458,
 459–60
 safety precautions in 455–8
 epistaxis 295
 Epstein–Barr virus infection 393
 Epstein's pearls 437
 erythema infectiosum 398–9
 erythema multiforme 270
 erythema toxicum 436
 erythematous rashes 279–80
 escharotomy 249
Escherichia coli infection 403
 essential oils, poisoning 22
 eucalyptus oil, poisoning 22
 exchange transfusion 438–9
 exercise challenge 507
 exomphalos **541**, 542
 expressed breast milk 87, 93–4
 external cardiac compression (ECC) 3
 eye
 chemical burns 328
 foreign body 327
 important principles 326
 non-accidental injury 328
 orbital cellulitis 331–2
 penetrating injuries 327–8
 periorbital cellulitis 331, **332**
 red eye 328–31
 thermal burns 328
 trauma 326–8
 turned 333
 watering 332

Index

- eyelids
 - injuries 327
 - lumps 333–4
 - puffy, in newborn 437
- factor II deficiency **368**
- factor V deficiency **368**
- factor VII deficiency **368**
- factor VIII deficiency see haemophilia A
- factor IX deficiency see haemophilia B
- factor X deficiency **368**
- factor XI deficiency **368**
- factor XII deficiency **368**
- factor XIII deficiency 368, **368**
- faecal incontinence 155–7
- failure to thrive see slow weight gain
- fall with object in mouth 295
- family relationship difficulties 198–9
- febrile child, approach to 381–5
- febrile convulsions 452–3
- febrile neutropenia 375–6
- feeding
 - breast 85–8
 - energy requirements 92–3
 - enteral 96–8
 - fat requirements 93
 - formula 88–9
 - introduction of solids 90
 - introduction of whole cow's milk 89–90
 - micronutrient requirements 93, **94**
 - number of feeds 89
 - parenteral 99
 - preschoolers' food needs 91
 - protein requirements 93
 - sick newborn 91–6
 - toddlers who will not eat 90–1
- femoral fractures 481
 - pain management 56
- femoral nerve block 51–2
- fentanyl **59**
- ferrous gluconate mixture, alternatives **364**
- fever
 - definition 381
 - and occult bacteraemia 383–4
 - parental advice **384**
 - partially treated bacterial infection 384
 - in a patient receiving chemotherapy 375–7
 - of unknown origin 384–5
 - with localising signs 381
 - without focus 382–3, **383**
- fifth disease 398–9
- finger tips, wound management 50
- fish bone in pharynx 297
- flat feet 476–7
- fluid deficit 71–2
- fluid distribution **72**
- fluid maintenance, burns 247–8
- fluid requirements, intravenous
 - adjustments to maintenance 73, **74**
 - daily and hourly maintenance **73**
- fluid resuscitation
 - burns 247, **247**
 - in DKA 300–2, **301**
- fluid therapy 71
 - conversion factors and formulae 84
 - existing fluid deficit 71–2
- food allergy 229–32
 - IgE-mediated food reactions 229–31
 - non-IgE-mediated and mixed IgE/non-IgE-mediated food reactions 231
- food aversion 98
- food challenges 225–6
- food-protein-induced colitis 232
- food-protein-induced enterocolitis syndrome (FPIES) 231–2
- food-protein-induced enteropathy 232
- foot deformities, congenital **473**
- foreign body
 - aspirated 9
 - bronchial tree 518–19
 - ear 296
 - irritability, in children with disability 170
 - eye 327
 - fish bone in pharynx 297
 - nose 296

- oesophagus 297
- swallowed 297
- forensic specimens 207
- foreskin 534
- formula feeding 88–9
 - antiregurgitation formula 89
 - cow's-milk-based formulas 88–9
 - formulas with long-chain polyunsaturated fatty acids 88–9
 - infant formulas 95
 - low-lactose formulas 89
 - soy formulas 89
 - strengthening formula feeds 94
- formulae 84, 613–14
- fortifying feeds 94
- FPIES *see* food-protein-induced enterocolitis syndrome
- fractures
 - assessment 477
 - dental 267
 - description 478–9
 - irritability, in children with disability 170
 - management 477–8
 - nasal 295
 - skull 467, 469
 - specific management 479–81
- fresh frozen plasma (FFP) 369, 374
- funnel-web spider 28
- gastric lavage, in poisoning 18
- gastro-oesophageal reflux 345–6
 - complications 345–6
 - irritability, in children with disability 170
 - management 346
- gastrochisis **541**, 542
- gastroenteritis, acute infectious 336–40
- gastrointestinal infections 401–4
 - antimicrobial guidelines **603**
- gastrostomy tube replacement 46–7
- generalised anxiety disorder 191, 193
- genitalia, ambiguous 319–20, 542
- genitourinary infections, antimicrobial guidelines **604**
- gentamicin dosing 612
- genu valgum 476, **476**
- genu varum 475–6, **476**
- Giardia intestinalis* (*lamblia*)
 - infection 402–3
 - antimicrobial guidelines **603**
- gingivostomatitis
 - antimicrobial guidelines **605**
 - primary HSV 394
- Glasgow coma scale **467**
- glaucoma, infantile 334–5
- glomerulonephritis, types of **500**
- glucose-6-phosphate dehydrogenase deficiency 366, **367**, 439
- glucose infusions 82–3, **82**
- glucose requirements, in newborn 82–3
- Graves' disease 314
- grief and loss 200
- grommets 290–1
- group A β -haemolytic streptococcus (GABHS) 293, 294, 385–7, 416, 417
- group B β -haemolytic streptococcus (GBS) 416, 442
- growing pains 530
- growth charts 548–63
- growth hormone therapy 311–12
- Guillain–Barré syndrome 458
- gynaecologic conditions
 - irritability, in children with disability 170
 - menstrual problems 352–5
 - prepubescent problems 350–1
- gynaecomastia, pubertal 318
- haemangiomas 281–2
 - capillary 451
- haematuria, assessment **497**
- haemoglobin C/E 366
- haemoglobin reference ranges **361**
- haemoglobinopathies 365–6
- haemolysis 372
 - acute 366, **367**
 - aetiology **367**
- haemolytic uraemic syndrome 336, **367**, 403, 500

Index

- haemophilia A 369
- haemophilia B 369
- Haemophilus influenzae* type b 417
 - in cystic fibrosis 521
- haemorrhagic disease of the newborn 432
- haemorrhagic shock 7–8
- hair problems 284–6
- hand, foot and mouth disease 392–3
- hand fractures 481
- head injuries
 - assessment 466
 - blunt 467–9
 - care of unconscious patient 470
 - instructions to parents 469
 - localised 468, 469
 - radiological examination 466–7
- head lice 286
 - antimicrobial guidelines **608**
- head shape, abnormal 464
- headache, chronic and recurrent 463–4
- HEADSS (adolescent developmental screening) 177–8, **177**
- hearing deficits, VLBW infants 451
- hearing loss 291–3
 - common causes **292**
 - levels of impairment **291**
- heart failure, after the neonatal period 254–5
- heart murmurs 251–2
- Henoch–Schönlein purpura (HSP) 280–1, 529
- heparin
 - in stroke 466
 - in thromboembolic disease 371
- hepatitis A infection 404–5
- hepatitis B immunisation 116, **117**
- hepatitis B infection 405–6
 - immigrant children 132–3
- hepatitis C infection 406–7
- hepatitis E infection 407
- hereditary angio-oedema 235
- hereditary spherocytosis 366, **367**
- hernia
 - diaphragmatic **541**, 542
 - inguinal 451, 532, **533**
 - umbilical 438, 536
- herpes gingivostomatitis, primary 394
- herpes simplex conjunctivitis 330
- herpes simplex virus infections 271–2, 393–5
 - neonatal 394–5
 - in pregnancy 394
- herpes zoster immunoglobulin (ZIG) 378–9
- hiccups 437
- Hickman central venous catheter, access of 35
- high-risk young people 180–1
- hip dysplasia 472, **473**
- hips
 - clicky, in neonates 438
 - subluxing or dislocated 170
- Hirschsprung disease 540
- HIV infection 240, 417–19
 - immigrant children 134
- home apnoea monitoring 222
- house dust mite 233
- human herpes virus 6 infection 396
- human immunodeficiency virus see HIV infection
- human papilloma virus (HPV) vaccine 121
- humerus fractures 49
- hyaline membrane disease 441
- hypercalcaemia 324–5
 - causes **324**
 - clinical features 324
 - investigations 324
 - management 325
- hypercyanotic spells 255
- hyperglycaemia, transient 298
- hyperinsulinism 426
- hyperkalaemia 78–9, 502–3
- hypermobility, benign 530–1
- hypernatraemia 79–80, 82–3, 304, 340
 - in newborns 82–3
- hyperoxia test 253–4
- hyperpigmented lesions 283
- hypersensitivity to latex 236–7
- hypertension 496

- causes 498, **498**
- definition 496
- intracranial 12, 375
 - irritability, in children with disability 170
- pulmonary 443
- symptomatic, management 499
- hyperthyroidism 314–16
 - clinical features 314–15
 - management 315
- hyphaema 327
- hypoallergenic formulas 89
- hypocalcaemia 322–4
 - causes **323**
 - in renal failure 503
- hypoglycaemia 304, 426–8
 - causes 426, **427**
 - in children with diabetes 305, **306**
 - as CSII complication **309**
 - definition 426
 - investigation 428
 - ketotic 426
 - management 428
 - in metabolic conditions 423, 426–8
 - in neonates 82–3, 426, 444–5
 - specific examination features 426–8
 - specific signs and symptoms 426
- hypokalaemia 79, 303
- hyponatraemia 80, 81–2, 340
 - in newborns 81–2
- hypopigmented lesions 282–3
- hypothyroidism
 - acquired 313–14
 - congenital 313
- hypovolaemic shock 71

- ibuprofen **59**
- idiopathic thrombocytopenic purpura (ITP) 281, 370
- IgE-mediated food reactions 229–31
- IgG subclasses and specific antibody responses 239
- immigrant children 125–31
 - anaemia 128
 - dental disease 134
 - hepatitis B infection 132–3
 - immunisation 124, 127–8
 - intestinal parasites 133
 - investigations 127
 - mental health 134–5
 - nutritional issues 128
 - parents' health needs 135
 - screening
 - hepatitis B 132
 - pre-departure 125–6
 - vitamin D 129–30
 - tuberculosis 131–2
 - vitamin D deficiency 128–30
- immune thrombocytopenic purpura
 - see idiopathic thrombocytopenic purpura
- immunisation 110–24
 - in asplenia 123
 - immigrant children 124, 127–8
 - immunosuppressed or immunodeficient children 123
 - misconceptions for missing vaccinations 111
 - premature infants 124, **124**
 - vaccination techniques 110–11
 - VLBW infants 451
 - see *also* vaccination schedule; vaccines
- immunodeficiency
 - antibiotics 242
 - blood product use 242
 - bone marrow transplantation 242
 - household contacts 124
 - immunisation guidelines 123, 240–1
 - immunoglobulin therapy 241
 - tests to order 239–40
 - when to suspect? 238–9
- immunodeficiency screen 239
- immunoglobulin
 - normal ranges **240**
 - in Stevens–Johnson syndrome 271
- immunoglobulin therapy 241
 - in Guillain–Barré syndrome 458
- immunisation if in Kawasaki disease 415
- in immunocompromised patients 378–9

Index

- immunoglobulin therapy (*cont.*)
 in immunocompromised patients with viral meningitis 413
 in ITP 370
 in measles 398
 in toxin mediated disease 417
 tetanus immunoglobulin 51, 379
 zoster immunoglobulin (ZIG) 399, 400
- immunosuppressed children
 immunisation guidelines 123
 infectious disease contacts 378–9
- immunotherapy 237–8
- impetigo 268–70
 antimicrobial guidelines **608**
- implanted contraception 359
- in vivo* challenges for food allergy 252–6
- inborn errors of metabolism 422
- incontinence
 faecal *see* faecal incontinence
 urinary *see* daytime wetting
- indomethacin **60**
- induced vomiting 18
- infant botulism 461
 infant formulas 95
- infant mental health 198
- infantile glaucoma 334–5
- infections, and irritability in children with disability 170
- infectious diarrhoea 401–2
- infectious gastroenteritis, acute 336–40
- infectious mononucleosis 294, 393
- infective endocarditis 257–8, **259**
 antimicrobial guidelines **602–3**
 prophylaxis in at-risk groups **603**
- infiltrated local anaesthetic 63
- inflammatory bowel disease 345
- influenza vaccine 121–2, 396–7
- Infusaport central venous catheter, access of 35
- inguinal hernias 451, 532, **533**
- inguinoscrotal conditions 532–4, **533**
- injectable polio vaccine (IPV) 138
- injured child, history taking 204, **205**
- inotropes in low-output cardiac failure 254
- insulin 298–9, 302–3
 continuous subcutaneous insulin infusion 307–8, **309**
- intellectual disability 165–7
 causes 165–6
 investigations 166–7
 management 167
 presentation 166
- intercerebral haemorrhage 468
- internal tibial torsion **474–5**
- intestinal parasites 133
- intoeing 474, **474**
- intra-arterial cannula insertion 39
- intracranial haemorrhage 468
- intracranial pressure, raised 12, 375
 irritability, in children with disability 170
- intradermal injection (tuberculin skin test) 47–8
- intraosseous cannula insertion 39–40, **40**
- intravenous cannula insertion 31–3, **32**
- intravenous fluid requirements
 adjustments to maintenance 73, **74**
 daily and hourly maintenance **73**
- intravenous solutions 83–4, **83**
 additives 84
- intussusception 537
- ipecacuanha 18
- iritis 334
- iron deficiency anaemia 360–3
 high-risk groups **363**
 management 363, **364**
 prevention 361
- iron poisoning 20
- irreducible inguinal hernia 532, **533**
- irritability, in children with disability 170
- irritable hip 484–5
- irritant dermatitis 236
- irritant napkin dermatitis 283–4
- Irukandji jellyfish 29
- isolated proteinuria **494**
- ITP *see* idiopathic thrombocytopenic purpura
- IVIg *see* immunoglobulin therapy

- jaundice
 - in liver disease 348–9
 - neonatal 433, 438–40
 - days 2–7: 439
 - first 24 hours 438–9
 - management **440, 441**
 - phototherapy 438
 - prolonged (>14 days) 439–40
- jaw fractures 267
- jellyfish stings 28–9
- joint pain, non-inflammatory causes 530–1
- Jones criteria for acute rheumatic fever 385–6
- juvenile chronic arthritis 528

- Kasselbach-Merritt syndrome **367**
- Kawasaki disease 414–15
- keratosis pilaris 275
- kerion 286
- ketamine 69
- ketorolac **60**
- ketotic hypoglycaemia 426
- knock-knees 476, **476**

- labial adhesions 351
- lactose intolerance 340–1
- language delay/impairment 144–6
- laryngeal obstruction, acute 8–9
- laryngotracheobronchitis see croup
- latex allergy 236–7
- laxatives 156–7
- learning difficulties 143–4
- left-to-right shunts 443
- leukaemia 280
 - with high WCC 374
 - with severe coagulopathy 374
- levobupivacaine **60**
- lichen sclerosis 284
- lignocaine **60**
- limp in childhood 483–7
 - clinical assessment 483
 - differential diagnosis **484**
 - investigations 484
 - management 484
- lips, wound management 50

- liver disease 348–9, **349**
- local anaesthetics **60**
 - infiltration 63
 - injectable 49
 - peripheral nerve block 69
 - topical 48–9, 63
- localised head injuries 468, 469
- long line insertion 33, **34**
- low-lactose formulas 89
- low-molecular-weight heparin
 - see heparin
- lower abdominal pain, assessment, adolescent gynaecology **356**
- lower gastrointestinal blood loss, assessment **344**
- lumbar puncture 42–4
 - contraindications 42
 - position for **45**
 - role in the unconscious child 12, **13**
- Lund–Browder chart **244**
- lung disease, congenital 524
- lymphadenitis 415–16
 - antimicrobial guidelines **607**
- lymphopenia 376

- maintenance fluid therapy 73, **73**
- malignancies 372–3
 - emergencies during therapy 375–9
 - emergency presentations 373–5
 - immunisation during and after therapy 379
 - issues during treatment 377–9
 - presentation 373
- malrotation and volvulus 537, **541**
- mandatory reporting (child abuse) 208–10
 - court appearances 210, **210**
 - format for report writing 209–10
 - report writing 208–10
- mastitis, maternal 450
- mastoiditis 289
- MCU see micturating cystourethrogram
- measles 378–9, 397–8
 - immunisation if previous proven infection 119

Index

- measles, mumps, rubella (MMR) vaccine 118–19
- meconium aspiration syndrome 442
- medial femoral torsion **474–5**
- mediastinal mass 374
- medical report (child abuse cases) 208–10
- medication errors 545
- medication side effects 170
- meningitis
- antimicrobial guidelines **600–1**
 - bacterial 407–13
 - prophylaxis for contacts of carers **412**
 - tuberculous 413
 - viral 413
- meningococcal vaccines 117
- group C conjugate vaccine 118, 389
 - polysaccharide vaccine 118, 389
- meningococcus infection 388–9
- meningoencephalitis 413
- menorrhagia 354–5
- menstrual problems 352–5
- midcycle pain 355
- mental health
- adolescents 181–2
 - definition 187
 - immigrant children 134–5
 - infant 198
- mental health problems
- assessment 187–8
 - health referral 190
 - principles of intervention 188
 - when and how to make a mental health referral 190
 - associated with chronic illness 197–8
 - presenting as physical symptoms 197
 - psychotropic medications, principles 196
- mental health referral 190
- mental state examination **189**
- metabolic acidosis 75, **76–7**
- correction 76–7
- metabolic alkalosis 75–6, **76–7**
- metabolic disease 422
- assessment 422
 - clinical signs suggestive of **423**
 - general treatment guidelines 428, **429**
 - laboratory investigations 422–3, **425**
 - physical examination **424**
 - urgent autopsy for suspected
 - metabolic disease 429–30
 - vitamin treatments 426, **427**
- metacarpal fractures 481
- metastatic cancer, pain management 61
- metatarsal fractures 481
- metatarsus varus **473**, 474, **474**
- metrostaxis 353–4, **354**, **355**
- micronutrient requirements 93, **94**
- Microsporium canis* 285
- micturating cystourethrogram (MCU) 493
- migraine 463
- management 464
- malaria 436
- milia 436
- milk allergy see cow's milk protein
- Mittelschmerz 355
- MMR vaccine 118–19
- molarity 84
- molluscum 275–6
- Mongolian blue spot 269, 436
- monosaccharide intolerance 341
- morning-after pill 359
- morphine **58**
- moulding 437
- mouth, bleeding from the 267
- mucosal lacerations 265–7
- multiple-resistant *Staphylococcal aureus* (MRSA) 390
- mumps
- encephalitis 418
 - immunisation if previous proven infection 119
 - vaccine see MMR vaccine
- murmurs see cardiac murmurs
- muscle spasm, and irritability in children with disability 170
- myasthenia gravis 458
- Mycobacterium avium* complex 416
- in HIV 418
 - lymphadenopathy 416

- Mycobacterium tuberculosis* 416
Mycoplasma pneumoniae infection 390–1, **513**
 myelomeningocele 170–2
- N-acetylcysteine (NAC) 19
- naevi
 acquired pigmented 283
 congenital pigmented 283
 strawberry 451
- naevus flammeus 436
- nail problems 286
- napkin dermatitis
 Candida 284
 irritant 283–4
- nasal corticosteroids 227, **228**
- nasal trauma 295
- nasogastric tube insertion 45–6, **46**
- nasolacrimal duct, blocked 330
- neck lumps 538–40
- necrotising enterocolitis 450–1
- needle-stick injuries 419–21, **420**
- neglect, in child abuse 203, 206
- Neisseria gonorrhoeae* 328–30
- Neisseria meningitidis* infection 338–9
- neonatal abstinence syndrome 448–9
- neonates
 acid–base problems 83
 body water distribution **80**
 cardiac conditions 252–4
 common minor problems 437–8
 conjunctivitis 328–30
 cyanosis 253–4
 first day 432–3
 first examination 432–3
 first hours 431–2
 vitamin K 432
 first minutes
 establishing breathing 431
 heat loss after birth 431
 umbilical cord 431
 first month 433–4
 first week 433
 behaviour 433
 glucose requirements 82–3
- herpes simplex virus infection 394–5
- hypoglycaemia 82–3, 426, 444–5
- infections 445–6
- jaundice in 433, 438–40
- nutrition 92–6
- orthopaedic conditions 472–4
- potassium requirements 82
- respiratory distress 440–4
- resuscitation **434**, 435
- routine care 431–4
- screening 433
- seizures 446–8
- septicaemia
 antimicrobial guidelines **609**
- skin conditions 436
- sodium requirements 81–2
- surgical conditions 540–2, **541**
- variations from normal 435–7
 deformities 437
 skin 436
- water requirements 81, **81**
 see also sick neonates; very low birthweight infants
- nephritis 500
- nephrotic syndrome 493–6
- nerve block
 Bier's 52
 digital 52–3, **53**
 femoral 51–2
 peripheral 69
 proximal 53
 sympathetic 69
- nerve cord compression 375
- neuroblastoma 322
- neuropathic pain 69–70
- neutropenia 375–6
- neutrophil function tests 239
- night terrors 150, **151**, **459–60**
- night-time arousal phenomena 150
- night-time fears and anxiety 150
- night-time waking 70, 149–50
- nightmares 150, **151**, **459–60**
- nitrous oxide 63
- nocturnal enuresis 157–9, **158**
- nocturnal frontal lobe epilepsy 151

Index

- non-epileptic paroxysmal events 458, **459–60**
- non-IgE-mediated food reactions 231
- non rapid eye movement (NREM) sleep
 - see NREM sleep
- non-steroidal anti-inflammatory drugs **59–60**, 68
- normal serum albumin (4% NSA) 84
- NREM sleep 147
- NSAIDs see non-steroidal anti-inflammatory drugs
- nutrition
 - breast-feeding 85–8
 - burns patients 249
 - enteral feeding 96–8
 - formula feeding 88–9
 - immigrants 128
 - introduction of solids 90
 - introduction of whole cow's milk 89–90
 - number of feeds 89
 - preschoolers' food needs 91
 - refeeding syndrome 99–101
 - sick newborn 91–6
 - toddlers who will not eat 90–1
 - unwell child 92–9, **96**
 - weaning 90
- nutrition support algorithm **100**
- nutrition treatment plan 92–6
- nutritional requirement calculation
 - energy 92–3
 - fat 93
 - micronutrients 93, **94**
 - protein 93
- nutritional status determination 91–2
- obesity 105–9, 319
 - aetiology 105–6
 - assessment 106–8
 - complications 105
 - definition 106
 - endocrine causes **319**
 - examination 107
 - general approach 108
 - history 107
 - investigations 107–8
 - referral to a specialist 109
 - specific approaches 108–9
- obsessive-compulsive disorder 191–2, 194
- obstructive adenotonsillar hypertrophy 152
- obstructive sleep apnoea 152–3
- occult bacteraemia 383–4
- oesophageal atresia 540–2, **541**
- off-label prescribing 543
- oliguria
 - acute 78
 - types **501**
- oncology 372–9
- onychomycosis 286
- ophthalmia neonatorum 328–30
- opioid analgesics **58**, 68
- oppositional-defiant behaviour 139–40
 - management 139–40
- oral contraceptive pill 358–9
- oral/oropharyngeal trauma 295–6
- oral rehydration solutions 338, **339**
- oral retrovirus vaccine 120–1
- orbital bone fractures 327
- orbital cellulitis 331–2
 - antimicrobial guidelines **601**
- ordinary warts 276
- Ortolani's sign **473**
- OSA see obstructive sleep apnoea
- osmolality 84
- osmolarity 84
- osteomalacia 129
- osteomyelitis 485–6
 - antimicrobial guidelines **608**
- otitis externa 292–3
 - antimicrobial guidelines **605**
- otitis media 287–8
 - acute suppurative 288–9
 - antimicrobial guidelines **605**
 - with effusion 290–1
- out-toeing 474–5
- ovarian cysts 356–7
- ovarian torsion 356–7
- oxycodone **58**

- paediatric Gait, Arms, Legs, Spine screen (pGALS) **527**
- paediatric medical traumatic stress 192, 195
- pain
- acute **65**
 - analgesics 55–61
 - assessment 54–5
 - in children and adolescents with cerebral palsy 70
 - chronic, management 64–9
 - complex regional pain syndrome 69
 - consequences of 54
 - irritability, in children with disability 170
 - neuropathic 69–70
 - procedural 61–4
 - rating scales 55, **55**
 - referral to multidisciplinary pain clinic 66
- palate, wound management 50
- pancreatitis 347–8, **348**
- irritation, in children with disability 170
- papular acrodermatitis 275
- papular rashes 273–6
- papular urticaria 274–5
- papulosquamous rashes 278–9
- paracetamol
- analgesia **57, 68**
 - poisoning 19–20
- paraphimosis **535, 535**
- parasites, intestinal 133
- parenteral nutrition
- general indications 99
 - medical/surgical conditions requiring 99
- Parents' Evaluation of Developmental Status see PEDS
- parotitis, in HIV 418
- partial seizures 453
- parvovirus B19 infection 398–9
- P_{CO_2} (partial pressure of carbon dioxide) **75, 76–7**
- Pediculus capitis* 286
- PEDS (Parents' Evaluation of Developmental Status) 160
- PEG replacement see gastrostomy tube replacement
- pelvic inflammatory disease (PID) 357
- pelvic pain, gynaecological causes 355–8
- penis
- circumcision 536
 - conditions 534–6, **535**
 - foreskin/prepuce 534
- peptic oesophagitis 345
- peptic strictures 345
- percutaneous enterogastrostomy (PEG) replacement see gastrostomy tube replacement
- perennial allergic rhinitis 227
- perianal streptococcal dermatitis 284
- periorbital cellulitis 331, **332**
- antimicrobial guidelines **602**
- peripheral nerve block 69
- peritonitis, antimicrobial guidelines **603**
- peritonsillar abscess 294
- peritonsillar cellulitis 294
- permanent dentition 262, **263**
- dental trauma 265, **266**
 - eruption sequence **263**
- Pertthes' disease 486
- pertussis 516–17
- antimicrobial guidelines **606**
- pertussis booster vaccine 116
- pes plano valgus 476–7
- petechiae, in neonates 437
- petroleum distillates, poisoning 22
- pH **75, 76–7**
- phaeochromocytoma 322
- phalanges fractures 481
- pharmacopoeia 564–99
- pharyngitis, recurrent acute 294
- pharynx, fish bone in 297
- phimosis **535, 535**
- phototherapy 438, **440**
- physical abuse 202, 203, 208–10
- PID see pelvic inflammatory disease
- pigmentation changes 283

Index

- pinworms 404
 - antimicrobial guidelines **603**
- piroxicam **59**
- pityriasis alba 282
- pityriasis rosea 279
- pityriasis versicolor 282
- plane (flat) warts 276
- plantar warts 276
- platelets
 - function defects **368**
 - high (thrombocytosis) 415
 - low (thrombocytopenia) **368**
 - transfusion 369–70, 374
- pneumococcal vaccines 116–17, 388
- pneumococcus infection 387–8
- pneumonia 442
 - antimicrobial guidelines **606**
 - causes 513
 - clinical features 513
 - management **514**
- pneumothorax 442
- poisoning 14–23
 - activated charcoal 15–18
 - antidotes **16–17**
 - gastric lavage 18
 - gastrointestinal
 - decontamination 15–18
 - general management 14–15, **15**
 - induced vomiting 18
 - with unknown or multiple agents 19
 - whole bowel irrigation 18
- poisons
 - button or disc batteries 22
 - caustic substances 22–3
 - eucalyptus and essential oils 22
 - iron 20
 - paracetamol 19–20
 - petroleum distillates 22
 - salicylates 21
 - theophylline 21
 - tricyclic antidepressants 20–1
- polio immunisation 138
- polycystic ovary syndrome 353
- polysomnography 153
- positional talipes 437
- post-traumatic stress disorder 192, 195
 - common symptoms **194**
- postenteric reactive arthritis 530
- postnatal depression 449
- postseptal cellulitis see orbital cellulitis
- poststreptococcal reactive arthritis 530
- postviral arthritis 530
- potassium
 - in renal failure 502–3
 - requirements in newborn 82
- precocious puberty 316–18
- premature adrenarche 318
- premature thelarche 318
- prematurity 450–1
- prepuce 534
- preschoolers' food needs 91
- prescribing for children 543–6, **544**
- preseptal cellulitis 331, **332**
 - antimicrobial guidelines **602**
- pressure-immobilisation first aid bandage **25**
- primary adrenal insufficiency 320–1
- primary dentition 262, **263**
 - dental trauma **266**
 - eruption sequence **263**
- procedural pain, relief 61–4
- prostaglandin E₁ 253, 254
- protein requirements 93
- proteinuria
 - isolated **494**
 - nephrotic syndrome 493–6
- proximal nerve block 53
- pseudo-strabismus 333
- Pseudomonas aeruginosa*, in cystic fibrosis 520, **521–2**
- psoriasis 278–9
- psychological maltreatment 203
- psychosis 200–1
- psychosomatic problems 197
- psychotropic medications, principles 196
- ptosis 334
- puberty
 - delayed 315
 - precocious 316–18
- pulled elbow 483
- pulmonary disease, in neonates 441–3

- pulmonary hypertension 443
 purpuric rashes 280–1
 pustular rashes 272–3
 pyelonephritis 491
 antimicrobial guidelines **604**
 pyloric stenosis 77–8, 537–8
 fluid calculations **539**
 fluid therapy 77
 pyrexia of unknown origin 384–5
 pyruvate kinase deficiency **367**
- quinsy 294
- radial fractures 480
 radioactive iodine 315
 radioallergosorbent tests (RAST) 225
 raised intracranial pressure 12, 375
 irritability, in children with disability
 170
 rapid eye movement (REM) sleep *see*
 REM sleep
- rashes
 anogenital 283–4
 blue or black 281–2
 eczematous 277–8
 papular (raised) 273–6
 purpuric 280–1
 pustular 272–3
 raised 273–6
 red blanching 279–80
 red scaly 278–9
 varicella vaccine 120
 vesicobullous 268–70
- RAST *see* radioallergosorbent tests
 rectal bleeding **344, 540**
 recurrent abdominal pain 346–7
 red-back spider 26–8
 red eye 328–31
 causes **329**
 red urine, in neonates 438
 reducible inguinal hernia **533**
 refeeding syndrome 99–101
 reflux, gastro-oesophageal 345–6
 REM sleep 147
 renal colic, and irritability in children
 with disability 170
 renal conditions 488–504
 antenatal abnormalities **489**
 renal failure
 acute 499–503
 chronic 503–4
 report writing 208–10
 respiratory acidosis 75, **76–7**
 respiratory alkalosis 75, **76–7**
 respiratory conditions 505–24
 antimicrobial guidelines **605–6**
 respiratory difficulty, non-pulmonary
 causes in neonates 443
 respiratory disease management in the
 newborn
 before birth 443
 general care 443–4
 respiratory care 444
 respiratory distress 374–5
 in neonates 440–4
 respiratory distress syndrome 441
 restraint, of a violent young person
 183–5
- resuscitation
 drugs, fluid volume, endotracheal
 tubes and direct current shock
 4, 5
 guide *inside front cover*
 neonatal **434, 435**
- retinal haemorrhages 328
 retinoblastoma 335
 retropharyngeal injury 296
 rhesus disease **367, 438**
 rheumatic fever, acute 385–6
 rheumatoid arthritis *see* juvenile chronic
 arthritis
- rhinitis
 allergic 226–8, **226, 238**
 perennial allergic 227
 seasonal 227
- RICE acronym 482
 rickets 129, 322–4
 ringworm, inflammatory 286
 roseola infantum 280, 396
 rotavirus infection 401
 rubella vaccine *see* MMR vaccine
 rubella virus infection 399

Index

- rubella virus infection (*cont.*)
 immunisation if previous proven
 infection 119
- rubeola *see* measles
- sacrococcygeal teratoma 542
- SAFEVIC 122–3
- salicylates, poisoning 21
- Salmonella* (non typhi) infection
 402
 antimicrobial guidelines **603**
- Salter–Harris classification of growth
 plate injuries **479**
- Sarcoptes scabiei* 273
- scabies 273–4
 antimicrobial guidelines **608**
- scalp, wound management 51
- scalp haematoma 467
- scalp oedema, in newborn 437
- scarlet fever 385
- school refusal 191, 193–4
- school sores 268–70
- scoliosis 487
- scrotal hydrocele **533**, 533
- scrotum, acute 534
- seborrhoeic dermatitis 278
- sedatives 64
- seizures
 acute management **11**
 epilepsy 453–4
 febrile convulsions 452–3
 irritability, in children with disability
 170
 in neonates 446–8
 partial (focal) 453
 status epilepticus 10–12
- selective serotonin reuptake inhibitor
 (SSRI) 196
- self-harm, in adolescents 182–3
- self-stimulation **459–60**
- septal cellulitis 331–2
- septal haematoma 295
- septic arthritis 485–6
 antimicrobial guidelines **609**
- septicaemia 280
 antimicrobial guidelines **609–10**
- septicaemic shock 8
- serum sickness 274
- sexual abuse 203, 206–8
- sexually transmitted disease 357
- shingles 399–400
 antimicrobial guidelines **609**
- shock
 haemorrhagic 7–8
 hypovolaemic 71
 septicaemic 8
- short stature 308
 diagnosis 310
 familial 310
 growth rate 309–10
 interventions 312
 investigations 310–11
 organic causes 310, **311**
 physiological causes 310
- shuddering **459–60**
- shunt infection 471
- shunt obstruction, acute 470–1
- SIADH 73, 411
 in bronchiolitis 511
 in meningitis 411
 in pneumonia 513
- sick neonates
 breast milk 93–4
 expressed breast milk 93–4
 phototherapy 438, **440**
 supplements and fortifiers 95
- sickle cell anaemia 365–6, **367**
- SIDS *see* sudden infant death syndrome
- skin disorders, classification **269**
- skin-prick tests 224, 225
- skull fracture 467, 469
- slapped cheek disease 398–9
- sleep deprivation, and irritability in
 children with disability 170
- sleep diary **148**
- sleep disordered breathing 151–3
- sleep in newborns 433
- sleep physiology 147
- sleep problems
 assessment 147–9, **148**
 bedtime struggles and night-time
 waking 70, 149–50

- night terrors and sleep walking 150
- night-time fears and anxiety 150
- sleep studies 153
- sleep walking 150, **459–60**
- slipped capital femoral epiphysis 486–7
- slow weight gain (failure to thrive) 102–4, 345
 - causes 103
 - history and examination 103
 - investigations 104
 - management 104
- smegma deposits 534, **535**
- snake bite 23–6
 - antivenom therapy 24–6
 - definite envenomation 24–6
 - management **27**
 - pressure-immobilisation first-aid bandage **25**
 - suspected envenomation 24–6
 - venom detection kit 26
- snoring 151
- snuffles, in neonates 437
- sodium
 - in renal failure 502
 - requirements in newborn 81–2
- solids, introduction of 90
- somatiform disorders 197
- soy formulas 89
- speech and language milestones **145**
- speech and language problems 144
 - stuttering 146
- spider bite
 - funnel-web spider 28
 - red-back spider 26–8
 - white-tailed spider 28
- spina bifida 170–2
 - management 171–2
 - prevention 170–1
- spinal cord compression 375, 461
- spirometry 506
- spondyloarthropathies 530
- squint 333
- SSRI see selective serotonin reuptake inhibitor
- staphylococcal scalded skin syndrome 270
- Staphylococcus aureus* infections 390, 416, 417
 - in cystic fibrosis **521**
- star charts 139
- stature
 - short 309–12
 - tall 312–13
- status asthmaticus 9–10
- status epilepticus 10–12
- steroids 68
- Stevens–Johnson syndrome 271
- stimulant medications 142, **143**
- 'stork' bite 436
- strabismus 333
- strawberry naevus 451
- strengthening formula feeds 94
- Streptococcus pneumoniae* infection 383–4, 387–8, **513**
- Streptococcus pneumoniae* vaccination 118
- Streptococcus pyogenes* infection 284, 385, 416
- stridor 8, **515**
- stroke 464–6
 - in emergency presentations, oncology 374
- stuttering 146
- styes 333
- subconjunctival haemorrhages, in neonates 437
- subgaleal haemorrhage 432
- sucking blisters 437
- sudden infant death syndrome (SIDS) 219–20
 - epidemiology 220, **220**
 - home apnoea monitoring 222
 - 'Reducing the Risks' campaign 220
 - risk factors **221**
- sudden unexpected death 215–16
 - brain death 215–16
 - family response 215
 - resuscitation 215
- sugar intolerance 340–1

Index

- suicide
 - risk in adolescents **183**
 - severe acne as risk for 272, 273
 - and SSRIs 196
- superior vena cava syndrome 374–5
- supracondylar fractures 480
- suprapubic aspiration 41–2, **41**, 491
- supraventricular tachycardia (SVT)
 - 256–7
- surgery in the diabetic child 305–7
- surgical causes of irritability in children
 - with disability 170
- suturing 50
- sympathetic nerve blocks 69
- syncope **459–60**
- syndrome of inappropriate antidiuretic hormone secretion see SIADH
- synovitis, transient 484–5
- syrup of ipecacuanha 18

- T-lymphocyte numbers and function 239
- talipes calcaneovalgus **473**, 473
- talipes equinovarus **473**, 473
- tall stature 312–13
- TB see tuberculosis
- teeth see *dental entries*
- temper tantrums 138–9
- tension headache 463
- tension pneumothorax 442
- testes
 - torsion of 534
 - undescended 533–4
- testicular appendage, torsion of 534
- tetanus immunoglobulin see immunoglobulin therapy
- tetanus prophylaxis 51, 267
- tetanus toxoid 51
- tetralogy (of Fallot) spells 255
- thalassemia **367**
 - α -globin 365
 - β -globin 365
- thalassemia major 365
- thalassemia minor 365
- thelarche, premature 318
- theophylline, poisoning 21
- therapeutic drug monitoring 545

- thermometers 381
- threadworms 404
 - antimicrobial guidelines **603**
- thrombocytopenia see platelets, low
- thrombocytosis see platelets, high
- thrombotic thrombocytopenic purpura **367**
- thrush 351
 - napkin dermatitis 284
- thyroid storm 315
- thyrotoxicosis 320
- tibial fractures 481
- tinea capitis 285
- tinea corporis 279
- tinea unguium 286
- tissue glues, wound closure 49
- toddler diarrhoea 341
- toddlers
 - temper tantrums 138–9
 - who will not eat 90–1
- toddlers' fracture 481
- tongue, wound management 50
- tonsillectomy 294
- tonsillitis, acute 293–4
 - antimicrobial guidelines **606**
- tooth displacement 267
- tooth fairy 262
- tooth socket, bleeding 267
- toothache 264
- topical local anaesthetics 48–9, 63
- torsion of the ovary 356–7
- torsion of the testes 534
- torsional deformities in children 474–7
- toxic epidermal necrolysis 271
- toxin-mediated disease 417
- Toxoplasma gondii* 416
- tracheostomy, emergency 9
- tramadol **58**
- transfusion therapy 371–2
 - adverse reactions 372
- transient erythroblastopenia of childhood 366–8
- transient synovitis 484–5
- transient tachypnoea of the newborn 441
- transition, to adult care 180

- trauma
 - aural 296
 - dental 265–7
 - eye 326–8
 - fractures and dislocations 477–81
 - nasal 295
 - oral/oropharyngeal 295–6
 - and purpuric rashes 281
- traumatic alopecia 285
- traumatic stress disorders 192
- trichotillomania 285
- tricyclic antidepressants 68
 - in attention deficit hyperactivity disorder (ADHD) 142
 - in chronic pain 68
 - poisoning 20–1
- trisomy 21: 165, 166
- tuberculosis 131–2, 416
 - lymphadenitis, tuberculous 416
 - meningitis, tuberculous 413
 - tuberculin skin test (intradermal injection) 47–8
- tuberculous meningitis 413
- tumour lysis syndrome 373–4
- tumour types, age distribution **373**
- turned eye 333
- Turner syndrome 310, 312
- tympanostomy tubes 290–1

- ulcerative colitis 345
- ulnar fractures 480
- umbilical artery catheterisation 36–8, **37**
- umbilical cord 431
 - bleeding 438
- umbilical hernia 438, 536
- umbilical vein and artery catheter length **37**
- umbilical vein catheterisation 35–6, **37**
- unconscious patient
 - care of 470
 - role of lumbar puncture and chemotherapy 12, **13**
- undescended testes 533–4
- unfractionated heparin *see* heparin
- universal precautions 419–20

- unlicensed drug use 543
- upper airway obstruction, in the newborn 443
- upper respiratory tract infections (URTI) 287
 - in cystic fibrosis 520
- uraemia, in renal failure 503
- urethral catheterisation 42, **43**
- urinary incontinence *see* daytime wetting
- urinary tract, antenatal
 - abnormalities **489**
- urinary tract infections
 - antimicrobial guidelines **604**
 - associated renal tract abnormalities 490
 - clinical features 488
 - diagnosis 490–1
 - investigations 491–3, **492**
 - management 491
 - pathogens 490
 - prophylaxis **604**
 - risk factors 488–90
- urine, red, in neonates 438
- urine specimen
 - bag collection 490
 - catheter collection 491
 - midstream collection 490
 - suprapubic aspirate collection 41–2, **41**, 491
 - ward test strips 490
- urticaria 234, 274
 - acute 234
 - chronic 234–5
 - papular 274–5
- vaccination schedule, Australian standard 114–15, **115**
- vaccination technique 110–11
- vaccinations
 - adverse events 122–3
 - contraindications **112**
 - false contraindications **112**
- vaccines
 - in the Australian schedule 116–22
 - catch-up doses 114, 115
 - current **113–14**, 116–22

Index

- see also specific vaccines, e.g.*
MMR vaccine
- vaginal bleeding, prepubescent 351
- vaginal discharge
in neonates 438
prepubescent 350
- vaginal skin tag 438
- varicella vaccine 119–20
rash 120
- varicella zoster virus infection 399–400
in immunosuppressed patients
378–9
- vascular malformations 281
- venepuncture 30–1
- venom detection kit 26
- vertigo, benign paroxysmal **459–60**
- very low birthweight infant, problems
450–1
- vesiculobullous rashes 268–70
- violent young persons, and emergency
restraint 183–5
- viral infections 391–401
- viral meningitis 413
- viral respiratory tract infection 517
- visual defects, VLBW infants 451
- vitamin A 130
- vitamin B₁₂ deficiency 363–5
- vitamin D deficiency 323–4
breast-feeding 88
immigrant children 128–30
- vitamin K, in neonates 432
- vitiligo 282–3
- volvulus 537, **541**
- vomiting
induced 18
in infancy 537–8, **537**
in neonates 438
- Von Willebrand disease 369
- vulvovaginitis 350–1
- warfarin
in stroke 466
in thromboembolic disease 371
- warts 276
- water requirements in newborn **81, 81**
- watering eyes 332
- weakness of acute onset 458–61
- weaning 90
- wound related problems
obesity 105–9
slow weight gain 102–4
- 'wet lung syndrome' 441
- white-tailed spider 28
- whole bowel irrigation in poisoning 18
- whooping cough 516–17
- wound closure
special circumstances 50–1
suturing 50
tissue glues 49
- wound management 48–51
antibiotics 51
antimicrobial guidelines **607**
assessment 48
cleaning wounds 48
suggested analgesia 48–9
tetanus prophylaxis 51, 267
- X-linked adrenoleukodystrophy 320
- young people 175
clinical approach 176–8
depression, self-harm and suicide
182–3
high-risk 180–1
violent, and emergency restraint
183–5
- young people with chronic illnesses and
disabilities 178–81
adherence with treatment regimens
179
burden of disease 175
conflict of priorities 178–9
irritability 170
multidisciplinary teams 179–80
pain management 70
promoting self-management 179
transition to adult health care 180
working across sectors 180
- zoster immunoglobulin (ZIG) 399, 400
- varicella contact in
immunosuppressed patients
378–9
- see also immunoglobulin therapy*