

Index

- Abbreviated Functional Limitations Profile (UK)
SIP-68, 8
- Activity, 235, 245, 296
analysis, 62, 246, 248, 332
definition of, 35
diary, 377, 381–2
- Activity limitation, 101, 252
- Activities of Daily Living (ADL), 161, 245, 248,
275, 319
assessment of, 115, 273–4
case study, example of assessment of, 323, 325,
327
- Activity Card Sort (ACS), 51, 319
- Advanced beginner, 316
- Advanced wishes statement, 108, 216
- Advocacy, 217
- Agreement *see* Reliability
- Alberta Infant Motor Scale (AIMS), 64
- Alternate form reliability *see* Parallel form
reliability
- Analysis of therapeutic self, 314, 315
- Analysis of variance (ANOVA), 181, 210
- Arnadottir OT-ADL Neurobehavioural
Evaluation (A-ONE), 64
critique of, 249–50
- Arthritis Impact Measurement Scale (AIMS), 149
- Assertiveness, 314
- Assessment, 4–5, 12, 16, 299, 303
building rapport to facilitate assessment
see Rapport
clarifying expectations, 219
definition of, 4–5, 419
feedback to client regarding results, 225
for tribunals, 109
of need, 111–12
of risk, 109–11
preparation for, 214–19
organising the environment, 217–18
preparing tools, materials and equipment, 218
timing, 218–19
using prompts and cues, 223–4
worksheet, checklist for preparation, 409
- Assessment of Motor Process Skills (AMPS), 39,
64, 71, 84–5, 99, 122, 125–6, 128, 149
applied to the ICF, 260
case study example, assessment report, 228–32
case study example, person with dementia, 319,
325, 328, 329, 331, 332–3
critique of, 249–50
Rasch analysis, 150
rater severity, 199
training requirements, 350
- Assessment Process, 46, 299, 304, 305
- Australian Therapy Outcome Measures for
Occupational Therapy (AusTOMs-OT),
101–2, 260–1
and the ICF, 260
- Availability heuristic, 294
- Balance, 268, 270, 272–3, 275, 278, 325
assessment of, 246, 247, 262, 268, 272–3, 277,
331
- Balloons Test, 24
- Barthel Index (BI), 8, 24, 66, 147, 178, 259, 276
floor and ceiling effects, 204
sensitivity issues, 203
responsiveness to change, 204
- Baseline assessment, 37, 96–7, 101
definition of, 96, 419
- Bayer ADL assessment, 259
- Bayley Scales of Infant Development, 66, 178,
357
- Beck Anxiety Inventory (BAI), 369, 371
- Beck Depression Inventory (BDI), 357, 369, 371
- Beck Hopelessness Scale (BHS), 111
- Beck Scale for Suicide Ideation (BBS), 110–11
- Bell-shaped curve, 164
- Berg Balance Scale, 128–9, 265, 272–3, 276
case study, application of, 331
- Best interests, 216
- Best value, 29
- Biopsychosocial model, 369, 379
- Body functions, definition of, 253
- Body language, 52, 53

- Body structures, definition of, 253
- Bottom-up approach to reasoning, 286, 320
- Bottom-up assessment approach, 42, 261–3, 304
- Bradford Well Being Profile, 132, 319
- Cambridge Neuropsychological Test Automated Battery (CANTAB), 125
- Canadian Model of Occupational Performance, 318, 319
- Canadian Occupational Performance Measure (COPM), 49, 55, 56, 60, 71, 76, 116, 168, 259, 263, 319, 330, 348
- case example of COPM scores, 87–8, 378, 386–7
- case study, application in a chronic pain service, 369, 376, 378, 385, 386–7
- case vignette, using COPM 114–15
- reliability studies, 208–10
- responsiveness, 209
- Capabilities of Upper Extremity Instrument, 8
- Capacity, 33, 252
- assessment, 107–9
- cognitive, 55
- definition of, 38
- incapacity, 108
- Care pathways, 29–30
- Care planning, 30
- Care management, 30
- Caregiver Strain Index, 8, 61
- Carer, 28, 274, 279, 304, 305, 318, 331
- as source of proxy report, 57–60, 266–7
- case study example, 321–6, 328, 331
- assessments of, 60–2, 115, 128, 245, 246–7
- burden, 267, 332
- case example involving, 228–32, 320–34
- Carers' Resource, 331
- definition of, 3, 274
- education of, 328
- interactions with therapist, 59
- involvement in reflective practice, 310
- Memory Activity and Self Help (MASH) Group, 126
- outcomes related to, 120
- respite, 331
- Carers of Older People in Europe (COPE) Index, 275
- Case analyses, 308–9
- Case method, 288, 419
- Ceiling effect, 204–5, 419
- Central nervous system (CNS), 239, 250
- Central tendency, 164
- Chartered Society of Physiotherapy (CSP) Standards of Practice, 16
- Chedoke-McMaster Stroke Assessment, 64
- Chessington Occupational Therapy Neurological Assessment Battery (COTNAB), 64–5, 185
- Child Behaviour Checklist, 357
- Chi-square, 208
- Chronic Pain Service, 368
- case study from, 368–88
- Chronic Pain Syndrome, 379
- Chronic Respiratory Disease Questionnaire (CRQ), 56
- Chunking, 293
- Classical measurement theory, 137
- Client-centred practice, 28, 50, 262, 263, 314, 318, 320, 392
- Clifton Assessment Procedures for the Elderly (CAPE), 190
- Clinical audit, 16, 29
- definition of, 29
- Clinical competence, 303
- Clinical Dementia Rating (CDR), 128
- Clinical effectiveness, 16, 26–7, 419
- definition of, 27
- Clinical governance, 16, 28–9
- definition of, 28
- core elements of, 29
- Clinical Governance Assessment Toolkit (CGAT), 29
- Clinical Image, 282
- Clinical judgement, 25, 110, 282, 283, 295, 419
- definition of, 284
- Clinical practice guidelines, 30–1
- Clinical reasoning, 282–305, 306, 314, 315, 394
- case example illustrating different forms of reasoning, 318–34
- conditional reasoning, 299, 300, 320, 420
- case study example, 325
- deductive reasoning, 285–6, 287, 291
- definition of, 284, 419
- diagnostic reasoning, 97, 287, 288–90, 299, 394
- case study examples, 323, 324, 325
- therapy diagnosis, 288, 295–9
- diagnostic statement, 296–8
- ethical reasoning, 299, 305, 316
- generalisation, 286–7
- heuristic search, 288, 293
- hypothetical reasoning, 288, 291
- case study example, 322–3, 324, 325, 327
- inductive reasoning, 286–7, 311
- interactive reasoning, 299–300
- narrative reasoning, 299, 300–3, 315, 316, 320, 322
- pragmatic reasoning, 299, 303–5, 315, 316, 394
- case study example, 321, 322, 324, 325, 326, 328
- problem-orientated clinical reasoning process, 291–2
- case study example, 322
- procedural reasoning, 287–8, 299, 315, 321
- case study example, 321–2, 323, 324, 325, 329, 332, 333

- scientific reasoning, 285, 287
- tacit reasoning, 282
- theoretical reasoning, 284
- three-track mind, 299
- Clinical stories, 302, 308, 309
 - analysis format, 311
- Clinical utility, 115, 177–8, 184–7, 392
 - acceptability, 185
 - cost, 184
 - definition of, 184, 419
 - effort, 185
 - Mayers' Lifestyle Questionnaire study, 187–9
 - Parenting Stress Index critique of clinical utility, 358
 - portability, 185
 - SOTOF clinical utility study, 185–7
 - time, 184–5
- Cochrane library, 20
- Coefficient alpha, 200
- Coefficient of equivalence, 199, 419
- Cognition, 258
- Cognitive bias, 294
- Cognitive dissonance, 310–11
 - argument from authority, 311
- Cognitive function, 319
- Cognitive system, 36, 235, 244, 246, 247, 248–9, 290
- Cohen's kappa, 207, 208
- Colles' fracture, 266
- Combining assessment methods, 65, 111, 119
- Comparative scaling, definition of, 8, 419
- Compensatory approach, 319
- Communication difficulties, 58
- Community Dependency Index, 259
- Competent therapist, novice to expert continuum, 316
- Comprehensive assessment, 106
- Concordance *see* Reliability
- Concurrent validity, 170, 177–8, 182, 276, 391
 - definition of, 177, 420
- Conditional reasoning, 300, 320, 420
 - case study example, 325
- Confidence interval, 152, 196
- Confidentiality, 69–70, 228, 326, 370
- Confounding variables, 176, 194, 209, 290
 - when measuring function, 37
- Congruent validity *see* Concurrent validity
- Conscious use of self, 219, 222, 420
- Consent, 214–17
 - forms, 214–15
 - informed consent, 214–15
- Constraints, 303
- Construct, 8, 136, 137, 138, 153, 157–8, 160, 167, 170, 175, 200, 252, 253, 263, 290, 391
 - definition of, 173, 420
- Construct validity, 160, 170, 173–75, 182, 391
 - definition of, 173, 420
 - establishing, 174
- Construct validation, 171, 173
- Contact assessment, 103–5, 107, 264, 266–7, 420
- Content analysis, 158, 172, 391
- Content coverage *see* Content validity
- Content relevance *see* Content validity
- Content validation, 171
- Content validity, 170, 171–3, 391
 - definition of, 171, 420
 - of the Mayers' Lifestyle Questionnaire, 188–9
- Content validity index (CVI), 173, 420
- Context, 12
- Contextual cues, 315
- Contextual factors, 40, 48
 - external environmental factors, definition of, 40
 - internal personal factors, definition of, 48
 - personal context, 303
 - practice setting constraints, 303
- Continuing professional development (CPD), 17, 307–10
 - worksheet for describing CPD goals, 418
- Continuous rating scale, 159
- Convergent validity *see* Concurrent validity
- Correlation, 195, 198, 200, 420
 - analysis, 181
- Correlation coefficients, 142, 174, 177, 178, 181, 205
 - acceptable level for inter-rater reliability, 198, 206
 - acceptable level for internal consistency, 200, 206
 - acceptable level for parallel form reliability, 199, 206
 - acceptable level for test–retest reliability, 198, 206, 392
 - definition of, 195
 - intra-class correlation coefficient (ICC), 206, 207, 209, 210
 - Pearson's product-moment correlation coefficient (r), 206, 207
 - Spearman's rho correlation coefficients, 209
- Cost, 29, 184
 - direct, 27
 - indirect, 27
- Cost-effective, 16
- Cost-effectiveness, definition of, 27
- Craig handicap assessment and reporting techniques (CHART), 242
- Criteria for appraising research, 22
- Criterion-referenced assessment, 39
- Criterion-referenced test, 160–1, 177, 206, 391
 - definition of, 420
- Criterion-related validation, process for undertaking, 177

- Criterion-related validity, 160, 170, 177–8, 391
 definition of, 177, 420
- Critical appraisal, 22, 345
 definition of, 22
- Critical incidents, 158
- Critical inquiry, 283
- Critical reflection, 283
 advantages and disadvantages of methods, 312
- Cue component, 296–8
- Cueing, 115, 201, 223–4
- Cues, 298, 300, 304, 332, 333
- Cultural issues, 55
- Data, 46–66
 categorical data *see* Nominal data
 collection, methods of, 46–8
 direct methods, 48, 62, 121, 389
 indirect methods, 48, 121, 389
 worksheet related to reviewing, 397
 nominal data, 139, 390
 sources, 48–66, 389
- Decision-making, 224, 227, 282, 306, 311
- Deductive reasoning, 285–6, 287, 291, 420
- Delphi panel, 172, 187
- Dementia, 247
 assessment of, case study, 320–34
- Descriptive assessment, 51, 96–7, 420
- Descriptive scheme, 172
- Desired outcome, 9, 11–12, 28, 50, 101, 161, 301, 302
- Developmental coordination disorder (DCD), 98
- Development Coordination Disorder Questionnaire (DCDQ), 98–9
- Developmental Test of Visual Motor Integration, 71, 74
- Diagnosis, 97
- Diagnostic indices, 98
- Diagnostic reasoning, 97, 287, 288–90, 299, 320, 394
 case study examples, 323, 324, 325
 cue acquisition, 288, 290, 292–5, 320, 322, 324
 cue interpretation, 289, 295, 300
 definition of, 420
 hypothesis evaluation, 289, 292, 304
 hypothesis generation, 289, 290, 292, 293, 320
 case study example, 322–3
 example of structured diagnostic reasoning tool, 115–6
 therapy diagnosis, 295–9
- Diagnostic statement, 296, 305
 cue components, 296
 descriptive component, 296
 definition of, 420
 examples of, 297–8
 explanatory component, 296
 pathologic component, 297
 worksheet for writing, 412
- Diagnostic utility *see* Concurrent validity
- Dichotomous decision, 171, 206, 391
- Differential diagnosis, 290, 420
- Direct measures, 389
- Direct Payments, 275
- Disability, 101, 240–3, 244–50, 252, 270, 276, 301
 definition of, 241, 243
 level, 97
 outcomes, 243
- Discrimination index, 176
- Discriminative assessment, 97–9, 128, 390
- Discriminative test, 176, 237
 definition of, 421
- Discriminative validity, 98, 170, 176, 182
 definition of, 176, 421
- Documentation, 66–9
- Domain, 170, 171, 247–8, 252, 253, 263, 290, 393
 definition of, 421
- Domain of concern, 393
- Domain score, 161
- Dysfunction, 36
- Easy-Care, 265
 contact assessment, 266–7
- Ecological validity, 36, 180, 189, 190
 definition of, 421
- Effect, 26
 sizes, 203
- Effect size index, 203
- Effectiveness, 26–7, 118
 definition of, 27, 419
- Efficacy, 16, 26–7
 definition of, 27, 421
- Efficiency, 16, 26–7, 118
 definition of, 27
- Electronic care records, 227–8
- Electronic Descriptive Pain Scale (EDPS), 178
- Electronic Patient Record (EPR), 228
- Empathy, 53
- Encoding, 292
- Endurance, 258
- Environment, 35, 289, 319, 328, 393
 assessment of, 52, 53, 322, 328
 definition of, 35, 40
 external factors, 40, 258
 influence of, 33, 39–42
 physical, 245, 247, 249, 268, 301, 318, 322
 physical hazards, risk factors, 325
 simulated, 34
 social, 245, 247, 249, 258, 301, 318, 322
- Equivalent form reliability, 421 *also see* Parallel form reliability
- Error, 152, 170, 194, 200
 degree of, 136
 sources of, 194
 standard error of measurement (SEM), 196–7

- Error analysis assessment approach, 290
- Ethical issues, 315
- Ethical reasoning, 305
- Evaluation, 12, 302
 - definition of, 6, 421
 - timing of, 37–8
- Evaluative assessment, 23, 100–1, 390, 421
- Evaluative measures, 28, 100, 203
- Evaluative test, 421
- Evidence, grades of, 21
- Evidence-based medicine (EBM), 283
 - definition of, 18, 421
- Evidence-based practice (EBP), 16, 18–22, 283, 306
 - definition of, 421
 - implementation of, 19–20
 - worksheet pertaining to, 396
- Exercise programme, 279, 380
- Experience-based learning, 306
- Expert, 314–17
 - expert therapist, description of, 316
 - expertise, 306, 314
 - judgement, 158
 - model of expert practice, 314
 - novice to expert continuum, 314–17
 - panel, 172–3, 391
- External validity, 170, 180–1
 - definition of, 421
- Face validity, 115, 170, 182–4, 371, 392
 - definition of, 182, 421
 - Mayers' Lifestyle Questionnaire face validity, 187–9
 - Parenting Stress Index critique of face validity, 358
 - SOTOF face validity study, 183
- Factor analysis, 175
- Factorial validity, 170, 175–6
 - definition of, 421
- Falls, case study related to, 263–79, 325, 328
- Falls Group Service, case example, 275, 278
 - evidence base, 275–6
 - home exercise programme, evidence base, 276, 279
 - outcome measures used, 276–8
 - prevention exercises, 275,
 - risk assessment, 268–9, 272–3
- Falls Efficacy Scale, 259
- Falls Risk Index, 272–3
- False negative result, 201–2, 421
- False positive result, 201–2, 421
- Familiarity, influence of, 39, 40, 41
- Fast Response Service, 263–4
- Fear-avoidance Beliefs Questionnaire (FABQ), 370
- Fisher's exact test, 208
- Flaccidity, assessment of, 247
- Floor effect, 204–5, 421
- Frequency distribution, 163, 421
- Fugl-Meyer test, 272
- Function, 36–7
 - definition of, 36
 - levels of, 33, 246
- Functional Assessment of Care Environment (FACE), 110, 122
- Functional Assessment of Multiple Sclerosis Quality of Life Instrument (FAMS), 8
- Functional Capacity Assessment (FCA), 251
- Functional Independence Measure (FIM), 63, 147–8, 179, 210
- Functional Life Scale, 51
- Functional limitation, 243, 244–51, 270, 288
- Functional Reach Test, 179, 272–3
- Functioning, 252
- Gait, measurement of, 63, 246, 247, 374
- Gaussian distribution *see* Normal distribution
- General Clerical Test (GCT-R), 251
- General systems theory, 236–9, 289
 - open system, 238
- Generalisability, 167, 180, 209
 - definition of, 422
 - generalise from, 98
- Generalisation, 286–7
- Geriatric Depression Scale (GDS), 4-item, 127–8
- Gestalt, definition of, 237
- Get Up and Go Test, 128–9
 - case study, application of, 331
- Goal setting, 288
- Goals, 9, 262, 282
 - case study example, 378
- Goniometry, 251, 261
- Graphic rating scale *see* Continuous rating scale
- Gross Motor Function Measure (GMFM), 64, 155
 - inter-rater reliability of, 201, 210
 - responsiveness, 210–11
 - test–retest reliability, 210
- Guidelines, 29–32, 42
 - criteria for, 31
- Guttman Scaling, 148–9
- Habituation, 237, 318
- Habituation effects, 37
- Habits, 290
- Handicap, 101, 240–3, 244
 - definition of, 241
- Hazards, 41
- Health Fatigue Questionnaire, 348
- Heuristics, 289, 292, 293
 - availability heuristic, 293
 - definition of, 422
 - heuristic search, 288, 293
- Hierarchies of task demand, 39

- Hierarchy of functional assessment, 261
 Hierarchy of human performance, 237
 Hierarchy of living systems, 239–40, 393
 Home Falls and Accident Screening Tool (Home FAST), 42
 Home hazard assessment, 278, 279
 Home safety check, definition of, 111
 Homogeneity of test items, 200, 391
 Hospital Anxiety and Depression Scale, 348
 Hypotheses, 39, 63, 65, 68, 173, 174, 285, 292, 294, 313, 320, 371
 case study example, 324, 325, 327
 Hypothesis, 298–9, 304, 391
 definition of, 293, 422
 testing, 294
 validating, 294
 Hypothesise, 149, 150, 289, 373
 Hypothetical reasoning, 288
 Hypothetico-deductive reasoning process, 292
 Illness Management Questionnaire, 348
 Impairment 240–3, 244–50, 252–3, 270, 288
 case study examples, 323
 definition of, 241
 level, 97, 101, 246
 measure, 246
 outcomes, 243
 Incapacity, definition of, 108
 Independent mental capacity advocate (IMCA), 109
 Index, 8
 Indicators *see* Performance measure
 Indices, 8
 Inductive generalisation, 287
 definition of, 422
 Inductive reasoning, 286–7, 311
 definition of, 422
 Infant and Toddler Sensory Profile, 166, 175–6
 Infant and Toddler Symptom Checklist, 60, 66, 98, 99, 176, 177, 180, 202
 Inference, 63, 170, 171, 177, 205, 262
 Informant interview, 57
 Informed consent, 215–17, 332, 392
 definition of, 422
 Initial assessment, 94, 320
 case example, 83–4, 321–6
 definition of, 94, 422
 objectives for, 321–2
 Input, 27, 118, 289, 306
 service inputs, 119–20
 Insight, 37, 55
 Instruction objectives, 158
 Instrument, 8
 definition of, 422
 specifications, 172
 Instrumental activities of daily living (IADL), 39
 Instrumental Activities of Daily Living Scale (IADL Scale), 174
 Interest Checklist, 320, 322, 326, 328, 330
 Interests, 320, 326
 Internal consistency, 199–200
 International Classification of Disease, 139
 International Classification of Functioning, Disability and Health (ICF), 101, 252–62, 393
 activity, 258, 259
 definition of, 253, 393
 activity limitations, definition of, 253, 393
 applications of, 257
 application to occupational therapy
 measurement, 258–9
 application to therapy assessment 256
 body functions, 258, 259
 definition of, 253, 393
 body structures, 258, 259
 definition of, 253, 393
 contextual factors, 259
 environmental factors, 253, 258
 impairments, definition of, 253, 393
 participation, 259, 393
 definition of, 253
 participation restrictions, 394
 worksheet, applying the ICF model to your assessment practice, 411
 International Classification of Impairments, Disabilities and Handicaps (ICIDH-1), 101, 240–3
 disability, 240–3
 definition of, 241
 handicap, 240–3
 definition of, 242
 impairment, 240–3
 definition of, 241
 survival roles, 242
 International Statistics Classification of Diseases and Health Related problems (ICD-10), 256
 Inter-rater reliability, 143, 198, 208, 209, 273, 276, 392
 definition of, 422
 study methodology, 200–1
 Interval scale, 143–4, 390
 definition of, 422
 Intervention, 298–9, 301, 302, 303
 Interview, 23, 290
 filters, influence of, 52
 purposes of, 51
 Interviewing, 47, 51–4, 267, 320, 389
 case example, 323–6, 329
 children, 53–4
 client influences, 53
 dynamic interactions, 53
 environmental influences, 53, 389
 initial, 295

- phases, 54, 389
- therapist influences, 53, 389
- Intra-class correlation coefficient (ICC), 206, 207, 209, 210
- Intra-rater reliability, 199, 210, 273, 392
 - definition of, 422
- Involvement, 310
- Item, 200, 422
 - definition of, 422
 - difficulty, 200
- homogeneity, 200
- Item writing, 156

- Joint Alignment and Motion Scale, 246
- Judgement, 311

- Kappa, definition of, 422
- Kappa's coefficient alpha, 206, 207
- Kitchen Task Assessment (KTA), 64, 154, 175, 181
 - critique of, 249–50
- Klein–Bell Activities of Daily Living Scale, 63

- Levels of evidence, 21
- Levels of measurement, 136–50, 224, 390
 - interval, 143–5, 146, 206
 - nominal, 139–140, 146, 206, 208
 - ordinal, 140–3, 146, 147, 206, 207, 210
 - ratio, 145–6
 - worksheet related to reviewing, 399
- Life Experiences Checklist (LEC), 56–7
- Life Satisfaction Index – Parents (LSI-P), 61, 182
- Life-story book, 332
- Likelihood ratio, 203
 - definition of, 422
- Likert scales, 146–7, 159

- Maitland spinal manipulation assessment
 - techniques, 374
- Mapping, 340–2
 - definition of, 340, 422
- Maslow's hierarchy of need, 269, 271
- Mastery allocation, 161
- Mastery decisions, 206, 391
- Mayers' Lifestyle Questionnaire, 128–30, 187–9
 - case example of application, 330, 334
- Mayers' Quality of Life Scale, 319
- McGill Pain Questionnaire's Present Pain Intensity (MPQ PPI), 178, 251, 369–70, 371
- Mean, 162
 - definition of, 163–4, 423
- Measure, 10
- Measurement, 12, 136, 194
 - definition of, 10–11, 136, 423
 - error, 136, 194
 - levels of *see* Levels of measurement theory, 136–7
- Measures of outcome, 11–12
- Median, 164
- Memory, 258, 292–3
- Memory and Behavioural Problems Checklist (MBPC), 59, 320, 328, 330, 334
- Memory schema, 283
- Mental Capacity Act, 108
- Metacognitive analysis, 306
- Middlesex Elderly Assessment of Mental State (MEAMS), 190
- Mini Mental State Examination (MMSE), 259, 319
 - case study, example of application, 325, 329, 331
- Mobility, 270, 275–6
 - assessment of, 161, 247, 374
- Model of Human Occupation (MOHO), 236, 318, 320
- Models, applications of for assessment, 234–79, 393
 - definition of, 234
 - reasons for using, 234–5, 393
- Mood, 258
- Moral reasoning, 305
 - definition of, 423
- Motivation, 262, 313
- Motives, 300
- Motor components, 270, 276
- Motor system, 36, 38, 97, 235, 244, 247, 248–9, 270
- Movement Assessment Battery for Children (Movement ABC), 71, 73, 98–9
 - sensitivity issues, 203
- Movement Patterns, 258
- Muscle strength, 276
 - assessment of, 247
 - exercises to improve, 275

- Narrative reasoning, 300–3, 315, 320
 - case study example, 322–3, 326, 330
 - definition of, 423
 - prospective treatment story, 302
 - case study example, 326
 - skills, 316
 - unfolding therapeutic story, 302
- Narratives, 51
- National Council for Medical Rehabilitation Research (NCMRR) model of function, 244–51, 261–2, 270, 394
 - case study example of application, 263–79
 - disability, 244, 245–6, 268, 270, 272, 273, 276, 278, 394
 - functional limitation, 244, 270, 272, 276, 278, 394
 - impairment, 244, 246, 270, 272–3, 276, 278, 394
 - multidisciplinary team example of application, 244, 246–7

- National Council for Medical Rehabilitation Research (NCMRR) model of function (*Continued*)
 pathophysiology, 244, 246, 266, 267, 270, 272, 394
 societal limitation, 244, 245, 267, 268, 270, 271, 278, 394
 worksheet, applying the NCMRR model to your assessment practice, 410
- National Service Frameworks (NSF), 28, 48
 NSF for Older People, 48–9, 102, 264–5, 275
- Needs assessment, 111–12
- Negotiation, 301, 314
 case study example, negotiated goal-setting, 333
- Neurolinguistic programming (NLP), 219–20
 clean language questions, 221
- Neuromusculoskeletal system, 246
- Nominal data, 206, 208
- Nominal scale, 139–40, 390
 definition of, 423
- Non-comparative scaling, definition of, 8, 423
- Non-standardised assessments, 23–6, 47, 154
- Normal distribution, 164–5, 391
 curve, 164, 166
- Normative
 data, 39, 161–3, 167, 189, 237, 287, 390
 group *see* Normative sample
 sample, 98, 161–3, 167, 390, 391
 test *see* Norm-referenced test
- Norming study, 161
 steps for conducting, 162–3
- Norm-referenced test, 161–7, 390, 391
 definition of, 423
- Norms, 23, 161, 167, 263
 criteria for judging, 162
 definition of, 161–2, 423
- Northwick Park Index, 185
- Novice, 315
- Novice to expert continuum, 314–17
- Numerical scoring systems, 138
- Objective, definition of, 153, 227
- Objective assessment, 25
- Objective data, 284, 423
- Objectivity, 153, 222
- Observational assessment methods, 62–5, 289, 290, 296, 300, 389
 case study example, 84–6, 268, 273–4, 374
 direct observations, 158
 examples of, 63–4
- Obtained score, 163, 164
 definition of, 423
- Occupation, 34–6, 40, 301, 327–8
- Occupational diagnosis, definition of, 423
- Occupational need, 258–9
- Occupational performance, 34–6, 235–6, 244, 258, 262, 288, 318, 329, 332
- Occupational Performance History Interview (OPHI), 57
- Occupational role, 288
- Occupational Stress Inventory, 251
- Occupational therapy, 2
 definition of, 2
 diagnosis, 288
 process, 92–3
- Occupational Therapy Systematic Evaluation of Evidence (OTseeker), 21
- Oedema, 267
- Ongoing assessment, 23, 94
 definition of, 94, 423
- Open system, 238, 289
- Operational measurement theory, 137
- Ordinal, 140–3
 data, 207
 scale, 140–3, 147, 206, 210, 242, 277, 390
 definition of, 423
 variables, 140
- Outcome, 27
 definition of, 9–10, 423
 perspectives of stakeholder groups, 120
 process for measuring, 101
 service outcome, 16, 117, 118–19
- Outcome goals, 9
- Outcome measure, 16, 26–7, 101, 392
 definition of, 11–12, 423
- Outcome measurement, 26–7, 95
 definition of, 12, 424
- Output, 27, 118, 289
- Pacing, 375–6, 377, 381, 382
 diary, 381
- Pain, assessment of, 50, 247, 267
- Pain Perception Profile, 146
- Pain Score, 370
- Parallel form reliability, 95, 199
 definition of, 424
- Parenting Stress Index (PSI), 61–2, 202, 345
 critique of, 354–9
- Participation, 252–3
 restriction, 101
- Pathology, 243–4, 261
- Pathophysiology, 244–50, 270
- Patient Advocacy and Liaison Service (PALS), 217
- Patient costs, 27
- Pattern recognition, 292, 293
- Patterns, 424
- PDSA cycle, 342–3, 424
- Peabody Developmental Motor Scales, 64
- Peabody Picture Vocabulary Test – Revised, 357
- Pearson's product-moment correlation coefficient (*r*), 206, 207

- Pediatric Evaluation of Disability Inventory (PEDI), 59–60, 71, 75–6, 150
- Perceived Efficacy and Goal Setting System (PEGS), 77
- Perceived Stress Scale, 251
- Percentage agreement (P), 173, 206–7
definition of, 206
- Percentile value, 166
- Percentile rank, 166
- Percentiles, 8, 162, 164–5
- Perception, 154
assessment of, 189
definition of, 36
- Perceptual system, 235, 244, 246, 247, 248–9, 290
- Performance, 38, 252
analysis, 62
capacity, 318
components, 36, 246, 248–9, 258, 289, 290
component functioning, 304
factors influencing, 65
- Performance measure, 117
definition of, 27
- Performance measurement, definition of, 27
- Performance Orientated Mobility Assessment, 277
- Person-centred approach, 49, 299
- Person-Environment-Occupation Model, 40, 71
case example of issues, 86, 325
- Person-Environment-Performance Framework, 236
- Phenomenological approach, 299
- Physical examination, 374
- Physical Self-maintenance Scale (PSMS), 149, 174–5
- Physiotherapy, 2
definition of, 2
diagnosis, 288
- Physiotherapy Evidence Database (PEDro), 21
- Physiotherapy Functional Mobility Profile, 8
- Posture, 267, 374
- Practice settings, 33
constraints of, 36, 42
- Pragmatic reasoning, 303–5, 315, 394
case study example, 321, 322, 324, 325, 326, 328
definition of, 424
- Predictions, 302
- Predictive assessment, 99, 272, 292, 390
definition of, 99, 424
- Predictive test, 178
definition of, 424
- Predictive utility *see* Predictive validity
- Predictive validity, 99, 111, 170, 178–80, 273, 391
definition of, 178, 424
- Preferred practice guidelines, 30
- Problem-based approach, 319
- Problem list, case study example of, 327
- Problem-orientated clinical reasoning process, 291–2
delineating the problem, 292
case study example, 327–8
case study, example of reasoning process, 322
framing the problem, 291
problem-setting, 291, 320
case study example, 327
- Problem-solving, 282, 283, 285, 288, 293, 299, 303, 305, 314, 334
- Problem statement, 288
- Procedural reasoning, 287–8, 315, 321
case study example, 321–2, 323, 324, 325, 329, 332, 333
definition of, 424
- Process, 424
measurement of, 118
process outcomes, definition of, 117–18
process goal, definition of, 118
- Professional judgement, 282
- Proficient therapist, novice to expert continuum, 316
- Profile, 8
- Profile of Fatigue Related Symptoms, 348
- Prognosis, 320
- Prognostic measures *see* Predictive assessment
- Prompts, 115, 201, 223–4, 297, 300, 332, 333
- Prospective treatment story, 302, 326, 334
- Protocols, 29–30
- Proxy, 296, 389
case example, 83, 267
definition of, 57, 424
interview, purposes of, 58–9
interviewing, 267
methods, 28, 58
sources, 58
- Proxy report, 57–62, 295, 296
definition of, 424
examples of, 59–62
- Psychometric properties, 168
- Psychosocial performance component, 246
- Pulmonary function, 243
- Purposes of assessment, 96–112, 116–25
case vignette to illustrate clinical purpose, 112–16
case study to illustrate service evaluation, 125–32
descriptive, 96–97
discriminative, 97–99
evaluative, 100–2
predictive, 99
sharing your purpose, 112
worksheet related to reviewing purpose, 398

- Qualitative, 139
 aspects of performance, 97
 case example, collecting qualitative data, 131
 methods, 47–8, 49
- Quantitative, 143, 146
 examples from service evaluation, 118–19
- Quantitative methods, 47–8, 49
- Quartiles, 166
- RAID cycle, 343–4, 424
- Range of movement (ROM), 146, 161, 243, 246, 258, 262, 267, 270, 275, 292, 297, 370
- Rank variables *see* Ordinal variables
- Rapport, 52, 53, 54, 55, 219–22, 262, 302, 330, 332, 393
 breathing rhythm, 220
 case study example, 323, 373, 375, 376
 definition of, 424
 eye contact, 220, 393
 pace, 220
 physical mirroring, 220, 393
 use of metaphors, 220–1
 verbal mirroring, 220, 393
- Rasch analysis, 148, 149–50, 197, 390
- Rater severity, 199
- Ratio scale, 145–6, 390
 definition of, 425
- Raw score, 160, 161, 165, 168, 177, 224, 391
 definition of, 163, 425
 transformation of, 204
- Re-assessment, 16
- Recoding, 293
- Record keeping, 226–7
 electronic care records, 227–8
- Recording, 225–8
- Referral, 93, 320
 categories of, 94
 prioritising, 98
 screening 93–4
- Reflection, 283, 306, 307, 308, 314, 394
 after action review process, 310
 analysis of therapeutic self, 314, 315
 documentation of, 308
- Reflective practice, 282, 305–14
 definition of, 306, 425
 reflective journals, 308–9, 394
 guideline for writing journal entry, 309
- Reflexes, 258
- Rehearsal, 293
- Relative efficiency, 203–4
- Relaxation techniques, 377, 381–2
- Relevance-taxonomy, 172–3
- Reliability, 168, 194–212, 392
 coefficient, 195, 425
 definition of, 194–5, 425
 inter-rater reliability, 143, 198, 392
 study methodology, 200–1
 internal consistency
 intra-rater reliability, 199, 392
 parallel form reliability, 95, 199
 statistics, 205–8
 studies, 195
 COPM reliability studies, 208–10
 GMFM reliability studies, 210–11
 methodological issues, 200–1
 Parenting Stress Index reliability studies, 356
 test–retest reliability, 197–8, 392
 worksheet, for reviewing adequacy of, 405–8
- Repeatability *see* Reliability
- Reporting, 225–32
 headings for standardised assessment report, 225–6
 example report, 228–32
- Representational measurement theory, 137
- Representativeness, 167, 171
 sample, 162
- Reproducibility *see* Reliability
- Resources, 49
- Responsiveness, 100, 148, 202–3, 209–10, 211, 392
 to change, definition of, 425
- Risk Assessment, 109–11, 171
- Risk management, 319
- Rivermead ADL Assessment, 39, 64
- Rivermead Mobility Index (RMI), 64, 66, 148, 178
 floor and ceiling effects, 204
 responsiveness to change, 204
- Rivermead Perceptual Assessment Battery (RPAB), 8, 24, 64, 154, 165, 179, 189–90, 223
 inter-rater reliability of, 201
- Review, 95
- Role and interest inventories, 251
- Role Checklist, 320, 322, 326, 328, 330
- Roles, 235, 245, 251, 290, 296, 301, 320, 326, 328, 332
 definition of, 34
 role competency, 258, 262
 role performance level, 261
- Safety Assessment of Function and the Environment for Rehabilitation (SAFER Tool), 42, 11, 174–5, 319
 case example, application of, 322, 328, 329
- Sample sizes, 180
- Sampling error, 162–3
- Satisfaction with Performance Scaled Questionnaire, 51
- Scale, 138
 definition of, 6–7, 425
- Scale for Assessing Coping Skills, 60
- Scale for Suicide Ideation (SSI), 110–11

- School Assessment of Motor Process Skills (School AMPS), 71, 72–3, 85
- School Function Assessment (SFA), 71, 75
- Scientific reasoning, 285, 287
- Score profile, 8
- Scores, 391
 - analysis of, 224
 - feedback to client regarding results, 225
 - interpreting 167–8, 224
- Scoring, 224
 - systems, 138
- Scottish Intercollegiate Guidelines Network (SIGN), 20
- Screening assessment, 276
- Self-monitoring, 55
- Self-report, 28, 48–57, 267, 296, 389
 - assessment, definition of, 49
 - benefits of, 49–51
 - case example, demonstrating, 84, 267, 374, 380
 - cultural issues, 55
 - examples of self-report assessments, 56–7, 319
 - from children, reasons for, 50
 - methods for collecting, 50–1
- Senile dementia of the Alzheimer's type (SDAT), 175, 181
- Sensitivity, 100, 202–3, 209
 - definition of, 202, 425
- Sensory system, 36, 38, 97, 235, 244, 246, 248–9, 290, 292
- Service
 - costs, 27, 119
 - inputs, 117, 119, 132
 - outputs, 132
 - outcomes, 16, 117, 118–19
 - definition of, 425
 - patterns, definition of, 117, 424
 - process outcomes, definition of, 117–18
 - specification, 118, 121, 122–3, 339
 - structures, definition of, 117, 425
- Service evaluation, 116–32, 390
 - case study example, 125–132, 387–8
 - client focused measures, 120
 - direct measures, 121
 - indirect measures, 121
 - outcomes of interest to commissioners, 120
 - outcomes of interest to managers, 120
 - staff-focused measures, 121
- Service user, definition of, 3
- Severe Impairment Battery (SIB), 161, 205, 223
- SF-36 Coping Questionnaire, 370, 371
- Shoulder impingement syndrome, 30
- Sickness Impact Profile (SIP), 145
- Significance, level of, 195–6
- Signs, 297, 299
- Single assessment process (SAP), 49, 102–7, 264–5, 272
 - assessment domains, 104
 - comprehensive assessment, 106, 107
 - contact assessment, 103–5, 107, 264, 266–7
 - overview assessment, 105, 107, 264, 272, 275
 - process, 103
 - reviews, 106–7
 - risk assessment, 109–10
 - specialist assessment, 105, 107, 275
 - summary of the four types, 107
- Six-item Cognitive Impairment Test (6-CIT), 68, 127–8
 - copy of test items, 129
- Skill, 245
 - component, 248
- SMART objectives format, 121
- SOAP notes, 67–8, 227
 - example entry, 68
- Social activities, 319
- Social Adjustment Questionnaire, 348
- Social constructivism, 307
- Social perception, 292,
 - definition of, 425
- Social supports, 320
- Societal Limitation, 97, 244–50, 270
- Spasticity, 297
 - assessment of, 247
- Spearman's rho correlation coefficients, 209
- Specialist assessment, 105, 107, 275
 - definition of, 425
- Specialist Interest Groups (SIGs), 346–7
- Specificity, 100, 201–2
 - definition of, 201, 425
- Split-half method, 200
- Stability, 197–8
- Stakeholders, definition of, 425
- Stamina, 278, 279
- Standard deviation (s.d.), 8, 162, 164–5, 391
 - definition of, 165
- Standard error of measurement (SEM), 196–7
 - definition of, 426
- Standards, 29–30
- Standards of Physiotherapy Practice (SOPP), 32
- Standardisation, 154–5
 - definition of, 22, 153
 - worksheet, checklist for reviewing adequacy of, 400
- Standardised
 - assessment, 22–5, 152, 153, 320, 426
 - definition of, 153, 426
 - measures, 153, 426
 - benefits of, 25–6
 - test, 390, 426
 - construction of, 155–60
 - definition of, 22, 153

- Standardised (*Continued*)
 tests, 47, 304
 feedback to clients regarding results, 225
 following standardised procedures, 222
 rationale for use, 152
 use of, 222
 scoring, 224
- Standardised Mini-mental State Examination (SMMSE), 174–5
- Statistics, related to reliability, 205–8
- Strength, 258, 262, 267, 270, 275–6
 strength training, 276, 278, 279
- Stroke, 30, 33, 34, 112, 179, 223
 case vignette, 112–16
 diagnostic statements related to, 297–8
 MDT approach framed within the NCMRR model, 146–7
 Wade's 4-level model, 243–4
- Stroke rehabilitation unit (SRU), 112
- Structured Observational Test of Function (SOTOF), 64, 97, 259, 350
 application of the NCMRR model, 247–9
 case vignette, application of SOTOF, 115–16
 clinical utility of, 185–7
 diagnostic reasoning process used, 290
 face validity of, 183,
 inter-rater reliability of, 201, 208
 test–retest reliability, 208
- Structured observations, 47
- Subjective
 definition of, 153, 227
- Subjective data, 284
 definition of, 426
- SWOT, 339–40
 worksheet for analysing your assessment process, 413
- Symptom, 296, 299
 taking history of, 320, 374
- System, definition of, 236
- Systematic risk assessment, definition of, 109
- Tacit knowledge, 290
- Tacit reasoning, 282
- Task, 235, 245
 definition of, 35
 initiation, 323
 skill components of, 246, 248
 task performance, 261
- Task demand, 38–9
 definition of, 38
- Test
 administration process, 214, 219–24
 worksheet, checklist for preparation, 409
 anxiety, 37, 155, 181, 189, 194, 219, 223, 224
 battery, 154
 construction, 155–60
 critique, 350–9
 definition of, 426
 example of, 354–9
 worksheet, test critique form, 414–7
 definition of, 9
 elements, 158,
 definition of, 426
 feedback to client regarding results, 225
 manual, 154, 162, 202, 208, 390
 definition of, 426
 materials, 154, 390
 protocol, 153
 definition of, 426
 scores, interpretation of, 224
 scoring, 224
 selecting, 345–7
 sensitivity, 202–3
 specificity, 201–2
- Test of Attention in Infants, 66, 178, 180
- Test of Sensory Functions in Infants, 66, 178, 180
- Test of Visual Perceptual Skills, 71, 74–5
- Test–retest reliability, 197–8, 208, 209, 210, 270, 392
 definition of, 426
- Test theory *see* Measurement theory
- Testing, 214–24
 administration, 219–24
 preparation for, 214–19, 393
 scoring, 224
- Theoretical reasoning, definition of, 426
- Therapeutic factors, 118
- Therapeutic practice, the nature of, 33–4
- Therapeutic process, 301
- Therapeutic relationship, 36, 52–3, 299, 393
 case study, example of building, 321, 326, 375
 introduction, 52
- Therapy diagnosis, 288, 295–9
- Therapy Outcomes Measure (TOM), 101–2, 242
- Thomas–Kilmann Conflict Mode Instrument, 314
- Thumb, rules of, 293–4
- Timed Up and Go test, 276–7
- Tinetti Balance Scale, 277
- Tone, 258, 267
- Top-down assessment approach, 71, 261–3, 320
- Top-down reasoning approach, 285, 304
- Total integration model (TIM), 239
- Transcutaneous electrical nerve stimulation (TENS), 380
- Transfers, 267, 270
 assessment of, 268
- Treatment goals, 50, 301
- Treatment plan, 320
- Triangulating data, 111, 119
- Tribunals, 109
- True score, 196
- Twelve-metre walk test, 277–8
- Typology, 8

- Unstandardised assessment *see* Non-standardised assessments
- Universe score *see* True score, 196
- Unstructured observation, 23, 47
- Validation, 160, 170
- Validity, 160, 168, 170–84
- content, 171–3
 - concurrent, 177–8
 - construct, 173–5
 - criterion related, 177–8
 - definition of, 170, 426
 - discriminative, 176
 - ecological, 180
 - establishing, 181–2
 - external, 180–1
 - face, 182–4
 - factorial, 175–6
 - Parenting Stress Index validity studies, 357
 - predictive, 178–9
 - worksheet, for reviewing adequacy of, 401–4
- Valpar work samples, 251
- Values, 262, 320
- Visual analogue scale (VAS), 51, 57, 178, 261, 372
- Visual analogue pain scale (VAPS), 57
- Volition, 237, 318
- volitional subsystem, 290
- Well-being, 101
- Westmead Home Safety Assessment (WeHSA), 172–3
- Whiplash-associated disorder (WAD), 31
- Working memory, 292
- Zarit Caregiver Burden Interview/Survey, 115, 128–9, 320, 332

