

Index

- 40° <111> 357, 358
- 3IVM model 678, 679, 681–683

- Abbruzzese–Lücke equations 317
- abnormal grain growth 92, 99, 100, 102
- abnormal subgrain growth 349
- accelerated damage 820, 822
- activation energy 62, 63, 65, 413, 416, 423–425, 608
- active slip system 116, 119
- adaptation 185, 189, 197, 829–831, 834, 835, 841, 842
- adaptive control 185
- adaptive grid 652
- ALE *see* Abbruzzese–Lücke equations
- aluminium
 - alloy 611
- aluminum 470, 676, 677, 681
 - alloy 146, 156–160, 162, 164, 172, 174, 175, 177, 343–345, 348, 351, 766, 770, 805–807, 810, 811
 - cold rolling 689, 690, 697, 700–702, 705, 707, 708, 717, 719, 721, 722
 - hot rolling 688, 689, 695, 696, 699, 700, 707, 711–713, 715–717, 722
 - sheet 705–707, 717, 723, 725
- anelasticity 786
- anisotropy 115, 117, 124, 129, 131, 134–136, 139–141, 327, 332, 334, 335, 338, 340, 371, 431, 459, 462, 463, 473–475, 492, 496, 530, 705, 715, 717, 720, 721, 723, 764, 766, 772
- ANN *see* artificial neural network
- annealing 343, 345–347, 350, 351, 677, 680–682, 688–691, 697, 702, 705, 708, 716–718
- annealing model 305
- antiphase boundary 386

- APB *see* antiphase boundary
- applied stress 37, 274, 281, 285, 286
- Arrhenius relation 413, 422
- artificial intelligence 185
- artificial neural networks 185–188, 829, 832, 842
- ASY *see* axially symmetric model
- austenite 836, 838
- automotive crash 795
- automotive part 771
- average orientation 124, 127
- axially symmetric model 598

- back-diffusion 256, 264
- back-scattered diffraction 121
- Barlat
 - YLD89 784
 - YLD96 784
- Bauschinger effect 780, 781, 785, 786, 788
- Bauschinger type behavior 406
- benchmark tests 779
- bending 777, 778, 780
- binary alloy 747
- birdstrike 801–803
- body-centered cubic 123
- Boltzmann automaton 57, 72, 73
- boundary condition 89, 90, 437
 - at cell boundaries 14, 16, 25, 26
 - at moving interfaces 4, 9
 - at surfaces 23
- boundary migration 616
- brass 545, 546, 556, 557
- Brillouin zone 439
- brittle-to-ductile transition 413, 414, 423, 424
- bulk modulus 594
- Burgers vector 415, 424, 431–433, 435, 436, 440, 475, 486
- Butler-Volmer relation 582

- CAFE method 251, 254, 261, 264–267
 Cahn-Allen field relation 501, 505, 507
 Cahn-Hilliard equation 38, 40, 46, 274, 281, 282
 calculated stress-strain curve 594
 calculated yield stress 595
 CALPHAD 3, 4
 carburization 26, 28, 29
 casting 243, 677, 678
 Cauchy stress 120, 124, 125
 CDF *see* coordination distribution function
 cell diameter 591
 cell size 9, 14, 15, 17, 23
 cell switch 64
 cellular automata 57, 58, 60, 61, 63, 67, 68, 74, 253, 254, 258, 297–299, 301–304, 745
 cellular structure 437
 cementite 21, 24, 25, 30–32
 CET *see* columnar-to-equiaxed transition
 CFD *see* computational fluid dynamics
 channels 779, 781
 ClaNG model 678
 climb of dislocations 609, 612
 cluster parameter 595, 597, 601, 605
 clustering 192–194
 clusters 639–642
 coalescence 818, 820–822
 coarse graining 67, 361, 429, 437
 coarsening 37, 39, 44, 47, 274, 281, 282, 284–286, 288, 289
 coherence stress 390, 391
 cohesive energy 630
 cohesive model 629, 631–634
 cohesive strength 630, 632, 634
 coil annealing 699
 cold rolling 677, 682
 collapsed element 623
 collision rule 67–70
 columnar grains 536
 columnar-to-equiaxed transition 251, 254, 264
 compaction 657–662, 664, 667, 671
 competitive growth 23
 composite
 Fe/Ag 598
 W/Cu 601
 ZrO₂/NiCr 80 20 589
 composite model 447, 453, 615–617
 compression test 711
 computational cells 823
 computational fluid dynamics 746
 computational fracture mechanics 795
 concentration 746–749, 751–754, 756
 conservation law 432, 441
 constant crack tip opening angle 625
 constitutive equation 481, 482, 818
 constitutive laws 586
 constitutive model 692, 693, 709, 711, 723
 constitutive sintering models 665
 constitutive softening 805
 constrained plasticity 513, 523
 contact friction 778
 continuity equation 309, 311
 continuous cooling 22
 continuous time 81, 111
 continuum 58, 61, 68, 71
 continuum theory 433, 434
 continuum thermodynamics 501, 504
 contour integral 627
 convected coordinate system 766
 coordination 311, 312, 314, 315, 318, 323, 324
 coordination distribution function 313
 copper 206, 211, 212, 218, 220, 223
 correlation function 437
 Cosserat theory 515
 Coulomb friction condition 769
 coupling 811
 CPFEM *see* crystal-plasticity finite element method
 crack 220–222, 523, 524, 623–628, 630, 632
 crack propagation 823, 825
 crack tip opening displacement 622
 crack-tip plasticity 413, 414, 417–419, 423–425
 cracking 658, 660, 661
 creep 445, 446, 449–452, 607–609, 611–617
 creep test 607
 critical damage 796, 797
 critical events 361, 364, 366–368, 370
 critical phenomena 441
 critical resolved shear stress 118, 375
 CRSS *see* critical resolved shear stress
 crystal plasticity 62, 66, 115, 126, 128, 134, 139, 145, 155, 156, 161, 163, 172, 177, 501–503, 507, 508, 513–515,

- 517, 522–524, 526, 529, 532, 535–537, 546, 548, 556, 557, 676
- finite element method 459, 471, 561, 562, 564, 568, 571
- theory 346
- crystal structure 123
- crystal-plasticity finite element method 676
- crystalline strip 501, 502, 507
- crystallographic
 - lattice 750
 - orientation 122, 312, 343, 562, 565
 - plane 115
 - slip 529, 530, 532, 533, 539, 543
 - texture 115, 121, 128, 134–136, 145, 154, 161, 172, 177, 543, 561, 569, 570, 728, 737, 740, 741
- CTOA *see* crack tip opening angle
- CTOD *see* crack tip opening displacement
- cup drawing 175, 176, 566, 571
- curvature driven grain growth 319, 320, 323, 325
- curvature driven growth 361, 370
- curvature driven motion 368, 369
- curvature flow 327

- damage 817–826
- damage development 805, 806
- damage percolation 805, 806, 810, 811, 814
- DDD *see* discrete dislocation dynamics
- deep drawing 561, 566, 570, 571, 720, 721, 723
- deformation 304, 305
 - band 539
 - bands 537
 - gradient 116, 122
 - incompatibility 501, 502, 505, 507, 508
 - model 304
 - rate 116–120, 123–126, 129–132
 - spin 116, 117
 - texture 343
 - twinning 543–546, 548, 550, 554–557
 - zone 343–347, 350, 352, 355, 357, 358
- degradation 817
- dendrite 251, 252, 259–261, 263, 745, 748, 750, 754, 756, 757, 760
- dendrite arm 751, 754, 759
- dendrite tip 745, 756
- dendritic growth 650, 651, 655
- design 777, 778, 780

- design sensitivity 653
- deviatoric crystal stress 118
- DICTRA 4, 5, 7, 8, 17, 19, 28–34
- diffraction technique 121
- diffuse interface 37–40, 43
 - model 271, 274, 277, 286, 327, 329, 331, 333, 335, 340
- diffuse interface model 327
- diffusion 3–14, 16, 17, 19, 21, 26, 28–30, 32, 33, 61, 62, 67, 70, 327, 328, 331, 333, 338
- dimples 818
- direct design method 765
- discrete dislocation dynamics 397, 413, 417, 425
- discrete dislocations 429–431, 434
- dislocation 201–204, 206–221, 224–226, 678, 679, 683
 - annihilation 613
 - character 381, 384, 385
 - core 376, 380, 381
 - density 121, 213, 218, 220, 222, 224, 225, 432–434, 436, 438, 440, 441, 446, 449, 450, 452, 453, 690, 692–698
 - tensor 431–436, 514, 515
 - dipoles 609, 612, 617
 - dissociation 376
 - dynamics 49, 202–204, 210, 214, 215, 217, 225, 291, 397, 399, 430–432, 439–441
 - interaction 431, 438, 440
 - nucleation 414, 416–418, 420, 424
 - pattern 441
 - reaction 430, 431
 - segmentation 378
 - segments 430
 - self-interaction 376, 379, 385, 392
 - single 612, 617
 - sources 403–408
 - structure 121, 159
 - evolution 609, 616
 - velocity 416, 417, 420, 421, 423–425
- dispersion strengthening 375, 377, 384, 385, 389, 393
- displacement field 430–432, 439
- dissipation 361, 364, 366, 430, 440, 441
 - potential 501, 504–506, 508
 - principle 504

- domain integral 627, 628
 domain structure 39, 43, 278, 285, 286, 288, 289, 291
 dome height test 135–137
 drag force 303, 305
 draw bending 779
 draw-bend test 778, 782
 driving force 3–5, 7, 33, 57, 61–63, 73
 Drucker-Prager-Cap model 658–660
 ductile damage 818
 ductile fracture 797, 798, 806, 810
 ductile tearing 625, 632, 634
 dynamic recovery 611, 613
 dynamic recrystallization 86, 109, 110
 dynamics of dislocations 203, 204
- earing 715–717, 720–723
 EBSD *see* electron back-scattered diffraction
 edge dislocation 437, 439
 effective strain-rate 767
 elastic anisotropy 561, 570
 elastic energy 40, 45, 69, 274–277, 279–281, 283, 285, 286, 288
 elastic modulus 117
 elastic shielding 415
 elastic stretch 116, 118, 125
 elastic-plastic fracture mechanics 622, 633
 elastic-plastic model 529
 elastic-plastic springback 783
 elasto-plastic formulation 766
 electrochemical solids 580
 electron back-scattered diffraction 94, 121, 266
 electrostatic energy 40, 286
 electrostrictors 573, 574, 577
 empirical modeling 185–187, 195, 832, 834, 836
 energy balance 504
 entropy principle 504
 EPFM *see* elastic-plastic fracture mechanics
 equilibrium 72, 73
 Eshelby tensor 480–482
 eutectic structure 327, 328, 336–340
 explicit simulations 780
 extra-hardening 524
- face-centered cubic 123
 FCC 475, 487, 490
 fcc-systems 501
- FDM *see* finite difference method
 FE simulation 348, 349
 FEM *see* finite element method
 ferrite 836, 838, 840
 ferrite precipitation 17, 19
 ferritic steels 33
 ferroelectric domains 45, 288
 ferroelectric phase transition 43, 289
 fictitious strain 733
 fictitious time 730, 731, 733
 field variable 690
 finite difference method 745–747, 751, 752
 finite element 62, 66, 160, 175, 207, 213, 216–218, 220, 727, 728, 730, 731, 733, 735, 736, 738, 739, 808, 811, 813
 finite element analysis 765, 772
 finite element method 115, 131, 133, 134, 139, 141, 445, 459, 529, 534–537, 561, 563, 566, 575, 576, 585, 586, 650, 654, 658, 665, 669, 676–684, 710, 711, 723, 746, 765
 finite element modeling 778, 779
 fix-end torsion 489–491
 flanged channel 779, 781
 flow rule 145, 149, 150, 155, 156, 161, 170, 175
 flow stress 121, 128–130, 134–136, 140, 446, 450, 451, 688, 691–694, 696, 697, 700, 708, 709, 711, 717
 flow surface 124, 125, 127–132
 fluid dynamics 57, 67, 68, 70, 73, 74
 fluid flow 639, 641, 650, 652, 745, 746, 755–757, 760
 FOD *see* foreign object damage
 force balance 419, 420
 foreign object damage 795
 forging 727, 728, 730, 731, 733, 734, 736, 737
 formability 125, 134–137, 145, 146, 169, 705, 710, 717, 719, 721, 723, 805, 811, 812
 forming 459, 463
 Fourier transform 477, 479
 fracture 621, 622, 624–626, 629, 630, 632–634
 mechanics 621–623, 625, 626, 628, 632, 633
 propagation 796

- toughness 413–416, 418, 421, 422, 424, 425
- Frank–Read source 401, 404
- free energy 329, 330, 332, 333, 501, 504–508
- free standing film 400, 401, 404, 406, 407
- free surface 400
- free-end torsion 488, 489, 491
- freezing 749, 751, 752
- frequency distribution 598
- gas-tungsten-arc 755
- generalized continua 513, 515, 522, 523
- generalized internal variables 504
- geometric hardening 121
- geometrically necessary dislocations 501, 514, 517, 518, 523
- GIA *see* grain interaction
- GIA model 465, 680, 681
- Ginzburg–Landau equation 440
- GND *see* geometrically necessary dislocations
- governing equation 327, 329, 330, 333, 340
- gradient of internal variable 513, 518
- grain 120, 139
 - boundary 61–64, 66, 343, 347, 350, 353, 398, 400, 404, 406, 408
 - boundary curvature 299, 301, 302, 307, 309
 - boundary diffusion 666, 667
 - boundary energy 309, 311, 319
 - boundary mobility 62, 64–66, 299, 301, 305, 307
 - boundary motion 309
 - coarsening 664, 667
 - fragmentation 539
 - growth 38, 47, 61, 77, 78, 81, 83–85, 87, 92–96, 98–101, 103, 104, 109, 298, 299, 301, 304, 307, 309, 327, 329, 334–336, 361, 370, 371, 745
 - interaction 469, 700
 - selection 254, 261, 266
 - shape 474, 482, 485
 - size 78, 92, 96–98, 101–103, 109, 110, 309, 312, 313, 318, 319, 321, 322, 836, 838, 840
 - size effects 524, 578
 - structure 37, 252–254, 261, 266, 267, 333, 337, 340
- Green function method 477
- green strength 661
- grid structure 73, 74
- growth 817–820, 822, 825, 826
 - metastable phases 25
 - stable phases 25
- growth kinetics law 254, 258, 259
- GTA *see* gas-tungsten-arc
- Gurson–Tvergaard–Needleman model 820
- HAGB *see* high angle boundaries
- Hall–Petch effect 502, 510, 513, 524
- Hall–Petch model 408
- Hamiltonian 432, 438
- hardening 116, 119, 121, 133, 134, 475, 483, 485, 486, 488–490, 492, 495
- hardening behaviour 502, 505, 507
- HEM *see* homogeneous equivalent medium or homogeneous effective medium
- Herring Condition 361, 364, 366, 367, 370
- hexagonal close-packed 123, 285, 492
- hexagonal metals 544
- high resolution transmission electron microscopy 253
- high strain rate 206
- high strength low alloy 832
- Hill quadratic yield 784
- Hillert distribution 311
- homogeneous effective medium 474
- homogeneous equivalent medium 727
- homogenization 429, 431, 438, 459, 513, 519–522, 524, 676–678, 688, 701, 702, 734–736, 738, 739, 741
- hot deformation 346, 348, 349
- hot rolling 676, 678–681
- hot strip rolling 829
- HRR-field 626, 627, 630
- HRTEM *see* high resolution transmission electron microscopy
- HSLA *see* high strength low alloy
- hydroforming deep drawing 763
- hydrostatic pressure 146, 148, 161, 164, 167, 172
- ideal forming theory 765, 772
 - bulk forming 765
 - design theory 766
 - sheet forming 765
- image force 204
- impact 800, 801

- implicit schemes 780
- inclusion in a homogeneous effective medium 123
- inclusion problem 522
- incoherent particles 384, 385, 387, 391
- inelastic deformation 115, 124
- input pattern 186, 187, 192, 193
- integration scheme 779
- inter-particle dilational spacing 805, 808
- interaction rules 73, 74
- interface 327–329, 332–334, 337
 - dislocations 398–403
 - element 629, 630
 - velocity 748, 752
- internal degrees of freedom 504
- internal stress 777, 787
- inverse problems 650, 652
- inverse update scheme 302
- IPDS *see* inter-particle dilational spacing
- IPE *see* isotropic plasticity equivalent
- irregular cellular automata 297, 298
- isotropic hardening 448, 783–786
- isotropic plasticity equivalent 769

- jerky glide 614
- J -integral 622, 624, 626–629

- kinematic framework 447, 452–455
- kinematics 483, 496
- kinetic equation 446–449, 451, 453
- kinetics 4, 13, 14, 19, 21, 24, 29, 30, 32, 61, 62, 64, 78, 81, 86, 91, 95–97, 100–102
- Kröner model 434

- Lagrangian scheme 530–532
- Lamel model 466–469, 471
- Lankford value 561
- large strain 727, 736, 741
- lattice Boltzmann automaton 67, 70, 72
- lattice gas 57, 67–72
- lattice mismatch 375–377, 388–390, 392, 393
- lattice orientation 115, 116, 120, 133, 139, 140
- lattice rotation 116
- Laves phase 33
- LE *see* local equilibrium
- LEFM *see* linear elastic-fracture mechanics

- LENP *see* local equilibrium with negligible partitioning
- line energy 375, 376
- line tension 375, 376, 386, 392, 400, 401
 - model 430
- linear elastic-fracture mechanics 622, 796
- linear elasticity 430, 433
- linearization 474–476, 482
- liquid phase 745, 752, 753
- local approach 817
- local equilibrium 4
 - with negligible partitioning 3, 4, 13
 - with partitioning 12
- localisation effects 823
- localization 174–177, 474, 480–482

- M_7C_3 24, 26, 29, 30
- $M_{23}C_6$ 24–26
- macroscopic behavior 123
- magnetic energy 40
- matricity 589–594
 - model 591
- matrix erosion tessellation 808
- MCCG *see* Monte Carlo coarse graining
- mechanical properties 829, 831, 832, 838–843
- mechanical test 146, 169
- mechanical threshold strength 134
- melting 745, 748, 749, 751, 752
- membrane element 766
- mesh dependence 823
- mesoscale 361, 370, 371, 429, 431, 432, 441, 818
- metal fracture 802
- metallurgy 727, 741
- micro-tensile tests 397–399, 408
- micro-texture 535
- microchemistry 684
- micromechanical models 540
- microsegregation 260, 745
- microstructure 85, 87, 89, 92–95, 99, 103, 104, 109, 251, 253, 254, 258, 261, 262, 429, 433, 439, 445, 446, 450, 452–455, 573–575, 578, 580, 587, 649, 650, 652–654, 675, 677, 678, 682, 684, 727, 728, 730, 731, 735, 805–808, 811, 814, 829–832, 835, 836, 838, 841–843
 - evolution 37, 44, 46, 50, 61, 271, 272, 274, 275, 277, 282, 283, 290, 292

- formation 327, 340
- modeling 829, 836
- simulation 705, 713
- microstructure-based model 445, 446, 455
- MicroStructureMonitor 831, 836, 837, 839, 841, 842
- microvoids 805
- minimum creep rate 608, 616
- minimum plastic work
 - path 765, 766
 - proportional true strain path 767
- Mises equivalent stress and strain 594
- misorientation 297, 305, 307
- mixture of experts 197
- MLP *see* multilayer perceptron
- mobility 6, 11, 62–64, 309, 319
- modulus mismatch 393
- molybdenum 218
- Monte Carlo coarse graining 438
- Monte Carlo method 77, 80, 81, 101, 347, 349
- morphology 746, 748, 750, 754
- moving interfaces 4, 9
- MTS *see* mechanical threshold strength
- Mullins Equation 361, 363, 366
- multi-cell calculations 23
- multi-component systems 3–5
- multi-grain 465, 469
- multi-parameter model 447, 451
- multi-step 728, 741
- multicomponent alloys 331, 335
- multifield model 501
- multifunctional materials 574
- multilayer perceptron 185, 188–190, 194, 195, 832
- multiple solutions 462
- multiplicative decomposition 116
- multipole expansion 435
- multiscale approach 501
- multiscale asymptotic developments 519
- mushy zone 751, 756–758

- nanoscale 115
- Navier–Stokes equation 67, 69, 70
- ND *see* neutron diffraction
- negligible partitioning 3, 4, 13
- network training 189, 194
- neural networks 236
- neutron diffraction 121
- Nix–Freund model 398–402, 404

- non-equilibrium 73
- non-faceted growth 754
- non-local behaviour 513
- non-local effects 434
- nucleation 92, 93, 97–101, 109, 818, 820–823
 - law 254, 259
 - mechanism 347
- nucleus 343, 345, 353, 357
- numerical simulation 333

- obstacle arrangement 376, 385
- obstacle potential 332, 333
- obstacle stress 377, 386, 389
- ODF *see* orientation distribution function
- olivine 495, 496
- OM *see* optical microscopy
- on-line model 839, 841
- one-parameter model 446, 447
- OOF 573–578, 581, 582, 584–587
- optical microscopy 253
- optimal design 652, 654, 655
- optimization 765, 766, 769, 777
 - optimum initial blank 765, 766, 768, 769
 - optimum preform 770–772
 - procedure 767–769
- order parameter 431
- order strengthening 375, 377, 386, 389, 393
- ordered intermetallic phase 45, 282
- orientation 57, 58, 61–63, 65, 66
 - distribution 120–122, 124
 - distribution function 115, 120, 121, 126, 304, 459, 469, 561, 562, 565
 - gradient 344, 345
 - selection mechanism 357
- oriented growth 354
- Orowan process 375, 384–386, 389
- overaged crystal 392
- overfitting 185, 195, 197, 198

- pair correlation function 437
- para-equilibrium 3, 4, 14, 17, 34
- parallel computing 84
- partial dislocations 391, 392
- particle 677, 678, 682
 - arrangement 376, 382–384
 - cluster 806
 - distribution 390
 - pinning 87, 101, 103

- radius distribution 375, 383, 386
- shearing 382
- size distribution 383, 393
- strengthening 375
- velocity 68, 69
- particle-stimulated nucleation 343, 351, 353, 689
- partitioning 12, 13
- path dependence 628, 629, 634
- pattern 217, 219
- pattern recognition 185, 186, 190, 191
- PCA *see* principal component analysis
- PDF *see* probability density function
- PE *see* para-equilibrium
- peak-aged crystal 389, 392
- penalty method 767, 772
- penalty term 433
- percolation 641
- perforation simulation 802, 803
- periodic boundary condition 437
- periodic homogenization 521
- PFT *see* pseudo-front tracking
- phase change 727
- phase diagram computations 254, 266
- phase field 501, 505
- phase separation 38, 271, 280, 283
- phase transformations 37, 39, 42, 47, 61, 73, 271, 272, 274, 279, 280, 286, 288, 290, 291
- phase transition 272, 288, 327, 329, 333, 335, 340, 745, 747
- phase-field method 37, 38, 47, 49, 50, 251, 252, 254, 263, 271, 272, 274, 285, 286, 289–291, 650, 654
- phase-field model 327–329, 332, 333, 335, 340, 430, 431, 434, 440
- physical models 829, 833, 835, 842
- piecewise linear interface calculation 255
- piezoelectrics 573, 575, 577, 578
- plane strain compression 536, 556, 557
- plastic
 - anisotropy 561, 570, 780
 - deformation 213, 225, 445, 446, 450, 451, 453, 455
 - deformation gradient 116
 - flow 115, 125, 130
 - potential 124, 126, 128, 133, 141
 - stiffness 123, 124
 - work 149, 150, 172, 173
 - zone 415, 418
- pluggable physics 585
- point defects 432
- Poisson's ratio 594
- pole figure 138
- polycrystal 529, 534, 535, 538, 544, 545, 547, 554–557, 770
 - plasticity 121, 122, 141
 - yield surface 490, 491
- polycrystalline aggregates 520, 524
- polycrystalline material 115
- polygonization 438
- polyphase material 115
- porosity 160, 161, 818–822
- porous materials 819
- Potts model 78, 84
- powder 657–663, 668, 671
- power law 118, 130
- PPM2OOF 575, 576
- precipitates 160, 279, 281, 283–285
- precipitation 42, 44, 232–234, 240–243, 245, 246, 745
- predictive fracture 795
- preform design 766, 770
- primary creep 608, 615
- primary phase formation 254, 257
- primary static recrystallization 64
- principal component analysis 194, 196
- probability density function 77
- process automation 829, 830, 832, 833, 835, 836, 842
- process chain 687, 689, 690, 695, 699
- process simulation 832
- pseudo-front tracking method 251, 254, 255, 263, 266
- PSN *see* particle-stimulated nucleation
- quasistatic loading 818
- r-value 561, 566
- radial basis function networks 185, 191–193, 195
- radial basis functions 191–193, 832
- radius of curvature 778
- rate dependence 413
- rate sensitivity 475, 530, 551
- RBF *see* radial basis functions
- RBFN *see* radial basis function networks
- reaction–diffusion 68

- reaction-diffusion model 441
rechargeable batteries 573, 575
recovery 116, 237, 238, 240–243, 692, 694, 695, 697, 702, 705, 709, 711, 716, 717, 719, 727
recrystallization 57, 61, 64–66, 73, 77, 78, 81, 84–86, 89, 92, 93, 96–104, 109, 110, 233–236, 240–242, 245, 246, 343, 345–347, 349–355, 357, 358, 680–682, 684, 688, 689, 691, 692, 694–697, 699–701, 705, 707, 709–713, 715, 716, 722–724, 727–733, 738, 740–742
recrystallization texture 344–346, 350
reference frame 5–8
relaxed constraints 463
remeshing 727, 733, 741
renormalization 441
representative volume element 818
residual stresses 590, 595, 597, 604, 787
resolved shear stress 117, 118
resonance method 601
reverse loading 152, 158, 172
rheology 639
rigid-plastic formulation 766
Rodrigues space 121
roll force 702, 703
rolled products 688–690
rolled stainless steel 120, 121
rolling 688–691, 697, 698, 700–702, 705–708, 711–713, 715, 717, 719–725
rolling mill 829, 830, 832, 836, 837, 841
room-temperature creep 787
rotation 116, 118, 133–135, 485
Rousselier model 820, 823
R/t ratios 783, 786
r-value 720

scaling relation 413, 417, 423–425
scanning electron microscopy 253
Schmid tensor 116, 475, 484
SDD *see* stochastic dislocation dynamics
SDF *see* size distribution functions
secant approximation 476, 482
second gradient 513–515, 517, 518, 523
second phase 160
second phase particle 805–807, 809, 811
secondary creep 608, 609
secondary phases formation 256, 258

segregation 244, 677
self organizing maps 194
self piercing rivets 799
self-consistent 432, 438, 441
 embedded cell model 591, 593
 model 465, 469, 471, 483, 495
 theories 123
SEM *see* scanning electron microscopy
semi-brittle fracture 413, 415
semisolids 639
sensitivity analysis 653
SFE *see* stacking fault energy
shape factor 313, 319, 321, 322
shapeless cellular automaton 298
shear stress 117
sheet forming 145, 154, 161, 173, 175, 177
sheet forming processes 765
sheet metal 811
sheet processing 706
sheet tension 777, 780–782, 784, 786, 788
shell elements 783
shock wave 218, 223
SIBM *see* strain induced boundary migration
sidewall curl 778, 781
simple shear 501, 502, 507
simulation 361, 366, 369, 370, 840
single crystal 116, 122, 123, 131, 218–220, 223, 413, 414, 423, 513–515, 517, 519, 523–525
sinter distortions 670, 671
sinter forging tests 667, 668
sintering 657, 658, 664–671
size distribution functions 309, 313
skeleton lines 590, 591, 593, 596, 599
skew symmetric tensor 116
slanted fracture 822
slip 473, 475, 483–486, 488, 489, 492–496
 direction 116, 118, 119
 hardening 554, 555
 plane 116, 118, 119
 systems 437, 459–462, 464, 469, 470
SLR *see* special linear relationship
snap back 826
softening 621, 634
solid elements 783
solid state transformation 745
solidification 235, 237, 243, 246, 251–254, 256–258, 260, 261, 263–266, 327, 328, 333, 335, 336, 338, 339, 639,

- 649, 650, 652–654, 745–749, 753–756, 760
- solute diffusion 745, 747
- SOM *see* self organizing maps
- source model 399, 405
- SPC *see* strong pair coupling
- special linear relationship 317
- spin 122, 123
- SPR *see* self piercing rivets
- springback 777–782, 784–788
- SST *see* standard stereographic triangle
- stacking fault energy 543, 544, 547
- stainless steel 134, 139
- standard stereographic triangle 108
- StaRT model 680–682
- state variable 687, 690–693, 703
- statistical mechanics 437
- steel 467, 469, 470, 677, 683, 728, 733, 734, 736, 739
- steel industry 831
- stiffness 124, 125, 131, 132, 134, 139
- stochastic dislocation dynamics 210
- stochastic force 210
- strain gradient 517–519, 523
- strain hardening 156, 158, 159, 174, 544–546, 548, 554, 555, 557, 705, 708, 709, 717, 718, 720, 780
- strain induced boundary migration 353
- strain rate 115, 116, 120, 122, 124–126
- strain-rate potential 161, 169, 766
- Srp93 766
- Srp98 769
- strengthening mechanisms 376, 382, 384, 393
- stress equilibrium 378, 382
- stress exponent 613, 614
- stress field 203, 209, 212, 215–218, 220, 225
- stress space 124, 126–130
- stress-strain curve 406, 407, 608
- stretch bending 779
- stretch flange 805, 807, 811–814
- strong pair coupling 387
- structure evolution equation 448, 451, 453, 455
- subgrain boundaries 611, 615, 617, 618
- subgrain strengthening 616
- superalloy 387, 393
- superdislocation 386, 387
- superposition principle 215
- supervised training 194
- surface diffusion 666
- suspensions 639, 640
- switching probability 62–64
- switching rule 62, 64
- symmetric tensor 116
- symmetry 432
- tangent approximation 482
- tangent modulus 594, 595
- target pattern 186
- Taylor factor 121, 127, 128, 462, 692, 694, 720
- Taylor model 126, 534, 537
- TEM *see* transmission electron microscopy
- temperature field 746, 754, 757
- temperature simulation 707, 709, 711–715, 722
- tempered martensitic steels 615, 616
- tensile strength 829, 831, 832, 839, 841, 842
- tension-compression 781
- ternary alloy 329, 338, 339
- tertiary creep 608, 609
- texture 61, 66, 304, 305, 361, 371, 459, 463–465, 467–469, 473, 475, 483, 485–490, 492, 493, 495, 496, 584, 677, 678, 680–684, 688–690, 692, 693, 699–701, 703
- component 561–567, 570, 571
- evolution 103, 121, 254, 266
- simulation 701, 711, 712, 715, 720, 722
- thermal activation 210, 214, 413, 414, 425
- THERMO-CALC 4
- thermodynamics 3, 4, 30, 441
- thermomechanical
- process 115
- processing 343, 705, 716, 720, 723
- simulation 691
- Theta projection concept 609
- thin film 49, 278, 280, 288–290, 397–401, 403, 404, 408, 502, 508
- plasticity 397, 398, 401, 403
- thixotropy 639
- threading dislocations 398, 403
- through process model 687
- through-process modeling 676, 677
- through-thickness 677
- through-thickness compression 492
- Ti-alloys 613
- time scale 429, 432, 440

- time scaling 85
- time-dependent springback 786
- Titanium 546
- tool 778, 781, 782
- tooling 777–780, 782, 788
- torsion 473, 488–491
- TPM *see* through process model
- training data 186, 197
- training patterns 832, 834
- transfer coefficient 28–32
- transformation 3, 4, 10, 13, 16, 30, 32
- transformation probability 64, 66
- transformation rules 57–61
- transition metals 413
- transmission electron microscopy 401
- triaxial tests 659, 661
- triple junction 301, 302, 334, 335
- triple point 314
- trivalent mosaics 312, 319
- TTC *see* through-thickness compression
- tube hydroforming 763–766
- tungsten 413, 415–417, 423, 424
- turbulence 67
- Turnbull equation 62
- twin hardening 555, 556
- twin volume fractions 547, 556
- twin-matrix interfaces 554, 555
- twinned fraction 486, 487
- twinning 474, 475, 483–487, 492, 493
- two-parameter-model 612, 617

- UMAT subroutine 534
- underaged crystal 389, 392
- undercooling 251, 252, 258–260, 263, 266, 745, 748, 752
- unsupervised training 194
- upper bound 63
- USER-materials 821

- validation data 186, 197
- variational method 497
- velocity gradient 116, 117, 122
- virtual crack extension 624, 627
- virtual experiments 574, 576
- viscoplastic inclusion 478
- viscosity 639–641, 643
- viscous glide 614
- Voce 485, 492, 494
- void coalescence 810–812
- void volume fraction 818, 820–822, 824
- VPSC model 724

- wafer curvature 397–399
- weighting factor 592, 593
- weighting function 133
- weld pool 745, 746, 748, 755, 756, 758, 760
- welding 745, 746, 748, 755–757, 760
- wetting 327
- work hardening 684, 689, 692, 695, 702, 709

- X-ray diffraction 121
- X-ray texture 561, 562
- XRD *see* X-ray diffraction

- yield behavior 821
- yield function 145, 146, 149, 150, 155, 159, 161, 162, 164–168, 172, 173, 175
- yield locus 723
- yield strength 691, 697, 702, 716, 719, 720, 829, 831, 834, 838, 841
- yield stress 232, 236, 237, 244, 245, 448, 450
- yield stress potential 766
- yield surface 126, 128, 133–136
 - analytical 571

- zirconium 492