

Index

• *Symbols and Numerics* •

- * (asterisk), 321, 366
- :: (double-colon) shortcut, 167–168
- @ (group), 321
- 0000 (leading zero) shortcut, 167
- 128-bit secure connection (Internet Explorer 8), 230
- 802.11a wireless technology, 119
- 802.11b wireless technology, 119
- 802.11g wireless technology, 119
- 802.11i standard, 376
- 802.11n wireless technology, 119

• *A* •

- accessing remote computers, 334–336
- active/active configuration, 339
- active/passive configuration, 338
- ActiveX, 206
- adding
 - e-mail protocols, 256–260
 - security to HTTP (HyperText Transfer protocol), 235–237
- Address Resolution Protocol (ARP), 30
- address space aggregation, 157
- addresses
 - IPv6 shortcuts, 167–168
 - sharing with NAT, 83–87
- Adobe Reader plug-in, 213
- Advanced Encryption Standard (AES), 375–376
- adware, 265
- AES (Advanced Encryption Standard), 375–376
- AfriNIC, 61
- AH (Authentication Header), 381
- AIM (AOL Instant Messenger), 289
- Akamai Technologies, 414–415
- Alerts (Internet Explorer 8), 230
- American Registry for Internet Numbers (ARIN), 61, 97
- analyzing netstat output for security, 359–360
- AND operation, 78
- animations, 415
- anonymous FTP sites, 311–312
- anti-malware software, 243, 369
- anti-spyware software, 242–243
- anti-virus software, 242–243, 345

- AOL Instant Messenger (AIM), 289
- Apache HTTP Server
 - overview, 230
 - security of, 234–235
 - setting up, 231–234
 - speeding up, 234
- APNIC (Asia Pacific Registry), 61, 97
- Apple Safari
 - browser privacy settings, 211–212
 - setting up proxy client, 221
- application layer
 - overview, 25
 - protocols, 36–41
 - routing, 135, 142
 - VoIP (Voice over Internet Protocol), 304
- ARIN (American Registry for Internet Numbers), 61, 97
- ARP (Address Resolution Protocol), 30
- Asia Pacific Registry (APNIC), 61, 97
- asterisk (*), 321, 366
- Atom Publishing Protocol (AtomPub), 214
- audit records, 363
- authentication
 - defined, 41, 151
 - digital certificate, 377–381
 - overview, 261, 376
 - VoIP (Voice over Internet Protocol), 307
- Authentication Header (AH), 381
- authority, 187
- autoconfiguration
 - IPv6 techniques, 171–172
 - overview, 172
- autodiscovery (IPv6), 170–171
- automounting, 320
- autoregistration, 172–173

• *B* •

- backward compatible, 179
- bandwidth, 68–69, 135
- Berkeley Internet Name Daemon (bind), 184
- Berkeley Open Infrastructure for Network Computing (BOINC), 340
- BGP (Border Gateway Protocol)
 - BGP-4, 153–154
 - Eavesdropping, 161
 - overview, 35
 - routers, 154

- bind (Berkeley Internet Name Daemon), 184
 - bit, 58–59
 - BitLocker Drive Encryption, 354
 - block, 375
 - block cipher, 375
 - blocking pop-ups, 218
 - blog, 290
 - BOINC (Berkeley Open Infrastructure for Network Computing), 340
 - bombing, 265–266
 - book
 - conventions, 2
 - icons, 5
 - organization, 3–5
 - Boolean, 78
 - BOOTP (Boot Protocol), 39
 - Boran, Sean (IT Security Cookbook), 420
 - Border Gateway Protocol (BGP)
 - BGP-4, 153–154
 - Eavesdropping, 161
 - overview, 35
 - routers, 154
 - botnet, 352–353
 - bots, 352
 - broadband
 - VoIP calls, 300
 - wireless service, 129
 - browser
 - FTP client, 312
 - managing cookies with, 210–212
 - overview, 46
 - security features, 228–230
 - bugging VoIP calls, 306
- C •
- CA (Certification Authority), 377
 - cache
 - cleaning browser, 216
 - defined, 182, 184, 192
 - caching-only name servers, 192
 - caching proxy server, 223–227
 - caching servers, 192–193
 - calling
 - computer to computer, 301
 - computer to phone, 301
 - phone to phone, 301–302
 - care-of address (CoA), 295, 297
 - ccTLD (country code top-level domain), 66–67
 - CERN httpd, 230
 - CERT (Computer Emergency Response Team), 266, 373, 418
 - certificate, 238
 - Certification Authority (CA), 377
 - Chambers, Chris (“TCP/IP Security”), 418
 - channels, 288
 - chat rooms, 287
 - children, 112
 - choosing
 - communication methods, 287–289
 - FTP client, 312
 - Chrome (Google), 221–222
 - CIDR (Classless Inter-Domain Routing)
 - Internet layer protocol, 31
 - overview, 154–156, 158
 - relationship with routing tables, 157–158
 - cipher, 375
 - Cisco Security Podcast Series, 419
 - Class C networks, 74
 - classful addresses, 55–56
 - classful IP addressing. *See* CIDR (Classless Inter-Domain Routing)
 - classless, 158
 - Classless Inter-Domain Routing (CIDR)
 - Internet layer protocol, 31
 - overview, 154–156, 158
 - relationship with routing tables, 157–158
 - clearing
 - browser cache, 216
 - DNS cache, 192–193
 - client
 - defined, 45, 182
 - defining, 45
 - e-mail, 246–247
 - examples, 46
 - information, 95
 - telnet, 335–336
 - tips, 325
 - Webmail, 247
 - client properties, setting
 - Linux, 100–102
 - Mac OS X, 98–100
 - overview, 97–98
 - Unix, 100–102
 - Windows Vista, 102–103
 - Windows XP, 103–104
 - client/server computing
 - determining, 95
 - DNS (Domain Name Server), 184–187
 - relationship with TCP/IP, 47
 - cluster-aware, 339
 - clustered resources, sharing, 338–339
 - clustering
 - defined, 44, 338
 - for high availability, 338
 - for load balancing, 338–339
 - for supercomputing, 339
 - CoA (care-of address), 295, 297
 - command line, 312
 - commerce server, 44
 - common sense, importance of e-mail, 261–262

- communication methods, 287–289
 - compute power, sharing, 339–340
 - Computer server, 44, 333
 - computer
 - connecting, 124
 - name, 52
 - number, 52–53
 - Computer Emergency Response Team (CERT), 266, 373, 418
 - concealing e-mail addresses, 268
 - concurrency control, 318
 - confidentiality, 261
 - configuring
 - IPv6, 173–176
 - Linux client, 100–102
 - Mac OS X client, 98–100
 - NFS client, 323–324
 - NFS server, 320–322
 - squid, 224–227
 - TCP/IP, 94–97
 - Unix client, 100–102
 - Windows Vista, 102–103
 - Windows XP, 103–104
 - connecting
 - computers, 124
 - wireless routers, 120–121
 - controlling remote desktops, 337
 - conventions in this book, 2
 - cookies
 - defined, 209
 - managing with browser, 210–212
 - privacy settings, 210
 - storing information as, 209
 - copying files with rcp or scp, 316–317
 - country code top-level domain (ccTLD), 66–67
 - creating
 - animations online, 415
 - PGP keys, 283–284
 - shortcuts, 218
 - “Crime: The Real Internet Security Problem” (Google video), 418–419
 - cronnix Web site, 217
 - cryptography, 374
 - cryptology resources, 418
 - CUPS printing, 331–332
 - cybersnoops, 263–265
- **D** •
- daemons
 - defined, 28, 112
 - locating, 113–114
 - starting, 322
 - types, 112–113
 - DARPA (Defense Advanced Research Projects Agency), 134
 - data
 - e-mail structures, 248
 - encrypting, 243
 - packets, 16
 - data link layer
 - overview, 24
 - routing, 136–137, 138, 139, 141, 142
 - VoIP, 304
 - data link protocols, 29
 - DDoS (distributed denial-of-service) attacks, 351–352
 - dedicated servers, 45
 - default gateway, 136
 - default route, 136
 - Defense Advanced Research Projects Agency (DARPA), 134
 - defining
 - clients, 45
 - e-mail protocols, 256–257
 - delay, 135
 - Denial of Service (DoS) attacks, 160
 - designated routers, 151
 - detecting
 - spyware, 243
 - TCP/IP, 92
 - DHCP (Dynamic Host Configuration Protocol)
 - expired leases, 82–83
 - how it works, 81–82
 - leased address, 96–97
 - overview, 40, 79–80
 - using with NAT, 84–86
 - diagnosing problems, 396–406
 - digital certificates. *See also* digital signatures
 - checking, 379–380
 - defined, 244, 377
 - obtaining, 377–378
 - troubleshooting, 380–381
 - using, 378–379
 - Web browsing with, 238
 - digital signatures, 230. *See also* digital certificates
 - certificates
 - directory service, 258
 - distance vector protocol, 150
 - distributed, 187
 - distributed database, 182
 - distributed denial-of-service (DDoS) attacks, 351–352
 - distributed system, 181
 - DNS (Domain Name Service)
 - application layer protocol, 36
 - basics, 183
 - client/server style, 184–187
 - client software, 184, 194
 - components, 182

- DNS (Domain Name Service) (*continued*)
 - DNSSEC (DNS Security Extensions), 195–198
 - domains and zones, 193–195
 - DYDNS (Dynamic DNS), 195
 - e-mail protocol, 256
 - MX records, 254
 - name and address responsibility, 187–189
 - overview, 181–182
 - relationship with hosts file, 108
 - resolving names and addresses, 64–65
 - servers and authority, 189–193
 - DNSSEC Deployment Initiative, 196
 - DNSSEC (DNS Security Extensions)
 - application layer protocol, 36
 - DNS need for, 196–197
 - how it works, 197–198
 - overview, 195–196
 - Windows 7, 197
 - document management systems, 290
 - domain
 - defined, 65, 158, 182
 - obtaining new, 68
 - overview, 193–195
 - types, 66–67
 - Domain Name Service (DNS)
 - application layer protocol, 36
 - basics, 183
 - client/server style, 184–187
 - client software, 184, 194
 - components, 182
 - DNSSEC (DNS Security Extensions), 195–198
 - domains and zones, 193–195
 - DYDNS (Dynamic DNS), 195
 - e-mail protocol, 256
 - MX records, 254
 - name and address responsibility, 187–189
 - overview, 181–182
 - relationship with hosts file, 108
 - resolving names and addresses, 64–65
 - servers and authority, 189–193
 - Domain Name System Security Extensions (DNSSEC)
 - application layer protocol, 36
 - DNS need for, 196–197
 - how it works, 197–198
 - overview, 195–196
 - Windows 7, 197
 - DoS (Denial of Service) attacks, 160
 - dotted decimal notation, 55
 - double-colon (::) shortcut, 168–169
 - download, 310
 - download scheduling software, 217
 - dual-stack router, 87
 - DYDNS (Dynamic DNS), 195
 - Dynamic Host Configuration Protocol (DHCP)
 - expired leases, 82–83
 - how it works, 81–82
 - leased address, 96–97
 - overview, 40, 79–80
 - using with NAT, 84–86
 - Dynamic HTML, 204
 - dynamic mounting, 320
 - dynamic routing, 134, 135, 152
- E ●
- eavesdropping with VOMIT, 306
 - editing exports file, 321
 - EGP (Exterior Gateway Protocol)
 - BGP-4, 153–155
 - overview, 152–153
 - 802.11a wireless technology, 119
 - 802.11b wireless technology, 119
 - 802.11g wireless technology, 119
 - 802.11i standard, 376
 - 802.11n wireless technology, 119
 - e-mail
 - adding protocols, 256–260
 - clients, 46, 246–247
 - clients versus Web mail clients, 247
 - defining protocols, 255–256
 - DNS MX records, 254
 - encrypting, 282–284
 - how it works, 245–246
 - Postfix, 249–252
 - SMTP (Simple Mail Transfer Protocol), 255
 - store-and-forward method, 253–254
 - system, 246
 - terminology, 275
 - e-mail security
 - bombing, 265–266
 - common sense, importance of, 261–262
 - concealing addresses, 268
 - cybersnoops, 263–265
 - keyloggers, 264
 - layering, 269–278
 - mail clients/servers, 278–284
 - malware, 265
 - overview, 261
 - phishing, 263
 - pop-ups/pop-unders, 263
 - spamming, 266
 - spoofing, 267
 - troubleshooting, 267–268
 - e-mail servers
 - data structures, 248
 - overview, 247
 - product choices, 248

enabling wireless security, 125–126
 Encapsulating Security Payload (ESP), 381
 encryption
 defined, 243
 e-mail, 282–284
 key, 374
 overview, 374–375
 VoIP (Voice over Internet Protocol), 307
 ensuring address uniqueness, 171–172
 ESP (Encapsulating Security Payload), 381
 Ethernet
 overview, 20–21
 speed of, 21
 event, 364
 event logging, 370–372
 examining logs, 362–363
 exported file systems, 309
 exports file, 321
 eXtended InterNET Daemon (xinetd), 358
 Extensible HyperText Markup Language (XHTML), 205
 Extensible Markup Language (XML), 204, 205
 Extensible Messaging and Presence Protocol (XMPP), 288
 Exterior Gateway Protocol (EGP)
 BGP-4, 153–155
 overview, 152–153
 extranet
 compared with intranet, 14–15
 defined, 14

● F ●

FA (foreign agent), 295
 FBI (U.S. Federal Bureau of Investigation), 266
 file server, 44, 309
 file system table (fstab), 323
 File Transfer Protocol Daemon (FTPD), 28
 File Transfer Protocol (FTP)
 application layer protocol, 36
 automounting, 320
 configuring NFS client, 323–324
 configuring NFS server, 320–322
 copying files with rcp or scp, 316–317
 CUPS (Common Unix Print System), 331–332
 how it works, 310–316
 mount protocol, 319
 network print services, 328–331
 NFS performance tips, 324–325
 NFS security tips, 325–326
 overview, 28, 310
 sharing files off the stack, 326–328
 sharing network file systems, 317–319

files. *See also* network files
 copying with rcp or scp, 316–317
 sharing, 309–310, 326–328
 transferring, 312–316
 filtering, 220
 finger service, 359
 firewalls
 layering, 242
 log files, 369
 personal, 241–242
 VoIP (Voice over Internet Protocol), 308
 Flash Player plug-in, 213
 flow, 178
 foreign agent (FA), 295
 FQDN (Fully Qualified Domain Name), 53, 65–68
 FSF (Free Software Foundation) GPL (General Public License), 13
 fstab (file system table), 323
 FTP with Advanced Encryption Security (AES) protocol, 315
 FTP client
 choosing, 312
 defined, 310
 FTP (File Transfer Protocol)
 application layer protocol, 36
 automounting, 320
 configuring NFS client, 323–324
 configuring NFS server, 320–322
 copying files with rcp or scp, 316–317
 CUPS (Common Unix Print System), 331–332
 how it works, 310–316
 mount protocol, 319
 network print services, 328–331
 NFS performance tips, 324–325
 NFS security tips, 325–326
 overview, 28, 310
 sharing files off the stack, 326–328
 sharing network file systems, 317–319
 FTP server, 310
 FTP sites, anonymous, 311–312
 FTPD (File Transfer Protocol Daemon), 28
 FTPS (FTP over SSL/TLS), 315
 Fully Qualified Domain Name (FQDN), 53, 65–68
 FYI 36, 343

● G ●

gateway, 145, 305
 generic top-level domain (gTLD), 66–67
 G.hn, 376
 Gibson Research Corporation, 349, 415–416
 GlobalSign, 378
 GNOME
 graphical interface, 98, 360, 393
 System Log Viewer, 367

Google Chrome, 221–222
 graphical program, 312
 grid computing, 339–340
 group (@), 321
 gTLD (generic top-level domain), 66–67

• H •

H.323 standard, 306
 HA (High Availability) cluster, 338
 HA (home agent), 295
 Hallam-Baker, Phillip (Internet security designer), 418–419
 hard coded, 204
 hardware
 Ethernet, 20–21
 keylogging appliances, 264
 network connection media, 20
 overview, 19
 tips, 324
 wireless networking, 116–120
 hexadecimal, 166
 hiding e-mail addresses, 268
 Hierarchical Mobile IPv6 Mobility Management (HMIPv6), 297
 High Availability (HA) cluster, 338
 High-Performance Computing (HPC) cluster, 339
 HMIPv6 (Hierarchical Mobile IPv6 Mobility Management), 297
 home agent (HA), 295
 home network, 295
 home office. *See* wireless networking
 hop, 133
 host
 name, 52
 number, 52–53
 hosts file, 194
 hosts.equiv file, 109
 hotspots, wireless, 128
 HPC (High-Performance Computing) cluster, 339
 HTML (HyperText Markup Language). *See also* Dynamic HTML
 compared with XML, 204
 overview, 202–204
 HTTP (HyperText Transfer Protocol)
 adding security, 235–237
 application layer protocol, 39
 e-mail, 258
 HTTP Secure (HTTPS), 39, 236
 hypermedia, 206–207
 hypertext, 206–207
 HyperText Markup Language. *See* HTML (HyperText Markup Language)
 HyperText Transfer Protocol. *See* HTTP (HyperText Transfer Protocol)

• I •

IAB (Internet Activities Board), 11
 IANA (Internet Assigned Numbers Authority), 61
 IC3 (Internet Crime Compliance Center), 266
 ICANN (Internet Corporation for Assigned Names and Numbers), 11
 ICMP (Internet Control Message Protocol), 30, 391
 icons in this book, 5
 IEEE (Institute of Electrical and Electronics Engineers), 13
 IETF (Internet Engineering Task Force), 11
 IGP (Interior Gateway Protocol)
 application layer protocol, 35
 OLSR (Optimized Link State Routing Protocol), 152
 OSPF (Open Shortest Path First), 149, 151–152
 OSPFv3, 149, 152
 overview, 149
 RIP (Routing Information Protocol), 149, 150–151
 RIPng, 149, 151
 RIPv2, 149, 151
 IMAP client, 279–281
 IMAP4 (Internet Message Access Protocol version 4, revision 1), 38, 257, 275
 IMPP (Instant Messaging and Presence Protocol), 41
 inetd (Internet daemon), 358
 inetd program, 112
 installing. *See also* IPv6 (Internet Protocol version 6) installation
 personal firewall, 241–242
 Postfix, 249–252
 squid, 223–224
 TCP/IP, 91–94, 105–107
 instant messaging, 287, 288
 Instant Messaging and Presence Protocol (IMPP), 41
 Institute of Electrical and Electronics Engineers (IEEE), 13
 integrity, 261
 inter-domain, 158
 Interior Gateway Protocol (IGP)
 application layer protocol, 35
 OLSR (Optimized Link State Routing Protocol), 152
 OSPF (Open Shortest Path First), 149, 151–152
 OSPFv3, 149, 152
 overview, 149
 RIP (Routing Information Protocol), 149, 150–151
 RIPng, 149, 151
 RIPv2, 149, 151

- International Organization for Standardization (ISO), 13
 - Internet
 - addresses, 69
 - bandwidth, 68–69
 - defined, 13–14
 - Internet Activities Board (IAB), 11
 - Internet Assigned Numbers Authority (IANA), 61
 - Internet Control Message Protocol (ICMP), 30, 391
 - Internet Corporation for Assigned Names and Numbers (ICANN), 11
 - Internet Crime Compliance Center (IC3), 266
 - Internet daemon (inetd), 358
 - Internet Engineering Task Force (IETF), 11
 - Internet Explorer 8
 - alerts, 230
 - privacy settings, 210–211
 - security features, 229–230
 - setting up proxy client, 220–221
 - Internet layer
 - overview, 24
 - protocols, 29–31
 - routing, 136, 138, 139, 141, 142
 - VoIP (Voice over Internet Protocol), 304
 - Internet management groups, 11, 13
 - Internet Message Access Protocol version 4, revision 1 (IMAP4), 38, 257, 275
 - Internet Printing Protocol (IPP)
 - application layer protocol, 40–41
 - components, 330
 - valuing features, 329–330
 - internet (private), 14
 - Internet Protocol (IP), 29
 - Internet Protocol version 6. *See* IPv6 (Internet Protocol version 6)
 - Internet Protocol version 4. *See* IPv4 (Internet Protocol version 4)
 - Internet Relay Chat (IRC), 288
 - Internet Society (ISOC), 11
 - Internet Traffic Report, 413
 - intranet
 - compared with extranet, 14–15
 - defined, 14
 - IP address
 - bits, 58–59
 - components, 56–58
 - dynamic, 62
 - finding, 62–64
 - obtaining, 60–64
 - obtaining globally unique, 61–62
 - obtaining static, 62
 - overview, 52–55
 - static, 96–97
 - IP (Internet Protocol)
 - hijacking, 160–161
 - overview, 29
 - spoofing, 177
 - versions, 92–93
 - IP Security Protocols (IPSec), 30–31, 381–382
 - IPP (Internet Printing Protocol)
 - application layer protocol, 40–41
 - components, 330
 - valuing features, 329–330
 - IPSec (IP Security Protocol), 30–31, 381–382
 - IPv4 (Internet Protocol version 4)
 - address, 55, 92–93
 - coexistence shortcut, 168
 - stacking with IPv6, 179
 - IPv6 (Internet Protocol version 6)
 - address, 92–93
 - address shortcuts, 167–168
 - advantages of, 164–165
 - autoconfiguration, 171–172
 - autodiscovery, 170–171
 - autoregistration, 172–173
 - configuring, 173–176
 - ease of use, 169–173
 - features, 176–178
 - hexadecimal, 166
 - Internet layer protocol, 30
 - IPv4 characteristics retained, 165
 - limitations of IPv4, 164
 - overview, 163–164
 - relationship with IPv4, 179–180
 - sections, 165–166
 - special addresses, 169
 - stacking with IPv4, 179
 - subnet/supernet masks, 172
 - tunneling through IPv4, 180
 - unique addresses, 171–172
 - IPv6 (Internet Protocol version 6) installation
 - Linux, 175–176
 - Mac OS X, 175
 - overview, 173
 - Unix, 175–176
 - Windows XP/Windows Server 2003, 173–175
 - IRC (Internet Relay Chat), 288
 - ISO (International Organization for Standardization), 13
 - ISOC (Internet Society), 11
 - IT Security Cookbook (Boran), 420
- 7 •
- Jabber protocol, 288
 - jamming, 307
 - Java, 206
 - JavaScript, 206

• K •

KDE graphical interface, 98
 Kerberos
 concepts, 382–383
 example, 383–384
 overview, 382
 setting up client, 387–388
 setting up server, 385–386
 using, 384–385
 Kerberos Network Authentication Service, 41
 key, 282
 keyloggers, 264
 Kozierek, Charles (TCP/IP Guide), 419

• L •

L2TP (Layer 2 Tunneling Protocol), 31
 LACNIC, 61
 LANs (Local Area Networks), 16–17
 Layer 2 Tunneling Protocol (L2TP), 31
 layers. *See also* protocol stack
 firewalls, 242
 security, 269–278
 VoIP (Voice over Internet Protocol), 304
 LDAP (Lightweight Directory Access Protocol),
 38, 256, 258
 LeakTest, 416
 Lightweight Directory Access Protocol (LDAP),
 38, 256, 258
 link-local addresses (IPv6), 169
 link state protocol, 152
 Linux
 clearing DNS cache, 193
 configuring IPv6, 175–176
 configuring TCP/IP, 100–102
 host file locations, 108
 netstat, 358–359
 networking configuration window, 98
 NIC (network interface card), 96
 overview, 94
 ps, 355–356
 load balancing, 338–339
 local area mobility, 294
 Local Area Networks (LANs), 16–17
 local computer, 310
 local hosts file, 107–109
 locating
 daemons, 113–114
 log files, 366–367
 locking features, 318

log files, 366–367
 logs
 examining, 362–363
 viewing, 367–368
 loopback address (IPv6), 169
 Loriot Pro V5 Network Management System, 407
 Lynx, 217–218

• M •

MAC (Media Access Control)
 address, 24, 69
 filtering, 125
 Mac OS X
 clearing DNS cache, 193
 client, 98–100
 configuring IPv6, 175
 host file locations, 108
 netstat, 358–359
 NIC (network interface card), 96
 overview, 93
 ps, 355–356
 MAE West traffic report, 218
 mail client, 278–284
 mail server, 278–284
 mail transfer agent (MTA), 247, 255, 275
 mail user agent (MUA), 246
 mailbox, 248
 malware
 bots, 352–353
 (DDoS) distributed denial of service, 351–352
 loading, 240
 overview, 265, 277, 347–348
 port scanning, 348–351
 rootkits, 353–355
 management servers, 45
 managing cookies with browsers, 210–212
 many-to-many, 285
 many-to-one, 285
 masks, subnet, 76–77
 Master Gateway Control Protocol (MGCP), 305
 Media Access Control (MAC)
 address, 24, 69
 filtering, 125
 message queue, 248
 metrics, 135
 Metropolitan Area Ethernet (MAE), 218
 MGCP (Master Gateway Control Protocol), 305
 MHTML (Multipurpose Internet Mail
 Extensions), 205
 microblog services, 290

- Microsoft
 - proprietary event logging, 370–372
 - proprietary Internet Information Services (IIS), 230
 - TechNet Library, 420
 - Microsoft Internet Explorer 8
 - alerts, 230
 - privacy settings, 210–211
 - security features, 229–230
 - setting up proxy client, 220–221
 - Microsoft Windows
 - clearing DNS cache, 193
 - host file locations, 108
 - network shares, 326–327
 - NIC (network interface card), 96
 - overview, 93
 - ps, 356–357
 - using netstat on, 360–362
 - Microsoft Windows 7, 197
 - Microsoft Windows Server 2003, 173–175
 - Microsoft Windows Server 2008, 224–227, 330–331
 - Microsoft Windows Vista, 102–103
 - Microsoft Windows XP
 - configuring IPv6, 173–175
 - configuring TCP/IP, 103–104
 - event logging, 369–370
 - MMS (Multimedia Messaging Service), 286–287
 - MN (mobile node), 295
 - mobile, 46
 - mobile computing support, 178
 - Mobile IP, 30, 294–296
 - mobile node (MN), 295
 - Mobile Virtual Private Network (MVPN), 298
 - mobility
 - binding table, 295
 - Mobile IP, 294–296
 - potential IPv6 enhancements, 296–297
 - security, 297–298
 - types, 294
 - monitoring network use with ps, 355–357
 - mount protocol, 319
 - MP3 files, 212
 - MTA (mail transfer agent), 247, 255, 275
 - MUA (mail user agent), 246
 - multicasting, 57
 - multimedia
 - Internet, 212–214
 - IPv6, 178
 - plug-ins, 213
 - turning off, 216
 - Multimedia apps for Linux plug-in, 213
 - Multimedia Messaging Service (MMS), 286–287
 - Multipurpose Internet Mail Extensions (MHTML), 205
 - multitap, 286–287
 - MVPN (Mobile Virtual Private Network), 298
 - MX records of DNS, 258–260
- N •
- Name Server Daemon (NSD), 185
 - name servers
 - defined, 182, 184
 - overview, 184–186
 - querying, 401–403
 - serving client needs, 186–187
 - states, 186
 - named daemon, 113
 - NAT. *See* Network Address Translation (NAT)
 - NAT-PT (Network Address Translation-Protocol Translation), 87–88
 - NDP (Neighbor Discovery Protocol), 170–171
 - NEMO (Network Mobility), 297
 - netgroup file, 321–322
 - netnews, 289–290
 - netstat
 - analyzing output for security, 359–360
 - GNOME graphical interface, 360
 - Linux, 358–359
 - Mac OS X, 358–359
 - Microsoft Windows, 360–362
 - overview, 357–358
 - Unix, 358–359
 - Network Address Translation (NAT)
 - how it works, 83–84
 - incompatibilities of, 86–87
 - NAT-PT (Network Address Translation-Protocol Translation), 87–88
 - overview, 83
 - securing, 84
 - using with DHCP, 84–86
 - Network Address Translation-Protocol Translation (NAT-PT), 87–88
 - network administrators, 182, 344
 - network file system (NFS)
 - configuring server, 320–322
 - performance tips, 324–325
 - security tips, 325–326
 - sharing, 317–319
 - network files
 - local hosts file, 107–109
 - overview, 107
 - personal trust file, 110
 - services file, 111–112
 - trusted hosts file, 109
 - network interface card (NIC), 20, 95–96, 116
 - Network Mobility (NEMO), 297
 - Network News Transfer Protocol (NNTP), 290

- network print services
 - IPP features, 329–330
 - overview, 328–329
 - Windows Server 2008 print servers over IPP, 330–331
- network security
 - antivirus software, 345
 - determining responsibility of, 344
 - malware infection symptoms, 347–355
 - preventive measures, 345–347
 - procedures for, 344–345
- Network Security Podcast, 419
- Network Time Protocol (NTP), 38–39
- networks. *See also* wireless networking
 - adapters, 20
 - cards, 20
 - Class C, 74
 - connection media, 20
 - LANs (Local Area Networks), 16–17
 - layers, 24
 - protocol/application/service relationship, 27–28
 - public or private, 60
 - resources, 333–334
 - shares, 326–327
 - WANs (Wide Area Networks), 17
 - wireless, 17
 - WLAN, 17
 - WWAN, 17
- newsgroups, 289–290
- NFS client, configuring, 323–324
- NFS (network file system)
 - configuring server, 320–322
 - mounting, 319
 - performance tips, 324–325
 - security tips, 325–326
 - sharing, 317–319
- NFSv4, 318–319
- NIC (network interface card), 20, 95–96, 116
- NNTP (Network News Transfer Protocol), 290
- no single point of failure, 324
- node, 165, 338
- NSD (Name Server Daemon), 185
- nslookup, 401–403
- NTP (Network Time Protocol), 38–39



- obtaining
 - digital certificates, 377–378
 - IP address, 60–64
- OLSR (Optimized Link State Routing Protocol), 152

- on-link prefix, 170
- one-to-many, 285
- one-to-one, 285
- 128-bit secure connection (Internet Explorer 8), 230
- online chat, 287
- online identity, 287
- Open Shortest Path First (OSPF), 35, 151–152
- open source software, 328
- Open System for CommunicAtion in Realtime (OSCAR), 289
- Open Systems Interconnection (OSI), 13
- Optimized Link State Routing Protocol (OLSR), 152
- OSCAR (Open System for CommunicAtion in Realtime), 289
- OSI (Open Systems Interconnection), 13
- OSPF (Open Shortest Path First), 35, 151–152
- OSPFv3, 152



- P2P (peer-to-peer computing), 47–49
- packet sniffer, 239, 265
- packet spoofing, 196
- packet switching, 132
- PacketHound (Palisade Systems, Inc.), 49
- packets
 - overview, 16, 25–27
 - travel patterns of, 135–143
- pages, proxy server caching, 219–220
- PAP (Push Access Protocol), 287
- password cracking, 239–240
- payload, 177
- peer-to-peer computing (P2P), 47–49
- performance servers, 45
- personal firewall
 - defined, 241
 - installing, 241–242
- personal trust file, 110
- pervasive mobility, 294
- PGP (pretty good privacy), 281–284, 375
- phishing
 - defined, 240
 - overview, 263, 276
- physical layer
 - overview, 23
 - protocols, 29
 - routing, 137, 138, 139, 141, 142
 - VoIP (Voice over Internet Protocol), 304
- ping command
 - graphically, 393–395
 - options, 391–393

- overview, 390–391
 - “the Ping of Death,” 395–396
 - pinging
 - nslookup, 401–403
 - overview, 396–401
 - plug-ins, multimedia, 213
 - PMIP (Proxy Mobile IP IPv6), 297
 - podcasts, 419
 - Point-to-Point Tunneling Protocol (PPTP), 39–40
 - POP client, 279–281
 - pop-up blockers, 263, 277
 - Pop-up Blocker (Internet Explorer 8), 229–230
 - pop-ups
 - blocking, 218
 - defined, 229
 - overview, 263, 277
 - POP3 (Post Office Protocol version 3), 38, 257–258, 275
 - port id number, 112
 - port numbers, 70–71
 - port scanning, 348–351
 - Port testing, 416
 - portability, 294
 - portmap, rpc.statd service, 360
 - Post Office Protocol version 3 (POP3), 38, 257–258, 275
 - Postfix, 249–252
 - PPTP (Point-to-Point Tunneling Protocol), 39–40
 - prefetching, 216
 - presence status, 287
 - Pretty Good Privacy (PGP), 281–284, 375
 - primary name server, 189–190
 - print server, 328
 - print services
 - IPP features, 329–330
 - overview, 328–329
 - Windows Server 2008 print servers over IPP, 330–331
 - print sharing options, 329–330
 - printing CUPS, 331–332
 - privacy settings (cookies), 210
 - private key
 - cryptography, 374–375
 - defined, 282
 - private network, 60
 - properties
 - client, 97–104
 - server, 104–105
 - protocol stack
 - application layer, 25
 - data link layer, 24
 - Internet layer, 24
 - number of, 23
 - overview, 22–23
 - physical layer, 23
 - transport layer, 24
 - protocols. *See also* routing protocols
 - defined, 10, 19
 - distance vector, 151
 - e-mail, 256–257
 - link state, 152
 - MMS (Multimedia Messaging Service), 286–287
 - mount, 319
 - PAP (Push Access Protocol), 287
 - print, 329
 - routing, 35
 - SMPP (Short Message Peer-to-Peer Protocol), 287
 - SMS (Short Message Service), 286–287
 - TCP/IP (Transmission Control Protocol/Internet Protocol), 10–13
 - VoIP (Voice over Internet Protocol), 304–306
 - protocols (e-mail)
 - HTTP (HyperText Transport Protocol), 258
 - IMAP4 (Internet Message Access Protocol version 4, revision 1), 257
 - LDAP (Lightweight Directory Access Protocol), 258
 - MX records of DNS, 258–260
 - overview, 256
 - POP3 (Post Office Protocol version 3), 256–257
 - proxy client, 220–222
 - Proxy Mobile IP IPv6 (PMIP), 297
 - proxy server
 - caching pages, 219–220
 - filtering, 220
 - increasing speed with, 217
 - overview, 218–219
 - setting up proxy client, 220–222
 - ps, monitoring network use with, 355–357
 - public key
 - cryptography, 374–375
 - defined, 282
 - public network, 60
 - pull, 28
 - push, 28
 - Push Access Protocol (PAP), 287
- *Q* •
- querying name servers, 401–403
- *R* •
- RARP (Reverse Address Resolution Protocol), 30
 - rcp, copying files, 316–317
 - Reader plug-in (Adobe), 213

- real-time application support (IPv6), 178
 - Real-Time Control Protocol (RTCP), 305
 - Real-Time Transport Protocol (RTP), 305
 - Really Simple Syndication (RSS), 214
 - RealPlayer plug-in, 213
 - RedHat Linux, 98
 - relay host, 251
 - reliability, 135
 - remote access sessions, 336–337
 - remote computers
 - accessing, 334–336
 - controlling, 337
 - defined, 310
 - remote execution (`rexec`), 336
 - Remote Procedure Calls (RPCs), 326
 - remote shell (`rsh`), 335–336
 - `remsh` (still remote shell), 335–336
 - Request for Comments (RFC) documents, 12–13
 - Réseaux IP Européen (RIPE NCC), 61, 97
 - resolvers
 - defined, 182, 184
 - overview, 184–186
 - Resource Reservation Protocol (RSVP), 36
 - resources, security, 417–420
 - Reverse Address Resolution Protocol (RARP), 30
 - `rexec` (remote execution), 336
 - RFC 5424. *See* Syslog Protocol
 - RFC 4949, “Internet Security Glossary,” 343
 - RFC Editor, 343
 - RFC (Request for Comments) documents, 12–13
 - `.rhosts` file, 110
 - RIP (Routing Information Protocol), 150–151
 - RIPE NCC (Réseaux IP Européen), 61, 97
 - RIPng (RIP next generation), 151
 - RIPv2 (RIP version 2), 151
 - `rlogin` software, 335
 - root name service operators, 188
 - Root-Servers Technical Operations Association, 188
 - root zone file, 188
 - rootkits, 353–355
 - route, 146
 - route aggregation, 155
 - routed daemon, 113
 - router hijacking, 160–161
 - routers
 - BGP (Border Gateway Protocol), 154
 - connecting wireless, 120–121
 - defined, 74, 117
 - getting started, 146–147
 - how they work, 143–146
 - overview, 75
 - securing, 159–162
 - setting up wireless, 121–124
 - software, 118
 - wireless networking, 117–118
 - routing
 - CIDR (Classless Inter-Domain Routing), 154–159
 - defined, 133, 158
 - dynamic, 134, 135, 152
 - layer travel, 135–143
 - protocols, 148–154
 - static, 135
 - terminology, 132–135
 - Routing Information Protocol (RIP), 150–151
 - routing protocols
 - defined, 134
 - EGP (Exterior Gateway Protocols), 152–154
 - IGP (Interior Gateway Protocol), 149–152
 - overview, 35, 148
 - routing tables
 - defined, 133–134
 - relationship with CIDR (Classless Inter-Domain Routing), 157–158
 - `rpc.mountd` daemon, 322
 - `rpc.nfsd` daemon, 322
 - RPCs (Remote Procedure Calls), 326
 - `rsh` (remote shell), 335–336
 - RSS Advisory Board, 214
 - RSS (Really Simple Syndication), 214
 - RSVP (Resource Reservation Protocol), 36
 - RTCP (Real-Time Control Protocol), 305
 - RTP (Real-Time Transport Protocol), 305
- S ●
- Safari (Apple)
 - browser privacy settings, 211–212
 - setting up proxy client, 221
 - Safer Networking’s Spybot – Search and Destroy, 108
 - Samba, 327–328
 - S-BGP (Secure BGP), 161–162
 - scanning engine, 345
 - `scp`, copying files, 316–317
 - searching security logs for problems, 369–370
 - secondary name servers, 190–192
 - Secure Real-Time Transfer Protocol (SRTP), 307
 - Secure Shell Protocol (SSH), 315
 - Secure Sockets Layer (SSL)
 - application layer protocol, 40
 - OpenSSL, 376
 - overview, 236–237
 - transaction, 237–238
 - securing
 - FTP file transfers, 315–316
 - NAT (Network Address Translation), 84

- remote access sessions, 336–337
- routers, 159–162
- wireless network, 125–128
- security. *See also* E-Mail security; network security
 - Advanced Encryption Standard (AES), 375–376
 - analyzing netstat output for, 359–360
 - anti-spyware software, 242–243
 - anti-virus software, 242–243
 - Apache HTTP Server, 234–235
 - attacks on, 239–240
 - authentication, 376–381
 - basic protections, 243–244
 - encryption, 243, 374–375
 - instant messaging systems, 288
 - IPSec (IP Security Protocol), 381–382
 - IPv6, 176–177
 - Kerberos, 382–388
 - layering, 269–278
 - logs, 369–370
 - mobilizing, 297–298
 - NFS tips, 325–326
 - personal firewall, 241–242
 - relationship with performance, 325
 - resources, 417–420
 - servers, 45
 - testing computer, 415–416
 - VoIP (Voice over Internet Protocol), 306–308
 - Web browsing, 228–230
 - Web sites, 228–230
- security administrators, 344
- security aware, 197
- Security Center, 417–418
- selecting
 - communication methods, 287–289
 - FTP client, 312
- Sendmail, 248
- servers
 - caching, 192–193
 - dedicated, 45
 - defined, 44, 184
 - e-mail, 247–248
 - Kerberos, 385–386
 - mail, 252–254
 - name, 401–403
 - news, 290
 - NFS (network file system), 320–322
 - primary name server, 189–190
 - secondary name servers, 190–192
 - setting properties, 104–105
 - software, 44
 - tips, 325
 - types, 44, 189
- service set identifier (SSID), 123
- services
 - defined, 184
 - file, 111–112
 - sites, 290
- session, 25
- Session Initiation Protocol (SIP), 41, 305
- setting (up)
 - Apache HTTP Server, 231–234
 - caching proxy server, 223–227
 - Kerberos client, 387–388
 - Kerberos server, 385–386
 - proxy client, 220–222
 - secure IMAP/POP client, 279–281
 - secure mail server, 281
 - SOHO, 118–124
 - TCP/IP client properties, 97–104
 - TCP/IP server properties, 104–105
 - Web server, 230–235
 - Windows Server 2008 print servers, 330–331
 - wireless router, 121–124
- SFTP (SSH File Transfer Protocol), 315
- shares, 309
- sharing
 - addresses with NAT, 83–87
 - clustered resources, 338–339
 - compute power, 339–340
 - files off the stack, 326–328
 - network file systems, 317–319
 - network resources, 333–334
- ShieldsUP! (Gibson Research Corp.), 349
- Shockwave plug-in, 213
- Short Message Peer-to-Peer Protocol (SMPP), 287
- Short Message Service (SMS), 286–287
- shortcuts
 - creating, 218
 - IPv6 address, 167–168
- signature database, 345
- Simple Mail Transfer Protocol (SMTP), 37, 255, 256, 275
- Simple Network Management Protocol (SNMP)
 - application layer protocol, 37
 - free use of programming, 407–409
 - overview, 406–407
- SIP (Session Initiation Protocol), 41, 305
- site-local addresses (IPv6), 169
- Skype, 301
- small office. *See* wireless networking
- smart host, 251
- Smartphones, 287
- SmartScreen Filter (Internet Explorer 8), 229
- SMPP (Short Message Peer-to-Peer Protocol), 287
- SMS (Short Message Service), 286–287

- SMTP (Simple Mail Transfer Protocol), 37, 255, 256, 275
 - sniffers, 177
 - SNMP (Simple Network Management Protocol)
 - application layer protocol, 37
 - free use of programming, 407–409
 - overview, 406–407
 - social bookmarking services, 290
 - social networking, 290
 - software
 - anti-malware, 243, 369
 - anti-spyware, 242–243
 - anti-virus, 242–243, 345
 - choices for Web server, 230–231
 - DNS (Domain Name Service) client, 184, 194
 - download scheduling, 217
 - keyloggers, 264
 - open source, 328
 - rllogin, 335
 - routers, 118
 - servers, 44
 - VNC (Virtual Network Computing), 337
 - VPN (Virtual Private Network), 15–16, 369
 - SOHO (small office/home office). *See* wireless networking
 - SourceForge project, 308
 - SpamAssassin, 272
 - spamming
 - instant messaging systems, 288
 - overview, 266, 276–277
 - spear phishing, 240
 - spoofing
 - defined, 239
 - instant messaging systems, 288
 - IP (Internet Protocol), 177
 - overview, 267
 - stalling, 275–276
 - Spybot – Search and Destroy (Safer Networking), 108, 243
 - spyware
 - defined, 108, 243
 - overview, 265
 - squid
 - configuring, 224–227
 - installing, 223–224
 - overview, 223
 - SRTP (Secure Real-Time Transfer Protocol), 307
 - SSH (Secure Shell Protocol), 315
 - SSID (service set identifier), 123
 - SSL (Secure Sockets Layer)
 - application layer protocol, 40
 - OpenSSL, 376
 - overview, 236–237
 - transaction, 237–238
 - stacking IPv4 and IPv6, 179
 - stalking, 288
 - stalling spoofing, 275–276
 - starting daemons, 322
 - stateful, 170
 - stateful autoconfiguration, 171–172
 - stateless, 170
 - stateless autoconfiguration, 171
 - static IP address, 96–97
 - static routing, 135
 - still remote shell (`rssh`), 335–336
 - store-and-forward method, 253–254
 - streaming, 310
 - subnet masks, 76–77, 172
 - subnets
 - overview, 74–76
 - using, 77–79
 - suite, 242
 - supercomputing, 339
 - supernet masks, 172
 - Suse Linux, 98
 - syndication pages, 214
 - syndication protocols, 214
 - syslog-ng. *See* Syslog Protocol
 - Syslog Protocol
 - error levels, 365
 - overview, 363–365
 - text files, 366–367
 - system administrators, 182, 344
 - system events, 363
- T •**
- tagging services, 290
 - tags, 202
 - TCP/IP Guide, 419
 - “TCP/IP Security” (Chambers), 418
 - TCP/IP (Transmission Control Protocol/Internet Protocol)
 - defined, 9
 - functions of, 27
 - geography of, 17–18
 - installing, 91–94, 105–107
 - Internet management groups, 11
 - other uses for, 413–416
 - protocols, 10–13
 - TCP/IP (Transmission Control Protocol/Internet Protocol) network configuration
 - configuration steps, 94–97
 - daemons, 112–114
 - installing TCP/IP, 91–94, 105–107
 - network files, 107–112
 - setting client properties, 97–104
 - setting server properties, 104–105
 - TCP/IP (Transmission Control Protocol/Internet Protocol) protocol stack/suite
 - application layer protocols, 36–41
 - data link layer protocols, 29

- defined, 26
 - Internet layer protocols, 29–31
 - physical layer protocols, 29
 - print sharing protocols, 329
 - transport layer protocols, 31–36
 - TCP (Transmission Control Protocol)
 - compared with UDP (User Datagram Protocol), 34–35
 - transport layer protocol, 31–32
 - Telnet
 - client, 335–336
 - overview, 37
 - service, 360
 - Temporal Key Integrity Protocol (TKIP), 126
 - Terminology (routing), 132–135
 - testing
 - computer security, 415–416
 - VoIP security, 308
 - text messaging, 286–287
 - texting, 286–287
 - TFTP (Trivial File Transfer Protocol), 37
 - Thawte, 378
 - theft, 239
 - thumbing, 286–287
 - time out, 187
 - time service, 359
 - TKIP (Temporal Key Integrity Protocol), 126
 - TLS (Transport Layer Security), 35, 237
 - traceroute command, 403–406
 - tracert command, 403–406
 - transferring files with FTP, 312–315
 - Transmission Control Protocol. *See* TCP (Transmission Control Protocol)
 - Transmission Control Protocol/Internet Protocol. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
 - transport layer protocols
 - overview, 24, 31–36
 - routing, 135–136, 142
 - VoIP (Voice over Internet Protocol), 304
 - Transport Layer Security (TLS), 35, 237
 - Trivial File Transfer Protocol (TFTP), 37
 - Trojan horse, 265
 - troubleshooting
 - diagnosing problems, 396–406
 - digital certificates, 380–381
 - e-mail security, 267–268
 - network problems, 390
 - ping, 390–396
 - Simple Network Management Protocol (SNMP), 406–409
 - trust, 335–336
 - trusted hosts file, 109
 - trusted remote users, 110
 - tunneling IPv6 through IPv4, 180
 - typing, 286
- U •
- Ubuntu Linux
 - installing Postfix, 249–252
 - opening configuration window, 98
 - viewing logs, 367
 - UDP (User Datagram Protocol)
 - compared with TCP (Transmission Control Protocol), 34–35
 - transport layer protocol, 32–34
 - Uniform Resource Locator (URL), 207
 - Unix
 - configuring IPv6, 175–176
 - configuring TCP/IP, 100–102
 - host file locations, 108
 - netstat, 358–359
 - networking configuration window, 98
 - NIC (network interface card), 96
 - overview, 94
 - ps, 355–356
 - unspecified address (IPv6), 169
 - updating netgroup file, 321–322
 - upload, 310
 - URL (Uniform Resource Locator), 207
 - U.S. Federal Bureau of Investigation (FBI), 266
 - Usenet news, 289–290
 - User Datagram Protocol (UDP)
 - compared with TCP (Transmission Control Protocol), 34–35
 - transport layer protocol, 32–34
- V •
- valuing IPP features, 329–330
 - VeriSign, 378
 - versions, IP, 92–93
 - video log, 290
 - viewing logs, 367–368
 - Virtual Network Computing (VNC) software, 337
 - Virtual Private Network (VPN)
 - log files, 369
 - overview, 15–16
 - virtual worlds, 290
 - virus, 265
 - vishing, 306
 - visitor list, 295
 - vlog, 290
 - VNC (Virtual Network Computing) software, 337
 - voice DDoS (distributed denial-of-service)
 - attack, 306

- Voice over Internet Protocol. *See* VoIP (Voice over Internet Protocol)
 - Voice Over Misconfigured Internet Telephones (VOMIT), 306
 - VoIP (Voice over Internet Protocol)
 - authenticating, 307
 - bugging, 306
 - movement of packets through layers, 304
 - overview, 299–300
 - protocols, 304–306
 - securing calls, 306–308
 - testing security, 308
 - using, 300–303
 - volunteer computing, 339, 340
 - VOMIT (Voice Over Misconfigured Internet Telephones), 306
 - VPN (Virtual Private Network) software
 - log files, 369
 - overview, 15–16
- W •
- W3
 - defined, 201
 - services, 201–202
 - W3C (World Wide Web Consortium), 13, 230
 - WANs (Wide Area Networks), 17
 - wardrivers, 124
 - warnings, 354
 - Web
 - defined, 201
 - services, 201–202
 - web application server, 44
 - Web browsing
 - colors, 209
 - cookies, 209–212
 - defined, 207
 - digital certificates, 238
 - multimedia, 212–213
 - overview, 207
 - security, 228–230
 - speed, 215–218
 - Web pages, 207–209
 - Web languages
 - ActiveX, 205–206
 - HTML (HyperText Markup Language), 202–204
 - hypermedia, 206–207
 - hypertext, 206–207
 - Java, 205–206
 - JavaScript, 205–206
 - MHTML (Multipurpose Internet Mail Extensions HTML), 205
 - overview, 202
 - XHTML (Extensible HyperText Markup Language), 205
 - XML (Extensible Markup Language), 205
 - Web logs (blogs), 290
 - Web mail clients, 247
 - Web pages, 207–208
 - Web proxy servers, 369
 - Web server
 - defined, 230
 - overview, 44
 - setting up, 230–235
 - software choices, 230–231
 - Web sites
 - Akamai Technologies, 415
 - American Registry for Internet Numbers (ARIN), 97
 - Antarctica Web cam, 414
 - APNIC (Asia Pacific Registry), 97
 - CERN httpd, 230
 - CERT (Computer Emergency Response Team), 373, 418
 - CNET.com, 414
 - cronnix, 217
 - DNSSEC Deployment Initiative, 196
 - Gibson Research Corporation, 349, 415
 - GlobalSign, 378
 - IAB (Internet Activities Board), 11
 - ICANN (Internet Corporation for Assigned Names and Numbers), 11
 - IETF (Internet Engineering Task Force), 11
 - Internet Traffic Report, 413
 - IPv6, 165
 - ISOC (Internet Society), 11
 - IT Security Cookbook, 420
 - Loriot, 407
 - Lynx, 217–218
 - Microsoft TechNet Library, 420
 - multimedia plug-ins, 213
 - open source software, 328
 - Palisade Systems, Inc, 49
 - RFC Editor, 12, 343
 - RIPE NCC (Réseaux IP Européen), 97
 - Root-Servers Technical Operations Association, 188
 - RSS Advisory Board, 214
 - security, 228–230
 - Security Center, 417
 - security podcasts, 419–420
 - Skype, 301
 - social networking, 290
 - SourceForge project, 308
 - SpamAssassin, 272
 - Spybot, 243
 - syslog-ng daemon, 365
 - TCP/IP Guide, 419
 - Thawte, 378
 - VeriSign, 378
 - W3C Technical Reports and Publications, 202
 - Wikipedia, 266

- WEP (Wired Equivalency Privacy), 126
 - Wi-Fi Alliance, 115
 - Wi-Fi Protected Access version 2 (WPA2), 126
 - Wi-Fi Protected Access (WPA), 126
 - Wide Area Networks (WANs), 17
 - Wikipedia, 266
 - wikis, 290
 - WiMAX (Worldwide Interoperability for Microwave Access), 128, 129–130
 - WinAmp high-fidelity player, 212
 - Windows 7 (Microsoft), 197
 - Windows (Microsoft)
 - network shares, 326–327
 - overview, 93
 - Windows Server 2003 (Microsoft), 173–175
 - Windows Server 2008 (Microsoft), 224–227, 330–331
 - Windows Vista (Microsoft), 102–103
 - Windows XP (Microsoft)
 - configuring IPv6, 173–175
 - configuring TCP/IP, 103–104
 - event logging, 369–370
 - Wired Equivalency Privacy (WEP), 126
 - wireless hotspots, 128
 - wireless networking
 - defined, 115
 - hardware, 116–120
 - levels, 128–130
 - network name, 123
 - overview, 17
 - security, 125–128
 - technologies, 119
 - wireless router, 121–124
 - WLAN networks, 17
 - World Wide Web (WWW)
 - defined, 201
 - services, 201–202
 - World Wide Web Consortium (W3C), 13
 - Worldwide Interoperability for Microwave Access (WiMAX), 128, 129–130
 - worm, 265
 - WPA (Wi-Fi Protected Access), 126
 - WPA2 (Wi-Fi Protected Access version 2), 126
 - WWAN networks, 17
 - WWW (World Wide Web)
 - defined, 201
 - services, 201–202
- ✕ •
- XHTML (Extensible HyperText Markup Language), 205
 - xinetd (eXtended InterNET Daemon), 358
 - XML (Extensible Markup Language), 204, 205
 - XMPP (Extensible Messaging and Presence Protocol), 288
- Z •
- zombie armies, 353
 - zombies, 352
 - zone
 - defined, 182
 - overview, 193–195
 - transfer, 190

