

# Contents

<b>About the Authors</b>	<b>xv</b>
<b>Other Wiley and IEEE Press Books on Related Topics</b>	<b>xvii</b>
<b>Preface</b>	<b>xix</b>
<b>Acknowledgments</b>	<b>xxxi</b>
<b>1 Third-generation CDMA Systems</b>	<b>1</b>
1.1 Introduction . . . . .	1
1.2 Basic CDMA System . . . . .	2
1.2.1 Spread Spectrum Fundamentals . . . . .	2
1.2.1.1 Frequency Hopping . . . . .	3
1.2.1.2 Direct Sequence . . . . .	3
1.2.2 The Effect of Multipath Channels . . . . .	6
1.2.3 Rake Receiver . . . . .	9
1.2.4 Multiple Access . . . . .	13
1.2.4.1 DL Interference . . . . .	14
1.2.4.2 Uplink Interference . . . . .	15
1.2.4.3 Gaussian Approximation . . . . .	18
1.2.5 Spreading Codes . . . . .	19
1.2.5.1 $m$ -sequences . . . . .	20
1.2.5.2 Gold Sequences . . . . .	21
1.2.5.3 Extended $m$ -sequences . . . . .	21
1.2.6 Channel Estimation . . . . .	22
1.2.6.1 DL Pilot-assisted Channel Estimation . . . . .	22
1.2.6.2 UL Pilot-symbol Assisted Channel Estimation . . . . .	23
1.2.6.3 Pilot-symbol Assisted Decision-directed Channel Estimation . . . . .	24
1.2.7 Summary . . . . .	26

1.3	Third-generation Systems . . . . .	26
1.3.1	Introduction . . . . .	26
1.3.2	UMTS Terrestrial Radio Access (UTRA) . . . . .	29
1.3.2.1	Characteristics of UTRA . . . . .	29
1.3.2.2	Transport Channels . . . . .	33
1.3.2.3	Physical Channels . . . . .	34
1.3.2.3.1	Dedicated Physical Channels. . . . .	35
1.3.2.3.2	Common Physical Channels . . . . .	37
1.3.2.3.2.1	Common Physical Channels of the FDD Mode. . . . .	37
1.3.2.3.2.2	Common Physical Channels of the TDD Mode. . . . .	40
1.3.2.4	Service Multiplexing and Channel Coding in UTRA . . . . .	43
1.3.2.4.1	CRC Attachment. . . . .	43
1.3.2.4.2	Transport Block Concatenation. . . . .	43
1.3.2.4.3	Channel-coding. . . . .	43
1.3.2.4.4	Radio Frame Padding. . . . .	46
1.3.2.4.5	First Interleaving. . . . .	46
1.3.2.4.6	Radio Frame Segmentation. . . . .	46
1.3.2.4.7	Rate Matching. . . . .	46
1.3.2.4.8	Discontinuous Transmission Indication. . . . .	47
1.3.2.4.9	Transport Channel Multiplexing. . . . .	47
1.3.2.4.10	Physical Channel Segmentation. . . . .	47
1.3.2.4.11	Second Interleaving. . . . .	47
1.3.2.4.12	Physical Channel Mapping. . . . .	47
1.3.2.4.13	Mapping Several Multirate Services to the UL Physical Channels in FDD Mode . . . . .	48
1.3.2.4.14	Mapping of a 4.1 Kbps Data Service to the DL DPDCH in FDD Mode. . . . .	49
1.3.2.4.15	Mapping Several Multirate Services to the UL Physical Channels in TDD Mode . . . . .	50
1.3.2.5	Variable-rate and Multicode Transmission in UTRA . . . . .	52
1.3.2.6	Spreading and Modulation . . . . .	52
1.3.2.6.1	Orthogonal Variable Spreading Factor Codes. . . . .	55
1.3.2.6.2	Uplink Scrambling Codes. . . . .	57
1.3.2.6.3	Downlink Scrambling Codes. . . . .	57
1.3.2.6.4	Uplink Spreading and Modulation. . . . .	58
1.3.2.6.5	Downlink Spreading and Modulation. . . . .	58
1.3.2.7	Random Access . . . . .	60
1.3.2.7.1	Mobile-initiated Physical Random Access Procedures . . . . .	60
1.3.2.7.2	Common Packet Channel Access Procedures. . . . .	61
1.3.2.8	Power Control . . . . .	61
1.3.2.8.1	Closed-loop Power Control in UTRA. . . . .	62
1.3.2.8.2	Open-loop Power Control in TDD Mode. . . . .	62

1.3.2.9	Cell Identification . . . . .	63
1.3.2.9.1	Cell Identification in the FDD Mode. . . . .	63
1.3.2.9.2	Cell Identification in the TDD Mode. . . . .	65
1.3.2.10	Handover . . . . .	66
1.3.2.10.1	Intra-frequency Handover or Soft Handover. . . . .	66
1.3.2.10.2	Inter-frequency Handover or Hard Handover. . . . .	67
1.3.2.11	Intercell Time Synchronization in the UTRA TDD Mode . . . . .	68
1.3.3	The cdma2000 Terrestrial Radio Access . . . . .	68
1.3.3.1	Characteristics of cdma2000 . . . . .	70
1.3.3.2	Physical Channels in cdma2000 . . . . .	71
1.3.3.3	Service Multiplexing and Channel Coding . . . . .	74
1.3.3.4	Spreading and Modulation . . . . .	74
1.3.3.4.1	Downlink Spreading and Modulation. . . . .	75
1.3.3.4.2	Uplink Spreading and Modulation. . . . .	77
1.3.3.5	Random Access . . . . .	79
1.3.3.6	Handover . . . . .	81
1.3.4	Performance-enhancement Features . . . . .	82
1.3.4.1	Downlink Transmit Diversity Techniques . . . . .	82
1.3.4.1.1	Space Time Block Coding-based Transmit Diversity . . . . .	82
1.3.4.1.2	Time-switched Transmit Diversity. . . . .	82
1.3.4.1.3	Closed-loop Transmit Diversity. . . . .	82
1.3.4.2	Adaptive Antennas . . . . .	84
1.3.4.3	Multi-user Detection/Interference Cancellation . . . . .	84
1.3.5	Summary of 3G Systems . . . . .	84
1.4	Summary and Conclusions . . . . .	85
<b>2</b>	<b>High Speed Downlink and Uplink Packet Access</b>	<b>87</b>
2.1	Introduction . . . . .	87
2.2	High Speed Downlink Packet Access . . . . .	88
2.2.1	Physical Layer . . . . .	92
2.2.1.1	High Speed Physical Downlink Shared Channel (HS-PDSCH) . . . . .	94
2.2.1.2	High Speed Shared Control Channel (HS-SCCH) . . . . .	96
2.2.1.3	High Speed Dedicated Physical Control Channel (HS-DPCCH) . . . . .	98
2.2.2	Medium Access Control (MAC) Layer . . . . .	98
2.3	High Speed Uplink Packet Access . . . . .	99
2.3.1	Physical Layer . . . . .	102
2.3.1.1	E-DCH Dedicated Physical Data Channel (E-DPDCH) . . . . .	104
2.3.1.2	E-DCH Dedicated Physical Control Channel (E-DPCCH) . . . . .	106
2.3.1.3	EDCH HARQ Indicator Channel (E-HICH) . . . . .	106
2.3.1.4	E-DCH Absolute Grant Channel (E-AGCH) . . . . .	107
2.3.1.5	E-DCH Relative Grant Channel (E-RGCH) . . . . .	107
2.3.2	MAC Layer . . . . .	108
2.4	Implementation Issues . . . . .	112

2.4.1	HS-SCCH Detection Algorithm . . . . .	112
2.4.1.1	Viterbi's Path Metric Difference Algorithm . . . . .	112
2.4.1.2	Yamamoto-Itoh Algorithm . . . . .	113
2.4.1.3	Minimum Path Metric Difference Algorithm . . . . .	113
2.4.1.4	Average Path Metric Difference Algorithm . . . . .	114
2.4.1.5	Frequency of Path Metric Difference Algorithm . . . . .	114
2.4.1.6	Last Path Metric Difference Algorithm . . . . .	114
2.4.1.7	Detection Algorithm Performances . . . . .	114
2.4.2	16QAM . . . . .	115
2.4.2.1	Amplitude and Phase Estimation . . . . .	115
2.4.2.2	Equalizer . . . . .	116
2.4.3	HARQ Result Processing Time . . . . .	116
2.4.4	Crest Factor . . . . .	117
<b>3</b>	<b>HSDPA-style Burst-by-Burst Adaptive Wireless Transceivers</b>	<b>119</b>
3.1	Motivation . . . . .	119
3.2	Narrowband Burst-by-Burst Adaptive Modulation . . . . .	120
3.3	Wideband Burst-by-Burst Adaptive Modulation . . . . .	123
3.3.1	Channel Quality Metrics . . . . .	123
3.4	Wideband BbB-AQAM Video Transceivers . . . . .	126
3.5	BbB-AQAM Performance . . . . .	129
3.6	Wideband BbB-AQAM Video Performance . . . . .	131
3.6.1	AQAM Switching Thresholds . . . . .	133
3.6.2	Turbo-coded AQAM Videophone Performance . . . . .	135
3.7	Burst-by-Burst Adaptive Joint-Detection CDMA Video Transceiver . . . . .	136
3.7.1	Multi-user Detection for CDMA . . . . .	136
3.7.2	JD-ACDMA Modem Mode Adaptation and Signalling . . . . .	138
3.7.3	The JD-ACDMA Video Transceiver . . . . .	139
3.7.4	JD-ACDMA Video Transceiver Performance . . . . .	141
3.8	Subband-adaptive OFDM Video Transceivers . . . . .	145
3.9	Summary and Conclusions . . . . .	150
<b>4</b>	<b>Intelligent Antenna Arrays and Beamforming</b>	<b>151</b>
4.1	Introduction . . . . .	151
4.2	Beamforming . . . . .	152
4.2.1	Antenna Array Parameters . . . . .	152
4.2.2	Potential Benefits of Antenna Arrays in Mobile Communications . . . . .	153
4.2.2.1	Multiple Beams . . . . .	153
4.2.2.2	Adaptive Beams . . . . .	155
4.2.2.3	Null Steering . . . . .	155
4.2.2.4	Diversity Schemes . . . . .	155
4.2.2.5	Reduction in Delay Spread and Multipath Fading . . . . .	158
4.2.2.6	Reduction in Co-channel Interference . . . . .	160
4.2.2.7	Capacity Improvement and Spectral Efficiency . . . . .	161
4.2.2.8	Increase in Transmission Efficiency . . . . .	161
4.2.2.9	Reduction in Handovers . . . . .	161

4.2.3	Signal Model . . . . .	162
4.2.4	A Beamforming Example . . . . .	165
4.2.5	Analog Beamforming . . . . .	166
4.2.6	Digital Beamforming . . . . .	167
4.2.7	Element-space Beamforming . . . . .	167
4.2.8	Beam-space Beamforming . . . . .	168
4.3	Adaptive Beamforming . . . . .	169
4.3.1	Fixed Beams . . . . .	170
4.3.2	Temporal Reference Techniques . . . . .	171
4.3.2.1	Least Mean Squares . . . . .	174
4.3.2.2	Normalized Least Mean Squares Algorithm . . . . .	176
4.3.2.3	Sample Matrix Inversion . . . . .	176
4.3.2.4	Recursive Least Squares . . . . .	183
4.3.3	Spatial Reference Techniques . . . . .	184
4.3.3.1	Antenna Calibration . . . . .	185
4.3.4	Blind Adaptation . . . . .	187
4.3.4.1	Constant Modulus Algorithm . . . . .	188
4.3.5	Adaptive Arrays in the Downlink . . . . .	189
4.3.6	Adaptive Beamforming Performance Results . . . . .	191
4.3.6.1	Two Element Adaptive Antenna Using Sample Matrix Inversion . . . . .	191
4.3.6.2	Two Element Adaptive Antenna Using Unconstrained Least Mean Squares . . . . .	195
4.3.6.3	Two Element Adaptive Antenna Using Normalized Least Mean Squares . . . . .	197
4.3.6.4	Performance of a Three Element Adaptive Antenna Array .	199
4.3.6.5	Complexity Analysis . . . . .	212
4.4	Summary and Conclusions . . . . .	213
<b>5</b>	<b>Adaptive Arrays in an FDMA/TDMA Cellular Network</b>	<b>215</b>
5.1	Introduction . . . . .	215
5.2	Modelling Adaptive Antenna Arrays . . . . .	216
5.2.1	Algebraic Manipulation with Optimal Beamforming . . . . .	216
5.2.2	Using Probability Density Functions . . . . .	218
5.2.3	Sample Matrix Inversion Beamforming . . . . .	219
5.3	Channel Allocation Techniques . . . . .	220
5.3.1	Overview of Channel Allocation . . . . .	221
5.3.1.1	Fixed Channel Allocation . . . . .	222
5.3.1.1.1	Channel Borrowing . . . . .	224
5.3.1.1.2	Flexible Channel Allocation. . . . .	226
5.3.1.2	Dynamic Channel Allocation . . . . .	226
5.3.1.2.1	Centrally Controlled DCA Algorithms. . . . .	228
5.3.1.2.2	Distributed DCA Algorithms. . . . .	228
5.3.1.2.3	Locally Distributed DCA Algorithms. . . . .	229
5.3.1.3	Hybrid Channel Allocation . . . . .	230
5.3.1.4	The Effect of Handovers . . . . .	231

5.3.1.5	The Effect of Transmission Power Control . . . . .	232
5.3.2	Simulation of the Channel Allocation Algorithms . . . . .	232
5.3.2.1	The Mobile Radio Network Simulator, "Netsim" . . . . .	232
5.3.2.1.1	Physical Layer Model. . . . .	235
5.3.2.1.2	Shadow Fading Model. . . . .	235
5.3.3	Overview of Channel Allocation Algorithms . . . . .	236
5.3.3.1	Fixed Channel Allocation Algorithm . . . . .	237
5.3.3.2	Distributed Dynamic Channel Allocation Algorithms . . . . .	237
5.3.3.3	Locally Distributed Dynamic Channel Allocation Algorithms . . . . .	238
5.3.3.4	Performance Metrics . . . . .	239
5.3.3.5	Nonuniform Traffic Model . . . . .	240
5.3.4	DCA Performance without Adaptive Arrays . . . . .	241
5.4	Employing Adaptive Antenna Arrays . . . . .	242
5.5	Multipath Propagation Environments . . . . .	245
5.6	Network Performance Results . . . . .	251
5.6.1	System Simulation Parameters . . . . .	252
5.6.2	Non-wraparound Network Performance Results . . . . .	261
5.6.2.1	Performance Results over a LOS Channel . . . . .	262
5.6.2.2	Performance Results over a Multipath Channel . . . . .	268
5.6.2.3	Performance over a Multipath Channel using Power Control . . . . .	272
5.6.2.4	Transmission over a Multipath Channel using Power Control and Adaptive Modulation . . . . .	278
5.6.2.5	Power Control and Adaptive Modulation Algorithm . . . . .	281
5.6.2.6	Performance of PC-assisted, AQAM-aided Dynamic Channel Allocation . . . . .	284
5.6.2.7	Summary of Non-wraparound Network Performance . . . . .	291
5.6.3	Wrap-around Network Performance Results . . . . .	292
5.6.3.1	Performance Results over a LOS Channel . . . . .	293
5.6.3.2	Performance Results over a Multipath Channel . . . . .	297
5.6.3.3	Performance over a Multipath Channel using Power Control . . . . .	300
5.6.3.4	Performance of an AQAM based Network using Power Control . . . . .	307
5.7	Summary and Conclusions . . . . .	315
<b>6</b>	<b>HSDPA-style FDD Networking, Adaptive Arrays and Adaptive Modulation</b>	<b>317</b>
6.1	Introduction . . . . .	317
6.2	Direct Sequence Code Division Multiple Access . . . . .	318
6.3	UMTS Terrestrial Radio Access . . . . .	320
6.3.1	Spreading and Modulation . . . . .	321
6.3.2	Common Pilot Channel . . . . .	325
6.3.3	Power Control . . . . .	326
6.3.3.1	Uplink Power Control . . . . .	327
6.3.3.2	Downlink Power Control . . . . .	328

6.3.4	Soft Handover . . . . .	328
6.3.5	Signal-to-interference plus Noise Ratio Calculations . . . . .	329
6.3.5.1	Downlink . . . . .	329
6.3.5.2	Uplink . . . . .	330
6.3.6	Multi-user Detection . . . . .	331
6.4	Simulation Results . . . . .	332
6.4.1	Simulation Parameters . . . . .	332
6.4.2	The Effect of Pilot Power on Soft Handover Results . . . . .	336
6.4.2.1	Fixed Received Pilot Power Thresholds without Shadowing	336
6.4.2.2	Fixed Received Pilot Power Thresholds with 0.5 Hz Shadowing . . . . .	339
6.4.2.3	Fixed Received Pilot Power Thresholds with 1.0 Hz Shadowing . . . . .	342
6.4.2.4	Summary . . . . .	342
6.4.2.5	Relative Received Pilot Power Thresholds without Shadowing . . . . .	344
6.4.2.6	Relative Received Pilot Power Thresholds with 0.5 Hz Shadowing . . . . .	346
6.4.2.7	Relative Received Pilot Power Thresholds with 1.0 Hz Shadowing . . . . .	348
6.4.2.8	Summary . . . . .	351
6.4.3	$E_c/I_o$ Power Based Soft Handover Results . . . . .	351
6.4.3.1	Fixed $E_c/I_o$ Thresholds without Shadowing . . . . .	351
6.4.3.2	Fixed $E_c/I_o$ Thresholds with 0.5 Hz Shadowing . . . . .	354
6.4.3.3	Fixed $E_c/I_o$ Thresholds with 1.0 Hz Shadowing . . . . .	355
6.4.3.4	Summary . . . . .	357
6.4.3.5	Relative $E_c/I_o$ Thresholds without Shadowing . . . . .	358
6.4.3.6	Relative $E_c/I_o$ Thresholds with 0.5 Hz Shadowing . . . . .	359
6.4.3.7	Relative $E_c/I_o$ Thresholds with 1.0 Hz Shadowing . . . . .	361
6.4.3.8	Summary . . . . .	363
6.4.4	Overview of Results . . . . .	363
6.4.5	Performance of Adaptive Antenna Arrays in a High Data Rate Pedestrian Environment . . . . .	365
6.4.6	Performance of Adaptive Antenna Arrays and Adaptive Modulation in a High Data Rate Pedestrian Environment . . . . .	373
6.5	Summary and Conclusions . . . . .	380
<b>7</b>	<b>HSDPA-style FDD/CDMA Performance Using Loosely Synchronized Spreading Codes</b>	<b>383</b>
7.1	Effects of Loosely Synchronized Spreading Codes on the Performance of CDMA Systems . . . . .	383
7.1.1	Introduction . . . . .	383
7.1.2	Loosely Synchronized Codes . . . . .	384
7.1.3	System Parameters . . . . .	386
7.1.4	Simulation Results . . . . .	388
7.1.5	Summary . . . . .	391

7.2	Effects of Cell Size on the UTRA Performance . . . . .	392
7.2.1	Introduction . . . . .	392
7.2.2	System Model and System Parameters . . . . .	393
7.2.3	Simulation Results and Comparisons . . . . .	395
7.2.3.1	Network Performance using Adaptive Antenna Arrays . . .	395
7.2.3.2	Network Performance using Adaptive Antenna Arrays and Adaptive Modulation . . . . .	398
7.2.4	Summary and Conclusion . . . . .	400
7.3	Effects of SINR Threshold on the Performance of CDMA Systems . . . . .	401
7.3.1	Introduction . . . . .	401
7.3.2	Simulation Results . . . . .	402
7.3.3	Summary and Conclusion . . . . .	406
7.4	Network-layer Performance of Multi-carrier CDMA . . . . .	407
7.4.1	Introduction . . . . .	407
7.4.2	Simulation Results . . . . .	413
7.4.3	Summary and Conclusions . . . . .	419
<b>8</b>	<b>HSDPA-style TDD/CDMA Network Performance</b>	<b>421</b>
8.1	Introduction . . . . .	421
8.2	UMTS FDD versus TDD Terrestrial Radio Access . . . . .	422
8.2.1	FDD versus TDD Spectrum Allocation of UTRA . . . . .	422
8.2.2	Physical Channels . . . . .	423
8.3	UTRA TDD/CDMA System . . . . .	424
8.3.1	The TDD Physical Layer . . . . .	425
8.3.2	Common Physical Channels of the TDD Mode . . . . .	425
8.3.3	Power Control . . . . .	426
8.3.4	Time Advance . . . . .	428
8.4	Interference Scenario in TDD CDMA . . . . .	428
8.4.1	Mobile-to-Mobile Interference . . . . .	429
8.4.2	Base Station-to-Base Station Interference . . . . .	429
8.5	Simulation Results . . . . .	430
8.5.1	Simulation Parameters . . . . .	431
8.5.2	Performance of Adaptive Antenna Array Aided TDD CDMA Systems . . . . .	433
8.5.3	Performance of Adaptive Antenna Array and Adaptive Modulation Aided TDD HSDPA-style Systems . . . . .	438
8.6	Loosely Synchronized Spreading Code Aided Network Performance of UTRA-like TDD/CDMA Systems . . . . .	442
8.6.1	Introduction . . . . .	442
8.6.2	LS Codes in UTRA TDD/CDMA . . . . .	444
8.6.3	System Parameters . . . . .	445
8.6.4	Simulation Results . . . . .	446
8.6.5	Summary and Conclusions . . . . .	449

<b>9</b>	<b>The Effects of Power Control and Hard Handovers on the UTRA TDD/CDMA System</b>	<b>451</b>
9.1	A Historical Perspective on Handovers . . . . .	451
9.2	Hard HO in UTRA-like TDD/CDMA Systems . . . . .	452
9.2.1	Relative Pilot Power-based Hard HO . . . . .	453
9.2.2	Simulation Results . . . . .	454
9.2.2.1	Near-symmetric UL/DL Traffic Loads . . . . .	455
9.2.2.2	Asymmetric Traffic loads . . . . .	458
9.3	Power Control in UTRA-like TDD/CDMA Systems . . . . .	464
9.3.1	UTRA TDD Downlink Closed-loop Power Control . . . . .	464
9.3.2	UTRA TDD Uplink Closed-loop Power Control . . . . .	466
9.3.3	Closed-loop Power Control Simulation Results . . . . .	466
9.3.3.1	UL/DL Symmetric Traffic Loads . . . . .	467
9.3.3.2	UL Dominated Asymmetric Traffic Loads . . . . .	470
9.3.3.3	DL Dominated Asymmetric Traffic Loads . . . . .	473
9.3.4	UTRA TDD UL Open-loop Power Control . . . . .	475
9.3.5	Frame-delay-based Power Adjustment Model . . . . .	476
9.3.5.1	UL/DL Symmetric Traffic Loads . . . . .	480
9.3.5.2	Asymmetric Traffic Loads . . . . .	483
9.4	Summary and Conclusion . . . . .	486
<b>10</b>	<b>Genetically Enhanced UTRA/TDD Network Performance</b>	<b>489</b>
10.1	Introduction . . . . .	489
10.2	The Genetically Enhanced UTRA-like TDD/CDMA System . . . . .	490
10.3	Simulation Results . . . . .	494
10.4	Summary and Conclusion . . . . .	499
<b>11</b>	<b>Conclusions and Further Research</b>	<b>501</b>
11.1	Summary of FDD Networking . . . . .	501
11.2	Summary of FDD versus TDD Networking . . . . .	506
11.3	Further Research . . . . .	511
11.3.1	Advanced Objective Functions . . . . .	513
11.3.2	Other Types of GAs . . . . .	513
	<b>Glossary</b>	<b>515</b>
	<b>Bibliography</b>	<b>521</b>
	<b>Subject Index</b>	<b>547</b>
	<b>Author Index</b>	<b>553</b>

