

Index

a

- Å 27
- α decay 36, 245, 247–248, 251–252, 256, 268, 272
 - angular momentum effect 272
 - barrier 256
 - decay constant 268
 - energetic 247
 - half-life 248, 252, 270
 - nuclear structure effect 252
 - odd, odd 252
 - Odd-A nuclide 274
 - probability 252
 - structure effect 274
 - total probability 251
- α emission 260, 269
 - barrier width 260
 - decay probability 269
- α emitter 124
- α particle 248, 253, 255, 410
 - first-excited state 248
 - heavy nuclei 253
 - lepton 410
 - total potential 255
 - trajectory 410
- α transition 275
 - angular momenta 275
 - parity 275
- absolute decay intensity 364
- activity 61
- α -decay 250
 - decay energy 250
 - half-life 250
- alkaline earth element 129
- allowed β decay 300
 - angular momentum effect 300
- allowed energy state 97
- allowed photon transition 344
 - observable 344
- allowed state 181
 - spectrum 181
- allowed transition 301, 366
 - Fermi model 301
- alpha decay 4
 - α -particles 4
- $^{241}_{95}\text{Am}$ 8, 37, 248, 274
- ^{241}Am 45
- angular distribution 436, 458, 466
 - reciprocity theorem 436
- angular distribution function 461–462
- angular frequency 172, 214
- angular momenta 155, 300
 - coupling 155
 - nonzero 300
 - orbital 300
- angular momentum 22, 80–81, 136–137, 147, 149–150, 152, 154, 165, 167, 186, 215, 220–221
 - eigenfunction 221
 - intrinsic 80–81, 150
 - orbital 152, 167, 186
 - quantization 154
 - quantum number 186, 215, 221
 - rotational 215, 220
 - square 150, 167
 - total 154, 220
 - z-component 165
- angular momentum vector 154, 168, 210
 - length 168
- antineutrino 21, 31–32, 283–285, 287
- areal density 535
- asymmetry energy 100, 105
- atomic form factor 511
- atomic mass 19, 94, 545
- atomic mass unit 20
- atomic spectroscopy 308
 - K shell 308
 - L shell 309

- attenuation 69–70, 523
 - beam 69
 - exponential 69
 - γ -ray 70
 - neutron 69
- attractive potential 92
- $^{197}_{79}\text{Au}(n, \gamma)^{198}_{79}\text{Au}$ 454
 - resonance 429
- Auger electron 313
 - ejection 313
- Auger electron ejection 495
- average nuclear interaction 83
- average range 531
- axe 216
 - semi-major 216
 - semi-minor 216
- b**
- β decay 281, 303
 - angular momentum 302
 - characteristic time 298
 - conservation law 281
 - decay constant 299
 - lepton pair 302
 - selection rule 303
 - transition 303
- β^- decay 30–31
- β^- decay chain 386, 390
- β^- emission 22
- β^- -radioactive nuclide
 - neutron capture 374
- β spectra 292
- β stability 47
- β transition 306
 - classification 306
 - first-forbidden 307
 - forbidden 307
 - $\log_{10}ft$ 307
- β^+ transition 364
- β^+ decay
 - mass–energy relation 32
- ^{138}Ba 483
- background 66
- background radiation 62, 65
- band head 221
- barrier 260, 264–265, 273
 - arbitrary shape 265
 - height 273
 - rectangular 264
 - thickness 273
- barrier penetration 245, 258, 261, 266, 383, 456
- β -decay scheme 320
- β -delayed particle emission 325
 - $^{83}_{35}\text{Br}$ 325
 - $^{85}_{36}\text{Kr}$ 325
- β -delayed proton emission 326
- ^7_4Be 34, 357
 - electron capture decay 321
- ^8_4Be 215
- ^8Be 216, 218
- beam
 - polarized 80
 - unpolarized 80
- Becquerel 45
- Bessel function 178–181
 - asymptotic form 179
 - spherical 178–179, 181
 - zero 180–181
- Bessel's equation 178
- beta decay 5
 - annihilation 5
 - antineutrino 5
 - β^- decay 5
 - β^+ particle 5
 - lepton 5
 - ν 5
- $^{209}_{83}\text{Bi}$ 200
- binary fission 125, 376, 385
- binding energy 28–29, 77, 91–92, 94, 100
 - average 91–92
 - electron 30
 - electronic 31
 - nuclear 129
 - odd/even effect 94
 - variation 77
- binomial distribution 43, 54, 56
 - radioactive decay 55
- Bohr orbit 316
- boson 332
- $^{85}_{35}\text{Br}$ 323, 367
- Breit–Wigner single-level cross section 478
- Breit–Wigner single-level formula 451, 454, 475
- bremsstrahlung 539
- c**
- $^{12}_6\text{C}(\alpha, d)^{14}_7\text{N}$ 436
- $^{14}_6\text{C}$ 22, 32, 38
 - low-energy 39
 - n,p 39
- $^{14}_6\text{C}_8$ 6, 9
- $^{40}_{20}\text{Ca}$ 481
- $^{41}_{20}\text{Ca}$ 197
- $^{42}_{20}\text{Ca}$ 364, 366
- $^{49}_{20}\text{Ca}$ 198

- Cartesian component 150
- Cartesian coordinate 136
- $^{109}_{48}\text{Cd}$ 34
- $^{144}_{58}\text{Ce}$ 48
- ^{144}Ce 51, 53
- center of mass 407, 412–414
 - momentum 412, 414
 - motion 407
 - velocity 412–413
- center of mass coordinate system
 - projectile velocity 413
 - target velocity 413
- Central Limit Theorem 389
- central potential 162
- centrifugal barrier 426
- centrifugal force 172–173
 - conservative 173
- centrifugal potential 172, 180
- $^{246}_{98}\text{Cf}$ 35
- $^{252}_{98}\text{Cf}$ 8, 37, 368, 390
- chain yield 386–388
- characteristic nuclear time 442, 450
- characteristic x-ray 310
- charge density 85, 205
- charge distribution 84, 87, 205, 208, 390
 - electric dipole moment 208
 - root-mean-square radius 84
- charge exchange 534
- charged particle 494, 525
 - heavy 525
 - light 525
- classical electron radius 90, 500
- classical liquid drop 110
 - total binding energy 110
- closed shell 191, 198, 210
- coherent scattering 495, 502
- collective effect 205, 222
- collective excitation 212
- collective motion 212–213
 - rotation 212
 - vibration 212
- collision 410–411
 - grazing 410
 - head-on 411
- commutator 144–145, 149
- comparative half-life 299
- competitive decay 35
- complex conjugate 139
- compound nucleus 441, 443–445
 - decay 444
 - formation 444
 - reaction 445
 - total excitation energy 441
- Compton edge 508
- Compton electron 504, 508
 - energy spectra 508
 - kinetic energy 504
- Compton scattering 495
- conservation 283
 - angular momentum 148
 - energy 283
 - momentum 283
- conservation law 22, 134, 138, 282
 - conservation of energy 134
- conservation of lepton 283
- conserved quantity 135, 144
- constant
 - fine structure 78
 - Planck 78
- constant density 85–86, 88
 - compressible component 86
 - incompressible component 86
- continuity condition 472–473
 - combined 473
- continuity equation 334
- continuum 290
- conversion coefficient 356
- conversion electron 331, 352
 - spectrum 352
- coordinate system 407
 - center of mass 407
 - center-of-mass 27
 - laboratory 14, 407
 - rest frame 13
- Coriolis force 220
 - rotational state 220
- cosmic ray 9
 - protons 9
- Coulomb barrier 257
- Coulomb energy 89–92, 377
 - stored 377
 - stored energy 89
- Coulomb force 27, 78, 92
- Coulomb interaction 193, 254
- Coulomb potential 84, 91, 194, 254, 266, 268
 - uniformly charged sphere 194
- coupling 155
- cross section 66, 68, 71, 79, 82, 174, 424, 427, 429, 440, 446, 453, 455, 457, 459, 464, 469, 471, 499, 505, 509–511
 - (n, γ) 429
 - $1/v$ 457
 - $1/V$ behavior 455
 - barn 68
 - coherent scattering 511
 - definition 68, 424

- differential Compton collision 505
- differential Compton energy-scattering 509
- differential elastic scattering 459
- differential scattering 79
- direct reaction 446
- elastic scattering 440
- energy absorption 510
- first-order perturbation theory 424
- isolated resonance 453
- neutron absorption 427
- pair production 519
- partial 68
- reaction 68, 471
- reaction probability 66
- thermal 431
- Thompson scattering 499, 505
- total 68, 469
- total reaction 427
- cross section, partial 464
- Curie 45
- current density 262, 469
 - classical mechanic 262
 - quantum mechanic 262
 - quantum mechanical 469
- d**
- d, p 446
- daughter 33
- De Broglie relation 440
- decay
 - $^{85}_{35}\text{Br}$ 323
 - statistical nature 43
- decay chain 47, 51, 53
 - complex 53
- decay constant 41, 267, 292, 450
 - statistical nature 42
- decay probability 296
 - β^- and β^+ decay 296
- decay scheme 51, 357
- deformation 234, 376
 - energy barrier 376
 - shape 234
- deformation parameter 378
- deformed nuclei 205, 212, 215, 226, 229
 - level structure 229
 - nuclear shapes 205
 - single-particle motion 212
- deformed potential 229, 233
 - Hamiltonian 229
- degeneracy 186–187
- degenerate 155
- degenerate Fermi gas 101
- delayed neutron precursor 326
- density 89
 - nuclear matter 89
- density of states 425
- deuterium 25
- deuteron 24, 81, 446
- δ -function 448
- diatomic molecule 186, 213
 - low-energy 186
 - rotation 213
 - vibration 186, 213
- dimensionless energy 315
- di-neutron 92
- direct reaction 446
- disintegration rate 49, 61
 - decay rate 49
 - secular equilibrium 49
- distribution 89
 - Fermi 89
 - Saxon–Woods 89
- double β -decay 24
- double factorial 179
- e**
- E1 transition 350
- E2 and M1 transition 351
- effective ionization constant 531
- eigenfunction 136–138, 144, 146–147, 149–150, 164–165, 168, 172, 215
 - angular part 172
 - rotational 215
 - single-valued 164
 - stationary part 172
- eigenvalue 136
- EL 339
- elastic scattering 10, 70, 79, 82, 405, 407, 412, 414, 426, 444, 458, 472, 476
 - binary reaction 412
 - center of mass coordinate system 412
 - compound 444, 472, 476
 - Coulomb 79
 - neutrons on protons 426
 - potential 472
- elastic scattering of photons 496
 - unbound electron 496
- electric dipole emission 340
- electric dipole moment 497
- electric dipole radiation 339
- electric field 19, 333, 498
 - multipole moment 333
 - nuclear 205
 - oscillating electric dipole 498
- electric potential 205, 207

- electric radiation 343
 - decay constant 343
 - electromagnetic field 336, 339
 - multipole moment 339
 - electromagnetic interaction 79
 - electromagnetic wave 332
 - transverse nature 332
 - electron 27, 287, 311, 528, 538
 - ejection 311
 - energy loss 538
 - energy transfer 528
 - ionization 538
 - electron binding energy 26
 - electron capture 34, 284, 308, 317–318
 - competition 318
 - detection 308
 - probability 317
 - relative probability 310
 - electron capture decay 307, 312, 364
 - measurement 312
 - electron mass 19
 - electron scattering 87
 - ellipse 376
 - eccentricity 376
 - ellipsoid 209
 - oblate 209
 - prolate 209
 - ellipsoid of revolution 219
 - prolate 219
 - endoergic reaction 418
 - energetic 13
 - energy barrier 25
 - energy degeneracy 99
 - energy level 26
 - energy level diagram 33–34
 - energy loss 525, 529
 - quantum mechanic 529
 - energy release 77
 - fission 77
 - fusion 77
 - energy state 162
 - allowed 162
 - energy unit 20
 - electron volt 20
 - gigaelectron volt 20
 - kiloelectron volt 20
 - megaelectron volt 20
 - error
 - propagation 62
 - evaluated 11
 - excitation 443
 - many-particle 443
 - excitation energy 226
 - 4⁺ level 226
 - first 2⁺ level 226
 - excited state 7–8, 189, 484
 - density 484
 - low-lying 189
 - metastable state 8
 - nuclear isomer 8
 - transformation 9
 - exoergic reaction 418
 - expectation value 139
 - experimental 11
- f*
- ¹⁸₉F 33, 39, 42
 - ¹⁸₉F₀ 6, 9
 - ¹⁸F 45–46
 - ⁵⁵Fe 7
 - ⁵⁵Fe 312
 - ⁵⁶₂₆Fe 465
 - elastic scattering 465
 - Fermi 282, 288
 - allowed decay 282
 - Fermi energy 189–190
 - Fermi function 288, 292, 294, 297, 316
 - electron capture 316
 - integrated 297
 - Fermi gas model 189, 443
 - Fermi golden rule 315, 337, 353, 424
 - Fermi golden rule #1 615
 - Fermi golden rule #2 285–286, 617
 - Fermi operator 303
 - Fermi theory 291
 - allowed β⁻ decay 287, 291
 - Fermi transition 302, 327
 - nuclear matrix element 302
 - fermion 80–81, 93, 150, 152
 - fermion state
 - antiparallel intrinsic spin 171
 - final state 13, 30, 291, 315
 - density 291
 - neutrino 315
 - first-order perturbation 286
 - decay constant 286
 - First-order time-dependent perturbation theory 285
 - fission 375, 383, 385, 389, 399–400, 406
 - charge distribution 389
 - energetic 375
 - energy release 399
 - neutron-induced 383, 406
 - recoverable energy 400
 - shell structure 385
 - spontaneous 383

- total energy release 400
- fission barrier 397, 401–402, 488
 - liquid-drop model 402
- fission cross section 487
- fission fragment 376, 385, 393
 - average kinetic energy 393
- fission fragment energy 393
 - spectrum 393
- fission isomer 385
- fission parameter 381, 384, 401
 - critical value 382
- fission probability 383–384, 401
 - nuclear-structure effect 384
 - spontaneous 401
- fission process 396
 - shape change 396
- fission product 375, 385
 - primary 385
- fission yield 388
 - independent 388
- fluorescence yield 312–313, 368
- flux 469
 - scattered 469
- $^{254}_{100}\text{Fm}$ 390
- $^{256}_{100}\text{Fm}$ 37, 390–391
- $^{258}_{100}\text{Fm}$ 391
- force 18, 77–78
 - relative strength 78
- force in nuclei 75
- Fourier transform 448
 - frequency function 448
- fragment kinetic energy 392
 - average total 392
- free neutron 374
 - source 374
- free particle 458
- function
 - even 146
 - mean value 64
 - odd 146
- fusion 24

g

- γ decay 331
- γ radiation 274
 - penetrating 274
- gamma decay 8
 - γ -ray emission 8
- Gamow factor 267, 269
- Gamow–Teller operator 305–306
- Gamow–Teller transition 305
 - nuclear matrix element 305
- Gauss's law 527

- Gaussian unit 90
- $^{148}_{64}\text{Gd}$ 248
- $^{154}_{64}\text{Gd}$ 215
- genetic relation 32
 - daughter 32
 - parent 32
- geometric 217
 - mean radius 217
- gravitational coupling constant 78
- γ -ray 8, 333, 385, 392
 - prompt 385, 392
 - wavelength 333
- grazing collision 416
- ground state 7, 22, 25–26, 31, 190, 195
 - even, even 195
 - parity 195
 - spin 195
- growth and decay 45, 47

h

- ^2_1H 24
- ^2_1H , p 446
- ^2H (^2H , n) ^3He 421
- ^3_1H 24, 31
- $^3_1\text{H}(p, n)^3_2\text{He}$ 437
- $^3_1\text{H}_2$
 - tritium 6
- ^3H 283
- half-life 24, 43, 46, 250, 345, 352, 357, 442
 - excited state 52
 - partial 52, 250
 - single-particle estimate 442
- Hamiltonian 220
- Hamiltonian operator 137
- harmonic oscillator 186, 213, 234
 - anisotropic 234
 - isotropic 186
 - one-dimensional 186, 213
- harmonic oscillator potential 176–177
 - isotropic 176–177
- ^3_2He 24, 32
- $^3_2\text{He}(n, p)^3_1\text{H}$ 431, 436, 479
- ^3He 283, 320
- ^4_2He 4
- heavy charged particle 525
 - classical model 525
 - energy loss 525
 - stopping 525
- heavy element 368
 - K-binding energy 368
- heavy mass peak 390
- Heisenberg Uncertainty Principle 135, 145, 448, 616

- Hermitian operator 139
 ^{175}Hf 239
 $^2_1\text{H}(n, n)^2_1\text{H}$ 427
 $^2\text{H}(^2\text{H}, n)^3\text{H}$ 423
 hindered transition 350
- i**
- identical nucleon 92
 identical particle 92, 109
 IHO 186
 - level spectrum 186
 imaging
 - SPECT 50
 impact parameter 526, 529
 - maximum 529
 - minimum value 529
 impulse approximation 526
 incident flux 460
 incoherent scattering 495, 512
 incoherent scattering function 513
 independent fission yield 386
 independent particle 143, 178
 independent particle approximation 175
 - average central potential 175
 independent particle model 144
 indium isotope 347
 inelastic scattering 70, 405, 444
 - compound 444
 initial 30
 integrated Fermi function 296, 299
 interaction 27, 77–78, 183–184, 287
 - electromagnetic 27
 - gravitational 78
 - local 287
 - spin–orbit 183–184
 - strong 27
 interference 463, 476
 intermediate state 442
 - half-life 442
 internal conversion 331, 351–353, 356, 368
 - $0^+ \rightarrow 0^+$ transition 351
 - elementary theory 353
 - perturbation potential 353
 - transition probability 353
 internal conversion coefficient 352, 356
 internal energy 21
 internal transition 347
 intrinsic angular momentum 148, 152
 intrinsic spin 93, 152
 - quantum number 152
 - z-component 152
 intrinsic state 221
 - rotational band 222
 intrinsic state
 - $^{175}_{72}\text{Hf}$ 221
 invariant 16
 inversion 168
 ionization energy 128
 ionization potential 26
 ionizing radiation 493
 isobar 387
 - β -stable 119
 - hypothetical most stable 119
 - most probable charge 387
 isolated resonance 445
 isomer
 - $^{42}_{21}\text{Sc}$ 366
 isomeric 53
 isomeric state 346, 365
 isomeric transition 347
 isotropic harmonic oscillator 185, 191, 234
 - angular frequency 234
 - Saxon–Woods potential 185
 isotropic harmonic oscillator potential 189
 - degeneracy 189

k

$^{42}_{19}\text{K}$ 364, 366
 Katz–Penfold relation 540

k_z 26

kinematic 502

- Compton Scattering 502
- recoil angle 502
- scattering angle 502

kinetic energy 392

- fission fragment 392

Klein–Nishina cross section 505, 507, 513

- application 507
- unpolarized radiation 505

$^{85}_{36}\text{Kr}$ 323, 331, 367

l

laboratory coordinate system 408

- elastic scattering 408

Legendre equation 166

Legendre polynomial 166, 207, 223, 461, 464

- associated 166
- orthogonality 464

lepton 300

level 450

- total width 450

level density 239, 443

level diagram 187, 191, 193, 195, 197

- comparison 187
- empirical single-particle 191
- IHO 187

- isotropic harmonic oscillator 191
- neutron 193
- proton 193
- spherical potential 187
- level diagram for protons 192
 - empirical 192
- level energy 31
- level scheme 188, 198
 - single-particle 188
- level sequence 182
 - energy spacing 182
 - single particle 182
- ${}^7_3\text{Li}$ 322
- ${}^6_3\text{Li}(n, {}^3_1\text{H})\alpha$ 479
- ${}^7_3\text{Li}(p, n){}^6_4\text{Be}$ 423
- linear attenuation coefficient 524
- linear momentum 22, 136
- liquid drop model 212
 - rotation 212
 - vibration 212
- liquid-drop model 376, 402
- local interaction 307
- \log_{10} 364
- $\log_{10}ft$ 299
- long-wavelength approximation 288, 315–316
- Lorentz transformation 15

m

- $\frac{1}{2}M$ or $M(Z, A)$ 4
- $\frac{1}{2}M$ or $M(Z, A)$
 - excited state 4
 - ground state 4
- M4 transition 348
- macroscopic cross section 523
- magic number 128, 187, 191, 236, 271
- magnetic dipole radiation 334
- magnetic field 18
- magnetic moment 148, 150, 152
- magnetic quadrupole radiation 339
- magnetic radiation 343
 - decay constant 343
- major shell 198
 - energy gap 198
- many-particle system 158
 - wave function 158
 - total parity 158
- mass 20, 29
 - atomic 29
 - daughter 30
 - electron 18
 - hydrogen atom 21
 - neutral atom 30

- neutron 18, 21
 - nuclide 29
 - parent 30
 - proton 18
 - quark 18
 - mass attenuation coefficient 524
 - mass density 85, 214
 - mass excess 117
 - isobar 117
 - mass number 92
 - mass peak 386
 - mass spectrometer 19
 - mass yield 386
 - mass–energy 20, 31
 - mass–energy balance 23, 36–37
 - fission probability 37
 - mass–yield distribution 386–387
 - matrix element 286, 289, 354, 356
 - Maxwell equation 334
 - Maxwell–Boltzmann distribution 110, 386, 396, 432
 - mean free path 524
 - mean level lifetime 447
 - mean lifetime 44
 - mean radius 216
 - geometric 216
 - metastable state 53, 346
 - ${}^{24}_{12}\text{Mg}$ 215
 - microscopic reversibility 436, 445
 - mirror nuclei 197
 - mirror nuclide 120
 - ML 339
 - ${}^{100}_{42}\text{Mo}$ 24
 - ${}^{92}_{42}\text{Mo}$ 49
 - moment of inertia 214–216
 - momentum spectrum 292
 - electron 292
 - most probable charge 389
 - most stable isobar 389
 - hypothetical 389
 - motion 212
 - correlated 212
 - multipole
 - electric 207
 - multipole moment 208
 - multipole operator 339–340
 - matrix element 339
- n**
- ${}^{14}_7\text{N}$ 22
 - ${}^{14}_7\text{N}(d, \alpha){}^{12}_6\text{C}$ 436
 - ${}^4_7\text{N}$ 4
 - $N = 49$ isotones 347, 349

- n,n' 432
- $^{23}_{11}\text{Na}$ 33
- $^{22}_{10}\text{Ne}$ 33
- neutral atom 29
- neutrino 32, 34, 282–284
 - mass 283
- neutron 3, 9, 19, 32, 320, 374, 385–386, 392, 405, 465
 - configuration 320
 - decay 32, 320
 - discovery 374
 - prompt 385, 392
 - slowing down 405
 - thermal 386
- neutron absorption 71
- neutron emission 386, 398
 - delayed 386
 - fission fragment 399
- neutron excess 104
- neutron flux 71
- neutron mass 19
- neutron scattering 432
 - inelastic 432
- neutron state 191
 - single-particle 191
- neutron width 456
- neutron-capture 406
- ^{60}Ni 433
- Nilsson 189
- Nilsson diagram 237–238, 240, 384
- Nilsson model 234, 236, 239, 257, 274, 277
 - deformation parameter 236
 - Hamiltonian 234–235
 - Nilsson diagram 236
 - rotational state 274
- Nilsson state 242
- $^{259}_{102}\text{No}$ 8
- nomenclatura or definitons
 - barn 68
- nonrelativistic nuclear reaction 418
 - kinematic 418
- nonrelativistic reaction 407
 - kinematic 407
- normalizable 138
- normalization 165
- notation 3
 - atomic number 3
 - isotope 3
 - mass number 3
- notation or definiton
 - electron volt 20
 - energy 20
 - gigaelectron volt 20
 - kiloelectron volt 20
 - megaelectron volt 20
- nuclear binding 94
 - quantum effect 94
- nuclear binding energy 75, 112
 - average 75
 - total 75
- nuclear density 89, 212
- nuclear fission 71, 373, 375, 385
 - discovery 373
 - induced 385
 - liquid-drop model 375
 - spontaneous 385
- nuclear force 9, 82–84, 88, 92
 - short range 82, 84
 - spin dependence 80–81, 92
- nuclear interaction 183
 - spin-dependence 183
- nuclear isomer 346, 367
- nuclear mass 13, 113
 - global fit 113
 - local fit 113
- nuclear mass surface 115
 - isobar 116
- nuclear matter 84
 - constant density 84
- nuclear physic
 - low-energy 2
- nuclear radii 83, 85, 90
 - hard-sphere approximation 88
 - proton 86
 - radius 86
- nuclear radius 89, 100
- nuclear reaction 9, 13, 21, 38, 405–406, 424, 440, 468
 - binary 9
 - low-energy 405, 440
 - mass–energy balance 38
 - partial wave analysis 468
 - projectile 9
 - qualitative consideration 440
 - shorthand notation 9, 406
 - target 9
- nuclear shell structure 129, 161
- nuclear stability 24
- nuclear stopping 494, 534
- nuclei 161, 196–197, 212
 - deformed 212
 - doubly magic 197
 - odd, odd 196
 - odd-A 196
 - structure 161

- nucleon
 - binding 28
 - binding energy 75
- nucleon motion 446
 - characteristic time 446
- nucleus 87–88, 94, 111
 - charge distribution 88
 - even, even 94, 111
 - mass distribution 87–88
 - odd, odd 111
 - quantized structure 88
 - radius 223
- nuclide
 - mass 75
- nuclide table 565
- o**
- $^{17}_8\text{O}$ 190, 196
 - ground state 190
- oblate shape 225
- occupancy 189
- operator 135, 137–138, 145, 147–148
 - Cartesian component 148
 - Hermitian 612
 - parity 147
- orbital angular momentum 148, 186, 232
 - deformed potential 232
 - quantization 186
 - spherical potential 232
- orthonormal function 141
- oscillator frequency 234
- oscillator quantum 235
- outgoing wave 468
 - amplitude change 468
 - phase shift 468
- p**
- pair production 494, 519
 - electron field 520
- pairing 92
- pairing effect 109
- pairing energy 92–94, 119, 190, 402
- parent 33
- parent–daughter relation 46
- parity 146, 158
- parity operator 146
- partial decay constant 52
- partial half-life 378
 - spontaneous fission 378
- partial wave analysis 457
- partial width 451, 455
- particle 101, 156–157, 297
 - identical 156–157
 - non-interacting 101
 - total energy 297
 - uncollided 70
- particle current density 67, 262
- particle in a box 230–231, 289
 - energy level 231
 - oblate 231
 - prolate 231
- particle in a box model 100
- particle in a quantized box 94
- Pauli 281
- Pauli Exclusion Principle 4, 93, 101, 189
- Pauli spin operator 305
- $^{201}_{82}\text{Pb}$ 406
- $^{206}_{82}\text{Pb}$ 245
- $^{207}_{82}\text{Pb}$ 479
- $^{208}_{82}\text{Pb}$ 427
- $^{209}_{82}\text{Pb}$ 200
- perturbation 83, 144
- perturbation potential 426, 612–613
- perturbation theory 282, 611
 - first-order time-dependent 611
 - time-dependent 282
- phase factor 462
- phase shift 463, 471
- phonon 185
- phonon state 226
- photoelectric absorption 517
 - K shell 517
- photoelectric effect 494–495, 516
- photoelectric interaction 516, 518
 - edge 518
- photon 311, 332, 494–495, 503, 522
 - absorber 522
 - angular momentum 311, 332
 - attenuation coefficient 520
 - collimator 522
 - elastic scattering 494–495
 - energy deposition 522
 - inelastic scattering 494–495
 - pair production 495
 - photoelectric absorption 495
 - reduced energy 503
 - total cross section 520
 - transport 522
- photon detector 508
- photon emission 334, 341, 353
 - decay constant 342
 - density of state 341
 - matrix element 341
 - parity 339
 - theory 334
 - transition probability 353

- transition rate 341
- Weisskopf single-particle estimate 344
- pickup reaction 446
- Planck's constant 96
- plane monochromatic wave 496
- $^{210}_{84}\text{Po}$ 248
- ^{210}Po 254
- Poisson distribution 43, 56–58, 62
 - binomial distribution 56
 - Gaussian approximation 66
 - Gaussian distribution 60
 - standard deviation 58
 - variance 58
- Poisson statistic 65
- positron emission 34, 284, 318
 - competition 318
 - Q_{β} 32
- positron emitter 6
- potential 28, 162–163, 175–176, 184, 188
 - harmonic oscillator 175
 - Saxon–Woods 176, 188
 - space-dependent 163
 - spherically symmetric 163
 - spin–orbit 184
- potential barrier 382, 456
- potential diagram 266
- potential energy 26, 375, 384
 - Coulomb 375
 - deformation 384
 - equilibrium 384
- potential energy surface 375
- potential field
 - average 27
- potential function 162
 - spin-dependent 162
- potential scattering 440, 445, 475
- potential scattering cross section 478
 - low energy 478
- potential well 25, 28, 93, 258
 - finite 258
- Poynting vector 496
- $^{144}_{59}\text{Pr}$ 48
- ^{144}Pr 51, 53
- probability amplitude 138
- probability density 138
- probe 83
- projectile 23, 38, 408–409, 419
 - property 409
 - Q value 38
- projectile flux 424
- prolate ellipsoid 376
- prolate shape 225
- prompt 8
 - fission product 8
 - γ -ray 8
 - neutron 8
- prompt γ -ray 399
 - spectrum 399
- prompt neutron 395–396
 - energy spectrum 395
 - evaporation 396
 - kinetic energy 395
- proton 3, 27, 320, 336, 530
 - configuration 320
 - deuteron 3
 - intrinsic magnetic moment 336
 - intrinsic spin vector 337
 - isobar 4
 - isotone 3
 - magnetic moment 337
 - nucleon 3
 - nuclide 3
 - spin g -factor 337
 - stopping power 530
- proton density 87
- proton level 194
 - ordering 194
- $^{239}_{94}\text{Pu}$ 8, 390, 400–401
- ^{239}Pu 405
- $^{240}_{94}\text{Pu}$ 401
- $^{239}_{94}\text{Pu}$ (n, f) 10
- q**
- Q value 30–31, 418
- Q_{β} 34
- Q_{β^-} 32
- Q_{EC} 34
- quadrupole moment 208–210, 212
 - electric 210, 212
 - experimental 210
 - nuclear 210
 - single particle 210
- quadrupole vibration 224–225
- quantized state 182
 - designation 182
 - orbital angular momentum 182
- quantized system 27
- Quantum mechanic 133
- quantum mechanical tunneling 261
- quantum number 93, 165, 236
 - asymptotic 236
- quantum state 156
 - discrete 156
- quark 82

r

- $^{226}_{88}\text{Ra}$ 246, 374, 406
- radial equation 172
- radiation field 337
- radioactive decay 13, 41, 45, 54
 - poisson statistic 54
 - spontaneous 13
 - statistical consideration 54
 - statistical fluctuation 60
- radioactive decay series 245
- radionuclide 71
 - production rate 71
- radius parameter 86
- Raleigh scattering 495
- range-scaling law 532
- rare gase 128
- $^{85}_{37}\text{Rb}$ 24
- $^{87}_{37}\text{Rb}$ 24
- reaction 407
 - endoergic 407
 - exoergic 407
- reaction cross section 425–426
 - energy dependence 426
- reaction probability
 - center of mass coordinate system 412
- reaction Q value 407
- reaction rate 69
- reciprocity theorem 435
 - forward reaction 435
 - reverse reaction 435
- recoil angle 418
- recoil energy 247
- recommended mass 545
- recurrence relation 179
- reduced mass 174
- relativity
 - special theory 13
- resonance 427, 477
 - observable parameter 477
- rest mass 16, 23, 29
 - energy equivalent 17
- rigid body 214
 - rotation 214
- rigid rotator 215
- rigid rotor 218, 252
- $^{222}_{86}\text{Rn}$ 246
- r_0 85–86
- root-mean-squared radius 85
- rotation 151, 214
 - frequency of rotation 151
 - Hamiltonian 214
 - kinetic energy 151, 214
 - momentum 214

- rotational band 217–218, 252, 368
 - energy 218
- rotational excitation 213, 219
 - even, even 213
 - Odd-A nuclei 219
- rotational level 250
- rotational motion 150, 173, 219
 - angular momentum 219
- rotational spectrum 215
 - rigid body 215
- rotational state 213, 215
 - angular momentum 215
 - energy spectrum 213
 - parity 215

s

- saddle point 396
- Saxon–Woods potential 175, 254
- $^{41}_{21}\text{Sc}$ 197
- $^{42}_{21}\text{Sc}$ 364, 366
- $^{49}_{21}\text{Sc}$ 198
- scalar potential 334
- scattered neutron 459
 - wave function 459
- scattered photon 507
 - energy spectrum 507
- scattered projectile 409
- scattering 79, 84, 464, 510
 - coherent 510
 - electron 84
 - incoherent 510
 - s-wave 464
- scattering angle 410, 417–418
 - maximum 410
- scattering cross section 469
 - differential 469
- scattering distribution 80
 - cylindrical symmetry 80
- Schrödinger equation 96, 98, 134, 258, 611–612
 - time-dependent 611–612
- $^{82}_{34}\text{Se}$ 24
- second-chance fission 489
- secular equilibrium 247
- selection rule 306
 - Gamow–Teller transition 306
- semi-empirical mass formula 109, 114, 117, 123, 125, 128, 375–376, 382
 - α decay 123
 - asymmetry term 114
 - β decay 117
 - Coulomb term 114
 - discrepancy 128

- nuclear fission 125
 - nuclear shell structure 123
 - surface term 114
 - volume term 114
 - separation energy 28, 130, 191, 253
 - neutron 130
 - proton 130
 - separation of variables 99, 162, 164, 172
 - shape isomer 385
 - sharp energy 611
 - shell gap 197
 - shell structure 4, 109, 148, 184, 249, 270
 - SI 20, 45
 - single particle level diagram 161
 - single-particle level 181, 366
 - single-particle model 143, 195
 - experiment 195
 - single-particle states 191
 - skin thickness 89
 - ^{146, 147}₆₂Sm 248
 - ¹³²₅₀Sn 391, 399
 - sources of nuclear data 11
 - nuclear reaction 11
 - nuclear structure 11
 - spectrum 156
 - spherical Bessel function 300, 333, 338, 340, 461
 - spherical harmonic 166–169, 223, 333, 338, 355, 461
 - addition theorem 355
 - even parity 168
 - odd parity 168
 - parity 168
 - spherical nuclei 109, 189
 - single-particle level 189
 - spherical polar coordinate 136, 162
 - spherical potential 176
 - finite 176
 - spherical potential well 178, 181, 184, 456, 472
 - energy 181
 - infinite 178, 184
 - level scheme 184
 - reaction 472
 - state 181
 - S-wave scattering 472
 - spherical shell model 161
 - spherical shell structure 390
 - spherical symmetry 208
 - spin-orbit 155
 - spin-orbit coupling 172
 - spontaneous 375
 - fission 375
 - neutron-induced 375
 - spontaneous decay 23
 - spontaneous fission 7, 37, 127, 378, 382–383, 391
 - ^{234, 235, 238}U 127
 - ²⁵²₉₅Cf 127
 - ²⁵⁶₁₀₀Fm 127
 - fission fragment 7
 - half-life 383
 - mass-yield distribution 391
 - Q_F 37
 - spontaneous fission 7
 - square integrable function 138
 - ⁸⁷₃₈Sr 24
 - stability 25
 - stable nucleus 134
 - standard deviation 65
 - state 366
 - bound 25–27
 - discrete 26
 - energy spectrum 366
 - initial 13, 22
 - unbound 25–27
 - stationary Hamiltonian 612
 - statistical factor 454, 477
 - statistical fluctuation 61–62
 - stopping 538
 - electron 538
 - positron 538
 - stopping medium 525, 532
 - property 532
 - stopping power 530
 - straggling 535
 - stripping reaction 446
 - strong interaction 78–79, 84, 88, 148
 - nuclear force 78
 - probe 79
 - symmetric fission 375, 386, 391
- t**
- target 23, 38, 69, 80, 408, 419
 - polarized 80
 - thick 69
 - thin 69
 - Taylor serie 476
 - ^{99m}₄₃Tc 49
 - ^{99m}Tc 8
 - ²³⁰₉₀Th 246
 - ²³¹₉₀Th 274, 276
 - ²³⁴₉₀Th 5
 - ²³⁴Th 251, 268–269
 - ²³⁶Th 253
 - thermal fission 390

- thermal neutron 405
 Thomas–Fermi
 – input page 30
 – statistical model 31
 Thompson scattering 495–496, 500
 – total cross section 500
 three-dimensional box 98
 threshold 33–34, 421
 threshold energy 422
 time reversal 436
 time-dependent 285
 time-dependent state 447, 449
 – energy 447
 – energy dependence 449
 – probability distribution 449
 time-independent solution 142
 $^{201}_{81}\text{Tl}$ 39, 406
 total angular momentum 136
 total decay constant 52
 total energy 17, 21, 26, 29, 136
 total level width 451
 total reaction cross section 468
 total wave disturbance 462
 total wave function 459
 total width 455
 tracer experiment 374
 transformation 22
 – spontaneous 21, 23
 transition 306, 364, 366, 615
 – amplitude 615
 – first-forbidden 366
 – Gamow–Teller 306
 – hindered 364
 – isospin 307
 – selection rule 306
 transition probability 616
 – total 616
 transmission coefficient 263–266, 273, 276,
 456–457
 tritium 25, 320
 – decay 320
 triton 24
- u**
 $^{235}_{92}\text{U}$ 248
 $^{235}_{92}\text{U}$ 37, 274, 276, 378, 381, 386, 390, 392, 395,
 399–401, 406, 421
 $^{235}_{92}\text{U}(n, f)$ 487
 $^{235}_{92}\text{U}$ 241, 405, 485
 $^{236}_{92}\text{U}$ 386, 392, 401, 406
 $^{238}_{92}\text{U}$ 5, 77, 215, 245
 $^{238}_{92}\text{U}(n, f)$ 487
 ^{238}U 216, 219, 251–253, 268–269, 484, 486
- $^{235}_{92}\text{U}(n, f)$ 10
- v**
 valence nucleon 253
 – binding 253
 valley of β stability 375
 vector diagram 154
 vector Helmholtz equation 338
 vector model 152
 – angular momentum 152
 vector potential 334, 336–337
 vibration 222, 228
 – changes in shape 222
 – two-phonon 228
 vibrational energy 222
 – quantum 222
 vibrational excitation 222
 vibrational quantum 224
 vibrational spectra 228
- w**
 wave equation 335
 – three-dimensional 335
 wave function 134, 163, 165, 170, 172, 215,
 285, 300–301, 447, 458
 – angular 163
 – antineutrino 300
 – asymptotic limit 458
 – neutrino 301
 – radial dependence 300
 – spherical nucleus 215
 – spin-dependent 172
 – symmetry 215
 – time dependent 447
 weak interaction 284–285, 287, 298
 – potential 287
 Weisskopf single-particle estimate 364
 Weizsäcker semi-empirical mass
 formula 112
- x**
 $^{135}_{54}\text{Xe}$ 479
 X-ray
 – naming 310
 x-ray 8, 25, 495
 X-ray emission 308
 – bound electron 308
- y**
 ^{89}Y 486
- z**
 zero-point energy 185