

Index

Note: Page references in *italics* refer to Figures; those in **bold** refer to Tables

- AARCH 204
- adjusted R^2 (\bar{R}^2) 95, 96, 113–14
- Akaike information criterion (AIC) 192
- alternative hypothesis 38
- Arellano–Bond estimator 267–68, 270
- ARMA models 210–11
- asymptotic results for the OLS and instrumental variables estimates 168–71
- asymptotic theory 66, 122
 - in simple regression model 85–88
- autocorrelated errors 122–23
 - GLS estimator for multiple regression model with 142–44
 - heteroskedasticity with, 123
 - likelihood-based testing 145
 - properties 139–42
 - testing for 145–49
- autocorrelation 138, 179
- autocorrelation consistent estimators 145
- autoregressive conditional heteroskedasticity (ARCH) 197, 202–5
 - extensions 204–5
- autoregressive distributed lag (ADL) 213
- autoregressive integrated moving average model (ARIMA) model 211
- autoregressive model 174, 181–95, 198
 - AR(1) model 181–85, 182–83
 - extensions of AR(1) model 185–88
 - information criteria in model selection 191–92
 - model selection vs model averaging 190–91
 - testing involving information criteria 189
 - testing with deterministic trend model 188–95
 - unit root testing 192–95
- autoregressive moving average (ARMA) model 211
- autoregressive process 181
- bar chart 6
- Bayes factor 314
- Bayesian econometrics 309–32
 - simple regression model with unknown variance 328–32
- Bayesian information criterion (BIC) 192
- Bayesian model averaging 314–15
- Bayesian statistics 309
- Bayesian theory 309–15
- Bayes theorem 339–40
- bell-shaped distribution 12, 12
- binary choice models 278–87
- binary variables 3
- bins 7
- Black–Scholes option price formula 197
- Box–Pierce (Q -test statistic) test 146, 147
- Breusch–Godfrey test 146
- Breusch–Pagan test 133–34, 135, 137
- British Household Panel Study 4

- Cameron Trivedi test 301
- capital asset pricing model (CAPM) 58, 197
- causality 19
- censored data 296
- central limit theorem (CLT) 87, 351
- chi-square distribution 344
- chi-square statistical tables 344
- classical assumptions
 - of simple regression model 64–67
- class intervals 7
- clustering in volatility 198
- Cobb–Douglas production function 110
- Cochrane–Orcutt estimator 143–47, 149
 - iterated 143–44
- Cochrane–Orcutt procedure 143–44
- coefficients 32
- cointegrated variables 220
- cointegrating regression 220
- cointegration 139, 186, 214, 218–19
- common trends 218
- conditional logit 294–96
- conditional probability 339–40
- confidence intervals 37–39, 44
 - for OLS estimator β 75–77
- confidence level 38, 77
- consistency 275
- consistent estimator 149
- contemporaneous causality 229
- continuous variables 338
- convergence
 - in distribution 351
 - in probability 348–51
- correlation 16–24, 342
 - between several variables
 - of variables, causality and 19–21
 - properties 17–19
 - XY plots 21–23, 22–23
- correlation matrix 23–24, **24**, 47–8, **48**
- correlation squared 18
- cost function 32
- co-trending 218
- count data 299–303
- count data models 278
- covariances 24–25, 342
- Cramer’s theorem 88, 352
- critical value 39
- cross-sectional data 3
- cumulative distribution function 280

- data, obtaining 4–5
- data stream 4
- data transformations 5–6

- degrees of freedom 79, 344, 346
- delta Y 178–79
- dependent variable 32
- descriptive statistics 11–25
- deterministic trend 186, 187
 - testing in autoregressive model with 188–95
- Dickey–Fuller distribution 194
- Dickey–Fuller test 175, 194, 195, 199, 221, 222, 230
 - augmented 194
 - critical values **194**
- difference stationary series 184, 187
- differencing 142, 178
- direct causality 20
- discrete variables 339
- dispersion 12
- distributed lag models 213
- distribution 280
- distribution functions and probability 340
- dummy variables 3, 255
 - dependent variable as 55
 - multiple regression with 50–55
- duration models 303
- Durbin’s *b*-test 147–49
- Durbin–Watson statistic 146–47

- economic data, types of 2
- efficiency of estimators 70, 71
- elasticity 111
- empirical project, writing 353–58
- endogenous variable 159
- Engle–Granger test 221–24, 230, 242, 254
- error 34
- error correction model (ECM) 214, 224–26
- error precision 328
- error variance 77
- estimation 33
- estimator for sigma squared (σ^2)
 - in multiple regression model 92
 - unknown 78–81
- events 339
- exogenous variable 159
- expected return 14–15
- expected values 13–16, 341
 - properties 342
- experiment 338
- explanatory (independent) variable 32
- exponential distribution 346
- extreme bounds analysis 321

- F*-distribution 40, 345
- feasible GLS estimator 132
- Federal Reserve Bank of St Louis 4
- Financial Data Finder 5
- fitted regression line 34, 36–37
- fixed effects model 255, 256, 259–62
 - hypothesis testing in 262
- forecasting theory 251–53
- frequency table 7, 8, 11
- frequency theory 332
- frequentist 332
- F*-statistic 40–42, 92, 104
- F* statistical tables 345

- gamma distribution 346–47
 - inverted 346
 - mean and variance 346
- gamma function 331, 332
- GARCH (generalized ARCH) 204–5, **205**
- Gauss–Markov theorem 72–74, 92, 99, 100, 110
 - OLS is BLUE 72, 110, 121, 123, 127, 128, 138, 141
 - proof 84–85
- generalized instrumental variables estimator (GIVE) 154
- generalized least squares (GLS) estimator 122, 123
 - under heteroskedasticity 126–28
- generalized least-squares (GLS)
 - methods 255
 - by transforming the multiple regression model 129–30
- Goldfeld–Quandt test 132–33
- Granger causality 214, 227–33
 - in the ADL model 229
 - in both directions 231–32
 - with cointegrated variables 232–36
- Granger representation theorem 224
- graphical methods 6
- gross domestic product (GDP) 2, 5, 6
 - per capita 7

- Hanna–Quinn criterion (HQ) 192
- Hausman–Taylor estimator 267, 268, 270
- Hausman test 154–55, 266
- heteroskedasticity 65, 120, 122, 123, 124–38
 - estimation when error variances are unknown 128–32
 - generalized least squares by transforming the multiple regression model 129–30
 - generalized least-squares estimator under 126–28
 - properties of OLS estimator if present 125–26
 - recommendations for empirical practice 135–38
 - testing for 132–35
 - theoretical results assuming error variance is known 124–28
- heteroskedasticity consistent estimator (HCE) 126, 128, 130, 131, 144
- hierarchical models 270
- histograms 6–9, 8
- homoskedasticity 65, 124
- hypothesis testing 37, 38, 96
 - using R^2 40–42

- improper 322
- impulse response functions 244–47
- incidence rate ratio 300
- independence 74, 339
 - of irrelevant alternatives (IIA) property 289–91
- independent and identically distributed (i.i.d.) variables 346
- independent variable 32
- indirect causality 20
- indirect least squares 161
- individual effect 259
- individual effects models 256–59
 - extensions to 268–70
- inflation 6
- information criteria
 - in model selection 191–92
 - testing involving 189–90
- information matrix 119
- initial conditions 176
- innovations 210
- in-sample estimation and testing 251
- instrumental variable (or instrument) 152
- instrumental variables (IV) estimator 66, 122, 149–63
 - explanatory variable correlation with error 157–63
 - explanatory variable correlation with error term 152–57
 - explanatory variable is random but independent of error 150–51
 - measurement error in explanatory variables 157–58
 - simultaneous equations model 159–63
 - use 153–54
- internet 4
- inverted Gamma distribution 346
- invertibility condition 211

- irrelevant alternatives (IIA) property 289–91
- iterated Cochrane–Orcutt Procedure 143–44
- Johansen test 221, 243
- joint probability density functions 342
- Journal of Applied Econometrics Data Archive 4
- lagged dependent variables 146
- lagged one period 175
- lagged variable 175, 176
- Lagrange multiplier test 117–20, 145
- law of large numbers (LLN) 86–87, 350–51
- level 5
- levels of significance 39
- likelihood function 73, 311, 315–17
- likelihood ratio 106, 107–9, 108
- likelihood ratio testing 92
- LIMDEP 282, 290
- limited dependent variable models 277–303
 - count data 298–303
 - extensions 303–4
 - tobit 296–98
- linear regression model 29
- Ljung test 146, 147
- logarithms 5–6, 334
 - of variables 110, 111
- logistic distribution 279
- log-linear regression 110, 111
- logit model 277–80, 282–84
- long memory behaviour 181
- long-run multiplier 215
- low power tests 195
- marginal likelihood 312, 326
- marginal p.d.f.s 342
- matrix algebra 120
- maximum 12
- maximum likelihood estimation 72–74
- maximum likelihood estimator of beta
 - hypothesis tests 77–81
 - OLS estimator and 74–75
- mean 11, 60–61, 341
 - of t -distribution 347
- mean return 14–15
- measure of fit (R^2)
 - adjusted 95
 - in multiple regression 43–44, 95
 - in simple regression 37
 - multicollinearity 49
 - minimum 12
- model averaging 190–91
- model selection 190–91, 314
- moving average (MA) models 175, 210–11
- multicollinearity 49–50, 96
- multinomial choice models 278, 287–91
- multinomial logit 278, 287–90
- multinomial probit 278, 287–90
- multiple regression 30, 42–55, 91–120
 - basic results 92–96, 122–24
 - dependent variable as dummy 55
 - explanatory variables in 46–49
 - F -tests 102, 103–4
 - functional form in 109–15
 - heteroskedasticity 124–38
 - hypothesis testing in 102–15
 - instrumental variables estimator 149–63
 - irrelevant explanatory variables in 99–100
 - likelihood ratio tests 102, 105–9
 - multicollinearity in 49–50, 92, 100–2
 - non-linear form, choice of 112–15
 - non-linearity in 109–12
 - OLS estimation in 43, 59
 - OLS interpretation in 44–46
 - omitted variables bias 91, 96–99
 - R^2 in 40, 102
 - statistical aspects 43–44
 - t -statistic for 101
 - with autocorrelated errors 138–49
 - with dummy variables 50–55
 - without classical assumptions 121–63
- multivariate normal distribution 289
- NARCH 204
- NARCHK 204
- National Bureau of Economic Research 4
- natural conjugate priors 317
- negative binomial regression
 - model 302
- nested logit model 290
- Newey–West estimator 144, 261
- non-informative prior 321
- non-linear regression methods 109–12
- non-stationarity 195–96
- non-stationary series 181
- non-stationary variables 174
- normal distribution 11, 343

- normal–gamma distribution 329, 347
 - marginal distributions involving 347
- normal statistical tables 343–44
- null hypothesis 38, 265
- numerical optimisation algorithm 110, 120
- odds ratio 282
- Office of National Statistics 4
- OLS estimates 35
- OLS estimation
 - in multiple regression 43
 - interpretation in multiple regression, 130
- OLS estimator of beta, properties 67–75
 - confidence interval for 75–77
 - distribution 70–72
 - expected value 68–69
 - Gauss–Markov theorem 72–74
 - hypothesis tests 77–78
 - in multiple regression 97–99, 101
 - maximum likelihood estimator 75–75, 105, 110
 - p.d.f. of 70, 70, 71
 - variance 69, 70
- OLS estimator of sigma squared 78–81
- OLS is BLUE 72, 81, 110, 116, 121, 123, 128, 138, 141
- omitted variables bias 48–49
- ordered probit 93, 303
- ordinary least squares *see entries under* OLS
- outliers 11
- out-of-sample forecasting 240, 251
- overdispersion, test of 301
- panel-corrected standard errors 264
- panel data 3
 - models 255–56
- Panel Study of Income Dynamics 4
- Penn World Table (PWT) 4
- percentage change in share price 5–6
- pie chart 6
- Poisson regression model 299–301
 - testing for overdispersion in 301–3
- pooled model 256
- population 351
- population correlations 24–25
- population mean 14, 24, 346
- population variance 14, 24, 346
- posterior density 311
- posterior model probabilities 313–15, 323
- posterior odds ratio 313, 315, 322, 325, 331
- posteriors 322–23
- posterior standard deviation 324
- posterior variance 319–20
- prior density 311
- prior elicitation 317, 320
- prior hyperparameters 317
- prior model probability 312
- prior odds ratio 314
- priors 317, 321
- prior sensitivity analysis 320
- probability 59–60
 - basic concepts 338–46
- probability density function (p.d.f.) 60–62, 67
 - of OLS estimator 70, 71
- probability distributions 11
- probit model 279–84, 288–90
- product notation 335–37
- P*-value 39–40, 80–81, 203
- Q*-test statistic 146
- qualitative choice models 277, 278–87
- qualitative data 3
- quantitative data 3
- quasi-differencing 142, 143
- R^2 95, 96
- random coefficients model 270
- random effects model 255–56, 264–70
 - hypothesis testing in 264–66
 - instrumental variables estimation in 266–68
- random sample 345
- random variables and probability 338–39
- random walk model 185
- random walk with drift 185
- real GDP per capita 7–9, 11, 12
- realisations 338
- recursive forecasting 241
- reduced form 160
- regression 23
- regression errors 66
- regression line 31
- regression model 32
- regression sum of squares 36–37
- relatively non-informative prior 321
- residuals 34
- resources for Economists on the Internet 4
- restricted model 103–4
- return to schooling 112
- robust variance estimators 285
- SAARCH 204
- sample 336

- sample mean 13, 14, 336, 346
- sample size 11
- sample space 338
- sample variance 346
- Sargan test 156–57
- Schwartz criterion 192
- sequential testing procedure 189
- Shiller, Robert 5
- significance, levels of 39
- simple regression 30–42
 - as best-fitting line 30–35
 - basic statistical concepts 37–40
 - measuring fit 36–37
 - OLS estimates 35–36
- simple regression model
 - classical assumptions 64–67
 - econometrics of 59
 - model comparison 322–23
 - probability concepts in 60–64
 - with natural conjugate prior and single explanatory variable 309–25
- simultaneous equations model 159–62
- Slutsky's theorem 351–52
- spurious regression 174, 177, 217
- standard deviation 11, 13, 341
- standard error 39
- standard normal distribution 62, 343
- stationarity
 - in time series analysis 195–96
 - of errors and means 139
- stationarity condition 184
- stationary series 180
- stochastic trend 186
- straight line 334
 - functions and equation 333–34
- structural form 160
- structural VAR 26
- Student t -distribution 79–80, 94, 123, 193, 345, 346
- Student's t -statistical tables 39, 94, 345–46
- sum of squared residuals (SSRs) 34–35, 37
- summation notation 334–37
- summation operator 11, 35
- supply–demand model 159

- TARCH 204
- t -distribution 346
 - mean and variance of 346
- time series data 2
- time series graph 6, 7
- time series notation 175–77

- time series regression 175–77
 - Granger causality 227–33
 - vector autoregressions (VARs) 233–47
 - forecasting with 238–41
 - response functions and variance decompositions 244–47
 - with cointegrated variables 241–17
 - when X and Y are stationary 214–17
 - when Y and X have unit roots 217–26
 - cointegrated variables, 220, 231, 241
 - cointegration 217–20
 - error correction model, 224–26, 242, 248
 - estimation and testing with, 220, 290
 - not cointegrated 218, 220, 227
 - spurious regression 218–20, 222, 227
- tobit model 295, 286, 298, 305
- total multiplier 215
- total sum of squares (TSS) 36
- treatment effects model 303
- trend 177–79, 182
- trend stationary time series 187, 195, 196
- t -statistic (t -ratio; t -stat) 39, 80
- two-stage least squares 161

- UK Data Archive 4
- unbiasedness of estimators 68–69, 72
- unit root 139
 - testing 192–95
- univariate time series analysis 173–205
 - autocorrelation function 179–81, **180**
 - autoregressive model 181–95
 - AR(1) model 181–85, 182–83
 - extensions of AR(1) model 185–88
 - testing with deterministic trend model 188–95
 - defining stationarity 195–96
 - modelling volatility 197–205
 - trends on time series variables 177–79, 177–78
 - volatility in asset prices 197–202
- unrestricted model 103, 104

- variable 2
- variance (σ^2) 13–6, 36, 60–61, 342
 - of t -distribution 346–47
- variance decompositions 244–47
- variance operator, properties 342
- vector autoregressive (VAR) models 214, 233–47
 - forecasting with 238–41
 - response functions and variance decompositions 244–47

- VAR(p) model 234
 - with cointegrated variables 241–44
- vector error correction model (VECM) 242, 246
- Wald multiplier test 107, 117–20
- weighted least-squares estimator 127
- Wharton Research Data Services 4
- white noise 210
- White test for heteroskedasticity 134–35, 137, 170
- XY plots (scatter diagrams) 9–11, 10, 30, 31, 33–34, 33
 - correlation and 21–23, 22–3
- Yahoo 4
- Z-score 63, 75–76

