

# Index

## • Symbols and Numerics •

- \$ (dollar sign) character in hidden shares, 255
- 10Base2 cable, 96
- 10Base5 cable, 96
- 10BaseT cable, 96
- 100 Mbps Ethernet, 83
- 802.11 standards for wireless networks, 174–175
- 2600 (magazine), 235

## • A •

- Access databases, 58
- accessing
  - files, 55, 367–368
  - network resources, 29–30
- accounts for users
  - Administrator account, 320–322
  - backups, 312
  - contact information, 242
  - creating, 239–241
  - delegation, 244
  - deleting, 247
  - disabling, 243, 246
  - domain, 238
  - enabling, 246
  - encryption, 244
  - group membership, 238, 247–249
  - Guest account, 321–322
  - Linux operating system, 351–352
  - local, 238
  - logon name, 24, 243
  - logon script, 245, 249–250
  - passwords, 137, 238, 243, 245–246, 318–319
  - profile information, 244–245
  - properties, 238, 241–245
  - security, 137–138, 244, 317–322
  - service accounts, 322
  - sharing, 326
  - smart cards, 244
- Administrator account, 320–322
- Alohanet, 174
- Analog Telephone Adapter (ATA), 218–220
- AND logical operator, 109
- ANSI (American National Standards Institute), 85
- ANSI/EIA Standard 568, 85
- antennas, 171–172
- antivirus programs, 335–336, 382
- Apple Mac OS X Server, 139–140
- AppleTalk, 363–366
- application gateway, 332
- Application Layer (OSI Model), 395
- application server, 154
- archive bit, 304
- ARCnet, 82
- arp command, 233
- ATA (Analog Telephone Adapter), 218–220
- AT&T CallVantage VoIP services, 218

## • B •

- backup programs, 303–304
- backups
  - archive bit, 304
  - backup selection, 304
  - CDs, 302
  - copy scheme, 304, 306

- backups (*continued*)
    - daily scheme, 304, 306
    - differential scheme, 304, 307–308
    - disaster recovery plan, 301–302
    - DVDs, 302
    - encryption, 312
    - full scheme, 305
    - hard drive, 28, 381
    - incremental scheme, 304, 306–307
    - local, 308–309
    - mirror, 134
    - network, 308–309
    - normal scheme, 304, 305
    - security, 312
    - servers, 376
    - tape backups, 302, 309–310
    - tape drives, 302, 310–311
    - tape rotation, 309–310
    - Travan drives, 302, 310
    - user accounts, 312
  - bandwidth, 173
  - Baseline Security Analyzer, 234
  - binary numbering system, 107–109
  - bottlenecks, 266–270
  - bridges, 103–104
  - broadband Internet connections, 190
  - BSS (Basic Service Set), 179
  - built-in firewalls, 333–334
  - bus topology, 82
  - backups
    - skipping on, 373–374
    - solid cable, 87
    - station cable, 87
    - stranded cable, 87
    - 10Base2 cable, 96
    - 10Base5 cable, 96
    - 10BaseT cable, 96
    - twisted-pair cable, 16, 83–86, 90–91
    - unshielded twisted-pair (UTP) cable, 86
  - carrier sense multiple access with collision detection (CSMA/CD), 174
  - CDs, 302
  - certifications, 236
  - Change Permissions permission, 254
  - checking
    - cables, 282–283
    - network connection, 282–283
    - network settings, 283–284
  - choosing
    - network interface card (NIC), 98–99
    - network operating system (NOS), 17
  - circuit-level gateway, 331–332
  - class C IP addresses, 113–114
  - classes of IP addresses
    - Class A, 111–113
    - Class B, 111–114
    - Class C, 111–114
    - Class D, 111–112
    - Class E, 111–112
  - client computer identification, 162–166
  - clients
    - defined, 14, 41–42
    - DHCP clients, 126–127
    - DNS clients, 131–132
  - closed-door approach to security, 315
  - command shell (Linux), 350
  - CompTIA nonprofit industry trade association, 236
  - computer equipment checklist, 231
  - computer identification, 162–166
  - computer magazines, 235, 295
  - computer name, 23
  - computer tool kit, 89, 388
  - computers
    - dead computer, 281–282
    - disk space, 280
    - fan, 281
    - monitor, 282
- C •
- cable Internet connection, 190
  - cable ties, 388
  - cables
    - cable ties, 388
    - checking, 282–283
    - crossover cable, 92–93
    - defined, 16
    - Ethernet, 81–83
    - installing, 87–89
    - patch cable, 87, 388
    - pin connections for twisted-pair cable, 90–91
    - plenum cable, 86–87
    - PVC cable, 86
    - shielded twisted-pair (STP) cable, 86

- On/Off switches, 281
  - restarting, 280, 285–287
  - Sleep feature, 281
  - configuring
    - client computer identification, 162–166
    - Linux network, 352–354
    - Macintosh computer for networking, 366
    - network connections, 155–162
    - network logon, 166–167
    - network protocols, 269, 382
    - Outlook for Exchange Server, 200–202
    - server roles, 152–154
    - WAP (wireless access point), 181–183
  - configuring server roles
    - application server role, 154
    - Configure Your Server Wizard, 152–153
    - DHCP server role, 154
    - DNS server role, 154
    - domain controller server role, 154
    - file server role, 153, 256–259
    - mail server role, 154
    - print server role, 153
    - remote access/VPN server role, 154
    - streaming media server role, 154
    - terminal server role, 154
    - WINS server role, 154
  - connecting from home
    - Outlook Web Access, 199, 221–223
    - virtual private network (VPN), 138, 224
  - connecting to the Internet
    - broadband connections, 190
    - cable, 190
    - DSL, 190
    - Internet Service Provider (ISP), 189
    - routers, 191
    - shared Internet connection, 191
    - T1 dedicated high-speed digital line, 191
    - T3 dedicated high-speed digital line, 191
  - connectors, 91–92
  - contact information for user account, 242
  - copy backup scheme, 304, 306
  - copying files, 375
  - costs
    - file server, 251
    - switches, 389
    - VoIP (Voice over IP), 219
    - Windows Server 2003, 139
  - counter logs, 275–277
  - counters, 273–274
  - Create Files/Write Data permission, 254
  - Create Folders/Append Data permission, 254
  - creating
    - groups, 247–248
    - intranet pages, 212–213
    - passwords, 319–320
    - user accounts, 239–241
  - creating a network plan, 63–64
  - crimp tool, 89
  - crossover cable, 92–93
  - CSMA/CD (carrier sense multiple access with collision detection), 174
- D •
- daily backup scheme, 304, 306
  - daisy-chaining hubs or switches, 96–98
  - Data Link Layer (OSI Model), 392–393
  - database servers, 71
  - databases
    - directory databases, 136
    - sharing, 58
  - dead computer, 281–282
  - dedicated servers, 14–15, 69
  - delegation for user accounts, 244
  - Delete permission, 254
  - Delete Subfolders and Files permission, 254
  - deleting
    - files, 375
    - user accounts, 247
  - Dell 725N storage appliance, 252
  - DHCP (Dynamic Host Configuration Protocol)
    - alternative to, 120
    - how it works, 120
    - IP addresses, 119–120
    - options, 120
    - reservations, 122–123
    - setting up, 120–123
  - DHCP clients, 126–127
  - DHCP servers
    - configuring DHCP server role, 154
    - lease duration, 124
    - network server, 120–121
    - reservations, 122–123
    - scopes, 121–122
    - Windows Server 2003 DHCP server, 124–126, 154
    - wireless access point (WAP), 183

- diagrams, 72–73
- differential backup scheme, 304, 307–308
- digital certificates, 138
- directories, 26
- directory databases, 136
- directory services, 135–137
- disabling user accounts, 243, 246
- disaster recovery plan, 301–302
- disk space, 251, 280
- disk striping, 269
- disks (software disks), 390
- distributions of Linux, 344
- DNS (Domain Name System), 127–129
- DNS clients, 131–132
- DNS servers, 130–131, 154
- documentation
  - back schedule, 230
  - computer equipment inventory, 230–231
  - network diagram, 230–231
  - passwords, 230, 389
  - system information, 68–69, 230
  - tracking log for network problems, 291–292
  - written documentation, 384–385, 389
- dollar sign (\$) character in hidden shares, 255
- domain controller server, 154
- domain name, 24, 127–130
- Domain Name System (DNS), 127–129
- domain networks, 24
- domain user accounts, 238
- domains, 127–129
- dotted-decimal notation, 110–111
- down (defined), 11
- downloading service packs, 152
- downtime, 377–378, 383
- drive letters, 33
- DSL Internet connection, 190
- duct tape, 387
- DVDs, 302
- Dynamic Host Configuration Protocol (DHCP)
  - alternative to, 120
  - how it works, 120
  - IP addresses, 119–120
  - options, 120
  - reservations, 122–123
  - setting up, 120–123

## • E •

- 802.11 standards for wireless networks, 174–175
- Electronic Industries Association (EIA), 85
- enabling user accounts, 246
- encryption
  - backups, 312
  - user accounts, 244
- equipment checklist, 231
- error messages, 280, 283
- Ethereal program, 234
- Ethernet, 81–83, 174
- event logs, 290–291
- Event Viewer (Windows Server 2003), 290–291
- Exchange Server
  - configuring Outlook, 200–202
  - E-mail Addresses tab, 197–198
  - Exchange Advanced tab, 199–200
  - Exchange Features tab, 197–199
  - Exchange General tab, 196–197
  - Exchange System Manager console, 195–196
  - IMAP4, 199
  - mailboxes, 196–197
  - Outlook Mobile Access, 198
  - Outlook Web Access, 199, 221–223
  - POP3, 199
  - Up-to-Date Notifications, 199
  - User Initiated Synchronization, 198
  - viewing another mailbox, 202–205
- exclusions, 122

## • F •

- fan (on computer), 281
- Fast Ethernet, 83
- FCC (Federal Communications Commission), 173
- Fedora Linux distribution, 344
- File and Printer Sharing feature
  - Windows Vista, 44–45
  - Windows XP, 42–43
- file server
  - configuring file server role, 153, 256–259
  - cost, 251–252
  - defined, 70, 251

- managing, 259–262
- RAID (Redundant Array of Inexpensive Disks), 251–252
- file sharing
  - benefits of, 12
  - File and Printer Sharing feature (Windows Vista), 44–45
  - File and Printer Sharing feature (Windows XP), 42–43
  - Macintosh network, 367
  - network drive, 26–28
  - network operating system (NOS), 134
- file system, 134
- files
  - accessing, 55, 367–368
  - copying, 375
  - deleting, 375
  - offline files, 59–60
  - permissions, 253
- firewalls
  - application gateway, 332
  - circuit-level gateway, 331–332
  - defined, 192, 327
  - packet filters, 329–331
  - perimeter, 193, 329
  - servers, 192, 328
  - stateful packet inspection (SPI), 331
  - Windows Vista built-in firewall, 193–194, 333–334
  - Windows XP built-in firewall, 193–194, 333–334
- fish tape, 89
- folders
  - home folder, 27
  - permissions, 253
  - Public folder, 48–50
  - shared folders, 26–28, 31–34, 45–48
  - shares, 254
- FQDN (fully qualified domain name), 129–130
- fractional T3 dedicated high-speed digital line, 191
- free space, 378, 382
- frequency, 171–172
- full backup scheme, 305
- Full control permission, 253

## • G •

- generating passwords, 320
- Gigabit Ethernet, 83
- GNOME desktop (Linux), 348–349
- granting permissions, 262–264
- group accounts
  - adding members, 248–249
  - creating, 247–248
  - defined, 238, 247
  - security, 324–325
- Guest account, 321–322

## • H •

- hackers, 314, 330
- hard drive backup, 28, 381
- hidden shares, 255
- home access to work network
  - Outlook Web Access, 199, 221–223
  - virtual private network (VPN), 138, 224
- home folder, 27
- host ID (IP addresses), 110
- hostname command, 233
- Hotfix Checker program, 234
- HTTP (HyperText Transfer Protocol), 395
- hubs
  - cost of, 94
  - daisy-chaining, 96–98
  - defined, 10–11, 16
  - network performance, 278
  - stackable hubs, 98
  - versus switches, 95
- Hughes, Phil, *Linux For Dummies Quick Reference*, 3rd Edition, 341
- HyperText Transfer Protocol (HTTP), 395

## • I •

- IBM Token Ring, 82
- IBSS (Independent Basic Service Set), 180
- IIS (Internet Information Services), 154, 210–215
- incremental backup scheme, 304, 306–307
- InformationWeek* (magazine), 235
- InfoWorld* (magazine), 235

- infrastructure, 71–72, 270
  - infrastructure mode network, 170, 179
  - installing
    - Linux operating system, 345–346
    - Microsoft Office, 54
    - network cables, 87–89
    - network interface card (NIC), 99–100
    - network operating system (NOS), 140–149
    - Samba, 357
    - server operating system, 143–144
    - switches, 95
  - Internet
    - connecting to, 189–191
    - defined, 11
    - security, 376–377
  - Internet Information Services (IIS), 154, 210–215
  - Internet Service Provider (ISP), 189
  - intranet
    - creating pages, 212–213
    - defined, 207–208
    - Internet Information Services (IIS), 210–215
    - publishing applications, 208
    - requirements, 209–210
    - setting up, 209–210
    - transaction applications, 208
  - inventory, 65–68
  - IP addresses
    - binary numbering system, 107–109
    - classes, 111–114
    - defined, 110
    - DHCP (Dynamic Host Configuration Protocol), 119–123
    - dotted-decimal notation, 110–111
    - exclusions, 122
    - host ID, 110
    - logical operations, 109
    - multicast address, 111
    - network address translation (NAT), 118–119
    - network ID, 110
    - private, 118
    - public, 118
    - scopes, 121–122
    - subnet masks, 116–118
    - subnets, 115–116
    - subnetting, 114–116
  - IP next generation (IPng), 114
  - IP spoofing, 330
  - ipconfig command, 233
  - IPSec, 224
  - IPv4, 114
  - IPv6, 114
  - ISP (Internet Service Provider), 189
- **J** ●
- jacks, 93–94
- **K** ●
- Kelly, Timothy V., *VoIP For Dummies*, 217
- **L** ●
- LAN (local-area network), 10–11
  - LAWN (local-area wireless network), 170
  - LeBlanc, Dee-Ann, *Linux For Dummies*, 8th Edition, 341
  - library, 234–235, 294–295
  - licenses, 384
  - Linux For Dummies*, 8th Edition (LeBlanc), 341
  - Linux For Dummies Quick Reference*, 3rd Edition (Hughes and Navratilova), 341
  - Linux operating system
    - as alternative to Windows, 15, 71, 342–343
    - command shell, 350
    - development history, 139, 341
    - Fedora distribution, 344
    - GNOME desktop, 348–349
    - installing, 345–346
    - Linux-Mandriva distribution, 344
    - logging off, 348
    - logging on, 346–348
    - network configuration, 352–354
    - restarting networking services, 354–355
    - Samba, 355–361
    - shutting down, 348
    - Slackware distribution, 344
    - StarOffice program suite, 342
    - SuSE distribution, 344
    - Unix, 71, 139
    - user accounts, 351–352
    - X Window System, 342
  - Linux-Mandriva distribution, 344

- List Folder Contents permission, 253
  - List Folder/Read Data permission, 254
  - local backup, 308–309, 381
  - local resources, 21–22
  - local user accounts, 238
  - local-area network (LAN), 10–11
  - local-area wireless network (LAWN), 170
  - log off, 24–25
  - log on, 24–25
  - log out, 24–25
  - logging off
    - Linux operating system log off, 348
    - network log off, 39
  - logging on
    - Linux operating system logon, 346–348
    - network logon, 24–25
    - network operating system (NOS)
      - logon, 149
  - logical addressing, 394
  - logical operations, 109
  - login, 24–25
  - logon name, 24, 243
  - logon script
    - benefits of using, 325–326
    - creating, 249–250
    - defined, 245
  - logs
    - counter logs, 275–277
    - event logs, 290–291
    - network performance, 275–277
    - trace logs, 275
  - Lowe, Doug, *Networking All-in-One Desk Reference For Dummies*, 2nd Edition, 3
  - lower layers of the OSI Model, 391
- **M** ●
- MAC addresses, 104, 393–394
  - Mac OS X Server, 139–140, 364–365
  - Macintosh network
    - accessing shared files, 367–368
    - AppleTalk, 363–366
    - configuring a Mac for networking, 366
    - file sharing, 367
    - Mac OS X Server, 364–365
    - Macs and PCs, 368–369
    - Open Transport, 364
    - printers, 366–367
  - magazines, 235, 295
  - mail servers
    - configuring, 154
    - defined, 71
    - Microsoft Exchange Server 2003, 195–205
  - mainframe computers, 17
  - malfunctioning components, 270
  - managing
    - file server, 259–262
    - users, 232–233
  - manuals, 390
  - mapping network drives, 31–34
  - McAfee's VirusScan, 336
  - Media Access Control address, 104, 393–394
  - memory leak, 278
  - Microsoft Exchange Server 2003
    - configuring Outlook, 200–202
    - E-mail Addresses tab, 197–198
    - Exchange Advanced tab, 199–200
    - Exchange Features tab, 197–199
    - Exchange General tab, 196–197
    - Exchange System Manager console, 195–196
    - IMAP4, 199
    - mailboxes, 196
    - Outlook Mobile Access, 198
    - Outlook Web Access, 199, 221–223
    - POP3, 199
    - Up-to-Date Notifications, 199
    - User Initiated Synchronization, 198
    - viewing another mailbox, 202–205
  - Microsoft Internet Information Services, 154
  - Microsoft Office
    - accessing network files, 55
    - installing, 54
    - networking features, 53–58
    - Office Resource Kit (ORK), 54
    - user templates, 56–58
    - workgroup templates, 55–58
  - Microsoft Outlook
    - configuring for Exchange Server, 200–202
    - Outlook Web Access, 199, 221–223
    - viewing another mailbox, 202–205
  - Microsoft Product Activation feature, 149–151
  - Microsoft System Information, 68–69
  - Microsoft Visio, 72–73
  - mirror, 134
  - Modify permission, 253
  - monitor, 282

monitoring network performance, 272–275  
 multiboot, 141  
 multicast address, 111  
 multitasking, 135

## • N •

### names

computer name, 23  
 domain name, 24, 127–130  
 logon name, 24, 243  
 network administrator, 23  
 network resources, 23  
 networks, 24  
 share name, 46–47, 255  
 username, 22–23, 25, 238, 317  
 workgroup name, 24

Navratilova, Viktorie, *Linux For Dummies Quick Reference*, 3rd Edition, 341

nbtstat command, 233  
 netstat command, 233  
 NetWare (Novell), 15, 71, 337  
 network address translation (NAT), 118–119  
 network administrator  
   backup, 229  
   resources required, 229  
   responsibilities of, 18–19, 227–228, 230–232  
   traits to look for, 229  
   username, 23

Network Attached Storage (NAS), 252

network backup, 308–309

### network cables

cable ties, 388  
 crossover cable, 92–93  
 defined, 16  
 Ethernet, 81–83  
 installing, 87–89  
 patch cable, 87, 388  
 pin connections for twisted-pair cable, 90–91  
 plenum cable, 86–87  
 PVC cable, 86  
 shielded twisted-pair (STP) cable, 86  
 skimping on, 373–374  
 solid cable, 87  
 station cable, 87  
 stranded cable, 87  
 10Base2 cable, 96

10Base5 cable, 96  
 10BaseT cable, 96  
 twisted-pair cable, 16, 83–86, 90–91  
 unshielded twisted-pair (UTP) cable, 86  
 network certifications, 236

*Network Computing* (magazine), 235

### network connection

checking, 282–283  
 configuring, 155–162  
 troubleshooting, 282–283  
 Windows Vista, 160–162  
 Windows XP, 156–159

### network drives

defined, 26–28  
 drive letters, 33  
 mapping, 31–34

network ID (IP addresses), 110

network interface, 10

### network interface card (NIC)

choosing, 98–99  
 defined, 16  
 extras, 388–389  
 installing, 99–100

Network Layer (OSI Model), 393–394

network license, 13

network logon, 166–167

*Network* (magazine), 235

Network Monitor program, 234

network names. *See* names

### network operating system (NOS)

Apple Mac OS X Server, 139–140  
 choosing, 17  
 directory services, 135–137  
 file-sharing services, 134  
 function of, 15–17  
 installing, 140–149  
 Linux, 15, 71, 139  
 logging on, 149  
 multiboot, 141  
 multitasking, 135  
 network support, 133–134  
 Novell NetWare, 15, 71  
 security services, 137–138  
 service packs, 152  
 testing the installation, 152  
 upgrading, 141  
 Windows Server 2003, 15–17, 71, 138–139  
 Windows Server 2007, 15, 71

- network performance
  - bottlenecks, 266–270
  - counters, 273–274
  - defined, 265
  - hubs, 278
  - logs, 275–277
  - malfunctioning components, 270
  - memory leak, 278
  - monitoring, 272–275
  - scheduled tasks, 278
  - servers, 268–270
  - spyware, 278
  - switches, 278
  - troubleshooting, 265–266
  - tuning, 271
- network plan
  - creating, 63–64
  - diagrams, 72–73
  - examples, 74–79
  - infrastructure, 71–72
  - inventory, 65–68
  - purpose of, 64–65
  - system information, 68–69
- network protocols, 269, 382
- network resources
  - accessing, 29–30
  - defined, 21–22
  - names, 23
- network rights, 324
- network security. *See* security
- network server
  - restarting, 280, 285, 288–290
  - users, 285
- network services, restarting, 287–288
- network settings
  - checking, 283–284
  - troubleshooting, 283–284
- network software, 16
- network starter kit, 101
- network storage
  - disk space, 251
  - file server, 251–252, 256–262
  - permissions, 252–254, 262–264
  - shares, 254–255
  - storage appliances, 252
- network support, 133–134
- network topologies, 82
- network troubleshooting
  - basic steps, 280
  - dead computer, 281–282
  - documentation, 291–292
  - error messages, 280, 283
  - event logs, 290–291
  - narrowing the cause of the problem, 284
  - network connection, 282–283
  - network performance, 265–266
  - network server, 285, 288–290
  - network services, 287–288
  - network settings, 283–284
  - printing problems, 376
- network-discovery program, 231
- Networking All-in-One Desk Reference For Dummies*, 2nd Edition (Lowe), 3
- networks
  - benefits of, 12–13
  - defined, 10–11
  - how they work, 15–17
  - logging off, 39
  - logging on, 24–25
  - names, 24
- NetworkView Software’s NetworkView, 231
- NIC (network interface card)
  - choosing, 98–99
  - defined, 16
  - extras, 388–389
  - installing, 99–100
- normal backup scheme, 304–305
- Norton AntiVirus (Symantec), 336
- Norton Utilities (Symantec), 234
- NOS (network operating system)
  - Apple Mac OS X Server, 139–140
  - choosing, 17
  - directory services, 135–137
  - file-sharing services, 134
  - function of, 15–17
  - installing, 140–149
  - Linux, 15, 71, 139
  - logging on, 149
  - multiboot, 141
  - multitasking, 135
  - network support, 133–134
  - Novell NetWare, 15, 71
  - security services, 137–138
  - service packs, 152

NOS (*continued*)

- testing the installation, 152
- upgrading, 141
- Windows Server 2003, 15–17, 71, 138–139
- Windows Server 2007, 15, 71

NOT logical operator, 109

Novell NetWare, 15, 71, 337

nslookup command, 233

## • 0 •

Office (Microsoft)

- accessing network files, 55
- installing, 54
- networking features, 53–58
- Office Resource Kit (ORK), 54
- user templates, 56–58
- workgroup templates, 55–58

OfficeScan (Trend Micro), 336

offline (defined), 11

offline files, 59–60

on the network (defined), 11

100 Mbps Ethernet, 83

online (defined), 11

On/Off switches, 281

Open Transport, 364

open-door approach to security, 315

OR logical operator, 109

OSI Model

- Application Layer, 395
- Data Link Layer, 392–393
- defined, 391
- lower layers, 391
- Network Layer, 393–394
- Physical Layer, 392
- Presentation Layer, 395
- Session Layer, 395
- Transport Layer, 394
- upper layers, 391

Outlook

- configuring for Exchange Server, 200–202
- Outlook Web Access, 199, 221–223
- viewing another mailbox, 202–205

## • P •

packet filters, 329–331

packet sniffer, 234

PartitionMagic (PowerQuest), 345–346

passwords

- creating, 319–320

- generating, 320

- logging on, 24–25

- policies, 238

- resetting, 245–246

- user accounts, 137, 238, 243, 245–246, 318–319

patch cable, 87, 388

patch panels, 93–94

patches, 337–338

PatchLink program, 338

PC (personal computer), 17–18

peer-to-peer network, 14–15, 69

performance

- bottlenecks, 266–270

- counters, 273–274

- defined, 265

- hubs, 278

- logs, 275–277

- malfunctioning components, 270

- memory leak, 278

- monitoring, 272–275

- scheduled tasks, 278

- servers, 268–270

- spyware, 278

- switches, 278

- troubleshooting, 265–266

- tuning, 271

Performance Monitor tool (Windows Server 2003), 272–275

perimeter, 193, 329

permissions

- Access Control List (ACL), 253

- Change Permissions permission, 254

- Create Files/Write Data permission, 254

- Create Folders/Append Data

- permission, 254

- defined, 252

- Delete permission, 254

- Delete Subfolders and Files permission, 254
  - Full control permission, 253
  - granting, 262–264
  - List Folder Contents permission, 253
  - List Folder/Read Data permission, 254
  - Modify permission, 253
  - Read & Execute permission, 253
  - Read Extended Attributes permission, 254
  - Read permission, 253
  - Read Permissions permission, 254
  - security, 323–324
  - special permissions, 253–254
  - Synchronize permission, 254
  - Take Ownership permission, 254
  - Traverse Folder/Execute File permission, 254
  - Write Attributes permission, 254
  - Write Extended Attributes permission, 254
  - Write permission, 253
  - personal computer (PC), 17–18
  - Physical Layer (OSI Model), 392
  - physical security, 315–317
  - pin connections for twisted-pair cable, 90–91
  - ping command, 233
  - plan
    - creating, 63–64
    - diagrams, 72–73
    - examples, 74–79
    - infrastructure, 71–72
    - inventory, 65–68
    - purpose of, 64–65
    - system information, 68–69
  - plenum cable, 86–87
  - plenum space, 86–87
  - policies
    - passwords, 238
    - security, 326
  - PowerQuest's PartitionMagic, 345–346
  - Presentation Layer (OSI Model), 395
  - print servers, 70, 153
  - print spooling, 34
  - printers
    - adding, 35–37
    - File and Printer Sharing feature (Windows Vista), 44–45
    - File and Printer Sharing feature (Windows XP), 42–43
    - Macintosh network, 366–367
    - printing, 34–39
    - sharing, 42–45, 50–53
    - troubleshooting printing problems, 376
  - private IP addresses, 118
  - Product Activation feature, 149–151
  - profile information for user accounts, 244–245
  - programs
    - antivirus programs, 335–336, 382
    - antivirus software, 382
    - backup programs, 303–304
    - Baseline Security Analyzer, 234
    - disks, 390
    - Ethereal, 234
    - Hotfix Checker, 234
    - licenses, 384
    - memory leak, 278
    - Microsoft Office, 53–58
    - network license, 13
    - Network Monitor, 234
    - network-discovery program, 231
    - packet sniffers, 234
    - PatchLink, 338
    - protocol analyzers, 234
    - sharing, 13
    - Sniffer, 234
    - StarOffice program suite (Linux), 342
    - System Information, 234
  - properties of user accounts, 238, 241–245
  - protocol analyzer, 234
  - PSTN (public switched telephone network), 218
  - Public folder, 48–50
  - public IP addresses, 118
  - publishing applications, 208
  - purpose of a network plan, 64–65
  - PVC cable, 86
- R •**
- radio spectrum, 173–174
  - radio waves, 171–172
  - RAID (Redundant Array of Inexpensive Disks), 251–252
  - range of wireless networks, 175–176
  - Read & Execute permission, 253
  - Read Extended Attributes permission, 254

- Read permission, 253
  - Read Permissions permission, 254
  - remote access/VPN server, 154
  - removing
    - files, 375
    - user accounts, 247
  - repeaters, 101–103
  - reservations, 123
  - resetting passwords, 245–246
  - resources
    - local resources, 21–22
    - network resources, 21–23, 29–30
    - sharing, 12
  - restarting
    - computer, 280, 285–287
    - Linux networking services, 354–355
    - network server, 280, 285, 288–290
    - network services, 287–288
    - servers, 374–375
  - ring topology, 82
  - RJ-45 connectors, 91–92
  - roaming, 179–180
  - route command, 233
  - routers, 104–105, 191, 394
  - routing, 394
- S •
- Samba
    - defined, 355–356
    - installing, 357
    - Samba Server Configuration tool, 358–361
    - security, 359–360
    - shares, 356, 360–361
    - SMB (Server Message Block) protocol, 356
    - starting, 357–358
    - stopping, 357–358
  - scheduling
    - downtime, 383
    - tasks, 278
  - scopes, 121–122
  - script, 245, 249–250, 325–326
  - security
    - administrator user account, 320
    - antivirus programs, 335–336, 382
    - backups, 312
    - closed-door approach, 315
    - digital certificates, 138
    - firewalls, 192–194, 327–334
    - group accounts, 324–325
    - hackers, 314, 330
    - importance of, 314
    - Internet, 376–377
    - IP spoofing, 330
    - network operating system (NOS), 137–138
    - open-door approach, 315
    - patches, 337–338
    - permissions, 323–324
    - physical security, 315–317
    - policies, 326
    - Trojan horse, 314, 335
    - user accounts, 137–138, 244, 317–322
    - user rights, 322–323
    - virtual private network (VPN), 138
    - viruses, 334–337, 382
    - worms, 335
  - server operating system, 143–144
  - server roles
    - application server role, 154
    - Configure Your Server Wizard, 152–153
    - DHCP server role, 154
    - DNS server role, 154
    - domain controller server role, 154
    - file server role, 153, 256–259
    - mail server role, 154
    - print server role, 153
    - remote access/VPN server role, 154
    - streaming media server role, 154
    - terminal server role, 154
    - WINS server role, 154
  - servers
    - application server, 154
    - backups, 376
    - configuring server roles, 152–154
    - database servers, 71
    - dedicated servers, 14–15, 69
    - defined, 13–14, 41–42
    - DHCP servers, 120–126, 154, 183
    - DNS servers, 130–131, 154
    - domain controller server, 154
    - file server, 70, 153, 251–252, 256–262
    - firewalls, 192, 328
    - free space, 378, 382
    - Mac OS X Server, 364–365
    - mail servers, 71, 154, 195–205
    - network performance, 268–270

- network server, 280, 285, 288–290
- print servers, 70, 153
- remote access/VPN server, 154
- restarting, 374–375
- streaming media server, 154
- terminal server, 154
- turning on/off, 374–375
- Web servers, 70–71, 210–212
- WINS server, 154
- service accounts, 322
- service packs, 152, 337
- service set identifier (SSID), 170, 179
- Session Layer (OSI Model), 395
- setting up an intranet, 209–210
- share name, 46–47, 255
- shared folders
  - defined, 26–28
  - drive letters, 33
  - mapping, 31–34
  - Windows Vista, 47–48
  - Windows XP, 45–47
- shares, 254–255
- sharing
  - databases, 58
  - File and Printer Sharing feature (Windows Vista), 44–45
  - File and Printer Sharing feature (Windows XP), 42–43
  - files, 12, 26–28, 42–45, 367
  - Internet connection, 191
  - printers, 42–45, 50–53
  - programs, 13
  - resources, 12
  - user accounts, 326
- shielded twisted-pair (STP) cable, 86
- shutting down Linux operating system, 348
- skipping on cables, 373–374
- Skype software-only VoIP system, 218
- Slackware Linux distribution, 344
- Sleep feature on computers, 281
- smart cards, 244
- sneakernet, 10
- Sniffer program (Sniffer Technologies), 234
- software, 16. *See also* programs
- software disks, 390
- software patches, 337–338
- software-only VoIP systems, 218
- solid cable, 87
- spare parts, 383, 387–389
- special permissions, 253–254
- spectrums, 173–174
- SPI (stateful packet inspection), 331
- spooling print jobs, 34
- spyware, 278
- SSID (service set identifier), 170, 179
- stackable hubs, 98
- standards for wireless networks, 174–175
- star topology, 82
- StarOffice program suite (Linux), 342
- starter kit, 101
- stateful packet inspection (SPI), 331
- station cable, 87
- storage
  - disk space, 251
  - file server, 251–252, 256–262
  - permissions, 252–254, 262–264
  - shares, 254–255
  - storage appliances, 252
- STP (shielded twisted-pair) cable, 86
- stranded cable, 87
- streaming media server, 154
- subdomains, 129
- subnet masks, 116–118
- subnets, 115–116
- subnetting, 114–116
- surge protectors, 281
- SuSE Linux distribution, 344
- switches
  - activity indicators, 96
  - costs, 389
  - daisy-chaining, 96–98
  - Data Link Layer (OSI Model), 393
  - defined, 16
  - versus hubs, 95
  - installing, 95
  - network performance, 278
  - ports, 95–96
- Symantec
  - Norton AntiVirus, 336
  - Norton Utilities, 234
- Synchronize permission, 254
- system information, 68–69
- System Information program, 234

## • T •

Take Ownership permission, 254  
 tape backups, 302, 309–310  
 tape drives, 302, 310–311  
 tape rotation, 309–310  
 task scheduling, 278  
 TCP/IP  
   DHCP (Dynamic Host Configuration Protocol), 119–123  
   DNS (Domain Name System), 127–129  
   IP addresses, 107, 110–123  
 TCP/IP diagnostic commands, 233  
 TCP/IP ports, 329–330  
 telephone network, 217–220  
 templates  
   user templates, 56–57  
   workgroup templates, 55–58  
 10Base2 cable, 96  
 10Base5 cable, 96  
 10BaseT cable, 96  
 terminal server, 154  
 testing network operating system (NOS)  
   installation, 152  
 third-party utilities, 234  
 Token Ring, 82  
 T1 dedicated high-speed digital line, 191  
 tools  
   computer tool kit, 89, 388  
   crimp tool, 89  
   duct tape, 387  
   fish tape, 89  
   wire cutters, 89  
   wire strippers, 89  
 topologies, 82  
 trace logs, 275  
 tracert command, 233  
 training users, 293–294, 384  
 transaction applications, 208  
 Transport Layer (OSI Model), 394  
 Travan drives, 302, 310  
 Traverse Folder/Execute File permission, 254  
 Trend Micro's OfficeScan, 336  
 Trojan horse, 314, 335

troubleshooting  
   basic steps, 280  
   dead computer, 281–282  
   documentation, 291–292  
   error messages, 280, 283  
   event logs, 290–291  
   narrowing the cause of the problem, 284  
   network connection, 282–283  
   network performance, 265–266  
   network server, 285, 288–290  
   network services, 287–288  
   network settings, 283–284  
   printing problems, 376  
 T3 dedicated high-speed digital line, 191  
 tuning network performance, 271  
 turning on/off servers, 374–375  
*2600* (magazine), 235  
 twisted-pair cable  
   categories, 85  
   defined, 16, 83  
   pairs, 85–86  
   plenum, 86  
   PVC, 86  
   RJ-45 connectors, 90–91  
   shielded twisted-pair (STP), 86  
   unshielded twisted-pair (UTP), 84, 86

## • U •

Unix, 71, 139  
 unshielded twisted-pair (UTP) cable, 86  
 up (defined), 11  
 updates, 337–338  
 upgrading the network operating system (NOS), 141  
 upper layers of the OSI Model, 391  
 user accounts  
   Administrator account, 320–322  
   backups, 312  
   contact information, 242  
   creating, 239–241  
   delegation, 244  
   deleting, 247  
   disabling, 243, 246  
   domain, 238

- enabling, 246
- encryption, 244
- group membership, 238, 247–249
- Guest account, 321–322
- Linux operating system, 351–352
- local, 238
- logon name, 24, 243
- logon script, 245, 249–250
- passwords, 137, 238, 243, 245–246, 318–319
- profile information, 244–245
- properties, 238, 241–245
- security, 137–138, 244, 317–322
- service accounts, 322
- sharing, 326
- smart cards, 244
- user IDs, 22–25
- user profile, 325
- user rights, 322–323
- user templates, 56–57
- username, 22–25, 238, 317
- users
  - downtime, 377–378, 383
  - library, 294–295
  - managing, 232–233
  - network server, 285
  - permissions, 252–254, 262–264
  - security policies, 326
  - shares, 254–255
  - training, 293–294, 384
- utilities, 234. *See also* programs
- UTP (unshielded twisted-pair) cable, 86

## • U •

- versions of Windows Server 2003, 138
- virtual memory, 269
- virtual private network (VPN), 138, 224
- viruses, 334–337, 382
- VirusScan (McAfee), 336
- Visio (Microsoft), 72–73
- VoIP (Voice over IP)
  - advantages of, 219
  - Analog Telephone Adapter (ATA), 218–220
  - AT&T CallVantage VoIP services, 218
  - cost of, 219
  - defined, 217
  - disadvantages of, 220
  - features, 219
  - how it works, 217–218
  - Skype, 218
  - software-only VoIP systems, 218
  - Vonage VoIP services, 218
- VoIP For Dummies* (Kelly), 217
- Vonage VoIP services, 218
- VPN (virtual private network), 138, 224

## • W •

- wall jacks, 93–94
- WAP (wireless access point)
  - ad hoc network, 180
  - Basic Service Set (BSS), 179
  - configuring, 180–182
  - functions of, 177–178
  - infrastructure mode network, 170, 179
  - multifunction, 179
  - roaming, 179–180
  - security, 377
  - Service Set Identifier (SSID), 179
  - wireless bridge, 180
- wavelength, 171–172
- Web servers, 70–71, 210–212
- WEP (wired equivalent privacy), 182
- Wi-Fi, 170
- Windows & .NET* (magazine), 235
- Windows Resource Kit* (book), 295
- Windows Server 2003
  - Configure Your Server Wizard, 152–153
  - costs, 139
  - Event Viewer, 290–291
  - features, 138
  - Performance Monitor tool, 272–275
  - popularity of, 15
  - tweaking, 17, 71
  - versions, 138–139
- Windows Server 2007, 15, 71
- Windows Update, 337
- Windows Vista
  - computer identification, 164–166
  - File and Printer Sharing feature, 44–45
  - firewall, 193–194, 333–334
  - network connections, 160–162
  - offline files, 59–60
  - Public folder, 48–50
  - shared folders, 47–48
  - shared printers, 52–53

## Windows XP

- computer identification, 163–164
  - File and Printer Sharing feature, 42–43
  - firewall, 193–194, 333–334
  - network connections, 156–159
  - offline files, 59–60
  - shared folders, 45–47
  - shared printers, 51–52
  - wireless networks, 183–186
- WINS server, 154
- wire cutters, 89
- wire strippers, 89
- wired equivalent privacy (WEP), 182
- wireless access point. *See* WAP
- wireless bridge, 180
- wireless local-area network (WLAN), 170
- wireless network adapter, 176–177
- wireless networks
- ad hoc mode network, 170, 180
  - Alohanet, 174
  - Basic Service Set (BSS), 179
    - defined, 10, 169–170
    - DHCP servers, 183
    - how they work, 171–173
  - Independent Basic Service Set (IBSS), 180
  - infrastructure mode network, 170, 179
  - range of, 175–176
  - roaming, 179–180
  - service set identifier (SSID), 170, 179

standards, 174–175

WAP (wireless access point), 170,  
177–182, 377

Wi-Fi, 170

Windows XP, 183–186

wireless bridge, 180

WLAN (wireless local-area network), 170

workgroup name, 24

workgroup networks, 24

workgroup templates, 55–58

working from home

Outlook Web Access, 199, 221–223

virtual private network (VPN), 138, 224

worms, 335

Write Attributes permission, 254

Write Extended Attributes permission, 254

Write permission, 253



X Window System (Linux), 342

XOR logical operator, 109

Yosemite Backup (Yosemite  
Technology), 303