

Index

A

accessing

- membership providers, 624
- WSDL document contents, 260, 262–263

AccessKey **property**, 49

ActiveDirectoryMembershipUser **class**, 675

<add> **element**, 600–601

Add **method (proxy classes)**, 253, 264

Add Web References dialog, 251–255, 884

AddAttribute **method**, 27–28, 49–50

AddAttributesToRender **method**

- AjaxGoogleSearch control, 910
- AjaxNotifier control, 918
- client scripts, 800–801
- CSS style attributes, 50–51
- CustomImage control, 805–806
- non-CSS style attributes, 49–50
- WebControl class, 48–51, 53, 778

AddContainer **method**

- CompositeCreditCardForm control, 105
- RssReaderWebPart control, 986
- TemplatedCreditCardForm control, 130

AddDetailCommandBar **method**, 505–507

AddDetailRow **method**, 501–503

Add/Edit Application Extension Mapping dialog, 207

AddHandler **method**, 72

adding

- custom controls to Visual Studio Toolbox, 23
- delegates, 71–72

users

- to data sources, 605
- to roles, 679–680

AddItemToContainer **method**

- RssReaderWebPart control, 986–987
- RssReaderWebPart5 control, 1090–1091
- RssReaderWebPart6 control, 1099–1100

AddItemToFavoriteItems **method**,
1083–1084, 1089, 1092

AddMasterCell **method**, 503

AddMasterHeaderCell **method**, 504

AddMasterSelectButton **method**, 504–505

AddParsedSubObject **method**, 196, 211–212

AddStyleAttribute **method**, 27, 41–42, 50

AddSupportedCapabilities **method**, 339

AddUsersToRoles **method**

- RoleProvider base class, 679–680
- XmlRoleProvider control, 717

AddUsersToRolesRandomAccess **method**,
719–722

AddUsersToRolesStream **method**, 717–719

AddUserToRole **method**, 589, 595

AddWebPartInfoSet **method**, 1026–1029

Ajax (Asynchronous JavaScript And Xml), 7, 773

Ajax patterns

- defined, 883
- Explicit Submission
 - AjaxSpellChecker control, 943–949
 - uses, 943
- Google XML Web Service API, 884–892

Ajax patterns (continued)

- Periodic Refresh
 - AjaxNotifier control, 915–925
 - uses, 915
- Predictive Fetch
 - AjaxGoogleSearch control, 892–913
 - goals behind the pattern, 913–914
 - uses, 892
- Submission Throttling
 - AjaxHtmlEditor control, 926–943
 - AjaxSpellChecker control, 943–949
 - uses, 925
- AjaxDetailsDialog **control**
 - Ajax-enabled control development pattern, 854, 857–859
 - composite control pattern, 854–857
 - functionality, 851–852
 - ICallbackEventHandler interface, 860, 864
 - methods
 - GetCallbackResult, 863–864
 - InitializeCell, 865–867
 - MyCallback, 862–863
 - OnDataBindField, 868–869
 - RaiseCallbackEvent, 860–861
 - RenderContents, 859–860
 - properties
 - AlternatingItemStyle, 867
 - ClientCallbackDataSourceID, 867
 - DialogStyle, 867
 - PopupHeaderStyle, 867
 - PopupItemStyle, 867
 - style properties, 867
 - Web page implementation, 852–854
- AjaxDropDownList **control**
 - client callback mechanism, 829–830, 840–843
 - code listing, 830–831
 - functionality, 828–829
 - IMyCallbackEventHandler interface, 839
 - JavaScript functions
 - CallServerMethod, 832–833
 - CreateXmlDocument, 835–837
 - CustomWebForm_DoCallbackScript, 833–834
 - MyClientCallback, 834–836
 - master/detail form, 847–848
 - methods
 - GetType, 837
 - InitializeDataCell, 849
 - MyCallback, 846–847
 - OnPreRender, 831–832, 840–841
 - Page_Load, 838–839, 842–843
 - RaiseCallbackEvent, 844–846
 - Render, 837–838, 841–842
 - properties
 - AutoPostBack, 843
 - EnableSession, 850
 - ServerMethodArgument, 845–846
- AjaxDropDownListField **data control field, 849–851**
- Ajax-enabled controls and components**
 - characteristics of, 7–8, 775
 - “click-and-wait” user interaction pattern, 774–775
 - client script rendering options
 - HTML attribute values, 776–778
 - script blocks, 779–786
 - script libraries, 786–789
 - client-side functionality
 - defined, 775
 - developing, 776
 - disabling, 798
 - ImageDialog control, 814–819
 - implementing, 776
 - developing, 802–803
 - differences from traditional controls, 774–775
 - discovering Ajax capabilities of the requesting browser, 798–800
 - server-side code, 801–802
- AjaxField **data control field**
 - Ajax-enabled component development pattern, 864
 - AlternatingItemStyle property, 867
 - CreateField method, 869
 - data control field design pattern, 864
 - DataField property, 868
 - DataSourceID property, 867
 - DialogStyle property, 867
 - ExtractValuesFromCell method, 869–870
 - InitializeCell method, 865–867
 - MouseOutImageUrl property, 866
 - MouseOverImageUrl property, 866
 - Object Composition, 864–866
 - OnDataBindField method, 868–869

- PopupHeaderStyle property, 867
- PopupItemStyle property, 867
- view state, 866
- Web page implementation, 878–881
- AjaxGoogleSearch **control**
 - actions, 892–893
 - AddAttributesToRender method, 910
 - code listing, 893–894
 - Google XML Web service API, 892
 - GUI elements, 892
 - ICallbackEventHandler interface, 911–912
 - JavaScript functions
 - AjaxGoogleSearchCacheCallback, 905–906
 - AjaxGoogleSearchNewSearchCallback, 903–904
 - AjaxGoogleSearchPreviousPageCallback, 908
 - CreateXmlDocument, 902, 909
 - GetCachedPage, 906–907
 - GetHtmlAndPageIndex, 904, 908–910
 - GetInputDataForServerMethod, 901–902, 912
 - GetNextPage, 898–899, 906, 913
 - GetNextPageForCache, 904–905, 907
 - GetPreviousPage, 898, 907–908
 - NewSearch, 898, 900–902
 - Web page implementation, 913
 - WebControl base class, 894–898
- AjaxGoogleSearchCacheCallback **JavaScript function, 905–906**
- AjaxGoogleSearchNewSearchCallback **JavaScript function, 903–904**
- AjaxGoogleSearchPreviousPageCallback **JavaScript function, 908**
- AjaxHtmlEditor **control**
 - Control base class, 926
 - JavaScript functions
 - bgcolCB, 940–941
 - boldCB, 939–940
 - bullistCB, 940
 - centerCB, 940
 - fontnameCB, 933, 941
 - fontsizeCB, 934, 941
 - forecolCB, 940–941
 - headingCB, 935, 941–942
 - imageCB, 940–941
 - italicCB, 940
 - leftCB, 940
 - linkCB, 940
 - loadCB, 929, 936, 938–939
 - modeCB, 936, 942
 - mousedownCB, 939
 - mouseoutCB, 939
 - mouseoverCB, 939
 - mouseupCB, 939
 - ordlistCB, 940
 - rightCB, 940
 - ruleCB, 940
 - setTimeout, 938
 - underlineCB, 940
 - methods
 - Initialize, 926, 936–937
 - MakeHttpRequest, 937
 - OnPreRender, 926–928
 - Render, 928
 - RenderBottomToolBar, 932–933
 - RenderEditorArea, 932
 - RenderFontNameList, 933–934
 - RenderFontSizeList, 934–935
 - RenderHeadingList, 935–936
 - RenderModeButton, 936
 - RenderServerResponseArea, 929
 - RenderTopToolBar, 929–931
 - Send, 937–938
 - user interface, 928–929
 - workflow, 943
- AjaxNotifier **control**
 - actions, 915–916
 - ICallbackEventHandler interface, 916, 918–919
 - JavaScript functions
 - AjaxNotifierCallback, 923–925
 - CreateXmlDocument, 923
 - DisplayDetailsPopup, 923
 - DoCallback, 917, 924
 - GetNotificationId, 922
 - InitializeDetailsPopup, 923
 - setTimeout, 924
 - methods
 - AddAttributesToRender, 918
 - OnPreRender, 922–923
 - SelectCallback, 920–921

AjaxNotifier control (continued)

AjaxNotifier **control (continued)**

- SqlDataSource control, 920
- Web page implementation, 919–920
- WebControl base class, 916–917
- XML document, 921–922

AjaxNotifierCallback **JavaScript function, 923–925**

AjaxSpellChecker **control**

- Google XML Web service API, 943
- ICallbackEventHandler interface, 943, 946–947
- JavaScript functions
 - GetPhrase, 948
 - SubmitCallback, 947–948
- methods
 - GetCallbackResult, 946–947
 - OnPreRender, 944–945
 - RaiseCallbackEvent, 946–947
 - Render, 945–946
- Web page implementation, 948–949
- WebControl base class, 943

AllowPaging **attribute, 326–327**

AllowSorting **attribute, 326–327**

AllowSorting **property, 509**

AlternatingItemStyle **property, 867**

AlternatingRowStyle **property, 573**

annotating proxy classes, 264

anonymous authentication, 589, 593

APIs

- DataControlField API, 517
- Google XML Web Service API, 884–892
- Membership API, 605, 665
- RoleProvider API, 679, 681
- Roles API, 678–681
- TypeConverter base class, 165
- Web APIs developer's kit from Google, 884–885
- Web Parts Framework
 - CatalogPart API, 974–975
 - CatalogZoneBase API, 974–975
 - EditorPart API, 974–975
 - EditorZoneBase API, 974–975
 - WebPart API, 974–975
 - WebPartZoneBase API, 974–975
- XML APIs
 - random-access, 701–703, 709–710
 - streaming, 696–701

- AppearanceEditorPart **control, 952**
- Application Configuration dialog, 183–184**
- Application_AuthenticateRequest **method, 591–593, 595**
- applicationName **attribute, 601**
- application-specific password validation rules, 610**
- ApplyChanges **method, 1003–1004**
- ApplyContainerStyle **method, 105, 148**
- ApplyContainerStyles **method, 105, 150**
- applying styles to container controls, 105**
- App_Themes **folder, 535**
- ArticlesHandlerFactory **HTTP handler factory, 199–200**
- ArticlesModule **HTTP module, 197–198**
- .ascx **file, 38–39**
- .asmx **extension, 5**
- ASP.NET data source control model, 325–326, 331**
- ASP.NET Framework, 1**
- ASP.NET 1.x security model**
 - authorization mechanisms, 593–594
 - how it works, 588–593
 - weaknesses of, 594–595
- ASP.NET 2.0 security model .NET 2.0 Provider Pattern, 595–597**
- ASP.NET Web Parts connection feature**
 - consumer connection point, 1085–1086
 - declarative (static) connections, 1089–1090
 - dynamic connections, 1096–1100
 - FavoriteItemsWebPart control, 1082–1084
 - how it works, 1082
 - programmatic connections, 1101–1106
 - provider connection point, 1085
 - RssReaderWebPart5 control, 1082–1084
- ASP.NET Web Parts Framework**
 - CatalogPart API, 974–975
 - CatalogZoneBase API, 974–975
 - ConsumerConnectionPoint class, 1086–1087
 - defined, 951
 - EditorPart API, 974–975
 - EditorZoneBase API, 974–975
 - Part controls, 952
 - plug-and-play, 974
 - ProviderConnectionPoint class, 1086–1087
 - WebPart API, 974–975
 - WebPartZoneBase API, 974–975
 - WebZone controls, 951–952

aspnet_isapi.dll, **183–186**
 <asp:WebPartConnection> **element, 1090**
 <asp:WebPartZone> **element, 954**
 .aspx **extension, 5**

assemblies

embedding resource files into, 790–798
 Global Assembly Cache (GAC), 16–17
 proxy classes, 253, 273
 signing, 16
 strongly named, 16–17

assembly-level attributes in custom controls, 22

AssemblyResourceLoader **HTTP handler, 793, 795–796**

asynchronous client callback techniques, 826–828

Asynchronous JavaScript And Xml (Ajax), 7, 773

attributes

AllowPaging, 326–327
 AllowSorting, 326–327
 applicationName, 601
 ControlBuilderAttribute, 215
 CSS style attributes, 50–51
 custom controls
 assembly-level attributes, 22
 class-level attributes, 21–22
 property-level attributes, 20–21
 enableExport, 970
 enablePasswordReset, 601
 enablePasswordRetrieval, 601
 maxInvalidPasswordAttempts, 601
 name, 601
 Namespace, 17
 non-CSS style, 49–50
 ParseChildrenAttribute(true), 179–181, 215
 passwordFormat, 601
 requiresQuestionAndAnswer, 601
 requiresUniqueEmail, 601
 Src, 33
 TagName, 33
 TagPrefix, 17, 33
 Theme, 535
 type, 600–601, 603
 TypeConverterAttribute, 168–169
 XmlSchemaProvider, 301

authentication

anonymous authentication, 589, 593
 Forms authentication, 589
 AuthenticationType **property, 682**
 authorization mechanisms, **593–594**
 AuthorizationFilter **property, 1077–1079**
 AuthorizeWebPart **event, 1077–1079**
 AutoPostBack **property, 843**

B

BackImageUrl **property, 109**

base classes

BaseDataBoundControl, 1108–1109
 BaseDataBoundWebPart, 1110–1111
 CompositeControl, 811–813
 CompositeDataBoundControl, 494–496, 544, 1108–1109
 CompositeDataBoundWebPart, 1113–1114
 ConfigurationSection, 603
 Control
 AjaxHtmlEditor control, 926
 deriving controls from, 13
 LoadViewState method, 151–154
 SaveViewState method, 151, 153–154
 TrackViewState method, 151–154
 ControlBuilder, 192–193, 196
 DataBoundControl, 1108–1109
 DataBoundWebPart, 1111–1113
 DataControlField
 Container property, 518
 Control property, 518
 ControlStyle property, 518
 CreateField method, 518
 CustomTable control, 517
 ExtractValuesFromCell method, 518, 521
 FooterStyle property, 518
 FooterText property, 518
 HeaderStyle property, 518
 HeaderText property, 518
 Initialize method, 518, 520
 InitializeCell method, 519–521
 OnFieldChanged method, 519–520
 ShowHeader property, 518
 SortExpression property, 518

base classes (continued)

base classes (continued)

- style properties, 518
- Visible property, 518
- DataSourceControl, 332–335, 398
- DataSourceView
 - code listing, 336–337
 - Delete method, 347–348
 - OnDataSourceViewChanged method, 374–375
 - Select method, 337–338
 - XmlWebServiceDataSource control, 399
- DescriptionDocumentProvider, 1051
- EditorZoneBase, 1011
- EventArgs, 67
- HierarchicalDataSourceView, 433–436, 458
- MembershipProvider
 - ChangePassword method, 635–637
 - ChangePasswordQuestionAndAnswer method, 642–643
 - code listing, 628–629
 - CreateUser method, 643–647
 - defined, 600
 - DeleteUser method, 648
 - FindUsersByEmail method, 648–650
 - FindUsersByName method, 650–651
 - GetAllUsers method, 651–652
 - GetEncodedPassword method, 639–640
 - GetNumberOfUsersOnline method, 653
 - GetPassword method, 653–656
 - GetSaltedPassword method, 640
 - GetUser method, 656–658
 - GetUserNameByEmail method, 658–659
 - ResetPassword method, 659–661
 - Select method, 653
 - SqlMembershipProvider class, 629
 - UnlockUser method, 661
 - Update method, 642
 - UpdateUser method, 662
 - UpdateUserInfo method, 641
 - ValidateUser method, 662
 - ValidateUserInfo method, 637–641
- Part, 952, 975–977
- PropertyDescriptor, 447–448
- ProviderBase, 600, 629–630, 747
- ProviderCollection, 748
- RoleProvider, 679, 693–694
- RssProvider, 747–748
- SchemaImporterExtension, 302
- SoapHttpClientProtocol, 253–254, 264
- TextWriter, 15
- TypeConverter, 164–165
- WebControl
 - AddAttribute method, 49–50
 - AddAttributesToRender method, 48–51, 53
 - AjaxGoogleSearch control, 894–898
 - AjaxNotifier control, 916–917
 - AjaxSpellChecker control, 943
 - ControlStyle property, 50–51
 - CreateControlStyle method, 51–53
 - CustomHyperLinkAttr control, 777–778
 - defined, 41
 - Render method, 47
 - RenderBeginTag method, 48, 53
 - RenderContent method, 52
 - RenderContents method, 53–56
 - RenderEndTag method, 52–53
 - Style class, 41–43
 - TagKey property, 47–48, 53
 - TagName property, 48, 53
- WebPartVerb, 1104
- WebPartZone, 952, 1036–1037, 1042
- WebZone, 951
- XmlResolver, 283–287
- XmlUrlResolver, 287
- BaseDataBoundControl **base class, 473–477, 1108–1109**
- BaseDataBoundWebPart **base class, 1110–1111**
- BehaviorEditorPart **control, 952**
- bgcolCB **JavaScript function, 940–941**
- BindGrid **method, 328–329**
- <binding> **(WSDL document), 259–260**
- boldCB **JavaScript function, 939–940**
- Book **class**
 - implementation, 294–295
 - IXmlSerializable interface, 294–295
 - methods
 - BookSchema, 296–299
 - WriteXml, 295–296
 - XML schema document, 296–299
- BookContent **class**
 - IXmlSerializable interface, 319–320

- methods
 - BookContentSchema, 320–321
 - GetBookContent, 321
 - WriteXml, 319–320
 - BookContentSchema **method, 320–321**
 - BookSchema **method, 296–299**
 - BoundField **data control field**
 - code listing, 522
 - DataField property, 525
 - defined, 522
 - ExtractValuesFromCell method, 526–527
 - GetProperties method, 525
 - GetValue method, 525–526
 - InitializeCell method, 523
 - InitializeDataCell method, 523–524
 - OnDataBindField method, 524
 - BrowseDisplayMode **display mode, 953**
 - bubbling events, 114–115**
 - BuildObject **method, 196**
 - bullistCB **JavaScript function, 940**
 - Button **control**
 - Command events, 114–115
 - Text property, 112–114
 - ButtonField **data control field, 522**
- C**
- CacheDataRowPrimaryKey **method, 560**
 - CachedListChanged **property, 684, 687**
 - cachedListChanged **property, 728**
 - CacheDuration **property, 275, 408**
 - CacheExpirationPolicy **property, 275–276, 408**
 - CacheKeyDependency **property, 276**
 - CachePrimaryKey **method, 233**
 - CalendarField **data control field**
 - code listing, 538
 - DataBinding event, 539–540
 - declarative programming, 541–542
 - Edit state, 537
 - EnableTheming property, 541
 - ExtractValuesFromCell method, 540–541
 - InitializeDataCell method, 538–539
 - Insert state, 537
 - OnDataBindField method, 540
 - SkinID property, 541
 - CallServerMethod **JavaScript function, 832–833**
 - CancelCommand **event, 235**
 - CancelEventArgs **class, 344**
 - CanConvertFrom **method**
 - DefaultTemplateManager2Converter class, 166
 - TypeConverter base class, 164
 - CanConvertTo **method**
 - DefaultTemplateManager2Converter class, 166
 - TypeConverter base class, 164
 - CanDelete **property, 350**
 - CanPage **property, 339**
 - CanRetrieveTotalRowCount **property, 338–339**
 - CanSort **property, 337, 339**
 - CardholderNameChanged **event, 82–83**
 - CardholderNameLabelStyle **property, 149**
 - CardholderNameLabelTemplateType **property, 165**
 - CardholderNameParameterName **property, 282**
 - CardholderNameText **property, 18–21**
 - CatalogDisplayMode **display mode, 953**
 - CatalogIconImageUrl **property, 980**
 - CatalogPart **API, 974–975**
 - CatalogPart **control**
 - code listing, 1014–1018
 - defined, 952–953
 - Part base class, 975–977
 - properties, 976–977
 - CatalogPartZone **control, 952**
 - CatalogZone **control, 967–969**
 - CatalogZoneBase **API, 974–975**
 - CellPadding **property, 109**
 - CellSpacing **property, 109**
 - centerCB **JavaScript function, 940**
 - ChangePassword **method, 635–637**
 - ChangePasswordQuestionAndAnswer **method, 626, 642–643**
 - changing**
 - password question and answer, 625–626
 - passwords, 625
 - characteristics of Ajax-enabled controls and components, 7–8, 775**
 - CheckBoxField **data control field, 517, 522**
 - Checked **property, 1104**
 - child controls**
 - bubbling events, 114–115
 - choosing, 98–99

child controls (continued)

child controls (continued)

- Command events, 114–115
- CreateChildControls method, 106–110
- CreateContainerChildControls method, 121–122
- RaiseBubbleEvent method, 115
- ReCreateChildControls method, 118
- ChildControlsCreated **property**, 108, 113, 222
- Choose Toolbox Items dialog box**, 23
- choosing child controls**, 98–99
- chrome part (WebPart control)**, 1067
- classes**
 - ActiveDirectoryMembershipUser, 675
 - BaseDataBoundControl, 473–477, 1108–1109
 - BaseDataBoundWebPart, 1110–1111
 - Book
 - BookSchema method, 296–299
 - implementation, 294–295
 - IXmlSerializable interface, 294–295
 - WriteXml method, 295–296
 - XML schema document, 296–299
 - BookContent
 - BookContentSchema method, 320–321
 - GetBookContent method, 321
 - IXmlSerializable interface, 319–320
 - WriteXml method, 319–320
 - CancelEventArgs, 344
 - CatalogPart, 952–953, 975–977
 - ClientScriptManager, 782
 - CodeMemberProperty, 310–312
 - CodeNamespaceImport, 306–307
 - CodeTypeReference, 309
 - cohesion, 153
 - CommandEventArgs, 115
 - CompositeControl, 811–813
 - CompositeDataBoundControl, 494–496, 544, 1108–1109
 - CompositeDataBoundWebPart, 1113–1114
 - Configuration, 603
 - ConfigurationSection, 603
 - ConsumerConnectionPoint, 1087
 - Control, 13, 151–154, 926
 - ControlBuilder, 192–193, 196
 - CookieParameter, 367–368
 - CustomMembershipProvider, 667
 - CustomMembershipUser, 666–667
 - CustomSqlMembershipProvider, 667–674
 - CustomTableRowCollection, 240
 - DataBinder, 369–370
 - DataBoundControl, 481–486, 1108–1109
 - DataBoundWebPart, 1111–1113
 - DataControlField
 - code listing, 225
 - Container property, 518
 - Control property, 518
 - ControlStyle property, 518
 - CreateField method, 518
 - CustomTable control, 517
 - ExtractValuesFromCell method, 518, 521
 - FooterStyle property, 518
 - FooterText property, 518
 - HeaderStyle property, 518
 - HeaderText property, 518
 - Initialize method, 518, 520
 - InitializeCell method, 519–521
 - OnFieldChanged method, 519–520
 - ShowHeader property, 518
 - SortExpression property, 518
 - style properties, 518
 - Visible property, 518
 - DataControlFieldCollection, 527–528
 - DataSourceControl, 332–335, 398
 - DataSourceSelectArguments, 338, 399, 405, 423
 - DataSourceSelectArguments class, 337
 - DataSourceView
 - code listing, 336–337
 - Delete method, 347–348
 - Insert method, 355–356
 - OnDataSourceViewChanged method, 374–375
 - Select method, 337–338
 - Update method, 351–352
 - XmlWebServiceDataSource control, 399
 - DbProviderFactory, 339
 - DefaultTemplateManager, 154–159
 - DefaultTemplateManager2, 165, 168–169
 - DefaultTemplateManager2Converter, 166–168
 - DescriptionDocumentProvider, 1051
 - DescriptionDocumentProviderCollection, 1051–1052
 - DescriptionDocumentService, 1054–1056

- EditorPart, 952, 975–977
- EditorZoneBase, 1011
- EventArgs, 67
- EventHandlerList, 71–72
- FormsAuthentication, 591
- Forum, 299–301
- ForumBook, 321–322
- HashAlgorithm, 640
- HierarchicalDataSourceControl, 431–433
- HierarchicalDataSourceView, 433–436, 458
- HtmlTextWriter, 14–15, 27–28
- Item, 1083
- Membership
 - application-specific password validation rules, 610
 - CreateUser method, 605–606
 - DeleteUser method, 607
 - FindUsersByEmail method, 608
 - FindUsersByName method, 608–609
 - functionality, 599
 - GetAllUsers method, 609
 - GetNumberOfUsersOnline method, 609
 - GetUser method, 609–610
 - Initialize method, 602–605, 630–631
 - initializing, 602
 - isolation of, 600
 - MembershipProvider base class, 600
 - MembershipValidatePasswordEvent
 - Handler delegate, 610–611
 - .NET 2.0 Provider Pattern, 595–596
 - Provider property, 602, 604–605
 - Providers property, 602, 605
 - UpdateUser method, 607
 - userIsOnlineTimeWindow property, 604
 - UserIsOnlineTimeWindow property, 612
 - ValidateUser method, 588, 591, 607
 - ValidatingPassword event, 610–611
- MembershipProvider
 - application-specific password validation rules, 610
 - ChangePassword method, 635–637
 - ChangePasswordQuestionAndAnswer
 - method, 642–643
 - code listing, 628–629
 - CreateUser method, 606, 643–647
 - DeleteUser method, 607, 648
 - downside of developing, 675
 - FindUsersByEmail method, 648–650
 - FindUsersByName method, 650–651
 - GetAllUsers method, 651–652
 - GetEncodedPassword method, 639–640
 - GetNumberOfUsersOnline method, 653
 - GetPassword method, 653–656
 - GetSaltedPassword method, 640
 - GetUser method, 656–658
 - GetUserNameByEmail method, 658–659
 - Membership class, 600
 - MembershipValidatePasswordEvent
 - Handler delegate, 610–611
 - .NET 2.0 Provider Pattern, 596
 - ProviderBase base class, 600
 - ResetPassword method, 659–661
 - Select method, 653
 - SqlMembershipProvider class, 629
 - UnlockUser method, 661
 - Update method, 642
 - UpdateUser method, 662
 - UpdateUserInfo method, 641
 - ValidateUser method, 662
 - ValidateUserInfo method, 637–641
 - ValidatingPassword event, 610–611
- MembershipSection, 603
- MembershipUser, 622–626, 675
- Page, 782, 787
- Parameter
 - Container property, 365
 - DefaultValue property, 365
 - Direction property, 365
 - Evaluate method, 365–367
 - Name property, 365
 - OnParameterChanged method, 365–366
 - SaveCurrentValue method, 365–366
 - Size property, 365
 - Type property, 365
- ParameterCollection
 - GetValues method, 371–372
 - OnInsert method, 371
 - OnParametersChanged method, 370–371
 - ParametersChanged event, 370
 - RaiseParametersChangedEvent method, 371
 - UpdateValues method, 372–373
- Part, 952, 975–977
- PaymentMethodLabelCreator, 128–129, 135–136

child controls (continued)

child controls (continued)

- PropertyDescriptor, 447–448
- ProviderBase, 600, 629–630, 747
- ProviderCollection, 748
- ProviderConnectionPoint, 1086–1087, 1103
- ProviderSettings, 603
- proxy classes
 - Add method, 253–254, 264
 - annotating, 264
 - assemblies, 253, 273
 - code generation, 253–255
 - CodeDom representation, 265–266
 - CompileCodeForProxyClass method, 267, 276
 - compiling, 275–276
 - constructors, 253, 264
 - creating, 884–885
 - declaring, 264
 - default constructor, 253, 264
 - defined, 252
 - GenerateCodeForProxyClass method, 263
 - instances of, 268–269
 - Math proxy class example, 252–253
 - names, 265
 - SoapHttpClientProtocol base class, 253–254, 264
 - structure of, 264
 - WSDL documents, 254–255
 - XML Web services, 254
- RolePrincipal, 683–686
- RoleProvider, 596, 679, 693–694
- Roles, 588–589, 591, 595–596, 678–679, 683
- RssHelper, 762–764
- RssProvider, 747–748
- RssProviderCollection, 748
- RssService, 750–753
- SchemaImporterExtension, 302
- ServiceDescriptionImporter, 263
- SoapHttpClientProtocol, 253–254, 264
- SqlDataSourceView
 - ExecuteDelete method, 350–351
 - ExecuteInsert method, 356–358
 - ExecuteSelect method, 338–340, 349, 375–376
 - ExecuteUpdate method, 352–355
 - IStateManager interface, 359–360
 - SqlHierarchicalDataSourceView, 459, 467–468
 - SqlHierarchicalEnumerable, 459, 465–467
 - SqlHierarchyData, 459, 461–465
 - SqlHierarchyDataPropertyDescriptor, 459–461
 - SqlMembershipProvider
 - Initialize method, 631–635
 - MembershipProvider base class, 629
 - ProviderBase base class, 629–630
 - registering, 662–663
 - Web page implementation, 663–665
 - SqlRssProvider
 - command text, 757
 - command type, 757
 - connection strings, 756–757
 - GetDataReader method, 761
 - implementation, 753–754
 - Initialize method, 754–756
 - LoadRss method, 759–761
 - member fields, 766
 - registering, 761–762
 - RssHelper class, 762
 - RSS-related fields, 757–759
- Style
 - custom style classes, 58–64
 - WebControl base class, 41–43
- TableStyle, 53–54, 235
- TextWriter, 15
- type converter, 164
- TypeConverter, 164–165
- ValidateCreditCardEventArgs, 117
- ValidatePasswordEventArgs, 611–612
- ValidatingCreditCardEventArgs, 67–68
- WebConfigurationManager, 603
- WebControl
 - AddAttributesToRender method, 48–51
 - AjaxGoogleSearch control, 894–898
 - AjaxNotifier control, 916–917
 - AjaxSpellChecker control, 943
 - ControlStyle property, 51–52
 - CreateControlStyle method, 52
 - CustomHyperLinkAttr control, 777–778
 - defined, 41
 - deriving from, 53–57
 - Render method, 47

- RenderBeginTag method, 48
- RenderContents method, 52
- RenderEndTag method, 52–53
- TagKey property, 47–48
- WebPart, 952, 975–977
- WebPartChrome
 - chrome part, 1067
 - code listing, 1066
 - content part, 1067
 - CreateWebPartChromeStyle method, 1068
 - developing custom WebPartChrome, 1072–1074
 - GetEffectiveChromeType method, 1068
 - GetWebPartChromeClientID method, 1068
 - OnPreRender method, 1071
 - PartChromeType enumeration, 1067–1068
 - RenderPartContents method, 1070–1071
 - RenderTitleBar method, 1069–1070
 - RenderWebPart method, 1067–1070
- WebPartConnection
 - <asp:WebPartConnection> element, 1090
 - ConsumerConnectionPoint class, 1087
 - defined, 1084
 - ExchangeData method, 1084–1085
 - ProviderConnectionPoint class, 1087
- WebPartDescription, 1015
- WebPartPersonalization, 960
- WebPartVerb, 988–990, 1104
- WebPartZone, 952, 1036–1037, 1042
- WebZone, 951
- WindowsPrincipal, 677
- XmlHierarchicalDataSourceView, 451–452
- XmlHierarchicalEnumerable, 446–447
- XmlHierarchyData, 440–446
- XmlHierarchyDataPropertyDescriptor, 447–449
- XmlResolver, 283–287
- XmlRssProvider
 - Initialize method, 764–765
 - LoadRss method, 767–769
 - member fields, 766–767
 - registering, 770–771
 - RetrieveData method, 769–770
- XmlSchemaImporter, 301–303
- XmlUrlResolver, 287
- XmlWebServiceDataSourceCommandEvent
 - Args, 414
- XmlWebServiceDataSourceView, 398, 407–410, 412
- XmlWebServiceMethodInvoker, 260–261, 407
- XmlWebServiceResolver, 283–291
- class-level attributes in custom controls, 21–22**
- ClearCacheCallback **method, 281**
- ClearChildViewState **method, 221**
- Click **event, 252**
- “click-and-wait” user interaction pattern, 774–775**
- ClickCallback **method, 252, 278–280**
- client callback mechanism**
 - AjaxDropDownList control, 829–830, 840–843
 - client-side code examples, 840–842
 - defined, 828–829
 - implementing, 830
 - server-side code examples, 842–843
- client script include, 786–787**
- client script libraries, 786–789**
- client script rendering**
 - CustomImage control, 804–806
 - HTML attribute values, 776–778
 - methods
 - AddAttributesToRender, 800–801
 - OnPreRender, 800
 - Render, 801
 - RenderContents, 801
 - script blocks, 779–786
 - script libraries, 786–789
- ClientCallback **method, 73–74**
- ClientCallbackDataSourceID **property, 867**
- ClientID **property, 49**
- ClientParameter **component, 390–394**
- ClientScript **property (Page class), 782, 787**
- ClientScriptManager **class, 782**
- client-side functionality of Ajax-enabled controls and components**
 - defined, 775
 - developing, 776
 - disabling, 798
 - ImageDialog control, 814–819
 - implementing, 776
- closed WebPart controls, 968–969**
- CodeDom (Code Document Object Model)**
 - methods
 - GenerateCodeDomForAttributes, 305, 308
 - GenerateCodeDomForBaseTypes method, 305, 308–309

CodeDom (continued)

GenerateCodeDomForComponent method, 305, 307

GenerateCodeDomForFields method, 306, 309–310

GenerateCodeDomForGetSchemaMethod method, 313–314

GenerateCodeDomForImportNamespaces method, 305–307

GenerateCodeDomForMethods method, 307, 312

GenerateCodeDomForProperties method, 307, 310–312

GenerateCodeDomForReadXmlMethod method, 314–316

GenerateCodeDomForWriteXmlMethod method, 316–317

Import, 263–267

proxy classes, 265–266

CodeMemberProperty **class**, 310–312

CodeNamespaceImport **class**, 306–307

CodeTypeReference **class**, 309

cohesion in classes, 153

collecting user credentials, 589–590

collections

- Connection, 1103
- Controls collection, 118
- Providers collection, 683
- roles collection, 683–684
- StaticConnections, 1090

Command **events**, 114–115

command text (SqlRssProvider **class**), 757

command type (SqlRssProvider **class**), 757

CommandArgument **property**, 115

CommandEventArgs **class**, 115

CommandField **data control field**, 522

CommandName **property**, 115

CommandText **property**, 342

Comment **property**, 623

CompileCodeForProxyClass **method**, 260, 267–268, 276–277

compiling proxy classes, 275–276

complex properties

- defined, 152
- hyphenated declarative syntax, 177–179
- inner-property declarative persistence, 179–181

components

Ajax-enabled, characteristics of, 7–8, 775

custom components

- deserialization, 7
- developing, 5–7
- serialization, 7

data control fields, 8–9

data source controls, 6

HostingEnvironment, 185

HTTP handler factories, 189

HttpApplicationFactory, 185, 187–188

HttpRuntime, 185–186

ISAPIRuntime, 185–186

markup text, 5–6

principals, 6

role manager modules, 6

role providers, 7

Web Parts, 8

composite controls

child controls

- bubbling events, 114–115
- choosing, 98–99
- Command events, 114–115
- CreateChildControls method, 106–110
- CreateContainerChildControls method, 121–122
- RaiseBubbleEvent method, 115
- ReCreateChildControls method, 118

CompositeCreditCardForm control, 98–118

container controls, 105–106

Controls collection, overriding, 118

creating, 97–98

defined, 91

features, 117–118

ICompositeControlDesignerAccessor interface, 118

INamingContainer interface, 118–119

templated controls

- data binding expressions, 130–136
- defined, 122–123
- ImageButtonCreator template component, 142–145

CompositeControl **base class**, 811–813

CompositeCreditCardForm **control**

- AddContainer method, 105–106
- ApplyContainerStyle method, 105, 148

- ApplyContainerStyles method, 105
- child controls, 98–100
- container control, 100–101
- ContainerType enumeration, 100–101
- CreateChildControls method, 106–108
- CreateContainer method, 101
- CreateContainerChildControls method, 102–104
- CreateControlStyle method, 109
- deriving from CompositeControl base class, 98
- event bubbling, 114–117
- INamingContainer interface, 118
- layout, 99–100
- OnBubbleEvent method, 116–117
- RenderContainer method, 106
- RenderContents method, 109–112
- style properties, 109
- TableCell control, 100
- TagKey property, 108–109
- Text properties of child controls, 112–114
- CompositeCreditCardForm2 **control**
 - AddParsedSubObject method, 211–212
 - BuildObject method, 211
 - CreateChildContainerControls method, 212–214
 - deriving from CompositeCreditCardForm control, 210–211
 - developing custom control builder, 210
 - GetChildControlType method, 210
 - ParseChildrenAttribute(true) attribute, 215
- CompositeCreditCardForm2Builder **control builder, 210**
- CompositeDataBoundControl **base class**
 - deriving from, 496, 544, 1108–1109
 - methods
 - CreateChildControls, 495
 - DataBind, 494–495
 - EnsureChildControls, 495
 - PerformDataBinding, 494
- CompositeDataBoundWebPart **base class, 1113–1114**
- ComputeHash **method, 640**
- Configuration **class, 603**
- ConfigurationSection **base class, 603**
- configuring**
 - Machine.config file, 748–749, 1052
 - membership providers, 620–622
 - Web.config file, 748–749, 1052
- ConnectDisplayMode **display mode, 953**
- Connection **collection, 1103**
- connection feature (for Web Parts)**
 - consumer connection point, 1085–1086
 - declarative (static) connections, 1089–1090
 - dynamic connections, 1096–1100
 - FavoriteItemsWebPart control, 1082–1084
 - how it works, 1082
 - programmatically connections, 1101–1106
 - provider connection point, 1085
 - RssReaderWebPart5 control, 1082–1084
- connection strings, 756–757**
- ConnectionConsumerAttribute **metadata attribute, 1089**
- ConnectionProviderAttribute **metadata attribute, 1088–1089**
- Connections **property, 1102**
- ConnectionsZone **control**
 - defined, 952
 - dynamic connections, 1096–1098
- ConnectWebParts **method, 1087, 1102**
- constructors**
 - CustomRolePrincipal component, 728–730
 - proxy classes, 253, 264
 - WebPartDescription class, 1015
- consumer connection point, 1085–1086**
- ConsumerConnectionPoint **class, 1087**
- ConsumerID **property, 1103**
- consuming XML Web services, 250–252**
- container controls**
 - AddContainer method, 105
 - ApplyContainerStyle method, 105
 - ApplyContainerStyles method, 105
 - applying styles, 105
 - composite controls, 105–106
 - ContainerType property, 100–101, 104, 150
 - ControlStyle property, 150
 - CreateContainer method, 101–102
 - CreateContainerChildControls method, 102–104
 - CreditCardFormContainer container control, 100–102

container controls (continued)

container controls (continued)

- RenderContainer method, 106
- rendering, 106
- styles, 105
- Container **property**
 - DataControlField base class, 518
 - Parameter class, 365
- ContainerType **property, 100–101, 104, 150**
- content HTML, 94**
- contents part (WebPart control), 1067**
- Context **property, 689**
- Control **base class**
 - AjaxHtmlEditor control, 926
 - deriving controls from, 13
 - methods
 - LoadViewState, 151–154
 - SaveViewState, 151, 153–154
 - TrackViewState, 151–154
- control builders**
 - CompositeCreditCardForm2Builder, 210
 - ControlBuilder base class, 192
 - ControlBuilderAttribute attribute, 192, 215
 - CreditCardForm.aspx, 189–196
 - developing, 207–210
 - root control builder, 193–196
- @Control **directive, 32**
- Control **property, 518**
- control skins, 535**
- control state, 510**
- ControlBuilder **base class, 192–193, 196**
- ControlBuilderAttribute **attribute, 215**
- ControlID **property, 364, 369**
- ControlParameter **component**
 - implementation, 368–369
 - properties
 - ControlID, 364, 369
 - Name, 364
 - PropertyName, 364, 369
- controls. See controls by name**
- Controls **collection, 118**
- ControlStyle **method, 617**
- ControlStyle **property**
 - container controls, 150
 - DataControlField base class, 518
 - DropDownListField data control field, 535
 - GridView control, 573–574
 - WebControl class, 50–51
- ConvertFrom **method**
 - DefaultTemplateManager2Converter class, 167–168
 - TypeConverter base class, 164
- converting types, 164**
- ConvertTo **method**
 - DefaultTemplateManager2Converter class, 166–167
 - TypeConverter base class, 164
- CookieParameter **class, 367–368**
- cookies**
 - creating, 591
 - encrypted tickets, 591–592
- CreateAutoGeneratedColumn **method, 554–555**
- CreateChildControls **method**
 - CompositeDataBoundControl base class, 495
 - CustomTable control, 220–222
 - defined, 106–110
 - FavoriteItemsWebPart control, 1092–1094
 - GridView control, 545–547
 - Login control, 613–614, 616
 - MasterDetailForm control, 496–497
 - RssReaderWebPart control, 984–986
- CreateChildTable **method**
 - CustomGridView control, 873–874
 - GridView control, 548–549
- CreateColumns **method, 551–554**
- CreateContainer **method, 101–102, 132**
- CreateContainerChildControls **method**
 - CompositeCreditCardForm control, 121–122
 - CompositeCreditCardForm2 control, 212–215
 - CreditCardFormContainer control, 102–104
 - TemplatedCreditCardForm control, 124–125, 127, 129–130, 132, 134, 137–139
 - TemplatedCreditCardForm3 control, 160–161
- CreateContainerDefaultChildControls **method**
 - TemplatedCreditCardForm control, 139
 - TemplatedCreditCardForm3 control, 159–160
- CreateControlHierarchy **method, 999–1001**
- CreateControlStyle **method**
 - CompositeCreditCardForm control, 109
 - CustomTable control, 235
 - GridView control, 565
 - Login control, 617
 - WebControl class, 51–53

- CreateCustomMembershipUser **method, 670**
- CreateCustomMembershipUsers **method, 670**
- CreateDataCells **method, 232–233, 515–516**
- CreateDataControlFields **method, 551**
- CreateDataRow **method, 558–560**
- CreateDataSourceSelectArguments **method, 564–565**
- CreateDataSourceView **method**
 - SqlDataSource control, 335–336
 - XmlWebServiceDataSource control, 398–399
- CreateDefaultPager **method, 556–558**
- CreateDefaultTemplateManager **method, 172**
- CreateDeleteCell **method, 229–230**
- CreateEditCell **method, 230–231**
- CreateEditorPart **method, 1010–1011**
- CreateEmptyDataRow **method, 560–561**
- CreateField **method, 518, 869, 873**
- CreateFields **method, 225–227**
- CreateHeaderRow **method, 227–229, 558**
- CreateInitialWebParts **method, 1039**
- CreateInstance **method, 268**
- CreateMasterDetailTables **method, 498**
- CreatePagedDataSource **method, 549–551**
- CreatePagerRow **method, 234–235**
- CreatePrimaryKeyPropertyDescriptors **method, 547–548**
- CreateProxyClassInstance **method, 260**
- CreateRole **method, 589, 678, 705–706**
- CreateRoleRandomAccess **method, 706, 708–710**
- CreateRoleStream **method, 706–708**
- CreateRow **method, 562**
- CreateTopPagerRow **method, 555**
- CreateUser **method**
 - CustomSqlMembershipProvider class, 671
 - Membership class, 605–606
 - MembershipProvider base class, 643–647
 - MembershipProvider class, 606
- CreateVerbs **event, 1039**
- CreateWebPartChrome **method, 1038–1039, 1075**
- CreateXmlDocument **JavaScript function**
 - AjaxGoogleSearch control, 902, 909
 - AjaxNotifierCallback JavaScript function, 923
 - implementation of, 835–837
- CreateXmlFile **method, 696**
- creating**
 - composite controls, 97–98
 - cookies, 591
 - proxy classes, 884–885
 - roles, 678
 - signature files, 16
 - user controls, 32
- CreationDate **property, 623**
- CreditCardForm1 **custom control**
 - code listing, 14–15
 - deploying, 16–17
 - HTMLTextWriter class, 14–16
 - information hiding, 12–13
 - Render method, 13–14
 - Web page implementation, 17
- CreditCardForm2 **custom control**
 - adding to Visual Studio Toolbox, 23
 - assembly-level attributes, 22
 - CardholderNameText property, 18–21
 - class-level attributes, 21–22
 - CreditCardNoText property, 18–21
 - ExpirationDateText property, 18–21
 - PaymentMethodText property, 18–21
 - property-level attributes, 20–21
 - Render method, 19–20
 - SubmitButtonText property, 18–21
- CreditCardForm3 **custom control, 24–30, 43–46**
- CreditCardForm4 **custom control, 30–31**
- CreditCardForm5 **custom control, 53–57, 79–80**
- CreditCardForm6 **custom control**
 - callback methods, 85–86
 - ClientCallback method, 73–74
 - EventHandlerList class, 71–72
 - events, 82–84
 - IPostBackDataHandler interface, 75–77, 95–97
 - IPostBackEventHandler interface, 74–76, 95, 97
 - LoadPostData method, 77–79, 96–97
 - OnValidatingCreditCard method, 70, 76
 - overriding properties, 80
 - properties, 81
 - RaisePostBackEvent method, 76–77, 97
 - RaisePostDataChangedEvent method, 77, 81–84
 - RenderContents method, 74–75, 92–94

CreditCardForm6 (continued)

- ValidatingCreditCard event, 69–70, 76–77, 86
- ValidatingCreditCard method, 86
- CreditCardForm.aspx **page, 189–196**
- CreditCardFormContainer **container control, 100–102**
- CreditCardFormContainer **control, 102–104**
- CreditCardFormUserControl **user control, 32–37**
- CreditCardNoChanged **event, 82–83**
- CreditCardNoLabelStyle **property, 149**
- CreditCardNoLabelTemplateType **property, 165**
- CreditCardNoParameterName **property, 282**
- CreditCardNoText **property, 18–21**
- CSS**
 - CSS style attributes, 50–51
 - non-CSS style attributes, 49–50
- custom components**
 - deserialization, 7
 - developing, 5–7
 - serialization, 7
- custom controls**
 - attributes
 - assembly-level attributes, 22
 - class-level attributes, 21–22
 - property-level attributes, 20–21
 - defined, 11
 - deploying, 16–17
 - implementing, 11
 - information hiding, 12–16
 - instantiating, 17
 - properties, 18–20
 - registering, 17
 - state management, 28–31
 - Visual Studio Toolbox, 23
- custom data control fields, 8–9**
- custom delegates, 68**
- custom HTTP handlers, 9**
- custom parameters**
 - developing, 383
- XmlWebServiceParameter
 - Evaluate method, 384
 - functionality, 383–384
 - GetArgumentValue method, 385
 - Web page implementation, 386–387

custom provider-based services

- defined, 9
- developing, 745–746
- implementation steps, 745–746
- RSS feeds, 746–753

custom schema importer extensions

- defined, 7
- developing, 301–303
- ForumSchemaImporter Extension3, 322–323
- registering, 317–318

custom verbs, 990

custom Web Part controls, 8

CustomGridView **control**

- CreateChildTable method, 873–874
- CustomizableTable control, 874–876
- EnableCellView property, 873
- PrepareControlHierarchy method, 876–878
- Web page implementation, 878–881

CustomHyperLinkAttr **control, 777–778**

CustomHyperLinkBlock **control, 779–786**

CustomHyperLinkFile **control, 787–789, 792**

CustomImage **control**

- client script rendering, 804–806
- customImage JavaScript object, 807
- filter JavaScript object, 807
- methods
 - AddAttributesToRender, 805–806
 - DetermineRenderClientScript, 804
 - OnPreRender, 804–806
 - RegisterClientScriptResource, 806
- transition feature, 804
- using, 807–808
- WebResource syntax, 809–811

customImage **JavaScript object, 807**

CustomizableTable **control, 874–876**

customizing XML Web services, 7

CustomMembershipProvider **class, 667**

CustomMembershipUser **class, 666–667**

CustomMembershipUser **component, 674**

CustomRoleManagerModule **component**

- GetRoles event, 735–736
- IHttpModule interface, 732
- methods
 - EndRequestCallback, 736–737
 - Init, 732–733
 - PostAuthenticateRequestCallback, 733–735

- CustomRolePrincipal **component**
 - code listing, 728
 - constructors, 728–730
 - IPrincipal interface, 731–732
 - methods
 - GetRoles, 730–731
 - IsInRole, 732
 - properties
 - cachedListChanged, 728
 - isRoleListCached, 728
 - roles, 729
 - username, 729
- CustomSqlDataSource **control**
 - classes
 - SqlHierarchicalDataSourceView, 459, 467–468
 - SqlHierarchicalEnumerable, 459, 465–467
 - SqlHierarchyData, 459, 461–465
 - SqlHierarchyDataPropertyDescriptor, 459–461
 - DataSourceChanged event, 454
 - interfaces
 - IHierarchicalDataSource, 454, 458
 - IHierarchicalEnumerable, 458
 - methods
 - GetHierarchicalView, 454, 458
 - SqlHierarchyData, 459
 - properties
 - DataIdField, 454
 - DataParentIdField, 454
 - SqlDataSource control, 453
 - TreeView control, 455–459
- CustomSqlMembershipProvider **class, 667–674**
- CustomTable **control**
 - classes
 - CustomTableRowCollection, 240
 - DataControlField, 225
 - TableStyle, 235
 - DataControlField base class, 517–518
 - DataControlField component, 516–517
 - events
 - CancelCommand, 235
 - DataBinding, 221
 - DeleteCommand, 235
 - EditCommand, 235
 - PageCommand, 235
 - SortCommand, 235
 - UpdateCommand, 235
 - implementation steps, 218
 - methods
 - CachePrimaryKey, 233
 - ClearChildViewState, 221
 - CreateChildControls, 220–222
 - CreateControlStyle, 235
 - CreateDataCells, 232–233, 515–516
 - CreateDeleteCell, 229–230
 - CreateEditCell, 230–231
 - CreateFields, 225–227
 - CreateHeaderRow, 227–229
 - CreatePagerRow, 234–235
 - DataBind, 219–222
 - EnsureChildControls, 221, 224
 - EnumerateDataAndCreateControlHierarchy, 220–224
 - GetEnumerator, 224
 - LoadViewState, 245–246
 - OnBubbleEvent, 237–238
 - OnPreRender, 221
 - Page_Load, 219
 - PrepareControlHierarchy, 241–243
 - RetrieveData, 219
 - SaveViewState, 244–245
 - TrackViewState, 222, 243–244
 - paging interface, 234–235
 - properties
 - ChildControlsCreated, 222
 - PagerStyle, 240–241
 - requirements, 217
 - shortcomings, 247–248
 - specifying the data source, 218–219
 - Web page implementation, 246–247
- CustomTable2 **control**
 - declarative programming, 479
 - Load event, 477
 - methods
 - OnLoad, 477
 - PerformSelect, 477
 - RetrieveData, 478–479
 - shortcomings, 480

CustomTable3 control

CustomTable3 **control**

declarative programming, 491–492

implementation pattern, 493

methods

DataSourceSelectArguments, 486–488

DeleteCallback, 490–491

PerformDataBinding, 488

UpdateCallback, 489–490

CustomTable4 **control, 496**

CustomTableCommandEventArgs **event data class, 236**

CustomTableCommandEventHandler **event delegate class, 236**

CustomTablePageChangedEventArgs **event data class, 236–237**

CustomTablePageChangedEventHandler **event delegate class, 236**

CustomTableRow **control**

implementation, 238–239

OnBubbleEvent method, 239

properties

DataRow, 239

RowIndex, 239

RowState, 239

RowType, 239

requirements, 238–239

CustomTableRowCollection **class, 240**

CustomTableSortCommandEventArgs **event data class, 236**

CustomTableSortCommandEventHandler **event delegate class, 236**

CustomWebForm_DoCallbackScript **JavaScript function, 833–834**

CustomWebPartChrome **control, 1072–1074**

CustomWebPartZone **custom zone, 1074–1076**

D

data binding expressions in templated controls, 130–136

data consumer connection point, 1085–1086

data control field model, 517

data control fields

AjaxDropDownListField, 849–851

AjaxField

Ajax-enabled component development pattern, 864

AlternatingItemStyle property, 867

CreateField method, 869

data control field design pattern, 864

DataField property, 868

DataSourceID property, 867

DialogStyle property, 867

ExtractValuesFromCell method, 869–870

InitializeCell method, 865–867

MouseOutImageUrl property, 866

MouseOverImageUrl property, 866

Object Composition, 864–866

OnDataBindField method, 868–869

PopupHeaderStyle property, 867

PopupItemStyle property, 867

view state, 866

Web page implementation, 878–881

BoundField

code listing, 522

DataField property, 525

defined, 522

ExtractValuesFromCell method, 526–527

GetProperties method, 525

GetValue method, 525–526

InitializeCell method, 523

InitializeDataCell method, 523–524

OnDataBindField method, 524

ButtonField, 522

CalendarField

code listing, 538

DataBinding event, 539–540

declarative programming, 541–542

Edit state, 537

EnableTheming property, 541

ExtractValuesFromCell method, 540–541

InitializeDataCell method, 538–539

Insert state, 537

OnDataBindField method, 540

SkinID property, 541

CheckBoxField, 517, 522

CommandField, 522

custom, 8–9

developing, 8–9

DropDownListField

code listing, 530–531

ControlStyle property, 535–536

DataBinding event, 532–534

- declarative programming, 536–537
- Edit state, 529–530
- extending `BoundField` data control field, 530
- `ExtractValuesFromCell` method, 534–535
- `InitializeDataCell` method, 531–532
- Insert state, 529–530
- `OnDataBindField` method, 532–534
- `HyperLinkField`, 522
- `ImageField`, 522
- `TemplateField`, 522
- data provider connection point, 1085**
- data source**
 - adding new users, 605
 - specifying, 218–219
- data source control model, 325–326, 331**
- data source controls**
 - `CustomSqlDataSource`, 453–468
 - defined, 331
 - developing, 6
 - hierarchical data source controls
 - defined, 429
 - `HierarchicalDataSourceControl` class, 431–433
 - `HierarchicalDataSourceView` class, 433–436
 - `ICustomTypeDescriptor` interface, 450–451
 - `IHierarchicalDataSource` interface, 331, 430–431
 - `IHierarchicalEnumerable` interface, 437–440
 - `IHierarchyData` interface, 436–437
 - `SqlHierarchicalDataSourceView` class, 459, 467–468
 - `SqlHierarchicalEnumerable` class, 459, 465–467
 - `SqlHierarchyData` class, 459, 461–465
 - `SqlHierarchyDataPropertyDescriptor` class, 459–461
 - view path, 429
 - `XmlHierarchicalDataSourceView` class, 451–452
 - `XmlHierarchicalEnumerable` class, 446–447
 - `XmlHierarchyData` class, 440–446
 - `XmlHierarchyDataPropertyDescriptor` class, 447–449
 - `XmlWebServiceDataSource` control, 396
- tabular data source controls
 - `DataSourceControl` class, 332–335
 - `DataSourceSelectArguments` class, 337–338
 - `DataSourceView` base class, 336–338, 347, 374–375, 399
 - `DataSourceView` class, 348, 351–352, 355–356
 - features, 331
 - `IDataSource` interface, 331–333
 - `SqlDataSource` control, 335, 339–342, 362–365, 373–381, 453, 920
 - `SqlDataSourceView` control, 338–340, 349–360, 375–376
 - `XmlWebServiceDataSource` control, 396–403
 - `TreeView`, 455–459
- data stores**
 - deleting users, 607
 - password validation rules, 610
 - removing users, 607
 - retrieving user membership information, 609–610
 - searching users, 608–609
 - updating specified user membership information, 607
 - validating user credentials, 607
- DataBind method**
 - `BaseDataBoundControl` class, 473–474
 - `CompositeDataBoundControl` base class, 494–495
 - `CustomTable` control, 219–222
 - overriding, 472
 - `RssReaderEditorPart` control, 998–999
- DataBinder class, 369–370**
- DataBinding event**
 - `CalendarField` data control field, 539–540
 - `DataBind` method, 221
 - `DropDownListField` data control field, 532–533
- data-bound control model, 469–473**
- data-bound controls**
 - `CustomTable` control
 - `CachePrimaryKey` method, 233
 - CancelCommand event, 235
 - `ChildControlsCreated` property, 222
 - `ClearChildViewState` method, 221
 - `CreateChildControls` method, 220–222
 - `CreateControlStyle` method, 235

data-bound controls (continued)

data-bound controls (continued)

- CreateDataCells method, 232–233
- CreateDeleteCell method, 229–230
- CreateEditCell method, 230–231
- CreateFields method, 225–227
- CreateHeaderRow method, 227–229
- CreatePagerRow method, 234–235
- CustomTableRowCollection class, 240
- DataBind method, 219–222
- DataBinding event, 221
- DataControlField base class, 518
- DataControlField class, 225
- DeleteCommand event, 235
- EditCommand event, 235
- EnsureChildControls method, 221, 224
- EnumerateDataAndCreateControl
 - Hierarchy method, 220–224
- GetEnumerator method, 224
- implementation steps, 218
- LoadViewState method, 245–246
- OnBubbleEvent method, 237–238
- OnPreRender method, 221
- PageCommand event, 235
- Page_Load method, 219
- PagerStyle property, 240–241
- paging interface, 234–235
- PrepareControlHierarchy method, 241–243
- requirements, 217
- RetrieveData method, 219
- SaveViewState method, 244–245
- shortcomings, 247–248
- SortCommand event, 235
- specifying the data source, 218–219
- TableStyle class, 235
- TrackViewState method, 222, 243–244
- UpdateCommand event, 235
- Web page implementation, 246–247

CustomTableRow control

- DataItem property, 239
- implementation, 238–239
- OnBubbleEvent method, 239
- requirements, 238–239
- RowIndex property, 239
- RowState property, 239
- RowType property, 239

- hierarchical data-bound controls, 480–481
- parameters, 362–363
- tabular data-bound controls
 - BaseDataBoundControl base class, 1108–1109
 - CompositeDataBoundControl base class, 544, 1108–1109
 - DataBoundControl base class, 1108–1109
 - defined, 480–481
 - GridView control, 545–581, 585
 - GridViewRow control, 555, 558, 581–584
- DataBoundControl **base class, 481–486, 1108–1109**
- DataBoundWebPart **base class, 1111–1113**
- DataControlField **API, 517**
- DataControlField **base class**
 - CustomTable control, 517
 - methods
 - CreateField, 518
 - ExtractValuesFromCell, 518, 521
 - Initialize, 518, 520
 - InitializeCell, 519–521
 - OnFieldChanged, 519–520
 - properties
 - Container, 518
 - Control, 518
 - ControlStyle, 518
 - FooterStyle, 518
 - FooterText, 518
 - HeaderStyle, 518
 - HeaderText, 518
 - ItemStyle, 518
 - ShowHeader, 518
 - SortExpression, 518
 - Visible, 518
 - style properties, 518
- DataControlField **class, 225**
- DataControlField **component, 516–517**
- DataControlFieldCollection **class, 527–528**
- DataGrid **control, 326–327**
- DataIdField **property, 454**
- DataItem **property, 239**
- DataKeyNames **property, 421**
- DataParentIdField **property, 454**
- DataSelectCallback **method, 1118–1119**
- DataSourceChanged **event, 431, 454**

- DataSourceControl **base class**, 332–335, 398
- DataSourceID **property**, 333, 849
- DataSourceMode **property**, 342
- DataSourceSelectArguments **class**, 337–339, 399, 405, 423
- DataSourceSelectArguments **method**, 486–488
- DataSourceView **base class**
 - code listing, 336–337
 - methods
 - Delete, 347–348
 - OnDataSourceViewChanged, 374–375
 - Select, 337–338
 - XmlWebServiceDataSource control, 399
- DataSourceView **class**
 - Insert method, 355–356
 - Update method, 351–352
- DataSourceViewChanged **event**, 403, 414
- DbProviderFactory **class**, 339
- declarative persistence**, 177–181
- declarative (static) connections**, 1089–1090
- DeclarativeCatalogPart **control**, 952, 966–967
- declared WebPart controls**, 966–967
- declaring**
 - delegates, 68–69
 - proxy classes, 264
- default constructor for proxy classes**, 253, 264
- default membership provider**, 601
- DefaultProvider **property**, 750
- DefaultTemplateManager **class**
 - implementation of properties, 157–158
 - IStateManager interface, 154–157
 - methods
 - LoadViewState, 157
 - SaveViewState, 156–157
 - TrackViewState, 156
 - properties
 - IsTrackingViewState, 155–156
 - ViewState, 155
 - TemplatedCreditCardForm3 control, 158–159
- DefaultTemplateManager2 **class**, 169
 - GetConverter method, 169
 - IStateManager interface, 165
 - properties
 - CardholderNameLabelTemplateType, 165
 - CreditCardNoLabelTemplateType, 165
 - ExpirationDateLabelTemplateType, 165
 - PaymentMethodLabelTemplateType, 165
 - SubmitButtonTemplateType, 165
 - TypeConverterAttribute attribute, 168–169
- DefaultTemplateManager **property**, 159
- DefaultTemplateManager2Converter **class**, 166–168
- DefaultValue **property**, 365
- <definitions> **element (WSDL document)**, 257
- delegate **keyword**, 68–69
- delegates**
 - adding, 71–72
 - custom delegates, 68
 - declaring, 68–69
 - defined, 66
 - invocation list, 69–70
 - multicast delegates, 69
 - removing, 71–72
 - ValidatingCreditCardEventHandler, 68–69
- Delete **button**
 - CreateDeleteCell method, 229–230
 - DeleteCommand event, 235
- Delete **method**
 - DataSourceView class, 347–348
 - MasterDetailForm control, 507–508
 - XML Web service, 422–423
- Delete **property**, 398
- DeleteCallback **method**, 420–421, 490–491
- DeleteCommand **event**, 235
- DeleteCommand **property**, 362–363
- DeleteParameters **property**, 376, 423
- DeleteRole **method**, 678–679, 710–711
- DeleteRoleRandomAccess **method**, 712–714
- DeleteRoleStream **method**, 711–712
- DeleteRow **method**, 570–571
- DeleteUser **method**, 607, 648
- deleting**
 - roles, 678–679
 - users from data stores, 607
 - users from roles, 681
- deploying**
 - custom controls, 16–17
 - resource files
 - into an assembly, 790–798
 - to a shared location, 789–790

Description property

Description **property**, 980

DescriptionDocumentProvider **base class**, 1051

DescriptionDocumentProviderCollection **class**, 1051–1052

DescriptionDocumentService **class**, 1054–1056

DescriptionDocumentServiceSection **custom configuration section**, 1052–1054
deserialization, 7

DeserializeWSDLDocument **method**, 260, 262–263

DesignDisplayMode **display mode**, 953

DetailDataSourceID **property**, 1116–1117

DetailsAlternatingRowSkinID **property**, 512

DetailsRowSkinID **property**, 512

DetailsTableSkinID **property**, 512

DetermineRenderClientScript **method**, 799–800, 804

developing

Ajax-enabled controls and components, 802–803
client-side functionality of Ajax-enabled controls and components, 776
control builders, 207–210
custom components, 5–7
custom parameters, 383
custom provider-based services, 745–746
custom schema importer extensions, 301–303
data control fields, 8–9
data source controls, 6
HTTP handler factories, 199–200
HTTP handlers, 9, 200–205
membership providers, 7
MembershipProvider classes, 675
MembershipUser classes, 675
principals, 6
provider-based services, 9
role manager modules, 6
role providers, 7
Web Part controls, 8
Web Parts, 8
WebPart server controls, 954–955
XML Web services, 250
DialogStyle **property**, 867
Direction **property**, 365

directives

@Control, 32
@Page, 535
Register, 17
@Register, 33
DirectoryDescriptionDocumentProvider **custom zone**, 1058–1062
disabling client-side functionality of Ajax-enabled controls and components, 798
DisconnectWebParts **method**, 1102
discovering Ajax capabilities of the requesting browser, 798–800
display modes for Web Parts pages, 953
DisplayDetailsPopup **JavaScript function**, 822–823, 924
DisplayMode **property**, 960
DoCallback **JavaScript function**, 917, 924
<document> **element (WSDL document)**, 257
DOM Random-Access XML API, 701–702, 710
downloading WSDL documents, 260–262
DownloadWSDLDocument **method**, 260–262
DropDownList **control**, 94–95, 97
DropDownListField **data control field**
code listing, 530–531
ControlStyle property, 535–536
DataBinding event, 532–534
declarative programming, 536–537
Edit state, 529–530
extending BoundField data control field, 530
ExtractValuesFromCell method, 534–535
InitializeDataCell method, 531–532
Insert state, 529–530
OnDataBindField method, 532–534
DropDownListField2 **control**
code listing, 870–871
CreateField method, 873
ExtractValuesFromCell method, 873
InitializeCell method, 871–873
SortExpressionFields property, 871
Web page implementation, 878–881
dynamic connections, 1096–1100

E

Edit button

CreateEditCell method, 230–231
EditCommand event, 235

- EditCommand **event**, 235
- EditDisplayMode **display mode**, 953
- EditorPart **API**, 974–975
- EditorPart **control**, 952, 975–977, 995–996
- EditorParts **property**, 1011
- EditorPartZone **control**, 952
- EditorZoneBase **API**, 974–975
- EditorZoneBase **base class**, 1011
- elements**
 - <add>, 600–601
 - <asp:WebPartConnection>, 1090
 - <asp:WebPartZone>, 954
 - <membership>, 600–601
 - <providers>, 600
 - <rssService>, 750
 - <script>, 779–780, 782–783
 - WSDL documents
 - <binding>, 259–260
 - <definitions>, 257
 - <document>, 257
 - <message>, 258
 - <operation>, 258
 - <part>, 258
 - <port>, 260
 - <portType>, 258
 - <service>, 260
 - <types>, 257
 - <ZoneTemplate>, 1043–1044
- Email **property**, 622
- embedding resource files into assemblies**, 790–798
- EnableCaching **property**, 276, 408
- EnableCellView **property**, 873
- EnableClientCallback **property**, 849
- Enabled **property**, 49
- enableExport **attribute**, 970
- enablePasswordReset **attribute**, 601
- enablePasswordRetrieval **attribute**, 601
- EnableSession **property**, 850
- EnableTheming **property**
 - CalendarField data control field, 541–542
 - DropDownListField data control field, 535–536
 - MasterDetailForm control, 511
- encapsulating HTML markup text in server controls**, 15–16
- Encrypt **method**, 591
- encrypted tickets (cookies)**, 591–592
- EndRequest **event**, 690
- EndRequestCallback **method**, 690–692, 736–737
- EnsureChildControls **method**
 - ChildControlsCreated property, 108, 113
 - CompositeDataBoundControl base class, 495
 - CustomTable control, 221, 224
 - Login control, 615
 - Register control, 619
- EnumerateDataAndCreateControlHierarchy **method**, 220–224
- enumerations**
 - HtmlTextWriterAttribute, 23–26
 - HtmlTextWriterStyle, 23–26
 - HtmlTextWriterTag, 23–26
- Evaluate **method**
 - DataBinder class, 369–370
 - Parameter class, 365–367
 - XmlWebServiceParameter component, 384, 387–389
- event data classes**
 - CustomTableCommandEventArgs, 236
 - CustomTablePageChangedEventArgs, 236–237
 - CustomTableSortCommandEventArgs, 236
 - EventArgs, 579
 - GridViewCancelEditEventArgs, 579
 - GridViewDeletedEventArgs, 579
 - GridViewDeleteEventArgs, 579
 - GridViewEditEventArgs, 579
 - GridViewPageEventArgs, 579
 - GridViewRowEventArgs, 579
 - GridViewSelectEventArgs, 579
 - GridViewSortEventArgs, 579
 - GridViewUpdatedEventArgs, 579
 - GridViewUpdateEventArgs, 579
 - RoleManagerEventArgs, 689–690
 - ValidateCreditCardEventArgs, 117
 - ValidatePasswordEventArgs, 611–612
 - ValidatingCreditCardEventArgs, 67–68, 70
 - WebPartAuthorizationEventArgs, 1077–1080
 - WebPartVerbsEventArgs, 1039
- event delegate classes**
 - CustomTableCommandEventHandler, 236
 - CustomTablePageChangedEventArgs, 236

event delegate classes (continued)

event delegate classes (continued)

- CustomTableSortCommandEventHandler, 236
- EventHandler, 579
- GridViewCancelEditEventHandler, 579
- GridViewDeletedEventHandler, 579
- GridViewDeleteEventHandler, 579
- GridViewEditEventHandler, 579
- GridViewPageEventHandler, 579
- GridViewRowEventHandler, 579
- GridViewSelectEventHandler, 579
- GridViewSortEventHandler, 579
- GridViewUpdatedEventHandler, 579
- GridViewUpdateEventHandler, 579
- ValidatingCreditCardEventHandler, 68–69
- event **keyword, 69**
- EventArgs **base class, 67**
- EventArgs **event data class, 579**
- EventHandler **event delegate class, 579**
- EventHandler **keyword, 68**
- EventHandler **method, 566–567**
- EventHandlerList **class, 71–72**
- events**
 - AuthorizeWebPart, 1077–1079
 - bubbling, 114–115
 - CancelCommand, 235
 - CardholderNameChanged, 82–83
 - Click, 252
 - Command events, 114–115
 - CreateVerbs, 1039
 - CreditCardNoChanged, 82–83
 - DataBinding
 - CalendarField data control field, 539–540
 - DataBind method, 221
 - DropDownListField data control field, 532–533
 - DataSourceChanged, 431, 454
 - DataSourceViewChanged, 403, 414
 - defined, 65–66
 - DeleteCommand, 235
 - EditCommand, 235
 - EndRequest, 690
 - event data, 66–67
 - ExpirationDateChanged, 82–84
 - FieldsChanged, 528
 - GetRoles, 689–690, 735–736
 - GridView control, 578–581
 - Insert, 416
 - Load, 477
 - LoadComplete, 375, 403
 - .NET Event Design Pattern, 66–70
 - notification data, 66
 - OnBubbleEvent method, 115–117
 - optimizing, 70–72
 - PageCommand, 235
 - PageIndexChanged, 579
 - PageIndexChanging, 579
 - ParametersChanged, 370, 403
 - PaymentMethodChanged, 82–83
 - RaiseBubbleEvent method, 115
 - RowCancelingEdit, 579
 - RowCreated, 579
 - RowDataBound, 579
 - RowDeleted, 579
 - RowDeleting, 579
 - RowEditing, 579
 - RowUpdated, 579
 - RowUpdating, 579
 - Selected, 342, 344–345, 410
 - SelectedIndexChanged, 579
 - SelectedIndexChanging, 579
 - Selecting, 342–344, 408–410
 - SortCommand, 235
 - Sorted, 579
 - Sorting, 579
 - UpdateCommand, 235
 - Updated, 415
 - Updating, 414
 - ValidateCreditCard, 117, 282
 - ValidatingCreditCard, 69–70, 76–77, 86
 - ValidatingPassword, 610–611
 - WebPartsConnected, 1100
 - WebPartsDisconnected, 1100
- ExchangeData **method, 1084–1085**
- ExecuteDelete **method, 350–351, 376–377, 421–422**
- ExecuteInsert **method, 356–358, 379–381, 416–418**
- ExecuteSelect **method**
 - SqlDataSourceView class, 338–339, 349, 375–376
 - XmlWebServiceDataSourceView class, 399–401, 404

- ExecuteUpdate **method**
 GridView control, 412–414
 SqlDataSourceView class, 352–355, 378–379
- ExpirationDateChanged **event**, **82–84**
- ExpirationDateLabelStyle **property**, **149**
- ExpirationDateLabelTemplateType **property**, **140–141, 165**
- ExpirationDateParameterName **property**, **282**
- ExpirationDateText **property**, **18–21**
- Explicit Submission Ajax pattern**
 AjaxSpellChecker control, 943–949
 uses, 943
- exporting WebPart controls, 970–972**
- ExportMode **property** (WebPart controls), **970–971**
- ExportToXmlWebService **method**, **1046–1047**
- extensibility**
 data control field model, 517
 Membership API, 665
 XmlWebServiceMethodInvoker component, 324
- ExtractRowValues **method**, **569–570, 870**
- ExtractValueFromCell **method**, **869–870**
- ExtractValuesFromCell **method**
 BoundField data control field, 526–527
 CalendarField data control field, 540–541
 DataControlField base class, 518, 521
 DropDownListField data control field, 534–535
 DropDownListField2 control, 873
- ## F
- FavoriteItems **property**, **1092**
- FavoriteItemsWebPart **control**
 ASPNET Web Parts connection feature, 1082–1084
 ConnectionConsumerAttribute metadata attribute, 1089
 FavoriteItems property, 1092
 IItem interface, 1083
 IPersonalizable interface, 1092
 methods
 AddItemToFavoriteItems, 1083–1084, 1089, 1092
 CreateChildControls, 1092–1094
 [Personalizable(true)] metadata attribute, 1092
 Web page implementation, 1095–1096
- FavoriteItemsWebPart2 **control**, **1105–1108**
- FieldsChanged **event**, **528**
- filter **JavaScript object**, **807**
- FindControl **method**, **333**
- finding users in a data store, 608–609**
- FindUsersByEmail **method**
 CustomSqlMembershipProvider class, 671
 Membership class, 608
 MembershipProvider base class, 648–650
- FindUsersByName **method**, **608–609, 650–651**
- FindUsersInRole **method**, **680**
- fontNameCB **JavaScript function**, **933, 941**
- fontSizeCB **JavaScript function**, **934, 941**
- FooterStyle **property**, **518**
- FooterText **property**, **518**
- forecolCB **JavaScript function**, **940–941**
- formatting HTML, 94**
- forms authentication, 589**
- FormsAuthentication **class**, **591**
- FormsIdentity **object**, **592–593**
- Forum **class**
 ForumSchema method, 301
 implementation, 299–300
 IXmlSerializable interface, 301
 ReadXml method, 300–301
 XML schema document, 301
 XmlSchemaProvider attribute, 301
- ForumBook **class**
 IXmlSerializable interface, 321–322
 ReadXml method, 321–322
- ForumSchema **method**, **301**
- ForumSchemaImporter Extension3 **custom schema importer extension, 322–323**
- Framework, 1**
- full page postbacks, 827**
- fully qualified names of membership providers, 600**
- ## G
- GAC (Global Assembly Cache), 16–17**
- GenerateCodeDomForAttributes **method**, **305, 308**
- GenerateCodeDomForBaseTypes **method**, **305, 308–309**
- GenerateCodeDomForComponent **method**, **305, 307**

GenerateCodeDomForFields method

- GenerateCodeDomForFields **method**,
306, 309–310
- GenerateCodeDomForGetSchemaMethod **method**, **313–314**
- GenerateCodeDomForImportNamespaces **method**, **305–307**
- GenerateCodeDomForMethods **method**, **307, 312**
- GenerateCodeDomForProperties **method**,
307, 310–312
- GenerateCodeDomForReadXmlMethod **method**,
314–316
- GenerateCodeDomForWriteXmlMethod **method**,
316–317
- GenerateCodeForProxyClass **method**, **260, 263**
- GenerateRss **method**, **762–764**
- generating**
 - code for proxy classes, 253–255
 - XML schema document, 296–299
- GenericPrincipal **object**, **592**
- GenericPrinciple **object**, **593**
- GetAllRoles **method**, **679, 714–716**
- GetAllUsers **method**
 - CustomSqlMembershipProvider class, 671
 - Membership class, 609
 - MembershipProvider base class, 651–652
- GetArgumentValue **method**, **385, 388**
- GetAvailableWebPartDescriptions **method**,
1020–1023
- GetBookContent **method**, **321**
- GetCachedPage **JavaScript function**, **906–907**
- GetCallbackResult **method**
 - AjaxDetailsDialog control, 863–864
 - AjaxSpellChecker control, 946–947
- GetChildren **method**, **447**
- GetConsumerConnectionPoints **method**,
1101–1102
- GetConverter **method**, **169, 172**
- GetData **method**, **482–483**
- GetDataReader **method**, **761**
- GetDataSource **method**, **482**
- GetDbProviderFactory **method**, **339**
- GetDefaultTemplate **method**, **139–140**
- GetDefaultTemplateFromConfigFile **method**,
141–142
- GetDefaultTemplateFromType **method**,
140–142
- GetDescriptionDocumentIDs **method**,
1060–1061, 1064–1065
- GetEncodedPassword **method**, **639–640**
- GetEntity **method**, **288–289**
- GetEnumerator **method**, **224**
- GetFactory **method**, **340**
- GetFailedAttemptCounts **method**, **672–673**
- GetHandler **method**, **199**
- GetHierarchicalView **method**, **431, 454, 458**
- GetHtmlAndPageIndex **JavaScript function**,
904, 908–910
- GetImportedWebParts **method**, **1058**
- GetInitialWebParts **method**, **1057**
- GetInputDataForServerMethod **JavaScript function**, **901–902, 912**
- GetManifestResourceStream **method**, **797**
- GetNextPage **JavaScript function**, **898–899, 906, 913**
- GetNextPageForCache **JavaScript function**,
904–905, 907
- GetNotificationId **JavaScript function**, **922**
- GetNumberOfUsersOnline **method**, **609, 653**
- GetOnePageOfData **stored procedure**, **327**
- GetParent **method**, **446**
- GetPassword **method**, **625, 653–656**
- GetPhrase **JavaScript function**, **948**
- GetPreviousPage **JavaScript function**,
898, 907–908
- GetProviderConnectionPoints **method**, **1101**
- GetRoles **event**, **689–690, 735–736**
- GetRoles **method**, **684, 730–731**
- GetRolesForUser **method**
 - Membership class, 589
 - random-access XML APIs, 726–727
 - RolePrincipal class, 684
 - Roles API, 680
 - Roles class, 591
- GetSaltedPassword **method**, **640**
- GetSchema **method**, **293–294, 299**
- GetSection **method**, **603**
- GetSelectedItem **method**, **1084, 1088**
- GetTotalRowCount **method**, **401**
- GetType **method**, **837**
- GetUser **method**, **609–610, 656–658**
- GetUserNameByEmail **method**, **658–659**
- GetUsersByEmail **method**, **671**

- GetValue **method**, 525–526
- GetValues **method**, 371–372
- GridView **method**, 335
- GridViewNames **method**, 335
- GetWebPart **method**, 1024–1025
- GetWebPartDescriptionFile **method**, 1030
- GetWebPartInfoSet **method**, 1026
- GetWebResourceUrl **method**, 808
- Global Assembly Cache (GAC)**, 16–17
- Google**
 - Add Web References dialog, 884
 - AjaxGoogleSearch control
 - actions, 892–893
 - AjaxGoogleSearchCacheCallback JavaScript function, 905–906
 - AjaxGoogleSearchNewSearchCallback JavaScript function, 903–904
 - AjaxGoogleSearchPreviousPageCallback JavaScript function, 908
 - code listing, 893–894
 - CreateXmlDocument JavaScript function, 902, 909
 - GetCachedPage JavaScript function, 906–907
 - GetHtmlAndPageIndex JavaScript function, 904, 908–910
 - GetInputDataForServerMethod JavaScript function, 901–902, 912
 - GetNextPage JavaScript function, 898–899, 906, 913
 - GetNextPageForCache JavaScript function, 904–905, 907
 - GetPreviousPage JavaScript function, 898, 907–908
 - Google XML Web service API, 892
 - GUI elements, 892
 - ICallbackEventHandler interface, 911–912
 - NewSearch JavaScript function, 898, 900–902
 - Web page implementation, 913
 - WebControl base class, 894–898
 - license key, 884
 - Web APIs developer's kit, 884–885
 - wSDL.exe tool, 885
 - Google XML Web Service API**, 884–892
 - GoogleSearch.wSDL **document**, 884–891
 - GridLines **property**, 109
- GridView **control**
 - events, 578–581
 - GridViewRowCollection, 561–562, 585
 - methods
 - CacheDataRowPrimaryKey, 560
 - CreateAutoGeneratedColumn, 554–555
 - CreateChildControls, 545–547
 - CreateChildTable, 548–549
 - CreateColumns, 551–554
 - CreateControlStyle, 565
 - CreateDataControlFields, 551
 - CreateDataRow, 558–560
 - CreateDataSourceSelectArguments, 564–565
 - CreateDefaultPager, 556–558
 - CreateEmptyDataRow, 560–561
 - CreateHeaderRow, 558
 - CreatePagedDataSource, 549–551
 - CreatePrimaryKeyPropertyDescriptors, 547–548
 - CreateRow, 562
 - CreateTopPagerRow, 555
 - DeleteRow, 570–571
 - EventHandler, 566–567
 - ExecuteUpdate, 412–414
 - ExtractRowValues, 569–570
 - InitializePager, 555
 - InitializeRow, 562–563
 - LoadControlState, 577–578
 - OnBubbleEvent, 565–566
 - OnInit, 578
 - PageRows, 572
 - PrepareControlHierarchy, 574–576
 - SaveControlState, 577
 - Sort, 572–573
 - UpdateCallback, 411–412
 - UpdateOperationCallback, 569
 - UpdateRow, 567–569
 - multi-field primary keys, 547
 - primary key fields, 547
 - properties
 - AlternatingRowStyle, 573
 - ControlStyle, 573–574
- GridViewCancelEventArgs **event data class**, 579
- GridViewCancelEditEventHandler **event delegate class**, 579

GridViewDeletedEventArgs event data class

GridViewDeletedEventArgs **event data class, 579**

GridViewDeletedEventHandler **event delegate class, 579**

GridViewDeleteEventArgs **event data class, 579**

GridViewDeleteEventHandler **event delegate class, 579**

GridViewEditEventArgs **event data class, 579**

GridViewEditEventHandler **event delegate class, 579**

GridViewPageEventArgs **event data class, 579**

GridViewPageEventHandler **event delegate class, 579**

GridViewRow **control, 555, 558, 581–584**

GridViewRowEventArgs **event data class, 579**

GridViewRowEventHandler **event delegate class, 579**

GridViewSelectEventArgs **event data class, 579**

GridViewSelectEventHandler **event delegate class, 579**

GridViewSortEventArgs **event data class, 579**

GridViewSortEventHandler **event delegate class, 579**

GridViewUpdatedEventArgs **event data class, 579**

GridViewUpdatedEventHandler **event delegate class, 579**

GridViewUpdateEventArgs **event data class, 579**

GridViewUpdateEventHandler **event delegate class, 579**

GridViewWebPart **control**
defined, 1114–1115
MasterDetailGridViewWebPart control, 1116–1121

growth of XML Web services, 249

H

HashAlgorithm **class, 640**

HeaderStyle **property, 518, 616–617**

HeaderText **property, 518**

headingCB **JavaScript function, 935, 941–942**

hiding information, **12–16**

hierarchical data source controls
defined, 429

HierarchicalDataSourceControl class, 431–433

HierarchicalDataSourceView class, 433–436

ICustomPropertyDescriptor interface, 450–451

IHierarchicalDataSource interface, 331, 430–431

IHierarchicalEnumerable interface, 437–440

IHierarchyData interface, 436

SqlHierarchicalDataSourceView class, 459, 467–468

SqlHierarchicalEnumerable class, 459, 465–467

SqlHierarchyData class, 459, 461–465

SqlHierarchyDataPropertyDescriptor class, 459–461

view path, 429

XmlHierarchicalDataSourceView class, 451–452

XmlHierarchicalEnumerable class, 446–447

XmlHierarchyData class, 440–446

XmlHierarchyDataPropertyDescriptor class, 447–449

XmlWebServiceDataSource control, 396

hierarchical data-bound controls, 480–481

HierarchicalDataSourceControl **class, 431–433**

HierarchicalDataSourceView **base class, 433–436, 458**

HierarchicalDataSourceView **object, 431, 458**

HorizontalAlign **property, 109**

HostingEnvironment **component, 185**

HTML
content HTML, 94
formatting or layout HTML, 94

HtmlTextWriter **class, 14–15, 27–28**

HtmlTextWriterAttribute **enumeration, 23–26**

HtmlTextWriterStyle **enumeration, 23–26**

HtmlTextWriterTag **enumeration, 23–26**

HTTP handler factories
ArticlesHandlerFactory, 199–200
defined, 189
developing, 199–200
IHttpHandlerFactory interface, 189, 199
registering, 200

HTTP handlers

AssemblyResourceLoader, 793, 795–796
 CreditCardForm.aspx page, 189–196
 custom, 9
 defined, 188
 developing, 9, 200–205
 IHttpHandler interface, 188–189
 initializing, 4–5
 instantiating, 4–5
 markup text, 2, 4–5
 registering, 205–207
 RSS feeds, 9, 201–205
 RssHandler, 201–205, 746–747, 753
 types of, 2

HTTP modules

ArticlesModule, 197–198
 defined, 187
 IHttpModule interface, 187–188
 registering, 187, 198–199
 role manager, 732
 URL rewriting, 196–198
 HttpApplication **object, 185, 187–188**
 HttpApplicationFactory **component, 185, 187–188**
 HttpContext **object, 185–186, 188**
 HttpContext.User **object, 593**
 HttpRuntime **component, 185–186**
 HttpWorkerRequest **object, 185–186**
 HyperLinkField **data control field, 522**
 hyphenated declarative syntax, 177–179

I

IAttributeAccessor **interface, 980–981**
 ICallbackEventHandler **interface**
 AjaxDetailsDialog control, 860, 864
 AjaxGoogleSearch control, 911–912
 AjaxNotifier control, 916, 918–919
 AjaxSpellChecker control, 943, 946–947
 ICompositeControlDesignerAccessor
 interface, 118
 ICustomTypeDescriptor **interface, 450–451**
 ID **property, 333, 849**
 IDataSource **interface, 331–333, 397**
 identity roles, 681–682

IHierarchicalDataSource **interface, 331, 430–431, 454, 458**
 IHierarchicalEnumerable **interface, 437–440, 458**
 IHierarchyData **interface, 436**
 IHttpHandler **interface, 188–189**
 IHttpHandlerFactory **interface, 189, 199**
 IHttpModule **interface, 187–188, 732**
 IIdentity **interface, 677, 681–682**
IIS 5 request processing architecture, 185
IIS 6 request processing architecture, 185
 IItem **interface, 1083, 1088**
 ImageButton **control, 114**
 ImageButtonCreator **template, 163**
 ImageButtonCreator **template component, 142–145**
 imageCB **JavaScript function, 940–941**
 ImageDialog **control**
 client-side functionality, 814–819
 CompositeControl base class, 811–813
 DisplayDetailsPopup JavaScript function, 822–823
 functionality, 811
 InitializeDetailsPopup JavaScript function, 819–821
 PopupImageUrl JavaScript function, 821–822
 using, 823–825
 Web page implementation, 878–881
 ImageField **data control field, 522**
implementing
 client callback mechanism, 830
 client-side functionality of Ajax-enabled controls and components, 776
 custom controls, 11
 interfaces, 75–76
 methods, 76
 user controls, 11, 32
 Import **method, 263–267**
 ImportAnyElement **method, 302**
 ImportCatalogPart **control, 953, 972–973**
 ImportDefaultValue **method, 302–303**
importing WebPart controls, 972–973
 ImportSchemaType **method, 302–306**
 IMyCallbackEventHandler **interface, 839**
 INamingContainer **interface, 100, 118–119, 134**

information hiding, 12–16

Init **method**, 732–733

InitFromEncryptedTicket **method**, 686

Initialize **JavaScript function**, 926, 936–937

Initialize **method**

CustomSqlMembershipProvider class,
668–669

DataControlField base class, 520

Membership class, 602–605, 630–631

ProviderBase base class, 596–597

Roles class, 678

RssService class, 751–752

SqlMembershipProvider class, 631–635

SqlRssProvider class, 754–756

XmlRoleProvider control, 695, 738

XmlRssProvider class, 764–765

InitializeCell **method**

AjaxDetailsDialog control, 865–867

BoundField data control field, 523

DataControlField base class, 519–521

DropDownListField2 control, 871–872

InitializeDataCell **method**

BoundField data control field, 523–524

CalendarField data control field, 538–539

DropDownListField data control field,
531–532, 536

InitializeDetailsPopup **JavaScript function**,
819–821, 923

InitializePager **method**, 555

InitializeRow **method**, 562–563

initializing

HTTP handlers, 4–5

Membership class, 602

membership providers, 600

inner-property declarative persistence, 179–181

Insert **event**, 416

Insert **method**, 355–356, 417–420

Insert **property**, 398

InsertCallback **method**, 416–417

InsertCommand **property**, 357

InsertParameters **property**, 380–381,
419–420

instances of proxy classes, 268–269

InstantiateIn **method**

PaymentMethodLabelCreator class, 128–129

TemplatedCreditCardForm control,
124–125, 127

instantiating

custom controls, 17

HTTP handlers, 4–5

membership providers, 600

interfaces

IAttributeAccessor, 980–981

ICallbackEventHandler

AjaxDetailsDialog control, 860

AjaxGoogleSearch control, 911–912

AjaxNotifier control, 916, 918–919

AjaxSpellChecker control, 943, 946–947

ICompositeControlDesignerAccessor, 118

ICustomTypeDescriptor, 450–451

IDataSource, 331–333, 397

IHierarchicalDataSource, 331, 430–431,
454, 458

IHierarchicalEnumerable, 437–440, 458

IHierarchyData, 436

IHttpHandler, 188–189

IHttpHandlerFactory, 189, 199

IHttpModule, 187–188, 732

IIdentity, 677, 681–682

IItem, 1083, 1088

implementing, 75–76

IMyCallbackEventHandler, 839

INamingContainer, 100, 118–119, 134

IPersonalizable, 1006–1007, 1092

IPostBackDataHandler, 77, 95–97

IPostBackEventHandler

CompositeCreditCardForm control, 115

CreditCardForm6 control, 75–76, 95, 97

WebPartZoneBase class, 1040–1042

IPrincipal, 6, 677, 682–683, 731–732

IStateManager

DefaultTemplateManager class, 154–157

DefaultTemplateManager2 class, 165

defined, 152–153

SqlDataSourceView class, 359–360

types that don't implement it, 164

XmlWebServiceDataSource control, 426

ITemplate, 124, 127

IWebActionable, 990

IWebEditable, 1009–1010

IWebPart, 979–983, 988

IXmlSerializable

implementing, 293–295, 301

ReadXML method, 321–322

WriteXML method, 319–321
 XML Web services, 7

invocation list, 69–70

InvokeProxyClassInstanceMethod **method, 261, 268–269**

InvokeXmlWebServiceMethod **method, 261, 272, 275, 277–278, 396**

IPersonalizable **interface, 1006–1007, 1092**

IPostBackDataHandler **interface, 77, 95–97**

IPostBackEventHandler **interface**
 CompositeCreditCardForm control, 115
 CreditCardForm6 control, 75–76, 95, 97
 WebPartZoneBase class, 1040–1042

IPrincipal **interface, 6, 677, 682–683, 731–732**

ISAPIRuntime **component, 185–186**

IsApproved **property, 623**

IsAuthenticated **property, 682**

IsAuthorized **property, 1078, 1080**

IsClientScriptBlockRegistered **method, 783**

IsConnected **property, 1103**

IsDirty **property, 1008–1009**

IsInRole **method, 683, 732**

IsLockedOut **property, 623**

isolation of Membership class, 600

IsOnline **property, 623–624**

IsReusable **property, 202**

IsRoleListCached **property, 683–684**

isRoleListCached **property, 728**

IsShared **property, 1078**

IStateManager **interface**
 DefaultTemplateManager class, 154–157
 DefaultTemplateManager2 class, 165
 defined, 152–153
 SqlDataSourceView class, 359–360
 types that don't implement it, 164
 XmlWebServiceDataSource control, 426

IsTrackingViewState **property, 152–156**

IsUserInRole **method, 680**

italicCB **JavaScript function, 940**

Item **class, 1083**

ITemplate **interface, 124, 127**

ItemStyle **property, 518**

IWebActionable **interface, 990**

IWebEditable **interface, 1009–1010**

IWebPart **interface, 979–983, 988**

IXmlSerializable **interface**
 implementing, 293–295, 301
 ReadXML method, 321–322
 WriteXML method, 319–321
 XML Web services, 7

J

JavaScript functions

AjaxGoogleSearchCacheCallback, 905–906

AjaxGoogleSearchNewSearchCallback,
 903–904

AjaxGoogleSearchPreviousPageCallback,
 908

AjaxNotifierCallback, 923–925

bgcolCB, 940–941

boldCB, 939–940

bullistCB, 940

CallServerMethod, 832–833

centerCB, 940

CreateXmlDocument, 835–837, 902, 909, 923

CustomWebForm_DoCallbackScript, 833–834

DisplayDetailsPopup, 822–823, 924

DoCallback, 917, 924

fontnameCB, 933, 941

fontsizeCB, 934, 941

forecolCB, 940–941

GetCachedPage, 906–907

GetHtmlAndPageIndex, 904, 908–910

GetInputDataForServerMethod,
 901–902, 912

GetNextPage, 898–899, 906, 913

GetNextPageForCache, 904–905, 907

GetNotificationId, 922

GetPhrase, 948

GetPreviousPage, 898, 907–908

headingCB, 935, 941–942

imageCB, 940–941

Initialize, 926, 936–937

InitializeDetailsPopup, 819–821, 923

italicCB, 940

leftCB, 940

linkCB, 940

loadCB, 929, 936, 938–939

MakeHttpRequest, 937

modeCB, 936, 942

JavaScript functions (continued)

mousedownCB, 939
MouseOutCallback, 780
mouseoutCB, 939
MouseOverCallback, 780
mouseoverCB, 939
mouseupCB, 939
MyClientCallback, 834–836
NewSearch, 898, 900–902
ordlistCB, 940
PopupImageUrl, 821–822
rightCB, 940
ruleCB, 940
Send, 937–938
setTimeout, 924, 938
SubmitCallback, 947–948
underlineCB, 940

JavaScript objects

customImage, 807
filter, 807

K

keywords

delegate, 68–69
event, 69
EventHandler, 68

L

Label **control**, 112–114
LabelText **property**, 132–134
LastActivityDate **property**, 623
LastLockoutDate **property**, 623
LastLoginDate **property**, 623
LastPasswordChangedDate **property**, 623, 625
layout HTML, 94
LayoutEditorPart **control**, 952
leftCB **JavaScript function**, 940
license key (from Google), 884
life cycle of pages, 86–90
LinkButton **control**, 114
linkCB **JavaScript function**, 940
Load **event**, 477
Load **method**, 1008
loadCB **JavaScript function**, 929, 936, 938–939

LoadComplete **event**, 375, 403
LoadControlState **method**
 GridView control, 577–578
 MasterDetailForm control, 511
LoadData **method**, 704
LoadDescriptionDocument **method**,
 1061, 1065
loading
 states, 151
 Web.config file, 603
LoadPostData **method**, 77–79, 96–97
LoadRss **method**
 RssService class, 752–753
 SqlRssProvider class, 759–761
 XmlRssProvider class, 767–769
LoadViewState **method**
 CustomTable control, 245–246
 DefaultTemplateManager class, 157
 defined, 151–154
 StyledCreditCardForm control, 176
 TemplatedCreditCardForm3 control, 162–163
 TemplatedCreditCardForm4 control, 171
LoadWebPartDescriptionFile **method**, 1025
LoadWebPartInfoSet **method**, 1023–1024
Login **control**
 CreateControlStyle method, 617
 Default.aspx page, 619
 functionality, 613
 Login.aspx page, 620
 methods
 ControlStyle, 617
 CreateChildControls, 613–614, 616
 CreateControlStyle, 617
 EnsureChildControls, 615
 OnLogin, 614–615
 Redirect, 615
 RenderContents, 615–616
 properties
 HeaderStyle, 616–617
 PasswordLabelStyle, 616–617
 UserNameLabelStyle, 616–617
 style properties, 616–618
Login.aspx **page**, 620
LoginCallback **method**, 593
Logon page, 589–591

M

Machine.config file, configuring, 748–749, 1052

MakeHttpRequest JavaScript function, 937

managing roles, 678–679

markup text

components, 5–6

encapsulating HTML markup text in server controls,
15–16

HTML, 2, 5

HTTP handlers, 2, 4–5

XML, 2, 5

MasterAlternatingRowSkinID property, 512

MasterDataDescription property, 1116

MasterDataDescriptionField property, 1116

MasterDataSourceID property, 1116

MasterDataTextField property, 1116

MasterDataValueField property, 1116

master/detail form for AjaxDropDownList control, 847–848

MasterDetailForm control

control state, 510

declarative programming, 513–514

methods

AddDetailCommandBar, 505–507

AddDetailRow, 501–503

AddMasterCell, 503

AddMasterHeaderCell, 504

AddMasterSelectButton, 504–505

CreateChildControls, 496–497

CreateMasterDetailTables, 498

Delete, 507–508

LoadControlState, 511

OnInit, 511

SaveControlState, 510

SetParameters, 499–501

Sort, 509–510

Update, 508–509

properties

DetailsAlternatingRowSkinID, 512

DetailsRowSkinID, 512

DetailsTableSkinID, 512

EnableTheming, 511

MasterAlternatingRowSkinID, 512

MasterHeaderRowSkinID, 512

MasterRowSkinID, 512

MasterTableSkinID, 511–512

SkinID, 511–512

style properties, 511

MasterDetailGridViewWebPart control,
1116–1121

MasterHeaderRowSkinID property, 512

MasterRowSkinID property, 512

MasterTableSkinID property, 511–512

Math proxy class example, 252–254

Math XML Web service, 250–255

MaximumRowsParameterName property, 478

maxInvalidPasswordAttempts attribute, 601

MaxRecordsParameterName property, 405

Membership API, 605, 665

Membership classes

application-specific password validation rules, 610

functionality, 599

initializing, 602

isolation of, 600

MembershipProvider base class, 600

MembershipValidatePasswordEventHandler
delegate, 610–611

methods

CreateUser, 605–606

DeleteUser, 607

FindUsersByEmail, 608

FindUsersByName, 608–609

GetAllUsers, 609

GetNumberOfUsersOnline, 609

GetUser, 609–610

Initialize, 602–605, 630–631

UpdateUser, 607

ValidateUser, 588, 591, 607

.NET 2.0 Provider Pattern, 595–596

properties

Provider, 602, 604–605

Providers, 602, 605

UserIsOnlineTimeWindow, 612

userIsOnlineTimeWindow, 604

ValidatingPassword event, 610–611

<membership> element, 600–601

membership providers

accessing, 624

attributes

applicationName, 601

enablePasswordReset, 601

membership providers (continued)

membership providers (continued)

- enablePasswordRetrieval, 601
- maxInvalidPasswordAttempts, 601
- name, 600–601
- passwordFormat, 601
- requiresQuestionAndAnswer, 601
- requiresUniqueEmail, 601
- type, 600–601, 603
- configuring, 620–622
- default membership provider, 601
- developing, 7
- fully qualified names, 600
- initializing, 600
- instantiating, 600
- ProviderSettings class, 603
- registering, 600–601, 629–630

membership section of Web.config file, 603

MembershipProvider **classes**

- application-specific password validation rules, 610
- code listing, 628–629
- downside of developing, 675
- Membership class, 600
- MembershipValidatePasswordEventHandler delegate, 610–611

methods

- ChangePassword, 635–637
- ChangePasswordQuestionAndAnswer, 642–643
- CreateUser, 606, 643–647
- DeleteUser, 607, 648
- FindUsersByEmail, 648–650
- FindUsersByName, 650–651
- GetAllUsers, 651–652
- GetEncodedPassword, 639–640
- GetNumberOfUsersOnline, 653
- GetPassword, 653–656
- GetSaltedPassword, 640
- GetUser, 656–658
- GetUserNameByEmail, 658–659
- ResetPassword, 659–661
- Select, 653
- UnlockUser, 661
- Update, 642
- UpdateUser, 662
- UpdateUserInfo, 641
- ValidateUser, 662
- ValidateUserInfo, 637–641

- provider initialization, 596
- ProviderBase base class, 600
- SqlMembershipProvider class, 629
- ValidatingPassword event, 610–611

MembershipSection **class, 603**

MembershipUser **class, 622–626, 675**

MembershipValidatePasswordEventHandler **delegate, 610–611**

<message> **element (WSDL document), 258**

metadata attributes

- ConnectionConsumerAttribute, 1089
- ConnectionProviderAttribute, 1088–1089
- [ParseChildren(true)], 1089
- [Personalizable(true)], 971, 1006, 1092
- WebResourceAttribute, 808

MethodInvoker **property, 407–408**

MethodName **property, 282**

methods

- Add, 253–254, 264
- AddAttribute, 27–28, 49–50
- AddAttributesToRender
 - AjaxGoogleSearch control, 910
 - AjaxNotifier control, 918
 - Attributes collection, 50
 - client scripts, 800–801
 - CustomImage control, 805–806
 - WebControl class, 48–51, 53, 778
- AddContainer
 - CompositeCreditCardForm control, 105
 - RssReaderWebPart control, 986
 - TemplatedCreditCardForm control, 130
- AddDetailCommandBar, 505–507
- AddDetailRow, 501–503
- AddHandler, 72
- AddItemToContainer
 - RssReaderWebPart control, 986–987
 - RssReaderWebPart5 control, 1090–1091
 - RssReaderWebPart6 control, 1099–1100
- AddItemToFavoriteItems, 1083–1084, 1089, 1092
- AddMasterCell, 503
- AddMasterHeaderCell, 504
- AddMasterSelectButton, 504–505
- AddParsedSubObject, 196, 211–212
- AddStyleAttribute, 27, 41–42, 50
- AddSupportedCapabilities, 339

- AddUsersToRoles, 679–680, 717
- AddUsersToRolesRandomAccess, 719–722
- AddUsersToRolesStream, 717–719
- AddUserToRole, 589, 595
- AddWebPartInfoSet, 1026–1029
- Application_AuthenticateRequest, 591–593, 595
- ApplyChanges, 1003–1004
- ApplyContainerStyle, 105, 148
- ApplyContainerStyles, 105, 150
- BindGrid, 328–329
- BookContentSchema, 320–321
- BookSchema, 296–299
- BuildObject, 196
- CacheDataRowPrimaryKey, 560
- CachePrimaryKey, 233
- CanConvertFrom
 - DefaultTemplateManager2Converter class, 166
 - TypeConverter base class, 164
- CanConvertTo
 - DefaultTemplateManager2Converter class, 166
 - TypeConverter base class, 164
- ChangePassword, 635–637
- ChangePasswordQuestionAndAnswer, 626, 642–643
- ClearCacheCallback, 281
- ClearChildViewState, 221
- ClickCallback, 252, 278–280
- ClientCallback, 73–74
- CompileCodeForProxyClass, 260, 267–268, 276–277
- ComputeHash, 640
- ConnectWebParts, 1087, 1102
- ControlStyle, 617
- ConvertFrom
 - DefaultTemplateManager2Converter class, 167–168
 - TypeConverter base class, 164
- ConvertTo
 - DefaultTemplateManager2Converter class, 166–167
 - TypeConverter base class, 164
- CreateAutoGeneratedColumn, 554–555
- CreateChildControls
 - CompositeDataBoundControl base class, 495
 - CustomTable control, 220–222
 - defined, 106–110
 - FavoriteItemsWebPart control, 1092–1094
 - GridView control, 545–547
 - Login control, 613–614, 616
 - MasterDetailForm control, 496–497
 - RssReaderWebPart control, 984–986
- CreateChildTable
 - CustomGridView control, 873–874
 - GridView control, 548–549
- CreateColumns, 551–554
- CreateContainer, 101–102, 132
- CreateContainerChildControls
 - CompositeCreditCardForm2 control, 212–215
 - CreditCardFormContainer control, 102–104
 - TemplatedCreditCardForm control, 124–125, 127, 129–130, 132, 134, 137–139
 - TemplatedCreditCardForm3 control, 160–161
- CreateContainerChildControls method, 121–122
- CreateContainerDefaultChildControls
 - TemplatedCreditCardForm control, 139
 - TemplatedCreditCardForm3 control, 159–160
- CreateControlHierarchy, 999–1001
- CreateControlStyle
 - CompositeCreditCardForm control, 109
 - CustomTable control, 235
 - GridView control, 565
 - Login control, 617
 - WebControl class, 51–53
- CreateCustomMembershipUser, 670
- CreateCustomMembershipUsers, 670
- CreateDataCells, 232–233, 515–516
- CreateDataControlFields, 551
- CreateDataRow, 558–560
- CreateDataSourceSelectArguments, 564–565
- CreateDataSourceView
 - SqlDataSource control, 335–336
 - XmlWebServiceDataSource control, 398–399
- CreateDefaultPager, 556–558

membership providers (continued)

membership providers (continued)

- CreateDefaultTemplateManager, 172
- CreateDeleteCell, 229–230
- CreateEditCell, 230–231
- CreateEditorPart, 1010–1011
- CreateEmptyDataRow, 560–561
- CreateField, 518, 869, 873
- CreateFields, 225–227
- CreateHeaderRow, 227–229, 558
- CreateInitialWebParts, 1039
- CreateInstance, 268
- CreateMasterDetailTables, 498
- CreatePagedDataSource, 549–551
- CreatePagerRow, 234–235
- CreatePrimaryKeyPropertyDescriptors, 547–548
- CreateProxyClassInstance, 260
- CreateRole, 589, 678, 705–706
- CreateRoleRandomAccess, 706, 708–710
- CreateRoleStream, 706–708
- CreateRow, 562
- CreateTopPagerRow, 555
- CreateUser
 - CustomSqlMembershipProvider class, 671
 - Membership class, 605–606
 - MembershipProvider base class, 643–647
 - MembershipProvider class, 606
- CreateWebPartChrome, 1038–1039, 1075
- CreateXmlFile, 696
- DataBind
 - BaseDataBoundControl class, 473–474
 - CompositeDataBoundControl base class, 494–495
 - CustomTable control, 219–222
 - overriding, 472
 - RssReaderEditorPart control, 998–999
- DataSelectCallback, 1118–1119
- DataSourceSelectArguments, 486–488
- Delete
 - DataSourceView class, 347–348
 - MasterDetailForm control, 507–508
 - XML Web service, 422–423
- DeleteCallback, 420–421, 490–491
- DeleteRole, 678–679, 710–711
- DeleteRoleRandomAccess, 712–714
- DeleteRoleStream, 711–712
- DeleteRow, 570–571
- DeleteUser, 607, 648
- DeserializeWSDLDocument, 260, 262–263
- DetermineRenderClientScript, 799–800, 804
- DisconnectWebParts, 1102
- DownloadWSDLDocument, 260–262
- Encrypt, 591
- EndRequestCallback, 690–692, 736–737
- EnsureChildControls
 - ChildControlsCreated property, 108, 113
 - CompositeDataBoundControl base class, 495
 - CustomTable control, 221, 224
 - Login control, 615
 - Register control, 619
- EnumerateDataAndCreateControlHierarchy, 220–224
- Evaluate
 - DataBinder class, 369–370
 - Parameter class, 365–367
 - XmlWebServiceParameter component, 384, 387–389
- EventHandler, 566–567
- ExchangeData, 1084–1085
- ExecuteDelete, 350–351, 376–377, 421–422
- ExecuteInsert, 356–358, 379–381, 416–418
- ExecuteSelect
 - SqlDataSourceView class, 338–339, 349, 375–376
 - XmlWebServiceDataSourceView class, 399–401, 404
- ExecuteUpdate
 - GridView control, 412–414
 - SqlDataSourceView class, 352–355, 378–379
- ExportToXmlWebService, 1046–1047
- ExtractRowValues, 569–570, 870
- ExtractValueFromCell, 869–870
- ExtractValuesFromCell
 - BoundField data control field, 526–527
 - CalendarField data control field, 540–541
 - DataControlField base class, 518, 521
 - DropDownListField data control field, 534–535
- FindControl, 333
- FindUsersByEmail

- CustomSqlMembershipProvider class, 671
- Membership class, 608
- MembershipProvider base class, 648–650
- FindUsersByName, 608–609, 650–651
- FindUsersInRole, 680
- ForumSchema, 301
- GenerateCodeDomForAttributes, 305, 308
- GenerateCodeDomForBaseTypes, 305, 308–309
- GenerateCodeDomForComponent, 305, 307
- GenerateCodeDomForFields, 306, 309–310
- GenerateCodeDomForGetSchemaMethod, 313–314
- GenerateCodeDomForImportNamespaces, 305–307
- GenerateCodeDomForMethods, 307, 312
- GenerateCodeDomForProperties, 307, 310–312
- GenerateCodeDomForReadXmlMethod, 314–316
- GenerateCodeDomForWriteXmlMethod, 316–317
- GenerateCodeForProxyClass, 260, 263
- GenerateRss, 762–764
- GetAllRoles, 679, 714–716
- GetAllUsers, 609, 651–652, 671
- GetArgumentValue, 385, 388
- GetAvailableWebPartDescriptions, 1020–1023
- GetBookContent, 321
- GetCallbackResult
 - AjaxDetailsDialog control, 863–864
 - AjaxSpellChecker control, 946–947
- GetChildren, 447
- GetConsumerConnectionPoints, 1101–1102
- GetConverter, 169, 172
- GetData, 482–483
- GetDataReader, 761
- GetDataSource, 482
- GetDbProviderFactory, 339
- GetDefaultTemplate, 139–140
- GetDefaultTemplateFromConfigFile, 141–142
- GetDefaultTemplateFromType, 140–142
- GetDescriptionDocumentIDs, 1060–1061, 1064–1065
- GetEncodedPassword, 639–640
- GetEntity, 288–289
- GetEnumerator, 224
- GetFactory, 340
- GetFailedAttemptCounts, 672–673
- GetHandler, 199
- GetHierarchicalView, 431, 454, 458
- GetImportedWebParts, 1058
- GetInitialWebParts, 1057
- GetManifestResourceStream, 797
- GetNumberOfUsersOnline, 609, 653
- GetParent, 446
- GetPassword, 625, 653–656
- GetProviderConnectionPoints, 1101
- GetRoles, 684, 730–731
- GetRolesForUser, 589, 591, 680, 683–684, 726–727
- GetSaltedPassword, 640
- GetSchema, 293–294, 299
- GetSection, 603
- GetSelectedItem, 1084, 1088
- GetTotalRowCount, 401
- GetType, 837
- GetUser, 609–610, 656–658
- GetUserNameByEmail, 658–659
- GetUsersByEmail, 671
- GetValue, 525–526
- GetValues, 371–372
- GetView, 335
- GetViewNames, 335
- GetWebPart, 1024–1025
- GetWebPartDescriptionFile, 1030
- GetWebPartInfoSet, 1026
- GetWebResourceUrl, 808
- implementing, 76
- Import, 263–267
- ImportAnyElement, 302
- ImportDefaultValue, 302–303
- ImportSchemaType, 302–306
- Init, 732–733
- InitFromEncryptedTicket, 686
- Initialize
 - CustomSqlMembershipProvider class, 668–669
 - DataControlField base class, 518, 520
 - Membership class, 602–605, 630–631

membership providers (continued)

membership providers (continued)

- ProviderBase base class, 596–597
- Roles class, 678
- RssService class, 751–752
- SqlMembershipProvider class, 631–635
- SqlRssProvider class, 754–756
- XmlRoleProvider control, 695, 738
- XmlRssProvider class, 764–765
- InitializeCell
 - AjaxDetailsDialog control, 865–867
 - BoundField data control field, 523
 - DataControlField base class, 519–521
 - DropDownListField2 control, 871–872
- InitializeDataCell
 - BoundField data control field, 523–524
 - CalendarField data control field, 538–539
 - DropDownListField data control field, 531–532, 536
- InitializePager, 555
- InitializeRow, 562–563
- Insert, 355–356, 417–420
- InsertCallback, 416–417
- InstantiateIn
 - PaymentMethodLabelCreator class, 128–129
 - TemplatedCreditCardForm control, 124–125, 127
- InvokeProxyClassInstanceMethod, 261, 268–269
- InvokeXmlWebServiceMethod, 261, 272, 275, 277–278, 396
- IsClientScriptBlockRegistered, 783
- IsInRole, 683, 732
- IsUserInRole, 680
- Load, 1008
- LoadControlState
 - GridView control, 577–578
 - MasterDetailForm control, 511
- LoadData, 704
- LoadDescriptionDocument, 1061, 1065
- LoadPostData, 77–79, 96–97
- LoadRss
 - RssService class, 752–753
 - SqlRssProvider class, 759–761
 - XmlRssProvider class, 767–769
- LoadViewState
 - CustomTable control, 245–246
 - DefaultTemplateManager class, 157
 - defined, 151–154
 - StyledCreditCardForm control, 176
 - TemplatedCreditCardForm3 control, 162–163
 - TemplatedCreditCardForm4 control, 171
- LoadWebPartDescriptionFile, 1025
- LoadWebPartInfoSet, 1023–1024
- LoginCallback, 593
- MyCallback, 846–847, 862–863
- OnAuthorizeWebPart, 1078–1081
- OnAuthorizeWebPart method, 1079
- OnBubbleEvent
 - CustomTable control, 237–238
 - CustomTableRow control, 239
 - GridView control, 565–566
 - XmlWebServiceCreditCardForm control, 282–283
- OnCommand, 115
- OnCreateVerbs, 1045–1046
- OnDataBindField
 - AjaxField data control field, 868–869
 - BoundField data control field, 524
 - CalendarField data control field, 540
 - DropDownListField data control field, 532–534
- OnDataSourceViewChanged, 374–375, 403, 414
- OnFieldChanged, 519–520
- OnInit
 - GridView control, 578
 - MasterDetailForm control, 511
 - RssReaderWebPart6 control, 1100
 - SqlDataSource control, 375
 - XmlWebServiceDataSource control, 403–404
- OnInsert
 - DataControlFieldCollection class, 528
 - ParameterCollection class, 371
- OnLoad
 - CustomTable2 control, 477
 - DataBoundControl class, 485–486
 - RssReaderEditorPart control, 1005
- OnLogin, 614–615

- OnParameterChanged, 365–366
- OnParametersChanged, 370–371
- OnPreRender
 - AjaxDropDownList control, 831–832, 840–841
 - AjaxHtmlEditor control, 926–928
 - AjaxNotifier control, 922–923
 - AjaxSpellChecker control, 944–945
 - client scripts, 800
 - CustomHyperLinkBlock control, 786–787
 - CustomHyperLinkFile control, 787
 - CustomImage control, 804–806
 - CustomTable control, 221
- OnRegister, 618–619
- OnValidateCreditCard, 117
- OnValidatingCreditCard, 70, 72, 76
- OpenWebConfiguration, 603
- Page_Load
 - AjaxDropDownList control, 838–839, 842–843
 - CustomSqlDataSource control, 455–457
 - CustomTable control, 219
 - hierarchical data source controls, 438–440
- Page_LoadComplete, 375, 403–404
- PageRows, 572
- ParameterCollectionChangedCallback, 374, 403
- PerformDataBinding
 - CompositeDataBoundControl base class, 494
 - CustomTable3 control, 488
- PerformPreRender, 1071, 1073–1074
- PerformSelect
 - CustomTable2 control, 477
 - DataBoundControl class, 483–484
- PostAuthenticateRequestCallback, 687–689, 733–735
- PrepareControlHierarchy
 - CustomGridView control, 876–878
 - CustomTable control, 241–243
 - GridView control, 574–576
 - RssReaderEditorPart control, 1001–1002
- ProcessRequest
 - AjaxDropDownList control, 842
 - AssemblyResourceLoader HTTP handler, 796–798
 - IHttpHandler interface, 188–189
 - RssHandler HTTP handler, 202–203, 746–747
 - ProgrammaticConnectVerbCallback, 1104–1106
 - protected virtual method, 76
 - RaiseBubbleEvent, 115
 - RaiseCallbackEvent
 - AjaxDetailsDialog control, 860–862
 - AjaxDropDownList control, 844–846
 - AjaxGoogleSearch control, 912
 - AjaxSpellChecker control, 946–947
 - RaiseDataSourceChangedEvent, 334
 - RaiseParametersChangedEvent, 371
 - RaisePostBackEvent, 74, 76, 97, 115
 - RaisePostDataChangedEvent, 77, 81–84
 - RaiseUnsupportedCapabilitiesError, 339
 - ReadXml, 293–294, 300–301, 321–322
 - ReCreateChildControls, 118
 - Redirect, 615
 - RegisterClientScriptBlock, 783, 786–787
 - RegisterClientScriptInclude, 787
 - RegisterClientScriptResource, 792, 806
 - RegisterStartupScript, 926–927
 - ReleaseHandler, 199
 - RemoveUserFromRole, 681
 - RemoveUserFromRoles, 681
 - RemoveUsersFromRole, 681
 - RemoveUsersFromRoles, 681, 722
 - RemoveUsersFromRolesRandomAccess, 724–726
 - RemoveUsersFromRolesStream, 722–724
 - Render
 - AjaxDropDownList control, 837–838, 841–842
 - AjaxHtmlEditor control, 928
 - AjaxSpellChecker control, 945–946
 - client scripts, 801
 - CreditCardForm2 control, 18–19
 - CreditCardForm3 custom control, 43–46
 - defined, 13–14
 - WebControl base class, 47
 - RenderBeginTag, 27–28, 47–48, 53
 - RenderBody, 1038
 - RenderBottomToolBar, 932–933
 - RenderCatalogPart, 1016–1017
 - RenderChildren, 110
 - RenderContainer, 106

membership providers (continued)

membership providers (continued)

- RenderContents
 - AjaxDetailsDialog control, 859–860
 - client scripts, 801
 - CompositeCreditCardForm control, 109–112
 - CreditCardForm6 control, 74–75, 92–95
 - CustomizableTable control, 874
 - Login control, 615–616
 - WebControl class, 52–56
 - WebZone controls, 1034–1035
- RenderControl, 110
- RenderDataRows, 875–876
- RenderEditorArea, 932
- RenderEndTag, 27–28, 47, 52–53
- RenderFontNameList, 933–934
- RenderFontSizeList, 934–935
- RenderHeader, 1037
- RenderHeaderRow, 874–875
- RenderHeadingList, 935–936
- RenderModeButton, 936
- RenderPartContents, 1070–1071
- RenderServerResponseArea, 929
- RenderTopToolBar, 929–931
- RenderWebPart, 1067–1070
- ResetPassword, 625, 659–661
- RetrieveData
 - CustomTable control, 219
 - CustomTable2 control, 478–479
 - DataBoundControl class, 484–485
 - defined, 327–330, 472
 - XmlRssProvider class, 769–770
- RetrieveMethodArgumentNamesAndValues, 401, 423–425
- RetrieveRows, 341–342
- RetrieveTotalRowCount, 340–341
- RoleExists, 679, 716
- RssSelectCallback, 999
- Save, 1007–1008
- SaveControlState
 - GridView control, 577
 - MasterDetailForm control, 510
- SaveCurrentValue, 365–366
- SaveData, 704–705
- SaveViewState
 - CustomTable control, 244–245
 - DefaultTemplateManager class, 156–157
 - defined, 151, 153–154
 - StyledCreditCardForm control, 175–176
 - TemplatedCreditCardForm3 control, 162
 - TemplatedCreditCardForm4 control, 170–171
- SaveXmlDescriptionDocument, 1047–1048
- Select
 - DataSourceView base class, 337–338
 - MembershipProvider base class, 653
 - XML Web services, 404–407
- SelectCallback, 920–921
- SelectCommandCallback, 1091–1092
- SelectCount, 401, 404
- SelectDataOperationCallback, 993–994
- SetDbParameters, 346–347
- SetDirty, 686
- SetExpires, 797
- SetParameters, 499–501
- signature of, 254
- Sort
 - GridView control, 572–573
 - MasterDetailForm control, 509–510
- Split, 1079–1080
- SqlHierarchyData, 459
- SyncChanges, 1002–1003
- ToEncryptedTicket, 685–686
- TrackViewState
 - CustomTable control, 222, 243–244
 - DefaultTemplateManager class, 156
 - defined, 151–154
 - StyledCreditCardForm control, 173–175
 - TemplatedCreditCardForm3 control, 161–162
 - TemplatedCreditCardForm4 control, 169–170
- UnlockUser, 626, 661
- Update
 - DataSourceView class, 351–352
 - MasterDetailForm control, 508–509
 - MembershipProvider base class, 642
 - XML Web services, 415–416
 - XmlWebServiceDataSourceView class, 412
- UpdateCallback, 328–329, 411–412, 489–490
- UpdateOperationCallback, 569
- UpdateRow, 567–569

UpdateUser, 607, 662
 UpdateUserInfo, 641
 UpdateValues, 372–373
 user controls, 36–37
 Validate, 281–282
 ValidateAndSortMethodArgumentNames
 AndValues, 269–271
 ValidateDataSource, 483
 ValidateUser, 588, 591, 595, 607, 662
 ValidateUserInfo, 637–641
 ValidatingCreditCard, 86
 VerbCallback, 994, 1119
 WebPartsConnectedCallback, 1100
 WebPartsDisconnectedCallback, 1100
 Write, 14, 27
 WriteAttributeString, 295
 WriteXml, 293–296, 319–320
 MinRequiredNonAlphanumericCharacters
 property, 635
 MinRequiredPasswordLength **property, 635**
 modeCB **JavaScript function, 936, 942**
models
 data control field model, 517
 data source control model, 325–326, 331
 data-bound control model, 469–473
 mousedownCB **JavaScript function, 939**
 MouseOutCallback **JavaScript function, 780**
 mouseoutCB **JavaScript function, 939**
 MouseOutImageUrl **property, 866**
 MouseOverCallback **JavaScript function, 780**
 mouseoverCB **JavaScript function, 939**
 MouseOverImageUrl **property, 866**
 mouseupCB **JavaScript function, 939**
moving WebPart controls, 957–961
multicast delegates, 69
multi-field primary keys in GridView control, 547
 MyCallback **method, 846–847, 862–863**
 MyClientCallback **JavaScript function,**
 834–836

N

name **attribute, 600–601**
 Name **property**
 ControlParameter component, 364
 IIdentity interface, 682
 Parameter class, 365

names
 parameters, 362
 proxy classes, 265
 Namespace **attribute, 17**
.NET Event Design Pattern, 66–70
.NET 2.0 Provider Pattern, 595–596
 NewSearch **JavaScript function, 898, 900–902**
non-CSS style attributes, 49–50
notification data (events), 66

O

Object Composition, 864–866
 ObjectParameter **component, 387–389**
objects
 FormsIdentity, 592–593
 GenericPrincipal, 592, 593
 HierarchicalDataSourceView, 431, 458
 HttpApplication, 185, 187–188
 HttpContext, 185–186, 188
 HttpContext.User, 593
 HttpWorkerRequest, 185–186
 states
 custom controls, 28–31
 defined, 151
 IStateManager interface, 152–153
 loading, 151
 LoadViewState method, 151–154
 SaveViewState method, 151, 153–154
 saving, 151
 TemplatedCreditCardForm3 control,
 161–162
 TrackViewState method, 151–154
 ValidatingCreditCardEventArgs, 70
 OnAuthorizeWebPart **method, 1078–1081**
 OnBubbleEvent **method**
 CustomTable control, 237–238
 CustomTableRow control, 239
 GridView control, 565–566
 XmlWebServiceCreditCardForm control,
 282–283
 OnCommand **method, 115**
 OnCreateVerbs **method, 1045–1046**
 OnDataBindField **method**
 BoundField data control field, 524
 CalendarField data control field, 540

OnDataBindField method (continued)

OnDataBindField **method (continued)**

- DataBind **method**, 868–869
- DropDownListField data control field, 532–534
- OnDataSourceViewChanged **method**, **374–375**, **403**, **414**
- OnFieldChanged **method**, **519–520**
- OnInit **method**
 - GridView control, 578
 - MasterDetailForm control, 511
 - RssReaderWebPart6 control, 1100
 - SqlDataSource control, 375
 - XmlWebServiceDataSource control, 403–404
- OnInsert **method**
 - DataControlFieldCollection class, 528
 - ParameterCollection class, 371
- OnLoad **method**
 - CustomTable2 control, 477
 - DataBoundControl class, 485–486
 - RssReaderEditorPart control, 1005
- OnLogin **method**, **614–615**
- OnParameterChanged **method**, **365–366**
- OnParametersChanged **method**, **370–371**
- OnPreRender **method**
 - AjaxDropDownList control, 831–832, 840–841
 - AjaxHtmlEditor control, 926–928
 - AjaxNotifier control, 922–923
 - AjaxSpellChecker control, 944–945
 - client scripts, 800
 - CustomHyperLinkBlock control, 786–787
 - CustomHyperLinkFile control, 787
 - CustomImage control, 804–806
 - CustomTable control, 221
- OnRegister **method**, **618–619**
- OnValidateCreditCard **method**, **117**
- OnValidatingCreditCard **method**, **70**, **72**, **76**
- OpenWebConfiguration **method**, **603**
- <operation> **element (WSDL document)**, **258**
- optimizing events**, **70–72**
- ordlistCB **JavaScript function**, **940**

P

- Page **class**, **782**, **787**
- @Page **directive**, **535**
- page life cycle**, **86–90**
- PageCatalogPart **control**, **952–953**, **968–969**

- PageCommand **event**, **235**
- PageIndexChanged **event**, **579**
- PageIndexChanging **event**, **579**
- Page_Load **method**
 - AjaxDropDownList control, 838–839, 842–843
 - CustomSqlDataSource control, 455–457
 - CustomTable control, 219
 - hierarchical data source controls, 438–440
- Page_LoadComplete **method**, **375**, **403–404**
- PageRows **method**, **572**
- PagerStyle **property**, **240–241**
- Parameter **class**
 - methods
 - Evaluate, 365–367
 - OnParameterChanged, 365–366
 - SaveCurrentValue, 365–366
 - properties
 - Container, 365
 - DefaultValue, 365
 - Direction, 365
 - Name, 365
 - Size, 365
 - Type, 365
- ParameterCollection **class**
 - methods
 - GetValues, 371–372
 - OnInsert, 371
 - OnParametersChanged, 370–371
 - RaiseParametersChangedEvent, 371
 - UpdateValues, 372–373
 - ParametersChanged event, 370
- ParameterCollectionChangedCallback **method**, **374**, **403**
- parameters**
 - ClientParameter component, 390–394
 - ControlParameter component
 - ControlID property, 364, 369
 - implementation, 368–369
 - Name property, 364
 - PropertyName property, 364, 369
 - CookieParameter class, 367–368
 - custom parameters
 - developing, 383
 - XmlWebServiceParameter, 383–387
 - data-bound controls, 362–363
 - defined, 363

- names, 362
- ObjectParameter component, 387–389
- types, 362
- values, 362
- ParametersChanged **event**, 370, 403
- ParseChildrenAttribute(true) **attribute**, 179–181, 215
- [ParseChildren(true)] **metadata attribute**, 1089
- Part **base class**, 952, 975–977
- Part controls**, 952
- <part> **element (WSDL document)**, 258
- PartChromeStyle **property**, 1036
- PartChromeType **property**, 1036
- PartStyle **property**, 1035
- PartTitleStyle **property**, 1035
- password validation rules**, 610
- passwordFormat **attribute**, 601
- PasswordLabelStyle **property**, 616–617
- PasswordQuestion **property**, 623, 626
- passwords**
 - changing, 625
 - changing question and answer, 625–626
 - resetting, 624–625
 - retrieving, 624–625
 - salted passwords, 640
- Path **property**, 445, 1078
- patterns**, 883. *See also* Ajax patterns
- PaymentMethodChanged **event**, 82–83
- PaymentMethodLabelCreator **class**, 128–129, 135–136
- PaymentMethodLabelStyle **property**, 149–150
- PaymentMethodLabelTemplate **property**, 127–129, 135
- PaymentMethodLabelTemplateType **property**, 165
- PaymentMethodParameterName **property**, 282
- PaymentMethodText **property**, 18–21, 135
- PerformDataBinding **method**
 - CompositeDataBoundControl base class, 494
 - CustomTable3 control, 488
- PerformPreRender **method**, 1071, 1073–1074
- PerformSelect **method**
 - CustomTable2 control, 477
 - DataBoundControl class, 483–484
- PerformSubstitution **property**, 808
- Periodic Refresh Ajax pattern**
 - AjaxNotifier control, 915–925
 - uses, 915
- [Personalizable(true)] **metadata attribute**, 971, 1006, 1092
- personalizing WebPart controls**, 961–965
- plug-and-play**, 974
- PopupHeaderStyle **property**, 867
- PopupImageUrl **JavaScript function**, 821–822
- PopupItemStyle **property**, 867
- <port> **element (WSDL document)**, 260
- <portType> **element (WSDL document)**, 258
- PostAuthenticateRequestCallback **method**, 687–689, 733–735
- postback functionality**
 - asynchronous client callback techniques, 826–828
 - client callback mechanism
 - AjaxDropDownList control, 829–830, 840–843
 - client-side code examples, 840–842
 - defined, 828–829
 - implementing, 830
 - server-side code examples, 842–843
 - full page postbacks, 827
 - IPostBackDataHandler interface, 77, 95–97
 - IPostBackEventHandler interface, 74–75, 95, 97, 115
- Predictive Fetch Ajax pattern**
 - AjaxGoogleSearch control, 892–913
 - goals behind the pattern, 913–914
 - uses, 892
- PrepareControlHierarchy **method**
 - CustomGridView control, 876–878
 - CustomTable control, 241–243
 - GridView control, 574–576
 - RssReaderEditorPart control, 1001–1002
- primary key fields in GridView control**, 547
- principals**
 - CustomRolePrincipal component
 - cachedListChanged property, 728
 - code listing, 728
 - constructors, 728–730
 - GetRoles method, 730–731
 - IPrincipal interface, 731–732
 - IsInRole method, 732
 - isRoleListCached property, 728

principals (continued)

principals (continued)

- roles property, 729
- username property, 729
- developing, 6
- IPrincipal interface, 6, 731–732
- ProcessRequest **method**
 - AjaxDropDownList control, 842
 - AssemblyResourceLoader HTTP handler, 796–798
 - IHttpHandler interface, 188–189
 - RssHandler HTTP handler, 202–203, 746–747
- programmatic connections, 1101–1106**
- ProgrammaticConnectVerb **custom verb, 1102–1104**
- ProgrammaticConnectVerbCallback **method, 1104–1106**
- properties. See also style properties**
 - AccessKey, 49
 - AllowSorting, 509
 - AlternatingItemStyle, 867
 - AlternatingRowStyle, 573
 - AuthenticationType, 682
 - AuthorizationFilter, 1077–1079
 - AutoPostBack, 843
 - BackImageUrl, 109
 - CachedListChanged, 684, 686
 - cachedListChanged, 728
 - CacheDuration, 275, 408
 - CacheExpirationPolicy, 275–276, 408
 - CacheKeyDependency, 276
 - CanDelete, 350
 - CanPage, 339
 - CanRetrieveTotalRowCount, 338–339
 - CanSort, 337, 339
 - CardholderNameLabelStyle, 149
 - CardholderNameLabelTemplateType, 165
 - CardholderNameParameterName, 282
 - CardholderNameText, 18–21
 - CatalogIconImageUrl, 980
 - CellPadding, 109
 - CellSpacing, 109
 - Checked, 1104
 - ChildControlsCreated, 108, 113, 222
 - ClientCallbackDataSourceID, 867
 - ClientID, 49
 - ClientScript, 787
 - ClientScript (Page class), 782
 - CommandArgument, 115
 - CommandName, 115
 - CommandText, 342
 - Comment, 623
 - complex properties
 - defined, 152
 - hyphenated declarative syntax, 177–179
 - inner-property declarative persistence, 179–181
 - Connections, 1102
 - ConsumerID, 1103
 - Container
 - DataControlField base class, 518
 - Parameter class, 365
 - ContainerType, 100–101, 104
 - ContainerType property, 150
 - Context, 689
 - Control, 518
 - ControlID, 364, 369
 - ControlStyle
 - container controls, 150
 - DataControlField base class, 518
 - DropDownListField data control field, 535
 - GridView control, 573–574
 - WebControl class, 50–51
 - CreationDate, 623
 - CreditCardForm5 custom control, 79–80
 - CreditCardForm6 custom control, 81
 - CreditCardNoLabelStyle property, 149
 - CreditCardNoLabelTemplateType, 165
 - CreditCardNoParameterName, 282
 - CreditCardNoText, 18–21
 - custom controls, 18–20
 - DataIdField, 454
 - DataItem, 239
 - DataKeyNames, 421
 - DataParentIdField, 454
 - DataSourceID, 333, 849
 - DataSourceMode, 342
 - DefaultProvider, 750
 - DefaultTemplateManager, 159
 - DefaultValue, 365
 - Delete, 398
 - DeleteCommand, 362–363
 - DeleteParameters, 376, 423
 - Description, 980

- DetailDataSourceID, 1116–1117
- DetailsAlternatingRowSkinID, 512
- DetailsRowSkinID, 512
- DetailsTableSkinID, 512
- DialogStyle, 867
- Direction, 365
- DisplayMode, 960
- EditorParts, 1011
- Email, 622
- EnableCaching, 276, 408
- EnableCellView, 873
- EnableClientCallback, 849
- Enabled, 49
- EnableSession, 850
- EnableTheming
 - CalendarField data control field, 541–542
 - DropDownListField data control field, 535–536
 - MasterDetailForm control, 511
- ExpirationDateLabelStyle property, 149
- ExpirationDateLabelTemplateType, 140–141, 165
- ExpirationDateParameterName, 282
- ExpirationDateText, 18–21
- ExportMode (WebPart controls), 970–971
- FavoriteItems, 1092
- FooterStyle, 518
- FooterText, 518
- GridLines, 109
- HeaderStyle, 518, 616–617
- HeaderText, 518
- HorizontalAlign, 109
- ID, 333, 849
- Insert, 398
- InsertCommand, 357
- InsertParameters, 380–381, 419–420
- IsApproved, 623
- IsAuthenticated, 682
- IsAuthorized, 1078, 1080
- IsConnected, 1103
- IsDirty, 1008–1009
- IsLockedOut, 623
- IsOnline, 623–624
- IsReusable, 202
- IsRoleListCached, 683–684
- isRoleListCached, 728
- IsShared, 1078
- IsTrackingViewState, 152–156
- ItemStyle, 518
- LabelText, 132–134
- LastActivityDate, 623
- LastLockoutDate, 623
- LastLoginDate, 623
- LastPasswordChangedDate, 623, 625
- MasterAlternatingRowSkinID, 512
- MasterDataDescription, 1116
- MasterDataDescriptionField, 1116
- MasterDataSourceID, 1116
- MasterDataTextField, 1116
- MasterDataValueField, 1116
- MasterHeaderRowSkinID, 512
- MasterRowSkinID, 512
- MasterTableSkinID, 511–512
- MaximumRowsParameterName, 478
- MaxRecordsParameterName, 405
- MethodInvoker, 407–408
- MethodName, 282
- MinRequiredNonAlphanumericCharacters, 635
- MinRequiredPasswordLength, 635
- MouseOutImageUrl, 866
- MouseOverImageUrl, 866
- Name
 - ControlParameter component, 364
 - IIIdentity interface, 682
 - Parameter class, 365
- PagerStyle, 240–241
- PartChromeStyle, 1036
- PartChromeType, 1036
- PartStyle, 1035
- PartTitleStyle, 1035
- PasswordLabelStyle, 616–617
- PasswordQuestion, 623, 626
- Path, 445, 1078
- PaymentMethodLabelStyle, 149–150
- PaymentMethodLabelTemplate, 127–129, 135
- PaymentMethodLabelTemplateType, 165
- PaymentMethodParameterName, 282
- PaymentMethodText, 18–21, 135
- PerformSubstitution, 808
- PopupHeaderStyle, 867
- PopupItemStyle, 867

properties (continued)

properties (continued)

- PropertyName, 364, 369
 - Provider, 602, 604–605
 - ProviderConnectionPointID, 1103
 - ProviderName, 340, 622, 624
 - Providers, 602, 605, 750
 - ProviderUserKey, 622
 - RenderAddToMyFavoriteLink, 1098–1100
 - RequiresDataBinding, 475–476
 - RetrieveTotalRowCount, 338, 340
 - roles, 729
 - RolesPopulated, 689
 - RowIndex, 239
 - RowState, 239
 - RowType, 239
 - RssDataSourceID, 991
 - RssDescriptionField, 992
 - RssTextField, 992
 - RssUrl, 1006
 - RssUrlField, 992
 - SaveXmlDescriptionDocumentMethodName, 1047
 - Select, 397
 - SelectCommand, 342, 362–363
 - SelectCount, 397
 - SelectCountCommand, 341, 478
 - SelectCountCommandType, 341, 478
 - SelectCountMethod, 401
 - SelectParameters, 364, 373–374, 402–403
 - ServerMethodArgument, 845–846
 - ShowHeader, 518
 - simple properties
 - declarative persistence, 177
 - defined, 152
 - Size, 365
 - SkinID
 - CalendarField data control field, 541–542
 - DropDownListField data control field, 535–536
 - MasterDetailForm control, 511–512
 - SortExpression, 337, 346, 518
 - SortParameterName, 346, 405
 - StartIndexParameterName, 478
 - StartRecordParameterName, 405
 - StartRowIndex, 338
 - StaticConnections, 1089–1090
 - SubmitButtonStyle, 149
 - SubmitButtonTemplateType, 165
 - SubmitButtonText, 18–21, 134
 - Subtitle, 980
 - TabIndex, 49
 - TagKey, 47–48, 53, 108–109
 - TagName, 48, 53
 - template properties, 124–127
 - Text
 - Button control, 112–114
 - Label control, 112–114
 - Title, 980
 - TitleIconImageUrl, 980
 - TitleUrl, 980
 - ToolTip, 49
 - TotalNumberOfRecords, 478
 - TotalRowCount, 338, 340
 - Type
 - Parameter class, 365
 - ProviderSettings class, 603
 - Web Part controls, 1078
 - TypeName, 282, 407, 1020, 1047
 - Update, 398
 - UpdateCommand, 362
 - UpdateMethod, 414
 - UpdateParameters, 378
 - user controls, 34–35
 - UserData, 591
 - UserIsOnlineTimeWindow, 612
 - userIsOnlineTimeWindow, 604
 - UserName, 622
 - username, 729
 - UserNameLabelStyle, 616–617
 - Verbs, 992–993, 1009, 1117–1118
 - VerbStyle, 1035
 - ViewState, 30–31, 155
 - Visible, 518
 - WSDLPath, 261, 282, 1020, 1047
 - XmlDescriptionDocumentParameterName, 1047
- PropertyDescriptor **base class, 447–448**
- PropertyGridEditorPart **control, 952**
- property-level attributes for custom controls, 20–21**
- PropertyName **property, 364, 369**
- protected virtual method, 76**
- provider connection point, 1085**

provider initialization

MembershipProvider classes, 596
 RoleProvider classes, 679

Provider Pattern, 595–596

Provider **property, 602, 604–605**

ProviderBase **base class, 600, 629–630, 747**

provider-based services

custom, 9
 defined, 9
 developing, 9, 745–746
 implementation steps, 745–746
 RSS feeds, 746–753

ProviderBasedWebPartZone **custom zone**

code listing, 1056–1058

DescriptionDocumentProvider **base class, 1051**

DescriptionDocumentProviderCollection **class, 1051**

functionality, 1050–1051

GetImportedWebParts **method, 1057–1058**

GetInitialWebParts **method, 1057**

Web page implementation, 1062

ProviderCollection **base class, 748**

ProviderConnectionPoint **class, 1086–1087, 1103**

ProviderConnectionPointID **property, 1103**

ProviderName **property, 340, 622, 624**

Providers **collection, 683**

<providers> **element, 600**

Providers **property, 602, 605, 750**

ProviderSettings **class (membership providers), 603**

ProviderUserKey **property, 622**

proxy classes

Add **method, 253–254, 264**
 annotating, 264
 assemblies, 253, 273
 code generation, 253–255
 CodeDom representation, 265–266
 CompileCodeForProxyClass **method, 267, 276**
 compiling, 275–276
 constructors, 253, 264
 creating, 884–885
 declaring, 264
 default constructor, 253, 264

defined, 252

GenerateCodeForProxyClass **method, 263**

instances of, 268–269

Math proxy class example, 252–254

names, 265

SoapHttpClientProtocol **base class, 253–254, 264**

structure of, 264

WSDL documents, 254–255

XML Web services, 254

R

RaiseBubbleEvent **method, 115**

RaiseCallbackEvent **method**

AjaxDetailsDialog control, 860–862

AjaxDropDownList control, 844–846

AjaxGoogleSearch control, 912

AjaxSpellChecker control, 946–947

RaiseDataSourceChangedEvent **method, 334**

RaiseParametersChangedEvent **method, 371**

RaisePostBackEvent **method, 74, 76, 97, 115**

RaisePostDataChangedEvent **method, 77, 81–84**

RaiseUnsupportedCapabilitiesError **method, 339**

random-access XML APIs, 701–703, 709–710

ReadXml **method, 293–294, 300–301, 321–322**

Really Simple Syndication (RSS), 201

ReCreateChildControls **method, 118**

Redirect **method, 615**

Register **control**

Default.aspx page, 619

methods

EnsureChildControls, 619

OnRegister, 618–619

Register.aspx page, 620

Register **directive, 17**

@Register **directive, 33**

RegisterClientScriptBlock **method, 783, 786–787**

RegisterClientScriptInclude **method, 787**

RegisterClientScriptResource **method, 792, 806**

registering

custom controls, 17

custom schema importer extensions, 317–318

registering (continued)

CustomSqlMembershipProvider class, 673–674

DirectoryDescriptionDocumentProvider custom zone, 1061–1062

HTTP handler factories, 200

HTTP handlers, 205–207

HTTP modules, 187, 198–199

membership providers, 600–601, 629–630

<rssService> element, 750

script blocks, 782–787

SqlDescriptionDocumentProvider custom zone, 1065

SqlMembershipProvider class, 662–663

SqlRssProvider class, 761–762

user controls, 33

users, 618–619

XmlRssProvider class, 770–771

RegisterStartupScript **method, 926–927**

ReleaseHandler **method, 199**

RemoveUserFromRole **method, 681**

RemoveUserFromRoles **method, 681**

RemoveUsersFromRole **method, 681**

RemoveUsersFromRoles **method, 681, 722**

RemoveUsersFromRolesRandomAccess **method, 724–726**

RemoveUsersFromRolesStream **method, 722–724**

removing

delegates, 71–72

users from data stores, 607

Render **method**

AjaxDropDownList control, 837–838, 841–842

AjaxHtmlEditor control, 928

AjaxSpellChecker control, 945–946

client scripts, 801

CreditCardForm2 control, 18–19

CreditCardForm3 custom control, 43–46

defined, 13–14

WebControl base class, 47

RenderAddToMyFavoriteLink **property, 1098–1100**

RenderBeginTag **method, 27–28, 47–48, 53**

RenderBody **method, 1038**

RenderBottomToolBar **method, 932–933**

RenderCatalogPart **method, 1016–1017**

RenderChildren **method, 110**

RenderContainer **method, 106**

RenderContents **method**

AjaxDetailsDialog control, 859–860

client scripts, 801

CompositeCreditCardForm control, 109–112

CreditCardForm6 control, 74–75, 92–95

CustomizableTable control, 874

Login control, 615–616

WebControl class, 52–56

WebZone controls, 1034–1035

RenderControl **method, 110**

RenderDataRows **method, 875–876**

RenderEditorArea **method, 932**

RenderEndTag **method, 27–28, 47, 52–53**

RenderFontNameList **method, 933–934**

RenderFontSizeList **method, 934–935**

RenderHeader **method, 1037**

RenderHeaderRow **method, 874–875**

RenderHeadingList **method, 935–936**

rendering

client scripts

AddAttributesToRender method, 800–801

CustomImage control, 804–806

OnPreRender method, 800

Render method, 801

RenderContents method, 801

container controls, 106

script blocks, 782–786

RenderModeButton **method, 936**

RenderPartContents **method, 1070–1071**

RenderServerResponseArea **method, 929**

RenderTopToolBar **method, 929–931**

RenderWebPart **method, 1067–1070**

request processing architecture

Add/Edit Application Extension Mapping dialog, 207

Application Configuration dialog, 183–184

aspnet_isapi.dll, 183–186

components

HostingEnvironment, 185

HttpApplicationFactory, 185, 187–188

HttpRuntime, 185–186

ISAPIRuntime, 185–186

control builders

CompositeCreditCardForm2Builder, 210

ControlBuilder base class, 192

- ControlBuilderAttribute attribute, 192, 215
 - CreditCardForm.aspx, 189–196
 - developing, 207–210
 - root control builder, 193
 - defined, 183
 - HTTP handler factories
 - ArticlesHandlerFactory, 199–200
 - defined, 189
 - developing, 199–200
 - IHttpHandlerFactory interface, 189, 199
 - registering, 200
 - HTTP handlers
 - CreditCardForm.aspx page, 189–196
 - custom, 9
 - defined, 188
 - developing, 9, 200–205
 - IHttpHandler interface, 188–189
 - initializing, 4–5
 - instantiating, 4–5
 - markup text, 2, 4–5
 - registering, 205–207
 - RSS feeds, 9, 201–205
 - RssHandler, 201–205
 - types of, 2
 - HTTP modules
 - ArticlesModule, 197–198
 - defined, 187
 - IHttpModule interface, 187–188
 - registering, 187, 198–199
 - URL rewriting, 196–198
 - IIS 5, 185
 - IIS 6, 185
 - objects
 - HttpApplication, 185, 187–188
 - HttpContext, 185–186, 188
 - HttpRequest, 185–186
 - requests for Web resources**
 - ASP.NET 2.0 Framework, 1
 - example request, 1–5
 - RequiresDataBinding **property, 475–476**
 - requiresQuestionAndAnswer **attribute, 601**
 - requiresUniqueEmail **attribute, 601**
 - ResetPassword **method, 625, 659–661**
 - resetting passwords, 624–625**
 - resource files**
 - deploying
 - into an assembly, 790–798
 - to a shared location, 789–790
 - WebResource.axd virtual resource, 794–795
 - RetrieveData **method**
 - CustomTable control, 219
 - CustomTable2 control, 478–479
 - DataBoundControl class, 484–485
 - defined, 327–330, 472
 - XmlRssProvider class, 769–770
 - RetrieveMethodArgumentNamesAndValues **method, 401, 423–425**
 - RetrieveRows **method, 341–342**
 - RetrieveTotalRowCount **method, 340–341**
 - RetrieveTotalRowCount **property, 338, 340**
 - retrieving**
 - passwords, 624–625
 - user membership information from data stores, 609–610
 - users by role, 680
 - rightCB **JavaScript function, 940**
 - role manager HTTP modules, 732**
 - role membership, 682–683**
 - role providers**
 - developing, 7
 - RoleProvider base class, 693–694
 - RoleBasedWebPartManager **control**
 - OnAuthorizeWebPart method, 1079–1081
 - Web page implementation, 1078
 - RoleExists **method, 679, 716**
 - RoleManagerEventArgs **event data class, 689–690**
 - RoleManagerModule **module, 687–690**
 - RolePrincipal **class, 683–686**
 - RoleProvider **API, 679, 681**
 - RoleProvider **base class, 693–694**
 - RoleProvider **classes, 596, 679**
- roles**
 - creating, 678
 - defined, 677
 - deleting, 678–679
 - events
 - GetRoles, 689–690
 - RoleManagerEventArgs event data class, 689–690
 - identity, 681–682

roles (continued)

- IIIdentity interface, 677
- IPrincipal interface, 677
- managing, 678–679
- methods
 - AddUsersToRoles, 679–680
 - CreateRole, 678
 - DeleteRole, 678–679
 - EndRequestCallback, 690–692
 - FindUsersInRole, 680
 - GetAllRoles, 679
 - GetRoles, 684
 - GetRolesForUser, 680, 683–684
 - InitFromEncryptedTicket, 686
 - IsInRole, 683
 - IsUserInRole, 680
 - RemoveUserFromRole, 681
 - RemoveUserFromRoles, 681
 - RemoveUsersFromRole, 681
 - RemoveUsersFromRoles, 681
 - RoleExists, 679
 - SetDirty, 686
 - ToEncryptedTicket, 685–686
- RoleManagerModule module, 687–690
- user credentials, 591
- users
 - adding, 679–680
 - deleting, 681
 - retrieving, 680
- Roles **API, 678–681**
- Roles **class**
 - AddUserToRole method, 589, 595
 - CreateRole method, 589, 678
 - DeleteRole method, 678–679
 - GetAllRoles method, 679
 - GetRolesForUser method, 589, 591
 - IsInRole method, 683
 - .NET 2.0 Provider Pattern, 595–596
 - Provider property, 678
 - Providers property, 678
 - RoleExists method, 679
 - Web application example, 588–593
- roles **collection, 683–684**
- roles **property, 729**
- RolesPopulated **property, 689**
- root control builder, 193

- RowCancelingEdit **event, 579**

- RowCreated **event, 579**

- RowDataBound **event, 579**

- RowDeleted **event, 579**

- RowDeleting **event, 579**

- RowEditing **event, 579**

- RowIndex **property, 239**

- RowState **property, 239**

- RowType **property, 239**

- RowUpdated **event, 579**

- RowUpdating **event, 579**

- .rss **extension, 9**

RSS feeds

- HTTP handlers, 9, 201–205

- provider-based service, 746–753

RSS providers

- SqlRssProvider class

- command text, 757

- command type, 757

- connection strings, 756–757

- GetDataReader method, 761

- implementation, 753–754

- Initialize method, 754–756

- LoadRss method, 759–761

- member fields, 766

- registering, 761–762

- RssHelper class, 762

- RSS-related fields, 757–759

- XmlRssProvider class

- Initialize method, 764–765

- LoadRss method, 767–769

- member fields, 766–767

- registering, 770–771

- RetrieveData method, 769–770

RSS (Really Simple Syndication), 201

- RssDataSourceID **property, 991**

- RssDescriptionField **property, 992**

- RssHandler **HTTP handler, 201–205, 746–747, 753**

- RssHelper **class**

- GenerateRss method, 762–764

- implementation, 762–763

- RssProvider **base class, 747–748**

- RssProviderCollection **class, 748**

- RssReaderEditorPart **control**

- ApplyChanges method, 1003–1004

- code listing, 997–998

- CreateControlHierarchy method, 999–1001
 - DataBind method, 998–999
 - functionality, 996–997
 - OnLoad method, 1005
 - PrepareControlHierarchy method, 1001–1002
 - RssSelectCallback method, 999
 - SyncChanges method, 1002–1003
 - RssReaderUserControl **control**
 - code listing, 955–956
 - IWebPart interface, 981–983
 - properties, 964
 - Web page implementation, 957
 - RssReaderWebPart **control**
 - declaration, 984
 - methods
 - AddContainer, 986
 - AddItemToContainer, 986–987
 - CreateChildControls, 984–986
 - Web page implementation, 987
 - RssReaderWebPart3 **control**
 - methods
 - SelectDataOperationCallback, 993–994
 - VerbCallback, 994
 - properties
 - RssDataSourceID, 991
 - RssDescriptionField, 992
 - RssTextField, 992
 - RssUrlField, 992
 - Verbs, 992–993
 - Web page implementation, 994–995
 - Web Parts verbs, 991
 - RssReaderWebPart4 **control**
 - code listing, 1005–1006
 - IPersonalizable interface, 1006–1007
 - IWebEditable interface, 1009–1010
 - methods
 - CreateEditorPart, 1011
 - Load, 1008
 - Save, 1007–1008
 - properties
 - IsDirty, 1008–1009
 - Verbs, 1009
 - style properties, 1012
 - Web page implementation, 1012–1014
 - RssReaderWebPart5 **control**
 - ASPNET Web Parts connection feature, 1082–1084
 - ConnectionProviderAttribute metadata attribute, 1088–1089
 - functionality, 1082
 - IItem interface, 1088
 - methods
 - AddItemToContainer, 1090–1091
 - GetSelectedItem, 1084, 1088
 - SelectCommandCallback, 1091–1092
 - Web page implementation, 1095–1096
 - RssReaderWebPart6 **control**
 - methods
 - AddItemToContainer, 1099–1100
 - OnInit, 1100
 - RenderAddToMyFavoriteLink property, 1098–1100
 - RssReaderWebPart7 **control**
 - ProgrammaticConnectVerbCallback method, 1104–1106
 - properties
 - ConsumerID, 1103
 - IsConnected, 1103
 - Web page implementation, 1107–1108
 - RssSelectCallback **method, 999**
 - RssService **class, 750–753**
 - <rssService> **element, 750**
 - RssServiceSection **custom configuration section, 749–750**
 - RssTextField **property, 992**
 - RssUrl **property, 1006**
 - RssUrlField **property, 992**
 - ruleCB **JavaScript function, 940**
 - runtime WebPart control, 980**
- ## S
- salted passwords, 640**
 - Save **method, 1007–1008**
 - SaveControlState **method**
 - GridView control, 577
 - MasterDetailForm control, 510
 - SaveCurrentValue **method, 365–366**
 - SaveData **method, 704–705**

SaveData method

SaveViewState **method**

- CustomTable control, 244–245
- DefaultTemplateManager class, 156–157
- defined, 151, 153–154
- StyledCreditCardForm control, 175–176
- TemplatedCreditCardForm3 control, 162
- TemplatedCreditCardForm4 control, 170–171

SaveXmlDescriptionDocument **method**, **1047–1048**

SaveXmlDescriptionDocumentMethodName **property, 1047**

saving states, 151

schema importer extensions

- defined, 7
- developing, 301–303
- ForumSchemaImporter Extension3, 322–323
- registering, 317–318

SchemaImporterExtension **base class, 302**

script blocks

- ClientScript property (Page class), 782, 787
- ClientScriptManager class, 782
- CustomHyperLinkBlock control, 780–782
- IsClientScriptBlockRegistered method, 783
- RegisterClientScriptBlock method,
783, 786–787
- registering, 782–787
- rendering, 782–786
- <script> element, 779–780, 782–783

script files, 786–787

script libraries, 786–789

searching users in a data store, 608–609

security

- ASP.NET 1.x security model
 - authorization mechanisms, 593–594
 - how it works, 588–593
 - weaknesses of, 594–595
- ASP.NET 2.0 security model .NET 2.0 Provider Pattern, 596–597

security controls

- Login control
 - ControlStyle method, 617
 - CreateChildControls method, 613–614, 616
 - CreateControlStyle method, 617
 - Default.aspx page, 619
 - EnsureChildControls method, 615

functionality, 613

- HeaderStyle property, 616–617
- Login.aspx page, 620
- OnLogin method, 614–615
- PasswordLabelStyle property, 616–617
- Redirect method, 615
- RenderContents method, 615–616
- style properties, 616, 618
- UserNameLabelStyle property, 616–617
- Register control
 - Default.aspx page, 619
 - EnsureChildControls method, 619
 - OnRegister method, 618–619
 - Register.aspx page, 620

Select **method**

- DataSourceView base class, 337–338
- MembershipProvider base class, 653
- XML Web services, 404–407

Select **property, 397**

SelectCallback **method, 920–921**

SelectCommand **property, 342, 362–363**

SelectCommandCallback **method, 1091–1092**

SelectCount **method, 401, 404**

SelectCount **property, 397**

SelectCountCommand **property, 341, 478**

SelectCountCommandType **property, 341, 478**

SelectCountMethod **property, 401**

SelectDataOperationCallback **method**, **993–994**

Selected **event, 342, 344–345, 410**

SelectedIndexChanged **event, 579**

SelectedIndexChanging **event, 579**

Selecting **event, 342–344, 408–410**

SelectParameters **property, 364, 373–374**, **402–403**

Send **JavaScript function, 937–938**

sensitive data in WebPart **controls, 971**

serialization, 7

server controls

- Ajax-enabled, characteristics of, 7–8, 775
- Control base class, 13
- custom controls
 - attributes, 20–22
 - CreditCardForm1, 12–17
 - CreditCardForm2, 18–23

- CreditCardForm3, 24–30, 43–46
- CreditCardForm4, 30–31
- CreditCardForm5, 53–57, 79–80
- CreditCardForm6, 69–86, 92–97
- defined, 11
- deploying, 16–17
- implementing, 11
- information hiding, 12–16
- instantiating, 17
- properties, 18–20
- registering, 17
- state management, 28–31
- Visual Studio Toolbox, 23
- DropDownList, 94–95, 97
- TableCell, 100
- TextBox, 97
- user controls
 - .ascx file, 38–39
 - @Control directive, 32
 - creating, 32
 - CreditCardFormUserControl, 32–37
 - defined, 11
 - implementing, 11, 32
 - methods, 36–37
 - properties, 34–35
 - @Register directive, 33
 - registering, 33
- ServerMethodArgument **property, 845–846**
- server-side code, 801–802**
- <service> **element (WSDL document), 260**
- ServiceDescriptionImporter **class, 263**
- SetDbParameters **method, 346–347**
- SetDirty **method, 686**
- SetExpires **method, 797**
- SetParameters **method, 499–501**
- setTimeout **JavaScript function, 924, 938**
- ShowHeader **property, 518**
- signature files, 16**
- signature of methods, 254**
- signing assemblies, 16**
- simple properties**
 - declarative persistence, 177
 - defined, 152
- Size **property, 365**
- skin files, 535**
- SkinID **property**
 - CalendarField data control field, 541–542
 - DropDownListField data control field, 535–536
 - MasterDetailForm control, 511–512
 - SoapHttpClientProtocol **base class, 253–254, 264**
- Sort **method**
 - GridView control, 572–573
 - MasterDetailForm control, 509–510
- SortCommand **event, 235**
- Sorted **event, 579**
- SortExpression **property, 337, 346, 518**
- Sorting **event, 579**
- SortParameterName **property, 346, 405, 478**
- specifying data source, 218–219**
- Split **method, 1079–1080**
- SqlDataSource **control**
 - AjaxNotifier control, 920
 - CustomSqlDataSource control, 453
 - DataSourceControl class, 335
 - DataSourceView class, 336
 - LoadComplete event, 375
 - methods
 - CreateDataSourceView, 335–336
 - ExecuteDelete, 376–377
 - ExecuteInsert, 379–381
 - ExecuteUpdate, 378–379
 - GetDbProviderFactory, 339
 - GetView, 335
 - GetViewNames, 335
 - OnInit, 375
 - Page_LoadComplete, 375
 - ParameterCollectionChangedCallback, 374
 - properties
 - DataSourceMode, 342
 - DeleteCommand, 362–363
 - DeleteParameters, 376
 - InsertParameters, 380–381
 - ProviderName, 340
 - SelectCommand, 342, 362–363
 - SelectCountCommand, 341
 - SelectCountCommandType, 341
 - SelectParameters, 364, 373–374
 - UpdateCommand, 362
 - UpdateParameters, 378

SqlDataSourceView class

SqlDataSourceView **class**

IStateManager interface, 359–360

methods

ExecuteDelete, 349–350

ExecuteInsert, 356–358

ExecuteSelect, 338–340, 375–376

ExecuteUpdate, 352–355

SqlDescriptionDocumentProvider **custom zone, 1062–1065**

SqlHierarchicalDataSourceView **class, 459, 467–468**

SqlHierarchicalEnumerable **class, 459, 465–467**

SqlHierarchyData **class, 459, 461–465**

SqlHierarchyData **method, 459**

SqlHierarchyDataPropertyDescriptor **class, 459–461**

SqlMembershipProvider **class**

Initialize method, 631–635

MembershipProvider base class, 629

ProviderBase base class, 629–630

registering, 662–663

Web page implementation, 663–665

SqlRssProvider **class**

command text, 757

command type, 757

connection strings, 756–757

GetDataReader method, 761

implementation, 753–754

Initialize method, 754–756

LoadRss method, 759–761

member fields, 766

registering, 761–762

RssHelper class, 762

RSS-related fields, 757–759

Src **attribute, 33**

standard verbs, 990

StartIndexParameterName **property, 478**

StartRecordParameterName **property, 405**

StartRowIndex **property, 338**

states

custom controls, 28–31

defined, 151

IStateManager interface, 152–153

loading, 151

LoadViewState method, 151–154

SaveViewState method, 151, 153–154

saving, 151

TemplatedCreditCardForm3 control, 161–162

TrackViewState method, 151–154

static (declarative) connections, 1089–1090

StaticConnections **collection, 1090**

StaticConnections **property, 1089–1090**

streaming XML APIs, 696–701

strongly named assemblies, 16–17

structure of proxy classes, 264

Style **class**

custom style classes, 58–64

WebControl base class, 41–43

style properties

AjaxDetailsDialog control, 867

DataControlField base class, 518

DropDownListField data control field, 535

Login control, 616–618

MasterDetailForm control, 511

RssReaderWebPart4 control, 1012

StyledCreditCardForm control, 149–150

StyledCreditCardForm **control**

ApplyContainerStyles method, 150

CardholderNameLabelStyle property, 149

CreditCardNoLabelStyle property, 149

ExpirationDateLabelStyle property, 149

methods

LoadViewState, 176

SaveViewState, 175–176

TrackViewState, 173–175

PaymentMethodLabelStyle property, 149–150

SubmitButtonStyle property, 149

Submission Throttling Ajax pattern

AjaxHtmlEditor control, 926–943

AjaxSpellChecker control, 943–949

uses, 925

SubmitButtonStyle **property, 149**

SubmitButtonTemplateType **property, 165**

SubmitButtonText **property, 18–21, 134**

SubmitCallback **JavaScript function, 947–948**

Subtitle **property, 980**

SyncChanges **method, 1002–1003**

T

TabIndex **property**, 49

TableCell **control**, 100

TableRow **control**, 238

TableStyle **class**, 53–54, 235

tabular data source controls

DataSourceControl class, 332–335

DataSourceSelectArguments class, 337–338

DataSourceView base class

code listing, 336–337

Delete method, 347

OnDataSourceViewChanged method,
374–375

Select method, 337–338

XmlWebServiceDataSource control, 399

DataSourceView class

Delete method, 348

Insert method, 355–356

Update method, 351–352

features, 331

IDataSource interface, 331–333

SqlDataSource control

AjaxNotifier control, 920

CreateDataSourceView method, 335–336

CustomSqlDataSource control, 453

DataSourceControl class, 335

DataSourceMode property, 342

DataSourceView class, 336

DeleteCommand property, 362–363

DeleteParameters property, 376

ExecuteDelete method, 376–377

ExecuteInsert method, 379–381

ExecuteUpdate method, 378–379

GetDbProviderFactory method, 339

GetView method, 335

GetViewNames method, 335

InsertParameters property, 380–381

LoadComplete event, 375

OnInit method, 375

Page_LoadComplete method, 375

ParameterCollectionChangedCallback
method, 374

ProviderName property, 340

SelectCommand property, 342, 362–363

SelectCountCommand property, 341

SelectCountCommandType property, 341

SelectParameters property, 364, 373–374

UpdateCommand property, 362

UpdateParameters property, 378

SqlDataSourceView class

ExecuteDelete method, 350–351

ExecuteInsert method, 356–357

ExecuteSelect method, 338–340, 349,
375–376

ExecuteUpdate method, 352–355

IStateManager interface, 359–360

SqlDataSourceView control, 358

XmlWebServiceDataSource control

CreateDataSourceView method, 398–399

DataSourceControl base class, 398

DataSourceView base class, 399

Delete property, 398

ExecuteSelect method, 399–401

GetTotalRowCount method, 401

IDataSource interface, 397

Insert property, 398

InvokeXmlWebServiceMethod method, 396

ParameterCollectionChangedCallback
method, 403

RetrieveMethodArgumentNamesAndValues
method, 401

Select property, 397

SelectCount method, 401

SelectCount property, 397

SelectParameters property, 402–403

Update property, 398

XmlWebServiceDataSourceView class, 398

tabular data-bound controls

BaseDataBoundControl base class,
1108–1109

CompositeDataBoundControl base class,
544, 1108–1109

DataBoundControl base class, 1108–1109

defined, 480–481

GridView control

AlternatingRowStyle property, 573

CacheDataRowPrimaryKey method, 560

ControlStyle property, 573–574

tabular data-bound controls (continued)

tabular data-bound controls (continued)

CreateAutoGeneratedColumn method, 554–555

CreateChildControls method, 545–547

CreateChildTable method, 548–549

CreateColumns method, 551–554

CreateControlStyle method, 565

CreateDataControlFields method, 551

CreateDataRow method, 558–560

CreateDataSourceSelectArguments method, 564–565

CreateDefaultPager method, 556–558

CreateEmptyDataRow method, 560–561

CreateHeaderRow method, 558

CreatePagedDataSource method, 549–551

CreatePrimaryKeyPropertyDescriptors method, 547–548

CreateRow method, 562

CreateTopPagerRow method, 555

DeleteRow method, 570–571

EventHandler method, 566–567

events, 578–581

ExtractRowValues method, 569–570

GridViewRowCollection, 561–562, 585

InitializePager method, 555

InitializeRow method, 562–563

LoadControlState method, 577–578

multi-field primary keys, 547

OnBubbleEvent method, 565–566

OnInit method, 578

PageRows method, 572

PrepareControlHierarchy method, 574–576

primary key fields, 547

SaveControlState method, 577

Sort method, 572–573

UpdateOperationCallback method, 569

UpdateRow method, 567–569

GridViewRow control, 555, 558, 581–584

TagKey **property**, 47–48, 53, 108–109

TagName **attribute**, 33

TagName **property**, 48, 53

TagPrefix **attribute**, 17, 33

template properties, 124–127

TemplateContainerAttribute **metadata attribute**, 134–135

templated controls

data binding expressions, 130–136

defined, 122–123

ImageButtonCreator template component, 142–145

TemplatedCreditCardForm **control**

AddContainer method, 130

CreateContainer method, 132

CreateContainerChildControls method, 124–125, 127, 129–130, 132, 134, 137–139

CreateContainerDefaultChildControls method, 139

data binding expressions, 130–136

deriving from CompositeCreditCardForm control, 123

ExpirationDateLabelTemplateType **property**, 140–141

GetDefaultTemplate method, 139–140

GetDefaultTemplateFromConfigFile method, 141–142

GetDefaultTemplateFromType method, 140–142

INamingContainer interface, 134

InstantiateIn method, 124–125, 127

ITemplate interface, 124, 127

LabelText **property**, 132–134

PaymentMethodLabelCreator class, 128–129, 135–136

PaymentMethodLabelTemplate **property**, 127–129, 135

PaymentMethodText **property**, 135

SubmitButtonText **property**, 134

template properties, 124–127

TemplateContainerAttribute **metadata attribute**, 134–135

TemplatedCreditCardForm3 **control**

CreateContainerChildControls method, 161

DefaultTemplateManager class, 158–159

DefaultTemplateManager **property**, 159

ImageButtonCreator template, 163

methods

CreateContainerChildControls, 160

CreateContainerDefaultChildControls, 159–160

LoadViewState, 162–163

- SaveViewState, 162
 - TrackViewState, 161–162
 - states, 161–162
 - TemplatedCreditCardForm4 control, 169
 - Web page implementation, 163
 - TemplatedCreditCardForm4 **control**
 - methods
 - CreateDefaultTemplateManager, 172
 - GetConverter, 172
 - LoadViewState, 171
 - SaveViewState, 170–171
 - TrackViewState, 169–170
 - TemplatedCreditCardForm3 control, 169
 - TemplateField **data control field**, 522
 - Text **property**
 - Button control, 112–114
 - Label control, 112–114
 - TextBox **control**, 97
 - TextWriter **base class**, 15
 - Theme **attribute**, 535
 - themes**, 535
 - Title **property**, 980
 - TitleImageUrl **property**, 980
 - TitleUrl **property**, 980
 - ToEncryptedTicket **method**, 685–686
 - Toolbox custom controls**, 23
 - ToolTip **property**, 49
 - TotalNumberOfRecords **property**, 478
 - TotalRowCount **property**, 338, 340
 - TrackViewState **method**
 - CustomTable control, 222, 243–244
 - DefaultTemplateManager class, 156
 - defined, 151–154
 - StyledCreditCardForm control, 173–175
 - TemplatedCreditCardForm3 control, 161–162
 - TemplatedCreditCardForm4 control, 169–170
 - transition feature (CustomImage control)**, 804
 - TreeView **control**, 455–459
 - type **attribute**, 600–601, 603
 - type converter (defined)**, 164
 - Type **property**
 - Parameter class, 365
 - ProviderSettings class, 603
 - Web Part controls, 1078
 - TypeConverter **base class**
 - generic API, 165
 - methods
 - CanConvertFrom, 164
 - CanConvertTo, 164
 - ConvertTo, 164
 - TypeConverterAttribute **attribute**, 168–169
 - TypeName **property**, 282, 407, 1020, 1047
 - <types> **element (WSDL document)**, 257
 - types of parameters**, 362
- ## U
- underlineCB **JavaScript function**, 940
 - unlocking users**, 626
 - UnlockUser **method**, 626, 661
 - Update **method**
 - DataSourceView class, 351–352
 - MasterDetailForm control, 508–509
 - MembershipProvider base class, 642
 - XML Web services, 415–416
 - XmlWebServiceDataSourceView class, 412
 - Update **property**, 398
 - UpdateCallback **method**
 - CustomTable3 control, 489–490
 - GridView control, 411–412
 - UpdateCommand **event**, 235
 - UpdateCommand **property**, 362
 - Updated **event**, 415
 - UpdateMethod **property**, 414
 - UpdateOperationCallback **method**, 569
 - UpdateParameters **property**, 378
 - UpdateRow **method**, 567–569
 - UpdateUser **method**, 607, 662
 - UpdateValues **method**, 372–373
 - Updating **event**, 414
 - updating specified user membership information in data stores**, 607
 - URL rewriting**, 196–198
 - UrlWebPartVerb **custom verb**, 990–991
 - user controls**
 - .ascx file, 38–39
 - @Control directive, 32
 - creating, 32
 - CreditCardFormUserControl, 32–37
 - defined, 11
 - implementing, 11, 32
 - methods, 36–37

user controls (continued)

- properties, 34–35
- @Register directive, 33
- registering, 33

user credentials

- authorization mechanisms, 593–594
- collecting, 589–590
- Logon page, 589–591
- roles, 591
- validating, 588–589, 591

user interfaces

- CatalogPart server controls, 952–953
- EditorPart server controls, 952
- UserData **property, 591**
- userIsOnlineTimeWindow **property, 604**
- UserIsOnlineTimeWindow **property, 612**
- UserName **property, 622**
- username **property, 729**
- UserNameLabelStyle **property, 616–617**

users

- “click-and-wait” user interaction pattern, 774–775
- data sources, adding, 605
- data stores
 - deleting, 607
 - password validation rules, 610
 - removing, 607
 - retrieving user membership information, 609–610
 - searching, 608–609
 - updating specified membership information, 607
 - validating user credentials, 607
- passwords
 - changing, 625
 - changing question and answer, 625–626
 - resetting, 624–625
 - retrieving, 624–625
- registering, 618–619
- roles
 - adding, 679–680
 - deleting, 681
 - retrieving, 680
- unlocking, 626

V

- Validate **method, 281–282**
- ValidateAndSortMethodArgumentNamesAndValues **method, 269–271**

- ValidateCreditCard **event, 117, 282**
- ValidateCreditCardEventArgs **event data class, 117**
- ValidateDataSource **method, 483**
- ValidatePasswordEventArgs **event data class, 611–612**
- ValidateUser **method, 588, 591, 595, 607, 662**
- ValidateUserInfo **method, 637–641**
- validating user credentials, 588–589, 591, 607**
- ValidatingCreditCard **event, 69–70, 76–77, 86**
- ValidatingCreditCard **method, 86**
- ValidatingCreditCardEventArgs **event data class, 67–68, 70**
- ValidatingCreditCardEventHandler **event delegate class, 68–69**
- ValidatingPassword **event, 610–611**
- values of parameters, 362**
- VerbCallback **method, 994, 1119**

verbs

- custom verbs, 990
 - ProgrammaticConnectVerb, 1102–1104
 - standard verbs, 990
 - UrlWebPartVerb custom verb, 990–991
 - WebPartVerb base class, 1104
 - WebPartVerb class, 988–990
 - XmlWebServiceWebPartVerb custom verb, 1048–1049

Verbs **property, 992–993, 1009, 1117–1118**

VerbStyle **property, 1035**

view path, 429

ViewState **collection property, 30–31**

ViewState **property, 155**

Visible **property, 518**

Visual Studio Toolbox custom controls, 23

W

Web APIs developer’s kit from Google, 884–885

Web page implementation

- AjaxDetailsDialog control, 852–854
- AjaxField data control field, 878–881
- AjaxNotifier control, 919–920
- AjaxSpellChecker control, 948–949
- CustomGridView control, 878–881
- CustomTable control, 246–247
- DropDownListField2 control, 878–881
- FavoriteItemsWebPart control, 1095–1096

- FavoriteItemsWebPart2 control, 1107–1108
- GridViewWebPart control, 1114–1115
- ImageDialog control, 878–881
- MasterDetailGridViewWebPart control, 1120–1121
- RoleBasedWebPartManager control, 1078
- RssReaderWebPart control, 987
- RssReaderWebPart3 control, 994–995
- RssReaderWebPart4 control, 1012–1014
- RssReaderWebPart5 control, 1095–1096
- RssReaderWebPart7 control, 1107–1108
- SqlMembershipProvider class, 663–665
- TemplatedCreditCardForm3 control, 163
- XmlRoleProvider control, 739–743
- XmlWebServiceCreditCardForm control, 283
- XmlWebServiceDataSource control, 426–427
- XmlWebServiceParameter custom parameter, 386–387
- XmlWebServiceWebPartZone control, 1049
- Web Parts connection feature**
 - consumer connection point, 1085–1086
 - declarative (static) connections, 1089–1090
 - dynamic connections, 1096–1100
 - FavoriteItemsWebPart control, 1082–1084
 - how it works, 1082
 - programmatically connections, 1101–1106
 - provider connection point, 1085
 - RssReaderWebPart5 control, 1082–1084
- Web Parts Framework**
 - CatalogPart API, 974–975
 - CatalogZoneBase API, 974–975
 - ConsumerConnectionPoint class, 1086–1087
 - defined, 951
 - EditorPart API, 974–975
 - EditorZoneBase API, 974–975
 - Part controls, 952
 - plug-and-play, 974
 - ProviderConnectionPoint class, 1086–1087
 - WebPart API, 974–975
 - WebPartZoneBase API, 974–975
 - WebZone controls, 951–952
- Web Parts pages**
 - display modes, 953
 - WebPartManager control, 953
- Web Service Description Language (WSDL), 255–257**
- Web Site Administration Tool (WSAT), 621**
- Web.config file
 - configuring, 748–749, 1052
 - loading, 603
 - membership section, 603
- WebConfigurationManager class, 603
- WebControl base class
 - AjaxGoogleSearch control, 894–898
 - AjaxNotifier control, 916–917
 - AjaxSpellChecker control, 943
 - CustomHyperLinkAttr control, 777–778
 - defined, 41
 - methods
 - AddAttribute, 49–50
 - AddAttributesToRender, 48–51, 53
 - CreateControlStyle, 51–53
 - Render, 47
 - RenderBeginTag, 48, 53
 - RenderContent, 52
 - RenderContents, 53–56
 - RenderEndTag, 52–53
 - properties
 - ControlStyle, 50–51
 - TagKey, 47–48, 53
 - TagName, 48, 53
 - Style class, 41–43
- WebControl class
 - AddAttributesToRender method, 48–51
 - ControlStyle property, 51
 - CreateControlStyle method, 52
 - deriving from, 53–54, 57
 - Render method, 47
 - RenderBeginTag method, 48
 - RenderContents method, 52
 - RenderEndTag method, 52–53
 - TagKey property, 47–48
- WebPart API, 974–975
- WebPart class, 952, 975–977
- WebPart control
 - <asp:WebPartZone> element, 954
 - CatalogZone control, 967–969
 - characteristics of, 953
 - closed, 968–969
 - custom, 8
 - DeclarativeCatalogPart control, 952, 966–967
 - declared, 967

WebPart control (continued)

WebPart **control (continued)**

- declared WebPart controls, 966
- defined, 952
- developing, 8, 954–955
- enableExport attribute, 970
- exporting, 970–972
- IAttributeAccessor interface, 980–981
- ImportCatalogPart control, 953, 972–973
- importing, 972–973
- IWebActionable interface, 990
- IWebPart interface, 979–980, 988
- moving, 957–961
- PageCatalogPart control, 952–953, 968–969
- [Personalizable(true)] metadata
 - attribute, 971
- personalizing, 961–965
- properties
 - AuthorizationFilter, 1077–1079
 - CatalogIconImageUrl, 980
 - Description, 980
 - ExportMode, 970–971
 - IsAuthorized, 1078
 - IsShared, 1078
 - Path, 1078
 - Subtitle, 980
 - Title, 980
 - TitleIconImageUrl, 980
 - TitleUrl, 980
 - Type, 1078
- RssReaderUserControl user control,
 - 955–957, 964
- runtime, 980
- sensitive data, 971

WebPartAuthorizationEventArgs **event data class, 1077–1080**

WebPartChrome **class**

- chrome part, 1067
- code listing, 1066
- content part, 1067
- CreateWebPartChromeStyle method, 1068
- developing custom WebPartChrome, 1072–1074
- GetEffectiveChromeType method, 1068
- GetWebPartChromeClientID method, 1068
- OnPreRender method, 1071
- PartChromeType enumeration, 1067–1068

- RenderPartContents method, 1070–1071
- RenderTitleBar method, 1069–1070
- RenderWebPart method, 1067–1070

WebPartConnection **class**

- <asp:WebPartConnection> element, 1090
- ConsumerConnectionPoint class, 1087
- defined, 1084
- ExchangeData method, 1084–1085
- ProviderConnectionPoint class, 1087

WebPartDescription **class, 1015**

WebPartManager **control**

- defined, 953
- events
 - AuthorizeWebPart, 1077–1079
 - WebPartsConnected, 1100
 - WebPartsDisconnected, 1100
- functionality, 1077
- methods
 - ConnectWebParts, 1102, 1087
 - DisconnectWebParts, 1102
 - GetConsumerConnectionPoints,
 - 1101–1102
 - GetProviderConnectionPoints, 1101
 - OnAuthorizeWebPart, 1078–1079
- properties
 - DisplayMode, 960
 - StaticConnections, 1089–1090

RoleBasedWebPartManager control

- OnAuthorizeWebPart method, 1079–1081
- Web page implementation, 1078
- Web Parts pages, 953

WebPartPersonalization **class, 960**

WebPartsConnected **event, 1100**

WebPartsConnectedCallback **method, 1100**

WebPartsDisconnected **event, 1100**

WebPartsDisconnectedCallback **method, 1100**

WebPartVerb **base class, 988–990, 1104**

WebPartVerbsEventArgs **event data class, 1039**

WebPartZone **base class, 952, 1042**

WebPartZone **controls, 952**

WebPartZoneBase **API, 974–975**

WebResource **syntax, 808–811**

WebResourceAttribute **metadata attribute, 808**

WebResource.axd **virtual resource, 794–795**

WebZone **base class, 951**

WebZone controls

CatalogPartZone, 952

ConnectionsZone
 defined, 952
 dynamic connections, 1096–1098

CreateVerbs event, 1039

CustomWebPartZone, 1074–1076
 defined, 951–952, 1033–1034

DirectoryDescriptionDocumentProvider,
 1058–1062

EditorPartZone, 952

IPostBackEventHandler interface,
 1040–1042

methods
 CreateInitialWebParts, 1039
 CreateWebPartChrome, 1038–1039
 RenderBody, 1038
 RenderContents, 1034–1035
 RenderHeader, 1037

properties
 PartChromeStyle, 1036
 PartChromeType, 1036
 PartStyle, 1035
 PartTitleStyle, 1035
 SaveXmlDescriptionDocumentMethodName,
 1047
 TypeName, 1047
 VerbStyle, 1035
 WSDLPath, 1047
 XmlDescriptionDocumentParameterName,
 1047

ProviderBasedWebPartZone
 code listing, 1056–1058
 DescriptionDocumentProvider base class,
 1051
 DescriptionDocumentProviderCollection
 class, 1051
 functionality, 1050–1051
 GetImportedWebParts method, 1057–1058
 GetInitialWebParts method, 1057
 Web page implementation, 1062

SqlDescriptionDocumentProvider,
 1062–1065

WebPartZone base class, 952, 1036–1037, 1042

WebZone base class, 951

XmlWebServiceWebPartZone control
 ExportToXmlWebService method, 1046–1047
 functionality, 1044–1045
 OnCreateVerbs method, 1045–1046
 SaveXmlDescriptionDocument method,
 1047–1048
 Web page implementation, 1049
 <ZoneTemplate> element, 1043–1044

WindowsPrincipal **class**, 677

Write **method**, 14, 27

WriteAttributeString **method**, 295

WriteXml **method**, 293–296, 319–320

writing XML schema documents, 296–299

WSAT (Web Site Administration Tool), 621

WSDL documents
 accessing contents of, 260, 262–263
 downloading, 260–262
 elements
 <binding>, 259–260
 <definitions>, 257
 <document>, 257
 <message>, 258
 <operation>, 258
 <part>, 258
 <port>, 260
 <portType>, 258
 <service>, 260
 <types>, 257
 GoogleSearch.wsdl document, 884–891
 proxy classes, 254–255

WSDL (Web Service Description Language),
 255–257

wsdl.exe **tool**, 885, 887

WSDLPath **property**, 261, 282, 1020, 1047

X**XML APIs**

random-access, 701–703, 709–710
 streaming, 696–701

XML markup text, 2, 5**XML schema document**

Book class, 296–299
 custom schema importer extensions
 defined, 7
 developing, 301–303

XML schema document (continued)

XML schema document (continued)

ForumSchemaImporter Extension3, 322–323
registering, 317–318

Forum class, 301

generating, 296–299

writing, 296–299

XML Web services

Add Web Reference dialog, 251–255

consuming, 250–252

custom schema importer extensions

defined, 7

developing, 301–303

ForumSchemaImporter Extension3,
322–323

registering, 317–318

customizing, 7

developing, 250

Google XML Web Service API, 884–892

growth of, 249

IXmlSerializable interface, 7

Math XML Web service, 250–255

methods

Delete, 422–423

Insert, 418–420

Select, 404–407

SelectCount, 404

Update, 415–416

performance degradation when sending large

amounts of data, 319

proxy classes, 254

Web Service Description Language (WSDL), 255–257

WSDL documents

accessing contents of, 260, 262–263

<binding> element, 259–260

<definitions> element, 257

<document> element, 257

downloading, 260–262

<message> element, 258

<operation> element, 258

<part> element, 258

<port> element, 260

<portType> element, 258

<service> element, 260

<types> element, 257

XmlDescriptionDocumentParameterName
property, 1047

XmlHierarchicalDataSourceView **class,**
451–452

XmlHierarchicalEnumerable **class, 446–447**

XmlHierarchyData **class, 440–446**

XmlHierarchyDataPropertyDescriptor **class,**
447–449

XmlReader **streaming XML API, 697–700**

XmlResolver **base class, 283–287**

XmlRoleProvider **control**

methods

AddUsersToRoles, 717

AddUsersToRolesRandomAccess, 719–722

AddUsersToRolesStream, 717–719

CreateRole, 705–706

CreateRoleRandomAccess, 706, 708–710

CreateRoleStream, 706–708

CreateXmlFile, 696

DeleteRole, 710–711

DeleteRoleRandomAccess, 712–714

DeleteRoleStream, 711–712

GetAllRoles, 714–716

GetRolesForUser, 726–727

Initialize, 695, 738

LoadData, 704

RemoveUsersFromRoles, 722

RemoveUsersFromRolesRandomAccess,
724–726

RemoveUsersFromRolesStream, 722–724

RoleExists, 716

SaveData, 704–705

RoleProvider base class, 694

Web page implementation, 739–743

XmlRssProvider **class**

member fields, 766–767

methods

Initialize, 764–765

LoadRss, 767–769

RetrieveData, 769–770

registering, 770–771

XmlSchemaImporter **class, 301–303**

XmlSchemaProvider **attribute, 301**

XmlUrlResolver **base class, 287**

XmlWebServiceCatalogPart **control**

code listing, 1018–1020

methods

AddWebPartInfoSet, 1026–1029

- GetAvailableWebPartDescriptions, 1020–1023
- GetWebPart, 1024–1025
- GetWebPartDescriptionFile, 1030
- GetWebPartInfoSet, 1026
- LoadWebPartDescriptionFile, 1025
- LoadWebPartInfoSet, 1023–1024
- Web page implementation, 1025–1026, 1030–1031
- XmlWebServiceCreditCardForm **control**
 - methods
 - OnBubbleEvent, 282–283
 - Validate, 281–282
 - properties
 - CardholderNameParameterName, 282
 - CreditCardNoParameterName, 282
 - ExpirationDateParameterName, 282
 - MethodName, 282
 - PaymentMethodParameterName, 282
 - TypeName, 282
 - WSDLPath, 282
 - ValidateCreditCard event, 282
 - Web page implementation, 283
- XmlWebServiceDataSource **component**
 - classes
 - DataSourceControl, 398
 - DataSourceView, 399
 - XmlWebServiceDataSourceView, 398
 - IDataSource interface, 397
 - IStateManager interface, 426
 - LoadComplete event, 403
 - methods
 - CreateDataSourceView, 398–399
 - ExecuteSelect, 399–401
 - GetTotalRowCount, 401
 - InvokeXmlWebServiceMethod, 396
 - OnInit, 403–404
 - Page_LoadComplete, 403–404
 - ParameterCollectionChangedCallback, 403
 - RetrieveMethodArgumentNamesAndValues, 401
 - SelectCount, 401
 - properties
 - CacheDuration, 408
 - CacheExpirationPolicy, 408
 - Delete, 398
 - DeleteParameters, 423
 - EnableCaching, 408
 - Insert, 398
 - InsertParameters, 419–420
 - MaxRecordsParameterName, 405
 - Select, 397
 - SelectCount, 397
 - SelectParameters, 402–403
 - SortParameterName, 405
 - StartRecordParameterName, 405
 - TypeName, 407
 - Update, 398
 - UpdateMethod, 414
 - Web page implementation, 426–427
- XmlWebServiceDataSourceCommandEventArgs **class, 414**
- XmlWebServiceDataSourceView **class**
 - instances of, 398
 - MethodInvoker property, 407–408
 - methods
 - ExecuteSelect, 399–401, 404
 - Update, 412
 - Selecting event, 408–410
- XmlWebServiceMethodInvoker **class, 260–261, 407**
- XmlWebServiceMethodInvoker **component**
 - extensibility, 324
 - methods
 - ClearCacheCallback, 281
 - ClickCallback, 278–280
 - CompileCodeForProxyClass, 276–277
 - InvokeXmlWebServiceMethod, 275, 277–278
 - properties
 - CacheDuration, 275
 - CacheExpirationPolicy, 275–276
 - CacheKeyDependency, 276
 - EnableCaching, 276
 - using, 272–275
- XmlWebServiceParameter **custom parameter**
 - Evaluate method, 384
 - functionality, 383–384
 - GetArgumentValue method, 385
 - Web page implementation, 386–387
- XmlWebServiceResolver **class**
 - client application, 289–291
 - GetEntity method, 288–289

XmlWebServiceResolver class (continued)

XmlWebServiceResolver **class (continued)**

XmlResolver base class, 283–287

XmlUrlResolver base class, 287

XmlWebServiceWebPartVerb **custom verb, 1048–1049**

XmlWebServiceWebPartZone **control**

functionality, 1044–1045

methods

ExportToXmlWebService, 1046–1047

OnCreateVerbs, 1045–1046

SaveXmlDescriptionDocument, 1047–1048

OnCreateVerbs method, 1045

Web page implementation, 1049

XmlWriter **streaming XML API, 697, 700–701**

XPath data model, 443–445

XPathNavigator Random-Access XML API, 702–703, 709–710

Z

<ZoneTemplate> **element, 1043–1044**