

Index

a

- ablation/desorption process 7ff.
- acetylation 94
- N*-acetylglucosamine (GlcNAc) 182, 204
- N*-acetyllactosamine (LacNAc) 182
- acrylamide gel 87ff.
- allele
 - specific expression 171
 - specific extension 149
 - specific PCR 153f.
 - frequency 165
 - status 138
- Alzheimer's disease 121
 - MALDI imaging 120
- amino acid sequencing 86
- analog-to-digital converter (ADC) 51
- anchor sample plate 21
- Anchor-Chip™ 310
- annexin-V-cell viability assay 234
- atmospheric pressure chemical ionization (APCI) MS 229
- atmospheric pressure MALDI 197, 272
 - ion trap (AP-MALDI IT) 197, 238
- automatic gain control (AGC) 57
- axial TOF mass spectrometer 41, 51

b

- biological matrix 323
- biomarker 109ff.
 - detection 109ff.
- biotin 141ff.
 - biotin-streptavidin complex 17, 150ff.
- blood 232
- Blot IR MALDI-MS 209f.
 - non-covalent *O*-glycoprotein dimer 209f.
- body fluid 231

c

- CAF reagent 94
- calibration equation 54
- cancer tissue 120
- capillary electrophoresis (CE) 188, 326
- capillary HPLC-MALDI-MS 329
- carbon nanotube (CNT) 302f.
- cationization reagent 249
- cell
 - capturing 124
 - cellular analysis 123f.
 - lipid 231
 - MALDI imaging 120
 - single-cell analysis 122
 - sorting 124
 - whole-cell analysis 122
- cetrimonium bromide (CTAB) 312f.
- charge-remote fragmentation 92
- chemical noise 63, 303
- 5-Chloro-2-mercaptobenzothiazole (CMBT) 190
- cholesterol 216ff.
 - ester 222
- chondroitinase ABC 205
- cleavage pattern
 - base-specific 161ff.
- collision energy 38
- collision-induced dissociation/decomposition (CID) 38, 92, 194ff., 272
 - spectra 15, 198
- collisional cooling 36
- collisionally activated dissociation (CAD) 38, 59
 - high-energy 46
 - sustained off-resonance irradiation (SORI) CAD 59
 - very low-energy 59
- composition-based sequencing (CBS) 127

- computational tool 101
 - confocal laser scanning microscopy (CLSM) 16
 - congenital disorder of glycosylation (CDG) 181ff., 207
 - cryodetector 50
 - α -cyano-4-hydroxycinnamic acid (CHCA), *see* 4-hydroxy- α -cyanocinnamic acid
 - cyclotron 56
- d**
- data processing 49, 273
 - deamidation site 44
 - delayed extraction (DE) 42, 248
 - delayed ion extraction 100, 185, 194ff.
 - derivatization 308
 - desorption/ionization
 - matrix-free 304
 - desorption/ionization on porous silicon (DIOS) 3, 308
 - enzyme inhibition 323
 - MS 238, 304ff.
 - separation 326
 - solid liquid extraction (SLE) 310
 - detergent 86, 221, 317
 - diacylglycerol (DAG) 222ff., 236
 - dihydroxybenzoic acid (DHB)
 - butylamine (DHBB) 322
 - 2,5-dihydroxybenzoic acid (2,5-DHB) 4, 88, 111ff., 189, 219, 247, 301, 316
 - 2,6-dihydroxybenzoic acid (2,6-DHB) 4
 - dissociation 38, 92, 197
 - disulfide formation 94
 - dithranol 222, 247
 - DNA 36, 165ff.
 - analysis 131ff., 155ff.
 - array 126
 - cDNA 169
 - double strand 18
 - Humane Genome Project (HGP) 136ff.
 - MALDI-TOF-MS 132ff., 155ff.
 - methylation 164
 - pool 165
 - sequencing 136ff., 155ff.
 - splice variant 164ff.
 - “dried droplet” MALDI sample preparation 18, 88
 - dynode 50
- e**
- electron capture dissociation (ECD) 37ff., 197, 203, 272
 - EDD 59
 - electron detachment dissociation (EDD) 39
 - electron transfer dissociation (ETD) 59, 272
 - electron-induced dissociation (EID) 39, 59
 - electrospray ionization (ESI) 2, 68, 85, 112, 218
 - MS 308
 - MS/MS 86, 272
 - electrospray sample deposition (ESD) 308
 - β -elimination 184, 204f.
 - EM algorithm 153
 - endoglycosidase 96, 184f., 202ff.
 - endo- β -N-acetylglucosaminidase (endo H) 185
 - endoprotease 87
 - environmental sample 324
 - enzyme activity 322
 - inhibition 322
 - Er:YAG laser 8, 31, 209
 - Excimer laser 32
 - exoglycosidase 96, 199ff.
 - sequencing 199
 - extraction
 - solid liquid (SLE) 310
 - solid phase (SPE) 302
 - solid phase immunoextraction (SPIE) 324
- f**
- f-number 34
 - fast atom bombardment (FAB) 1, 217, 245
 - fast protein liquid chromatography (FPLC) 187
 - fat
 - frying 229
 - fatty acid
 - free 228
 - Fellgett advantage 57
 - fiber
 - high-energy/high power 34
 - field desorption (FD) 1, 217
 - “first-shot” phenomenon 16
 - flap endonuclease (FEN) 150
 - fluorescence resonance energy transfer (FRET) 16
 - forensics 138
 - Fourier transform mass spectrometer (FTMS) 29, 52
 - Fourier transform ion cyclotron resonance mass spectrometer (FTICRMS) 36ff., 52ff., 71, 195, 262ff.
 - ion trap 58
 - quadrupole 58
 - tandem MS 58
 - fragmentation
 - charge-remote 92

- MALDI ion 14
- frontal affinity chromatography (FAC) 328f.
 - MALDI-MS 329
 - MALDI-MS/MS 198, 329
- fucose (Fuc) 183, 204

g

- galactose (Gal) 204
- ganglioside 327
- gas chromatography (GC)-MS 218, 308
- gel electrophoresis
 - 1D (one dimensional) 85
 - 2D (two dimensional) 85ff.
 - SDS-PAGE 91ff.
- gel permeation chromatography (GPC) 254, 326
 - MALDI-MS 279f.
- gene
 - amplification 165ff.
 - expression 165ff.
- genetic marker 136ff.
- genetics 131ff.
- genomics 131ff.
- GenoSNIP assay 149
- genotype-to-phenotype correlation 139
- genotyping 142
- glycan 181ff.
 - chemical release 184
 - derivatization 187
 - enzymatic release 184
 - fragmentation 191
 - mucin-linked O-glycan 204
 - N-glycan 182ff.
 - O-glycan 182ff.
 - reductive amination 188
 - structural analysis 191
- glycerol 132
- glyco-phosphoinositol (GPI)-anchor 94, 182
- glycoamidase 184
- glycolipid 36
- glycopeptide 94, 202ff.
 - non-covalent O-glycoprotein dimer 209
- glycophorin A (GpA) 209
- glycosaminoglycan (GAG) 36, 204
- glycosylation 94, 181ff., 199
 - anomericity 184, 203
 - Blot IR MALDI-MS 209
 - branching pattern 203
 - N-glycosylation 182ff.
 - N-glycosylation site occupancy 201f.
 - O-glycosylation 203ff.
 - *in-gel* alkylaminylation 206
 - permethylation 187, 209
- GOOD assay 134, 148

h

- haplotype 140
 - haplotyping 153f.
 - HapMap 140
- heterodyne mode 57
- high-performance liquid chromatography (HPLC) 91, 188, 326
- high performance-thin layer chromatography (HPTLC)
 - MALDI-FTMS 327
- hybrid mass spectrometer 66ff.
- hydrophilic interaction chromatography (HILIC) 94
- 4-hydroxy- α -cyanocinnamic acid (HCCA, α -cyano-4-hydroxycinnamic acid, CHCA) 4, 88, 120, 222, 247, 301, 316
 - methyl ester (CNME) 134
- 2-(4-hydroxyphenylazo)-benzoic acid (HABA) 247ff.
- 3-hydroxypicolinic acid (3-HPA) 19, 134

i

- ICR cell 54f.
- immobilized metal affinity chromatography (IMAC) 94
- in-source-decay (ISD)
 - fragmentation 194
 - ion 15f., 45
- incorporation and complete chemical cleavage (ICCC) assay 150ff.
- trans*-3-indoleacrylic acid (IAA) 247ff.
- infinite conjugation 33
- infrared (IR)
 - atmospheric pressure MALDI ion trap (AP-MALDI IT) 197
 - MALDI 134, 328
 - multiphoton photodissociation (IRMPD) 39, 59, 197
 - photodissociation 39
- inositol 227
- internal ionization 54
- internal standard (IS) 318
- Invader assay 150, 169
 - Invader Squared assay 150
- ion
 - exchange resin microcolumn 187
 - formation 11
 - fragmentation 14
 - image 117
 - nomenclature 92
 - position-sensitive detection 117
 - reflector 43
 - selected accumulation 67
 - trap (IT) 55ff., 69, 272
- ionic liquid 125

- ionization 11, 54
 - electron impact (EI) 217
 - fast atom bombardment (FAB) 217
 - field desorption (FD) 217
 - *N*-glycan 195
 - plasma desorption (PD) 217
- irradiance 32
- I**
- laser 30ff.
 - absorption 5
 - beam profile 32f.
 - desorption/ionization (LDI) 245
 - microprobe mass analyzer (LAMMA) 2, 112
 - pulsed 110
 - radiation 5
- lense 33
- lift TOF MS 47
- linkage disequilibrium (LD) 153, 168
- lipid 215ff.
 - acidic 227
 - apolar 222
 - oxidation product 235
 - quantitation 236
- lipoprotein 215ff.
 - high-density (HDL) 232
- liquid chromatography (LC) 85ff.
- LIT 62ff.
 - mass spectrometer 64
- low molecular mass (LMM) compound 299ff.
 - qualitative characterization 315
- “lucky survivor” model 11ff.
- lysolipid 227
- lysophosphatidic acid (LPA) 227
- lysophospholipid 233
- m**
- magnetron 56
- MALDI (matrix-assisted laser desorption/ionization) 41, 112
 - analyte quantitation 318
 - density of energy 6
 - elevated pressure 36
 - environmental application 324
 - IR 31ff., 134
 - laser photon flux 11
 - method 1ff.
 - microprobe mode 116
 - molecular scanner technique 125
 - non-covalent complex 16
 - process 1ff.
 - quantitation of a sample from complex biological matrix 323
 - quantitative performance 319
 - separation 326
 - small molecule 300ff.
 - tissue imaging 125
 - UV 31ff., 134
- MALDI imaging 109ff.
 - high-resolution 118
 - ionic liquid 125
 - IR 117
 - microscope mode 116f.
 - scanning 116
- MALDI ion 36ff.
 - fragmentation 14, 35ff.
 - micro dimension 116
 - stability 36
 - tandem mass spectrometry 37
- MALDI ionization source 195
- MALDI matrix
 - ion 115
 - solution 94
- MALDI post-source decay (PSD)
 - CID 317
 - mass spectrometry 124
- MALDI-FTICRMS 57f., 68, 197, 205
- MALDI-MS 116
 - application in proteomics 97
 - clinical application 102f.
 - glycan 181ff.
 - glycoprotein 199ff.
 - instrumentation 29ff.
 - laser 30ff.
 - limitation 276
 - peptide mass mapping 97
 - polymer characterization 245ff.
 - protein chemistry 83ff.
 - proteomics 83ff.
 - quantitation of protein 100
 - sample preparation 187, 307
- MALDI-MS/MS 86ff., 271f.
- MALDI-Orbitrap 71
- MALDI-Q-FTICRMS 68
- MALDI-Q-TOF 197
- MALDI-QIT MS 62ff.
- MALDI-QoTOF MS/MS 197
- MALDI-TOF-MS 41, 57, 121
 - base-specific cleavage for sequencing 158ff.
 - comparative sequence analysis 155
 - data processing 49
 - *O*-glycan 205
 - *O*-glycosylation status 206
 - haplotyping 153f.

- ion detector 49
 - lipid 218ff., 235
 - multiplex SNP genotyping 154
 - mutation analysis 142
 - nucleic acid 132ff., 155ff.
 - sample preparation 221
 - “small” molecule 237
 - SNP analysis 142
 - MALDI-TOF/TOF 14, 195ff.
 - mannose 204
 - mass accuracy 40, 126, 258
 - mass analyzer 39
 - mass range 267ff.
 - mass resolution 40, 126, 258
 - mass spectrometry (MS) 1, 4, 112
 - data visualization 113
 - gas chromatography (GC-MS) 218
 - MS/MS (tandem MS) 37, 270
 - SIMS, *see* secondary ion mass spectrometry
 - MassEXTEND assay 146ff.
 - homogeneous (hME) 146
 - matrix 111, 122
 - acidic *N*-glycan 191
 - chemical 3f.
 - complex biological matrix 323
 - crystal 118
 - crystallization 132, 256
 - deposition 118
 - inorganic 301f.
 - IR-MALDI 4
 - lipid 219
 - liquid 22, 303
 - MALDI 19
 - neutral *N*-glycan 189
 - organic 300f.
 - photoionization model 11f.
 - polymer 247
 - porphyrin-like 237
 - preparation 142
 - sample preparation 18
 - small molecule 300
 - suppression effect (MSE) 312
 - UV-MALDI 4, 22
 - matrix-assisted laser desorption/ionization, *see* MALDI metabolomics 122
 - microchannel plate (MCP) 41ff.
 - detector 117
 - microheterogeneity of glycosylation 182
 - microheterogeneity on the single glycosylation site 181
 - microprobing technique 109ff.
 - microsatellite 138
 - mixer mode 57
 - mobile proton 93
 - molecular mass
 - determination 274
 - low molecular mass (LMM) compound 299
 - molecular modelling 13
 - mucopolysaccharide 204
 - multiple excitation collisional activation (MECA) 59
 - multiple reaction monitoring (MRM) 326
 - multipole storage-assisted dissociation (MSAD) 62
 - multistage decomposition (MSⁿ) 197
 - mutation 139
- n**
- N₂ laser 32f.
 - nanoparticle 126
 - Nd:YAG laser 32
 - neutralization 13
 - neutrophil 232
 - nitration 94
 - 3-nitrobenzyl alcohol (NBA) 303
 - nitrophenyl octyl ether (NPOE) 303
 - non-phenylethoxylate (NPE) 324
 - nucleic acid 18
 - analysis 131ff.
 - MALDI-MS 131ff.
 - MALDI-TOF-MS 141ff.
 - quantitation 165ff.
- o**
- N*-octyl-glucoside 86
 - oil
 - vegetable 229
 - oligonucleotide 17
 - oligosaccharide 17
 - one-bead–one-compound (OBOC) combinatorial method 317
 - optical parametric oscillator (OPO) laser 8, 31
 - orbitrap 71
 - organ 120
 - MALDI imaging 120
 - organism 120
 - MALDI imaging 120
 - orthogonal time of flight (oTOF) 36
 - mass analyzer 48
- p**
- palmitoylation 94
 - para*-nitroaniline (PNA) 226
 - PCR
 - competitive 169ff.

- peptide 18ff., 37ff.
 - array 126
 - mass fingerprint 18, 58, 98, 125
 - mass mapping 85, 97
 - mutation 44
 - phosphopeptide 21
 - profiling 123
 - sample preparation 86
 - sequencing 92
 - side chain structure 38
 - peptide-*N*4-(*N*-acetyl- β -glucosaminyl)-asparagine amidase (PNGase F) 184f., 199
 - pharmaceutical compound
 - quantitation 320
 - pharmaceutical research 122
 - PHASE algorithm 153
 - phosphatidic acid (PA) 216ff.
 - phosphatidylcholine (PC) 215ff.
 - phosphatidylethanolamine (PE) 215ff.
 - phosphatidylglycerol (PG) 216, 227
 - phosphatidylinositol (PI) 216
 - phosphatidylserine (PS) 215, 227
 - phosphoinositide 227
 - phospholipid (PL) 215ff.
 - brain 230
 - eye lens 231
 - zwitterionic 224
 - phosphopeptide 36, 88
 - phosphorylation site 44
 - photocleavage 149
 - photoionization 7ff.
 - photon flux 6
 - PinPoint assay 143
 - plant extract 229
 - plasma desorption (PD) 2
 - polydispersity (PD) 274ff.
 - polymer 245ff.
 - sample preparation 246f.
 - post-source-decay (PSD)
 - analysis 14
 - fragmentation 14, 194
 - fragment ion 45, 194
 - MALDI-MS 124, 305
 - MALDI-TOF 205
 - scan 46
 - post-translational modification (PTM) 91ff.
 - primer oligo base extension (PROBE) assay 145
 - protein 18ff., 47
 - array 126
 - biochemistry 89
 - chemistry 83ff.
 - chip 21
 - computational tool 101
 - glycosylation 182
 - identification 97
 - *in-gel* digestion 87ff.
 - *in-silico* digested 85
 - *in-solution* cleavage 91
 - *in-vivo* metabolic labeling 101
 - peptide mass mapping 91ff.
 - profiling 123
 - quantitation 100
 - sample preparation 86
 - proteoglycan 204
 - proteomics 58, 83ff.
 - proton
 - mobile 93
- q**
- QIT/LIT 71
 - QIT-TOF mass spectrometer 69
 - Qq-TOF tandem mass spectrometer 272
 - quadrupole FT mass spectrometer 68
 - quadrupole ion optics 49
 - quadrupole ion trap (QIT) 62ff., 195
 - mass spectrometer 39, 60
 - tandem mass spectrometry 65
 - quadrupole time-of-flight (QTOF) 49, 195
 - mass spectrometer 66f.
- r**
- radiofrequency (RF)-only ion guide 64
 - reactive oxygen species (ROS) 232
 - reflectron MALDI TOF mass spectrometer 43
 - resolving power 40
 - restriction fragment length polymorphism (RFLP) 137f.
 - restriction fragment mass polymorphism (RFMP) assay 152
 - retinoic acid (RA) 247, 264
 - RNA 132, 158ff.
 - MALDI-MS 132ff.
 - mRNA 169
- s**
- sample preparation
 - “dried droplet” MALDI 18, 88, 307
 - MALDI-MS 187
 - MALDI-TOF-MS 221
 - polymer 246f.
 - pre-concentration 309
 - protein 86
 - solvent-free 257
 - saponification 228
 - scanning microprobe MALDI (SMALDI) 124
 - MS 116
 - secondary electron multiplier (SEM) 49
 - secondary ion mass spectrometry (SIMS) 1, 112ff., 124, 245

- static 1
 - sensitivity 40, 263ff., 303
 - sequencing 136ff., 155ff., 199
 - base-specific cleavage 158ff.
 - comparative sequence analysis 155
 - composition-based sequencing (CBS) 127
 - DNA 136ff., 155ff.
 - high-throughput 158
 - MALDI-TOF-MS 155ff.
 - peptide 92
 - Sanger sequencing 156
 - short tandem repeat (STR) 137f.
 - sialic acid 182, 191ff.
 - sialylation 209
 - signal/noise ratio 40
 - silicon nanowire (SiNW) 306, 326
 - sinapinic acid (SA) 88, 120
 - single ion monitoring (SIM) 326
 - single nucleotide polymorphism (SNP) 137ff., 153ff., 168
 - database dbSNP 139
 - GOOD assay 148ff.
 - SNP consortium (TSC) 139
 - single-photon UV photodissociation 38
 - size-exclusion chromatography (SEC) 279
 - small molecule 237, 299ff., 329
 - small-molecule desorption/ionization 299ff.
 - mass analysis 299ff.
 - sodium dodecylsulfate-polyacrylamide gel electrophoresis (SDS-PAGE) 91ff.
 - sodium codicil sulfate (SODS) 86
 - soft-ionization 218
 - solid liquid extraction (SLE) 310
 - solid phase extraction (SPE) 302
 - solid phase immunoextraction (SPIE) 324
 - MALDI 324
 - solid state laser 32
 - solvent 251ff.
 - spermatozoa 232ff.
 - sphingomyelin (SM) 216ff.
 - stable isotope labeling by amino acids in cell culture (SILAC) 101
 - stored waveform inverse Fourier transform (SWIFT) 58ff.
 - function 62
 - streptavidin 141ff., 150
 - structural analysis
 - isomeric species 46
 - sulfonophenylisothiocyanate (SPITC) 94
 - sulfopeptide 36
 - surface preparation 20
 - surface-assisted laser desorption/ionization (SALDI) 3, 302
 - surface-enhanced laser desorption/ionization (SELDI) 21
 - surfactant 318
 - sustained off-resonance irradiation (SORI) 197
 - “sweet spot” 19, 301ff.
- t**
- tandem mass spectrometry (MS/MS) 86ff., 270f.
 - capability 270
 - tandem TOF (TOF/TOF) 195
 - mass spectrometer 44ff.
 - telescope
 - confocal 33
 - tetrahydrofuran (THF) 251ff.
 - thin-layer chromatography (TLC) 227ff., 326
 - MALDI 326
 - SALDI 302
 - ultra TLC 328
 - time of flight (TOF) 30ff.
 - in-source decay 37
 - MS 29, 134
 - orthogonal (oTOF) 36
 - orthogonal (oTOF) mass analyzer 48
 - post-source decay 37
 - qTOF 36
 - tandem MS 49
 - time-lag focusing (TLF) 42, 248
 - MALDI 248
 - MALDI-TOF 258ff.
 - time-to-digital converter (TDC) 51
 - tissue
 - extract 229
 - MALDI imaging 120
 - triacylglycerol (TAG) 222ff., 236
 - trifluoroacetic acid (TFA) 86, 207, 221, 234
 - 2,4,6-trihydroxy-acetophenone (THAP) 134
 - trypsin 87
- u**
- ultra TLC (thin-layer chromatography) 328
 - ultraviolet (UV)
 - atmospheric pressure MALDI ion trap (AP-MALDI IT) 197
 - MALDI 134, 316, 328
 - MALDI-MS 199
 - photodissociation 38
 - uracil DNA glycosylase (UDG) 159
- v**
- vapor-liquid-solid (VLS) growth 307
- x**
- xylose (Xyl) 204