

Index

- 6-APA, 11
- Abbreviated new drug application (ANDA), 170
- ACE inhibitors, 50–51
 - captopril, 50–51
 - enalapril, 51
 - spirapril, 51
- ACE. *See* angiotensin-converting enzyme
- Acetaminophen, Tylenol, 92
- Acetic acid NSAIDS
 - clopirac, 97
 - fentiazac, 97
 - tolmetin, 97
 - zomepirac, 97
- ACI inhibitors, quinapril, 51
- Acrivastane, 157
- Addison's disease, treatment of, cortisol, 135
- Adenosine phosphate (AMP), 53
- ADME, 165
- Adrenalin, 38
- Adriamycin, 19–21
 - leukemias, use against, 20
 - rubidomycin, 19
- Aleve, 97
- Alfentanil, 88
- Aliskiren, 53
- Alpha-1 adrenergic antagonists, trimazocin, 41
 - clonidine, 40
- Alpha-agonists, 38–39
 - catecholamines, 38
 - naphazoline, 39
 - tolazine, 39
- Alpha blockers
 - phenoxybenzamine, 39
 - phentolamine, 39
- Alvimopam, 86
- Amantadine, 25
 - Parkinson's disease, 26
 - Symmetrel, 25, 33
- Amifloxacin, 15
- Amikacin, 7
- Aminoglycosides, 7–8
 - antibiotics
 - amikacin, 7
 - gentamycin C₁, 7
 - kanamycin C, 7
 - streptomycin, 7
- Amitriptyline, 150
- Amoxicillin, 11
- AMP. *See* adenosine monophosphate
- Amprenavir, 31
- Anabolic effect, 129
- Analgesics
 - centrally acting, 73–88
 - nonopiate, 91–108
 - nonsteroid anti-inflammatory agents (NSAIDS), 74
- Anandamide, 101
- Anastrozole, 119
- ANDA. *See* abbreviated new drug application
- Androsterone, 62–63
- Androgens, 129–134
 - anabolic effect, 129
 - antagonist, 133–134
 - drug development from, 130–132
 - male pattern baldness, 134
 - prostrate gland, 132–134
- Angiotensin antagonist, 51–52
 - irbesartan, 52
 - losartan, 51
 - valsartan, 52
- Angiotensin-converting enzyme (ACE), 50

178 Index

- Antagonists
 - androgen, 133–134
 - estrogen and, 116
- Anthracyclines
 - adriamycin, 20
 - antitumor antibiotics, 20
 - daunomycin, 20
 - dauonorubicin, 20
 - doxorubicin, 20
 - epirubicin, 20
 - idraubicin, 20
- Anthranilic acid analgesics, 93
 - flufenamic acid, 93
 - flunixin, 93
 - mefanamic acid, 93
- Anthrax, ciprofloxacin and, 16
- Anti-allergic agents
 - antihistamines and, 155–159
 - leukotrienes, 156–159
- Anti-allergy nasal sprays
 - beclomethasone, 141
 - budesonide, 141
 - flunisolide, 141
 - fluticasone, 141
 - steroids and, 141
- Antianginal drugs, 49
- Antibiotics, 1–21
 - adriamycin, 19–21
 - amikacin, 7
 - aminoglycosides, 7–8
 - aureomycin, 8
 - bacteria
 - Chromobacterium violacium*, 14
 - monobactams, 14
 - organic chemists, 15
 - source, 14–16
 - beta-lactamase, 11–15
 - cephalosporins
 - Cephalosporium acremonium*, 12
 - cephalothin and, 12
 - clindamycin, 10
 - dactinomycin, 19
 - doxycycline, 8, 9
 - erythronolides, 9
 - gentamycin C₁, 7
 - history of, 1–21
 - dyes, 1
 - pencillin, 1
 - penicillium notatum, 2–3
 - sulfanilamide, 2
 - kanamycin C, 7
 - lincomycin, 10
 - mitomycin C, 18
 - penicillin, 10–11
 - pirbencillin, 11
 - plicamycin, 19
 - resistance to, 11–12, 16–17
 - linezolid, 17
 - soil
 - samples, 8–10
 - screening programs, antineoplastic agents 17
 - streptomycin, 7
 - streptozotcin, 17
 - tetracyclines, 8–9
 - tigecycline, 9
 - tropical disease, 15–16
- Antidepressants
 - fluoxetine, 151
 - mianserin, 150
 - tricyclic, 150
- Anti-fertility agents, estrogens and, 116–120
- Antihistamines
 - anti-allergic agents, 155–159
 - antidepressants
 - fluoxetine, 151
 - tricyclic, 150
 - antipsychotic drugs
 - phenothiazine, 148
 - phenyl-piperidine, 149
 - chlorpheniramine, 146
 - chlorpromazine, 147, 149
 - diethazine, 147
 - diphenhydramine, 146
 - doxylamine, 146
 - gastric acid secretion, 151–155
 - burimamide treatment for, 152
 - cimetidine treatment for, 153
 - omeprazole treatment for, 154–155
 - mental illness
 - laboratory methods, 149
 - mianserin, 150–151
 - nonsedating drugs, 156–157
 - acrivastane, 157
 - astemizole, 157
 - azatidine, 157

- azelastine, 157
- cetirizine, 156
- fexofenadine, 156
- hydroxyzine, 156
- loratidine, 157
- terfenadine, 156
- triprolidine, 157
- open-chain, 146
- promazine, 148
- promethazine, 147
- pyrilamine, 145–146
- schizophrenia
 - clozapine, 151
 - olanzapine, 151
 - side effects of, 155
- Antihypertensive agents, 35–54
 - alpha-2 blockers, 40
 - alpha-agonists, 38
 - alpha-blockers, 38–39
 - asthma-related agents, 53–54
 - beta-blockers, 42–44
 - clonidine, 40
 - dihydropyridines, 48
 - direct acting vasodilators, 45–48
 - diuretics, 43–44
 - ganglionic blockers, 37
 - isoproterenol, 41
 - kidney studies, 48
 - naphazoline, 38
 - phosphodiesterase enzyme (PDE), 53
 - prazosin, 41
 - alpha-1 adrenergic antagonists, 41
 - renin based, 52–53
- Anti-inflammatories
 - imidazothiazole, 105
 - imidazoxazole, 105
 - thiazole, 105–106
- Antimalarial drugs, nalidixic acid, 15
- Antineoplastic agents, 17
 - CCNU, 17–18
 - Streptomyces*, 17–19
 - streptozotcin, 17–18
- Antipsychotic drugs
 - atypical, 152
 - phenothiazine, 148
 - phenyl-piperidine, 149
- Antitumor antibiotics, anthracycline and, 20
- Antiviral drugs, 23–33
 - adamantine, 25
 - attack method, 24
 - AZT, 28–29
 - HIV-AIDS, 28–33
 - non nucleoside reverse transcriptase inhibitor (NNRTI) binding pocket, 30
 - protease inhibitors, 31–33
 - pyrimidine agents, 29
 - open sugar ring nucleosides, 27–28
 - pandemic bird influenza, 33
 - protease inhibitors, 31–33
 - rimantadine, 25
 - synthesis programs for, 26–27
- Arachidonic acid cascade, 100–101
- Aromatase inhibitor
 - breast cancer treatment, 118
 - exemestane, 118–119
 - nonsteroid, 119
- Arthritis, treatment of
 - cortisol, 136
 - cortisone, 138
 - dihydrocortisone, 138
- Aspirin, 92
 - prostaglandins and, 101
- Astemizole, 157
- Asthma, antihypertensive agents and, 53–54
- Atazanavir, 31
- Atenolol, 42
- Atherosclerosis, 58
- Atorvastatin, 67
- Atromid, 63
- Atypical antipsychotic drugs, 152
 - clozapine, 152
 - olanzapine, 152
 - quetiapine, 152
 - risperidone, 152
- Auerolic acid. *See* plicamycin
- Aureomycin, 8
 - related antibiotics, tetracyclines and, 8–9
- Avasimibe, 69
- Azatidine, 157
- Azelastine, 157
- Azithromycin, 9
- Azreonom, 14

- Bacteria
 as antibiotic source, 14–16
 monobactams, 14
 organic chemists, 15
 viruses, differences in, 24
- Bactrim, active ingredients
 sulfamethoxazole, 5
 trimethoprim, 5
- Basal level, 59
- Beckett and Casey, rule, 86
- Beclomethasone, 141
- Benign prostatic hypertrophy (BPH),
 133–134
- Benzazocine analgesics, 81
 ketazocine, 81
 N-allylbezazocine, 81
 N-methylbenzocine, 81
 pentazocine, 81
- Beta-blockers, 42–43
 atenolol, 42
 celiprolol, 42
 dichloroisoproterenol (DCI), 42
 glaucoma treatment, 43
 betaxolol, 43
 timolol, 43
 pronethalol, 42
 propranolol, 42
- Beta-lactam, penicillin structure and, 3–4
- Beta-lactamase, 11–15
- Betaxolol, 43
- Bextra, 106
- Bezafibrate, 63–64
- Birch reduction, steroids and, 124
- BPH. *See* benign prostatic hypertrophy
- Breast cancer
 estrogens and, 116–120
 treatment of
 anastrozole, 119
 aromatase inhibitor and, 118
 exemestane and, 118–119
 letrozole, 119
- Brifentanyl, 87
- Budesonide, 141
- Buprenorphine, 84
- Burimamide, 152–153
- Butorphanol, 83
- Calcium channel blockers
 antianginal drugs, 49
 dihydropyridines and, 48
 diltiazem, 48–49
 verapamil, 48–49
- Cancer, prostrate, 133
- Capillary gas chromatography (CGC), 163
- Capsule, drug formulation process
 and, 164
- Captopril, 50–51
- Carfentanil, 88
- Carumonam, 14
- Catecholamines, 38
 adrenalin, 38
 epinephrine, 38
 noradrenalin, 38
 norepinephrine, 38
- CCNU, 17–18
- Cefmenoxime, 13
- Celebrex, 106
- Celecoxib, 107
 Celebrex, 106
- Celiprolol, 42
- Centrally acting analgesics, 73–88
 benzazocine, 81
 brifentanyl, 87
 codeine, 74
 Darvon, 78
 endorphins, 85
 fentanyl, 87–88
 heroin, 76
 meperidine, 77
 related compounds, 86
 methadone, 77
 morphinans, 79
 morphine, 74–81
 opiate mixed agonists-antagonists, 83
 opium, 74
 oripavanes, 84–85
 pain, 73–74
 pentazocine, 80
 thebaine-derived opiates, 82–84
 tilidine, 87
 tramadol, 86–87
- Cephalosporins
 cefmenoxime, 13
 imipenem, 13
 moxalactam, 13
 penicillin, transform from, 13
- Cephalosporium acremonium*
 assistance in synthesis, 12

- cephalothin, creation of, 12
- Cephalothin, 12–13
- Cephalosporins, cephalothin, 13
- Cerivastatin, 67
- Cetirizine, 156
- CGC. *See* capillary gas chromatography
- Chloraminophenamide, 6, 44
- Chlorpheniramine, 146
- Chlorpromazine, 148
 - treatment for mental illness, 147, 149
- Chlorpropamide, 6
- Chlorthalidone, 44
- Cholesterol
 - blocking drugs, 68–70
 - avasimibe, 69
 - ezetimide, 69
 - implitapide, 69
 - metabolic activity, 59–60
 - steroids and, 111
- Cholestyramine, 60–61
- Cholic acid, steroids and, 111
- Chromobacterium violacium*, 14
 - monobactams, 14
- Chronic pain, relief from, 74
- Cimetidine
 - gastric acid secretion treatment, 153
 - predecessors of, 153
 - burinamide, 153
 - histamine, 153
 - metiamide, 153
 - SK&F 91486, 153
 - Tagamet, 153
- Ciprofloxacin, 16
- Circulatory system, hypertension and, 35–36
- Clavulanic acid, 11
- Clindamycin, 10
- Clinical trials, new drugs and, 167–169
- Clofibrate, 63
 - atromid, 63
- Clomiphene, 116
- Clonidine, 40
- Clopirac, 95, 97–98
- Clortrianisene, 115
- Clozapine, 152
 - treatment for schizophrenia, 151
- Codeine, 74
- Colestipol, 62
- Contraceptives, 124–129
 - Corticoids, 136–141
 - production of, 136–138
 - rhinitis treatment, 140–141
 - side effects of, 139
 - Corticosteroids, 135–142
 - corticoids, 136–141
 - cortisol, 135
 - cortisone, 135, 138
 - dihydrocortisone, 138
 - glucocorticoids, 140
 - Cortisol
 - Addison's disease treatment, 135
 - arthritis treatment, 136
 - Cortisone, arthritis treatment, 138
 - COX inhibitors
 - celecoxib, 107
 - DuP-697, 106
 - itazigrel, 106
 - parecoxib, 107
 - rofecoxib, 107
 - valdecoxib, 107
 - COX inhibitors, derivation from, 102
 - nonsteroid estrogen antagonists, 102–103
 - oral contraceptives, 102–103
 - COX. *See* cyclooxygenase
 - COX-2 inhibitors
 - diclofenac, 107
 - etoricoxib, 107
 - lumiracoxib, 107
 - Cyclooxygenase (COX) enzyme, 101
- Dactinomycin, 19
- Darvon, 78
- Daunomycin, 20
- Daunorubicin, 20
- DCI. *See* dichloroisoproterenol
- Depo-Provera, 122–123
- DES. *See* diethylstilbestrol, 114
- Dextromethorphan, 79
- Diallyl melamine, 47
- Diazoxide, 46
- Dichloroisoproterenol
 - (DCI), 42
 - drawbacks of, 42
- Diclofenac, 94, 107
- Diethazine, treatment for Parkinson's disease, 147
- Diethylstilbestrol (DES), 114–115

182 Index

- Dihydrocortisone, treatment for arthritis, 138
- Dihydropyridines, 48
 - calcium channel blockers, 48
 - nifedipine, 48
 - nivaldipine, 48
 - taludipine, 48
- Diltiazem, 48–49
- Diosgenin, sapogenins and, 120–121
- Diphenhydramine, Dramamine, 146
- Diphenoxylate, 78
- Direct acting vasodilators, 45–48
 - hydralazine, 45
 - isosorbide dinitrate, 45
- Diuretics, 43–44
 - potassium, complications from 44–45
 - spironolactone, 49
 - thiazide types, 44
- Doxorubicin, 20
- Doxycycline, 8–9
- Doxylamine, 146
- Dramamine, 146
- Drug metabolism, development analysis and, 165–166
- Drugs
 - approval of, good manufacturing practices (GMP), 163
 - clinical trials, 167–169
 - development analysis studies, 165–167
 - ADME, 165
 - bodily elimination, 165–166
 - drug metabolism, 165–166
 - toxicology, 166–167
 - development and approval of, 161–170
 - abbreviated new drug application, (ANDA), 170
 - evolution of, 161–162
 - formulation issues
 - capsule or tablet, 164–165
 - injectables, 165
 - human testing, 167–169
 - new application of, 162
 - Good Laboratory practices (GLP), 162
 - New Drug Application (NDA), 162
- DuP-697, 106
- Dyes
 - antibiotics and impact on, 1–2
 - Prontosil, 2
- Enalapril, 51
- Endorphins, 85
- Enfuvirtide, 33
- Enlarged prostate treatment, trimazocin and, 41
- Enol form, phenylbutazone and, 94
- Enovid, 125
 - “The Pill,” 125
- Enzyme blocking cholesterol drugs, 68–70
- Epinephrine, 38
- Epirubicin, 20
- Erythromycin, 9
- Erythronolides
 - azithromycin, 9
 - erythromycin, 9
- Esomeprazole, 155
- Estrogen, 113–114
 - anti-fertility agents, 116–120
 - breast cancer, 116–120
 - estrone, 114
 - injection of, 115–115
 - metabolites, 114
 - replacement products, 114
 - estrogen metabolites, 114
 - Premarin, 114
 - Synthetic, 115
- Estrogen antagonists, 116
 - clomiphene, 116
 - fused ring, 117
 - nonsteroid, 102–103
 - tamoxifen, 117
 - toremifene, 116
- Estrone, 114
 - diethylstilbestrol (DES), 114
- Ethisterone, 123
- Etintidine, 154
- Etoricoxib, 107
- Etorphine, 84
- Exemestane, breast cancer treatment, 118–119
- Ezetimide, 69
- Fenclofenac, 94
- Fenofibrate, 63–64

- Fentanyl, 87–88
 derivatives, 88
 alfentanil, 88
 carfentanil, 88
 remifentanil, 88
 sufentanil, 88
- Fentiazac, 97–98
- Fexofenadine, 156
- Fibrates, 63–64
 bezafibrate, 63–64
 ciprofibrate, 63–64
 fenofibrate, 63–64
 gemfibrozil, 63–64
- Flufenamic acid, 93
- Flunisolide, 141
- Flunixin, 93
- Fluoxetine, Prozac, 151
- Fluphenazine, 148
- Flurbiprofen, 97
- Fluticasone, 141
- Fluvastatin, 67
- Fosamprenavir, 31
- Fungi, penicillin and, 6–7
- Fused ring estrogenic antagonists, 117
 nafoxidine, 117
 trioxifene, 117
- Ganglionic blockers, 37
- Gastric acid secretion
 histamines and, 151–152
 treatment of
 omeprazole, 154–155
 antihistamine, 151–155
 burimamide, 152
 cimetidine, 153
- Gemfibrozil, 63–64
- Gentamycin C₁, 7
- Glaucoma
 beta-blockers and, 43
 treatment of
 timolol, 43
 betaxolol, 43
- GLP. *See* good laboratory practices
- Glucocorticoids, 140
- GMP. *See* good manufacturing practices
- Good Laboratory practices (GLP), 162
- Good manufacturing practices (GMP), 163
 standards, 163–167
 capillary gas chromatography (CGC),
 163
 high-performance liquid
 chromatography (HPLC), 163
- Guanabenz, 40
- Guanfacine, 40
- Hair growth, minoxidil, 47–48
 finasteride, 134
- Haloperidol, 149
- HCTZ. *See* hydrochlorothiazide
- Heroin, 76
 morphine and, 76
- High-performance liquid chromatography
 (HPLC), 163
- Histamines, 145–159
 antihistamines, 145
 cimetidine and, 153
 gastric acid secretion, 151–152
 second-generation blockers, 154
 etintidine, 154
 nizatidine, 154
 oxmetidine, 154
 ranitidine, 154
- HIV-AIDS
 antiviral drugs and, 28–33
 amprenavir, 31
 atazanavir, 31
 enfuvirtide, 33
 fosamprenavir, 31
 indinavir, 31
 lopinavir, 31
 nelfinavir, 31
 protease inhibitors, 31–33
 ritinavir, 31
 saquinavir, 31
 tipranavir, 31
 cause of, 28
 pyrimidine agents, antiviral drugs
 and, 29
- HMG-CoA enzyme, 64–68
 statins, 65–68
- HPLC. *See* high-performance liquid
 chromatography
- Hydralazine, 45
- Hydrochlorothiazide (HCTZ), 6, 44, 46
 vasodilators and, 46
- Hydrocodone, 76
- Hydromorphone, 76

- Hydroxymethylglutaryl CoA reductase.
 See HMG-CoA enzyme
- Hydroxyzine, 156
- Hypertension, circulatory system, 35–36
- Ibuprofen, 96
- Idarubicin, 20
- Imidazothiazole, 105
- Imidazoxazole, 105
- Imipramine, 150
- Imipenem, 13
- Implitapide, 69
- Indinavir, 31
 chemical structure of, 32
- Indole chemistry, 103–104
 indoxole, 104
- Indomethacin, 95–96
 serotonin, 96
 sulindac, 96
- Indoxole, 104
- Inflammation, NSAIDS study
 and, 95
- Influenza A, rimantadine, 25
- Influenza, pandemic bird, 33
- Injectables, drug formulation process
 and, 165
- Irbesartan, 52
- Isoproteronol, 41
- Isosorbide dinitrate, 45
- Isoxicam, 99
- Itazigrel, 106
- Kanamycin C, 7
- Keflin. *See* cephalotin
- Ketazocine, 81
- Keto form, phenylbutazone and, 94
- Kidney studies
 antihypertensive agents and, 48
 renin-angiotensin system, 50–53
- Lamivudine, 29
- Letrozole, 119
- Leukemia, adriamycin and, 20
- Leukotrienes, anti-allergic agents and,
 156–159
- Levallorphan, 79
- Levorphanol, 79
- Lilopristone, 129
- Lincomycin, 10
- Linezolid, 17
- Lipid lowering drugs, 57–70
 andosterone, 62–63
 atherosclerosis, 58
 cholesterol, 58
 blocking drugs, 68–70
 cholestyramine, 60–61
 clofibrate, 63
 atromid, 63
 colestipol, 62
 enzyme blocking, 68–70
 fibrates, 63–64
 HMG-CoA enzyme, 64–68
 nicotinic acid, 58
 resin based, 60–63
 statins, 64–68
 thyroxin, 60
- Loperamide, 78
- Lopinavir, 31
- Loratidine, 157
- Losartan, 51
- Lovastatin, 66
- Lumiracoxib, 107
- Male pattern baldness, 134
 treatment of
 minoxidil, 134
 Propecia, 134
- Mefanamic acid, 93
- Mental illness
 chlorpromazine treatment for,
 147, 149
 mianserin, 150–151
 promazine treatment for, 148
 promethazine treatment for, 147
 research methods for antihistamines
 and, 149
- Meperidine, 77, 149
 compounds, 86
 alvimopam, 86
 picenadol, 86
- Mesoridazine, 148
- Metabolic activity
 basal level, 59
 cholesterol and, 59–60
- Metabolite, minoxidil and, 47
- Methadone, 77
 opiate derivatives and, 78

- thebaine-derived opiates
 - and, 82–83
- Metiamide, 153
- Metopon, 76
- Mevastatin, 66
- Mianserin, 150–151
- Mifepristone, 128–129
- Minoxidil, 46–48
 - diallyl melamine, 47
 - hair-growth factor, 47–48
 - metabolite, 47
 - male pattern baldness treatment, 134
- Misoprostol, 102
- Mitomycin C, 18
- Mold, *streptomyces griseus*, 7
- Monabactams
 - aztreonam, 14
 - carumonam, 14
 - natural form, 14
- Morphinans, 79
 - dextromethorphan, 79
 - levallorphan, 79
 - levorphanol, 79
 - phenomorphan, 79
- Morphine, 74–81
 - drugs derived from, 76
 - heroin, 76
 - hydrocodone, 76
 - hydromorphone, 76
 - metopon, 76
 - nalorphine, 76
 - side-effects, 78
- Motrin, 96
- Moxalactam, 13

- Nafoxidine, 117
- Nalbufine, 83
- Nalidixic acid, 15
 - quinolones, 15
- N-allylbenzococaine, 81
- Nalorphine, 76
- Naloxone, 83
- Naltrexone, 83
- Naphazoline, 38–39
- Naproxen, Aleve, 97
- Nasal sprays, steroids and, 141
- NDA. *See* new drug application
- Nelfinavir, 31
- Neuraminidase inhibitors, 33
 - oseltamivir, 33
 - zanamivir, 33
- New Drug Application (NDA), 162
- Nicotinic acid, 58
- Nifedipine, 48
- Nivaldipine, 48
- Nizatidine, 154
- N-methylbenzococaine, 81
- NNRTI. *See* non nucleoside reverse transcriptase inhibitor
- Non nucleoside reverse transcriptase inhibitor (NNRTI) binding pocket, 30
- Nonopiate analgesic agents, 91–108
 - aspirin, 92
 - history of, 91–93
 - non-steroid anti-inflammatory agents (NSAIDS), 91
- Nonsedating antihistamines, 156–157
- Non-steroid anti-inflammatory agents (NSAIDS), 74, 91
- Nonsteroid aromatase inhibitor, 119
 - anastrozole, 119
 - letrozole, 119
- Nonsteroid estrogen antagonists, 102–103
- Noradrenalin, 38
- Norepinephrine, 38
- Norethindrone, 125
- Norethynodrel, 125
- Norfloxacin, 15–16
 - ciprofloxacin, 16
- NSAIDS
 - acetic acid side chains, 95
 - acetic acid, 97
 - anti-inflammatories, 105
 - celecoxib, 106
 - clopirac, 95
 - COX synthesis, 102
 - cyclooxygenase (COX) enzyme, 101
 - diclofenac, 94
 - fenclofenac, 94
 - flurbiprofen, 97
 - ibufenac, 96
 - indomethacin, 95–96
 - inflammation study, 95
 - isoxicam, 99
 - naproxen, 97
 - piroxicam, 99
 - profens, 97–98
 - prostaglandins, 99–102

- NSAIDs (*Continued*)
 arachidonic acid cascade, 100–101
 misoprostol, 102
 stroke treatment, 105
 sudoxicam, 99
 tenoxicam, 99
 valdecoxib, 106
 Vioxx, 106
- NSAIDs. *See* non-steroid
 anti-inflammatory agents
- Ofloxacin, 15
- Olanzapine, 151–152
 schizophrenia treatment, 151
- Ololol, 43
- Omeprazole
 esomeprazole, 155
 gastric acid secretion treatment,
 154–155
- Onapristone, 129
- Open sugar ring nucleosides, 27–28
- Open-chain antihistamine, 146
- Opiate mixed agonists-antagonists, 83
- Opiate mixed agonists-antagonists
 butorphanol, 83
 nalbufine, 83
 naloxone, 83
 naltrexone, 83
- Opiates
 derivatives of, 78
 diphenoxylate, 78
 loperamide, 78
 methadone, 78
 propoxyphene, 78
 side-effects, 78
- Opium, 74
- Oral contraceptives
 COX synthesis and, 102–103
 Enovid, 125
 norethindrone, 125
 norethynodrel, 125
 steroids and, 124–129
- Organic chemists, antibiotics and,
 15–16
- Oripavanes, 84–85
 buprenorphine, 84
 etorphine, 84
 thebaine, 84
- Oseltamivir, 33
- Oxazolidone, 17
 linezolid, 17
- Oxmetidine, 154
- Oxphenbutazone, 94
- Oxycodone, 82
- Oxymorphone, 82
- Pain, 73–74
 chronic, relief from, 74
- Pancreatic cancer, streptozocin and,
 17–18
- Pandemic bird influenza antiviral
 drugs, 33
 amantidine, 33
 neuraminidase inhibitors, 33
 rimantidine, 33
 Tamiflu, 33
- Parecoxib, 107
- Parkinson's disease
 amantadine and, 26
 diethazine treatment for, 147
- PDE. *See* phosphodiesterase enzyme
- Pempro, 122–123
- Pencillin, structure of, 3–4
 beta-lactam, 3–4
- Penicillin, 10–11
 6-APA, 11
 cephalosporins, transfer to, 13
 clavulanic acid, 11
 discovery of, 1
 dispensing of, 3
 early problems with, 3
 fungi, connection of, 6–7
 G (natural), 3
 HMG-CoA enzyme, relationship to, 65
 manufacture of, 3
 notatum, 2–3
 phenethcillin, 11
 pirbencillin, 11
 properties of, 6–7
 synthesizing of, 11
 synthesizing of, amoxicillin, 11
 V (augmented), 3
- Pentazocine, 80–81
- Peripheral analgesics. *See also* nonopiate
 analgesic agents
 acetaminophen, 92
 anthranilic acid analgesics, 93
 indole chemistry, 103–104

- phenylbutazone, 94
- salicylic acid, 93
- stomach ulcers, minimization of 93
- Phenanthrone, 115
- Phenergan, 147
- Phenethicillin, 11
- Phenomorphin, 79
- Phenothiazine, agents of, 148
 - chlorpromazine, 148
 - fluphenazine, 148
 - mesoridazine, 148
 - prochlorperazine, 148
 - promazine, 148
- Phenoxybenzamine, 39
- Phentolamine, 39
- Phenylbutazone, 94
 - enol form, 94
 - keto form, 94
 - oxphenbutazone, 94
- Phenyl-piperidine, agents, 149
 - haloperidol, 149
 - meperidine, 149
 - sipiperone, 149
- Phosphodiesterase enzyme (PDE), 53
 - sildenafil, 54
 - vardenafil, 54
- Picnadol, 86
- Pirbencillin, 11
- Piroxicam, 99
- Plicamycin, 19
- Potassium, diuretics and, 44–45
- Pravastatin, 66
- Prazocin, 41
 - alpha-1 adrenergic antagonists, 41
- Premarin, 114
- Prochlorperazine, 148
- Profens, 97–98
 - fentiazac, 98
- Progesterone, 120
 - antagonists, 129
 - lilopristone, 129
 - mifepristone, 129
 - onapristone, 129
 - Depo-Provera, 122–123
 - ethisterone, 123
 - Pempro, 122–123
 - progestins derived from, 122
 - Provera, 121
 - sapogenin, 120
- Progestins, derived from
 - progesterones, 122
- Promazine, 148
 - mental illness treatment, 148
- Promethazine, mental illness
 - treatment, 147
- Promthazine, Phenergan, 147
- Pronethalol, 42
- Prontosil, 2
- Propecia, male pattern baldness
 - treatment, 134
- Propoxyphene, 78
- Propranolol, 42
- Prostaglandins, 99–102
 - arachidonic acid cascade,
 - 100–101
 - aspirin, 101
 - misoprostol, 102
- Prostrate gland
 - androgens and, 132–134
 - benign prostatic hypertrophy (BPH),
 - 133–134
 - cancer of, 133
- Prostaglandin, misoprostol, 102
- Protease inhibitors, 31–33
 - indinavir, chemical structure of, 32
 - saquinavir, chemical structure of, 32
- Protein coat, viruses and, 30–31
- Provera, 121
- Prozac, 151
- Pyrilamine, 145–146
- Pyrimethamine, 5
- Pyrimidine
 - antiviral agents, 29
 - emtricitabine, 29
 - lamivudine, 29
 - purine reverse transcriptase
 - inhibitors, 29
 - reverse transcriptase inhibitors, 29
 - stavudine, 29
 - zalcitabine, 29
- Quetiapine, 152
- Quinapril, 51
- Quinolones, 15–16
 - amifloxacin, 15
 - norfloxacin, 15–16
 - ofloxacin, 15

- Ranitidine, 154
Red dye Prontosil Rubrum. *See* Prontosil
Remifentanyl, 88
Renin-angiotensin system, 50–53
 ACE inhibitors, 50–51
 angiotensin antagonist, 51–52
 angiotensin-converting enzyme (ACE), 50
Renin-based antihypertensive agents, 52–53
 aliskiren, 53
 telakiren, 53
Resin, based lipid lowering drugs, 60–63
Resistant bacteria
 antibiotics and, 11–12
 linezolid, 17
Reverse transcriptase inhibitors
 purine, 29
 pyrimidine, 29
Rhinitis, corticoids treatment of, 140–141
Rimantadine, 25
 influenza A and, 25
Rimantidine, 33
Risperidone, 152
Ritinovir, 31
Rofecoxib, 107
RU-486, mifepristone, 128
Rubidomycin, 19–21
 daunorubicin, 20
 doxorubicin, 20
 epirubicin, 20
 idarubicin, 20

Salicylic acid, 93
Sapogenins, 120
 diosgenin, 120–121
 steroid hormones from, 120
Saquinavir, 31
 chemical structure of, 32
Schizophrenia
 antihistamine products used for treatment, 151
 clozapine treatment for, 151
 olanzapine treatment for, 151
Serotonin, 96
Side effects
 corticoids and, 139
 sulfanilamide and, 6
Sildenafil, 54
 Viagra, 54
Simvastatin, 66
SK&F 91486, 153
Soil sampling
 antibiotics development and, 8–10
 programs, antineoplastic agents, 17
 results of, 9–10
 Streptomyces erythaeus, 9
 Streptomyces Lincolnensis, 10
Spiperone, 149
Spirapril, 51
Spironolactone, 49
Statins, 64–68
 natural
 lovastatin, 66
 mevastatin, 66
 pravastatin, 66
 simvastatin, 66
 synthetic
 atorvastatin, 67
 cerivastatin, 67
 fluvastatin, 67
Stavudine, 29
Steroids, 111–142
 abuse of, 129–130
 anti-allergy nasal sprays, 141
 beclomethasone, 141
 budesonide, 141
 flunisolide, 141
 fluticasone, 141
 aromatase inhibitor, breast cancer treatment, 118
 Birch reduction, 124
 cholesterol, 111
 cholic acid, 111
 corticosteroids, 135–142
 early studies of, 111
 estrogen, 113–114
 replacement products, 114
 hormones, sapogenins and production of, 120
 nucleus, 112
 oral contraceptives, 124–129
 Enovid, 125
 norethindrone, 125
 norethynodrel, 125

- progesterone, 120
- testosterone, 120, 129
- Stomach ulcers
 - cause and treatment, 151–152
 - peripheral analgesics and, 93
- Streptomyces erythaeus*, 9
- Streptomyces griseus*
 - molds and, 7
 - streptomycin, 7
- Streptomyces Lincolnensis*, 10
 - derivatives of, lincomycin, 10
- Streptomyces peucitius*, adriamycin, 19–21
- Streptomyces*
 - antineoplastic agents and, 17
 - dactinomycin, 19
 - mitomycin C, 18
 - plicamycin, 19
- Streptomycin, 7
- Streptozotocin, 17
 - pancreatic cancer, 17–18
- Strokes, NSAIDs and, 105
- Sudoxicam, 99
- Sufentanil, 88
- Sulamethoxazole, 5
- Sulfa drugs
 - Bactrim, 5
 - chloraminophenamide, 6
 - chlorpropamide, 6
 - hydrochlorothiazide (HCTZ), 6
 - pyrimethamine, 5
 - sulfamethoxazole, 5
 - sulfathiazole, 4
 - tolbutamide, 6
 - trimethoprim, 5
- Sulfamethoxazole, Bactrim active ingredient, 5
- Sulfanilamide, 2
 - side effects, 6
 - uses of, 4–6
- Sulfathiazole, 4
- Sulindac, 96
- Symmetrel, 25
- Synthesis
 - Cephalosporium acremonium* and, 12
 - penicillin and, 11
- Synthetic estrogens, 115
 - clortrianisene, 115
 - diethylstilbestrol, 115
 - phenanthrone, 115
 - triphenyl ethylene, 115
- Tablet, drug formulation process and, 164–165
- Tagamet, 153
- Taludipine, 48
- Tamiflu. *See* oseltamivir
- Tamoxifen, estrogenic antagonists and, 117
- Tenoxicam, 99
- Terfenadine, 156
- Terlakiren, 53
- Testosterone, 120
 - androgens, 129–130
- Tetracyclines, 8–9
 - doxycycline, 8–9
 - tigecycline, 9
- The Pill, 125
- Thebaine, 84
- Thebaine-derived opiates, 82–84
 - methadone and, 82–83
 - oxycodone, 82
 - oxymorphone, 82
- Thiazide diuretics, 44
 - chloraminophenamide, 44
 - chlorthalidone, 44
 - hydrochlorothiazide, 44
- Thiazole, 105–106
 - COX inhibitors
 - DuP-697, 106
 - itazigrel, 106
- Thyroxin, 60
- Tigecycline, 9
- Tilidine, 87
- Timolol, 43
- Tirprinavir, 31
- Tolazine, 39
- Tolbutamide, 6
- Tolmetin, 97, 98
- Toremifene, 116
- Toxicology, drug development analysis and, 166–167
- Tramadol, 86–87
- Tricyclic antidepressants, 150
 - amitriptyline, 150
 - doxepin, 150
 - imipramine, 150

190 Index

- Trimazocin, 41
 - enlarged prostate treatment, 41
- Trimethoprim, 5
- Trioxifene, 117
- Triphenyl ethylene, 115
- Triprolidine, 157
- Tropical disease, antimalarial drugs,
 - 15–16
- Tylenol, 92

- Vaccines, viruses and, 25
- Valdecoxib, 107
 - Bextra, 106
- Valsartan, 52
- Vardenfanil, 54
- Vasodilators
 - diazoxide, 46
 - HCTZ, 46
 - minoxidil, 46–48
- Verapamil, 48–49
- Viagra, 54
- Vioxx, 106
- Viruses
 - bacteria, differences in, 24
 - composition of, 24
 - discovery of, 23
 - propagation of, 23–24
 - protein coat, importance of, 30–31
 - vaccines, 25

- Zalcitabine, 29
- Zanamivir, 33
- Zomepirac, 97–98