

# Index

## • A •

- absolute links, 48
- absolute position, 151
- Access databases, 373
- Access Key option, 312
- Access 2003 For Dummies* (Kaufeld), 335
- accessibility options for forms, 312
- Accessibility report, 92
- active links, 56
- Active Server Pages (ASP), 336
- Active Server Pages For Dummies* (Hatfield), 336
- addresses, finding files by their, 96–97
- Adjust Position option (Tracing Image), 262
- Adobe. *See also* Flash
  - ColdFusion MX, 337
  - CSS Advisor, 89
  - Fireworks, 62
  - Photoshop Elements, 62
  - Spry, 337–338
- Adobe Flash CS3 For Dummies* (Finkelstein and Leete), 283
- Adobe Photoshop
  - optimizing GIF images in Photoshop, 66–67
  - optimizing JPEG images in Photoshop, 64–65
  - overview, 62
  - saving images for the Web, 63–64
- Ajax, 334
- Ajax For Dummies* (Holzner), 336
- Align option
  - audio files, 300
  - Flash, 292
  - HTML tables, 205
  - Java, 307
  - video files, 300
- Align with Selection option (Tracing Image), 262
- aligning images
  - centering an image on a page, 71–72
  - complex designs with images, creating, 74–75
  - CSS layouts, 178–181
  - CSS used for, 75
  - HTML tables used for, 75
  - overview, 71
  - text wrapping, aligning an image with, 72–74
- Alignment attribute (Property Inspector), 44
- alignment, using tables for, 214–217
- All mode (CSS Styles panel), 160
- Alt option (Java), 307
- Alternate Text attribute (Property Inspector), 43
- animations, 68
- AP Divs
  - AP Div ID option, 194
  - Bg Color option, 195
  - Bg Image option, 195
  - Clip option, 195
  - creating, 187
  - H (Height) option, 194
  - hiding, 195
  - images, adding, 188
  - L (Left) option, 194
  - moving, 190
  - naming, 190
  - nested AP Divs, 192–193
  - Overflow option, 195
  - overview, 186
  - resizing, 188–189
  - stacking, 190–192
  - T (Top) option, 194
  - Vis option, 194–195
  - visibility of, 190–192

- AP Divs (*continued*)
    - W (Width) option, 194
    - Z-Index option, 194
  - Applet name option (Java), 307
  - Application panel, 347–353
  - Application Variable option (Bindings panel), 350
  - applying styles, 136–137
  - Ashenfelter, John Paul (*ColdFusion MX For Dummies*), 336
  - ASP (Active Server Pages), 336
  - ASP.NET, 336–337
  - ASP.NET For Dummies* (Hatfield), 336
  - Asynchronous JavaScript, 334
  - Attachment option (CSS Rule Definition dialog box), 147
  - audience, designing for your, 397–398
  - audio files
    - Align option, 300
    - Border option, 300
    - Class option, 300
    - embedding video files in a Web page, 298–299
    - formats for, 295–296
    - H (Height) option, 299
    - H Space (Horizontal Space) option, 300
    - linking to, 297–298
    - Name field option, 299
    - options for, setting, 299–300
    - overview, 296
    - Parameters option, 300
    - parameters, setting, 300–302
    - Play button option, 300
    - Plg URL option, 300
    - Src (Source) option, 300
    - V Space (Vertical Space) option, 300
    - W (Width) option, 299
  - authentication. *See* user authentication
  - Autoplay option (Flash), 291
  - AVI (Audio Video Interleave), 295
- B •**
- Background category (CSS Rule Definition dialog box), 145–147
  - background, changing, 54–55
  - background images, 80–81
  - backups, 403
  - Base option (Java), 307
  - Beginning Active Server Pages 3.0* (Buser), 372
  - behaviors
    - editing, 277–278
    - events, 268–269
    - extensions, adding new, 278–280
    - Extensions Manager, 280
    - multiple behaviors, 277
    - Open Browser Window behavior, 275–277
    - overview, 265–266
    - rollover image, 267–268
    - Swap Image behavior, 269–275
  - Bg Color option
    - AP Divs, 195
    - HTML tables, 205
  - Bg (Color) option (HTML tables), 208
  - Bg Image option
    - AP Divs, 195
    - HTML tables, 205
  - Bg (Image) option (HTML tables), 208
  - Bg option (Flash), 292
  - Bindings panel
    - Application Variable option, 350
    - Command (Stored Procedure) option, 350
    - Get More Data Sources option, 350
    - overview, 349–350
    - Recordset (Query) option, 350
    - Request Variable option, 350
    - Session Variable option, 350
    - Spry XML Data Set option, 350
  - Bishop, Sally (rodeo performer), 411
  - `_blank` target, 234
  - Block category (CSS Rule Definition dialog box), 147–148
  - block elements, 164
  - Border category (CSS Rule Definition dialog box), 149–150
  - Border option
    - audio files, 300
    - HTML tables, 205
    - video files, 300
  - borders, 169, 234–235
  - Box category (CSS Rule Definition dialog box), 148–149

- box model
    - creating designs using, 164–167
    - overview, 163–164
    - semantic page designs, creating, 167
    - viewing a page with no styles in Firefox, 166–167
  - brainstorming session for new site
    - development, 22–23
  - Brdr (Color) option (HTML tables), 205, 208
  - brightness, adjusting, 76–78
  - Brightness and Contrast icon attribute (Property Inspector), 43
  - broken links
    - Check Links, using, 93–94
    - finding, 94
    - fixing, 94–97
    - global changes, making, 99–100
    - moving files, 98–99
    - orphans, 94
    - overview, 93–94
    - renaming files, 98–99
  - Browser Compatibility feature, 89
  - browsers. *See also* database editing from a browser; testing your site in different browsers
    - differences in, 19–20
    - filename, using browser to identify, 96–97
    - forms displaying differently in different, 318
    - previewing your page in a browser, 59–60
  - Burd, Barry (*Java For Dummies*), 307
  - Buser, David (*Beginning Active Server Pages 3.0*), 372
  - buttons, adding Flash, 283–284
- C ●
- Candy Blog (Web site), 412–413
  - cartoons, 67
  - Cascading Style Sheets (CSS). *See also* external style sheets
    - absolute position, 151
    - advanced styles, 133, 141
    - applying styles, 136–137
    - background images, 80–81
    - class selectors, 129
    - class style, 133
    - code for, 130–131
    - code hints, 131
    - conflicting styles, managing, 141–143
    - contextual styles, 129
    - declarations, 130
    - editing an existing style, 143
    - external styles, 130
    - fixed position, 151
    - font size, 146
    - ID selectors, 129
    - inline styles, 130
    - internal styles, 130
    - link styles, changing, 139–141
    - new style, defining a, 132–135
    - overview, 12–14, 128–129
    - page layouts created with, 131
    - redefining HTML tags, 137–139
    - relative position, 152
    - removing styles, 137
    - rules, 130
    - selectors, 130
    - static position, 152
    - tag selectors, 129
    - tag style, 133
  - Case options (CSS Rule Definition dialog box), 145
  - CellPad option (HTML tables), 205
  - cells
    - options for, 207–208
    - overview, 200–201
  - CellSpace option (HTML tables), 205
  - centering an image on a page, 71–72
  - CGI (Common Gateway Interface) scripts
    - configuring your form to work with a script, 324–327
    - formmail.pl script, 324–328
    - hidden fields, 327–328
    - overview, 323–324
  - check boxes, creating, 314–315
  - Check In/Out feature, 111–112
  - Check Links, 93–94
  - Checked Out By report, 92
  - Cheng, Mariana Davi (Web site designer), 406

- Christopher Noxon (Web site), 413–414
- Class option
  - audio files, 300
  - Flash, 291
  - HTML tables, 205
  - Java, 307
  - video files, 300
- class selectors, 129, 169
- class style, 133
- Clean Up option (Design Notes), 114
- Clean up Word paragraph spacing option, 41
- Clear and Convert option (HTML tables), 205
- clear GIF trick, 215
- Clear option (CSS Rule Definition dialog box), 149
- clip art, 68
- Clip option
  - AP Divs, 195
  - CSS Rule Definition dialog box, 153
- Cloaking feature, 109–111
- code for CSS, 130–131
- Code option (Java), 307
- ColdFusion MX, 337
- ColdFusion MX For Dummies* (Ashenfelter), 336
- color for links, 56
- Color options (CSS Rule Definition dialog box), 145
- Cols option (HTML tables), 204
- Combinable Nested Font Tags report, 92
- Command option (Server Behaviors panel), 351
- Command (Stored Procedure) option (Bindings panel), 350
- Common bar, 25
- Common Gateway Interface scripts. *See* CGI scripts
- complex designs with images, creating, 74–75
- Components panel, 353
- conflicting styles, managing, 141–143
- consistent designs, creating, 398–399
- contents, making sure the table fits the, 206
- contextual styles, 129, 182
- contrast, adjusting, 76–78
- Contribute program, 121
- copying steps you already executed, 122
- Crop icon attribute (Property Inspector), 43
- cropping images, 47, 76
- CSS. *See* Cascading Style Sheets
- CSS Advisor, 89
- CSS layouts
  - advanced resources for, 197
  - aligning images, 178–181
  - AP Divs, 186–195
  - border settings, 169
  - box model, 163–167
  - class selectors, 169
  - contextual styles, 182
  - creating, 171–178
  - displaying CSS in different browsers, 170–171
  - ID selectors, 169
  - margins, 168–170
  - new page, creating, 196
  - overview, 163–164
  - padding, 168–169
  - predesigned pages, 400
  - semantic page designs, creating, 167
  - split view, 171
  - tag selectors, 169
  - unordered lists, 181–186
  - using, 196–197
  - viewing a page with no styles in Firefox, 166–167
- CSS Rule Definition dialog box
  - Background category, 145–147
  - Block category, 147–148
  - Border category, 149–150
  - Box category, 148–149
  - Extensions category, 153
  - List category, 150
  - overview, 143–144
  - Positioning category, 151–153
  - Type category, 144–145
- CSS Setting attribute (Property Inspector), 44

- CSS Styles panel
  - All mode, 160
  - Current mode, 161
  - overview, 159–160
- Cursor option (CSS Rule Definition dialog box), 153
- Cute FTP, 104
- **D** •
- Data bar, 25
- data, sorting, 211–212
- database, 333
- database applications, 335
- Database Development For Dummies* (Taylor), 335, 376
- database editing from a browser
  - adding a record, 377–378
  - overview, 376–377
  - updating a record, 379–381
  - validating user input, 382–386
- database search
  - overview, 373
  - results page, setting up the, 374–376
  - search page, setting up the, 374
- Databases panel, 348
- declarations, 130
- Decoration options (CSS Rule Definition dialog box), 144
- dedicated machine, keeping database on a, 373
- Delete Record option (Server Behaviors panel), 352
- delimited format, importing data with, 212–214
- dependent files, 105
- design files, 258–259
- Design Notes
  - activating, 115–116
  - adding Design Notes to a document, 116–117
  - Clean Up option, 114
  - Maintain Design Notes option, 114
  - overview, 114
  - Upload Design Notes For Sharing option, 114
  - using, 116–117
- Design Notes report, 92
- design time style sheets, 162
- development machine, protecting your, 372
- device emulator, 60
- DHTML (Dynamic HTML), 334
- Digital Family (Web site), 414–415
- Directory Browsing on your Web server, turning off, 372
- Display option (CSS Rule Definition dialog box), 148
- dithering, 66
- docking panels, 27
- Document window, 24
- domain name, registering, 391–392
- domain registration services, 391–392
- Dreamweaver CS3 Bible* (Lowery), 332
- Dreamweaver Exchange Site, 279–280, 396
- drop-down lists, creating, 318–320
- Dynamic Form Elements option (Server Behaviors panel), 352
- Dynamic HTML (DHTML), 334
- Dynamic Text option (Server Behaviors panel), 352
- dynamic Web sites. *See also* forms used to manage dynamic Web sites
  - Active Server Pages (ASP), 336
  - ASP.NET, 336–337
  - ColdFusion MX, 337
  - database, 333
  - database applications, 335
  - fields, 333
  - images, adding dynamic, 358–359
  - images, binding, 360–361
  - JavaServerPages (JSP), 337
  - master-detail page set, 364–366
  - navigation, 362–364
  - overview, 17–19, 332–334
  - permissions, setting, 339–341
  - PHP, 337
  - records, 333
  - recordsets, 353–357
  - regions, 358
  - Repeat Region server behavior, 358
  - server behaviors, 358
  - server technologies supported by Dreamweaver, 335–338

dynamic Web sites (*continued*)  
 setting up Dreamweaver for  
   Macintosh, 345  
 setting up Dreamweaver for  
   Windows, 342–345  
 Spry, 337–338  
 tables, 333–334  
 Web servers, 335, 338–341

## • E •

e-commerce Web sites  
 extensions for, 388  
 merchant accounts, 387  
 overview, 386–388  
 payment gateway, 387  
 secure site certificate, 387–388  
 shopping carts, 387  
 virtual terminal, 387  
 Edit option (Flash), 290  
 Edit Server Behaviors option (Server  
   Behaviors panel), 352  
 editable attributes, 241, 247–249  
 editable regions, 240–241  
 editing  
   behaviors, 277–278  
   an existing style, 143  
   external style sheets, 156–158  
   Library items, 257  
   Web pages online, 110  
 editing images  
   brightness, adjusting, 76–78  
   contrast, adjusting, 76–78  
   cropping images, 76  
   optimizing images, 78–80  
   overview, 75–76  
   sharpening an image, 78  
 Edwards, Kim (*The Memory Keeper's  
   Daughter*), 409  
 e-mail links, 53  
 embedding video files in a Web page,  
   298–299  
 Eschner, Robin (artist), 406  
 events  
   onAbort, 268  
   onBlur, 268

  onChange, 268  
   onClick, 269  
   onDbClick, 269  
   onError, 269  
   onFocus, 269  
   onKeyDown, 269  
   onKeyPress, 269  
   onKeyUp, 269  
   onLoad, 269  
   onMouseDown, 269  
   onMouseMove, 269  
   onMouseOut, 269  
   onMouseOver, 269  
   onMouseUp, 269  
   onMove, 269  
   onReset, 269  
   onResize, 269  
   onScroll, 269  
   onSelect, 269  
   onSubmit, 269  
   onUnload, 269  
   overview, 268–269  
 existing Web sites, downloading, 105  
 Extensible Stylesheet Language  
   Transformation (XSLT), 352  
 extensions  
   adding new, 278–280  
   for e-commerce Web sites, 388  
 Extensions category (CSS Rule Definition  
   dialog box), 153  
 Extensions Manager, 280  
 external links, 51–52  
 external style sheets  
   creating, 154–155  
   CSS Styles panel, 159–161  
   design time style sheets, 162  
   editing, 156–158  
   linking to, 155–156  
   overview, 153–154  
   sample external style sheets, 158–159

## • F •

Fang, Christine (Power Yoga), 19, 407  
 Favicon, 396  
 Favorites bar, 25

- Favorites tab, using, 401
- Fetch, 104
- fields, 333
- file extensions, 283
- File option (Flash), 289
- File Transfer Protocol. *See* FTP
- File View Columns, 119–120
- filename, using browser to identify, 96–97
- files
  - adding Flash files to a Web site, 288–289
  - cloaking, 109–111
  - dependent files, 105
  - downloading, 107
  - File View Columns, 119–120
  - finding files by their addresses, 96–97
  - moving files, 98–99
  - renaming files, 98–99
  - Site Map Layout used to manage, 117–119
  - uploading, 106–107
- Filter option (CSS Rule Definition dialog box), 153
- Finkelstein, Ellen (*Adobe Flash CS3 For Dummies*), 283
- Fireworks icon attribute (Property Inspector), 43
- first page, designing your, 37
- fixed position, 151
- Flash
  - adding Flash files to a Web site, 288–289
  - Align option, 292
  - Autoplay option, 291
  - Bg option, 292
  - buttons, adding Flash, 283–284
  - Class option, 291
  - Edit option, 290
  - File option, 289
  - H (Height) option, 289
  - H Space (Horizontal Space) option, 291
  - Loop option, 291
  - Name field option, 289
  - options for, setting, 289–292
  - overview, 283
  - Parameters option, 292
  - Play button option, 292
  - Quality option, 291
  - Reset Size option, 290
  - resources for, 292
  - Scale option, 291–292
  - scripts, 284
  - Src (Source) option, 290
  - text, creating, 284–286
  - using, 400–401
  - V Space (Vertical Space) option, 291
  - W (Width) option, 289
- Flash Arcade, 292
- Flash Kit, 292
- Flash video files
  - adding, 302–305
  - overview, 294
- Float option (CSS Rule Definition dialog box), 149
- .flv files, 283
- font collections, 40
- Font options (CSS Rule Definition dialog box), 144
- fonts
  - for computer screens, using, 401
  - overview, 38–40
  - resources, 395
  - sans serif, 40
  - serif, 40
  - settings, changing, 54–55
  - sizing, 146
- formmail.pl script, 324–328
- forms
  - Access Key option, 312
  - accessibility options for, 312
  - appearance of, improving, 323
  - browsers, forms displaying differently in
    - different, 318
  - CGI scripts, 323–328
  - check boxes, creating, 314–315
  - creating, 310–311
  - drop-down lists, creating, 318–320
  - ID option, 312
  - jump menus, 322–323
  - Label option, 312
  - overview, 309–310
  - Position option, 312
  - radio buttons, creating, 313–314
  - Reset buttons, 320–321
  - Style option, 312

forms (*continued*)

Submit buttons, 320–321

Tab Index option, 312

text areas, adding, 315–317

text fields, adding, 315–317

## Forms bar, 25

## forms used to manage dynamic Web sites

browser, editing a database from a,  
376–386

database records, searching for, 373–376

e-commerce Web sites, 386–388

security, 372–373

user authentication, establishing, 367–372

## frames

\_blank target, 234

borders, 234–235

creating, 223–226

Frames icon used to create, 225–226

guidelines for, 221

how it works, 222–223

linking to other Web sites, avoid using  
frames when, 228

links, setting, 229, 231–232

margin height, 237

margin width, 237

naming, 229–231

<noframes> content, including, 221

overview, 16–17, 219–221

\_parent target, 234

properties, changing frame, 234–237

Property inspector, using Target drop-  
down list in, 232–234

resizing options, 236–237

saving files in a frameset, 226–228

scrolling options, 236

\_self target, 234

sizing, 236

Split Frame command used to create,  
223–225

target frame, setting links to a, 231–232

target options, 232–234

\_top target, 234

viewing frame borders, 226

## framesets

creating, 224–225

predesigned pages, 399

## FTP (File Transfer Protocol)

access for, setting up Web server, 102–104

Cute FTP, 104

editing Web pages online, 110

Fetch, 104

overview, 30

synchronizing local and remote sites,  
107–109

Transmit, 104

using, 103

WS\_FTP, 104



Gardner, Susannah (Hop Studios), 412

Garfinkel, Simson (*Web Security, Privacy  
and Commerce*), 373

Get More Data Sources option (Bindings  
panel), 350

Get More Server Behaviors option (Server  
Behaviors panel), 352

Getty Images, Inc, 68

GIF format, 63

GIF images, 66–67

## global changes

made to links, 99–100

made with Library items, 256–257

made with templates, 250–253

overview, 54–57

Go to Detail Page option (Server Behaviors  
panel), 352

Go to Related Page option (Server  
Behaviors panel), 352

goals and objectives, clarifying your, 22

## graphics

Adobe Fireworks, 62

Adobe Photoshop, 62

Adobe Photoshop Elements, 62

aligning images, 71–75

background images, 80–81

brightness, adjusting, 76–78

buying royalty-free images, 68

comparing Adobe Web graphics  
programs, 62

contrast, adjusting, 76–78

cropping images, 76

- dithering, 66
- editing images, 75–80
- formats, choosing the best image, 63
- GIF format, 63
- image maps, 81–83
- inserting images in Dreamweaver, 70
- JPEG format, 63
- optimizing, 62–63, 78–80
- optimizing GIF images in Photoshop, 66–67
- optimizing JPEG images in Photoshop, 64–65
- overview, 62–63
- PNG format, 63
- repeating images, 80–81
- saving images for the Web, 63–64
- sharpening an image, 78
- total file size of images on your page, 68–69

## • H •

- H (Height) option
  - AP Divs, 194
  - audio files, 299
  - Flash, 289
  - HTML tables, 204
  - Java, 307
  - video files, 299
- H option (HTML tables), 208
- H Space (Horizontal Space) option
  - audio files, 300
  - Flash, 291
  - Java, 307
  - video files, 300
- Hatfield, Bill
  - Active Server Pages For Dummies*, 336
  - ASP.NET For Dummies*, 336
- head section for templates, 242
- Header option (HTML tables), 208
- headlines, 37–38
- Height attribute (Property Inspector), 43
- Height option
  - Box category (CSS Rule Definition dialog box), 149
  - Positioning category (CSS Rule Definition dialog box), 152
- hidden fields, 327–328
- highlighting Library items, 256
- History panel, 121–122
- Holzner, Steve (*Ajax For Dummies*), 336
- Hop Studios, 412–413
- Horizontal Position option (CSS Rule Definition dialog box), 147
- Horizontal Space attribute (Property Inspector), 43
- Horz option (HTML tables), 208
- HTML tables
  - Align option, 205
  - alignment, using tables for, 214–217
  - Bg Color option, 205
  - Bg (Color) option for cells, 208
  - Bg Image option, 205
  - Bg (Image) option for cells, 208
  - Border option, 205
  - Brdr Color option, 205
  - Brdr (Color) option for cells, 208
  - cell options, controlling, 207–208
  - CellPad option, 205
  - cells, 200–201
  - CellSpace option, 205
  - Class option, 205
  - Clear and Convert option, 205
  - clear GIF trick, 215
  - Cols option, 204
  - contents, making sure the table fits the, 206
  - creating, 200–211
  - data, sorting, 211–212
  - delimited format, importing data with, 212–214
  - designing forms with, 214–217
  - H option, 208
  - H (Height) option, 204
  - Header option, 208
  - Horz option, 208
  - importing data from other programs, 212–214
  - Merge Cells icon option, 208
  - merging cells, 206–207
  - multiple cells, changing, 207–208
  - multiple columns, formatting, 209–211
  - nested tables, 218
  - No Wrap option, 208

HTML tables (*continued*)

- overview, 15–16, 199–200, 333–334

- Rows option, 204

- spacing, using tables for, 214–217

- Split Cell icon option, 208

- splitting cells, 206–207

- Standard Mode, creating tables in, 202–203

- Table Id option, 204

- Vert option, 208

- Vertical Alignment to Top option, 216

- W option, 208

- W (Width) option, 204

- width of, 203

## HTML tags

- block elements, 164

- inline elements, 164

- Quick Tag Editor, 122–124

- redefining HTML tags, 137–139

- Hyperlink attribute (Property Inspector), 43

## • I •

- ID selectors, 129, 169

- image attributes in Property Inspector

- Alignment attribute, 44

- Alternate Text attribute, 43

- Brightness and Contrast icon attribute, 43

- Crop icon attribute, 43

- CSS Setting attribute, 44

- Fireworks icon attribute, 43

- Height attribute, 43

- Horizontal Space attribute, 43

- Hyperlink attribute, 43

- Image Border attribute, 44

- Image Map Coordinates attribute, 43

- Link Target attribute, 44

- Low Source attribute, 44

- Map Name attribute, 42

- Name attribute, 42

- Optimize icon attribute, 43

- Resample icon attribute, 43

- Sharpen icon attribute, 43

- Source attribute, 43

- Vertical Space attribute, 43

- Width attribute, 43

- image maps, 81–83

- images. *See also* aligning images; editing images; image attributes in

- Property Inspector

- adding, 42–43, 188

- adding dynamic, 358–359

- binding, 360–361

- cropping, 47

- inserting images in Dreamweaver, 70

- overview, 41–42

- resizing, 47

- Import Tabular Data dialog box, 213

- importing data from other programs into HTML tables, 212–214

- index.html page, 36

- inline elements, 164

- inline styles (CSS), 130

- Insert bar, 25

- Insert Record option (Server Behaviors panel), 352

- integrated e-mail, 113

- internal styles (CSS), 130

- iStockphoto.com, 68

## • J •

- Java

- Align option, 307

- Alt option, 307

- Applet name option, 307

- Base option, 307

- Class option, 307

- Code option, 307

- H (Height) option, 307

- H Space (Horizontal Space) option, 307

- inserting Java applets in your Web page, 305–306

- JavaScript compared, 306

- options for, setting, 306–307

- overview, 305

- Parameters option, 307

- V Space (Vertical Space) option, 307

- W (Width) option, 307

- Java For Dummies* (Burd), 307

- JavaScript, 306

- JavaServer Pages For Dummies* (Rinehart), 336

JavaServerPages (JSP), 337  
 JCWarner (Web site), 415–416  
 JPEG format, 63–65  
 jump links, 50–51  
 jump menus, 322–323

## • K •

Kaufeld, John (*Access 2003 For Dummies*), 335  
 Kriegel, Alex (*SQL Bible*), 335

## • L •

L (Left) option (AP Divs), 194  
 Label option for forms, 312  
 LaFontaine, David (director), 410  
 Layout bar, 25  
 Leete, Gurdy (*Adobe Flash CS3 For Dummies*), 283  
 Letter spacing option (CSS Rule Definition dialog box), 148  
 Library items
 

- adding Library items to a page, 255
- creating, 254
- editing, 257
- global changes made with, 256–257
- highlighting, 256
- overview, 253–254

 line art, 67  
 line breaks, 40–41  
 Line height options (CSS Rule Definition dialog box), 144  
 Link Target attribute (Property Inspector), 44  
 linked style sheets. *See* external style sheets  
 links. *See also* broken links; setting links
 

- active links, 56
- to audio files, 297–298
- color for, 56–57
- to external style sheets, 155–156
- global changes made to, 99–100
- rollover links, 56
- styles, changing, 139–141
- testing, 141

- unordered lists, 181–186
  - to video files, 297–298
  - visited links, 56
- List category (CSS Rule Definition dialog box), 150  
 Load option (Tracing Image), 262  
 local sites, synchronizing remote and, 107–109  
 log files, 88  
 login page, creating a, 368–371  
 Loop option (Flash), 291  
 Low Source attribute (Property Inspector), 44  
 Lowery, Joseph (*Dreamweaver CS3 Bible*), 332

## • M •

Maintain Design Notes option (Design Notes), 114  
 management of site. *See* site management  
 Map Name attribute (Property Inspector), 42  
 margin height for frames, 237  
 Margin option (CSS Rule Definition dialog box), 149  
 margin width for frames, 237  
 margins for CSS layouts, 168–170  
 master-detail page set, 364–366  
 May, Cybele (blogger), 412  
 McCarthy, Kathy (Web site designer), 19, 407  
 McCullough-Dieter, Carol (*Oracle8i For Dummies*), 335  
*The Memory Keeper's Daughter* (Edwards), 409  
 Memory Keepers Daughter (Web site), 409  
 menu bar, 28  
 merchant accounts, 387  
 Merge Cells icon option (HTML tables), 208  
 merging cells, 206–207  
 Meta tags, 57–58  
 Microsoft
 

- ASP, 336
- ASP.NET, 336–337
- Visual SourceSafe, 102, 112

Missing Alt Text report, 92  
 Mitchell, David (blogger), 408  
 MP3, 295  
 multimedia files, 282  
 multimedia players, 282  
 multiple behaviors, 277  
 multiple cells, changing, 207–208  
 multiple columns, formatting, 209–211  
 multiple new pages created to set links, 47

## • N •

Name attribute, 42  
 Name field option  
   audio files, 299  
   Flash, 289  
   video files, 299  
 named anchor links, 50–51  
 naming  
   AP Divs, 190  
   frames, 229–231  
   renaming files, 98–99  
   Web pages, 36  
 navigation  
   dynamic Web sites, 362–364  
   new site development, 21  
 nested AP Divs, 192–193  
 nested tables, 218  
 New CSS Rule dialog box, 132–133  
 New Document window, 35  
 new pages  
   created from a template, 249  
   created with CSS layouts, 196  
   creating, 34–35  
 New Server Behavior option (Server Behaviors panel), 352  
 new site development  
   behind the scenes, 21  
   brainstorming session for, 22–23  
   goals and objectives, clarifying your, 22  
   managing site's structure, 20–21  
   navigation, 21  
   overview, 20  
   planning for, 22–23  
 new style, defining a, 132–135  
 new template, creating, 242–245  
 No Wrap option (HTML tables), 208

<noframes> content, including, 221  
 Noxon, Christopher (*Rejuvenile: Kickball, Cartoons, Cupcakes and the Reinvention of the American Grown Up*), 413–414

## • O •

onAbort event, 268  
 onBlur event, 268  
 onChange event, 268  
 onClick event, 269  
 onDbClick event, 269  
 onError event, 269  
 onFocus event, 269  
 onKeyDown event, 269  
 onKeyPress event, 269  
 onKeyUp event, 269  
 onLoad event, 269  
 onMouseDown event, 269  
 onMouseMove event, 269  
 onMouseOut event, 269  
 onMouseOver event, 269  
 onMouseUp event, 269  
 onMove event, 269  
 onReset event, 269  
 onResize event, 269  
 onScroll event, 269  
 onSelect event, 269  
 onSubmit event, 269  
 onUnload event, 269  
 Open Browser Window behavior, 275–277  
 Optimize icon attribute (Property Inspector), 43  
 optimizing graphics  
   optimizing GIF images in Photoshop, 66–67  
   optimizing JPEG images in Photoshop, 64–65  
   overview, 62–63  
   steps for, 78–80  
*Oracle8i For Dummies* (McCullough-Dieter), 335  
 orphans, 94  
 Overflow option  
   AP Divs, 195  
   CSS Rule Definition dialog box, 151

**• P •**

padding, 168–169  
Padding option (CSS Rule Definition dialog box), 149  
page margins, changing, 54–55  
Page Properties dialog box  
  background, changing, 54–55  
  font settings, changing, 54–55  
  link color, changing, 56–57  
  overview, 54, 140–141  
  page margins, changing, 54–55  
  text colors, changing, 54–55  
  underline options, changing, 56–57  
Pagebreak option (CSS Rule Definition dialog box), 153  
paragraphs, 40–41  
Parameters option  
  audio files, 300  
  Flash, 292  
  Java, 307  
  video files, 300  
parameters, setting, 300–302  
\_parent target, 234  
passwords  
  choosing, 372  
  overview, 102  
payment gateway, 387  
PDFs (Portable Document Format), 307–308  
permissions, setting, 339–341  
photographs, 68  
Photos.com, 68  
PHP, 337  
*PHP 5 For Dummies* (Valade), 336  
Placement option (CSS Rule Definition dialog box), 152  
planning for new site development, 22–23  
Play button option  
  audio files, 300  
  Flash, 292  
  video files, 300  
Plg URL option  
  audio files, 300  
  video files, 300  
PNG format, 63  
Portable Document Format (PDFs), 307–308

Positioning category (CSS Rule Definition dialog box), 151–153  
Power Yoga (Web site), 17–19, 334, 407  
predesigned pages  
  CSS-designed pages, 400  
  framesets, 399  
  overview, 258–259  
  template pages, 399, 400  
  with text, 400  
  using, 399–400  
previewing your page in a browser, 59–60  
Property inspector  
  image attributes in, 42–44  
  overview, 26–27  
  using Target drop-down list in, 232–234  
publishing your site to a Web server  
  accessing Dreamweaver's publishing tools, 100–102  
  FTP, setting up Web server access for, 102–104  
  overview, 100–102  
  transferring files between your hard drive and a remote server, 105–107  
  uploading Web site, 104–107

**• Q •**

Quality option (Flash), 291  
Quick Tag Editor, 122–124  
QuickTime, 295

**• R •**

radio buttons, creating, 313–314  
RDS (Rapid Development Services), 102  
RealAudio, 296  
RealVideo, 294  
Recently Modified report, 92  
Recorded Commands, 122  
records  
  adding, 377–378  
  overview, 333  
recordset  
  defining, 353–355  
  overview, 353  
  using, 356–357

- Recordset Paging option (Server Behaviors panel), 351
  - Recordset (Query) option
    - Bindings panel, 350
    - Server Behaviors panel, 351
  - redefining HTML tags, 137–139
  - Redundant Nested Tags report, 92
  - regions, 358
  - Rejuvenile: Kickball, Cartoons, Cupcakes and the Reinvention of the American Grown Up* (Noxon), 413
  - relative links, 48
  - relative position, 152
  - remote sites, synchronizing local and, 107–109
  - Removable Empty Tags report, 93
  - renaming files, 98–99
  - Repeat option (CSS Rule Definition dialog box), 147
  - Repeat Region option (Server Behaviors panel), 351
  - Repeat Region server behavior, 358
  - repeating images, 80–81
  - replaying any/all steps displayed in History panel, 122
  - Request Variable option (Bindings panel), 350
  - Resample icon attribute (Property Inspector), 43
  - Reset buttons, 320–321
  - Reset Position option (Tracing Image), 262
  - Reset Size option (Flash), 290
  - resizing
    - AP Divs, 188–189
    - frames, 236–237
    - images, 47
  - resources
    - domain registration services, 391–392
    - Dreamweaver Exchange Site, 279–280, 396
    - Favicon, 396
    - for Flash, 292
    - for fonts, 395
    - for selling items online, 394
    - for surveys, 395
    - for templates, 395
    - traffic tracking services, 394–395
    - Web designers, 396
    - Web hosting service, 392–394
      - for Web standards, 396
    - restricting access to pages, 371–372
    - results page, setting up the, 374–376
    - Retain line breaks option, 41
    - Rinehart, MacCormac (*JavaServer Pages For Dummies*), 336
    - RobinEschner (Web site), 406
    - rollover image, 267–268
    - rollover links, 56
    - root site folder, defining a, 30–32
    - Rows option (HTML tables), 204
    - rules. *See also* CSS Rule Definition dialog box
      - Cascading Style Sheets (CSS), 130
      - for filenames, 36
      - three clicks rule, 399
- S ●
- sample external style sheets, 158–159
  - samples and starter pages, 258–259
  - sans serif fonts, 40
  - Save for Web & Devices dialog box, 67
  - Scale option (Flash), 291–292
  - scripts, 284
  - scrolling options for frames, 236
  - search page, setting up the, 374
  - secure site certificate, 387–388
  - security
    - Access databases, 373
    - authentication, pages requiring, 372
    - dedicated machine, keeping database on a, 373
    - development machine, protecting your, 372
    - Directory Browsing on your Web server, turning off, 372
    - overview, 372–373
    - passwords, choosing, 372
    - source for code, knowing your, 373
    - SSL, 373
    - selectors, 130
    - \_self target, 234
    - selling items online, resources for, 394

- semantic page designs, creating, 167
- serif fonts, 40
- server behaviors, 358
- Server Behaviors panel
  - Command option, 351
  - Delete Record option, 352
  - Dynamic Form Elements option, 352
  - Dynamic Text option, 352
  - Edit Server Behaviors option, 352
  - Get More Server Behaviors option, 352
  - Go to Detail Page option, 352
  - Go to Related Page option, 352
  - Insert Record option, 352
  - New Server Behavior option, 352
  - overview, 350–352
  - Recordset Paging option, 351
  - Recordset (Query) option, 351
  - Repeat Region option, 351
  - Show Region option, 351–352
  - Update Record option, 352
  - User Authentication option, 352
  - XSL Transformation option, 352
- server technologies supported by
  - Dreamweaver, 335–338
- Session Variable option (Bindings panel), 350
- setting links
  - absolute links, 48
  - e-mail links, 53
  - external links, 51–52
  - jump links, 50–51
  - multiple new pages created
    - to set links, 47
  - named anchor links, 50–51
  - overview, 47–48
  - relative links, 48
  - with your Web site, 48–50
- setting up Dreamweaver
  - for Macintosh, 345
  - for Windows, 342–345
- Sharpen icon attribute (Property Inspector), 43
- sharpening an image, 78
- shopping carts, 387
- Show option (Tracing Image), 262
- Show Region option (Server Behaviors panel), 351–352
- Site Definition dialog box, 30
- site definition process
  - multiple sites, 32–33
  - overview, 29–30
  - root site folder, defining a, 30–32
- site management
  - Check In/Out feature, 111–112
  - Contribute program, 121
  - Design Notes, 114–117
  - File View Columns, 119–120
  - integrated e-mail, 113
  - Site Map Layout, 117–119
  - Testing Server option, 111
  - version control systems, 112
- Site Map Layout, 117–119
- Site Reporting
  - Accessibility report, 92
  - Checked Out By report, 92
  - Combinable Nested Font Tags report, 92
  - creating a report, 90–91
  - Design Notes report, 92
  - Missing Alt Text report, 92
  - overview, 90
  - Recently Modified report, 92
  - Redundant Nested Tags report, 92
  - Removable Empty Tags report, 93
  - Untitled Documents report, 93
- Size options (CSS Rule Definition dialog box), 144
- sizing frames, 236
- Sort Table dialog box, 211–212
- Source attribute (Property Inspector), 43
- source for code, knowing your, 373
- spacing, using tables for, 214–217
- Sparselysageandtimely (Web site), 408
- Split Cell icon option (HTML tables), 208
- Split Frame command used to create frames, 223–225
- split view in CSS layouts, 171
- splitting cells, 206–207
- splitting the view, 400
- Spry, 337–338
- Spry bar, 25
- Spry validation widgets, 382–386
- Spry XML Data Set option (Bindings panel), 350
- SQL Bible* (Kriegel and Trukhnov), 335

*SQL For Dummies* (Taylor), 335, 352, 376  
 Src (Source) option  
   audio files, 300  
   Flash, 290  
   video files, 300  
 SSL, 373  
 stacking AP Divs, 190–192  
 Standard Mode, creating tables in, 202–203  
 StatCounter, 394–395  
 static position, 152  
 status bar, 28  
 streaming media, 293  
 Studioweasel (Web site), 410  
 Style option  
   CSS Rule Definition dialog box, 144  
   forms, 312  
 Submit buttons for forms, 320–321  
 Sureshotentertainment (Web site), 411  
 Survey Monkey, 395  
 surveys, resources for, 395  
 Swap Image behavior, 269–275  
   .swf files, 283  
 Swish, 292  
 synchronizing local and remote sites,  
   107–109

## • T •

T (Top) option (AP Divs), 194  
 Tab Index option (forms), 312  
 Table Id option (HTML tables), 204  
 tables. *See* HTML tables  
 tag selectors, 129, 169  
 tag style, 133  
 target frame, setting links to a, 231–232  
 Taylor, Allen G.  
   *Database Development For Dummies*,  
     335, 376  
   *SQL For Dummies*, 335, 352, 376  
 templates  
   attaching, 252–253  
   creating, 240–249  
   detaching, 252–253  
   editable attributes, 241, 247–249  
   editable regions, 240–241  
   global changes made with, 250–253  
   head section, 242  
   identifying, 251

  new page created from a template, 249  
   new template, creating, 242–245  
   overview, 239–240  
   predesigned pages, 399, 400  
   resources, 395  
   saving any page as a template, 245–247  
   uneditable regions, 240–241  
   updating files in, 250–251  
 testing  
   broken links, finding and fixing, 93–100  
   links, 141  
   with Site Reporting, 90–93  
 Testing Server option, 111  
 testing your site in different browsers  
   Browser Compatibility feature, 89  
   differences in browsers, 88–89  
   log files used in, 88  
   overview, 86–88  
 text  
   areas, adding, 315–317  
   colors, changing, 54–55  
   creating in Flash, 284–286  
   fields, adding, 315–317  
   headlines, 37–38  
   inserting text from another program, 41  
   predesigned pages, 400  
   sizing, 39  
 Text align option (CSS Rule Definition  
   dialog box), 148  
 Text bar, 25  
 Text indent option (CSS Rule Definition  
   dialog box), 148  
 text wrapping, aligning an image with,  
   72–74  
 Thompson, Anissa (Web site designer), 19  
 three clicks rule, 399  
 timesaving tips  
   audience, designing for your, 397–398  
   backups, 403  
   consistent designs, creating, 398–399  
   Favorites tab, using, 401  
   Flash, using, 400–401  
   fonts for computer screens, using, 401  
   predesigned pages, using, 399–400  
   splitting the view, 400  
   three clicks rule, 399  
   updates, be prepared for fast, 402–403  
 \_top target, 234

Tracing Image  
  adding a tracing image to your page, 261  
  Adjust Position option, 262  
  Align with Selection option, 262  
  Load option, 262  
  overview, 260  
  Reset Position option, 262  
  Show option, 262  
traffic tracking services, 394–395  
transferring files between your hard drive  
  and a remote server, 105–107  
Transmit, 104  
Trukhnov, Boris M. (*SQL Bible*), 335  
Type category (CSS Rule Definition dialog  
  box), 144–145  
Type option (CSS Rule Definition dialog  
  box), 151–152

## • U •

“Under Construction” placeholders, 21  
underline options, changing, 56–57  
undoing the results of replayed steps, 122  
uneditable regions, 240–241  
unordered lists, 181–186  
Untitled Documents report, 93  
Update Record option (Server Behaviors  
  panel), 352  
updates  
  files in templates, 250–251  
  preparation for fast, 402–403  
  records, 379–381  
Upload Design Notes For Sharing option  
  (Design Notes), 114  
uploading  
  files, 106–107  
  Web site, 104–107  
user authentication  
  login page, creating a, 368–371  
  overview, 367  
  restricting access to pages, 371–372  
User Authentication option (Server  
  Behaviors panel), 352  
user\_auth.asp, 371–372

## • V •

V Space (Vertical Space) option  
  audio files, 300  
  Flash, 291  
  Java, 307  
  video files, 300  
Valade, Janet (*PHP 5 For Dummies*), 336  
validating user input, 382–386  
Variant options (CSS Rule Definition dialog  
  box), 145  
vector graphics, 283  
version control systems, 112  
Vert option (HTML tables), 208  
Vertical alignment option (CSS Rule  
  Definition dialog box), 148  
Vertical Alignment to Top option (HTML  
  tables), 216  
Vertical Position option (CSS Rule  
  Definition dialog box), 147  
Vertical Space attribute (Property  
  Inspector), 43  
video files  
  Align option, 300  
  Border option, 300  
  Class option, 300  
  embedding video files in a Web page,  
    298–299  
  Flash video files, adding, 302–305  
  formats for, 292–295  
  H (Height) option, 299  
  H Space (Horizontal Space) option, 300  
  linking to, 297–298  
  Name field option, 299  
  options for, setting, 299–300  
  overview, 296  
  Parameters option, 300  
  parameters, setting, 300–302  
  Play button option, 300  
  Plg URL option, 300  
  Src (Source) option, 300  
  V Space (Vertical Space) option, 300  
  W (Width) option, 299  
virtual terminal, 387

Vis option (AP Divs), 194–195  
 Visibility option (CSS Rule Definition dialog box), 152  
 visited links, 56

## • W •

W option (HTML tables), 208  
 W (Width) option  
   AP Divs, 194  
   audio files, 299  
   Flash, 289  
   HTML tables, 204  
   Java, 307  
   video files, 299  
 Warner, Janine C. (JCWarner Web site), 415  
 WAV, 296  
 Web browsers. *See* browsers  
 Web design  
   comparing, 12–19  
   with CSS, 12–14  
   dynamic Web sites, 17–19  
   with frames, 16–17  
   old-school designs (tables), 15–16  
   overview, 11–12  
   with tables, 15–16  
 Web designers, 396  
 Web hosting service, 392–394  
 Web Promotion, 68  
*Web Security, Privacy and Commerce* (Garfinkel), 373  
 Web server. *See also* publishing your site to a Web server  
   dynamic Web sites, 335  
   overview, 30  
   permissions, setting, 339–341  
   setting up, 338–341  
 Web sites designed in Dreamweaver  
   Candy Blog, 412–413  
   Christopher Noxon, 413–414  
   Digital Family, 414–415  
   JCWarner, 415–416  
   Memory Keepers Daughter, 409  
   Power Yoga, 407  
   RobinEschner, 406  
   Sparselysageandtimely, 408

Studioweasel, 410  
 Sureshotentertainment, 411  
 Web standards, resources for, 396  
 WebDAV (Web-based Distributed Authoring and Versioning), 102, 112  
 Weight options (CSS Rule Definition dialog box), 145  
 Whitespace option (CSS Rule Definition dialog box), 148  
 Width attribute (Property Inspector), 43  
 width of HTML tables, 203  
 Width option  
   Box category (CSS Rule Definition dialog box), 149  
   Positioning category (CSS Rule Definition dialog box), 152  
 Windows Audio, 296  
 Windows Media Video, 294  
 Word spacing option (CSS Rule Definition dialog box), 148  
 workspace  
   coder layout, 24  
   customizing, 25  
   designer layout, 24  
   docking panels, 27  
   Document window, 24  
   Insert bar, 25  
   menu bar, 28  
   overview, 23–24  
   Property inspector, 26–27  
   status bar, 28  
 WS\_FTP, 104

## • X •

XML, 334  
 XSL Transformation option (Server Behaviors panel), 352  
 XSLT (Extensible Stylesheet Language Transformation), 352

## • Z •

Z-Index option  
   AP Divs, 194  
   CSS Rule Definition dialog box, 152