

## INDEX

*Italic* page numbers lead to topics that are available only online.

- 1minHgen, 121
- Acq2, 167
- Acqpz, 167
- Acquisition of lock, 137
  - aids, 171
    - frequency discriminator, 177
    - logic, 179
    - parameter modification, 176
    - phase-frequency detector, 179
    - sweeping. *See* Sweep, sweeping
  - analysis, 149, 153
  - bias, example, 152
  - changing loop parameters during, 174
  - experiments using MATLAB, 167
  - false lock, 156
  - first-order loop, 141, 144
  - noise, in the presence of, 377
  - range, 155, 157
    - defined, 138
    - sine PD, 146
  - second-order loop
    - example, 148
    - formulas, 146
    - summary table, 167
  - sine PD, 146
  - spreadsheets, 167
  - time, 147, 158, 160
    - by phase plane, 164
    - using MATLAB, 167
    - various PDs, formulas, 168
    - waveforms during, 140
- Added pole, effect
  - on modulation response, 134
  - on step response, 108
- Additional studies, 415
- ADPLL, 204, 229
  - by pulse addition and removal, 212, 228
    - ripple control, 228
    - stability, 228
  - choice of values, example, 209
  - example of first-order, 209
  - higher order loops, 210
  - hold-in range, 214
  - sampling, effects on stability, 206
  - second-order, 228
  - simulation, 229
  - SN74LS297, 212
- AGC, 319
  - coherent, 174
  - effect on optimized loop, 331
  - loop output variance with, 406
  - suppression factor, 325
    - example, 331
  - with square law detection, 323

**430** INDEX

- All digital PLL. *See* ADPLL
- alpha (loop parameter), xxiii, 88
  - initial conditions specified
    - linear response unaffected, 107, 109
    - nonlinear response affected, 167
- AM sidebands, 273
- Amplitude detector, 322
- Analog to the PLL, electrical, 23
  - equivalent circuit
    - first-order loop, 18
    - second-order loop, 102
- Analysis
  - classical, 16
  - Laplace, 21
  - state space, 103
  - Z-transform, 208
- Answers to problems, xx
- Applications, xix, xxiii, 189
- Assumption re nature of the noise, 337
- Autocorrelation, 279
- Automatic gain control, 319. *See also*
  - AGC
- Automatic sweep circuit, 186
  - ... *See also* Sweep, sweeping
- Band-limited noise, 395
- Bandwidth
  - noise, 287
  - unity gain with high  $\zeta$ , 67
- Bd2ordT1, 86
- Bessel functions, modified, 333
- Bit synchronizer, 197
- Blanchard, Alain, xxi
- Block diagram, mathematical, 21, 24
- $B_n$ , 288
- Bode plot(s), 24, 72
  - determining noise response from, 252
  - drawing, 24, 81
  - example, 83
  - in MATLAB, 86
  - tangential approximation, errors in, 85
- Broadband noise, 280
- CAE, xxii
- Capacitor in loop filter, 56
  - reducing the size of, 54
- Carrier recovery, 195
  - BPSK, 195
  - loop, 314
    - noise in, 314
  - $M$ -phase signals, 196
  - QPSK, 196
- Carrier, tracking. *See* Tracking carrier
- Carson's rule, 304, 307
- Changing loop parameters to lock, 174
- ChsPlot, 86
- Click noise, 310, 395
  - with a PLL, 313, 395
- Clock recovery, symbol, 227
- Clock synchronization, 202
- Clock timing control, 200
- Closed-loop
  - equations, 22, 60
    - first-order loop, 22
    - second-order loop, 60
    - third-order loop, 217
  - sweeping. *See* Sweep, sweeping
- Coherent
  - AGC, 174
  - detector, 171, 323
    - output in noise, 385
- Complementary error function, 317
- Component noise, example, 260
- Correlation between noise samples, 279
- Costas loop, 195, 315
  - bi-phase, 195
  - $N$  phases, 196, 227
- Cycle skipping, 335, 347
  - due to noise, 335
  - eccentric signal in noise, 410
  - effect of  $\alpha$ , 353
  - first-order loop, 347
  - frequency, band-limited noise, 395
  - limiter, effect on, 404
  - mean frequency, 350
  - mean time, 347
  - narrow-band noise, 407
  - observing using NLPn, 167
  - probability for a given time, 350
  - second-order loop
    - $0 < \alpha < 1$ , 350
    - $\alpha = 0$ , 348
    - $\alpha = 1$ , 348
  - with mistuning, 353
  - experimental results, 356

- Data synchronization, 197, 203
- Data timing control, 200
- dB, 25, 251
- dBc/Hz, 243
- DC gain in loop filter, 49, 52
- DDS, 211
- Decibels, 25, 251
- Decision filter, 181
- Decomposition of single sideband, 286
- Delay, representing in stability analyses, 80
- Delay-and-multiply synchronizer, 200
- Delay-locked loop, 202
- Demodulator, loop as, 113, 128, 297
  - ... *See also* Frequency demodulator
  - ... *See also* Phase, demodulation
- Densities, integrating, 249
- Desensitization, 256
  - example, 256
- Detector(s)
  - amplitude, 322
  - coherent, 171, 323, 385
  - linear, 322
  - phase-frequency, 179
  - square law, 322
  - types of, 322
  - with sweep
    - full wave, 182
    - half wave, 182
    - quadrature, 183
- Dielectric absorption in filter capacitors, 57
- Diffusion of error probability, 338
- Digital PLL (ADPLL), 204
- Direct digital synthesizer, 211
- Distortion of demodulated FM signal, 299
- Division, frequency, 247
- DLL, 200
  
- Early-late gate bit synchronizer, 197
- Eccentric signal in noise, 407
  - effect on phase error, 411
  - simulating, 409
- Electrical analog to the PLL, 23, 102
- Equivalent circuit
  - first-order loop, 23
  - second-order loop, 102
- erfc, 317
- Error probability, diffusion of, 338
- Error response(s), 121
  - higher-order loops, approximate, 118
  - modulation, 118
- Error,  $2\pi$ , xxiii
- ErTrn..., 109
- ErTrn1a, 109
- Ev2ordT1, 86
- Evans (root locus) plot, 72, 76
  - in MATLAB, 86
- Examples
  - 1.1 Preservation of Units, 7
  - 1.2 Combined Gain, 10
  - 1.3 Hold-In Range, 13
  - 2.1 Transient Response, 19
  - 2.2 Modulation Response, 20
  - 2.3 Modulation Response, 24
  - 3.1 Effect of Current Source Z, 50
  - 5.1 Bode plot(s), 83
  - 6.1 Step Response, 91
  - 6.2 Envelope of Step Response, 94
  - 6.3 Ramp Response, 96
  - 6.4 Response to a Parabolic Input, 100
  - 7.1 Modulation in a Simple Loop, 116
  - 7.2 Use of Table 7.1, 119
  - 7.3 Modulation Response Curves, 126
  - 7.4 Use of Related Modulation Response Curves, 127
  - 7.5 Frequency Demodulator, 129
  - 8.1 Acquisition formulas, 148
  - 8.2 Pull-In Bias, 152
  - 9.1 Sweeping to Acquire, 184
  - 10.1 First-order ADPLL . . . , 209
  - 10.A.1 Synthesizer Frequency Error, Third-Order Loop, 222
  - 10.A.2 Synthesizer Phase Error, Third-Order Loop, 224
  - 11.1 Integrating Noise Density, 239
  - 11.2 Spectral Display of Noise SBs, 244
  - 11.3 Spectral Display of Phase Noise, 245
  - 12.1 Loop Response to Reference Phase Noise, Standard Plots, 252
  - 12.2 Loop Response to Reference Phase Noise, Bode Plot, 253
  - 12.3 Loop Response to VCO Phase Noise, 255
  - 12.4 Desensitization, 256
  - 12.5 Optimum Loop Bandwidth, 258
  - 12.6 Component Noise, 260
  - 12.7 Calibration ... Sine Character, 264

**432** INDEX

Examples (*Continued*)

- 12.8 Calibration Using Modulation, 265
- 12.9 Measurement With a PD, 268
- 13.1 PPSD from ... Noise PSD, 274
- 13.2  $u_1$  Due to Additive Noise, 280
- 13.3 PD Characteristic  $\Delta$  by Noise, 285
- 14.1 Loop Response... Add. Noise, 289
- 15.1 S/N in a Freq. Discriminator, 308
- 16.1 AGC Suppression Factor, 331
- 17.1 Phase Error with Large Noise, Exact Solution, 340
- 17.2 Phase Error in Second-Order Loop, Large Noise, 346
- 18.1 Effective gain with noise, 361
- 18.2 Effect of Modulation on Phase Offset, 365
- 18.3 Use of Suppression Factors, 368
- 18.4 Effect of Modulation on Phase Noise, 372
- 19.1 Sweep Acquisition in Noise, 387
- 19.2 False Stop, 389
- 19.3 False stop and restart, 392
- 20.1 Frequency Discriminator  $S/N$ , 402

Excel, 5, 167

- spreadsheets, 167
  - 1minHgen, 121
  - Acq2, 167
  - Acqpz, 167
  - IntFNs, 250
  - IntPDens, 249
  - IntPhNs, 249

Extending modulation frequency range, 131

Extensions of theory, 189

ExtrPole, 109

- False alarm, probability, 388
- False lock, 156, 229
- False restart, probability, 389
- False stop and restart, example, 392
- False stop versus false restart, 390
- False stop, probability, example, 389
- Files, getting from internet site, 421

Filter, loop

- active, 51
- capacitors in, 54, 56
- DC gain in, 49, 52
- driven by current source, xix, 45
- equations, form of, 56
- higher order, 57

- impractical, 55
- integrator, 47
- integrator-and-lead, 48, 66
- lag, 48, 65
- lag-lead, 49, 62
- low-pass, 48, 65
- modification during acquisition, 175
- op-amps in, 57
- passive, 45
- reference voltage, 55
- stability, 52
- transimpedance, DC, 49
- unintended poles, 53

Filtering effect of PLL, 3

Final value, 87

- acquisition by sweeping, 383
- approaching, 139
- special 3rd-order loop, 219

floor, oscillator noise, 274

FM

- improvement factor, 304, 306
- power spectrum of signal, 242
- sidebands, 273
- threshold, 314

Fokker-Plank

- equation
  - first-order loop, 337
  - second-order loop, 339
- method, 336

Fractional- $N$ , xix, 228

FreqRsp, 135

Frequency

- demodulator, discriminator, 4, 128
  - acquisition aid, 177
  - bandwidth set by a filter, 301
  - example, 129
  - first-order loop, 305
  - loop linearity, 307
  - phase error, 307
  - S/N
    - example, 308
    - narrow-band noise, example, 402
    - summary table, 308
  - second-order loop, 306
    - output at  $u_1$ , 306
  - standard, 299
    - with noise, 310
  - traditional, 299
- division, 190, 247

- mixing, 192
- modulation, 4, 111, 130
- multiplication, 247
- power spectral density, 235
- ramp input
  - optimized loop, 294
- response. *See* Modulation response
- step input
  - optimized loop, 294
- synthesis, xix, 4, 190
  - fractional- $N$ , 228
  - references, 416
  - sigma-delta, 228
  - variance, 237
- Frequency Synthesis by Phase Lock*, xxi
- FRspDorI, 136
- gain
  - combined, 10
    - example, 10
  - effect of noise on, example, 361
  - generalized VCO, 190
  - loop filter, 10
  - margin, 73
  - open-loop, computing, 81
  - phase detector, 8
  - suppression, 361
  - variation
    - effect on output spectrum, 361
    - effects on second-order loop, 329
  - VCO, 10
- Generalized VCO, 189
- Glossary, xxv
- Hangup, 166
- Heterodyning, 192. *See also* Mixer, mixing
- Hgeneric, 121
- Higher-order loops, 189
  - approximate response
    - error, 118
    - output, 117
  - estimating response, 60
  - in ADPLL, 228
  - MATLAB, responses using, 228
  - modulation response, 252
  - stability analysis, 77
- High-frequency poles, 152
- Hold-in range, 11
  - ADPLL, 214
  - defined, 138
  - example, 13
  - first-order loop, 146
  - second-order loop, 168
  - sine PD, 146
- IF filter, 156
- Improvement factor, FM, 304
- Infinite variances, 240
- Initial value of  $\mathbf{X}$  from  $\mathbf{C}^{-1}$ , 107
- Injection points for signals, various, 117
- Integrating noise density
  - example, 239
  - formulas, 238
- Integrator, 47
- Integrator-and-lead filter, 48, 66
- Internet site, getting files from, 421
- IntFNs, 250
- IntPDens, 249
- IntPhNs, 249
- $L$ , 243
- $\mathcal{L}$ , 247
- Limiter, limiting, 320, 325
  - by high signal level, 321
  - effect on cycle skipping, 404
  - effect on optimized loop, 331
  - loop output variance with, 406
- Limits on the noise spectrum, 240
- Linear detector, 322
- Lock indicator, 171
- Lock-in range. *See also* seize range
  - defined, 137
- Locking in noise, 280
- Log of error, step response
  - in 2nd-order loop, 92
  - in special 3rd-order loop, 222
- Logic
  - acquisition aiding, 179
  - gates as limiters, 321
- Long loop, 193
- Long-term (steady-state) response, 102
- Loop stability, 71
- Loop filter, 44. *See* Filter, loop
- Loop(s)
  - combined PLL and DLL, 204
  - delay-locked, 200, 202
  - higher order, xxiii, 4, 189
    - ... *See also* Higher order loops
  - long, 193

**434** INDEX

- Loop(s) (*Continued*)
  - nonlinear operation in locked, 358
  - order, 59
  - parameters
    - changing to lock, 174
    - measuring, 134
  - response, 59, 217
    - equations, summary, 67
    - first-order loop, 113
    - second-order loop, 116
    - special third-order, 215, 217
    - to additive noise, 287
      - example, 289
    - to reference phase noise
      - example, 252, 253
    - to VCO phase noise, example, 255
  - stability, 71
  - third-order, special case, 189
  - type, 59
- Magnitude of transfer functions, 120, 226
- Margin, gain and phase, 73
- Mathematical block diagram, 21, 24
- MATLAB<sup>®</sup>, xxii, 4, 86, 109, 134, 228, 357, 393, 413
  - Bode plots, 86
  - Evans (root locus) plots, 86
  - function: `residue`, 103
  - higher-order responses using, 228
  - modulation response using, 134
  - nonlinear simulation, 167
    - using scripts, 109, 167
    - with noise, 357
  - scripts (programs)
    - `Bd2ordT1`, 86
    - `ChsPlot`, 86
    - `erdis`, 357
    - `ErTrn...`, 109
    - `ErTrn1a`, 109
    - `Ev2ordT1`, 86, 109
    - `ExtrPole`, 109
    - `FreqRsp`, 135
    - `FRspDorI`, 136
    - `LMatPhPn`, 109
    - `LMPPhnHz`, 109
    - `NB1`, 403
    - `NB1bw`, 375, 397, 399, 400, 401, 406
    - `NB1bwi`, 397, 399, 400, 401, 404, 405
    - `NB1chi`, 397, 399, 400, 401
    - `NB2bw`, 375
    - `NB2bwi`, 375
    - `NLPhN`, 357
    - `NLPhP`, 167
    - `NLPhx`, 167
    - `NLSaw`, 167
    - `NqLagLd`, 86
    - `NStat1`, 343
    - `NStat2`, 344, 345, 346, 351, 352
    - `Nyquist`, 86
    - `Open2c4`, 228
    - `Open2c4x`, 228
    - `Open2cls`, 228
    - `Ord3spcl`, 228
    - `OutTrn...`, 109
    - root locus. *See* Evans *above*
    - `Sig1i`, 370
    - `SigOff2i`, 351, 352, 354, 355, 370, 371, 374
    - `Skip1`, 347, 348
    - `Skip2(i)`, 349, 351, 352, 354
    - `SSaddedP`, 109
    - `SSstep`, 109
    - `step`, 109
    - `swpi`, 393
    - `Transnts`, 109
  - simulation, xix
    - of ADPLL, 228
    - of nonlinear PLL, 167
      - in noise, 357
- Maximum sweep rate
  - ... *See* Sweep, sweeping, speed
- Mean frequency of cycle skip, 350
- Mean square value, 233
- Mean time to skip cycle, 347
- Mean value of the cosine, 365
- Measurement
  - of loop parameters, 134
  - of phase noise, 261
    - ... *See* also Phase, noise, measuring
- Minimization under constraint, 296
- Mistuning, 138
  - effect on cycle skipping, 353
- Mixer, mixing, 33
  - analog multiplier, 39
  - doubly balanced, 38
  - frequency in generalized VCO, 193
  - IC, 40

- reciprocal, 256
- simple, 34
- singly balanced, 35
- Modified Bessel functions, 333
- Modulation
  - discrete, table of, 417
  - in a first-order loop, 115
  - index, 112
  - noise. *See* Noise modulation
  - phase. *See* Phase, modulation(s)
  - processing by PLL, 236
  - response, 111
    - higher-order loops, 252
    - in a first-order loop, 19, 113
      - example, 20, 24, 116
    - in a second-order loop, 116
    - in a special 3rd-order loop, 224
    - plots,  $\alpha = 0, 1$ 
      - $\angle H(\Omega), \zeta \leq 1, 124$
      - $\angle H(\Omega), \zeta \geq 1, 126$
      - $|1 - H(\Omega)|, \zeta \leq 1, 123$
      - $|1 - H(\Omega)|, \zeta \geq 1, 125$
      - $|1 - H(\Omega)|/\Omega, \zeta \leq 1, 128$
      - $|H(\Omega)|, \zeta \leq 1, 123$
      - $|H(\Omega)|, \zeta \geq 1, 125$
      - $|H(\Omega)|\Omega, \zeta \leq 1, 127$
    - plots, various  $\alpha$ 
      - $\angle H(\Omega)$  &  $\angle 1 - H(\Omega), \zeta=1, 122$
      - $|H(\Omega)|$  &  $|1 - H(\Omega)|, \zeta=1, 122$
    - using curves, example, 126, 127
    - using MATLAB, 134
  - small, 245
- Modulations and spectrums, 416
- Modulator, loop as, 113
- Modulator, phase or frequency
  - extended modulation frequency range, 131
  - loop as, 128
- MPSK, 369
- Multiple loops, 260
- Multiple noise bands, 412
- Multiplication, frequency, 247
- Multiplicative modulation, 275
- Multiplier, analog, in phase detection, 39
- Multiply and divide, 196
  
- Natural frequency, 61
  - on Bode plot, 63
- NCO, 211
  
- NLPhN, 357
- NLPhP, 167
- NLPhx, 167
- NLSaw, 167
- Noise, 280
  - additive, 271
    - decomposition of, 271
    - experimental results, 335, 341, 345, 351, 356
  - large, 335
    - summary of effects, 356
  - loop response to, example, 346
  - no lock to, 280
  - PPSD from, 274
    - example, 274
  - representation
    - as AM, 275
    - as multiplicative modulation, 275
    - as PM, 273
    - on quadrature carriers, 275
    - restrictions on, 277
  - simulation, 342
  - tracking signals in, 282
- assumptions regarding, 337
- at the phase detector output, 276
- band(s), 407
  - general shape, 412
  - signal centered, 395
  - multiple, 412
  - signal not centered, 407
- band-limited, 395
- bandwidth, 287
  - carrier recovery loop, 314
  - first-order loop, 288
  - net, 398
  - RF input, 398
  - second-order loop, 290
  - video equivalent, 396
- broadband, 280
- component, example, 260
- correlation between samples, 279
- eccentric
  - simulating, 409
- formulas for integrating curves, 238
- frequency synthesizer response, 192
- in standard discriminator, 310
- injected at various points, 260
- large amounts, xix
- models, restrictions on, 277

**436** INDEX

- Noise (*Continued*)
  - modulation
    - processing by the PLL, 236
    - table of, 420
  - narrowband, xx
  - narrowband symmetrical, summary, 407
  - nonlinear loop operation due to, 358
  - parameter variation due to, 319
  - phase modulation by, 233
  - power from
    - frequency demodulator, 303
    - first-order loop, 305
    - second-order loop, 307
    - phase demodulator, 299
  - power spectral density, 235, 272
  - resistor, 260
  - simulation, 342
  - source, single or dual, 280
  - $u_1$  due to, example, 280
- Nonlinear operation in a locked loop, 358
- Nonlinear simulation, 166
  - with noise, 342
- NqLagLd, 86
- Numerically controlled oscillator, 211
- Nyquist
  - diagram, 72, 74
  - plots in MATLAB, 86
- OA, 211
- Observing the open-loop response, 71
- Offset
  - component, effect on pull-in, 164
  - phase, effect of modulation, example, 365
- Op-amp, 51
  - considerations, 52
  - current feedback, 57
  - differential response, 57
  - in loop filters, 57
  - non-inverting input, 57
  - voltage feedback, 57
- Open2c4, 228
- Open2c4x, 228
- Open2cls, 228
- Open-loop
  - equations, 62
    - in terms of closed-loop param., 103
  - gain, computing, 81
  - phase, computing, 81
  - response, observing, 71
  - transfer function
    - integrator-and-lead filter, 66
    - lag filter, 65
    - lag-lead filter, 62
- Operating range, 11
- Optimization in the Presence of Noise, 291
  - simplified formula, 296
- Optimized loop
  - effects of AGC or limiter on, 331
  - frequency ramp, 294
  - frequency step, 294
  - phase step, 293
- Optimum loop bandwidth, 258
  - example, 258
  - with input and VCO noise, 257
- Order of loop, 59
- Oscillator, 41
  - ring, 44
  - spectrums, typical, 238
- Other responses, 100
- Out of lock, 3
- Output
  - accumulator, 205, 211
  - responses, 117, 121
  - spectrum, effect of gain change
    - due to noise, 361
- OutTrn. . . , 109
- Parabolic input, response to
  - first-order loop, 27
  - plots. *See* Transient, response, plots
  - second-order loop, 98
    - example, 100
- Parameter(s)
  - in graphs labels, 365
  - modifications, 176
  - nominal design, 365
  - variation due to noise, 319
- Phase
  - definitions, 6
  - demodulation, 4, 130, 297
    - distortion, 299
    - with linear PD characteristic, 300
    - with sinusoidal PD characteristic, 299
  - detector, 8, 29
    - characteristic change by noise, 283
      - example, 285
    - charge pump, 31
    - exclusive-OR, 30

- flip-flop, 29
- noise response of various types, 281
- output  $u_1$ , 360
- phase-frequency, 179
- sinusoidal, 33
  - mixer. *See* Mixer
- detector, 29
- error, peak, in frequency demod., 307
- frequency detector, 179
- locked loop
  - basic, 15
  - higher order, 189
  - second-order, 59
  - special third-order, 189
  - with noise, 231, 413
  - without noise, 3, 229
- margin, 73
  - versus damping factor, 86
- modulation, 4, 111, 131
  - by noise, 233
  - effect on carrier tracking, 368
  - nonlinearity due to, 363, 368
  - offset, effect on, example, 365
  - sidebands, 273
  - symbols for, 358
  - with VCO noise, 369
- noise
  - effect of modulation, example, 372
  - gain, effect on, example, 361
  - harmful in radio receivers, 255
  - in multiple loops, 260
  - measuring, 261
    - calibration, 263
      - modulation, 265
        - example, 265
      - with a sinusoidal characteristic, 264
        - example, 264
    - using freq. discriminator, 269
    - using phase detector, 263, 268
      - example, 268
    - using receiver, 270
    - using spectrum analyzer, 270
  - optimum loop bandwidth for, 257
    - example, 258
  - processing of
    - reference, 251
    - VCO, 254
      - example, 255
      - superposition of, 256
  - offset
    - due to eccentric signal in noise, 411
    - effect of suppression on, 372
  - open-loop, computing, 81
  - plane, 161
    - using MATLAB, 109, 167
  - power spectral density, 235
    - effective input, 274, 364
    - from additive noise, 273
      - example, 274
    - other representations, 248
    - superposition of, 256
    - two-sided, 248
  - probability with noise
    - ... *See also* Fokker-Plank
    - diffusion of, 350
    - from MATLAB script, 357
    - second-order loop
      - example, 340, 346
      - experimental results, 341
    - simulations, 357
    - theory, Fokker-Plank method, 336
  - reversals, 26
  - statistics, gathering, 357
  - step, optimized loop for, 293
  - variance, 237
    - loop output, band-limited noise, 403, 407
    - loop output, eccentric noise, 411
    - loop with integrator & lead filter, 365
    - spreadsheet to compute, 249
    - with additive noise, 365
    - with suppression, 366
      - $\alpha = 0$ , 366
      - $\alpha \approx 1$ , 367
    - first-order loop, 366
- Phase of transfer functions, 120, 226
- PM. *See* Phase, modulation
- power spectral density, 234, 235
- Power spectrum
  - of FM signal, 242
  - shape, 246
- "Powers", 233
- PPSD, 235
  - ... *See* Phase power spectral density

**438** INDEX

- Preface
  - to the first edition, xxi
  - to the second edition, xix
- Probability
  - density, 233
  - of false restart, 389
  - of false stop, 388
    - example, 389
  - of false stop and restart, example, 392
  - of phase versus phase error, 339
  - that a cycle will be skipped, 350
- Problems, xx
  - answers to, xx
- Processing of reference phase noise, 251
- Pseudorandom bit sequence, synch to, 198
- Pull-in. *See also* Acquisition
  - range defined, 138
- Pull-out range, 164
- Pulse addition and removal, 212
  
- QPSK, 301
- quadratorrelator, 177
- Quasi-linearization method, 361
  - basics, 363
  
- Ramp, response to
  - first-order loop, 26
  - plots. *See* Transient response, plots
  - second-order loop, 96
    - example, 96
  - special third-order loop, 221
- Range
  - acquisition
    - ... *See* Acquisition of lock, range
  - hold-in. *See* Hold-in range
  - operating, 11
  - pull-out, 164
  - synchronization. *See* Hold-in range
- Reciprocal mixing, 256
- Recovery, carrier, 195
  - ... *See also* Carrier recovery
- References, 423
- residue, 103
- Resistor noise, 260
- Response
  - approximate, 60
  - modulation. *See* Modulation, response
  - open-loop, observing, 71
  - parabolic. *See* Parabolic input, response
  - ramp. *See* Ramp, response to
  - second-order loop, summary, 68
  - transient. *See* Transient response
- Restrictions on the noise models, 277
- Ripple control in ADPLL, 228
- Root locus, 76
  
- S/N. *See* Signal-to-noise ratio
  - ... *See also* Phase, variance
- Sampling, effect on stability
  - and nonlinear simulation, 166
  - in ADPLL, 206
  - in frequency synthesizer, 191
- Saturation, component, 165
- Script L, 247
- Scripts
  - MATLAB. *See* MATLAB, scripts
- Seize range
  - defined, 137
  - second-order loop, 168
    - formulas, 146, 148
    - summary table, 168
  - sine PD, 146
- separatrix, 162, 166
- $S_f$ , 239
- Sigma-delta, xix, 228
- Signal-to-noise ratio, 298
  - “in the loop”, 290
  - ... *See also* Phase, variance
  - frequency discriminator
    - example, 308
    - table, 308
  - in the loop bandwidth, 290
  - limiter, 325, 327
- Simulation, nonlinear, 166, 228
  - approximate method, 167
  - sampling and, 166
  - with noise, 357
- Single sideband
  - decomposition of, 286
- Single-sideband
  - density, 243
  - power spectral density, 243
- SN74LS297, 212, 228
- Special-case third-order loop, 215
- Spectral density
  - frequency power, 235
  - noise power, 272

- phase power, 235
  - power, 235
- Spectral display
  - of noise sidebands, example, 244
  - of phase noise, example, 245
- Spectral shape of power spectrum, 246
- Spectrum, 240
- Spectrum(s)
  - analyzer, 262
    - measuring noise with, 244
  - and modulations, 416
  - FM signal, 242
  - for small  $m$ , 242
  - loop output, change due to noise, 361
  - noise, limits on, 240
  - oscillator, typical, 238
- Spreadsheet. *See* Excel, spreadsheets
- Square-law detection, 323
- Square-law detector, 322
- Squaring loss, 315
- SSaddedP, 109
- SSstep, 109
- Stability
  - analysis methods, 72
  - Bode plot(s). *See* Bode plot
  - delay, representing, 80
  - effect of sampling on, 191, 206
  - first-order loop, 77
  - in ADPLL, 206, 228
  - MATLAB, using to analyze, 86
  - measures of, 73
  - Nyquist plot. *See* Nyquist
  - of frequency synthesizer, 191
  - of the loop, 71
  - over wide gain ranges, 79
  - root-locus. *See* Evans (root locus) plot
  - second-order loop, 77
  - third-order loop, 77
    - conditionally stable, 86
  - various PLL configurations, 76
- Standard discriminator with noise, 310
- State
  - of the system, 104
  - space
    - analysis, 103
    - approximate solution, 108
    - initial conditions, 107
    - MATLAB, using, 109
    - method, xxiii
    - output, 106
    - vector equation, 105
- step, 109
- Step response, 87
  - effect of added pole, 108
  - envelope, 92
  - example, 91
  - first-order loop, 18, 26
    - example, 19
  - log of error, 2nd-order loop, 94
  - second-order loop, 89
    - example, 91
  - special 3rd order loop, 220
- Superposition of phase noise, 256
- Suppression factor, 322
  - AGC, 325
    - plot, 328
  - due to
    - additive noise, 364, 365
    - modulation, 363
      - biphase, 368
      - Gaussian, 369
      - sinusoidal, 369
    - phase noise, 363
      - PM plus additive noise, 369
  - effect on phase variance, 366
  - limiter, 327
    - plot, 328
  - phase offset, 364
  - summary, 375
  - total, 364
  - types that affect effective noise, 364
  - use of, example, 368
- Sweep, sweeping, 180
  - circuit, 185
    - automatic, 186
    - switched current, 185
  - closed-loop, 180
  - combined techniques, 185
  - comparison, closed-, open-loop, 183, 187
  - in noise
    - acquisition, example, 387
    - with coherent detector
      - acquisition probability, 386
      - false restart, 389
      - false stop, 388
      - false stop and restart, example, 392

## 440 INDEX

- Sweep, sweeping (*Continued*)
  - false stop versus false restart, 390
  - output reduction, 385
- open-loop, 181
- speed,  $\alpha$ 
  - closed loop, 180
  - with noise, 377
    - determining success, 382
    - maximum, 377
    - mistuning, effect of, 380
    - optimum parameters, 383
  - open vs. closed loop, 187
  - open-loop, 183
- stop probability
  - closed loop, 181
  - in noise, 377
    - with coherent detector, 386
  - open loop, 183
- to acquire lock, example, 184
- $S_y(f)$ , 235
- Symbol clock recovery, 227
- Symbols, list of,  $\alpha$
- Synchronization range, 11
  - ... *See also* Hold-in range
  - defined, 138
- Synchronization, synchronizer
  - data, 197
  - delay-and-multiply, 200
  - early-late gate, 197
  - to pseudorandom sequence, 198
- Synthesizer, frequency, 190
- $S_\varphi$ , 236
- Table 2.1 Summary of First-Order Loop Transient Responses, 27
- Table 4.1 Summary of Second-Order Loop Equations, 68
- Table 7.1 Transfer Functions Between Loop Variables, 119
- Table 8.A.1 Acquisition Formulas, 168
- Table 9.1 Lock Probability vs. Sweep Speed, 181
- Table 15.1 Frequency Discriminator Characteristics, 309
- Table 21.A.1 Discrete Modulations, 417
- Table 21.A.2 Noise Modulations, 420
- telecommunications, 4
- Third-order loop, special case, 189, 215–27
- Time
  - pull-in, second-order loop, 147, 158–61
    - by phase plane, 164
  - transient, first-order loop, 143
- Timing
  - adjustment with PLL,  $\alpha$
  - control, clock and data, 200
- Tracking
  - carrier
    - with modulation and noise, 369
    - with phase modulation, 368
  - signals in additive noise, 282
- Transfer function
  - ADPLL, 213, 228
  - first-order loop, 23
  - second-order loop, 59, 116
  - special third-order loop, 217
    - magnitude and phase, 226
- Transient response
  - first-order loop, 17
    - example, 19
  - frequency synthesizer, 191
  - MATLAB, using, 109
  - parabola. *See* Parabolic input, response
  - plots for second-order loops
    - error, parabola input
      - $\alpha = 1$  vs.  $\omega_n t$ , 99
      - $\zeta = 0.5, 2$  vs.  $\omega_n t$ , 100
    - error, ramp input
      - $\zeta > 1, \alpha = 0$ , vs.  $\omega_n t$ , 97
      - $\zeta > 1, \alpha = 1$ , vs.  $\omega_n t$ , 98
      - $\zeta \leq 1, \alpha = 0, 1$ , vs.  $\omega_n t$ , 97
    - error, step input
      - log,  $\zeta > 1$  vs.  $\omega_n t$ , 95
      - log,  $\zeta \leq 1, \alpha = 0, 1$ , vs.  $\omega_n t$ , 95
      - $\zeta < 1, \alpha = 0, 1$ , vs.  $\omega_n t$ , 93
      - $\zeta \geq 1, \alpha = 0, 1$ , vs.  $\omega'_L t$ , 94
      - $\zeta \geq 1, \alpha = 0, 1$ , vs.  $\omega_n t$ , 92
    - output, step input
      - $\zeta = 1$ , vs.  $\omega_n t$ , 90
    - units, note on, 101
  - ramp. *See* Ramp, response to
  - second-order loop, 87
  - special third-order loop
    - final values, 219
    - ramp, 221
    - step, 220
    - synthesizer, 215
      - example, 222, 224
  - step. *See* Step response

- Transient time, first-order loop, 143
- transimpedance, 45
- Transients, 109
- Transportation lag, 80
- Triple roots, special 3rd order loop, 220
- Two-sided phase PSD, 248
- Type (loop), 59
- Typical oscillator spectrums, 238
- Units
  - and the Laplace variable  $s$ , 13
  - preservation of, example, 7
  - radian vs cycles, 303
  - rule for handling, 13
- Unity-Gain Bandwidth with high  $\zeta$ , 67
- Values in terms of  $\alpha$ ,  $\zeta$ , and  $\omega_n$ , 167
- Variance, 233
  - frequency, 237
  - phase. *See* Phase, variance
  - spreadsheet to integrate power, 249
- VCO, 3, 41
  - generalized, 189
  - phase noise, processing of, 254
    - example, 255
- Video filter, 299, 304
- Weiner filter, 296
- wireless, 4
- Z-transform, 208