

# Index

- abortions
  - elective, 293–95
  - medical, 294
  - spontaneous. *See* miscarriages
- abdomen, changes in, 90
- abdominal landmarks, 88
- abdominal muscle tone, 218, 249
- abdominal pain, 102, 127, 134
- abdominal size, 51
- abruptio placentae, 274
- acetylcholinesterase, 144
- ACOG Exercise Guidelines, 113, 117–20
- active phase of labor, 175
- acyclovir, 12
- adrenaline, 201
- aerobic efficiency, 15, 16–18
- afterbirth. *See* placenta
- afterbirth pains, 250
- age, maternal, 5, 6, 13, 41, 66, 76–83, 128–29, 157
- age, paternal, 80–81
- alcohol consumption, 26–28, 36
- alopecia, postpartum, 87
- alpha-fetoprotein (AFP), 143–46
- alpha-thalassemia, 29
- ambivalence, 95
- American Board of Obstetrics and Gynecology, 53
- American College of Obstetricians and Gynecologists (ACOG), 113
- American Society for the Psychophylaxis in Obstetrics (ASPO), 194
- amniocentesis, 35, 61, 139, 146, 154–56, 266, 271
- amniotic cavity, 141
- amniotic fluid, 61, 102, 141, 170, 265, 269–71
- analgesics for labor and delivery, 178–79
- anemia, 14, 105
- anencephaly, 144
- analgesia
  - for circumcision, 231
  - for labor and delivery, 177–82
- anesthetics, 179–82
- anger, 251, 252
- ankles, swollen, 93
- announcing pregnancy, 70
- anorexia nervosa, 305
- antepartum fetal nonstress test (NST), 159–61, 266
- antiviral agents, 12, 275–76
- anxiety, 95, 96, 97, 251, 252
- Apgar scores, 201, 223
- appearance, 73, 74
- artificial insemination, 303, 311–12, 319–21
- Ashkenazic Jews, 29, 35
- assessments
  - nutritional, 19
  - risk, 7, 8, 9

- attachment, 228  
 autosomal dominant disorders, 32  
 autosomal recessive disorders, 32–33
- baby blues, 245, 251, 256  
 baby boomers, 5  
 backache, 92  
 back exercises, 122–23, 200  
 Bartholomew's Rule, 88  
 basal body temperature, 43, 49  
 Basic Daily Pregnancy Diet, 110  
 bathing infant, 234  
 bearing down, 169, 214, 220–21  
 bed rest, 264  
 behavior of newborn, 227–28  
 beta sub unit (BSU) test, 47, 130–31  
 beta-thalassemia, 29  
 bilirubin, 155, 226  
 birth control, stopping, 37. *See also*  
     contraception  
 birth defects
  - alcohol and, 26–27
  - amniocentesis and, 156
  - chicken pox and, 12
  - drugs and, 22, 28–29
  - genetic disorders and, 30–35
  - hazardous substances and, 22, 23,  
     25–29
  - herpes infection and, 12
  - maternal age and, 80
  - smoking and, 26
  - teratogens and, 141–42
  - toxins and, 23
 birthing rooms, 53, 98, 177, 192  
 birthrates, 5, 68  
 birth weight
  - average, 138
  - low, 19, 25, 26, 116, 276
  - premature survival and, 261
 Bishop score, 190–91  
 bladder infections, 93  
 bleeding, vaginal, 50, 101, 127, 130,  
     134, 251, 275  
 blighted ovum, 128  
 blood clots, miscarriages and, 129  
 bloody show, 213  
 blowing out, 214–15  
 blurring of vision, 102  
 board certification, 54  
 body-building exercises, 196  
 body composition, 15  
 bonding, 149, 228, 254–55  
 Bornstein, Isador, 194  
 bottle-feeding, 234, 241–42  
 bowel movements of breast-fed babies,  
     236  
 Braxton-Hicks contractions, 61, 91  
 breast changes in pregnancy, 49, 90,  
     91  
 breast engorgement, 247, 251  
 breast-feeding, 107, 234–41, 253  
 breast milk, manual expression of, 241  
 breast size, breast-feeding and, 238  
 breathing techniques, Lamaze,  
     204–17
  - blowing out, 214–15
  - for early labor, 208–209
  - for expulsion stage, 204, 216–17,  
     220–21
  - faster-paced, 207
  - for first stage, 204, 208–11
  - modified-paced, 204, 207, 209–12
  - pant-blow, 215
  - practicing, 205–208
  - for second stage, 204, 216–17
  - slow-paced, 207–208
  - for transition, 204, 207, 212–216
 breech presentation, 267–69  
 bromocriptine mesylate, 314
- caffeine, 28  
 calcium, 18, 19, 106, 109, 110, 240  
 calories, 20–21, 103, 108, 109, 253  
 carbohydrates, 105, 108, 109  
 cardiac output, 114  
 cardiovascular disease, maternal,  
     13–14  
 cardiovascular efficiency, 15, 16–18  
 car safety, 242–44  
 cats, toxoplasmosis and, 11

- Centers for Disease Control and Prevention (CDC), 318
- cervical cap, 283–84
- cervix, uterine, 87, 88  
 dilatation of, 88, 91, 168–69, 171, 172, 175, 214  
 incompetent, 88, 129, 131  
 infertility due to, 307, 314  
 mucus, 44, 307
- cesarean sections, 185–90  
 for breech presentations, 268  
 complications and risks, 189–90  
 father's presence during, 98  
 fetal monitoring for, 161  
 for herpes infection, 12, 275  
 for multiple births, 277  
 for postdate pregnancies, 267  
 postoperative care, 189  
 preparation for, 188  
 rate of, 185–86  
 reasons for, 88, 186  
 technique, 188–89  
 vaginal birth after, 186–88
- Chadwick's sign, 89
- chemicals, hazardous, 23–25, 69, 75
- chicken pox (varicella zoster), 11–12, 125
- childbearing maternity centers, 192
- child care, planning, 72–73, 74
- child safety seats, 243–44
- chlamydia, 12
- chloasma, 86
- cholera, 125
- cholesterol, exercise and, 17
- chorionic villus sampling, 35, 156–58
- chromosome disorders, 30–31, 128, 145–47, 156, 157
- chromosomes, and sex of fetus, 45
- chronic diseases, maternal, 13–14, 75
- circumcision, 230–31
- clomiphene citrate (Clomid), 312–13
- closed endoscopic fetal surgery, 159
- clothes, maternity, 73
- coaches, birthing, 200, 206, 217
- cocaine, 28–29
- coitus interruptus (withdrawal), 292
- colic, 232
- colostrum, 90, 91, 235, 241
- complete abortion, 129
- conception, time needed for, 41
- conditioned reflex, 206
- condoms, 281, 285–86
- congenital defects, 14
- constipation, 92, 250
- contraception  
 barrier methods of, 281–86  
 basal temperature readings, 292  
 birth control pill, 37, 286–88  
 cervical cap, 283–84  
 coitus interruptus (withdrawal), 292  
 condoms, 281, 285–286  
 Depo-Provera, 289  
 diaphragms, 282–83  
 emergency, 292–93  
 hormonal methods, 286–91  
 intrauterine devices (IUDs), 37, 289–91, 306  
 morning-after pill, 292–93  
 Ortho-Evra, 288  
 patch, 288  
 Plan B method, 292  
 Preven Emergency Contraceptive Kit, 292  
 pros and cons of, 280–81  
 rhythm method, 291–92  
 spermicides, 283, 284, 285  
 sponge, 285  
 sterilization, 295–97  
 tubal ligation, 296  
 vaginal ring, 289  
 vasectomy, 297
- contraction stress test (CST), 266
- contractions, uterine  
 Braxton-Hicks, 61, 91  
 going to hospital, 176–77  
 prodromal, 170, 171  
 relaxation and, 201–202  
 in second stage of labor, 169, 172–74  
 in second trimester, 52  
 in transition, 212

- cord blood collection, 224  
 cord care, 233–34  
 cord prolapse, 268  
 corpus luteum, 90–91  
 corpus, uterine, 87  
 counseling, nutrition, 19  
 cramps, postpartum, 245  
 crowning, 175  
 cry, baby's first, 176, 226  
 crying, 232–33, 238, 255  
 cryopreservation, 320  
 cryptorchidism, 303
- danger symptoms in pregnancy,  
 101–102
- dating pregnancies, 48–50
- death, neonatal  
 chicken pox and, 12  
 hazardous exposures and, 25  
 herpes infection and, 12  
 smoking and, 26
- death rate, maternal, 53
- deep, cleansing breath, 205
- delayed childbirth, 68
- delivery  
 difficult, 97  
 experience, 222–25  
 fears about, 96–98  
 illustrated, 172–74
- dental checkups, 36–37, 94
- Depo-Provera, 289
- depression  
 postpartum, 245, 251–52, 256  
 in pregnancy, 278–79
- DES, cervical incompetence and, 131
- diabetes, maternal, 14, 225, 272–73
- diagnosis, prenatal, 35
- diaphragms, 282–83
- diet, 18, 110, 239–40, 253. *See also*  
 nutrition
- dieting, 15, 103
- dilatation and curettage (D&C), 130,  
 293
- dilatation and evacuation (D&E),  
 293–94
- dilation of cervix, 88, 91, 168–69,  
 171, 172, 175, 214
- diphtheria vaccine, 124, 125
- Directory of Medical Specialists*, 54
- disability, 75–76
- discomforts, postpartum, 250–51
- diuretics, 107
- dizziness, 92
- doctors  
 board certification of, 54  
 choosing, 52–55  
 hospital affiliation of, 54  
 pediatricians, 225, 228, 231–32  
 perinatologists, 55  
 preconceptual care and, 6, 7
- donor eggs, 77, 305, 321
- Doppler tests, 61, 148
- Down's syndrome, 31, 80, 145–47,  
 157
- driving, 209 22
- drugs  
 abuse of, 28–29  
 breast-feeding and, 239  
 for depression, 279  
 hazardous to pregnancy, 13, 22–23,  
 24, 28–29  
 infertility due to, 304  
 for infertility treatment, 312  
 for pain, 97, 178–82  
 recreational, 23, 28–29  
 to stop labor, 262–63  
 teratogenic effects of, 22–23
- drug therapy, fetal
- Duchenne's muscular dystrophy, 33
- due date, 48
- Duramorph, 188
- dysmaturity syndrome, 265
- early labor, breathing techniques for,  
 208–209
- early pregnancy, 44–45, 51–52
- eating disorders, 19, 305
- echocardiography, fetal, 148
- ectopic pregnancies  
 beta sub unit test and, 47

- defined, 134
- infections and, 12
- infertility treatment and 315
- risks for, 135, 136
- smoking and, 26
- symptoms of, 134–35
- treatment of, 135–36
- tubal, 134
- effacement, 88, 91, 167, 168
- effleurage, 205, 209
- egg donation, 77, 305, 321
- embryo transfer, 319, 321
- emergency childbirth, 182–84
- emotional reactions
  - to miscarriage, 131–34
  - to pregnancy, 94–98
- endometrial biopsy, 308, 310
- endometriosis, 14
- endometrium, 42
- endoscopic fetal surgery, 159
- enemas, 177
- energy balance, 20
- engagement, 170
- environmental hazards to pregnancy,
  - 21, 23–25, 69, 75
- epidural anesthesia, 180–81
- episiotomies, 89, 173, 175–76, 219,
  - 245, 247, 250, 254
- estimated date of confinement (EDC), 48
- ethnic background and genetic disorders, 29, 35
- exercise
  - aerobic, 16–18, 250
  - back, 122–23
  - calories burned by, 21
  - cholesterol levels and, 17
  - contraindications, 118–20, 122
  - during pregnancy, 112–23
  - for flexibility, 16
  - guidelines, 117–22
  - heart disease and, 17
  - Kegel, 123, 219, 248
  - Lamaze, 195–98, 200–204,
    - 216–21
  - nutrition and, 107–109
  - pelvic tilt, 122–23
  - postpartum, 117–18, 122–23,
    - 248–50
  - preconceptional, 14–18, 36
  - psychological well-being and, 18,
    - 116
  - strength training, 18
  - strenuous, 116
    - for weight loss, 14–15, 21
- Expert Panel on the Content of Prenatal Care, 7, 8, 9
- expulsion stage, breathing for, 204,
  - 216–18, 220–21
- external cephalic version (ECV),
  - 268–69
- external fetal monitoring, 161
- faintness, 92
- fallopian tubes
  - ectopic pregnancies in, 134, 315
  - infertility and, 300, 306 315–16
- false labor, 171
- family, changes in, 64–65, 254–56
- family-centered care, 98
- family planning, 68–69
- faster-paced breathing, 207
- fatherhood, 255–56
- fathers
  - age of, 80–81
  - effect of pregnancy on, 81–83
  - in labor and delivery rooms, 83,
    - 98
- fatigue, 49–50, 93
- fears about labor and delivery, 96–98
- feeding of newborn, 227, 228, 233,
  - 234–42. *See also* breast-feeding
- female condoms, 285–86
- fertility, 5–6, 41, 77–79
- Fertility Clinic Success Rate and Certification Act, 318
- fertility drugs, 276, 312–14
- fertilization, 42–44, 45
- fetal alcohol syndrome, 27
- fetal blood, 224

- fetal development, 138–42  
 abnormal, 141–42  
 eighth month, 60, 62  
 fifth month, 58, 62  
 first month, 55, 56  
 fourth month, 58  
 hazards to, 22–29  
 of head, 140–41  
 ninth month, 60, 63  
 second month, 56, 61  
 sensory, 138–39  
 seventh month, 59, 62  
 sixth month, 59, 62  
 sixth week, 61  
 term, 63  
 third month, 57, 61  
 weight changes, 138
- fetal distress, 266
- fetal heartbeat, 52, 177
- fetal monitoring, 97–98, 159–62, 177, 266, 267
- fetal movement chart, 266
- fetal scalp blood sampling, 161
- fetal therapy, 158–62, 274
- fetus. *See also* fetal development  
 circulation and respiration, 140  
 maternal exercise and, 115–16  
 maternal infections and, 7–12  
 movements of, 51, 52, 139  
 in second trimester, 51–52  
 sex of, 45–46  
 temperature of, 114
- fever, 102, 225, 251
- fibroids, 14, 307, 315
- fibronectin, 262
- fifth disease, 11
- first stage of labor, 168–70, 171, 175, 204, 208–211
- first trimester  
 emotions of, 95  
 sex during, 96  
 tests during, 142–52
- flatulence, 92
- flexibility, 15, 16
- flow cytometry, 46
- fluid retention, 85
- focus, 205–206
- folic acid, 19–20, 107, 145
- fontanel, 141
- foramen ovale, 140
- forceps, 184–85
- formula, infant, 242
- free beta-human chorionic gonadotropin, 147
- fresh air, 234
- frontal suture, 141
- FSH, 312
- full-term pregnancies, 265
- fundus, 87
- gamma globulin, 139, 140
- gas, intestinal, 92
- general anesthesia, 179–80
- general movement, 198–200
- genetic counseling, 14, 29–30, 34, 81
- genetic disorders, 29–36, 37. *See also specific disorders*  
 carriers of, 33, 34–35  
 chromosome disorders, 30–31  
 counseling for, 14, 29–30, 34  
 fetal therapy for, 159  
 infertility due to, 304  
 miscarriages and, 128  
 multifactorial disorders, 33  
 principles of, 30–33  
 single-gene (Mendelian) disorders, 32–33
- genetic prenatal testing, 29, 33, 34, 35–36, 37, 156
- genital herpes, 12, 275
- German measles (rubella), 10, 124
- gestational diabetes, 272–73
- getting up, 198
- glucose tolerance test, 272
- gonorrhea, 12
- grieving after pregnancy loss, 132–34
- group B streptococcus (GBS), 278
- gums, inflammation of, 94
- gynecologic infections, chronic, 14

- hair, changes to, 87
- hazards to pregnancy. *See also* risk factors
- chemicals, 23–25, 69, 75
  - environmental, 21, 23–25, 69, 75
  - maternal infections, 7–12
  - maternal medical conditions, 6–14, 75
  - medications, 13, 22–23, 24, 28–29
  - occupational, 23–25, 69, 75
  - preconceptual, 6–14, 21–29
  - toxins, 23–25, 75
- headaches, 93, 102
- heartburn, 93
- heart disease, exercise and, 17
- heart, exercise and, 114
- heart murmurs, maternal, 13
- heat loss in newborn, 227
- hematopoietic progenitor cells, 224
- hemophilia, 33, 45, 158
- hemorrhoids, 92, 245, 247, 250
- hepatitis, 9, 124
- herpes simplex, 12, 275–76
- Heuhner (postcoital) test, 300
- high-density lipoproteins (HDL), 17
- higher-risk babies, 229–30
- high-risk behaviors, 26–29
- high-risk pregnancies, 55, 95–96, 142–43
- HIV/AIDS, 7–9
- home births, 98
- home pregnancy tests, 45, 47
- home uterine activity monitoring (HUAM), 264
- homologous artificial insemination (HAI), 319–20
- hormonal contraceptive methods, 286–91
- hormonal problems
- infertility due to, 300, 304, 305–306
  - miscarriages due to, 129
- hormone levels in early pregnancy, 130–31
- hospitals, 53, 83, 176–77
- hot tubs, 115
- human chorionic gonadotropin (HCG), 44–45, 46–47, 61, 143, 145, 313
- human menopausal gonadotropin (Pergonal), 312, 316
- hyaline membrane disease, 155–56
- hydrops fetalis, 11
- hyperemesis gravidarum, 71
- hyperprolactinemia, 305, 314
- hypertension, maternal, 13, 271, 272
- hypospadias, 303
- hypothalamic hormones, 312
- hysteroqram, 131
- hysterosalpingogram, 309
- hysteroscopy, 308–309
- hysterotomy, 294
- immunizations during pregnancy, 123–25
- immunoassays, 44
- immunological factors in
- miscarriages, 129
- implantation, 43, 44, 127
- incompetent cervix, miscarriages and, 129, 131
- incomplete miscarriage, 130
- increasing permeability, 140
- incubators, 229–30
- induction of labor, 190–91, 266–67
- infant care, common concerns about, 232–42
- infections
- infertility and, 303
  - maternal, 7–12, 14, 129, 140, 225, 278
- infertility
- causes of, 301–307
  - defined, 298
  - factors in, 299
  - female factors in, 305–307
  - incidence of, 77, 298
  - investigating, 299–300
  - male factors in, 302–305
  - sexual problems and, 301–302
  - tests, 308–10
  - treatment, 310–22

- influenza vaccine, 124, 125  
 inhibin-A, 143, 146  
 insemination, 299–300  
 insurance, 55  
 intensive-care nurseries, 229–30  
 internal fetal monitoring, 161  
 intracytoplasmic sperm injection (ICSI), 317  
 intrauterine devices (IUDs), 37, 289–91, 306  
 intrauterine fetal transfusions, 274  
 intrauterine growth retardation, 25, 26, 103, 276  
 intrauterine insemination, 312  
 in vitro fertilization (IVF), 35, 305, 316–19  
 involution of uterus, 246, 248  
 iron, 105–106, 108, 109, 110  
 iron-deficiency anemia, 14, 105  
 jaundice, 226, 228
- Jews, genetic risks among, 29, 33, 35
- Karmel, Marjorie, 194  
 Kegel exercises, 123, 219, 248  
 kick counts, 266  
 kidney disease, 14  
 Klinefelter's syndrome, 80, 304
- labor
  - active phase of, 175
  - components of, 166–67
  - criteria for, 176–77
  - false, 171
  - fears about, 96–98
  - first stage of, 168–71, 175, 204, 208–211
  - going to hospital in, 176–77
  - induction of, 190–91, 266–67
  - latent phase of, 171, 269
  - preterm, 259–65
  - recognizing, 170–71
  - second stage of, 168, 169, 175, 185, 204, 216–21
  - stopping, 262–63
  - third stage of, 169–70
  - transition phase of, 204, 212, 213–16
- labor-delivery areas, 53  
 lactic acid, 16  
 lactose intolerance, 19  
 Lamaze, Fernand, 193  
 Lamaze method
  - breathing techniques, 204–17.
    - See also* breathing techniques, Lamaze
  - coach's role in, 200, 206, 217
  - conditioning and deconditioning in, 195
  - development of, 193–95
  - exercises, 195–98, 216–21
  - general movements in, 198–200
  - neuromuscular control in, 200–204
  - pain management and, 178
  - relaxation in, 201–204
- lanugo, 62  
 laparoscopy, 309  
 late abortion techniques, 293  
 late miscarriages, 131  
 leg exercises, 197–98, 249  
 leg pain, 91  
 lightning, 89  
 Liley, A. William, 137  
 linea nigra, 86  
 local anesthetics, 180–81, 182  
 lochia, 248–49  
 low birth weight
  - hazardous exposures and, 25
  - intrauterine growth retardation and, 276
  - maternal exercise and, 116
  - maternal weight and, 19
  - smoking and, 26
- low-density lipoproteins (LDL), 17  
 lungs, newborn's, 226, 227  
 lupus erythematosus, 14, 129  
 luteal phase defect, 306  
 luteinizing hormone (LH), 43
- macrosomia, 265  
 magnesium sulfate, 262

- male reproductive tract, 300
- managed care, 55
- Marfan's syndrome, 81
- mask of pregnancy, 86
- maternal age, advanced, 5, 6, 13, 41, 65, 66, 76–83, 128–29, 157
- maternal death rate, 53
- maternal medical conditions, 6, 13–14, 75
- maternal serum alpha-fetoprotein, 143–46
- maternal serum screening, 143–47
- maternity clothes, 73
- maternity leave, 71–72
- measles vaccine, 124
- meconium, 170, 225, 227
- meconium aspiration, 266
- medical conditions, maternal, 6, 8, 13–14
- medications. *See* drugs
- membranes
  - premature rupture of, 269–71
  - rupture of, 170, 269–71
  - stripping, 191
- Mendelian disorders, 32–33
- menstruation
  - breast-feeding and, 238–39
  - ovulation and, 42, 249, 291
  - return of, 249
- menu suggestions, 110–12
- metabolic rate, 15
- metabolism
  - changes during pregnancy, 84
  - disorders of, 33
- methotrexate, 135
- microthrombi, miscarriages and, 129
- midwives, 52–53, 98
- mifepristone, 294
- milk supply, 236–37, 240
- mineral supplements, 105
- mini-prep, 177
- miscarriages
  - alcohol consumption and, 27
  - beta sub unit test and, 47, 130–31
  - causes of, 128–29
    - course of, 129–31
    - defined, 126
    - emotional impact of, 131–34
    - hazardous exposures and, 25
    - herpes and, 12
    - incidence of, 126–27
    - incomplete, 130
    - late, 131
    - multiple, 131
    - older mothers and, 127
    - signs of, 127
      - smoking and, 26
- misoprostol, 130, 191, 294
- missed abortion, 128
- mittelschmerz, 44
- modified-paced breathing, 204, 207, 209–12
- molding, 140, 226
- monoclonal antibodies, 47
- moodiness, 95
- morning-after pill, 292–93
- morning sickness, 70–71, 94
- Moro reaction, 227
- motherhood, 256
- mother's attitude, breast-feeding and, 240
- mucus, cervical, 44, 307
- mucus plug, 170
- multifactorial genetic disorders, 33
- multiple births, 276–78
- multivitamins, 19–20
- mumps vaccine, 124, 125
- muscle cramps, 91
- muscles, 16, 18
- muscular dystrophy, Duchenne's, 33
- myomectomy, 315
  
- natural childbirth, 177–78
- nausea, 49, 70–71, 93–94, 213, 251
- necrotizing enterocolitis (NEC), 261
- neural tube defects (NTDs), 19–20, 143–45, 156
- neurofibromatosis, 32, 81
- neuromuscular control exercises, 200–204

- newborn intensive-care unit, 229–30
- newborns
- behavior of, 227–28
  - chicken pox and, 12
  - common concerns about, 232–42
  - first checkup for, 232
  - hepatitis B infection in, 9
  - herpes infection in, 12, 275–76
  - higher-risk, 229–30
  - physical aspects of, 225–27
- nipple secretions, 91
- nonoxynol-9, 284, 285
- nuchal translucency, 146
- nurseries, hospital, 228, 229–30
- nutrition
- while breast-feeding, 107, 239–40
  - menu suggestions, 110–12
  - postpartum, 253
  - preconceptual, 18–21, 36
  - in pregnancy, 102–12
- obesity, 15, 19
- obstetricians, 52–55
- occupational hazards to pregnancy, 23–25, 69, 75
- older couples, 41, 80–81
- open fetal surgery, 158–59
- operative vaginal delivery, 184–85
- opioids, 178, 179, 180
- Ortho-Evra, 288
- ovarian cysts, 14
- “ovarian drilling,” 312
- ovarian failure, 305
- ovaries, during pregnancy, 90–91
- overweight, 15
- ovulation, 42, 43–44, 77, 291, 305, 309
- ovulation predictor kits, 43
- oxygen needs, exercise and, 113
- oxytocin, 201
- pacifying baby, 238
- pain
- abdominal, 102
  - circumcision and, 231
  - Lamaze method and, 193–94
  - management of, 177–82
  - prepared childbirth and, 97
- panic attacks, 252
- pant-blow breathing, 215
- Pap smears, 14
- parenthood, 254–56
- patch, contraceptive, 288
- paternal leave, 72
- patient-controlled analgesia (PCA), 178
- pediatricians, 225, 228, 231–32
- pelvic rock, 197, 218
- pelvic tilt, 122–23
- pelvic twist, 249
- penicillin, 222
- penile cancer, 230, 231
- Pergonal, 316
- perinatal centers, 229
- perinatologists, 55
- perinatology, 137
- perineal relaxation, 218–20
- perineum, 218
- phenylketonuria (PKU), 33
- physical aspects of newborn, 225–27
- physical changes
- postpartum, 248–50
  - of pregnancy, 84–91
- physical examination, 8, 37, 100–101
- physical fitness, components of, 15–18
- physical strain, 69
- pill, birth control, 37, 286–88
- Pitocin, 191
- pituitary gonadotropin, 312, 313–14
- placenta
- delivery of, 169–70, 174, 176, 183, 226
  - infection and, 140
  - partial detachment of, 274
  - purpose of, 44, 139–40
- placenta previa, 274–75
- Plan B contraceptive method, 292
- planning pregnancy, importance of, 6
- pneumococcal pneumonia vaccine, 124
- polio vaccine, 124, 125

- polycystic ovarian syndrome (PCOS), 305
- postcoital test, 300, 308
- postdate pregnancy, 265–67
- postfertilization sex selection, 46
- postpartum alopecia, 87
- postpartum depression, 245, 251–52, 256
- postpartum exercise, 117–18, 122–23
- postpartum period
  - baby blues, 245
  - checkup, 252–53
  - discomforts, 245, 247, 250–51
  - exercise, 248–50
  - general instructions, 247–48
  - nutrition, 253
  - physical changes, 248–50
  - sex, 254
  - warning signs, 251, 252
  - work and, 253
- posture, 85–86, 198, 216, 220–21
- preconceptional care
  - after age 30, 81
  - checklist, 36–37
  - components of, 7
  - exercise, 14–18, 36
  - history and physical examination, 8
  - maternal health and, 6–14
  - nutrition, 18–21, 36
  - psychosocial factors, 8
  - risk assessment, 7, 8, 9
  - tests, 7–12, 14, 37
- preeclampsia, 102, 271–72
- pregnancy
  - after 35, 76–83
  - announcing, 70
  - complications of, 75
  - danger symptoms in, 101–102
  - dating, 48–50
  - emotional reactions to, 94–98
  - exercise during, 112–23
  - immunizations during, 123–25
  - length of, 48
  - nutrition in, 102–12
  - physical changes of, 84–91
    - sex during, 96
    - signs of, 49–52, 91–94
    - tests, 45, 46–48, 49
- pregnancy-associated plasma protein A (PAPP-A), 143, 146–47
- Pregnancy Discrimination Act, 76
- pregnancy loss, 132–34. *See also* miscarriage
- pregnancy-related side effects, 75
- pregnant nose, 94
- premature ovarian failure, 305
- premature rupture of membranes (PROM), 269–71
- prematurity
  - breech presentation and, 268
  - hazardous exposures and, 25
  - intensive care for, 229
  - medical problems due to, 260–61
  - signs of, 261–62
  - smoking and, 26
  - ultrasound for, 262
- prenatal care
  - first visit for, 99–101
  - physical examination, 100–101
  - preterm labor and, 260
  - purpose of, 99
  - routine tests for, 100
- prenatal diagnosis, 35
- prenatal tests. *See also* amniocentesis; chorionic villus sampling; ultrasound
  - for chromosome problems, 145–47
  - for Down's syndrome, 145–47
  - in first trimester, 146
  - genetic, 29, 33, 34, 35–36, 37, 156
  - human chorionic gonadotropin (HCG), 145–46
  - maternal serum alpha-fetoprotein, 143–46
  - maternal serum screening, 143–47
  - purpose of, 142–43
  - routine, 100
- prepared childbirth
  - classes, 82–83, 97
  - pain reduction and, 97

- prepregnancy care. *See* preconceptual care  
 Prepregnancy Checklist, 36–37  
 preterm babies, appearance of, 264–65  
 preterm labor, 259–65  
 Preven Emergency Contraceptive Kit, 292  
 prodromal labor contractions, 171  
 protein, 104–105, 108, 109, 110  
*Psychoprophylactic Preparation for Painless Childbirth* (Bornstein), 194  
 psychoprophylactic techniques, 97, 178. *See also* Lamaze method  
 psychosocial risk factors, 8  
 purse-string suture, 131  
 pushing, 169, 175, 214, 216–17, 220–21  
  
 quickening, 51, 61  
  
 rabies vaccine, 125  
 radioimmunoassay (RAI), 47  
 recovery area, 177  
 reflexes, newborn's, 227  
 regional anesthesia, 180–82  
 relaxation in Lamaze, 201–204  
 respiratory distress syndrome, 155–56, 261  
 resting, 199  
 resting pulse rate, 17  
 retinoic acid, 87  
 retrograde ejaculation, 303  
 Rh immunoglobulin and disease, 130, 135, 154–55, 247, 273–74  
 rhinitis, 94  
 rhythm method, 291–92  
 risk factors, 7, 8, 9, 12. *See also* hazards to pregnancy  
 rooming-in, 228–29, 247  
 rotation, 174  
 rubella (German measles), 10, 124, 125  
 RU-486, 294  
  
 sagittal suture, 141  
 salpingectomy, 135  
 salpingostomy, 135  
 saunas, 115  
 schedule, infant's, 233  
 seat belts during pregnancy, 242–43  
 second stage of labor, 168, 169, 175, 185, 204, 216–21  
 second trimester  
   emotions of, 95  
   pregnancy signs in, 51–52  
   sex during, 96  
 semen, 300  
 serum markers, 145–46  
 serving sizes, 111–12  
 sex selection, 45–46  
 sexual activity  
   during pregnancy, 82, 96  
   postpartum, 248, 254  
 sexual problems and infertility, 301–302  
 shortness of breath, 92  
 sickle-cell anemia, 29  
 single-gene disorders, 32–33  
 single mothers, 6–7–68  
 sitting, 199, 200–204  
 sit-ups, 249  
 sitz baths, 250  
 skeletal system, maternal, 85–86  
 skin color, newborn, 226  
 skin during pregnancy, 86  
 sleep disorders, 252  
 sleeping, newborn's patterns of, 228, 233  
 slow-paced breathing, 207  
 smallpox vaccine, 125  
 smegma, 230, 231  
 smoking, 26, 36  
 Society for Assisted Reproductive Technology, 318  
 sodium, 106–107, 108, 109  
 soft spot, 60  
 solid foods, introducing, 237  
 sonography. *See* ultrasound

- sperm, 42, 43, 300, 302, 304, 308, 311, 320
- spermicides, 283, 284, 285
- spider spots, 86
- spina bifida, 19, 144, 145
- spinal anesthesia, 180, 181
- spinal epidural, 181–82
- spoiling, 232
- sponge, contraceptive, 285
- spontaneous abortions. *See* miscarriages
- spotting, 127
- stages of labor, 168–70, 216–18, 220–21
- standing and walking, 199–200
- startle reaction, 227
- stem cells, 224
- sterilization, 295–97
- stillbirths, 25, 26, 27
- strength training, 18
- strenuous work, 70
- strep infection, 225, 278
- stress, 69
- stretching, 16
- stretch marks, 86–87, 90
- striae, 86–87, 90
- stripping membranes, 191
- strokes, 17
- structural abnormalities, 128
- substance abuse, 28–29
- sudden infant death syndrome, smoking and, 26
- Super female, 80
- surfactant, 155–56
- surgery, fetal, 159–59
- surrogate motherhood, 321–22
- sweating, 86
- swelling, 85, 93, 102
- syphilis, 12
- tailor sitting, 196
- tailor stretch, 207
- target heart rate, 114
- Tay-Sachs disease, 29, 33
- temperature  
   basal body, 43, 49, 292, 309–10  
   exercise and, 114–15  
   fetal, 114  
   newborn's, 227  
   timing ovulation with, 43  
   in transition, 212
- teratogenic effects of drugs, 22–23
- teratogens, 129, 141–42
- teratology, 141–42
- testicles, pressure on, 304
- tests. *See also* prenatal tests  
   beta sub unit (BSU), 47, 130–31  
   chlamydia, 12  
   fifth disease, 11  
   genetic, 29, 33, 34, 35–36, 37, 156  
   gonorrhea, 12  
   hepatitis B, 9  
   HIV/AIDS, 8, 9  
   infertility, 308–10  
   for maternal medical conditions, 14  
   preconceptual, 7–12, 14, 37  
   pregnancy, 45, 46–48, 49  
   rubella, 10  
   syphilis, 12  
   toxoplasmosis, 10, 11, 37
- tetanus vaccine, 124, 125
- thalidomide, 22
- Thank You, Dr. Lamaze* (Karmel), 194
- third stage of labor, 169–70
- third trimester  
   emotions of, 95  
   sex during, 96  
   ultrasound during, 153
- threatened abortion, 130
- thrombocytopenia, 14
- thyroid disease, 14, 129
- tiredness, 49–50
- tocolytics, 262, 271
- tooth decay, 94
- toxemia, 102, 107, 271–72
- toxic shock syndrome (TSS), 283

- toxins, 23–25, 75, 69, 75  
 toxoplasmosis, 10–11  
 tranquilizers, 179  
 transition phase, 204, 207, 212–16  
 trauma, miscarriages and, 129  
 tremors, in transition, 212  
 triplets, 277  
 trisomy-18, 80, 146  
 trisomy-13, 80  
 trisomy-21, 31, 80  
 tubal ectopic pregnancies, 134, 315  
 tubal ligation, 296–97  
 tubal surgery for infertility 315–16  
 tuberculosis, 14  
 12-step Percoll, 46  
 twins, 5, 276, 277  
 typhus vaccine, 125
- ultrasound  
 bonding during, 149  
 comprehensive, 148, 152  
 to date pregnancy, 48, 49, 152  
 described, 147, 149–53  
 to diagnose pregnancy, 50  
 for ectopic pregnancy, 135  
 for fetal therapy, 159  
 for miscarriage, 130  
 for multiple births, 277  
 for postdate pregnancies, 266  
 for preterm labor, 262  
 routine, 147–54  
 in third trimester, 153  
 three- and four-dimensional, 148  
 timing of, 152  
 uses for, 147–49  
 for vaginal bleeding, 130
- umbilical cord  
 care of, 233–34  
 prolapse of, 268  
 tying and cutting, 183
- unconjugated estradiol (uE3), 143, 146
- urination  
 frequent, 50, 93  
 painful, 251
- uterus  
 abnormalities of, 129, 307  
 cervix. *See* cervix, uterine  
 contractions of. *See* contractions, uterine  
 during pregnancy, 87  
 infertility and, 307, 315  
 involution of, 246, 248  
 lining of, 42  
 massaging after delivery, 183–84  
 miscarriages and, 129  
 position of, 88
- vaccinations  
 chicken pox, 12, 125  
 cholera, 125  
 diphtheria, 124, 125  
 hepatitis A, 125  
 hepatitis B, 9, 124  
 influenza, 124, 125  
 measles, 124  
 mumps, 124, 125  
 pneumococcal pneumonia, 124  
 polio, 124, 125  
 during pregnancy, 123–25  
 rabies, 125  
 rubella, 10, 124, 125  
 smallpox, 125  
 tetanus, 124, 125  
 typhus, 125  
 yellow fever, 125
- vacuum aspiration, 293  
 vacuum extractor, 184–85  
 vaginal bleeding during pregnancy, 50, 101, 127, 130, 134, 275  
 vaginal delivery after cesarean (VDAC), 186–88  
 vaginal discharge, 89, 102  
 vaginal examinations, 101  
 vaginal ring, 289  
 vaginal secretions in early pregnancy, 50  
 varicella zoster virus (chicken pox), 11–12, 125

- varicose veins, 93
- varicoceles, 302, 311
- vas deferens, blockage of, 319
- vasectomy, 297
- vegetarian diets, 105
- vernix, 223, 225
- vision, blurring of, 102
- vitamin K, 222
- vitamin supplements, 19–20, 105, 238
- vomiting, 49, 70–71, 93–94, 102, 213, 251
  
- walking epidurals, 181
- warning signs, postpartum, 251, 252
- water needs, 108, 109
- weaning, 239
- weight, fetal, 138
- weight, maternal
  - losing, 15–16, 20–21
  - nausea and vomiting and, 71
  - during pregnancy, 19, 84–85, 103–104, 277
  - prepregnancy, 15–16, 19, 21, 36
  - underweight, 19, 104
- weight, newborn's, 228. *See also* birth weight; low birth weight
- work
  - during pregnancy, 64, 69–75
  - restructuring, 74
  - returning to, 73–74, 253, 256
- working mothers, 65–68
- workplace toxins, 23–25
  
- X-linked recessive disorders, 33
  
- yellow fever vaccine, 125
  
- zidovudine (ZDV), 8

