

# Subject Index

- AAR. See After-action review (AAR)
- Abnormal values, 10
- Acceliant™ software, 242
- Access software, 26
- Accuracy, 193–194
- Active (positive) controls, 57, 61
- Ad hoc hypotheses, 215
- Adaptive design, 185
- Adjuvant treatment, 196
- Advanced Revelation, 242
- Adverse events  
forms, 76  
collection, 41, 91  
list, 8, 103  
monitoring, 170  
policy, 179, 232  
reports, 87, 99, 179, 207
- Adverse Event Reporting System (AERS), 182
- After-action review (AAR), 83, 230
- AIDS, 62
- AMA Manual of Style, 228
- Analysis of variance, 195, 222
- Anecdotal studies, 88
- Angiograms, 206
- Animal experiments, 88
- Appointments, missed, 75
- Arithmetic mean, 222
- Aspirin, 5
- Attorney, 28
- Audit trail, 132, 145, 157
- Baseline  
analysis, 194, 203  
data, 41, 49, 125  
measures, 18, 36, 56
- Baxter, 4
- Baycol/Lipobay, 4
- Behrens-Fisher problem, 208
- Bias, 59
- Biologics, 18
- Binary restenosis, 202
- Binomial data, 202
- Blinding, 36, 60–61
- Blocking, 56
- Blocked randomization, 208
- Blood tests, 40
- Bonferroni inequality, 214
- Bootstrap, 65, 212
- Box and whiskers plot, 193
- Breaking the code, 186
- Breast implants, 4, 58
- Budgets and  
Expenditures, 50, 118, 141, 186, 229
- CANDA. See Computer-aided new drug application (CANDA), 124
- Cardiac arrhythmia suppression, 48
- Case controls, 71
- Case-control studies, 88
- Case report forms, 125  
electronic, 130  
storing, 9
- Categorical data, 196
- Cause and effect relation, 211
- CDISC  
guidelines, 125, 133  
Metadata Model, 133
- Censored data, 201
- Character data  
storing and retrieving, 12
- Checklists  
comprehensive, 161  
design, 35, 50, 80  
future studies, 234  
measurements, 42  
preventive measures, 43
- Chi-square  
analysis, 222  
distribution, 196, 222
- Cholesterol-lowering drugs, 126

---

*A Manager's Guide to the Design and Conduct of Clinical Trials*, by Phillip I. Good  
Copyright ©2006 John Wiley & Sons, Inc.

- C-ISAM, 242
- Clinical Discovery
  - Platform, 240
- Clindex software, 238
- Clinical
  - review, see AAR
  - sites, see Sites
  - follow-up, see Follow-up
  - investigators, see
    - Investigators
- Clinical research monitors (CRMs), 24, 26, 165
  - responsibilities of, 28, 126, 138–139, 166, 169–173, 175, 178
- Clinical Resource Centers, 109
- Clinical trials
  - closure, 46, 72, 227
  - cost of, 72
  - cut-off dates, 201
  - delays, 229
  - registry, 107, 113
  - single versus multiple, 36
  - termination and extension, 184
  - time line, 45, 90
- Clinical vs statistical significance, 217
- Clintrial software, 242
- Clintrinet software, 240
- Closure, 46, 72, 227
- Code cracking, 47, 62, 77
- Coding systems, 131–132, 153
- Cofactors, 202
- Collateral studies, 233
- Committees, (see Review Committees)
- Common Technical Document, 37, 83–86
- Competing events, 206
- Compliance
  - increasing, 97
  - monitoring, —,
  - staff contribution to
- Computer-aided new drug application (CANDA), 104
- Computer-assisted data entry, 123
- Concurrent medications, 48, 76
- Confidence intervals, 191, 222
- Confidentiality, patient, 155
- CONSORT statement, 105
- Contract research organizations (CROs), 31, 109
- Contracts, drafting, 28
- Controls, 57
- Cost
  - considerations, 72
  - overruns, 172
  - tracking, (see Budgets and Expenditures)
- CPHS. See Committee for the Protection of Human Subjects (CPHS)
- Critical value, 222
- Critical terms, 49
- CRMs. See Clinical research monitors (CRMs)
- CROs. See Contract research organizations (CROs)
- Crossover design, 70
- Crossovers, 205
- Cross reactions, 17
- Data
  - analysis, see Statistical analysis
  - collecting, 8, 123
  - fraudulent, 78
  - missing, 178, 205
  - monitoring, 78, 180–182
  - permanent storage, 228
  - repeated tests on, 214
  - security, 155
  - storage, 133, 156
  - transfer, 154
  - types of, 64, 190
  - visualization, 181
- Database management systems (DBMS), 150
- Database manager, 30, 156
- Database
  - access, 148, 155
  - backup, 158
  - combining, 151
  - protection, 157
  - regulatory agency access types, 143–148
  - client-server, 150
  - testing, 158
- Data Desk/Activ
  - Stats/DataDesk XL, 243
- Data entry
  - computer-assisted, 10, 43, 180
  - development, 123–131
  - via internet, 155
  - standardization, 49
  - technology, 9
  - training for, 139
- Data specifications table, 124
- Datatrak EDC™, 241
- DB2, 151
- DBMS Copy, 245
- DBMS. See Database management systems (DBMS)
- Deming regression, 213
- Demographics, 103
- Design
  - checklist, 50
  - decisions, 35
  - team, 23–25
- Documentation
  - guidelines for, 83–106
  - of software, 218
  - checklist, 162
- Domain tables, 152
- Doses, missed, 75
- Dow Corning, 58
- Downsizing, 3
- Dropouts, 69, 178, 205
- Economic models, 73
- e-CRF. See Electronic, case report form (e-CRF)
- EDC. See Electronic, data capture
- EEG, 29

- Efficacy measures, (see Endpoints)
- Efficacy trials, 8
- Electronic
  - case report form (e-CRF), 123
  - data capture, 1–3, 132,
  - submission (e-Sub), 1, 10
- Eligibility
  - determination, 45, 112
  - requirements, 18, 44, 70, 78, 89, 232
- Endpoints, 9
  - Reporting, 204
  - secondary, 41
  - surrogate, 38, 39
- Enrollment
  - ethical considerations, 114
  - monitoring, 77, 176
- Equivalence
  - demonstrating, 68
  - testing for, 209
- Error sources, 3, 9–10, 27, 42, 49, 123, 131, 152, 181, 199, 213
- Erythromycin, 44
- Ethical considerations, 93, 114
- Exact test, 222
- Exception
  - handling, 91
  - investigator related,
  - patient related, 103
- Expenditures, (see Budgets and Expenditures)
- Experimental design, 43, 55
- Exponential distribution, 66
- External review panels (see Review Committees)
- EZsubs®, 241
- Facilities, changes in, 171
- FDA. See Food and Drug Administration (FDA)
- File access, 155
- Final reports, 102
- First Doc R&D, 241
- Fisher's exact test, 92, 196
- Flat file database, 143
- Follow-up, 45, 125
  - missed appointments, 76
  - file, 144
  - procedures, 91
- Food and Drug Administration (FDA), 18, 83, 104, 109, 124, 182, 208
- Forecasting models, 176
- Formal testing team, 27
- Fractional factorial design, 71
- Fraudulent data, 78
- F-test, 198
- Future studies, 233
- Gant chart, 26, 125
- Globalview operating system, 27
- Government regulations, European, 37
- Groupings, pre-defined, 126
- Handheld devices, 239
- Hardware, 27, 229, 162
- Hardware checklist, 162
- HCOL Clinical Study, 239
- Health fairs, 114
- Hierarchical databases, 145, 153
- Histogram, 181
- Historical databases, 71, 107
- HTML format, 99–102
- ICH guidelines, 38
- IHS Guidelines, 203
- Implementation team, 19
- Ineligible individuals, 69, 205
- Informed consent
  - form, 94
- Instructions,
  - holes in, 48
- Intent-to-treat, 19, 63
- Interactions (drug), 44, 69, 231
- Interest, loss of, 115, 172–174
- Interim reports, 83
- Investigator
  - categories, 167
  - manuals, 43
  - meetings, 168
  - motivators, 110, 173
  - payment, 13, 173
  - rapport, 167
  - relations, 123
  - responsibilities, 92
  - retention, 111, 173
  - recruitment efforts, 28
- In vitro/in vivo
  - experiments, 5, 35
- ISAM, 149
- Journal articles, drafting and publishing, 104, 228
- Karnofsky Index, 202
- Key fields, 149, 152
- Keypunch instructions, 131
- Kick-off meetings, 168
- KISS, 11, 70, 93
- Kruskall-Wallace test, 199
- Laboratories
  - computerization, 9
  - paying, 13
  - guidelines, 97
  - results validation, 180
- Lawsuit, 58
- Lead software developer, 125
- Lipid-lowering therapies, 44
- Logistic regression, 222
- Log-rank test, 202
- Lung cancer data, 200
- Management, 4
- Manuals. See Procedures manuals
- Manufacturing specialist, 26
- Marketing representative, 25
- Maximum tolerated dose, 35

- Measurements checklist, 42
- Median, 193, 222
- Medical monitors, 24, 166, 168, 184, 230
- Medication
  - adjusting, (see Intent-to-treat)
- MeDRA, 86–87
- Menus, 129
- MetaTrial software, 238
- Metoprolol, 39
- Metric data, 192, 198
- Microsoft Access, 150
- Milestones, 25
- Minimum effective dose, 35
- Minimum relevant difference, 209, 222
- Missed appointments, 75
- Monitoring, 1, 165
  - enrollment, 77
  - for quality, 176
  - long term, 232
- Motrin™, 37, 39
- Multicenter trial, 3
- Multiple databases, 151
- Multiple trials, 36
- Multivariate statistical, 186
  
- Network database, 146
- New drug applications (NDA), 104
- Newsletter, 116, 172
- Noncompliant patients, 75, 205
- Nonparametric methods, 199
- Normal distribution, 65, 222
- NPC Test, 244
- NQuery Advisor, 244
- Null hypothesis, 198, 223
  
- Objectives, 37, 186
- Object-oriented databases, 150
- O'Brien test, 208
- Odds ratio, 191
- Open-ended reporting, 123
  
- Oracle software, 26, 150, 238, 241
- Oral contraceptives, 44
- Ordinal data, 194, 197
- Outcome measures, 90
- Outcomes, anticipated, 8
- Outliers, 199, 206
  
- Paperless system, 1
- Parametric methods, 198
- Pass 2000, 244
- Passive (negative) controls, 57
- Patients
  - care, 227
  - compliance, 97, 116
  - confidentiality, 155
  - deaths, 171
  - follow up, 76, 91
  - instructions, 43, 76
  - ID, 153
  - loss adjustment, 69, 207
  - manual, 43
  - motivating, 116
  - noncompliance, 42
  - payment, 95
  - population, 4, 36, 44, 107, 114,
  - records, 93
  - recruitment, 112
  - retaining, 115
  - selection, 17, 89
  - telephone contact, 116
  - withdrawals, 63, 91, 103, 165, 178
- Payment, advance, 173
- Permutation tests, 223, 199
- Pfizer, 4
- Pharmaceuticals checklist, 161
- Pharmacokineticist, 71
- Pharmacologist, 26
- Pharmacology, 88
- PharmaTrack™, 239
- Phase I-III, 5, 88
- Physician panel, 19, 28
- Physician (see Investigator)
- Placebo, 57
- Plan-Do-Check approach, 13
- Planned closure, 46
  
- Planning checklist, 35, 50
- Planning, importance of, 2, 113
- PocketTrials software, 239
- Postmarketing, 228, 232
- Power of a test, 67, 231
- Power and Precision software, 244
- Precision, 64, 192, 211
- Pre-design checklist, 35
- Predictors, finding, 217
- Pretrial meetings, 168
- Preventive measures, 43, 79
- Procedure manuals, 24, 83, 95ff, 163, 179
- Profit considerations, 72
- Program documentation, 99, 218
- Program testing, 27, 136
- Programmers
  - screen preparation, 26, 127
  - statistical, 30
- Programming conventions, 136
- Project management software, 180, 238
- Project manager, 23, 168, 180, 230
- Proposals,
  - objectives, 89
  - reviewing and rewriting, 49
  - clinical overview, 86
- Protocol
  - deviations, 42, 78, 171, 178, 204
  - table of contents, 87
- Pull-down menus, 129
- p-value, 223
  
- Quality control, 42, 47, 91, 123, 179
- Quality-of-life, 49
  
- Radio button, 128
- Randomization, 56
  - blocked, 59
  - response adaptive, 72
  - stratified, 60
- Randomized trials, 58

- Rank tests, 223
- Reactions, severe, 171
- Recruiting
  - factors in, 113
  - media campaigns, 1114
  - monitoring, 77
  - patients, 112
  - problems with, 29
  - physicians, 108
  - targeting, 70
  - tracking, 176–177
- Redundant variables,
- Regulatory agencies
  - advice, 11
  - approval of, 19, 25, 163
  - notification, 79
  - requirements, 57
  - submissions to, 9, 83, 102
- Regulatory liaison, 25
- Relational database, 146,
- Repeated tests, 214
- Reports
  - clinical overview, 86
  - start with, 7, 45
  - topics covered by, 97–102, 189
- “Rescue efforts,” costs of, 188
- Resource center guide, 110
- Response adaptive
  - randomization, 72
- Review committees, 29, 30, 163, 179, 183–185
- Run-in period, 117–118
- SaberTooth Curriculum, 213
- Safety
  - measures, 18
  - monitoring board, 48
  - trials, 5
- Sample determination
  - formulas for, 64
- Samples
  - requirements, 216
  - representative, size, 8, 36, 63
  - cost, 72
- SAS
  - analysis, 196, 200, 202
  - software, 238, 243
  - univariate procedure, 181
- Screen-capture utilities, 137
- Screen development, 124–131
- Security, 155–158
- Sequential tests, 185
- Servers, 150
- Sham surgery, 58
- Side effects
  - anticipated, 39
- Significance level, 66, 223
- Silicon implants, 4, 58
- Silktest software, 137, 245
- Simpson’s paradox, 210
- Site (see Treatment site)
- Smirnov test, 208
- Smoking, 127
- Software
  - checklist, 162
  - developer, 26
  - documentation, 218
- Speech recognition, 239
- Sponsor data, 88
- Spreadsheets, 144
- SPSS, 243
- SQL, 147
- SQL-Amywhere®, 151
- Staff turnover, 171
- Staffing, 23
- Standard error, 192
- Stata®, 181, 243
- Statistical
  - analysis, 91, 103, 194
  - assumptions, 216
  - programmers, 30
  - significance, 209, 217
  - software, 243
  - terminology, 222
- Statistics checklist, 213
- StatXact software, 243
- Stenosis, 39
- Stratified randomization, 59
- Stress testing, 138
- Student’s t, 223
- Study (see, also, Clinical trials)
  - committees, 93
  - closure, 46
  - justification, 88
  - objectives, 37
  - population, 44, 203
  - protocol, table of contents, 87
  - time lines, 45
- StudyBuilder software, 240
- Subgroup hypotheses, 5, 232
- Subjects, (see Patients)
- Subsamples, 69
- Supplies, 161, 176
- Support
  - technical, 140
- Surrogate response, 38–39
- Survival data, 200
- Sybase InfoMaker, 240
- Sybase SQL Anywhere, 242
- SyMetric software, 243
- S+SeqTrial, 244
- Teaching hospitals, 109
- Team roles, 32
- Technical design decisions,
- Technical support, 140
- Technical writers, 26
- Tertiary end points, 41
- Testing
  - database, 158
  - equivalence, 209
  - software, 20, 136–138
- Testing leads, 27
- Test phase checklist, 163–164
- Third-party facilitator, 229
- Time line, 45
- Time-to-event data, 65, 200
- Touch screen software, 239
- Toxicity, investigating, 186
- Training program, 20, 43, 78, 139
- Transnational trials, 3, 30, 36–7
- Treatment
  - allocation, 47, 50, 60
  - code cracking, 47, 62, 77
  - discontinuing, (see Closure)

modifications, 79, 185  
 noncompliance with, 170  
 plan or regimen, 90  
 TrialXS software, 237  
 Treatment sites  
   coordinators, 28, 75, 163, 206  
   number, 36, 70  
   selecting, 107  
   visits, 111, 139, 165, 69  
 Trial review committee, 230  
 Trials (see, Clinical Trials)  
 TrialWorks™ software, 238  
 Triple blinding, 62  
 t-test procedure, 195, 200, 223  
 Type I and II errors, 66, 223  
 Type-and-verify field, 129  
 Validate, 1, 103, 129  
 Variability measures, 103  
 Variable and fixed costs, 229  
 Variation  
   coping with, 55  
   minimizing, 96  
   individual-to-individual  
 VIP patient treatment, 116  
 Volunteers, attracting, 113  
 Web-based data entry, 154–155  
 Westfall procedure, 215  
 Wilcoxon test, 198, 223  
 Winrunner software, 137, 245  
 Withdrawals (see Dropouts)  
 Zelen's test, 196, 204