

# Index

*Note:* Page numbers in *italics* refer to figures, those in **bold** refer to tables

- Abaco Island chain (Little Bahama Bank) 76–87  
daily forces 85  
geomorphological features 87, 88  
hurricane events 85–6  
tidal deltas 76, 78–9  
currents 86–7  
tropical cyclones 77
- Acropora* (coral) 343
- Acropora palmata* (coral) 1  
accretion rates 3–4, 6, 7, 10, **14–16**  
depth 6  
growth position 9  
sea-level curve 5, 8–9  
sea-level rise 12
- aeolianites 114, 115, 120  
southern Australia 143–4
- Akah interval (Paradox Basin, USA) 241
- Al Gharbi shoals (Arabian Gulf) 339  
Landsat image analysis 351–4
- algae  
Arabian Gulf 343–4, 351, 352–3  
brown  
Arabian Gulf 343–4, 351  
on dead coral 343–4  
green  
calcareous 53, 54  
codicean 239  
on dead coral 343–4  
macroalgae of Highborne Cay (Bahamas) 155  
photosynthesis 54  
red  
calcareous 53, 54, 239  
on dead corals 343  
*see also* coralline algae;  
phyllloid algal mounds
- Amphibolis* (seagrass) 125, 126, 129–30, 138–9, 141  
calcareous epiphytes 130, 134
- Andros Island (Great Bahama Bank) 29, 30  
erosion 77  
facies patterns 40  
laminites 221  
mineralogy 42  
sediments 34, 220
- Anisian–Ladinian carbonate platforms 217–18, 221
- annelids **133**, 136–7
- Appalachian foreland basin 259–60, 261, 262–71  
Blountian phase 260  
phases 260, 261  
Taconic phase 260
- Arabian Gulf  
algae 343–4, 351, 352–3  
biostrome 348, 349, 350, 351  
brown algae 343–4, 351  
coral assemblages 339, 343–4, 345, 352–3  
accretion rate 355  
digraph 346–7  
facies  
distribution 342–7  
patterns 338  
Landsat image analysis 350–4  
neighbourhood pattern 344–5  
oyster banks 345  
sand transition to hardground 348–50  
seagrass 344, 345, 351, 352–3  
sea-level 353–4, 356–7  
spatial transition digraph 348  
study area 338–40  
study methods 340–2  
transition probability matrix 348, 349, 352–3
- aragonite  
Belize–Yucatan carbonate platform 64  
carbon isotopes  
composition 49  
variation 52–3  
carbonate platforms 69  
cementation 21, 22, 23  
fibrous 22  
fracture fill 331  
Great Bahama Bank 29, 30, 33–4, 37–8, **38**, 41–2, 49  
stable isotopes 55  
Kuwait ramp area 67, **70**  
mud-dominated sediments 42  
oxygen isotope  
composition 49  
southern Australia 144
- Arbuckle mountains (Ardmore, Oklahoma) 363
- Arcadia Formation (Tampa Bay, Florida) 181, 184, 186, 187  
burying 192
- Ari atoll (Maldivian archipelago) 62, 63  
stable carbon and oxygen isotopes 66–7, **68**
- Atar Group (Mauritania) 277–93  
age 280–1  
biostromes 277, 278–9, 281–6  
development 281–2, 291  
parasequence  
development 286–91, 292  
carbon isotope data 281  
cratonal deposition  
regime 286–91  
geological setting 279–81  
interstromatolitic  
material 285, 287  
deposition variability 290  
lithology 281–2  
marine cement 285–6, 287

- Atar Group (Mauritania) (*contd.*)  
 platy breccia facies 290–1  
 reef  
   development 292  
   elements 282–6  
   margins 292  
 sea-level history 286–8  
 sequence stratigraphy 281–2  
 siliciclastics 280  
 stratigraphy 279–80  
 stromatolites 277–93  
   morphology 278
- Atlantis 19, 20, 21
- Australia, southern 123–44  
 continental shelf 124  
 oceanography 126–7  
 seagrasses 124–6  
 sediment deposition 142–4  
 sedimentology 127  
 study area 125, 126–7  
 study methods 127–9
- back-beach areas 22
- back-bulge basin 258, 269
- bacteria  
 cyanobacterial mats 297, 298  
 halophilic aerobic 167  
 sulphate-reducing 168, 175–6
- Bahamas  
 dune ridges 301  
 hurricane impacts on  
   carbonate systems 75–88  
   *see also* Great Bahama Bank
- Baicalia* (stromatolite) 278, 281, 283, 284–5, 286
- parasequences 289, 292
- sea-level fall 291
- transition from  
   *Conophyton* 290
- Barker Creek interval  
 (Paradox Basin, USA) 241
- beachrock 19–26  
 anthropogenic origins 19–22, 25–6  
 carbon dating 20, 21, 24  
 cementation 21, 22, 23  
 climate 212  
 creation 21–2  
 exposure by hurricanes 24  
 formation 22–6  
 natural origins 19–22  
 pattern 20, 21
- Belize Barrier Reef 62, 63  
 stable carbon and oxygen isotopes 66, 67, 69
- Belize–Yucatan carbonate platform 62, 63  
 bioturbation 71  
 sediments 64, 65, 66  
 stable carbon and oxygen isotopes 69
- Bellview formation (Kentucky) 369, 370–1
- K-bentonites, Cincinnati Arch peripheral bulge (Taconic Orogeny) 266, 269
- Bermuda Triangle 21
- Berry Islands (Great Bahama Bank) 117–18, 301
- Bimini Road (Bahamas) 19–26  
 anthropogenic origins 19–22  
 carbon dating 20, 21  
 creation 21–2  
 J-shaped structure 24  
 natural origins 19–22  
 pattern 20, 21
- bioerosion 1, 2, 8, 10–12, 320
- bioherms, accretion 355
- biostromes  
 Arabian Gulf 348, 349, 350, 351
- Atar Group (Mauritania) 277, 278–9, 281–6  
 development 281–2, 291  
 parasequence development 286–91, 292
- Cincinnati Arch peripheral bulge (Taconic Orogeny) 265
- Conophyton–  
 Jacuphyton 277–93, 281
- Lexington Limestone (Cincinnati Arch) 265
- stromatolite 277, 278–9, 281–6  
 development 281–2, 291  
 parasequence development 286–91, 292
- bioturbation  
 Belize–Yucatan carbonate platform 71  
 carbonate sediments 71, 72  
 layering 300–1
- birds-eye structures 21
- Biscayne Bay (Florida) 300, 301
- bivalves, bioerosion 11
- Boiling Hole (Great Bahama Bank) 118, 119, 120
- breccia facies 290–1
- Brejo do Espinho Lagoon (Brazil) 167–76  
 carbonates  
   morphology 173, 174  
   precipitation mechanism 173–4  
 climate 169  
 dolomite formation 175–6  
 geological setting 168–9  
 hydrology 168  
 lagoon water 169  
 microbial mat formation 169  
 mineralogy 170–1  
 sediments 170–1  
 study methods 169–70
- brown algae  
 Arabian Gulf 343–4, 351  
 on dead coral 343–4
- bryozoans 133, 135, 136, 140–1  
 Cincinnati Arch peripheral bulge (Taconic Orogeny) 265
- Bu Hasa Field (Middle East) 311, 313, 314–15, 317
- Bull Island (South Carolina) 26
- byozoans 133, 135, 136
- $\delta^{13}\text{C}$   
 Brejo do Espinho Lagoon (Brazil) 170, 171, 172  
 facies on Great Bahama Bank 47–56  
 modern sediments 61–72  
 stratigraphic correlation 71–2  
*see also* carbon stable isotopes
- Caesar's Creek Bank 300
- calcification  
 light-mediated 8  
 limitations 12  
 reef accretion 11
- calcite  
 spar 286, 287  
*see also* high-magnesium calcite (HMC); low-magnesium calcite (LMC); magnesium–calcite
- calcium carbonate precipitation 22

- calcium–magnesium
  - carbonates 175–6
  - see also* dolomite; microbial dolomite
- caliche soil formation 364, 365
- Callianassa* (burrowing shrimp) 71
- Cape Sable (southwest Florida) 91–109
- canals 92–3, 97–8
  - sediment source 107–8
- changes 97–8
- climate 93–4
- coastal dynamics 105–6
- creeks 97–8
- depositional environments 95
- flood velocities 101–2
- geomorphological feature
  - infilling 108
- geomorphological
  - patterns 98–100
- grain-size of sediments 100–1, 102
- historical stresses 97–8
- hurricanes 98
- hydrodynamic data 96–7
- low-energy coastal system 92
- rapid recycling 106–8
- saline intrusion 93, 98
- salinity 102
- sea-level 105–6
  - oscillations 108
- sediment 98–103, 104, 105
  - accumulation rate 98–100
  - characteristics 100–1
  - complex transport pathways 106–8
  - concentration 102, 103, 104
  - dynamic processes 101–3, 104, 105
  - sampling 95–6
  - suspended 102–3, 104, 105
- sedimentary units 95
- shallowing-upwards
  - successions 108
- study area 92–3
- tidal prism 94
- winds 94
- Capitan reef (Texas/New Mexico) 332
- carbon
  - total organic 170, 171
  - see also* dissolved inorganic carbon (DIC)
- carbon isotope
  - stratigraphy 55–6
- carbon stable isotopes
  - Atar Group (Mauritania) 281
  - Belize–Yucatan carbonate platform sediments 64, **65**, 66
  - Brejo do Espinho Lagoon (Brazil) 170, **171**, 172
  - facies on Great Bahama Bank 47–56
  - modern sediments 61–72
  - study methods 62, 64
- carbonate(s)
  - aerobic process in mineral formation 176
  - anaerobic process in mineral formation 168, 176
  - biological processes 301
  - cementation 320
  - dissolution 322
  - early load-induced
    - fracturing 327–35
  - erosion 320–1
  - frame-building 320, 322
  - grains 299
  - herringbone 286, 287, 290–1
  - interstromatolitic detrital 285, 287
  - laminated 297
  - microbial 150
  - microspar 285
  - molar-tooth 281
  - morphology 173, 174, 175
  - organic-rich 91–109
  - Paradox Basin (southwestern USA) 241
  - precipitation
    - mechanism 173–4
  - production in falling-stage systems tract 307, 310–11, 312, 313, 321, 322
  - rapid recycling 91–109
    - study area 92–3
  - tropical 305–23
    - lithification 319
    - marine erosion 320
    - siliciclastic system differences 322
    - subaerial erosion 319–20
- carbonate factory 200–1
  - erosional destruction 320
  - Florida Bay 101
  - Great Bahama Bank 117, 221
- temperate water
  - seagrass 142–4
  - tropical 322
- carbonate mineralogy
  - Great Bahama Bank 32, 56
  - stable isotopes 49, **50**, 52, 56
- carbonate platforms
  - Anisian–Ladinian 217–18, 221
- aragonite 69
- carbon isotope variation 48, 52–3
- cyclic succession 215–17
- drowning by siliciclastics 194
- facies mosaics 199–211
- hurricane effects 78–9
- karst sub-basins 179–94
- lagoons 41
- ooid shoals 203, 205, 208, 209
  - accumulation rate 210
- prograding margins 332, 334
- sea-level
  - high-frequency changes 205
  - low-amplitude changes 207
- sedimentary record
  - complexity 200, 203, 205
- sedimentation rates 210
- siliciclastics 199, 209
  - drowning 194
- stable isotopes 56, 61–72
- wave effects 83–4
- wave propagation 81
- wave-dominated systems 88
- see also* Belize–Yucatan carbonate platform; facies mosaics of carbonate platforms; facies on Great Bahama Bank; Latemar Platform (Italy)
- carbonate ramps
  - wave effects 82–3
  - wave propagation 81
- carbonate systems *see* hurricane(s), carbonate system impacts
- CARBONATE-3D modelling
  - program 306, 307
- carbonates, cool-water 123–44
  - accumulation rates 141–2
  - calcareous epiphytes 130, **131**, 132, **133**, 134–7, 139
  - production 141, **142**
  - data analysis 128–9
  - erosion 320–1

- carbonates, cool-water (*contd.*)  
 laboratory methods 128  
 nutrient effects 141  
 oceanography 125, 126–7  
 production 141  
 sedimentation 123–44  
 sedimentology 127  
 study area 125, 126–7  
 study methods 127–9
- celestite 330–1
- cement cylinders 21
- cementation 21, 22, 23  
 Bahamas 328  
 carbonates 320  
 intertidal 22–4
- centennial periodicities 233
- Chaetetes* (coral) 245, 265
- Charlotte Harbor  
 (Florida) 179–94  
 deltaic lobe 187, 190  
 location 182  
 prograding clinoforms 187–8  
 siliciclastic repositories 180  
 siliciclastic sequences 187  
 sub-basin 186–8, 189–90  
 formation/filling 188, 190–1  
 high-sediment discharge  
 rivers 193
- Chinaman Creek (southern  
 Australia) 127, 136  
 seagrass biomass 139
- Chinchorro (Belize–  
 Yucatan) 62, 63  
 peloids 69, 71  
 sediment carbon and oxygen  
 stable isotopes 64, 65, 66  
 stable carbon and oxygen  
 isotopes 69
- Cimon del Latemar (Italy) 362,  
 363–4, 365
- Cincinnati Arch peripheral  
 bulge (Taconic  
 Orogeny) 255–6, 259–60,  
 261, 262–71  
 back-bulge basin 269  
 backstripping analysis 267–8  
 basement control on  
 location 269–70  
 basement fault  
 reactivation 270  
 biostromes 265  
 Blountian phase 262, 264,  
 265, 266  
 faults 267, 270
- grainstones 264–5, 271  
 heterogeneity 269, 270  
 K-bentonites 269  
 lateral sedimentary  
 variation 270–1  
 lithographic units 261  
 organic buildups 265, 269  
 peridital facies 260, 262–5,  
 269, 271  
 peritidal islands 270–1  
 persistence 269  
 position 260, 262–7  
 scaling 268–9  
 sedimentation 256  
 seismites 267, 270  
 shallow-water  
 sedimentation 269  
 shoal-water facies 264–5, 269,  
 271  
 structural features 267  
 subsidence history 267–8, 271  
 syndepositional faults 270  
 Taconic phase 262–4, 264–5,  
 266–7  
 tectonic activity  
 evidence 267–8  
 response variations 270–1  
 unconformities 266–7, 269
- circulation  
 carbonate platform lagoons 41  
 facies on Great Bahama  
 Bank 31, 32
- clays, facies mosaics of  
 carbonate platforms 206
- cleavage, spaced solution 302–3
- climate  
 beachrock formation 22  
 carbonate platforms 208  
 cyclic processes 230, 231  
 depositional environment  
 effects 199–200  
 greenhouse conditions 231  
 icehouse conditions 230–1  
 Little Bahama Bank 77  
 Swiss Jura 208
- clinothem package 327
- Conophyton* (stromatolite) 277,  
 278, 281, 282–3, 284  
 aggradational growth 288  
 branched 289–90, 291  
 interstromatolitic detrital  
 carbonate 285, 287  
 morphology variation 288  
 reefs 288, 292
- sea-level change 291  
 storm damage 288  
 tops exposure 288  
 wave erosion 288
- coralline algae 133, 134–5, 140  
 Highborne Cay  
 (Bahamas) 153, 154, 155,  
 159, 160  
 sediment production 143  
 Stocking Island  
 (Bahamas) 151, 159, 160
- corals  
 accretion rate 355  
 massive species 6, 7  
 Arabian Gulf assemblages 339,  
 343–4, 345, 352–3, 355  
 aragonite source 53, 54  
 basal attachments 9  
 Belize Barrier Reef 66, 67  
 data collection methods 10  
 depth 6–7, 8  
 maximum 2  
 measurement 4  
 palaeowater 4–5  
 growth  
 position 9  
 rate 8, 9  
 Highborne Cay  
 (Bahamas) 153, 154, 155  
 chronology 157–8  
 demise of reef 158, 162  
 sampling 156  
 sediment effects 161  
 underlying  
 stromatolites 156, 162  
 uranium–thorium  
 dating 157  
 light-mediated calcification 8  
 massive species 3, 6, 7  
 palaeowater depth 4–5  
 rubble beds 344  
 scleractinian 53, 54, 155
- sea-level  
 curve 5, 8–10  
 rise 7
- skeleton breakdown 344
- Stocking Island (Bahamas)  
 demise of reef 162  
 sediment effects 161
- Swiss Jura 208–9
- tabulate 265
- taphonomic status 340
- zooxanthellae in southern  
 Australia 127

- see also reef entries*
- core Clino 327, 328  
 age–depth plot 334  
 data 329  
 fracture dip 333  
 fractures 329–30, 334  
 methods 329
- Cotton Hole (Great Bahama Bank) 119, 120
- cross-phase spectral analysis, Latemar cycles 227, 228
- currents  
 facies on Great Bahama Bank 31, 40, 41, 42  
 ooid movement 118–19  
 tidal 87, 107  
 phylloid algal mounds 250–1  
 wind-generated 87
- cyanobacterial mats 297, 298
- cyclones, tropical 75–88  
 destructive power 87  
 waves 82–4
- cyclostratigraphy  
 facies mosaics of carbonate platforms 209–10  
 high-frequency forcing 215–17, 229–35  
*see also* Latemar cycles; Latemar Platform (Italy)
- deltas *see* tidal deltas
- depositional slope angle 307, 309, 321
- Desert Creek interval (Paradox Basin, USA) 241
- Diadema antillarum* (urchin) 11
- diagenesis  
 beach formation 22  
 Belize–Yucatan carbonate platform 66  
 carbonate sediments 72  
 lagoonal 71  
 dolomite 172  
 layering 302–3  
 vadose 364, 365
- Diploria* (coral) 158, 161
- discrete facies rank  
 technique 361–5  
 sampling interval 363, 364
- Dismal Lakes Group 278
- dissolved inorganic carbon (DIC) 49, 53, 54, 55  
 fractionation 55–6
- dolomite 167  
 concretion formation 175  
 diagenesis 172  
 ferroan cement 286, 287  
 layering 302  
 Mendola Pass (Italy) 222, 223  
 spheroidal/spherulites 174–5  
 stoichiometric 175  
*see also* microbial dolomite
- dunes  
*Halimeda* (macroalgae) growth 239, 240  
 ooid on carbonate platforms 205–6  
 ridge growth 301
- Dunham facies classification 42, 76, 219  
 modified 32, 47, 49, 50
- Eastern Continent Rift Basin (ECRB) 269, 270
- Eastern Granite–Rhyolite Province (EGRP) 269, 270
- Eleuthera Island (Grand Bahama Bank) 116, 117
- epiphytes, calcareous 123–44  
 abundance 138, 139–40  
 annelids 133, 136–7  
 attributes 130, 133, 134  
 benthic foraminifera 133, 135–6, 137  
 biomass 138  
 bryozoans 133, 135, 136, 140–1  
 carbonates  
 evaluation 127  
 production 130, 131, 132, 133, 134–7, 139  
 corallines 133, 134–5, 140  
 forager food source 143  
 nutrient effects 141  
 ostracods 133, 136  
 production 141, 142  
 on seagrass 130, 131, 132, 133, 134–7  
 seasonal variation 134–5
- sediment  
 accumulation 144  
 dynamics 143–4  
 production 142–3  
 standing stock 137–9  
 study area 125, 126–7  
 study methods 127–9  
 terminology 127
- erosion  
 Andros Island (Great Bahama Bank) 77  
 bioerosion 1, 2, 8, 10–12, 320  
 coastal 301  
 cycle top in Mendola Pass (Italy) 220  
 marine of tropical carbonates 320  
 mechanical 320  
 rate in falling-stage systems tract 307, 309, 310–11, 313–14, 319–21, 322  
 recessive on Great Bahama Bank 118  
 siliciclastics 322  
 subaerial of tropical carbonates 319–20  
 wave of stromatolites 288
- estuaries, inverse 127
- eustasy 215
- evaporites, phylloid algal mounds 246
- Exuma Cays (Bahamas) *see* reef building
- facies  
 Arabian Gulf 338, 342–7  
 Cincinnati Arch peripheral bulge (Taconic Orogeny) peritidal 260, 262–5, 269, 271  
 shoal-water 264–5, 269, 271  
 cycle-capping 216  
 distribution  
 Arabian Gulf 342–7  
 Leitha Limestone (Austria) 345–7  
 Swiss Jura Mountains 206–11  
 intertidal 218–19  
 Latemar Platform (Italy) 216, 218–21  
 Mendola cycles 222  
 platy breccia 290–1  
 ranking 361  
*see also* discrete facies rank technique; Markov chains for linking environments and facies
- facies mosaics of carbonate platforms 199–211  
 autocyclic processes 207  
 bedding surfaces 206

- facies mosaics of carbonate platforms (*contd.*)  
 biochronostratigraphic time control 207  
 clays 206  
 climate 208  
 composition 210  
 cyclostratigraphy 209–10  
 depositional sequences 202, 208  
 elementary 202, 203, 205–6, 207  
 medium-scale 202–3, 204, 205, 207  
 small-scale 202–3, 204, 205, 207  
 differential subsidence 207–8  
 distribution controls 206–11  
 ecology 208–9  
 locations 201  
 oncoids 204, 209  
 ooid shoals 203, 205, 208  
 accumulation rate 210  
 position 210  
 reconstruction 206, 208, 209–10  
 reefs 210  
 growth 208  
 patch 208–9  
 position 209  
 sea-level 208, 209  
 changes 206–7  
 sedimentary record  
 complexity 200, 203, 205  
 sedimentation rates 210–11  
 sequence boundaries 203, 205  
 siliciclastics 209–10  
 distribution 203  
 stratigraphy 201, 202  
 study areas 201–2
- facies on Great Bahama Bank  
 carbon isotope  
 stratigraphy 47–56  
 circulation 31, 32  
 classification 32, 33, 49  
 currents 31, 40, 41, 42  
 distribution 34, 50–1  
 grain-size distribution 29, 32, 47  
 current influence 40  
 results 34, 35–6  
 variations 33  
 grainstone 40, 42, 44, 49  
 stable isotopes 51
- isotope analysis 49  
 isotope signals 42  
 mineralogy 32, 33–4, 37–8, 38, 41–2, 49  
 new facies maps 29–42, 43–4  
 literature data  
 comparison 42  
 $\delta^{18}\text{O}$  variations 47–56  
 ooid distribution 34, 39, 40, 42  
 patterns 40, 42  
 pellet distribution 34, 39, 40, 42  
 photosynthesis 54, 56  
 precipitation 32  
 salinity 32, 50, 53, 53–5  
 stable isotopes 53–5  
 sampling 48–9  
 sedimentation 29, 30, 31  
 sediments  
 classification 50–1  
 composition 34  
 distribution 38, 40–1  
 stable isotopes 55  
 surface variation 47–56  
 stable isotopes in  
 water 49–50, 53, 54  
 study methods 32–4, 49  
 topography 40–1  
 variations 34, 39  
 wackestone 32, 33, 34, 44, 49, 51  
 stable isotopes 51  
 water stable isotopes 49, 53, 54  
 water temperature 31  
 winds 31–2, 40, 41
- falling-stage systems  
 tract 305–23  
 carbonate production 307, 310–11, 312, 313, 321, 322  
 case studies for  
 modelling 311–16  
 erosion rate 307, 309, 310–11, 313, 319–21, 322  
 numerical modelling 307  
 parameter space 309–11, 321–2  
 case studies 313–16  
 sea-level cycle  
 superposition 311, 321  
 sea-level fall rate 307, 308, 314–16, 318–19  
 parameter space 310–11, 313, 322
- sequence boundary 322–3  
 slope angle 307, 309, 321  
 study methods 306
- faults  
 Cincinnati Arch peripheral bulge (Taconic Orogeny) 267, 270  
 Jessamine Dome (Cincinnati Arch) 267  
 syndepositional 270  
 ferroan dolomite cement 286, 287
- fishhook spits 22–4  
 fixed probability vector (FPV) 345, 346, 347  
 comparisons of modern and Miocene 355–6  
 Leitha Limestone (Austria) 355–6  
 sea-level 353, 354  
 temporal model 348–9, 357  
 transition to hardground 350, 351
- flaser bedding, sands 299  
 Flinders Current 125, 126  
 Florida, southwest 91–109  
 coastal mud deposition 106  
 coastal peat biological production 94–5  
 hurricanes 94  
 low-energy coast 91–2  
 mud flat succession 106  
 sea-level  
 curve 95  
 oscillations 105–6, 108  
 rise 98  
 sedimentation  
 patterns 98–100  
 sediments 98–103, 104, 105  
 tidal prism 94  
 transgressive recycling phase 106  
 transgressive–regressive succession 95
- Florida Bay  
 carbonate factory 101  
 sediment plumes 105
- Florida platform  
 fluvial–deltaic depositional system 191  
 geology 180–1  
 groundwater influx 190–1  
 sea-level 190, 191, 193  
 seismic activity 190

- siliciclastic transport
  - pathway 182, 191–3
  - study area 182
  - Tertiary siliciclastic sediment transport 179–94
- fluvial point-bar sequences 299
- 8-Foot Rapids (Paradox Basin, USA) 246
  - phylloid algal mounds 244–5, 250–1
- foraminifera
  - Belize Barrier Reef 66, **67**
  - benthic **133**, 135–6, 137
    - sediment production 143
  - lagoonal sediments 62
  - Rasdhoo atoll (Maldivian archipelago) 67, **68**
  - southern Australia 127
- forced regressive
  - wedges 312–13, 322
- foreland basins
  - elastic models 256, 257, 268
  - lithosphere deformation 256
  - loading location 256
  - parameters 257–8
  - peripheral bulge 255–6
    - behaviour 256–7
    - elastic plates 258
    - scaling 257–8
    - uplift 258
  - stratigraphic modelling 255, 256–7
  - subsidence 258
  - viscoelastic modelling 268
  - width 257–8
- Fourier power spectra 370–1
- fractures
  - characterization 329
  - fill 330–1
  - host rock lithology 330–1
  - inclination 329–30, 331, 332
  - intervals 327–8, 330, 333
  - length 332
  - lithified carbonates 327–35
  - loading model 331–2, 334
  - orientation 329, 331, 333
  - origins 331–3, 334
  - planes 329, 331, 333
  - Sr-isotope ratio on fill 329
  - uniaxial deformation 329
- fracturing, early load-induced
  - induced 327–35
    - ancient analogues 332–3
    - core data 329–30
    - fracture origins 331–3, 334
    - interruption beds 328, 330, 331, 332, 334
    - laboratory studies 332
    - study methods 329
- frame-building, carbonates 320, 322
- Garrard Siltstone (Cincinnati Arch) 264
- Glovers Reef (Belize–Yucatan) 62, 63
  - sediment carbon and oxygen stable isotopes 64, **65**, 66
  - stable carbon and oxygen isotopes 69
- grain-size
  - determination methods 96
  - distribution on facies on Great Bahama Bank 29, 31, 32
    - results 34, 35–6
    - variations 33
  - sediments 297–9
    - Cape Sable (southwest Florida) 100–1, 102
- grainstone 34
  - Cincinnati Arch peripheral bulge (Taconic Orogeny) 264–5, 271
  - discrete facies rank technique 363
  - facies on Great Bahama Bank 42, 44, 49
    - stable isotopes 51
  - Latemar Platform (Italy) 218, 219
  - Lexington Limestone (Cincinnati Arch) 264
  - Mendola Pass (Italy) 220
  - oolitic 115, 116, 117
  - peloid-dominated 42
- grapestones, Great Bahama Bank 32, 34, 42
- graph theory 342
- gravels, skeletal 299–300
- Great Bahama Bank
  - carbonate factory 117, 221
  - cementation 328
  - cliffs of windward islands 115
  - early load-induced fracturing 327–35
  - facies
    - on carbonate mineralogy 32, 33–4, 37–8, **38**, 41–2, 49
    - maps 29–42, 43–4
    - surface sediment variation 47–56
  - hurricanes 114
  - interruption beds 328, 330, 331, 332, 334
  - ooid production 113–14
    - narrow outer platform 115–17
  - oolite deposition
    - models 115–20
  - oolitic limestone 113–21
  - oolitic ridge 116, 117
  - recessive erosion 118
  - sediment transport
    - vectors 114
  - seismic reflection
    - profiling 190, 191
  - storms 114
  - study methods 115
  - windward islands 114–15
- Great Pearl Bank (Arabian Gulf) 339
- green algae
  - calcareous 53, 54
  - codicean 239
  - on dead coral 343–4
- greenhouse climate 231
- Gregory Town ridge (Great Bahama Bank) 117, 118
- Grenville front (Cincinnati Arch) 269, 270
- grey-scale analysis outcrop
  - photographs 365–71
  - Fourier power spectra 370–1
  - lateral variability of data 368–71
  - outcrop angle 366–8
- Gulf St Vincent (southern Australia) 127
- Habshan Formation (Oman) 312, 313, 314
- Halimeda* (macroalgae) 34
  - Belize Barrier Reef 66, **67**
  - Belize–Yucatan carbonate platform 66
  - dunes 239, 240
  - Ivanovia* green alga relationship 250
  - lagoonal sediments 62
  - Quicksands (Florida) 247, 249, 250

- Halimeda* (macroalgae) (*contd.*)  
 Rasdhoo atoll (Maldivian archipelago) 67, **68**  
 sand waves 239, 240, 247
- Halodule uninervis*  
 (seagrass) 344, 351
- Halophila* (seagrass) 351  
*H. ovalis* 344
- Hawthorn Group (Tampa Bay, Florida) 186  
 siliciclastic transport pathway 192
- herringbone carbonate 286, 287, 290–1
- Highborne Cay (Bahamas) 149, 150–63  
 coralline algae 153, 154, 155, 159, 160  
 corals 154, 155  
 chronology 157–8  
 demise of reef 158, 162  
 sampling 156  
 underlying stromatolites 156  
 uranium–thorium dating 157  
 hydrodynamics 159  
 lagoon water depth 155  
 macroalgae 155  
 pinnacle structures 153, 154, 161
- reef  
 facies 153–5  
 stratigraphy 153–5  
 stromatolite 158, 163  
 system 152–6  
 zonation 152–3
- reef development  
 geological  
 significance 162–3  
 late Holocene 160  
 microbial 162  
 modern 159–60
- reef–sediment  
 interactions 161
- sea-level–sediment  
 interactions 160–1
- sediments 159
- stromatolites 153, 155, 160  
 basal surface  
 underlying 156, 162  
 chronology 157–8  
 reef building 158, 163  
 sampling 156–7  
 uranium–thorium dating 157
- high-magnesium calcite (HMC)  
 carbon isotopes  
 composition 49  
 variation 52–3  
 Great Bahama Bank 32, 33–4, 37–8, **38**, 41–2, 49
- highstand systems tract 305, 323
- Holocene  
 carbonate platform lagoons 41  
 geo-climatic conditions 231  
 Great Bahama Bank facies  
 maps 29–42, 43–4  
 icehouse conditions 230–1  
 reef accretion 1–14, **14–16**  
 models 12–13  
 sea-level oscillations 231
- Honaker Trail Formation (Paradox Basin, USA) 241, 242
- hurricane(s)  
 bioturbation of layering 300–1  
 carbonate system  
 impacts 75–88  
 geomorphological changes 78–9  
 meteorological factors 77  
 observations 77–8  
 oceanographic factors 77  
 study area 76–7  
 geographically limited  
 changes 87  
 Great Bahama Bank 114  
 Labor Day Hurricane 98  
 morphological changes 107  
 ooid movement 119  
 southwest Florida 94, 98  
 storm wave modelling 79–87
- Hurricane Andrew 300–1  
 Hurricane Donna, Cape Sable (southwest Florida) 98
- Hurricane Frances  
 Bahamas 75–88  
 intensity 77  
 track 77
- Hurricane Jeanne  
 Bahamas 75–88  
 intensity 77  
 route 77
- Hurricane Kate, storm  
 sediments 302
- Hurricane Katrina 85–6
- icehouse conditions, Holocene/  
 Pleistocene 230–1
- Ikonos map 340, 342, 343
- interruption beds, Great Bahama Bank 328, 330, 331, 332, 334
- Intertropical Convergence Zone (ITCZ) 32
- Ismay interval (Paradox Basin, USA) 241
- Isognomon* oyster banks 345
- Ivanovia* (green alga) 239, 247, 250
- Jacuphyton* (stromatolite) 277, 278, 283, 285, 287  
 interstromatolitic detrital carbonate 285, 287  
 parasequences 289  
 reef intervals 292  
 sea-level rise 288, 291
- Jebel Ali carbonate ramp (Persian gulf) 342–7
- Jessamine Dome (Cincinnati Arch) 260, 262, 263–4, 265  
 backstripping analysis 267–8  
 faults 267  
 sedimentation 271  
 shallow-water sedimentation 269  
 stratigraphy 271  
 subsidence 267–8  
 unconformities 266
- Joulters Cays (Great Bahama Bank) 115, 116
- J-shaped structure formation 24, 26
- karst sub-basins 179–94  
 formation/filling 188, 190–1  
 geological significance 193–4  
 high-sediment discharge rivers 193
- K-bentonites, Cincinnati Arch  
 peripheral bulge (Taconic Orogeny) 266, 269
- Kentucky River Fault system 267
- Key Largo Formation (Florida) 193
- keystone vugs 21
- Knox unconformity 259
- Kope formation (Kentucky) 369, 370–1
- Kuwait ramp area 62, 63  
 aragonite 67, **70**  
 peloids 71

- stable carbon and oxygen isotopes 67, 69, **70**
- Labor Day Hurricane, Cape Sable (southwest Florida) 98
- lagoons  
carbonate platforms 41  
sediments 62, 71  
water depth 155  
*see also* Brejo do Espinho Lagoon (Brazil)
- Lake Ingraham (southwest Florida) 95, 96, 98  
sedimentation  
patterns 98–100  
sediments  
sink 103  
source 107
- Lake Wales Ridge (Florida) 182, 192, 193
- laminae 297
- laminites  
Andros Island (Great Bahama Bank) 221  
Mendola Pass (Italy) 221
- Landsat image analysis, Arabian Gulf 350–4
- Landsat map 340
- Latemar cycles 215–35  
bi-lithological 362  
cap 229  
coherency analysis 227  
cross-phase spectral analysis 227, 228  
depositional 229–34  
facies 218–21  
Fischer plots 226, 227  
harmonic analysis 226–7  
intertidal facies 218–19  
Mendola cycle  
comparison 221  
Milankovitch orbital forcing 216, 231–3  
millennial periodicities 233–4  
process recording 229  
running cross-correlation analysis 224, 225, 226  
shallowing-upward 218, 219, 221, 229  
spectral analysis  
cross-phase 227, 228  
of thickness 232  
stacking 216, 217  
patterns 229
- statistical correlation 224, 225, 226–7  
subfacies 221  
sub-Milankovitch model 232, 233  
subsidence 221  
vertical scale 221  
Waltherian skip 218, 219
- Latemar Platform (Italy) 215–35  
allocyclicality 229  
bi-lithological cycles 362  
biostratigraphy 216, 223–4  
capping 229  
cycle-capping facies 216  
cyclic succession 216  
depositional cycles 233–4  
discrete facies rank  
technique 363–5  
facies 218–21  
geology 217–18  
location 217, 218  
sea-level 364–5  
sediments 229–34  
shallowing-upward  
succession 218, 219  
stacking patterns 229  
teepee zones 232
- Law of Large Numbers for Markov Chains 345
- layering 297–303  
bioturbation 300–1  
depositional unit  
thickness 301  
diagenesis 302–3  
subsurface deposition 302
- Lee Stocking Island (Great Bahama Bank) 118–19
- Leeuwin Current (Australia) 125, 126
- Leitha Limestone (Austria) 338, 339–40  
digraph 346–7  
spatial transition 348  
facies distribution 345–7  
fixed probability vector 355–6  
mapping 340  
spatial transition digraph 348  
transition frequency  
matrix 346–7
- Lexington Limestone (Cincinnati Arch) 262–3, 264  
bryozoan biostrome 265  
clasts 266  
peritidal facies 267
- stromatoporoids 267  
unconformities 266
- Lighthouse Reef (Belize–Yucatan) 62, 63  
sediment carbon and oxygen stable isotopes 64, **65**, 66  
stable carbon and oxygen isotopes 69
- limestone  
oolitic of Great Bahama Bank 113–21  
pressure dissolution 303  
ribbon 302  
*see also* Leitha Limestone (Austria)
- lithification, tropical carbonates 319, 322
- lithofacies ranking 361  
reliability/validity 362–3
- Loggerhead Key (Dry Tortugas) 24, 25
- Long Key Formation (Florida) 193
- low-magnesium calcite (LMC)  
carbon isotopes  
composition 49  
variation 52–3  
Great Bahama Bank 32, 33–4, 37–8, **38**, 41–2, 49  
stable isotopes 55  
oxygen isotope  
composition 49
- lowstand systems tracts 323
- macroalgae, Highborne Cay (Bahamas) 155
- magnesium–calcite  
Brejo do Espinho Lagoon (Brazil) 171  
southern Australia 144  
*see also* high-magnesium calcite
- Maldives archipelago 62, 63, 315  
falling-stage systems  
tract 312–13  
peloids 71  
seismic stratigraphy 312–13  
stable carbon and oxygen isotopes 66–7, **68**, 69
- Mallorca, sea-level fall 313, 316
- mangroves 101  
storm surge layer 300–1
- marine cement 285–6, 287

- Marinobacter* (bacterium) 167, 169, 172–3  
carbonate precipitation 173–4  
dolomite spherulitic growth 175
- Markov chains for linking environments and facies 337–57  
absorbing 341, 351  
analyses 342–54  
conditional probabilistic relationships 338  
ecological background data 340  
embedded 341  
ergodic 341, 348–50, 351  
facies  
distribution 342–7  
frequency 345  
fixed probability vector 345, 346, 347, 357  
comparisons of modern and Miocene 355–6  
sea-level 353, 354  
temporal model 348–9  
transition to hardground 350, 351  
graph theory 342  
Landsat image analysis 350–4  
landscape analysis 340  
methods 341–2  
neighbourhood statistics 342, 344–6  
outcrop maps 345–6  
regional setting 338–40  
regular 341, 348  
sand transition to hardground 348–50  
sea-level 353–4, 356–7  
sedimentation rates 355  
space–time bridge 347–50  
spatial transition digraph 348, 354  
study methods 340–2  
taphonomic status 340, 343–4  
temporal Markov model 347, 352–3, 357  
temporal transition digraph 347, 355  
transition probability matrix 348, 349, 352–3  
transition weightings 356  
two-dimensional analysis 340  
types 341
- marl, erosion 301
- Marquesas–Quicksands Ridge (Florida) 247, 248
- mass extinctions, microbial carbonates 150
- Mendola cycles 215, 219–21  
cap 229  
coherency analysis 227  
cross-phase spectral analysis 227, 228  
depositional 229–34  
facies 222  
Fischer plots 226, 227  
harmonic analysis 226–7  
Latemar cycle comparison 221  
Milankovitch orbital forcing 231–3  
millennial periodicities 233–4  
process recording 229  
running cross-correlation analysis 224, 225, 226  
shallowing-upward 221, 229  
stacking patterns 229  
statistical correlation 224, 225, 226–7  
subfacies 221  
subsidence 221  
tops 220  
vertical scale 221, 222
- Mendola Pass (Italy) 216–17  
allocyclicality 229  
biostratigraphy 223–4  
capping 220, 229  
cycle top erosions 220  
depositional cycles 233–4  
dolomite 222, 223  
erosive bases 220  
laminites 221  
Peritidal Member 223, 224  
sediments 229–34  
stacking patterns 229  
stratigraphic correlation 221, 223–4
- metazoans  
competition 150  
reef building 149–63  
controls 158–62
- Miami Oolite 319–20
- micrite, discrete facies rank technique 363
- microbes  
reef building 149–63  
controls 158–62  
*see also* bacteria
- microbial dolomite  
aerobic culture experiments 169, 172–3  
carbonates  
morphology 173, 174, 175  
precipitation mechanism 173–4  
deposition in aerobic conditions 167–76  
formation in Brejo do Espinho Lagoon (Brazil) 175–6  
mineralogy 170–1  
minerals  
formation 169–70  
recovery 170  
scanning electron microscopy 170, 172, 173  
sediments 170–1  
spherulites 174–5  
study methods 169–70  
X-ray diffraction analysis 170, 172
- microbial mats  
Brejo do Espinho Lagoon (Brazil) 169  
cyanobacterial 297, 298
- microbialites 149–50  
reef growth 158  
Swiss Jura 204, 209
- micro-encrusters, Swiss Jura 204, 209
- microspar carbonate 285
- Milankovitch cycles 202, 215  
grey-scale analysis outcrop photographs 366  
orbital forcing 216, 231–3  
shallowing-upward successions 231
- millennial periodicities 233
- molluscs  
lagoonal sediments 62  
Rasdhoon atoll (Maldivian archipelago) 67, **68**
- mud flats, succession 106
- mudstone 32, 33, 49, 51
- Murrawah shoals (Arabian Gulf) 339  
Landsat image analysis 351–4
- Nashville Dome (Cincinnati Arch) 260, 262, 263, 264–5  
backstripping analysis 267–8  
faults 267

- sedimentation 271  
 shallow-water 269  
 seismites 267  
 stratigraphy 271  
 subsidence 267–8, 271  
 truncation pattern 266–7  
 unconformities 266  
 neighbourhood frequency 342, 344–6  
 ‘New-Age’ alternative thinkers 19  
 Nijar Basin (Spain) 311, 313, 315, 316  
 nutrients, reef impacts 159–60
- $\delta^{18}\text{O}$   
 Brejo do Espinho Lagoon (Brazil) 170, 171, 172  
 facies on Great Bahama Bank 47–56  
 modern sediments 61–72  
 stratigraphic correlation 72  
 oncoids, Swiss Jura 204, 209
- ooids  
 bank-side production 119–20  
 dunes on carbonate platforms 205–6  
 eastward transport 119–20  
 exportation to outer platform 118–19  
 Great Bahama Bank 113–21  
 facies 34, 39, 40, 42  
 formation 113–14  
 oolitic grainstone 117, 118  
 production on bank side 118–19  
 radial 120  
 reef–sediment interactions 161  
 shoals on carbonate platforms 203, 205, 208, 209  
 accumulation rate 210  
 sieve analysis 299  
 oolitic limestone of Great Bahama Bank 113–21  
 Oregon Formation (Cincinnati Arch) 262  
 ostracods 133, 136  
 outcrop photographs  
 angle of outcrop 366–8  
 grey-scale analysis 365–71  
 data lateral  
 variability 368–71
- Fourier power spectra 370–1  
 outcrops, modelling 367  
 Oxfordian of Swiss Jura *see* Swiss Jura Mountains, Oxfordian  
 oxygen stable isotopes  
 Belize–Yucatan carbonate platform sediments 64, 65, 66  
 Brejo do Espinho Lagoon (Brazil) 170, 171, 172  
 facies on Great Bahama Bank 47–56  
 modern sediments 61–72  
 study methods 62, 64  
 oyster banks, Arabian Gulf 345
- packstone 34, 49  
 discrete facies rank technique 363  
 stable isotopes 51  
 Paradox Basin (southwestern USA) 239–53  
 carbonate deposition 241  
 evaporite facies 241  
 geological setting 240–1  
 outcrops 241, 242  
 phylloid algal mounds 239, 241–53  
 development 245–7  
 facies 243–5  
 incipient mound facies 242, 243  
 intermediate facies-diverse biota 241–2  
 parameters 252  
 siliciclastics deposition 241  
 study area 240  
 Peace River Formation (Tampa Bay, Florida) 184, 186, 190  
 siliciclastic transport pathway 192
- peat  
 coastal 301  
 freshwater 94–5, 101
- peloidal mud, phylloid algal mounds 241, 242
- peloids  
 Chinchorro (Belize–Yucatan) 69, 71  
 grainstone 42  
 Kuwait ramp area 71  
 Maldive archipelago 71
- Penicillus* (calcareous algae) 101  
 photography of outcrops, grey-scale analysis 365–71  
 photosynthesis  
 facies on Great Bahama Bank 54, 56  
 seagrass 139  
 phylloid algal mounds 239–53  
 accretionary growth 247  
 aggradational growth 244  
 algal plates 244, 245  
 alignment 246  
 biostromal beds 244  
 capping 245  
 coalesced mound units 247  
 composition 244  
 development 245–7  
 in tidal passes 250–1  
 evaporites 246  
 facies 243–4  
 fields 246  
 8-Foot Rapids 244–5  
 incipient mound facies 242, 243  
 intermediate facies-diverse biota 241–2  
 oolitic facies 245  
 orientation 246  
 parameters 252  
 peloidal mud 241, 242  
 plate accumulation 244  
 regional distribution control 246  
 sand wave deposition 251  
 shale thicks 246  
 skeletal capping facies 245  
 tidal channels 250–1  
 types 246  
 Picco di Carnizza (Italy) 366  
 pixels  
 grey-scale analysis 365, 366  
 Moore neighbourhood 342, 345–6  
 platy breccia facies 290–1  
 Pleistocene  
 geo-climatic conditions 231  
 icehouse conditions 230–1  
 sea-level oscillations 231  
*Porites* (coral) 343  
*Posidonia* (seagrass) 125–6, 129–30, 138–9, 141  
 calcareous epiphytes 130, 134

- Posidonia* (seagrass) (*contd.*)
- precipitation, Great Bahama Bank 32
- pressure dissolution 302–3
- Pulley Ridge (Florida shelf) 25, 26
- Quicksands (Florida Keys) 240, 247, 248, 249, 250
- Halimeda* macroalga 247, 249, 250
- sand waves 251
- Ras Hasyan (United Arab Republic) 339
- Rasdhoo atoll (Maldive archipelago) 62, 63
- peloids 71
- stable carbon and oxygen isotopes 66–7, **68**
- red algae
- calcareous 53, 54, 239
- on dead corals 343
- reef(s)
- Conophyton* (stromatolite) 288
- drowning 12
- facies mosaics of carbonate platforms 210
- growth 208
- patch 208–9
- position 209
- nutrient concentrations 159–60
- patch 208–9, 210
- algal mound capping 245
- sand abrasion 159
- sediments 62, 159
- interactions 161–2
- Swiss Jura 208–9, 210
- position 209
- reef accretion 1–14, **14–16**
- bioerosion 1, 2, 8, 10–12
- calcification
- light-mediated 8
- limitations 12
- rate 11
- coral 1–14, **14–16**
- data
- analyses **14–16**
- collection methods 10
- depth 6–7, 8, 11
- measurement 4
- palaeowater 4–5, 7, 8, 13
- models 12–13
- rate 6, 7–8, 10, 12, **14–16**
- sea-level
- curve 5, 8–10
- rise 7, 12
- sources of error 8–10
- study methods 3–6
- vertical aggradation 3
- reef building 2, 3
- coral 2, 3
- Highborne Cay (Bahamas) 152–6, 158
- microbial–metazoan 149–63
- controls 158–62
- phylloid algae 239–53
- Stocking Island (Bahamas) 151–2
- stromatolites 150
- thrombolites 150
- reef development
- Highborne Cay (Bahamas) future 162–3
- geological significance 162–3
- late Holocene 160
- Stocking Island (Bahamas) future 162–3
- geological significance 162–3
- late Holocene 160
- modern 159–60
- respiration, seagrass 139
- roads, underwater 21–2, 23
- rudstone, stable isotopes 51
- Safa Field (Middle East) 311, 313, 315, 317
- salinity
- Cape Sable (southwest Florida) 102
- Great Bahama Bank 32, 50, 53
- facies 53–5
- southern Australia 127
- stable isotopes 53–5
- sand(s)
- flaser bedding 299
- grain size 297
- transition to hardground 348–50
- wave migration 79
- sand body stabilization 161
- satellite imagery
- facies linking to environments 340
- maps 342
- seagrass 123–44
- Arabian Gulf 344, 345, 351, 352–3
- biomass 129–30, **131**, 132, 137–8, 139
- peak 132, 139
- calcareous organisms 127
- epiphytes 130, **131**, 132, **133**, 134–7
- data analysis 128–9
- laboratory methods 128
- photosynthesis 54, 139
- sediment
- accumulation 144
- dynamics 143–4
- production 142–3
- stabilization 76–7, 78, 79
- southern Australia 124–6
- species 125–6, 138–9
- study methods 127–9
- sea-level
- Arabian Gulf 353–4, 356–7
- Atar Group (Mauritania) 286–8
- cycle superposition in falling-stage systems tract 311, 321
- depositional environment effects 199–200
- facies mosaics of carbonate platforms 206–7, 208, 209
- Florida platform 190, 191, 193
- high-frequency changes 205
- Latemar Platform (Italy) 364–5
- Markov chains for linking environments and facies 353–4, 356–7
- oscillations 105–6, 108, 231–2
- sediment interactions 160–1
- sedimentation pulses 301–2
- stromatolite impact 287–9, 291
- sea-level curve
- reef accretion 5, 8–10
- south Florida 95
- sea-level fall 305–23
- carbonate production 321
- rate 307, 308, 314–16, 318–19
- parameter space 310–11, 313, 322
- siliciclastics 322
- sea-level rise
- relative 92, 106
- south Florida 98, 106, 108

- Sebree Trough (Cincinnati Arch) 267, 269
- sediment(s)
- analysis of characteristics 96
  - Andros Island (Great Bahama Bank) 34, 220
  - bioturbation 71, 72
  - Brejo do Espinho Lagoon (Brazil) 170–1
  - complex transport pathways 106–8
  - cool-water carbonate 142–4
  - diagenesis 71, 72
  - dissolution 71
  - distribution in carbonate platform lagoons 41
  - dune-ridge growth 301
  - dynamic processes 101–3, 104, 105
  - Exuma Cays (Bahamas) 151
  - grain size 297–9
  - Great Bahama Bank 29, 30, 31, 38, 40–1, 50–1
  - stable isotopes 55
  - Highborne Cay (Bahamas) 159
  - lagoonal 62, 71
  - laminated 221
  - Latemar Platform (Italy) 229–34
  - lobes 98
  - low-energy coasts 91
  - measurement of suspended 97
  - Mendola Pass (Italy) 229–34
  - oolitic 116–17
  - organic matter 101
  - plumes 105
  - pore water pH 170
  - recrystallization 71
  - reef interactions 161–2
  - reefs 159
  - sampling 95–6
  - scanning electron microscopy 170
  - sea-level interactions 160–1
  - southwest Florida 98–103, 104, 105
  - stabilization by seagrass 76–7
  - Stocking Island (Bahamas) 152, 159
  - stress 152
  - taphonomic effects 71, 72
  - tidal deltas 86–7
  - tidal transport 102–3
  - transgressive package 92
  - transport of Tertiary siliciclastic 179–94
  - transport vectors on Great Bahama Bank 114
  - wave effects 82, 83–4
  - X-ray diffraction analysis 170
- sediment pathway model 103, 105
- sedimentation
- autocyclic 356
  - beach formation 22, 23
  - Cincinnati Arch peripheral bulge 256
  - ecological pattern relationship 338
  - facies mosaics of carbonate platforms 199, 210–11
  - Jessamine Dome (Cincinnati Arch) 271
  - Nashville Dome (Cincinnati Arch) 271
  - patterns in southwest Florida 98–100
  - rate and Markov chains 355
  - measurement 95
  - sea-level-driven pulses 301–2
  - shallow-water on Cincinnati Arch (Taconic Orogeny) 269
  - subsurface deposition 302
  - tidal currents 107
- seismites, Cincinnati Arch peripheral bulge (Taconic Orogeny) 267, 270
- sequence stratigraphy 305–6
- parameter space 309–10, 313
- shale thicks, phylloid algal mounds 246
- shallowing-upward successions 230, 231
- carbonate 231
  - drivers 233
  - Latemar cycles 218, 219, 221, 229
  - Mendola cycles 221, 229
  - Shamal winds 338
- shoreline, wave impact 87
- Shu'aiba Formation (Middle East) 311–12, 314–15, 316, 317–18
- Siderastraea* (coral) 158, 161, 343
- siliciclastic transport pathway, Florida platform 182, 191–3
- siliciclastics
- Atar Group (Mauritania) 280
  - carbonate platforms 199, 209–10
  - distribution 203
  - drowning 194
  - erosion 322
  - Florida shorelines 179, 180–1
  - Florida sub-basins 187, 193
  - karst sub-basins 193–4
  - Paradox Basin (southwestern USA) 241
  - remobilization 181
  - sea-level fall 322
  - Tertiary sediment transport 179–94
- skeletal grains, recrystallization 71
- skeletal gravels 299–300
- slope angle 307, 309, 321
- South Australian Current 125, 126
- spaced solution cleavage 302–3
- spectral analysis 232
- cross-phase 227, 228
- Spencer Gulf (southern Australia) 127
- spherulites 174–5
- internal structure 175
- spits
- fishhook 22–4
  - harbour formation 25–6
- sponges, bioerosion 11
- stacking 216, 217
- patterns 229
- Stocking Island (Bahamas) 149, 150–63
- coral reef demise 162
  - coralline algae 151, 159, 160
  - hydrodynamics 159
  - pinnacle structures 153, 154, 161
  - reef development 151–2
  - demise 162
  - future 162–3
  - geological significance 162–3
  - late Holocene 160
  - microbial 162
  - modern 159–60

- Stocking Island (Bahamas)  
 (*contd.*)  
 reef–sediment  
   interactions 161  
 sea-level–sediment  
   interactions 160–1  
 sediment stress 152  
 sediments 159  
 stromatolites 151, 152, 160  
   reef building 163
- storm(s)  
 carbonate system  
   impacts 75–88  
*Conophyton* damage 288  
*versus* day-to-day  
   processes 84–7  
 destructive power 87  
 geographically limited  
   changes 87  
 Great Bahama Bank 114  
 sediments  
   hurricane driven 302  
   movement 143, 199, 200  
 tempestites 299, 302  
 wave actions 82–3  
*see also* cyclones, tropical;  
 hurricane(s)
- storm surges 87  
 bioturbation of layering  
   300–1
- storm wave modelling 79–87  
 assumptions 84  
 carbonate platforms 83–4  
 carbonate ramps 82–3  
 deep-water model 80–1  
 limitations 84  
 wave prediction module 80  
 wave transformation  
   module 80  
 wave transformation/  
   breaking 81–2
- stratification  
 grain size 297–9  
 primary 297
- stratigraphic analysis, high-  
 resolution 361–72  
 discrete facies rank  
   technique 361–5  
 grey-scale analysis of outcrop  
   photographs 365–71
- stratigraphy  
 biostratigraphy of Latemar  
   Platform (Italy) 216,  
   223–4
- carbon isotope 55–6  
 correlation 71–2
- facies mosaics of carbonate  
 platforms 201, 202,  
 209–10
- foreland basin modelling 255,  
 256–7
- Jessamine Dome (Cincinnati  
 Arch) 271
- Mendola Pass (Italy) 221,  
 223–4
- Nashville Dome (Cincinnati  
 Arch) 271
- $\delta^{18}\text{O}$  correlation 72
- reefs of Highborne Cay  
 (Bahamas) 153–5
- seismic of Maldive  
 archipelago 312–13
- Swiss Jura Mountains 201,  
 202  
*see also* cyclostratigraphy;  
 sequence stratigraphy
- stromatolites 149–50  
 biostromes 277, 278–9, 281–6  
 Conophyton–  
   Jacuphyton 277–93  
 development 281–2, 291  
 parasequence  
   development 286–91, 292  
 branching 292  
   columnar 284–5, 286, 291  
   conical 283, 285, 287  
   irregular 291  
 columnar 278–9, 292  
   branching 284–5, 286  
 complex juxtapositions 288,  
 292  
 conical 278, 282–3, 284, 291,  
 292  
   branching 283, 285, 287  
 Conophyton–Jacuphyton  
   biostrome 277–93  
 cratonal inundation 292  
 depositional setting 278  
 domal 278–9  
 growth 277–8  
   aggradational 288  
 Highborne Cay  
   (Bahamas) 153, 155, 160  
 chronology 157–8  
 reef building 158, 163  
 sampling 156–7  
 uranium–thorium  
   dating 157
- highstand growth 278
- interstromatolitic detrital  
 carbonate 285, 287  
 deposition rate 292
- laminae 277–8
- low synoptic relief 291–2
- marine cement 285–6, 287
- mat growth 278
- morphology 277, 278  
 variability 291
- reef  
 development 292  
 elements 282–6  
 growth 291–2  
 margins 292  
 ridges 163  
 sand burial 162  
 sea-level changes 287–9, 291
- Stocking Island  
 (Bahamas) 151, 152, 160  
 reef building 163
- stromatoporoids 265  
 Lexington Limestone  
 (Cincinnati Arch) 267
- strontium-isotope ratio 329
- sub-Milankovitch model  
 232–3
- subsidence  
 differential in Swiss Jura  
 Mountains 207–8  
 Latemar/Mendola cycles 221
- subsurface deposition 302
- Subtropical Divergence Zone  
 (STDZ) 32
- sulphate, bacterial 168, 175–6
- sulphide oxidation 175–6
- Swiss Jura Mountains,  
 Oxfordian 199–211  
 climate 208  
 controls on facies  
   distribution 206–11  
 depositional sequences 202–3,  
 204, 205–6  
 differential subsidence 207–8  
 ecology 208–9  
 oncoids 204, 209  
 reefs 210  
   patch 208–9, 210  
   position 209  
 sea-level changes 206–7  
 sedimentation rates 210–11  
 stratigraphy 201, 202  
 study area 201–2  
 water temperature 208

- Taconic Orogeny, Cincinnati Arch 255–71
- Tampa Bay (Florida), Tertiary siliciclastic sediment transport 179–94
- boreholes 181, 183–4, 186
- location 182
- prograding sequences 187
- seismic data 181, 183–5, 186
- siliciclastic repositories 180, 187
- sub-basin 181, 183–5, 186
- formation/filling 188, 190–1
- high-sediment discharge rivers 193
- Taoudeni Basin (West Africa) 279–80
- tempestites 299
- tubular 302
- Thalassinoides* (trace fossil) 71
- thrombolites 149–50
- tidal deltas 76, 78–9
- currents 86–7
- hurricane impacts 76, 78–9
- mud 301
- sediment movements 86–7
- tidal velocities 88
- tidal passes, phylloid
- algal mound
- development 250–1
- Tilemsina* (stromatolite) 278, 281, 283, 284, 285, 286
- formation on cone tops 289
- interstromatolitic detrital carbonate 285, 287
- reef intervals 292
- sea-level change 286, 291
- Tongue of the Ocean (Great Bahama Bank) 40, 42
- total organic carbon, Brejo do Espinho Lagoon (Brazil) 170, 171
- transition frequency matrix 342
- transition probability matrix 342
- Arabian Gulf 344–5, 347, 352–3
- Leitha Limestone 346–7
- temporal 347, 348, 349, 352–3
- Triassic, depositional cycles 231
- tsunami deposits 299
- Tungussia* (stromatolite) 281, 284, 286
- turbidites 299
- Turneffe Islands (Belize–Yucatan) 62, 63
- sediment carbon and oxygen stable isotopes 64, 65, 66
- Udotea* (calcareous algae) 101
- United Arab Emirates, Holocene sediments 338–57
- regional setting 338–40
- vadose diagenesis 364, 365
- Virgibacillus marismortui* (bacterium) 167, 169, 172–3
- carbonate precipitation 173–4
- dolomite spherulitic growth 175
- voids, bubble-shaped 21
- wackestone
- discrete facies rank technique 363
- facies on Great Bahama Bank 32, 33, 34, 44, 49
- stable isotopes 51
- Latemar Platform (Italy) 218
- Mendola Pass (Italy) 220
- mud-rich 34
- Waltherian skip 218, 219
- Walther's Law 337, 338
- water, stable isotopes in facies on Great Bahama Bank 49–50, 53, 54
- water temperature
- Great Bahama Bank 31
- Swiss Jura 208
- waves
- bottom orbital velocity 82
- Conophyton* erosion 288
- deep-water model 80–1
- outer shelf impact 87
- propagation 81
- sediment movement 82, 83–4
- shoaling 81, 82
- shoreline impact 87
- storm wave modelling 79–87
- transformation/breaking 81–2
- tropical cyclones 87
- tropical storms 82–4
- Weissenegg Formation *see* Leitha Limestone (Austria)
- West Island (southern Australia) 127–8
- calcareous epiphytes 134
- winds
- Cape Sable (southwest Florida) 94
- facies on Great Bahama Bank 31–2, 40, 41
- ooid movement 118–19

