

Index

- acids, esterification using carbodiimides 113–115
- N*-acyl-*S,S*-dimethylsulfilimines 77
- α -acylamino- β -thiopropionic acids 98
- acylcarbodiimides 173–181
- reactions of 180
- synthesis of 174–180
- from carbonimidoyl dichlorides or chloroformamidines 178
- from cyanamides 179
- from isocyanates 177
- from other carbodiimides 179
- from thioureas 174–176
- from ureas 176–177
- N*-acylchloroformamidines 126
- N*-acylketene imines 72
- acyloxyketenes 72
- N*-acyltetrazoles 104
- N*-acylureas 88, 93
- adenosine 5-phosphate (A5P) 95
- adenosine-5-phosphoric acid amide 95
- adenosinetriphosphate (ATP), synthesis of 94
- 5-adenylic acid 95
- alcohols, reactions with alkyl- and arylcarbodiimides 83–89
- aldehydes, aromatic 61
- aldoximes 88
- aliphatic carbodiimides
- homopolymerization of 45
- infrared spectra 4
- reactions with arenesulfonyl isocyanates 48
- water soluble 2
- aliphatic imidoylcarbodiimides, carbodiimide infrared band 173, **174**
- α -alkoxycarbonylcarbodiimides 90, 129
- alkyl halides, reactions with trimethylsilyl carbodiimide 35
- N*-alkyl-*N'*-[4-(5-phenyloxazol-2-yl)-benzyl]carbodiimides 11
- N*-alkyl-*N'*-trimethylsilylcarbodiimides, [2 + 2] cycloaddition reaction of haloketenes with 188
- S*-alkyl-*N,N,N'*-trialkylisothiureas 207
- alkylarylcarbodiimides 9
- alkylbis(trimethylsilyl)phosphanes 80
- alkylcarbodiimides
- reactions of 41–130
- condensation 113–125
- cycloaddition 46–76
- heterocycles from 104–113
- insertion 78–83
- nucleophilic 83–104
- oligomerization and polymerization 41–46
- with ylides 76–78
- synthesis of 10–36
- by dehydration of ureas 16–17
- by nitrene rearrangements 25–28
- by thermolysis reactions 29–33
- from cyanamides 25
- from haloformamidines or carbonimidoyl dihalides 28–29
- from isocyanates or isothiocyanates 17–25
- from thioureas, isothiureas and selenoureas 10–15
- O*-alkylisoureas 84, 85

284 Index

- O*-alkylmonoisoureas 84
 1-(alkyloxycarbonyl)-3-(arylmethyl)thioureas 175
N-allyl-*N'*-4-methoxyphenylcarbodiimide 162
 aluminum amidinate complexes 79
 amidines 82
 amidoximes, Tiemann rearrangement of 25
 aminals, *N,N'*-substituted α,α -dioxoketene 82
 amines, reactions with carbodiimides 99
 amino acyl adenylates 95
 5-amino-1*H*-1,2,3-triazoles 66
 3-amino-2-arylaminoquinazolin-4(3*H*)-ones 107
 1-amino-isoquinolines 158
 aminoalcohols, reactions with carbodiimides 100
 aminoquinazolines 173
o-aminothiophenols 110
 ammonia, reactions with carbodiimides 99
 anhydrides 89, 113
 carboxylic acid anhydrides 170
 cyclic anhydrides 93, 94
 anthranilic acid 106
N-(1-anthranyl)-*N'*-octadecylcarbodiimide 249
 antibiotics, synthesis of 261
 antidiabetic drugs 268
 arenesulfonyl isocyanates, reactions with aliphatic carbodiimides 48
N-arenesulfonyl-*N'*-alkylcarbodiimides 3, 205
N-arenesulfonyl-*N'*-phenylcarbodiimides, reaction with HN_3 210
 arenesulfonylcarbodiimides 31
 reactions with oxalyl chloride 210
 arenesulfonylthioureas 99
 aromatic carbodiimides 2
 infrared spectra 4
 stability of 3
 3-aryyl-2-(2-aryl-4,5-dioxo-4,5-dihydro-3-furyl)quinoxalins 72
 aryl isocyanates 42
 1-aryl-2-arylamino-2-imidazolines 100
 3-aryl-2-arylamino-4-arylimino-quinazolines 43
 3-aryl-2-quinoxaliny(aryyl)ketenes 72
 6-aryl-4-arylimino-1-phenyl-6-trifluoromethyl-1,4,5,6-tetrahydropyrazolo-[4,3-*e*][1,3]-oxazines 170–171
N-aryl-*N'*-[4-(5-phenyloxazol-2-yl)-benzyl]carbodiimides 11
N-aryl-*N'*-trifluoromethylcarbodiimides, dimers and trimers 43
 2-arylamino-1,3-thiazolines 100
 2-arylamino-3-ferrocenecarbonyl quinolines 157
 2-arylamino-6*H*-pyrano[2,3-*f*]benzimidazole-6-ones 14
 2-arylamino-benzothiazoles 110
 arylcarbodiimides 75
 N-2-chloroethyl-*N'*-arylcarbodiimides 171
 o-carboxyethyl-diarylcarbodiimides 107
 reactions of 41–130
 cycloaddition 46–76
 oligomerization and polymerization 41–46
 with ylides 76–78
 synthesis of 10–36
 by dehydration of ureas 16–17
 by nitrene rearrangements 25–28
 by thermolysis reactions 29–33
 from cyanamides 25
 from haloformamidines or carbonimidoyl dihalides 28–29
 from isocyanates or isothiocyanates 17–25
 from thioureas, isothioureas and selenoureas 10–15
 see also diarylcarbodiimides; unsaturated arylcarbodiimides
 aza-Wittig reaction 2, 20–25, 251, 260
 azides 34
 2-azido-4,6-dichlorotriazine 231
 azidoformat, photolysis of 179
 aziridincarboximidoyl chlorides 167
 aziridines 65
N-aziridinyliminoureas 176
 azoniaallene salts 63, 64
 barbiturates 92
 5-diaminomethylenebarbiturates 81
 batzelladin alkaloids 156
 benzo[*b*]carbazoles 75
 benzotriazoles 112
 benzoyl-sulfene, reaction with DCC 60
 biguanides 102
 biological applications, of carbodiimides 261–268
 bis-1,1-difluoro-2,2,2-trichloroethylcarbodiimide 166
 bis-1,2,2,2-tetrachloroethylcarbodiimide 166
N,N'-bis-(2-vinyloxy)ethylcarbodiimide 148
 1,3-bis-(2-vinyloxyethyl)thiourea 148
 bis-alkylideneureas 170
 reactions with
 phosphorus pentachloride 167
 triphenylphosphine dibromide 167
 bis- α -chlorocarbodiimides 169, 170
 bis-boc-carbodiimide 11
 bis-carbodiimides 252
 bis-*N*-acylureas 93
 bis-sugar carbodiimides 21–22
 bis-*t*-butylcarbodiimide 35

- bis-trichlorocarbonylcarbodiimide 177
 bis-trimethylsilyl mercury 81
 bis-trimethylsilylcarbodiimide 79, 183
N,N'-bis[1-(4-methylphenyl)-2-phenylvinyl]carbodiimide 149
 bis[[4-(2,2-dimethyl-1,3-dioxolyl)methyl]-carbodiimide (BDDC) 2
 bis(4-dimethylaminophenyl)carbodiimide 90
 bis(α -bromo)carbodiimides 167
 bis(α -chloro)carbodiimides 167
 bisaryliminophosphoranes, synthesis of cyclic carbodiimides from 231–236
 2,5-bis(cyanimino)-2,5-dihydrothieno[3,2-b]-thiophenes 189
N,N-bis(glycopyranosyl)cyanamides 191
 bis(perchloroethyl)carbodiimide 165
N,N'-bis(*t*-butoxycarbonyl)-protected guanidines 251
N,N-bis(trialkyl) ureas 184
 bis(trifluoromethyl)carbodiimide 35, 167
 bis(trifluoromethyl)thioetene, reaction with carbodiimides 58
 bis(trimethylsilyl)carbodiimide
 cyanoimines from 188
 phosphorus substituted carbodiimides from 202, 203
 reactions of 189, 190, 191
 bis(trimethylstannyl)carbodiimide 202
 bis(triphenylmethyl)carbodiimide 36
 bis(triphenylsilyl)carbodiimide 186
 bis(triphenylstannyl)carbodiimide 36, 186
 bis(trityl)carbodiimide 25
 blowing agents 269–270
 boron carbodiimide oligomers 248
 bovin trypsin 264
 bromophenylacetylene 59
 Burgess reagent 17
t-butyl isothiocyanate 32
 1-*t*-butyl-2-carbomethoxyazetidene 65
N-t-butyl-*N'*-dimethylaminocarbodiimide 198
N-t-butyl-*N'*-phenylcarbodiimide 31
N-t-butyl-*N'*-trimethylmetalcarbodiimide 81
t-butylimido zirconocene complexes, exchange reaction with methyl isothiocyanate 35

 carbamic acid salts 100
 carbamoylcarbodiimides 175
 carbamoylthiocarbodiimides 175
 carbodiimide foams 3
 carbodiimide terminated dithiolane self assembly monolayers (SAMs) 263
 carbodiimides
 ¹³C-NMR spectra 4
 ¹⁵N-NMR spectra 4
 applications of 259–281

 bond angles 3–4
 cycloadducts derived from **52, 56**
 [2 + 2] **49**
 [2 + 4] **74**
 effect of substituents on stability of 4
 halogenation of 166
 with heterocyclic substituents 147
 imidozirconocene complexes [2 + 2]
 cycloaddition reactions with 54
 industrial applications 3
 in pharmaceuticals, herbicides and pesticides 267–268
 in polymer synthesis 269
 protein and DNA synthesis 261–263
 Raman spectra 4
 reactions with
 ammonia, amines, amine derivatives and azides 99–104
 dimethyl sulfate 42
 isocyanate salts 50
 phenylcarbonyl isocyanate 50
 reactivity of 10
 review articles on 3
 structure of 1
 synthesis of 1
 acyl-, thioacyl- and imidoylcarbodiimides from 179
 phosphorus substituted carbodiimides from 202–203
 silicon substituted carbodiimides from 186
 starting materials for 9
 sulfur substituted carbodiimides from 208
 toxicity of 5
 uses of
 in attachment of biomarkers to polypeptides 1
 in organic synthesis 1–2
 as stabilizers for polyester based polymers **246**
 carbonimidoyl dichlorides 29
 synthesis of
 acyl-, thioacyl- and imidoylcarbodiimides from 178
 halogenated carbodiimides from 166–167
 phosphorus substituted carbodiimides from 200–201
 sulfur substituted carbodiimides from 206–207
 carbonimidoyl dihalides, synthesis of alkyl- and arylcarbodiimides from 28–29
o-carboxyethyl diarylcarbodiimides 107
 carboxylic acid amides 116
 carboxylic acids
 reaction of carbodiimides with inorganic and 89–97

286 Index

- carboxylic acids (*Continued*)
 reactions with hydrogen peroxide 93
 reactions with *N,O*-dimethyl-hydroxylamine 101
N-*o*-carboxylphenyl-*N'*-phenyl thiourea 17
 castanospermin 118
 catalysts, for methathesis reactions 29–30
 α -chloro isocyanate, reaction with *N*-trimethylsilyl-*N'*-phenylcarbodiimide 35
 2-chloro-1-methylpyridinium iodide (Mukaiyama reagent) 13
N-chloroamidines 28
 3-chlorobenzothiazole-*S*-dioxide 34
 α -chlorocarbodiimide 170
p-chlorodiphenylcarbodiimide 65
N-2-chloroethyl-*N'*-arylcarbodiimides 171
 chloroethyl-parabanic acids 171
 chloroformamidine hydrochlorides 17, 28, 126
 chloroformamidines 126
 synthesis of acyl-, thioacyl- and imidoylcarbodiimides from 178
 chloroformamidinium salts 127
 α -chloroheterocumulenes 190
 α -chloroisocyanates 165
N-4-chlorophenylcarbonyl-*N'*-*t*-butylcarbodiimide 178
 α -chlorosulfilimines 35
 chondroitin sulfate 268
 α -chymotripsin 267
 collagen
 coupling to acrylic acid polymers 265
 crosslinking of 124, 267
 condensation reactions, use of carbodiimides in 113–125
 copolyamides 125
 copolymers, crosslinked 252–253
 creatin kinase, grafting to collagen film 253
 crosslinking agents 2
 cyanamides 1, 129
 fluorination of 165
N,N-bis(glycopyranosyl)cyanamides 191
 synthesis of
 acyl-, thioacyl- and imidoylcarbodiimides from 179
 alkyl- and arylcarbodiimides from 25
 phosphorus substituted carbodiimides from 201–202
 silicon substituted carbodiimides from 183–184
 1-cyano-*N,N'*-disubstituted formamidines 103
 2-cyanoarylcarbodiimides 106
 cyanoforamidines 70
 1,2-disubstituted 3-cyanoguanidines 102
 cyanoimines 188
 cyclic carbodiimides 227–242
 oligomeric 247
 reactions of 236–241
 cycloaddition 238–240
 with methyloxalyl chloride 241
 nucleophilic 236–237
 oligomerization 237
 with oxalyl chloride 240
 with phosgene 240
 synthesis of 229–236
 by nitrene rearrangement 230–231
 from bisaryliminophosphoranes and isocyanates or isothiocyanates 231–236
 from cyclic thioureas 229
 cyclic diketones, [2+4] cycloadducts derived from carbodiimides and **74**
 cyclic nitrones, reaction with di-*t*-butylcarbodiimide 125
 cycloaddition reactions 46–76, 260
 [2 + 2] 60–63
 [2 + 2] across C \equiv N bonds 46–55
 [2 + 2] across C—C multiple bonds 55–60
 [2 + 3] 63–67
 [2 + 4] 68–76
 of acyl-, thioacyl-, and imidoylcarbodiimides 180
 of cyclic carbodiimides 238–240
 of halogenated carbodiimides 168–169
 of silicon substituted carbodiimides 188–190
 cycloadducts 47
 [2 + 2] 50
 [2 + 2] derived from carbodiimides and isocyanates **49**
 [2 + 4] 50, 51
 [2 + 4] derived from carbodiimides and cyclic diketones **74**
 derived from isothiocyanates and carbodiimides **52**
 derived from ketenes and carbodiimides **56**
 cyclobutane aluminum complex, reaction with carbodiimides 58
N-(1,3,5-cycloheptatrienyl)-*N'*-phenylcarbodiimide 149
N-cyclohexyl-*N'*-(1-pyrenyl)carbodiimide (PCD) 272
N-cyclohexyl-*N'*-(2,2,6,6-tetramethylpiperidineoxy)carbodiimide 259–260
N-cyclohexyl-*N'*-[4-(dimethylamino)- α -naphthyl]carbodiimide (NCD-4) 272
N-cyclohexyl-*N'*-(4-methylmorpholine-beta-yl) carbodiimide *p*-toluenesulfonate 90
N-cyclohexyl-*N'*-isopropyl-carbodiimide 10
N-cyclohexyl-*N'*-(*N*-methylmorpholino)-carbodiimide 273
 cyclopentadienyl iron dicarbonyl 62

- cyclopentadienyl-bis(ethylene)cobalt 63
 cycloreversion reactions 60
- DCC (dicyclohexylcarbodiimide) 5, 9, 10, 29, 33, 259, 260, 261
¹H-NMR study 4
 rate of reaction with aliphatic acids in THF 90
 reactions with
 3,4-methylenedioxyphenylpropionic acid 91
 3,6,9-trioxaundecanoic dicarboxylic acid 93
 chlorosulfonyl isocyanate 49
 dithiocarboxylic acids 98
 formic acid 91
 monothiocarboxylic acids 98
 phenylpropionic acid 91
 N-*p*-toluenesulfonyl-*N'*-cyclohexylcarbodiimide 47
 in synthesis of polypeptides 2
 7-deazaxanthine-9-propionic acid 122
 dehydration reactions 260
 di-2-pyridylcarbodiimide 43
 di- α -naphthylcarbodiimide 30
 di-*t*-butylcarbodiimide 2
N,N'-di-*t*-butylcarbodiimide 10
 diafentiuron 267
N,N-dialkyl-1,3-diazocine-2,4,8-triones 82
 1,3-dialkyl-2,4-bisalkylimino-1,3-diazetidines 41
 5-(dialkylamino)-1,2,4-triazoles 129
 2-dialkylamino-5,6,7,8-tetrahydrobenzothieno-[2,3-*d*]pyrimidin-4(3*H*)-ones 108
 ω -dialkylaminoalkylcarbodiimides 24
 ω -dialkylaminoalkylphosphoramidates 24
 dialkylaminothiocarbonyl isothiocyanates 53
 dialkylcarbodiimides, stability of substituted 3
 diallylcarbodiimides 147
N,N'-diaminoguanidine 102
 5-diaminomethylenebarbiturates 81
 4,5-diaryl-1,2,3,5-thiaoxadiazole-1-oxide 26
 diarylcarbodiimides 25, 61, 79, 100
 insertion reactions 79
 reaction with acidic phenols 85
 see also arylcarbodiimides; unsaturated arylcarbodiimides
 diarylthioureas 13
 1,3-diaza-2-azoniaallene salts 64
 1,3-diazacyclodeca-1,2-diene 240
 1,3-diazahepta-1,2-diene 237
 diazaphosphetidinones 32
 1,3-diazaphospholidine oxides 18
 diazetidines 42
 dicarboxylic acids, reactions with carbodiimides 92
 2,2-dichloro-1,3,5-triazinium salts 64
 dichlorodehydrotetrazepine 228
 dichloromethylene ammonium chloride 127
 dichloromethylsilane 187
 1,3-dicyclohexyl-2,4-bis(cyclohexylimino)-1,3-diazetidines 42
N,N'-dicyclohexyl-*N,N'*-dipropionylurea 82
N,N'-dicyclohexylcarbodiimide *see* DCC
 dicyclohexylcarbodiimide *see* DCC
 α , β -didehydro amino acid esters 123
 α , β -didehydroamino acids 122
 diethyl 2,4-bis(diethylamino)-cyclobutadiene-1,3-dicarboxylate 68
 diethyl *N*-dimethylaminophosphoramidate 196
 diethylcarbodiimide 26
 2,6-diethylphenyl isocyanate 19
N,N'-diferrocenylcarbodiimide 4
 α -difluoro isocyanates 166
 difluorocyanamide 165
N,N'-dihalocarbodiimides 165
 2,3-dihydro-2-imino-4-oxo-1,3-oxazines 69
 4,5-dihydro-5-imino-1*H*-1,2,4-triazolium salts 64
 5,6-dihydro-7*H*-imidazo[1,2-*b*][1,2,4]triazoles 176
 diisocyanatocarbodiimides 46
 diisopropylcarbodiimide 2, 4, 5, 9, 61, 73, 83, 126, 260, 261
 reaction with 1,2-bistrifluoromethylacetylene 58
 dimesitylgermaniumdicarbodiimide oligomers 248
N-(5,5-dimethyl-3-oxo-1-cyclohexenyl)-*N'*-arylcarbodiimides 155
S,S-dimethyl-*N*-sulfilimines 77
S,S-dimethyl-*N*-sulfonylsulfilimines 77
 4,4'-dimethyl-oxyimidazolidine-2,5-dithione 127
N-(4-dimethylaminophenyl)-*N'*-2,6-dimethylphenylcarbodiimide 48
N-(4-dimethylaminophenyl)-*N'*-methylcarbodiimide 47
 reaction with methyl isothiocyanate 51
N-(4-dimethylaminophenyl)-*N'*-phenylcarbodiimide 48
 dimethylcarbodiimide 3, 4, 44
 1,3-dimethylphospholine-1-oxide 18
 2,2'-dinitrodiphenylcarbodiimide 112
 1,1-dioxo-2-(*N*-isopropylimino)-3-isopropyl-5,5-diphenylthiazolidine 4-one 55
 DIPCD *see* diisopropylcarbodiimide
 1,3-diphenyl-2,4-diphenylimino-1,3-diazetidines 43
 1,3-diphenyl-2-azaallyl lithium 67

288 Index

- 2,6-diphenyl-4-benzoylimino-1,3,5-oxadiazine 177
- diphenyl-methane diamine 128
- diphenylcarbodiimide 31, 33, 102, 128
- [2 + 4] cycloaddition reactions 68
- cycloaddition reaction with disubstituted acetylenes 58
- effect of substituents on rate of hydration 83
- heating with *N*-methylhexamethyldisilazane 44
- reaction with phenylacetylene 59
- reaction with trimethylsilyl azide 104
- 4,4'-diphenylmethane diisocyanate (MDI) 3, 44
- diphenylnitril imine 63
- dipivaloylketene 70, 71
- dipyridyl-(2) carbodiimide 147
- disilylcarbodiimide oligomers 187, 248
- disilylcarbodiimides 183
- α -disubstituted malonic acids 92
- 2,3-disubstituted pteridin-4(3H)-one derivatives 109
- dithiocarbamic acids 99
- dithiocarboxylic acids, reaction with DCC 98
- di(triphenylmethyl)carbodiimide 5
- divinylcarbodiimides 149
- DNA, synthesis of 261–263
- DNA functionalized single walled carbon nanotubes (SWNT) 1, 263
- dyes, carbodiimides and 272–273
- EDAC *see* EDCCI
- EDC 2, 4, 5, 96, 253
- applications of 259, 260, 264, 273
- rate constants for hydrolysis of 83
- EDCCI 2, 5, 122, 123, 259, 260
- applications of 259, 260
- polymeric 250
- enynes carbodiimides 75, 147
- heterocyclic compounds derived from 160, 161
- ethanol–water mixtures, separation of 273
- ethyl 2-methylmalonate 69
- 2-ethyl-1,3-dimethyl-1,3,2-diazaphospholine-2-oxide 245
- 1-ethyl-3-(3-dimethylamino)-propylcarbodiimide *see* EDC
- 1-ethyl-3-methylphospholine-1-oxide 18
- N*-ethyl-*N'*-(3-dimethylamino)-propylcarbodiimide *see* EDC
- ethylene-1,1-bis(triphenylphosphonium)-2,2-bis(phenyl amide) 78
- ferrocene-1,1'-dicarboxylic acid 90, 114
- O*-ferrocenoylisourea 90
- ferrocenyl carbodiimides 157
- ferrocenylcarbodiimide (FCDI) 2
- fixing agents 253
- foams 3, 46, 252
- formamidines 128
- 1-cyano-*N,N'*-disubstituted formamidines 103
- Fuzeon 261
- Geiger-Koenig method 117, 119
- gem* dicarbodiimides 252
- germaniumdicarbodiimide 248
- glycolipids 118
- glycopeptides 118
- glycosyl carbodiimides 11
- 1-(β -glycosyl)-5-amino-1H-tetrazole 103
- guanidines
- N,N'*-bis(*t*-butoxycarbonyl)-protected guanidines 251
- reaction with carbodiimides 102
- tri-alkylguanidines 128
- tricyclohexyl guanidine 33
- see also* polyguanidines
- α -haloalkylcarbodiimides 165
- haloformamidines, synthesis of alkyl- and arylcarbodiimides from 28–29
- halogenated carbodiimides 165–172
- reactions of 168–171
- cycloaddition 168–169
- nucleophilic 169–170
- synthesis of 165–168
- by halogenation of carbodiimides 166
- from α -haloisocyanates 165–166
- from carboimidoyl dichlorides or imidoyl chlorides 166–167
- α -haloisocyanates
- reaction with *N*-trimethylsilyl-*N'*-carboxyethylcarbodiimide 177
- synthesis of halogenated carbodiimides from 165–166
- haloketenes
- reaction with *N*-trimethylsilyl-*N'*-alkylcarbodiimides 55
- reactions with *N*-alkyl-*N'*-trimethylsilylcarbodiimides 188
- herbicides 268
- heterobetaines 66
- heterocumulenes
- cycloaddition reactions 46–47
- insertion reactions 33, 78
- heterocycles 260
- enynes carbodiimides 160
- from carbodiimides 104–113
- six-membered ring 127

- heteroquinoides 188
- hexamethylene diisocyanate 17
 reaction with a phospholene oxide catalyst 45
- hexaphenylcarbodiiphosphorane 78
- homocyclic carbodiimides, synthesis of 227
- homopolymerization, of carbodiimides 243
- homopolymers, crosslinked 252–253
- hyaluronic acid 266
- hydantoins 87
- hydrazine 102
- α -hydro-perfluoro-isopropyl isocyanate 166
- hydrogen selenide 97
- hydrogen sulfide 97
- hydrosilanes 79
- hydroxamic acids 88
- hydroxy acids, macrolactonization of 93
- 4-hydroxy-6-nitroquinoline-3-carboxylic acid 106
- hydroxycarboxylic acids 93, 107
- 4-hydroxycyclohexanone 86
- imidazo[1,5-c][1,3]benzodiazepines 151
- imidazo[4,5-d][1,2,3]triazoles 110
- imidazolidine imides 65
- imidazolidine-2-ones 65
- imido tantalum complexes, exchange reactions with *N* - *t*-butyl-*N'*-2,6-dimethylphenylcarbodiimide 35
- imido zwitterionic titanium complexes 35
- imidoyl chlorides, synthesis of halogenated carbodiimides from 166–167
- imidoyl dichlorides, synthesis of sulfur substituted carbodiimides from 206–207
- imidoylcarbodiimides 173–181
 (2,4,6-trimethylaniline)
 imidoylcarbodiimides 169
 reactions of 180
 synthesis of 174–180
 from carbonimidoyl dichlorides or chloroformamidines 178
 from cyanamides 179
 from isocyanates 177
 from other carbodiimides 179
 from thioureas 174–176
 from ureas 176–177
- imidoylthioureas, desulfurization of 176
- imidozirconocene complexes, [2 + 2] cycloaddition reactions with carbodiimides 54
- imines, *N*-acylketene 72
- 4-imino-2-azetidiones 55
- iminophosphoranes 9, 20–21, 22, 61
 bisaryliminophosphoranes 231–236
 synthesis of
 phosphorus substituted carbodiimides from 200
 unsaturated carbodiimides from 148–153
- indoloquinolines 160
- insertion reactions 33, 78–83
- isocyanates
 [2 + 2] cycloadducts derived from **49**
 aryl 42
 aza-Wittig reaction 20–25
 catalytic conversion of 17–20
 synthesis of
 acyl-, thioacyl- and imidoylcarbodiimides from 177
 alkyl- and arylcarbodiimides from 17–25
 cyclic carbodiimides from 231–236
 silicon substituted carbodiimides from 184–185
 unsaturated carbodiimides from 148
- α -isocyanatocarbodiimides 30, 35
- isocyanides 34
- isonitriles 34
- isonitroso Meldrum's acid, reaction with carbodiimides 70
- N*-isopropyl-*N'*-phenylcarbodiimide 29
- isoselenocyanates, cycloaddition reactions across C=Se bond 53
- isoserin 123
- isothiocyanates 9
 [2 + 2] cycloaddition reactions 51
 aza-Wittig reaction 20–25
 catalytic conversion of 17–20
 cycloadducts derived from **52**
 dialkylaminothiocarbamoyl 53
 synthesis of
 alkyl- and arylcarbodiimides from 17–25
 cyclic carbodiimides from 231–236
 silicon substituted carbodiimides from 184–185
 unsaturated carbodiimides from 148–153
- t*-butyl isothiocyanate 32
- isothiureas 97, 207
 synthesis of, alkyl- and arylcarbodiimides from 10–15
- isoureas
O-alkylisoureas 84, 85
O-alkylmonoisoureas 84
O-ferrocenoylisourea 90
 poly(*O*-alkylisoureas) 251
- ketenes
 3-aryl-2-quinoxaliny(aroyl)ketenes 72
 acyloxyketenes 72
 cycloadducts derived from **56**
- ketoimes 88

290 Index

- lactams 101
 beta-lactams 55, 57
 formation of 115–124
 linear homopolymers, via addition across the
 C=N bonds 248–250
 linear polymers 251–252
 crosslinking of 253–254
 modification of 254
 lysozyme 267
- macrocyclic carbodiimides **232–235**
 racemization of 4
- MDI (4,4'-diisocyanatodiphenylmethane) 259, 269
- melibionic acid, coupling to serum albumin 266
- (-)-menthylcarbodiimide 5
- mercaptoethylamines 100
- Merrifield polypeptide synthesis 120
- metal imides, [2 + 2] cycloaddition reaction
 with *N,N'*-ditoylcarbodiimide 54
- metathesis reactions 261
- 2-metcaptoethanol, reaction of carbodiimides
 with 97
- methacrylic acid 114
- methanol 273
- methyl acetylenedicarboxylate 156
- 2-methyl-5-phenyl-1,3,4-oxadiazol-2-(3H)-one
 26
- 2-methyl-5-phenyltetrazole 26
- N*-methyl-*N'*-*t*-butylcarbodiimide 32, 35
- N*-methyl-*N'*-trifluoromethylcarbodiimide 32
- N*-methyl-*N'*-vinylcarbodiimide 147
- N*-methylhydroxylamine 102
- methylalalyl chloride 127
 reaction with cyclic carbodiimides 241
- N*-(4-methylphenyl)diphenylimine 54
- Moffat oxidation 2, 46, 76
- monosilylcarbodiimides 183
- monosubstituted carbodiimides 1
- monothiocarboxylic acids, reaction with DCC
 98
- monotriylcyanamide 25
- 1-(1'-morpholino)cyclohexene 155
- Mukaiyama reagent 13
- N*- α -naphthyl-*N'*-cyclohexylcarbodiimide
 30
- neoglycoproteins 268
- nitrene rearrangements
 synthesis of
 alkyl- and arylcarbodiimides by 25–28
 cyclic carbodiimides by 230–231
- nitride oxides 63
- nitriles 88, 101
- 1-nitro-2,2-bisaminoethylenes 130
- nitrogen substituted carbodiimides 195–198
 reactions of 198
 synthesis of 195–197
- nitromethane 130
- nitrones 63
- N*-(4-nitrophenyl)-*N'*-isopropylcarbodiimide
 47
- 2-(*o*-nitrophenyl)benzotriazole 112
- NMR studies 4
- nonapeptide linear amides 123
- nonapeptides 118
- nucleophilic reactions
 of alkyl- and arylcarbodiimides 83–104
 with ammonia, amines, amine derivatives
 and azides 99–104
 with carboxylic and inorganic acids 89–97
 with H₂S, H₂Se, thioalcohols and
 thiophenols 97–99
 with water, alcohols, phenols and other
 hydroxy compounds 83–89
 of cyclic carbodiimides 236–237
 of halogenated carbodiimides 169–170
- nylon-1 imides 45, 248
- oligomeric carbodiimide stabilizers 272
- oligomeric carbodiimides 245, 247–248
 applications of 259
 used as stabilizers for polyester based
 polymers **246**
- oligomeric dialkylsilylcarbodiimides 247
- oligomeric methylsilanes 247
- oligomerization reactions
 of alkyl- and arylcarbodiimides 41–46
 of cyclic carbodiimides 237
 of silicon substituted carbodiimides
 187–188
- oligonucleotides, formation of 2, 96
- oligothiopeptides, synthesis of 120
- oral drug delivery systems 268
- organic synthesis, application of carbodiimides
 in 260–261
- ovalbumin, coupling to mouse spleen cells
 266
- 1,3,4-oxadiazoles, polymer bound 112
- oxazetidine imines 50
- oxazines
 6-aryl-4-arylimino-1-phenyl-6-
 trifluoromethyl-1,4,5,6-
 tetrahydropyrazolo-[4,3-*e*][1,3]-
 oxazines 170–171
 2,3-dihydro-2-imino-4-oxo-1,3-oxazines 69
- 1,3-oxazoles 100
- oxazolidinediones 87
- 5-oxazolidinones 126
- oxazoline-5-ones 108

- oxazolines 66, 84
 2-oxazolines 87
 oximes 115
 (2-oxo-1,2-dihydropyridin-3-yl)-1,3,5-triazine derivatives 153
N-(3-oxo-1-cyclohexenyl)-*N'*-phenylcarbodiimide 155

 parabanic acid derivatives 127
 PCD (*N*-cyclohexyl-*N'*-(1-pyrenyl)carbodiimide) 259
 penicillin 2, 261
 pentacarbonyl(diphenylcarbene)tungsten 62
 pentacarbonyl(hydroxymethylcarbene)-chromium 130
N-pentafluorophenyl-*N'*-phenylcarbodiimide 167
 pentafluorophenylcarbonimidoyl dichloride 167
 pepsin 264
 pepsinogen 264
 peptides
 cyclic 120
 synthesis of 1, 2, 115–124
N-perchloroethyl-*N'*-alkylcarbodiimides 165
 perfluoro-2,4-diaza-1,4-pentadiene 35
N-perfluoro-alkyl-*N'*-pentafluorosulfanylcarbodiimides 168
 perfluoro-bis-carbonimidoyl difluoride 167
 perfluoroalkyl(*N*-pentafluorosulfanyl)azidoazomethines 168
 pesticides 267
 phenolic esters 114
 phenyl isocyanate 60, 150
 phenyl isothiocyanate 150
N-phenyl-2,6-dichlorophenylcarbodiimide 33
 5-phenyl-2-(tritylamino)oxazole 62
 1-phenyl-3-methylphospholene-1-oxide 45
 1-phenyl-3-methylphospholine-1-oxide 18
 3-phenyl-4-toluenesulfonylimino-1,3-thiazetidone-2-one 206
 phenyl-dichlorobromomethyl mercury 81
N-phenyl-*N'*-2,6-diethylphenylcarbodiimide 33
N-phenyl-*N'*-2,6-dimethylphenylcarbodiimide 33
N-phenyl-*N'*-cyclohexylcarbodiimide 25, 51
N-phenyl-*N'*-dimethylaminocarbodiimide 195
N-phenyl-*N'*-methylcarbodiimide 27
N-phenyl-*N'*-pyridylcarbodiimide 73, 157
 phenyl-thiocarbonyl isocyanate 51
 phenylacetylene, reaction with
 diphenylcarbodiimide 59
 phenylcarbonyl isothiocyanate 52
 phenylcarbonyl isothiocyanates, substituted, reaction with carbodiimides 52
p-phenylene diisocyanate 162
 phenylhydrazine 102
 phenylimidoylcarbodiimides 173
 1-phenylphospholane-1-oxide 18
 phenylurea 34
 phosgene (carbonyl chloride) 12–13, 28
 phosphanes, alkylbis(trimethylsilyl)phosphanes 80
 phosphate thymidyl-3',5'-thymidine 123–124
 phosphetane-4-oxides 18
 phosphinic acids 94
 phosphoramidates 24–25
 phosphoric acids 94
 phosphorus amidinates, hexacoordinate 81
 phosphorus pentachloride 28
 phosphorus substituted carbodiimides 199–204
 reactions of 203–204
 synthesis of 199–203
 from carbonimidoyl dichlorides 200–201
 from cyanamides 201–202
 from iminophosphoranes 200
 from other carbodiimides 202–203
 from thioureas 199–200
 phosphorusfluoroimides 191
 photocyclization 160
 polyamides, formation of 3, 124–125
 polyamine carbodiimides 2
 poly(carbodiimide) foams 46, 252
 poly(carbodiimide isocyanurate) foams 252
 polycarbodiimide methacrylates 251
 polycarbodiimides
 from aromatic diisocyanates 46
 from optically active monomers 45
 isocyanate terminated 243–247
 poly(carbodiimidogermylene) 270
 poly(γ -glutamic acid) hydrogels 253
 polyguanidines 243, 244, 250
 liquid crystalline 249
 optically active 249
 see also guanidines
 polyhexamethylenecarbodiimide 45
 polymeric carbodiimides 243–257
 polymeric EDC hydrochloride 250
 polymerization, of alkyl- and arylcarbodiimides 41–46
 polymerization reactions, of unsaturated carbodiimides 154
 polymers
 carbodiimides and 269–270
 containing carbodiimide groups 3
 crosslinking of 253–254
 derived from unsaturated carbodiimides 250–251
 modification of crosslinked 254
 modification of 271
 synthesis of 268–269

292 Index

- poly(*N*-carbamoylamides) 252
 poly(*N*-docecyl-*N'*-1-naphthylcarbodiimide) 249
 poly(*N*-ethyl-*N'*- α -phenylethylcarbodiimide) 250
 poly[*N*-methyl-*N'*-(2-methyl-6-isopropylphenyl)carbodiimide] 249
 polynucleotides, synthesis of 123
 poly(*O*-alkylisoureas) 251
 polyorganosilyl carbodiimides 270
 polyoxymethylene 271
 polypeptides, synthesis of 2
 poly(*S*-alkylisothiureas) 252
 polystyrene 45
 poly(titanium carbodiimides) 187
 polyurethanes 46
 poly(vinyl alcohol) 115
 β -propiolactones 98
 proteins
 crosslinking of 124, 266–267
 determining number of carboxyl groups in 262
 modification of 264–266
 synthesis of 261–263
 pyrazolo[3,4-*d*]pyrimidines 152
 pyridine imidoyl-*N*-imines, pyrolysis of 28
 pyrido[2,1-*b*]-1,3,4-thiadiazolium-2-amenates 113
 pyridothionopyridazine derivatives 111
N-pyridyl-(2)-triphenylphosphine imine 73
 pyrimidines 152
 pyrimido[4,5-*d*]pyrimidines 151
 pyrophosphates 94
 1-(1'-pyrrolidino)cyclohexene 155

 ribonucleases 264

 salicylic acid 106
 1,3-selenazetidine-2,4-diimines 53
 selenoureas 15, 97
 synthesis of, alkyl- and arylcarbodiimides from 10–15
 semicarbazide 102
 silicon substituted carbodiimides 183–193
 reactions of 187–191
 cycloaddition 188–190
 oligomerization 187–188
 synthesis of 183–187
 from cyanamides 183–184
 from isocyanates and isothiocyanates 184–185
 from other carbodiimides 186
 from silylamines 185
 from ureas 184

 silcondicarbodiimide oligomers 248
 silylamines, synthesis of, silicon substituted carbodiimides from 185
N-silylformamidines 79
 spiroadducts 71
 Stabaxol 272
 stabilizers, carbodiimides as 271–272
N-styrylcarbodiimide 160
 sugar carbodiimides 22
 sugar isocyanates 22
 sugaramines 118
 sugarcarboxylic acids 118
 sulfilimine, photolysis of 33
 sulfinic acid amides 94
 sulfinic acids 94
 sulfonic acids 94
N-sulfonylcarbodiimide 267
N-sulfonylcarbodiimides 60, 205, 207
 reactions with cyclic amidines 210
 sulfonylureas 3
 sulfur substituted carbodiimides 205–211
 reactions of 209–210
 synthesis of 205–209
 by fragmentation reactions 207–208
 from carbonimidoyl dichlorides or imido-yl chlorides 206–207
 from other carbodiimides 208
 from thioureas or ureas 205–206
 symmetrical carbodiimides 9
 syndiotactic poly(methacrylic acid) 254

 1,2,3,3-tetraaryl-1,2-diazetid-4-imines 32
 tetrabenzylpyrophosphate 94
 tetrabutylammonium fluoride 108
 tetrachloro-1,2-dimethyldisilane 187
 3,3',5,5'-tetraethyldiphenylmethane-4,4'-diisocyanate 245
 4,5,6,7-tetrahydrobenzo-1,3-diazonine 230, 239
 tetramethyl-1,3-diazahepta-1,2-diene 237
 2,3,7,8-tetramethylthianthrene-1,4,6,9-tetrone 188
 tetrazolethiones 27
 tetrazolophenanthridene 228
 thermolysis reactions, synthesis of, alkyl- and arylcarbodiimides by 29–33
 thermoplastic polyamides 259
 thermoset polymers 243–244
 thermotropic liquid crystals 263
 1-thia-3-azoniabutatriene salts 52
 1,3,4-thiadiazoles 126
 thiadiazolidines 67
 thiazole ylides 77
 thiazolidinones 98
 thioacylcarbodiimides 173–181

- reactions of 180
- synthesis of 174–180
 - from carbonimidoyl dichlorides or chloroformamidines 178
 - from cyanamides 179
 - from isocyanates 177
 - from other carbodiimides 179
 - from thioureas 174–176
 - from ureas 176–177
- thioalcohols 97
- thioamides 101
- o*-thiobenzoquinone methide 75
- thioboronites 79
- thiocarbonyl chloride 13
- thiocarboxylic acid amides 101
- thioglycolic acid 98
- thiophene-2,5-bis-iminophosphoranes 252
- thiophenols 98
- thiosalicylic acid 107
- thioureas
 - 1-(alkyoxycarbonyl)-3-(arylmethyl)thioureas 175
 - arenesulfonylthioureas 99
 - 1,3-bis-(2-vinyloxyethyl)thiourea 148
 - N*-*o*-carboxyphenyl-*N*-phenyl thiourea 17
 - oxidation of 14
 - reaction with chlorine compounds 12–13
 - synthesis of
 - acyl-, thioacyl- and imidoylcarbodiimides from 174–176
 - alkyl- and arylcarbodiimides from 10–15
 - cyclic carbodiimides from cyclic 229
 - phosphorus substituted carbodiimides from 199–200
 - sulfur substituted carbodiimides from 205–206
 - unsaturated carbodiimides from 148
- Tiemann rearrangement, of amidoximes 25
- tin-bis(trimethylsilyl)amido derivatives 185
- titanium amides 80
- titanium imido complexes 36
- N*-*p*-toluenesulfonyl-*N'*-cyclohexylcarbodiimide 47, 206
- N,N'*-*p*-tolylformamidinato derivatives 81
- tosyl isocyanate 156
- N*-tosylamides 101
- N*-tosyllactams 116
- toxicity, of carbodiimides 5
- tri-alkylguanidines 128
- N,N,N'*-triarylureas 85
- triazacacnphthalene-5,6,8(4H,7H)-trione 122
- 1,2,4-triazineiminophosphorane 42
- 1,2,4-triazoles 101
- 1,2,4-triazolo[5,1-*b*]quinazolin-9-(3H)-ones 108
- tributyltinmethoxide 80
- tricarboxylic acids 101
- trichloroborazene 188
- N*-trichloromethylcarbonyl-*N'*-alkylcarbodiimides 178
- tricyclohexyl guanidine 33
- tricycloundecatrienones 91
- N*-trifluoromethyl-*N'*-(2-pyridyl)carbodiimide 44
- N*-trifluoromethyl-*N'*-arylcarbodiimides 168
- N*-trifluoromethyl-*N,N'*-dicyclohexylurea 128
- trifluoromethylcarbonimidoyl difluoride 29
- (2,4,6-trimethylaniline) imidoylcarbodiimides 169
- 2,4,6-trimethylbenzoic acid 114
- trimethylcyanosilane 79
- trimethylsilyl carbodiimide, reactions with alkyl halides 35
- N*-trimethylsilyl-*N'*-alkylcarbodiimides, reaction with haloketenes 55
- N*-trimethylsilyl-*N'*-dimethylaminocarbodiimide 197
- N*-trimethylsilyl-*N'*-phenylcarbodiimide 30, 35, 62, 186
- N*-trimethylsilylmethyl-*N'*-arylcarbodiimides, reaction with ethylene glycol 84
- N*-trimethylsilyltetrazole 186
- N*-trimethylstannyl-*N'*-triisopropylsilylcarbodiimide 202
- triphenylleadmethoxide 80
- triphenylphosphine sulfide 18
- 1-(triphenylphosphoroylideneaminomethyl)-benzotriazole 23
- 2,4,6-tris-dimethylamino-1,3,5-triazine 44
- trityl penicillin 261
- (tropon-2-ylimino)arsorane 55
- trypsin 264
- unsaturated aminoacid esters 126
- unsaturated arylcarbodiimides
 - intramolecular cyclization reactions **159**
 - see also* arylcarbodiimides; diarylcarbodiimides
- unsaturated carbodiimides 147–164
 - polymers derived from 250–251
 - reactions of 154–162
 - cycloaddition 54–162
 - polymerization 154
 - synthesis of 148–154
 - from thioureas 148
 - from unsaturated iminophosphoranes and isocyanates or isothiocyanates 148–153
 - from unsaturated isocyanates 148
 - α , β -unsaturated esters 86
- unsymmetrical carbodiimides 9

294 *Index*

ureas

N-aziridinyliminureas 176

dehydration of 16–17

synthesis of

acyl-, thioacyl- and imidoylcarbodiimides

from 176–177

silicon substituted carbodiimides

from 184

sulfur substituted carbodiimides from

205–206

variolin B 113

vinyl polymers 250

N-vinyl-*N'*-methylcarbodiimide 154

2-vinylaziridines 65

vinylcarbodiimides 105, 147

reaction with activated olefins 155

2-vinyloxirans 65

water, reaction of carbodiimides with 83

Wuensch-Weygand method 117

xylanase A 264

ylides, reactions with carbodiimides 76–78

zirconaaziridines 66