

Index

• Symbols and Numerics •

- (minus sign), for tension control, 34
- + (plus sign), for tension control, 34
- 1/4-inch seams
 - serging, 115–116
 - sewing, 114–115
- 15-minute flanged pillow cover project, 264–265

• A •

- accordion pleats, 155
- acetate, 38
- acrylic, 38
- adding
 - ribbing, 308–310
 - room to waistbands, 315–317
- air-soluble marker, 72
- all-purpose foot, 30
- all-purpose sewing thread, 25
- (almost) instant party dress project, 339–344
- altering clothing, 305–320
- American & Efirid, Inc., 366
- American Sewing Guild, 361
- American Society of Interior Designers (ASID), 350
- appliqué foot, 31
- appliqués, 109, 323–325
- apron (window), 276, 277
- apron project, 148–154
- armholes
 - overview, 15, 197
 - raglan sleeves, 203–206
 - set-in sleeves, 206–212
 - sleeveless
 - binding, 201–203
 - facing, 197–203
- ASID (American Society of Interior Designers), 350

Association of Sewing and Design Professionals, 361

- attaching
 - buttons, 186–191
 - cord-edge trim, 244–245
 - cording, 235–245
 - elastic on edges, 160–163
 - fringe, 235–245
 - patch pockets, 221–222
 - pipng, 235–245
- avoiding mistakes, 351–354

• B •

- Baby Lock USA, 362
- back waist length measurement, 57
- background color, 347
- backstitch, even, 84
- backstitching with sewing machines, 106
- ball fringe, 233
- Banasch's Fabrics (store), 364
- bartracks, 183
- base color, 347
- basting, 94–95
- beading, lace, 48
- bedding sets
 - custom duvet cover project, 298–301
 - overview, 289–290
 - pleated bed skirt project, 290–298
- Bernina of America, Inc., 362
- bias, 63, 356
- bias strips, 237–240
- bias tape, 46–47
- binding
 - cutting, 202
 - sewing, 202–203
 - sleeveless armholes, 201–203
- bishop sleeves (curtain), 275
- blend fibers, 39
- blind hem foot, 31
- blind hem stitch, 85, 88
- bobbin case, 32
- bobbin winder (sewing machine), 32

- bobbins
 - compared with loopers, 36
 - front-loading, 80
 - sewing machine, 32
 - side-loading, 80
 - top-loading, 80
 - bodkin, 157
 - bolt ends (fabric), 45–46
 - boucle fringe, 233
 - box pleats, 154
 - box springs, measuring, 291
 - box-edged pillow project, 270–272
 - braid, 47, 231
 - Britex Fabrics (store), 364
 - broadcloth, 40
 - brocade, 40
 - Brother International, 362
 - bullion fringe, 233
 - BurdaStyle, Inc., 362
 - butterfly fringe, 233
 - Butterick Pattern Company, 363
 - buttonholes
 - attaching buttons, 186–191
 - cutting open, 183–185
 - marking, 182
 - overview, 80
 - placement of, 185–186
 - sewing, 183
 - sizing, 181
 - buttons
 - attaching, 186–191
 - moving
 - on cuffs, 310–311
 - on jackets, 315
 - placement of, 185–186
 - button-sewing foot, 31
- C ●
- cable cord, 232, 233, 237–240
 - cafe rods, 278
 - Calico Corners (store), 363
 - canvas, 40
 - care of fiber, 38
 - casings
 - curtain, 280
 - inserting elastic in, 157–160
 - center back/front (pattern), 61–62
 - centered zippers, 172–176
 - centering pattern pieces, 70
 - Certified Interior Decorators international (CID), 350
 - Certified Staging Professional (CSP), 350
 - chainette fringe, 233
 - chair tie, 232, 233
 - chalk, 9, 22, 72–73
 - chambray, 40
 - checking fiber content, 355
 - chenille, 40
 - chintz, 40
 - choosing
 - binding fabric, 201
 - fabric, 37–46, 247–248, 352
 - fabric for table toppers, 247–248
 - hand stitches, 82–87
 - needles
 - for hand sewing, 23–24
 - for machine sewing, 24
 - stitch length, 89–90
 - stitch type, 89
 - style, 352
 - thread, 25–26
 - CID (Certified Interior Decorators international), 350
 - circles (pattern), 61
 - clipping
 - seams, 122–124
 - tips, 360
 - closing, 14
 - clothing
 - adding
 - ribbing, 308–310
 - room to waistbands, 315–317
 - (almost) instant party dress project, 339–344
 - altering, 305–320
 - choosing style, 352
 - coordinating pocket-collage project, 224
 - crossover belt, 318–320
 - cuffed pajama pants project, 163–169
 - eco fashion, 331–344
 - facing hems, 306–308
 - felted wool hat project, 332–339

- letting down hems, 306–308
 - moving
 - buttons on cuffs, 310–311
 - buttons on jackets, 315
 - re-hemming, 306
 - removing cuffs, 311–313
 - ruffled apron project, 148–154
 - shortening jeans, 313–314
 - taking in waistlines, 317–318
 - Clotilde, LLC, 366
 - Clover Needlecraft, Inc., 365
 - clutch (flywheel), 33
 - Coats & Clark, Consumer Service, 366
 - coil, 54
 - color
 - background, 347
 - base, 347
 - determining color odds, 229–230
 - home complexion, 228–229
 - overview, 228
 - solid, 348
 - contour darts, 144
 - conventions, explained, 2
 - converting stitch lengths, 90
 - cool neutrals (color), 228
 - coordinating pocket-collage shirt project, 224
 - cord, 147–148, 232–233
 - cord-edge trim, 232, 244–245
 - cording, 49–50, 235–245
 - corduroy
 - overview, 40
 - pressing, 98
 - corners
 - sewing, 113–114
 - trimming, 124
 - cornice, 274
 - cotton, 96
 - cotton/polyester blends, 39
 - cotton/spandex blends, 39
 - cover fit for pillow form project, 258–261
 - creases, pressing out of fabric, 64
 - creating
 - pipng, 236–237
 - pleats, 155–156
 - Creative Feet, 365
 - crepe, 40
 - crossover belt project, 318–320
 - crosswise grain, 63, 356
 - crosswise matching, 70
 - CSP (Certified Staging Professional), 350
 - cuffed pajama pants project, 163–169
 - cuffs, removing, 311–313
 - curtains, 274. *See also* window treatments
 - custom draperies project, 282–287
 - custom duvet cover project, 298–301
 - cutter and block, for cutting buttonholes, 184–185
 - cutting
 - across notches, 71
 - bias strips for covering cable cord, 237–240
 - binding, 202
 - buttonholes, 183–185
 - overview, 12
 - pattern pieces, 70–71
 - tools for, 8, 20–21
 - cutting line (pattern), 61
 - cutting mat, 21
- D •
- damask, 41
 - darts
 - contour, 144
 - defined, 14
 - finishing, 145
 - marking, 71
 - overview, 61, 141–142
 - straight, 142–143
 - DCC (Dewey Color Consultant), 350
 - decorative stitches, 88–89
 - decorator trims, 234–235
 - denim, 41
 - designs, one-way, 66–67
 - determining size, 56–57
 - Dewey Color Consultant (DCC), 350
 - differential feed (D.F.), 116
 - directional-stitching symbols (pattern), 62
 - DIYStyle, 331, 339, 362
 - dots (pattern), 61

- double hemming
 - bed skirts, 294–296
 - defined, 127
- double knit, 41
- doubled lower hem (curtain), 280
- doupioni, 41
- draperies, 274. *See also* window treatments
- draperies project, 282–287
- drapery headers, 51, 286
- drapery heading, 286
- dressmaker's chalk, 9, 22, 72–73
- dry-clean-only fabrics
 - for home décor, 258
 - preshrinking, 53
- duck, 41
- durability of fiber, 38
- duvet cover project, 298–301

● E ●

- easestitching, 207–209
- eco fashion
 - (almost) instant party dress project, 339–344
 - felted wool hat project, 332–339
 - overview, 331
- edge guide, 31
- edges
 - attaching elastic on, 160–163
 - finishing, 13
 - pinking, 104
- edgestitching, 120–122
- edging, lace, 48
- elastic
 - attaching on edges, 160–163
 - inserting in casings, 157–160
 - overview, 47–48, 156–157
- Elna, Inc., 362
- embroidery foot, 31
- embroidery scissors, 20
- Etsy, 55, 148
- even backstitch, 84
- even plaids, 68–69
- even slipstitch, 86–87
- even stripes, 68
- eyelets, 41, 48
- eyes, hooks and, 192

● F ●

- fabric, knit. *See also* fabric
 - repairing seams, 322–323
 - seaming, 114–115
- fabric, woven. *See also* fabric
 - finishing edges
 - overview, 103
 - pinking edges, 104
 - lightweight, notching edges in, 123
 - mid-weight, notching edges in, 123
 - overview, 39
 - repairing seams, 321–322
 - securing seams
 - backstitching, 106
 - overview, 105
 - tying off threads, 106–107
 - standard seam allowances, 105
- fabric. *See also* fabric, knit; fabric, woven
 - binding, 201
 - buying for bed skirts, 292
 - cutting for bed skirts, 292–294
 - dry-clean-only, for home décor, 258
 - fine, average stitch length for, 90
 - finishing edges, 104–105
 - hand, 356
 - heavy-weight, average stitch length for, 33, 90
 - home décor, 53, 230–231
 - incorrect for pattern, 352
 - labels and bolt ends, 45–46
 - laying out
 - overview, 353
 - patterns on, 12
 - mail-order companies, 366
 - marking
 - dark, 72–73
 - light-colored, 72
 - measuring
 - for curtains, 279–282
 - for custom draperies, 283
 - mid-weight, average stitch length
 - for, 33, 90
 - nap considerations
 - overview, 43–44
 - special care with fleece, 44
 - for napkins, 248–249

- national stores, 363–364
 - overview, 9–10
 - on patterns, 59
 - for pillows, 257
 - pivoting, 33
 - preparing, 64
 - preshrinking
 - dry-clean-only, 53
 - home décor, 53
 - overview, 11
 - washable, 54
 - pressing
 - creases out of, 64
 - man-made, 96
 - napped, 97–98
 - natural fibers, 96
 - synthetic, 96
 - quality of, 355–356
 - regional stores, 364–365
 - right/wrong side of, 356–357
 - seaming
 - corners, 113–114
 - serging 1/4-inch seams, 115–116
 - sewing 1/4-inch seams, 114–115
 - sewing straight seams, 111–113
 - selecting, 37–46, 247–248, 352
 - types of, 39–43
 - width considerations, 45
 - yardage, 45
- Fabric Depot (store), 364
- Fabric.com, 366
- facing
 - defined, 119, 198
 - hems, 306–308
 - sleeveless armholes, 198–201
- fake fur, 41
- fashion. *See* clothing; eco-fashion
- fasteners. *See also* buttonholes; buttons
 - fold-over clutch with button closure project, 192–196
 - overview, 191–192
- feed dogs/teeth (sewing machine), 32
- feel of fiber, 38
- felted wool
 - defined, 332
 - hat project, 332–339
- fiber
 - categories of, 38–39
 - checking content, 356
 - defined, 38
 - overview, 9–10
 - 15-minute flanged pillow cover project, 264–265
- filler, 39
- filler cord, 49, 232, 233
- finding pattern pieces, 12
- fine fabrics, average stitch length for, 90
- finger-basting, 94
- finishing
 - apron seams, 150–151
 - darts, 145
 - edges, 13, 103–105
 - hem edges
 - overview, 128
 - Res-Q-Tape, 130
 - serger, 130–131
 - straight stitch, 128–129
 - three-step zigzag/overlock stitch, 130
- Fishman's Fabrics (store), 364
- flannel, 41
- flat rods, 278
- fleece
 - fleece throw with colorful fringe project, 107–110
 - overview, 41
 - preshrinking, 53
 - working with, 44
- fly-front zippers, replacing, 327–330
- flywheel (sewing machine), 33
- fold-over braid, 47
- fold-over clutch with button closure project, 192–196
- free-arm (sewing machine), 32
- fringe
 - attaching, 235–245
 - sewing on, 240–244
 - types, 233–234
- front-loading bobbins, 80
- full bust circumference measurement, 57
- fusible products, 27

• G •

G-Street Fabrics (store), 364
 gabardine, 42
 gathering
 over cords, 147–148
 overview, 145
 ruffled apron project, 148–154
 with two threads, 146–147
 gimp, 231
 glossary (pattern), 60
 grainline
 defined, 63
 pattern, 62
 grosgrain ribbon, 51

• H •

H & R Sales Fabrics & Supplies (store), 364
 Hancock Fabrics of Paducah (store), 364
 Hancock Fabrics (store), 363
 hand (fabric), 356
 hand blind hemming, 133–134
 hand needles, 78–79
 hand sewing
 attaching buttons, 186–188
 hand blind hemming, 133–134
 selecting needles for, 23–24
 thimbles for, 24–25
 hand stitches
 blind hemming, 85
 choosing, 82–87
 even backstitch, 84
 even slipstitch, 86–87
 hand-basting, 83
 hemming slipstitch, 86
 running, 84
 securing, 83
 slant hemming, 85–86
 whip, 85–86
 hand wheel (sewing machine), 33
 hand-basting, 83, 94
 hank, 54
 heading (curtain), 280
 heavyweight fabrics, average stitch length
 for, 33, 90
 hem allowance, measuring, 127–128
 hem fold, 126
 hemline (pattern), 62

hemming slipstitch, 86
 hems/hemming
 allowance calculations, 127–128
 double hemming, 127
 facing, 306–308
 finishing raw edges
 overview, 128
 Res-Q-Tape, 130
 serger, 130–131
 straight stitch, 128–129
 three-step zigzag/overlock stitch, 130
 hand blind, 133–134
 knits, 136–138
 letting down, 306–308
 machine blind, 134–135
 marking placement of, 126–127
 no-sew, 132
 overview, 14, 125
 pinning, 133
 Res-Q-Tape, 130
 securing
 hand blind hemming, 133–134
 machine blind hemming, 134–135
 no-sew hemming, 132
 pinning for hand/machine hemming, 133
 tapered, 135–136
 high bust circumference measurement, 57
 hip circumference measurement, 57
 hip to be square tablecloth, 255–256
 Hobby Lobby (store), 364
 home décor
 bedding
 custom duvet cover project, 298–301
 overview, 289–290
 pleated bed skirt project, 290–298
 box-edged pillow project, 270–272
 color, 228–230
 cording, 237–240, 244–245
 custom draperies project, 282–287
 custom duvet cover project, 298–301
 easy napkins project, 248–253
 fabric, 53, 230–231
 15-minute flanged pillow cover project,
 264–265
 fleece throw with colorful
 fringe, 107–110
 fringe, 240–244
 hip to be square tablecloth project,
 255–256

overview, 227–228
 party-ready lapkins project, 253–254
 pattern pieces for, projects, 60
 pillows, 257–272
 piping, 235–237, 240–244
 pleated bed skirt project, 290–298
 plush pet bed project, 265–269
 repurposed shirt pillow project, 98–101
 reversible pillow cover project, 262–264
 reversible table runner project, 245–246
 sewing for, 15
 table toppers, 247–256
 trim, 231–235
 window treatments
 custom draperies, 282–287
 determining dimensions of, 278–282
 draperies and curtains, 274–276
 overview, 273
 windows and rods, 276–278
Home Decorating For Dummies (McMillan and McMillan), 275
 hook and loop fastener, 192
 hooks and eyes, 192
 hydrophobic, 41

• I •

icons, explained, 4
 inserting elastic in casings, 157–160
 interfacing, 12–13, 52–54, 353
 Interior Redesign and Home Staging (IRIS), 350
 interlock, 42
 Internet resources
 DIYStyle, 331, 339
 Etsy, 55, 148
 fabric and notion mail-order companies, 366
 national fabric stores, 363–364
 notion companies, 365
 pattern companies, 363
 regional fabric stores, 364–365
 sewing community, 362
 sewing machine manufacturers, 362–363
 sewing organizations, 361
 sewing publications, 361
 Simplicity, 10, 56, 332, 363
 thread manufacturers, 366

inverted pleats, 155
 invisible zippers, 51–52, 176–180
 IRIS (Interior Redesign and Home Staging), 350
 ironing
 defined, 96
 iron, 27, 53
 ironing board, 27
 reasons for, 96
 Res-Q-Tape, 130

• J •

jacquard, 42
 jeans, shortening, 313–314
 jersey, 42
 JoAnn Fabrics and Crafts (store), 364
 joining
 cord-edge trim, 244–245
 fringe ends, 242
 piping ends in casings, 242–244
 Juki America, Inc., 362

• K •

key (pattern), 60
 kick pleats, 155
 knife pleats, 154
 knit fabrics
 hemming with twin needles, 136–138
 overview, 40
 repairing seams, 322–323
 seaming, 114–115
 knit ribbing, seaming, 308–309
 knitted interfacing, 52
 knots, tying, 80–82
 Knuu, Devin (designer), 290
 Kwik Sew Pattern Company, Inc., 363

• L •

labels (fabric), 45–46
 lace, 48–49
 lapkins project, 253–254

- laying out
 - fabric, 353
 - one-way designs, 66–67
 - patterns, 63–70
 - plaids, 66, 68–69
 - stripes, 66–68
 - twice and cutting once, 70
- lengthwise grain, 63, 356
- letter of pattern piece, 61
- letting down hems, 306–308
- light-colored fabrics, marking, 72
- lightweight woven fabrics, notching edges
 - on, 123
- linen, 96
- lock stitch, 29
- loopers (serger), 36
- Lycra, 39

• M •

- machine blind hemming, 134–135
- machine sewing. *See also* sewing machines
 - attaching buttons, 188–190
 - machine blind hemming, 134–135
- machine stitches
 - overview, 87–89
 - selecting
 - length of, 89–90
 - type of, 89
 - setting stitch width, 90
 - stitching in the ditch, 90–91
 - topstitching, 91–92
- machine-basting, 94
- man-made fabrics/fibers, 38, 96
- mandarin, 231
- marking
 - buttonholes, 182
 - fleece, 44
 - hem placement, 126–127
 - light-colored fabrics, 72
 - overview, 12, 71
 - tools
 - air-/water-soluble markers, 72
 - dressmaker's chalk, 72–73
 - overview, 9, 22
 - pin-marking, 73
- master pattern, 60

- match points, 22
- matelasse, 42
- McCall Pattern Company, 363
- McMillan, Katharine Kaye and Patricia Hart (authors, *Home Decorating For Dummies*), 275
- measuring
 - box springs, 291
 - hem allowance, 127–128
 - overview, 8
 - for patterns, 56–57
 - pillow forms, 258–259
 - tools for, 18–19
 - for window treatments, 278–282
- microfibers, 38–39, 42
- mid-weight fabrics
 - average stitch length for, 33, 90
 - notching edges on, 123
- middy braid, 47
- millimeters (mm), 33, 89
- minus sign (–), for tension control, 34
- mistakes, avoiding, 351–354
- mm (millimeters), 33, 89
- molded-tooth zipper, 51–52
- Mood Fabrics (store), 365
- moss fringe, 233
- moving
 - buttons on cuffs, 310–311
 - buttons on jackets, 315

• N •

- name of pattern piece, 60
- Nancy's Notions, 366
- nap
 - considerations
 - overview, 43–44
 - special care with fleece, 44
 - defined, 22
 - napped fabrics, pressing, 97–98
- napkins
 - creating, 248–253
 - fabric requirements, 248–249
 - as no-sew pillow covers, 253
 - serging, 251–253
 - sewing, 249–251
- national fabric stores, 363–364

natural fibers, 38, 96
 natural waistline, 56
 needle plate (sewing machine), 32
 needle position (sewing machine), 34
 needle threader, 78
 needle-up/needle-down function (sewing machine), 35
 needles
 age of, 354
 hand, 78–79
 machine, 79–80
 overview, 9
 preventing breakage, 94
 selecting
 for hand sewing, 23–24
 for sewing machines, 24
 sewing machine, 30
 threading, 77–80
 hand needles, 78–79
 machine needles, 79–80
 overview, 77
 twin, 136–138
 Nice to Have icon, explained, 4
 no-sew hems, 132
 nonwoven interfacing, 52
 notches
 cutting across, 71
 pattern, 61
 notching seams, 122–123
 notions
 bias tape, 46–47
 braid, 47
 companies, 365
 drapery headers, 51
 elastic, 47–48
 lace, 48–49
 mail-order companies, 366
 overview, 10
 on patterns, 59
 piping and cording, 49–50
 ribbons, 50
 rickrack, 50–51
 twill tape, 50–51
 zippers, 51–52
 number of pattern piece, 61
 nylon, 38
 nylon coil zipper, 51

• O •

ODDAA (One Day Decorating Association Alumni), 350
 on-grain, 64–66
 One Day Decorating Association Alumni (ODDAA), 350
 one-way designs, laying out, 66–70
 open arm (sewing machine), 32
 organization of this book, 2–3
 organizations (sewing), 361
 overlap (window), 276, 277
 overlock stitch
 finishing hems, 130
 overview, 88

• P •

pajama pants project, 163–169
 party dress project, 339–344
 party-ready lapkins project, 253–254
 patch pockets
 attaching, 221–222
 overview, 215
 unlined
 with curved corners, 218–220
 with square corners, 216–218
 patching
 holes with appliqués, 325–326
 holes with patches, 323–325
 pattern envelope, 59
 pattern guide sheet, 10–11
 pattern markings, 61–62
 pattern number, 60
 pattern pieces
 centering, 70
 crosswise matching of, 70
 overview, 60–62
 pinning and cutting out, 70–71
 placement of, 70
 placing on-grain, 64–66
 storage of, 68
 patterns
 companies, 363
 components of, 58–62
 determining size, 56–57
 envelope, 59
 finding pieces, 12

- patterns (*continued*)
 - laying out, 12, 63–70
 - layout guide, 60
 - master, 60
 - overview, 10–11
 - patch pocket, 222–224
 - purchasing, 55–56
 - step-by-step instructions, 60
 - using incorrect fabric for, 352
- pet bed project, 265–269
- Pfaff American Sales Corp., 362
- pill, 38
- pillow forms, 258
- pillows
 - box-edged pillow project, 270–272
 - 15-minute flanged pillow cover project, 264–265
 - pillow cover project, 258–261
 - plush pet bed project, 265–269
 - reversible pillow cover project, 262–264
 - selecting materials for, 257–258
- pin-basting, 94
- pincushion, 23
- pin-marking, 73
- pinking edges, 104
- pinning
 - hems, 133
 - overview, 12
 - pattern pieces, 70–71
 - tools for, 9, 23
- piping
 - attaching, 235–245
 - joining ends in casings, 242–244
 - making, 236–237
 - overview, 49–50
 - sewing on, 240–244
- pivoting fabric, 33
- placement of pattern pieces, 64–66, 70
- place-on-fold brackets/symbols (pattern), 61
- plaids
 - laying out, 66, 68–69
 - seaming, 112–113
- pleated bed skirt project, 290–298
- pleats
 - creating, 155–156
 - cuffed pajama pants project, 163–169
 - marking, 71
 - overview, 154
 - types of, 154–155
- plus sign (+), for tension control, 34
- plush pet bed project, 265–269
- ply, 26
- pocket-collage shirt project, 224
- pockets
 - coordinating pocket-collage shirt project, 224
 - creating pocket patterns, 222–224
 - overview, 15, 215
- patch
 - attaching, 221–222
 - overview, 215
 - unlined with curved corners, 218–220
 - unlined with square corners, 216–218
- Polarfleece
 - pressing, 98
 - working with, 44
- polyester, 38–39
- poplin, 42
- poufs (curtains), 275
- preparing fabric, 64
- preshrinking
 - interfacing, 54
 - overview, 11, 53–54
 - washable fabrics, 54
- press cloth, 27, 64, 98
- presser foot lever (sewing machine), 31
- presser foot (sewing machine), 30–31, 357
- pressing
 - corduroy, 98
 - cotton, 96
 - creases out of fabric, 64
 - defined, 96
 - fleece, 44
 - importance of, 353
 - linen, 96
 - man-made fabrics, 96
 - napped fabrics, 97–98
 - natural fibers, 96
 - overview, 13
 - Polarfleece, 98
 - process of, 96–97
 - reasons for, 96
 - seams, 97, 359–360
 - silk, 96
 - synthetic fabrics, 96

tools for, 26–28
 upholstery velvet, 98
 velour, 98
 velvet, 98
 wool, 96
 pressure adjustment (sewing machine),
 34–35
 preventing needle breakage, 94
 prewashing fleece, 44
 princess lines, 66
 prints, tips for mixing, 347–350
 process (sewing), 11–13
 projects
 bags
 fold-over clutch with button closure,
 192–196
 protective laptop sleeve, 212–214
 clothing
 (almost) instant party dress, 339–344
 coordinating pocket-collage shirt, 224
 crossover belt, 318–320
 cuffed pajama pants, 163–169
 felted wool hat, 332–339
 ruffled apron, 148–154
 home décor
 box-edged pillow, 270–272
 cover fit for pillow form, 258–261
 custom draperies, 282–287
 15-minute flanged pillow cover, 264–265
 fleece throw with colorful fringe,
 107–110
 hip to be square table cloth, 255–256
 party-ready lapkins, 253–254
 pleated bed skirt, 290–298
 plush pet bed, 265–269
 repurposed shirt pillow, 98–101
 reversible pillow cover, 262–264
 reversible table runner, 245–246
 protective laptop sleeve project, 212–214
 Prym Consumer USA Inc., 365
 publications (sewing), 361
 puddles, of draperies, 274
 purchasing patterns, 55–56

• Q •

1/4-inch seams
 serging, 115–116
 sewing, 114–115

quilting guide, 31

• R •

raglan sleeves, 203–206
 rayon, 38
 re-hemming pant legs, 306
 reading labels and bolt ends, 45–46
 regional fabric stores, 364–365
 Remember icon, explained, 4
 removing cuffs, 311–313
 repairing
 patching holes
 with appliqués, 325–326
 with patches, 323–325
 replacing fly-front zippers, 327–330
 by sewing, 16
 split seams, 321–323
 tears, 326–327
 replacing fly-front zippers, 327–330
 repurposed shirt pillow project, 98–101
 Res-Q-Tape, 130
 resources
 DIYStyle, 331, 339
 Etsy, 55, 148
 fabric and notion mail-order companies,
 366
 national fabric stores, 363–364
 notion companies, 365
 pattern companies, 363
 regional fabric stores, 364–365
 sewing community, 362
 sewing machine manufacturers, 362–363
 sewing organizations, 361
 sewing publications, 361
 Simplicity, 10, 56, 332, 363
 thread manufacturers, 366
 return (window), 276, 277
 reverse button (sewing machine), 35
 reversible pillow cover project, 262–264
 reversible table runner project, 245–246
 ribbing
 adding, 308–310
 serging, 309–310
 sewing, 309–310
 ribbons, 50
 rickrack, 50–51
 right side of fabric, 64, 356–357
 ripper. *See* seam ripper

ripping seams, 116–118. *See also* seam ripper
 rods (curtain), 277, 278
 rosettes (curtains), 275
 rotary cutters, 8, 21
 ruffled apron project, 148–154
 ruler, 8, 19
 running stitch, 84

● S ●

satin, 42
 satin ribbon, 50
 satin stitches, 183
 scarf (curtain), 275
 scarf (needle), 80
 scissors
 clipping with, 360
 overview, 8, 20
 sharpening, 21
 seam gauge, 19
 seam ripper
 for cutting buttonholes, 183–184
 overview, 25
 seam roll, 27
 seam sealant, 21
 Seam Stick, 96
 seamline
 defined, 103
 pattern, 61
 seams/seaming
 1/4-inch
 serging, 115–116
 sewing, 114–115
 clipping, 122–124
 corners, 113–114
 finishing edges, 103–105
 fleece throw with colorful fringe project,
 107–110
 knit fabrics, 114–115
 knit ribbing, 308–309
 notching, 122–123
 overview, 113–114
 pillow covers, 259–260
 plaids, 112–113
 pressing, 97, 359–360
 repairing split seams, 321–323
 ripping, 116–118
 securing, 105–107
 sewing straight seams, 111–113

shaping
 edgestitching, 120–122
 overview, 118
 staystitching, 118–119
 understitching, 119–120
 standard allowances, 105
 straight, 111–113
 tips for, 359–360
 trimming, 123–124
 securing
 hems
 hand blind hemming, 133–134
 machine blind hemming, 134–135
 no-sew hemming, 132
 pinning for hand/machine hemming, 133
 seams, 105–107
 securing stitch, 83
 selecting
 binding fabric, 201
 fabric, 37–46, 247–248, 352
 fabric for table toppers, 247–248
 hand stitches, 82–87
 needles
 for hand sewing, 23–24
 for sewing machines, 24
 stitch length, 89–90
 stitch type, 89
 style, 352
 thread, 25–26
 selvages, 63, 356
 serger thread, 26
 sergers
 components of, 35–36
 finishing
 edges, 104–105
 hems, 130–131
 overview, 9, 28–29
 starting and stopping with, 93
 tension knobs, 358
 serging
 napkins, 251–252
 ribbing, 309–310
 set-in sleeves, 206–212
 setting
 sleeves
 in flat, 209–210
 in the round, 210–212
 the square on point, 255
 stitch width, 90

- Sew News*, 361
- sewing. *See also* hand sewing; machine sewing
- community Web sites, 362
 - organizations, 361
 - publications, 361
- Sewing and Craft Alliance, 361
- sewing gauge, 8
- sewing kit checklist, 17–18
- sewing machines
- attaching buttons, 188–191
 - backstitching with, 106
 - bobbin, 32
 - components of, 29–35
 - feed dogs, 32
 - finishing edges, 104–105
 - flywheel, 33
 - free-arm, 32
 - manufacturers, 362–363
 - needle, 30
 - needle plate, 32
 - needle position, 34
 - needles, 24, 79–80
 - needle-up/needle-down function, 35
 - overview, 9, 28–29
 - presser foot, 30–31, 357
 - presser foot lever, 31
 - pressure adjustment, 34–35
 - quality of, 353–354
 - reverse button, 35
 - seams, 118–122
 - selecting needles for, 24
 - speed control, 35
 - starting and stopping with, 92–93
 - stitch selector, 34
 - stitch-length control, 33
 - take-up lever, 35
 - tension knobs, 358
 - upper tension control, 34
- shaping
- darts
 - contour darts, 144
 - finishing, 145
 - overview, 141–142
 - straight darts, 142–143
 - elastic, 156–163
 - gathering, 145–148
 - overview, 13–14
 - pleats, 154–156
- seams
- edgestitching, 120–122
 - overview, 118
 - staystitching, 118–119
 - understitching, 119–120
- shears
- overview, 8, 20
 - pinking, 104
 - sharpening, 21
- shortening jeans, 313–314
- side-loading bobbin, 80
- silk, 96
- silk ribbon, 50
- Simplicity Pattern Company, Inc., 10, 56, 332, 363
- Singer Sewing Company, 363
- size
- considerations for laying out one-way designs, 66–67
 - determining for patterns, 56–57
 - pattern piece, 61
 - sizing buttonholes, 181
- slant hemming stitch, 85–86
- sleeves
- moving buttons on cuffs, 310–311
 - overview, 15, 197
 - protective laptop sleeve project, 212–214
 - raglan, 203–206
 - removing cuffs, 311–313
 - set-in, 206–212
 - sleeveless armholes
 - binding, 201–203
 - facing, 198–201
 - finishing, 197–203
- slipstitch, even, 86–87
- slubbing, 41
- The Snap Source, 365
- snap tape, 192
- snaps, 188, 192
- soleplate, 27
- solid color, 348
- sourcing wool, 332–333
- soutache, braid, 47
- spandex, 38–39
- speed control (sewing machine), 35
- spi (stitches per inch), 33, 89
- split seams, repairing, 321–323

- sport snaps, 188
- squares (pattern), 61
- SR Harris (store), 365
- starting
 - with serger, 93
 - sewing, 357–358
 - with sewing machine, 92–93
- staystitching, 118–119
- stitch length
 - average for fabrics, 33
 - choosing, 89–90
 - converting, 90
- stitch width, setting, 90
- stitches
 - hand
 - blind hemming, 85
 - choosing, 82–87
 - even backstitch, 84
 - even slipstitch, 86–87
 - hand-basting, 83
 - hemming slipstitch, 86
 - running, 84
 - securing, 83
 - slant hemming, 85–86
 - whip, 85–86
 - machine
 - choosing length of, 89–90
 - lock stitch, 29
 - overlock, 130
 - overview, 87–89
 - satin, 183
 - selecting type of, 89
 - setting stitch width, 90
 - stitching in the ditch, 90–91
 - straight, 128–129
 - three-step zigzag, 130
 - topstitching, 91–92
 - selecting
 - length of, 89–90
 - type of, 89
 - setting width, 90
- stitches per inch (spi), 33, 89
- stitching, 13–14
- stitching in the ditch, 90–91
- stitching line (pattern), 61
- stitch-length control (sewing machine), 33
- stitch selector (sewing machine), 34

- stitch-width control (sewing machine),
 - 33, 90
- stopping
 - with serger, 93
 - sewing, 357–358
 - with sewing machine, 92–93
- straight darts, 142–143
- straight seams, 111–113
- straight stitch, 87, 128–129
- stretch blind hem stitch, 88
- stripes, laying out, 66–70
- stuffing for pillows, 258
- style, selecting, 352
- Sulky of America, Inc., 366
- swag (curtain), 275
- synthetic fabrics/fibers, 38–39, 96


• T •

- table runner project, 245–246
- table toppers
 - lapkins, 253–254
 - napkins, 248–253
 - selecting fabric for, 247–248
 - tablecloths, 255–256
- tablecloth project, 255–256
- tailor's ham, 28
- take-up lever (sewing machine), 35
- tape
 - bias, 46–47
 - transparent, 22
 - twill, 50–51
- tape measure, 8, 18–19
- tapered hems, 135–136
- tassel fringe, 233
- tassel tieback, 232
- tears, repairing, 326–327
- tension control, upper (sewing machine), 34
- tension knobs, 359
- tension rods, 278
- test-stitching, 358–359
- thimbles, 24–25
- thread
 - all-purpose, 25
 - manufacturers, 366
 - overview, 9
 - for pillows, 258
 - selecting, 25–26

- tying off, 106–107
 - threading needles
 - hand needles, 78–79
 - machine needles, 79–80
 - overview, 77
 - Threads*, 361
 - three-step zigzag stitch, 88, 130
 - throat plate (sewing machine), 32
 - tiebacks (curtains), 275
 - Tip icon, explained, 4
 - toile de jouy, 42
 - tools
 - cutting, 20–21
 - fabrics and fibers, 9–10
 - importance of having good, 8–9
 - marking
 - air-/water-soluble markers, 72
 - dressmaker's chalk, 72–73
 - overview, 22
 - pin-marking, 73
 - measuring, 18–19
 - notions, 10
 - overview, 8–9
 - patterns, 10–11
 - pinning, 23
 - pressing, 26–28
 - top-loading bobbins, 80
 - topstitching, 91–92, 120–122
 - transparent tape, 22
 - traverse rods, 278
 - triangles (pattern), 61
 - tricot, 42
 - trim
 - braid, 231
 - cord, 232–233
 - decorator, 234–235
 - fringe, 233–234
 - for pillows, 258
 - preshrinking, 53
 - trim mold (window), 277
 - trimming
 - corners, 124
 - seams, 123–124
 - tucks, 14, 71
 - tulle, 42
 - twill tape, 50–51
 - twin needles, 136–138
 - tying off threads, 106–107
 - tying sewing knots, 80–82
-
- *U* •
 - understitching, 119–120
 - uneven plaids, 68–69
 - uneven stripes, 68
 - upholstery velvet, 98
 - upper tension control (sewing machine), 34
-
- *V* •
 - vanishing marker, 22
 - Velcro USA, Inc., 365
 - velour, 43, 98
 - velvet, 43, 98
 - velveteen, 43
 - views, 12, 59
 - Viking Sewing Machines, Inc., 363
 - Vogue/Butterick, 363
 - Vogue Fabrics (store), 365
-
- *W* •
 - waist circumference measurement, 57
 - waistlines, taking in, 317–318
 - warm neutrals (color), 228
 - Warning icon, explained, 4
 - warp, 39
 - washable fabrics, 54
 - washing fleece, 44
 - wash-out pencil, 22
 - water-erasable marker, 22
 - water-soluble marker, 72
 - Web sites
 - DIYStyle, 331, 339
 - Etsy, 55, 148
 - fabric and notion mail-order companies, 366
 - national fabric stores, 363–364
 - notion companies, 365
 - pattern companies, 363
 - regional fabric stores, 364–365
 - sewing community, 362
 - sewing machine manufacturers, 362–363
 - sewing organizations, 361
 - sewing publications, 361
 - Simplicity, 10, 56, 332, 363
 - thread manufacturers, 366

- weft, 39
- weft pile, 40
- weight, of fiber, 38
- whip stitch, 85–86
- winding bobbins, 32
- window topper, 275
- window treatments
 - curtains, 274
 - draperies
 - custom, 282–287
 - defined, 274
 - measuring dimensions of, 278–282
 - overview, 273
 - rods, 278
 - window components, 276–277
- windows
 - components of, 276–278
 - length of, 277
 - rods, 278
 - width of, 277
- windowsill, 277
- woof, 39
- wool
 - felting, 333
 - pressing, 96
 - sourcing and preparing, 332–333
- worsted, 43
- woven fabrics
 - finishing seams
 - pinking edges, 104
 - sewing machine/serger, 104–105

- overview, 39
- repairing seams, 321–322
- securing seams
 - backstitching, 106
 - overview, 105
 - tying off threads, 106–107
 - standard seam allowances, 105
- woven interfacing, 53
- Wrights, 365
- wrong side of fabric, 64, 356–357



yardage (fabric), 45



- zigzag stitch, 87, 130
- zipper (pattern), 62
- zipper foot, 31
- zippers
 - centered, 172–176
 - invisible, 176–180
 - overview, 51–52, 171–172
 - preshrinking, 53
 - replacing fly-front, 327–330

