

Index

• Symbols •

- + (addition) operand, 147
- (decrement) operand, 147–148
- / (division) operand, 147
- ++ (increment) operand, 147–148
- * (multiplication) operand, 147
- % (remainder) operand, 147
- (subtraction) operand, 147

• A •

Acid Music (Sony), 33, 299

actions

- Actions books, 135
- Actions panel, 134–135
- attachMovie, 279
- getURL, 139–140
- goto, 138–139
- keyframes, 136–137
- loadMovie, 141–143, 162, 277
- setMask, 173–174
- startDrag, 177–179
- stop, 138
- stopDrag, 179–180
- unloadMovie, 143–144

Actions dialog box, 98

ActionScript

- Actions panel, 134–135
- buttons, 96–99
- classes, 132
- clock, 155–161
- comments, 280–281
- custom cursor, 235–237
- debugging, 19–20, 257–261
- drag-and-drop menus, 16
- drag-and-drop objects, 176–180
- drop-down menus, 102–104
- flying text, 246–250
- forms (Flash forms), 218–222
- layers, 59–60, 280
- masks, 172–175
- methods, 132

- mouse chaser, 234–235
 - Movie Explorer, 278
 - moving backdrop, 237–240
 - moving navigation menu, 191–193
 - navigating, 137
 - online catalog, 225–226
 - photo gallery, 197–201
 - pop-ups, 211–215
 - preloaders, 16
 - properties, 132
 - Script Assist, 16, 133–134
 - shopping cart, 228–231
 - similarity to JavaScript, 11, 131
 - sound controller, 162–167
 - symbols, 13
 - ticker tape marquee, 241–246
 - tool tips, 183–188
 - troubleshooting, 278
 - variables, 144–153
 - versions, 266
- ActionScript objects
- classes, 132–133
 - converting objects into symbols, 47
 - creating, 132
 - Date, 133, 155–161
 - defined, 132
 - deleting from Library, 255
 - distributing objects to layers, 60–61
 - drag-and-drop objects, 176–180
 - hiding, 172–175
 - methods, 132
 - properties, 132
- ActionScripts.org Web site, 296
- adding
- breakpoints, 259–261
 - e-mail links, 74–75
 - frames, 106
 - keyframes, 107–108
 - meta tags, 290
 - pop-ups, 210–215
 - shape hints, 123–124
 - text hyperlinks, 73–74
 - tool tips, 181–182

- addition (+) operand, 147
 - Adobe Photoshop, 276
 - alignment
 - motion path, 117
 - text, 68
 - ALT text, 291–292
 - animation
 - automating, 17–18
 - buttons, 88–89
 - custom easing, 112–113
 - drop-down menus, 101–102
 - editing, 114–115
 - frame-by-frame, 108–109, 122
 - frames, 17, 106–107
 - image sequences, 125–127
 - keyframes, 106–108
 - layers, 59–60
 - motion tween, 17, 109–119
 - movie clip symbols, 46
 - navigation bar, 17
 - rotating objects, 114
 - shape tween, 18, 109, 119–125
 - spinning objects, 114
 - text banners, 17
 - timeline, 17
 - tweening (defined), 17–18, 109
 - Web site resources, 298
 - anti-aliasing, 69
 - applying colors, 49–51
 - approvals from clients, 285
 - arithmetic operators
 - addition(+), 147
 - decrement (-), 147–148
 - division (/), 147
 - increment (++), 147–148
 - multiplication (*), 147
 - remainder (%), 147
 - subtraction (-), 147
 - arranging layers, 61–63
 - arrays, 158
 - assets
 - gathering, 12, 30
 - images, 30–32
 - interface, 12
 - sound files, 33–34
 - video, 34–38
 - assigning
 - actions to buttons, 96–99
 - actions to keyframes, 136–137
 - values to variables, 151
 - actions to buttons, 96–99
 - attachMovie action, 279
 - audience, 24
 - automating animation, 17–18
- B •**
- backdrop, 237–240
 - background colors, 44
 - background music, 161–162
 - background symbol, 57–58
 - bandwidth, 24–25
 - Bandwith Profiler preloader, 168–169
 - banners
 - symbols, 55–56
 - text banners, 17
 - basic buttons, 83–85
 - Bestflashanimationsite.com Web site, 298
 - billing clients for extra work, 288
 - bit rate (sound), 267
 - bitmaps
 - defined, 276
 - fills, 53
 - blank keyframes, 108
 - blogs (for Web site promotion), 293–294
 - BODMAS acronym for remembering operator precedence, 149
 - boldfacing text, 68
 - book's companion Web site, 5
 - Boolean variables, 144
 - breaking apart text, 75–77
 - breakpoints
 - adding, 259–261
 - defined, 19
 - deleting, 260–261
 - line numbers, 260
 - navigating, 261
 - removing, 260–261
 - setting, 259–261
 - broadband versions, 24–25
 - bugs
 - causes of, 19
 - debugging, 19–20, 257–261

- button symbols, 45, 83–85
 - buttons
 - ActionScript, 96–99
 - animation, 88–89
 - assigning actions to buttons, 96–99
 - basic buttons, 83–85
 - creating, 83–87
 - drag out event, 99
 - drag over event, 99
 - duplicating, 93–94
 - invisible buttons, 90–91
 - key press event, 98–99
 - multi-state buttons, 85–87
 - navigation bar, 14, 92–96
 - press event, 98
 - release event, 97–98
 - release outside event, 98
 - roll out event, 99
 - roll over event, 99
 - shopping cart, 230–231
 - sound, 18, 33, 89–90
 - text, 14
 - tool tips, 187–188
 - buttons (Flash forms)
 - Reset button, 219–220
 - Submit button, 220–222
- C •**
- cart
 - ActionScript, 228–231
 - buttons, 230–231
 - PayPal account, 227–231
 - shoppingCart.fla file, 228
 - catalog
 - ActionScript, 225–226
 - creating, 224–226
 - flashCatalog.fla file, 224–227
 - splash screen, 227
 - change orders, 287
 - character position, 68
 - checking spelling, 70–73
 - classes
 - ActionScript, 132
 - defined, 132–133
 - instances, 133
 - clients
 - approvals, 285
 - billing for extra work, 288
 - change orders, 287
 - contracts, 285–287
 - documenting work, 286–287
 - domain name selection, 289
 - feedback, 287–288
 - interviewing, 11, 22
 - payments, 287
 - questionnaire, 23, 283–284
 - sign-offs, 285
 - clock
 - ActionScript, 155–161
 - date display, 156–158
 - Date object, 155–161
 - dynamic text box, 156–160
 - time display, 158–161
 - code
 - comments, 280–281
 - downloading, 155
 - line numbers, 260
 - Color Mixer, 51–53
 - Color Picker, 49–50
 - colors
 - applying, 49–51
 - background colors, 44
 - Color Mixer, 51–53
 - Color Picker, 49–50
 - fills, 50
 - gradients, 51–53
 - Ink Bottle tool, 50–51
 - mixing, 49–53
 - Paint Bucket tool, 49–50
 - strokes, 50–51
 - text, 68
 - Web safe, 50
 - combining
 - expressions, 147
 - literal values, 146
 - comments, 280–281
 - Communitymx.com Web site, 296
 - companion Web site to this book, 5
 - components
 - FLV Playback, 209–210
 - TextArea, 79–81
 - compressing
 - images, 276
 - sound, 267
 - video, 34–38
 - comps, 27–30
 - Computer Arts Web site, 295

- content
 - symbols, 55–58
 - templates, 59
 - Content Path dialog box, 209
 - contracts with clients, 285–287
 - controls
 - sound controller, 162–167
 - video, 205–206
 - Convert to Symbol dialog box, 100
 - converting
 - effects into modular movie clips, 281–282
 - objects into symbols, 47
 - radial gradients to linear gradients, 53
 - Create New Symbol dialog box, 46
 - creating
 - buttons (basic), 83–85
 - buttons (multi-state), 85–87
 - catalog, 224–227
 - custom cursor, 235
 - drag-and-drop objects, 175–180
 - drop-down menus, 99–101
 - expressions, 145–149
 - forms (Flash forms), 218
 - frames, 106
 - input text boxes, 77–78
 - interface, 43–45
 - keyframes, 107–108
 - layers, 59–60
 - masks, 172–175
 - motion tween animation, 109–110
 - mouse chaser, 233–235
 - moving backdrop, 237–240
 - moving navigation menu, 188–193
 - named anchors, 278
 - navigation bar, 92–96
 - objects, 132
 - photo gallery, 193–201
 - pop-ups, 211–215
 - preloaders, 168
 - printable pages, 222–224
 - shape tween animation, 119–120
 - slideshows, 125–127
 - soundtracks, 33–34, 167–168
 - storyboards, 27–30
 - symbols, 45–47
 - text, 14–15, 66–67
 - ticker tape marquee, 241–246
 - tool tips, 182–188
 - XML documents, 196–197
 - current time display, 158–161
 - cursors
 - custom cursor, 235–237
 - drag-and-drop objects, 176–180
 - Custom Ease In/Ease Out dialog box, 112
 - custom easing, 112–113
- D •
- data rate of video, 36
 - data types (variables)
 - Boolean, 144
 - numbers, 144–146
 - text (strings), 144–146
 - Date object, 133, 155–161
 - debugging
 - breakpoints, 19–20, 259–261
 - Debugger window, 257–261
 - properties, 258
 - variables, 258–259
 - Watch list, 259
 - declaring variables, 150–151
 - decrement (–) operand, 147–148
 - default size of Flash movies, 42
 - deleting
 - breakpoints, 260–261
 - frames, 107
 - motion tween animation, 111
 - objects from Library, 255
 - shape hints, 125
 - shape tween animation, 121
 - deploying video, 203–204
 - design
 - comps, 27–30
 - Greeked text, 285
 - mind mapping, 26–27
 - mock-ups, 284–285
 - planning, 11
 - sketching, 11
 - storyboards, 27–30
 - testing, 19
 - development of Flash, 9–10
 - dial-up versions, 24–25

digital clock
 ActionScript, 155–161
 date display, 156–158
 Date object, 155–161
 dynamic text box, 156–160
 time display, 158–161

directing users to Web pages, 139–140

displaying
 current time, 158–161
 layers, 62
 tool tips, 184–187

distributing objects to layers, 60–61

division (/) operand, 147

Djojostudios.com/flash Web site, 299

document Library
 deleting objects, 255
 linkages, 279
 symbols, 46–47
 unused items, 255

Document Properties dialog box, 44

documenting work for clients, 286–287

domain name, 289

downloading
 code, 155
 Flash Player, 265

drag out event, 99

drag over event, 99

drag-and-drop menus, 16

drag-and-drop objects
 ActionScript, 176–180
 creating, 175–180
 cursors, 176
 games, 175
 movie clips, 176
 startDrag action, 176–179
 stopDrag action, 176–177, 179–180
 uses, 175

drop-down menus
 ActionScript, 102–104
 animation, 101–102
 creating, 99–101

Duplicate Symbol dialog box, 93–94

duplicating
 buttons, 93–94
 tool tips, 183

dynamic text, 15, 78–79

• E •

easing, 112–113

EchoEcho Web site, 296

e-commerce
 catalog, 224–227
 forms, 217–222
 PayPal, 227–231
 shopping cart, 227–231

editing. *See also* modifying; tweaking
 animation, 114–115
 shape hints, 125
 symbols, 49
 text, 69

effects, converting into modular movie
 clips, 281–282

Ellenfinkelstein.com Web site, 296

e-mail links, 74–75

embedding a Flash Web site in an HTML
 document, 10, 268–270

encoding video, 202–207

events
 drag out, 99
 drag over, 99
 key press, 98–99
 press, 98
 release, 97–98
 release outside, 98
 roll out, 99
 roll over, 99

expanding layers, 63

expressions
 arithmetic operators, 147–148
 combining, 147
 creating, 145–149
 defined, 145
 literal values, 145–146
 operator precedence, 148–149

• F •

feedback from clients, 287–288

files
 flashCatalog.flc, 224
 FLV (Flash Video) format, 38, 207
 shoppingCart.flc, 228

files (*continued*)

- sound files, 33–34
- uploading to a Web server, 271

fills

- bitmaps, 53
- colors, 50
- gradients, 51, 53

Finkelstein, Ellen

- Ellenfinkelstein.com Web site, 296
- Macromedia Flash 8 For Dummies*, 42, 45

Fireworks (Macromedia), 276

Flash

- growth and development, 9–10
- workspace, 42

Flash ActionScript. *See* ActionScript

Flash 8 Video Encoder, 34–38

Flash forms

- ActionScript, 218–222
- creating, 218
- input text boxes, 217–218
- mail-forwarding script, 217–222
- Reset button, 219–220
- Submit button, 220–222

Flash Kit Sound Loops Web site, 33

Flash Kit Sounds Web site, 33

Flash movies

- debugging, 19–20, 257–261
- default size, 42
- flying text, 246–250
- JPEG-quality images, 266
- levels, 141
- loading movies into targets, 141–143
- moving backdrop, 237–240
- navigating frames, 138–139
- printable pages, 222–224
- publish settings, 263–271
- stopping, 137–138
- testing, 256–257, 277
- ticker tape marquee, 241–246
- unloading, 143–144

Flash Player

- downloading, 265
- load order, 266
- versions, 265
- video, 204

Flash tutorials

- ActionScripts.org Web site, 296
 - Communitymx.com Web site, 296
 - Computer Arts Web site, 295
 - Coolhomepages.com Web site, 298
 - EchoEcho Web site, 296
 - Ellenfinkelstein.com Web site, 296
 - Flash-creations.com Web site, 296
 - Flashkit.com Web site, 297
 - Flashstreamworks.com Web site, 297
 - Flzone.net Web site, 297
 - Lynda.com Web site, 297
 - Macromedia Web site, 298
 - Moock.org Web site, 297
 - Swift3D Web site, 296
 - Ultrashock Web site, 295
 - Webmonkey.com Web site, 298
 - Were-here.com Web site, 297
- Flash Video Encoding Progress dialog box, 207
- Flash-creations.com Web site, 296
 - Flashkit.com Web site, 297, 299
 - Flashstreamworks.com Web site, 297
- FLV (Flash Video) format, 38, 207
- FLV Playback component, 209–210
- flying text, 246–250
- Flzone.net Web site, 297
- folder for layers, 62–63
- fonts, 68–69
- for loops, 148
- Format Options dialog box, 70
- formatting text
- paragraph text, 69–70
 - static text, 66–69
- forms (Flash forms)
- ActionScript, 218–222
 - creating, 218
 - input text boxes, 217–218
 - mail-forwarding script, 217–222
 - Reset button, 219–220
 - Submit button, 220–222
- forms (HTML forms), 217
- forums for Web site promotion, 293–294
- frame rate, 37, 45
- frame-by-frame animation, 108–109, 122
- frames. *See also* keyframes
- creating, 106
 - defined, 17

- deleting, 107
- labeling, 278
- printable pages, 222–224
- removing, 107
- Free Transform tool, 280
- full-motion video
 - compressing, 34–38
 - controls, 205–206
 - data rate, 36
 - deploying, 203–204
 - encoding, 202–207
 - Flash 8 Video Encoder, 34–38
 - Flash Player, 204
 - FLV (Flash Video) format, 38, 207
 - FLV Playback component, 209–210
 - frame rate, 37, 45
 - importing, 203–206
 - linking encoded video to a Flash document, 207–209
 - modifying video playback parameters, 210
 - skins, 205–206
 - testing, 207, 209–210

● G ●

- games
 - drag-and-drop objects, 175
 - invisible buttons, 90–91
- Garage Band application, 33
- gathering assets, 12, 30
- getDate method, 156
- getDay method, 156, 158
- getFullYear method, 157
- getHours method, 158
- getMinutes method, 158
- getMonth method, 157–158
- getSeconds method, 158
- getURL action, 139–140
- GIF format (images), 276
- Google search engine, 294
- goto action, 138–139
- Gradient Transform tool, 53–54
- gradients
 - colors, 51–53
 - converting, 53
 - defined, 12
 - fills, 51, 53
 - linear, 53

- modifying, 53–54
 - radial, 53
- graphic symbols, 46
- graphical user interface. *See* GUI
- graphics
 - ALT text, 291–292
 - animating image sequences, 125–127
 - compressing, 276
 - GIF format, 276
 - JPEG format, 276
 - JPEG quality, 266
 - load time, 276
 - optimizing, 30–32, 275–276
 - resizing, 193
 - slideshows, 125–127
 - thumbnails, 277
- Greeked text, 285
- Groovemaker 2.5 application, 299
- growth and development of Flash, 9–10
- GUI (graphical user interface)
 - assets, 12
 - background colors, 44
 - creating, 43–45
 - default size, 42
 - defined, 12
 - navigation bar, 14, 17, 92–96
- guide layer, 115–116, 118–119

● H ●

- hiding
 - layers, 61–62
 - objects, 172–175
 - tool tips, 184–187
- HTML documents
 - embedding a Flash Web site, 10, 268–270
 - text, 292–293
- HTML forms, 217
- hyperlinks
 - e-mail links, 74–75
 - named anchors, 278
 - text hyperlinks, 73–74

● I ●

- image gallery
 - ActionScript, 197–201
 - creating, 193–201

- image gallery (*continued*)
 - layout, 194–196
 - Properties Inspector, 195
 - testing, 202
 - XML document, 196–197
 - image-editing applications, 276
 - images
 - ALT text, 291–292
 - animating image sequences, 125–127
 - compressing, 276
 - GIF format, 276
 - JPEG format, 276
 - JPEG quality, 266
 - load time, 276
 - optimizing, 30–32, 275–276
 - resizing, 193
 - slideshows, 125–127
 - thumbnails, 277
 - Import Video dialog box, 203–206
 - importing video, 203–206
 - increment (+) operand, 147–148
 - indents (paragraph text), 70
 - initial payment from a client, 287
 - Ink Bottle tool, 50–51
 - input text, 15
 - input text boxes, 77–78, 217–218
 - Insert Target Path dialog box, 225
 - inserting
 - breakpoints, 259–261
 - e-mail links, 74–75
 - frames, 106
 - keyframes, 107–108
 - meta tags, 290
 - pop-ups, 210–215
 - shape hints, 123–124
 - text hyperlinks, 73–74
 - tool tips, 181–182
 - instances
 - classes, 133
 - symbols, 13, 48–49, 279–280
 - interface
 - assets, 12
 - background colors, 44
 - creating, 43–45
 - default size, 42
 - defined, 12
 - navigation bar, 14, 17, 92–96
 - Internet search engines
 - ALT text, 291–292
 - Google, 294
 - keywords, 291–292
 - Lycos, 294
 - meta tags, 290
 - MSN, 294
 - optimized Flash Web sites, 290
 - relevancy, 293
 - submitting Web sites, 294
 - Web site promotion, 290–291
 - Yahoo!, 294
 - interviewing clients, 11, 22
 - invisible buttons, 90–91
 - italicizing text, 68
- *J* •
- JavaScript, 10–11, 131
 - JPEG format (images), 276
 - JPEG-quality images, 266
- *K* •
- kerning, 68
 - key press event, 98–99
 - keyframes
 - actions, 136–137
 - blank keyframes, 108
 - comments, 281
 - creating, 107–108
 - custom easing, 112–113
 - defined, 106
 - flying text, 247–249
 - labeling, 278
 - ticker tape marquee, 242–246
 - keywords, 291–292
- *L* •
- labeling frames/keyframes, 278
 - layers
 - ActionScript, 59–60, 280
 - animation, 59–60
 - arranging, 61–63
 - creating, 59–60
 - defined, 59

- distributing objects to layers, 60–61
- expanding, 63
- hiding, 61–62
- layer folders, 62–63
- locking, 61–62
- masks, 172–175
- motion guide layer, 115–116, 118
- naming, 60
- rearranging, 61–63
- showing, 62
- stacking order, 61–63
- symbols, 59
- tool tips, 184
- unlocking, 62

layout of photo gallery, 194–196

Leete, Gurdy (*Macromedia Flash 8 For Dummies*), 42, 45

letter spacing, 68

levels of Flash movies, 141

Library

- deleting objects, 255
- linkages, 279
- symbols, 46–47
- unused items, 255

line numbers in code, 260

linear gradients, converting to radial gradients, 53

Linkage dialog box, 279

Linkage Properties dialog box, 212

linkages, 279

linking encoded video to a Flash document, 207–209

links

- e-mail links, 74–75
- named anchors, 278
- text hyperlinks, 73–74

literal values, 145–146

load order (Flash Player), 266

load time, 18–19, 276

loading movies into targets, 141–143

loadMovie action, 141–143, 162, 277

locking layers, 61–62

loops, 148

LoopSound.com Web site, 33

Lycos search engine, 294

Lynda.com Web site, 297

• M •

Macromedia Fireworks, 276

Macromedia Flash 8 For Dummies (Finkelstein and Leete), 42, 45

Macromedia Web site, 298

mail-forwarding script, 217–222

margins (paragraph text), 70

marquee, 241–246

marketing Web sites, 293

masks, 172–175

mathematical expressions, 147–149

melondezign.com Web site, 298

menus

- drag-and-drop menus, 16
- drop-down menus, 99–104
- moving navigation menu, 188–193
- navigation bar, 14, 17
- symbols, 56–57

meta tags, 290

methods

- ActionScript, 132
- defined, 132
- getDate, 156
- getDay, 156, 158
- getFullYear, 157
- getHours, 158
- getMinutes, 158
- getMonth, 157–158
- getSeconds, 158

mind mapping, 26–27

minimum width of skins, 205

mixing colors, 49–53

mock-ups, 284–285

modifying. *See also* editing; tweaking

- gradients, 53–54
- properties, 132
- symbols, 49
- video playback parameters, 210

modular movie clips, 281–282

Moock.org Web site, 297

motion tween animation

- creating, 109–110
- custom easing, 112–113
- defined, 17, 109
- deleting, 111
- motion guide layer, 115–116, 118–119
- motion path, 115–118

motion tween animation (*continued*)

 previewing, 110

 Properties Inspector, 110–111

 removing, 111

 slowing down, 115

 speeding up, 115

 spinning objects, 114

 tweaking, 111–112

mouse chaser, 233–235

movie clip symbols, 46

movie clips

 drag-and-drop objects, 176

 modular movie clips, 281–282

Movie Explorer, 132–133, 278

movies

 debugging, 19–20, 257–261

 default size, 42

 flying text, 246–250

 JPEG-quality images, 266

 levels, 141

 loading movies into targets, 141–143

 moving backdrop, 237–240

 navigating frames, 138–139

 printable pages, 222–224

 publish settings, 263–271

 stopping, 137–138

 testing, 256–257, 277

 ticker tape marquee, 241–246

 unloading, 143–144

moving backdrop, 237–240

moving navigation menu

 ActionScript, 191–193

 creating, 188–193

MSN search engine, 294

multiplication (*) operand, 147

multi-state buttons, 85–87

music in background, 161–162



named anchors, 278

naming

 layers, 60

 symbols, 46

 variables, 149–150

navigating

 ActionScript, 137

 breakpoints, 261

 frames of Flash movies, 138–139

navigation bar

 animation, 17

 buttons, 14, 92–96

 creating, 92–96

 defined, 14

 moving navigation menu, 188–193

nesting symbols, 13, 46

notes (comments) in ActionScript, 280–281

number variables, 144–146

numeric literals, 145–146



objects

 classes, 132–133

 converting objects into symbols, 47

 creating, 132

 Date, 133, 155–161

 defined, 132

 deleting from Library, 255

 distributing objects to layers, 60–61

 drag-and-drop objects, 175–180

 hiding, 172–175

 methods, 132

 properties, 132

offset from an array, 158

one-act preloader, 169–172

online catalog

 ActionScript, 225–226

 creating, 224–226

 flashCatalog.flc file, 224

 splash screen, 227

operators

 addition (+), 147

 decrement (–), 147–148

 division (/), 147

 increment (++), 147–148

 multiplication (*), 147

 precedence, 148–149

 remainder (%), 147

 subtraction (–), 147

optimizing Flash Web sites

 benefits of, 20, 253

 search engines, 290

 tips, 254–255

 unused Library items, 255

optimizing images, 30–32, 275–276

order of layers, 61–63

orientation of text, 68

• *p* •

- Paint Bucket tool, 49–50
- paragraph text
 - formatting, 69–70
 - indents, 70
 - margins, 70
 - Spell Checker, 70–73
- passing variables, 152–153
- payments from clients, 287
- PayPal, 227–231
- photo editing applications, 276
- photo gallery
 - ActionScript, 197–201
 - creating, 193–201
 - layout, 194–196
 - Properties Inspector, 195
 - photo gallery (*continued*)
 - testing, 202
 - XML document, 196–197
- photos
 - ALT text, 291–292
 - animating photo sequences, 125–127
 - compressing, 276
 - GIF format, 276
 - JPEG format, 276
 - JPEG quality, 266
 - load time, 276
 - optimizing, 30–32, 275–276
 - resizing, 193
 - slideshows, 125–127
 - thumbnails, 277
- Photoshop (Adobe), 276
- planning the design, 11
- pop-ups
 - ActionScript, 211–215
 - adding, 210–215
 - creating, 211–215
 - positioning, 213–214
 - testing, 215
- portfolio, 22
- position of characters, 68
- positioning
 - pop-ups, 213–214
 - tool tips, 183
- precedence of operators, 148–149
- preloaders
 - ActionScript, 16
 - Bandwith Profiler preloader, 168–169
 - creating, 168
 - determining if one is needed, 25–26
 - one-act preloader, 169–172
 - purpose of, 16
- press event, 98
- previewing
 - motion tween animation, 110
 - shape tween animation, 120
- print media promotion of Web sites, 293
- printable pages, 222–224
- programming with ActionScript
 - Actions panel, 134–135
 - buttons, 96–99
 - classes, 132
 - comments, 280–281
 - custom cursor, 235–237
 - debugging, 19–20, 257–261
 - drag-and-drop menus, 16
 - drop-down menus, 102–104
 - flying text, 246–250
 - forms (Flash forms), 218–222
 - layers, 59–60, 280
 - masks, 172–175
 - methods, 132
 - mouse chaser, 234–235
 - Movie Explorer, 278
 - moving backdrop, 237–240
 - moving navigation menu, 191–193
 - navigating, 137
 - online catalog, 225–226
 - photo gallery, 197–201
 - pop-ups, 211–215
 - preloaders, 16
 - properties, 132
 - Script Assist, 16, 133–134
 - shopping cart, 228–231
 - similarity to JavaScript, 11, 131
 - sound controller, 162–167
 - symbols, 13
 - ticker tape marquee, 241–246
 - tool tips, 183–188
 - troubleshooting, 278
 - variables, 144–153
 - versions of ActionScript, 266
- promoting Web sites
 - ALT text, 292
 - blogs, 293–294
 - forums, 293–294
 - keywords, 291–292

- promoting Web sites (*continued*)
 - with links from other Web sites, 293
 - meta tags, 290
 - print media, 293
 - search engines, 290–291
- properties
 - ActionScript, 132
 - debugging, 258
 - defined, 132
 - modifying, 132
- Properties Inspector
 - motion tween animation, 110–112
 - photo gallery, 195
 - shape tween animation, 119–122
 - text, 66–68
 - tool tips, 183–184
- Publish Settings dialog box, 263–271
- publishing Flash Web sites
 - embedding a Flash Web site in an HTML document, 268–270
 - process overview, 20
 - Publish command, 271–272
 - setting publish settings, 263–271
 - uploading files to a Web server, 271
- punctuation, 149

• Q •

- quality
 - JPEG-quality images, 266
 - sound quality, 267
- questionnaire for potential clients, 23, 283–284

• R •

- radial gradients, converting to linear gradients, 53
- rearranging layers, 61–63
- registration point
 - motion path, 116–117
 - tool tips, 182
- release event, 97–98
- release outside event, 98
- relevancy (search engines), 293
- remainder (%) operand, 147
- removing
 - breakpoints, 260–261
 - frames, 107

- motion tween animation, 111
- objects from Library, 255
- shape hints, 125
- shape tween animation, 121
- reserved words, 149
- Reset button (Flash forms), 219–220
- resetting variables, 153
- resizing
 - images, 193
 - photos, 193
- resources
 - ActionScripts.org, 296
 - Bestflashanimationsite.com, 298
 - Communitymx.com, 296
 - Computer Arts Web site, 295
 - Coolhomepages.com, 298
 - Djojostudios.com/flash, 299
 - EchoEcho Web site, 296
 - Ellenfinkelstein.com, 296
 - Flash-creations.com, 296
 - Flashkit.com, 297, 299
 - Flashstreamworks.com, 297
 - Flzone.net, 297
 - Lynda.com, 297
 - Macromedia Web site, 298
 - melondezign.com, 298
 - Moock.org, 297
 - Soundshopper.com, 299
 - Swift3D Web site, 296
 - Ultrashock Web site, 295
 - Webmonkey.com, 298
 - Were-here.com, 297
- retrieving elements from arrays, 158
- roll out event, 99
- roll over event, 99
- rotating objects, 114

• S •

- screen captures, 22
- Script Assist, 16, 133–134
- scripting with ActionScript
 - Actions panel, 134–135
 - buttons, 96–99
 - classes, 132
 - comments, 280–281
 - custom cursor, 235–237
 - debugging, 19–20, 257–261
 - drag-and-drop menus, 16

- drop-down menus, 102–104
- flying text, 246–250
- forms (Flash forms), 218–222
- layers, 59–60, 280
- masks, 172–175
- methods, 132
- mouse chaser, 234–235
- Movie Explorer, 278
- moving backdrop, 237–240
- moving navigation menu, 191–193
- navigating, 137
- online catalog, 225–226
- photo gallery, 197–201
- pop-ups, 211–215
- preloaders, 16
- properties, 132
- Script Assist, 16, 133–134
- shopping cart, 228–231
- similarity to JavaScript, 11, 131
- sound controller, 162–167
- symbols, 13
- ticker tape marquee, 241–246
- tool tips, 183–188
- troubleshooting, 278
- variables, 144–153
- versions of ActionScript, 266
- scrolling ticker tape marquee, 241–246
- search engines
 - ALT text, 291–292
 - Google, 294
 - keywords, 291–292
 - Lycos, 294
 - meta tags, 290
 - MSN, 294
 - optimized Flash Web sites, 290
 - relevancy, 293
 - submitting Web sites, 294
 - Web site promotion, 290–291
 - Yahoo!, 294
- setMask action, 173–174
- setting
 - breakpoints, 259–261
 - publish settings, 263–271
- shape hints
 - adding, 123–124
 - deleting, 125
 - editing, 125
 - removing, 125
- shape tween animation
 - creating, 119–120
 - defined, 18, 109, 119
 - deleting, 121
 - previewing, 120
 - Properties Inspector, 119–122
 - removing, 121
 - shape hints, 123–125
 - symbols, 121
 - tweaking, 121–122
- Shockwave.com Web site, 33
- shopping cart
 - ActionScript, 228–231
 - buttons, 230–231
 - PayPal account, 227–231
 - shoppingCart.fla file, 228
- showing
 - current time, 158–161
 - layers, 62
 - tool tips, 184–187
- sign-offs from clients, 285
- sketching the design, 11
- skins
 - minimum width, 205
 - video, 205–206
- slideshows, 125–127
- slowing down motion tween animation, 115
- SnagIt screen-capture hardware, 22
- Sony Acid Music, 33, 299
- sound
 - background music, 161–162
 - bit rate, 267
 - buttons, 18, 33, 89–90
 - compressing, 267
 - Flash Kit Sound Loops Web site, 33
 - Flash Kit Sounds Web site, 33
 - Groovemaker 2.5 application, 299
 - Loopsound.com Web site, 33
 - publish settings, 267–268
 - quality, 267
 - Shockwave.com, 33
 - sound controller, 18
 - Soundrangers.com, 33
 - Web site resources, 299
- sound controller, 162–167
- Soundrangers.com Web site, 33
- Soundshopper.com Web site, 299
- soundtracks
 - bandwidth, 24

- soundtracks (*continued*)
 - creating, 33–34, 167–168
 - defined, 18
 - sources of, 33
 - speeding up motion tween animation, 115
 - Spell Checker, 70–73
 - Spelling Setup dialog box, 71
 - spinning objects, 114
 - splash screen for online catalog, 227
 - stacking order of layers, 61–63
 - startDrag action, 177–179
 - static mock-ups, 284–285
 - static text, 14–15, 66–69
 - stop action, 137–138
 - stopDrag action, 179–180
 - storyboards, 27–30
 - string literals, 145
 - string variables, 144–146
 - stroke colors, 50–51
 - Submit button (Flash forms), 220–222
 - submitting a Web site to a search engine, 294
 - subscript text, 68
 - subtraction (-) operand, 147
 - superscript text, 68
 - survey for potential clients, 23, 283–284
 - Swap Symbol dialog box, 95–96
 - Swift3D Web site, 296
 - symbols
 - ActionScript, 13
 - background symbol, 57–58
 - banners, 55–56
 - button symbols, 45, 83–85
 - content, 55–58
 - converting objects into symbols, 47
 - creating, 45–47
 - defined, 13–14
 - editing, 49
 - graphic symbols, 46
 - instances, 13, 48–49, 279–280
 - layers, 59
 - Library, 46–47
 - menus, 56–57
 - modifying, 49
 - motion path, 117–118
 - movie clip symbols, 46
 - naming, 46
 - nesting, 13, 46
 - shape tween animation, 121
 - transforming, 280
- T ●
- target audience, 24
 - templates for content, 59
 - testing
 - design, 19
 - movies, 256–257, 277
 - photo gallery, 202
 - pop-ups, 215
 - video, 207, 209–210
 - text. *See also* paragraph text
 - aligning, 68
 - ALT text, 291–292
 - anti-aliasing, 69
 - boldfacing, 68
 - breaking apart, 75–77
 - buttons, 14
 - character position, 68
 - colors, 68
 - creating, 14–15, 66–67
 - dynamic text, 15, 78–79
 - editing, 69
 - flying text, 246–250
 - fonts, 68–69
 - formatting, 66–69
 - Greeked text, 285
 - HTML documents, 292–293
 - input text, 15
 - input text boxes, 77–78, 217–218
 - italicizing, 68
 - kerning, 68
 - letter spacing, 68
 - orientation, 68
 - Properties Inspector, 66–68
 - Spell Checker, 70–73
 - static text, 14–15, 66–69
 - subscript, 68
 - superscript, 68
 - Text tool, 65–67
 - TextArea component, 79–81
 - vector objects, 76–77
 - text banners, 17
 - text hyperlinks, 73–74
 - Text tool, 65–67
 - text variables, 144–146
 - TextArea component, 79–81

- thumbnails (images), 277
 - ticker tape marquee, 241–246
 - time clock
 - ActionScript, 155–161
 - date display, 156–158
 - Date object, 155–161
 - dynamic text box, 156–160
 - time display, 158–161
 - timeline (animation), 17
 - tool tips
 - ActionScript, 183–188
 - adding, 181–182
 - buttons, 187–188
 - creating, 182–188
 - duplicating, 183
 - hiding, 184–187
 - layers, 184
 - positioning, 183
 - Properties Inspector, 183–184
 - registration point, 182
 - showing, 184–187
 - tools
 - Free Transform tool, 280
 - Gradient Transform tool, 53–54
 - Ink Bottle tool, 50–51
 - Paint Bucket tool, 49–50
 - Text tool, 65–67
 - training. *See* tutorials
 - transforming symbols, 280
 - Triolo, Helen, Flash-creations.com Web site, 296
 - troubleshooting ActionScript, 278
 - tutorials
 - ActionScripts.org Web site, 296
 - Communitymx.com Web site, 296
 - Computer Arts Web site, 295
 - Coolhomepages.com Web site, 298
 - EchoEcho Web site, 296
 - Ellenfinkelstein.com Web site, 296
 - Flash-creations.com Web site, 296
 - Flashkit.com Web site, 297
 - Flashstreamworks.com Web site, 297
 - Flzone.net Web site, 297
 - Lynda.com Web site, 297
 - Macromedia Web site, 298
 - Moock.org Web site, 297
 - Swift3D Web site, 296
 - Ultrashock Web site, 295
 - Webmonkey.com Web site, 298
 - Were-here.com Web site, 297
 - tweaking. *See also* editing; modifying
 - motion tween animation, 111–112
 - shape tween animation, 121–122
 - tweening animation
 - defined, 17–18, 109
 - motion tween, 17, 109–119
 - shape tween, 18, 109, 119–125
- U •
- Ultrashock Web site, 295
 - unloading movies, 143–144
 - unloadMovie action, 143–144
 - unlocking layers, 62
 - unused Library items, 255
 - uploading files to a Web server, 271
 - user interface
 - assets, 12
 - background colors, 44
 - creating, 43–45
 - default size, 42
 - defined, 12
 - navigation bar, 14, 17, 92–96
- U •
- values
 - assigning to variables, 151
 - literal values, 145–146
 - variables
 - ActionScript, 144–153
 - assigning values to variables, 151
 - Boolean variables, 144
 - data types, 144–146
 - debugging, 258–259
 - declaring, 150–151
 - expressions, 145–149
 - naming, 149–150
 - number variables, 144–146
 - passing, 152–153
 - resetting, 153
 - text (string) variables, 144–146
 - vector objects
 - defined, 12
 - text, 76–77

versions

- ActionScript, 266

- Flash Player, 265

video

- compressing, 34–38

- controls, 205–206

- data rate, 36

- deploying, 203–204

- encoding, 202–207

- Flash 8 Video Encoder, 34–38

- Flash Player, 204

- FLV (Flash Video) format, 38, 207

- FLV Playback component, 209–210

- frame rate, 37, 45

- importing, 203–206

- linking encoded video to a Flash

- document, 207–209

- modifying video playback

- parameters, 210

- skins, 205–206

- testing, 207, 209–210

- viewing line numbers in code, 260

• W •

- Watch list (debugging), 259

- Web developers, 16

Web sites

- ActionScripts.org, 296

- Bestflashanimationsite.com, 298

- Communitymx.com, 296

- companion Web site for this book, 5

- Computer Arts, 295

- Coolhomepages.com, 298

- directing users to a specific Web page, 139–140

- Djojostudios.com/flash, 299

- EchoEcho, 296

- Ellenfinkelstein.com, 296

- Flash Kit Sound Loops, 33

- Flash Kit Sounds, 33

- Flash-creations.com, 296

- Flashkit.com, 297, 299

- Flashstreamworks.com, 297

- Flzone.net, 297

- Loopsound.com, 33

- Lynda.com, 297

- Macromedia, 298

- marketing, 293

- melondezign.com, 298

- Mooock.org, 297

- promoting, 290–294

- Shockwave.com, 33

- Sony Acid Music, 299

- Soundrangers.com, 33

- Soundshopper.com, 299

- Swift3D, 296

- Ultrashock, 295

- Webmonkey.com, 298

- Were-here.com, 297

- Web-safe colors, 50

- workspace, 42

• X •

- XML documents, 193, 196–197

• Y •

- Yahoo! search engine, 294