

Index

Note to the Reader: Page numbers in **bold** indicate the principle discussion of a topic or the definition of a term. Page numbers in *italic* indicate illustrations.

Numbers

802.1b wireless standard, **147**
4mm tape drives, **43**

A

“A” cable connectors, 254, **254**
AC outlets, *See also* power
networking via, 146–147
notebook adapter kits, 189, 190
testing, 168, 169
accelerator boards, 116
access points, **145–146**, *See also* WAP
access time, **17**
ACTiSYS vendor, 96
“ad hoc mode”, **146**
adapters, *See also* networks; video adapters
AC adapters, 189, 190
CPU socket adapters, 245–246, 245
defined, **12**, 13–14
PC-to-MIDI adapter cables, 211, 212
USB host adapters, 256–259, 256, 258
USB-to-PS/2 adapters, 199, 199
Y-adapters, 170, 170–171
AGP (Advanced Graphics Port), *See also* video adapters
connectors, 124, 125
ports, 123–124, 124
video boards, 126, 126
Amazon.com, **276–277**
antistatic bags, 34, 34
antistatic wrist straps, 28, **28**, 33
aperture grille technique, 120
architectures, network, **148–149**
asynchronous mode, **255**
AT/ATX power supplies, **173–174**
ATI All-in-Wonder Radeon video card,
124, 125, 130
audio. *See* multimedia
average access time, **40**
AVI (Audio-Video Interleave), 221

B

“B” cable connectors, **254**, 255
backside bus, 232
batteries, *See also* power
for cordless mice, 200, 200
for digital cameras, 214–216, 214
BEDO (Burst Extended Data Out) memory, **22**
bi-directional cables, **93**
The BIOS Companion (Croucher), **283**
BIOS software, **224–229**
defined, **224**
enabling for SCSI controllers, 272
functions of, 224
reasons to upgrade, 225
running setup utility, 19, 229
setting printer ports, 93
updating (flashing)
battery backup units and, 226–228, 227
determining need for, 225–226
downloading latest version, 226
keeping old BIOS on diskettes, 228
overview of, 225
performing updates, 228–229
warning, 226
verifying version of, 225–226
Blank, Andrew G., 148
Bluetooth technology, **97**, 147
book resources, **283–284**
boot devices, 224
BRI (Basic Rate Interface), 67
buffered memory, **18**
Build Your Own PC (Rosenthal), **283**
burners, CD, **41**, 58–59, **58–59**
bus speed, **17**, **232**
bus-powered hubs, **260**
buses, **250–273**
defined, **250**
EISA buses, 273
FireWire buses
connectors, 262, 263
defined, **262**

286 Business Week • capturing video

- device configuration, 263–264
 - installing, 262, 263
 - overview of, 250
 - speed, 262
 - versus USBs, 262
 - ISA buses, 273
 - MCA buses, 273
 - notebook bus upgrades, 272–273
 - PCI buses, 250
 - reasons to add, 251
 - reasons to upgrade, 250–251
 - SCSI buses
 - assigning device priorities, 269–270
 - benefits of, 264
 - cable connectors, 265, 266
 - cables, 265
 - Disconnect/Reconnect feature, 272
 - dual-channel controllers, 266–267, 267
 - enabling controller BIOS, 272
 - overview of, 250, 264
 - parity support, 272
 - setting controller IDs, 267
 - setting device IDs, 268–269, 268–269
 - setting options, 272
 - setting termination, 270–272, 271
 - setup, overview, 265–266
 - single-channel controllers, 266–267
 - speed, 264–265
 - versions of, 264–265
 - warning, 265
 - USB buses
 - “A” cable connectors, 254, 254
 - asynchronous mode, 255
 - “B” cable connectors, 254, 255
 - configuring, 252
 - daisy chaining devices, 252, 255
 - device configuration, 260
 - device hot swappability, 252
 - device support for, 255
 - devices, listed, 252–253
 - installing USB host adapters, 256–259, 256, 258
 - installing USB hubs, 259–260, 259
 - interrupts, 252
 - isochronous mode, 255
 - measuring device power draw, 260–261, 261
 - overview of, 250
 - versus parallel ports, 252, 255
 - ports, 253, 253, 254, 254
 - versus serial ports, 252, 255
 - speed, 255
 - troubleshooting, 259
 - USB keyboards, 255
 - version 2.0, 256, 259, 260, 264
 - versions of, 255–256
- Business Week* magazine, **282**
- ## C
- cable connectors, *See also* adapters; connectors
 - for network hubs/switches, 156, 157
 - for SCSI buses, 265, 266
 - for USB devices, 254, 255–256
 - cable modem service, **68–69**
 - cables
 - data connector cables, 45–46, 45–46, 48–49, 49, 56
 - dedicated cables, 145
 - finding online, 265
 - to inkjet printers, 101, 102
 - to network adapters, 156–157, 157–158
 - parallel cables, 92–93, 92
 - to PC back panels, 8
 - PC-to-MIDI adapter cables, 211, 212
 - phone line cables, 146
 - for SCSI buses, 265
 - signal cables, 13, 13–14
 - Ultra 160 LVD cables, 270, 271
 - USB cables, 8
 - UTP cables, 145
 - cache, **40–41**
 - cache size, CPU, **232**
 - call waiting, 66
 - cameras, *See also* multimedia
 - camcorders, 216–220, 216–219
 - digital cameras, 214–216, 214
 - webcams, 220–222, 220, 222
 - capacitors, **181**
 - capturing video, 216–219, **216–220**

- cartridge drives, **41**
- CD-R/CD-RW drives, *See also* storage devices
 - defined, **41–42**
 - disc media, 59–60
 - external/internal drives, 58–59, 58–59
 - upgrading to, 54–58, 56–58
- CD-ROM drives
 - using discarded, 58
 - overview of, 41, 59
 - removing, 54–56, 56
 - warning, 42
- Centronics connectors, 92, **93**
- chip speed, **17**
- cleaning, *See also* maintenance
 - CRT displays, 141–142
 - inkjet printers, 109, 111
 - laser printers, 109–111, *110*
 - LCD displays, 142
 - mice, 193, 193
 - tape drives, 62
- client/server networks, **148**, 149
- color depth display, **131–132**, 204–205
- communications, **64–84**
 - cable modem service, 68–69
 - dial-up modems
 - cables, 8
 - call waiting and, 66
 - installing external modems, 69–74, 70–73
 - installing internal modems, 74–75, 75
 - internal vs. external modems, 65
 - multilink modems, 66
 - overview of, 64–65
 - ports, 9
 - speeding up, 65–66
 - surge protection, 72, 72
 - voice modems, 66
 - warnings, 74, 75
- DSL service
 - costs, 68, 76
 - installing DSL routers, 77–82, 78–82
 - overview of, 68
 - sharing on networks, 75–76
 - voice channels, 78
 - warning, 82
- ISDN service, 67
- overview of, 64
- sharing Internet connections, 76
- wireless services
 - overview of, 82–83
 - satellite, 83–84
 - wireless local loop, 84
- The Complete PC Upgrade & Maintenance Guide* (Minasi), **283**
- compressing video files, 205
- computer names, **155**
- Computer Shopper* magazine, **282**
- Computerworld* magazine, **282**
- connectors, *See also* adapters; cable connectors
 - AGP connectors, 124, 125
 - Centronics connectors, 92, 93
 - DB-25 connectors, 92, 93
 - DVI connectors, 125, 127, 138, 138
 - for FireWire buses, 262, 263
 - for LCD displays, 137–138, 138
 - LVD connectors, 270, 271
 - PCI connectors, 256
 - power connectors, 45, 45, 49, 50, 56
 - VGA connectors, 138, 138
- contact enhancer, 27, 29, **29**, 72, 129
- contact materials in memory modules, **18**
- CPUs, **229–248**
 - adding, 246–248, 247
 - backside bus, 232
 - cache size, 232
 - cooling fans, 233, 237, 238, 244
 - CPU forks, 240, 240
 - defined, **229–230**
 - frontside bus speed, 232
 - heat sinks/shields, **233**, 235, 235, 236–237, 243, 243–244
 - motherboard DIP switches, 237, 238–239
 - overclocking, 233
 - overview of, 230–232
 - replacing
 - non-ZIF socket CPUs, 240–242, 240–241
 - overview of, 230, 232
 - slot cartridge CPUs, 242–246, 243–245
 - slot-to-socket adapters and, 245–246, 245

288 CRIMMs (Continuity Rambus Inline Memory Module) • displays

warnings, 235, 246
 ZIF socket CPUs, 234–239, 234–239
 running two at once, 247–248
 slot CPUs, 231, 231, 232
 socket CPUs, 230, 230, 231, 232
 speed, 231–232
 CRIMMs (Continuity Rambus Inline Memory Module), 26
 Croucher, Phil, 283
 CRT displays. *See* displays

D

daisy chaining USB devices, 252, **255**
 DAT (Digital Audio Tape) drives, **43**
 data communication channel, 17
 data connector cables, 45–46, **45–46**, **48–49**,
 49, 56
 DataComm Warehouse, 93, 265
 daughterboards, 129
 Dazzle's DVC devices, 216–219, **216–220**
 DB-25 connectors, 92, **93**
 DDR (Dual Data Rate) memory, **23**, **130**
 dedicated servers, **148**
 default gateway addresses, 148
 defragmenting hard drives, **61**
 degaussing displays, **141**
 desk area for displays, 118–119, **118–119**
 Device Manager, 261
 dial-up modems. *See* communications
 Digital Audio Tape (DAT) drives, **43**
 digital cameras, 214, **214–216**
The Digital Filmmaking Handbook (Long and Schenk), **283**
 Digital Linear Tape (DLT) drives, **43**
 digital subscriber line. *See* DSL
 Digital Video Creator devices, 216–219,
216–220
 DIMM (Dual Inline Memory Module), 25,
25–26
 DIP (dual inline package) switches, **237**,
 238–239
 Direct Memory Access (DMA), 53
 Disconnect/Reconnect feature, **272**
 disk drives, internal, **12**, 13–14, *See also* storage
 devices
 diskette drives, 38–39
 displays, **116–142**
 adjustability, 120
 adjusting settings
 color depth, 131–132
 listed, 133
 refresh rate, 119, 132–133
 resolution, 119, 130–131
 speed and, 132
 using third-party utilities, 133–135, 134
 CRT displays
 cleaning, 141–142
 cost, 118
 defined, **116**
 desk area, 118–119, 118
 leaving on, 141
 opening up, 116, 141
 slim CRTs, 119
 speed, 121
 warnings, 141–142
 degaussing, 141
 dot pitch, 120
 focus, 120
 glare, 120
 image quality, 117, 119–120
 LCD displays
 cleaning, 142
 connectors, 137–138, 138
 cost, 137
 defined, **116**, **136**, 137
 desk area, 118–119, 119
 drawbacks, 137
 installing, 139–141, 139–140
 speed, 121
 multimedia options, 121–122
 multiple, installing, 122, 135–136, 136
 multisyncing ability, 120
 overview of, 116–117
 terminology, 116
 with TV tuners, 121, 124, 125
 using with VCRs, 121
 video adapters
 defined, **116**

- disabling motherboard video, 123
 - speed and, 121
 - upgrading, overview, 122–123
 - warranties, 122
- video cables/ports, 8–9
- video cards
 - adding memory to, 127–130
 - defined, **116**
 - drivers, 127
 - installing, 125–127, 126
 - port connections, 123–124, 124–125
- viewable area, 117–118
- warnings, 120, 141–142
- warranties, 122
- workstation monitors, 120
- DLT (Digital Linear Tape) drives, **43**
- DMA (Direct Memory Access), 53
- DNS server addresses, **80**, 148
- dot pitch, **120**
- dpi (dots per inch), 90
- Drive Copy utility, 52
- drivers, **52**, 127
- drives, internal disk, **12**, 13–14, *See also* storage devices
- DSL (digital subscriber line), *See also* communications
 - costs, 68, 76
 - installing DSL routers, 77–82, 78–82
 - overview of, 68
 - sharing on networks, 75–76
 - voice channels, 78
 - warning, 82
- Dual Data Rate (DDR) memory, **23**, **130**
- dual-channel controllers, SCSI, **266–267**, 267
- dust, 7
- DVC (Digital Video Creator) devices, 216–219, **216–220**
- DVD drives, **42**
- DVI connectors, 125, 127, 138, **138**
- DVI-I to analog converters, 138–139, 139

E

- ECC (Error Correction Code), 17
- ECP (extended capabilities port), 93

- EDO (Extended Data Out) memory, **21**
- 8mm tape drives, **43**
- 802.1b wireless standard, **147**
- EISA (Extended Industry Standard Architecture) buses, **273**
- EMI (electromagnetic interference), 174
- Englebart, Doug, 192
- EPP (enhanced parallel port), 93
- EPRI (Electric Power Research Institute), 185
- error-checking memory, 17
- Ethernet networks, 147
- EverGlide's Giganta mouse pads, **201**, 202
- expansion slots, **12**, 13–14

F

- fans, *See also* power
 - capacitors and, 181
 - removing grilles, 178, 179
 - replacing, 180–182, 181–183
 - single/variable speeds, 173
- Fast Ethernet networks, 147
- FDISK program, 51
- filtering, line, **168**
- FireWire buses, *See also* buses
 - configuring devices, 263–264
 - connectors, 262, 263
 - defined, **262**
 - installing, 262, 263
 - overview of, 250
 - speed, 262
 - versus USBs, 262
- fixed-point wireless, **84**
- flashing. *See* updating BIOS
- floppy disk drives, 38–39
- form factor, **172**
- 4mm tape drives, **43**
- FPM (Fast Page Mode) memory, **21**
- frame rates, **205**
- frontside bus speed, **232**

G

- game ports, 195, **195**, *See also* joysticks
- gateway addresses, 148

290 GDI (graphical device interface) printers • installing

GDI (graphical device interface) printers, **89**
 Ghost utility, 52
 Giganta mouse pads, **201**, 202
 glare, 120
 Goof-Off solvent, 111
 graphics tablets, pressure-sensitive, **202–204**,
 203

H

hand tools. *See* PC upgrades
 hard drives, *See also* storage devices
 cache, 40–41
 defragmenting, 61
 durability, 40
 IDE drives
 adding, 43–51, 44–50
 defined, **39**
 upgrading to SCSI, 51–52
 warnings, 48, 49
 mirroring, 52
 overview of, 38–39
 partitioning, 51
 rotational speed, 40
 SCSI drives, **39**
 seek time, 40
 heat sensing power supplies, **173**
 heat sinks/shields for CPUs, **233**, 235, 235,
 236–237, 243, 243–244
 help. *See* resources; Web site resources
 home gateways, **76**
 HomePNA (Home Phonenumber Networking
 Alliance), **146**
 HomeRF wireless standard, 147
 hops, 264
 hot swappability, **252**
 hubs
 defined, **259**
 installing USB hubs, 259–260, 259
 in wired networks, 145, **155–158**, 156

I

ICN (Internet Call Notification) feature, **66**
 ICS (Internet Connection Sharing) software, **76**

IDE drives. *See* hard drives
 IEEE-1284 cables, **93**
 IEEE-1394. *See* FireWire
 images. *See* displays; multimedia
Info World magazine, **282**
 information. *See* resources; Web site resources
Information Week magazine, **282**
 infrared ports, **96–97**
 “infrastructure mode”, **146**
 inkjet printers. *See* printers
 input devices, **192–204**, *See also* multimedia
 joysticks
 defined, **194**
 force-feedback joysticks, 194, 195
 MIDI devices and, 195
 ports for, 195, 195
 keyboards
 ergonomic keyboards, 196–197, 197
 using great ones, 195
 IBM keyboards, 196, 196
 key layout, 196–197, 197
 switches, 195–196, 196
 mice
 accessories, 201, 202
 cleaning, 193, 193
 corded mice, 192
 cordless, installing, 197–200, 198–201
 cordless mice, 192
 mechanical mice, 193, 193
 optical mice, 193
 opto-mechanical mice, 193
 overview of, 192, 194
 resolution, 194
 sample rates, 192–193
 overview of, 192, 197
 pressure-sensitive graphics tablets, 202–204,
 203
 trackballs, 194, 194
 installing. *See also* replacing; upgrading
 battery backup units, 185
 CD-R/CD-RW drives, 54–58, 56–58
 cordless mice, 197–200, 198–201
 CPUs in CPU-less boards, 246–248, 247
 DSL routers, 77–82, 78–82
 external capture devices, 216–220, 216–219
 external modems, 69–74, 70–73

FireWire buses, 262, 263
 graphics tablets, 202–204, 203
 inkjet printers, 99–104, 100–104
 internal modems, 74–75, 75
 Jaz drives, 53–54
 laser printers, 104–109, 105–107
 LCD displays, 139–141, 139–140
 multiple displays, 122, 135–136, 136
 second CPUs, 247–248
 second IDE drives, 43–51, 44–50
 tape drives, 60, 60–61
 USB host adapters, 256–259, 256, 258
 USB hubs, 259–260, 259
 video adapter drivers, 127
 Zip drives, 53–54, 53–54
 installing networks. *See* networks
 integrated hubs, 259
 Intel Web sites, 231–232, 257, 276
 internal disk drives, **12**, 13–14
 Internet Call Notification (ICN), **66**
 Internet Connection Sharing (ICS), **76**
 Internet connections. *See* communications
 Internet resources. *See* Web site resources
 interrupts, 152, 252
 IP addresses, 78, 79, 148, 155
 IPX protocol, 147
 IrDA (infrared) ports, **96–97**
 ISA buses, **273**
 ISA slots, 12
 ISDN connection services, **67**
 isochronous mode, **255**

J

Jaz drives, **41**, 53–54, *See also* storage devices
 jeweler screwdrivers, 3, 3
 jewelry, 6, 176
 jitter, **137**
 joysticks, *See also* input devices
 force-feedback joysticks, 194, 195
 MIDI devices and, 195
 ports for, 195, 195
 jumpers, master/slave, **46**, 47
 jumpers, SCSI device ID, 268–269, **268–269**

K

Kelly, Jim, 201
 keyboards, *See also* input devices
 cables, 8
 ergonomic keyboards, 196–197, 197
 using great ones, 195
 IBM keyboards, 196, 196
 key layout, 196–197, 197
 Kinesis Maxim keyboards, 197
 ports, 9
 switches, 195–196, 196
 USB keyboards, 255
 Kozierok, Charles, 279

L

LANs. *See* networks
 Laptop Express, 188
 laptops, *See also* notebook power
 infrared ports, 96–97
 network adapters, 160, **160–161**, 162, 162,
 164, 164
 upgrading buses, 272–273
 on wired networks, 154–155, 154
 laser printers. *See* printers
 latency, **83**, **137**
 LCD displays. *See* displays
 Lehrman, Paul, 284
 line filtering, **168**
 load balancing, 45
 Logitech cordless mouse, **197–200**, 198–201
 Logitech QuickCam webcam, 220, **220**
 Long, Ben, 283
 LVD connectors, 270, 271

M

magazine resources, **282–283**
 magnetism, 3
 main boards. *See* motherboards
 maintenance
 cleaning
 CRT displays, 141–142
 inkjet printers, 109, 111

292 master/slave jumpers • multimedia

- laser printers, 109–111, 110
- LCD displays, 142
- mice, 193, 193
- tape drives, 62
- lubricating printers, 111–113, 112
- notebook battery care, 188
- master/slave jumpers, **46**, 47
- Mbps/MBps, 265
- MCA (Micro Channel Architecture) buses, **273**
- memory, **16–35**
 - adding to video cards, 127–130
 - buffering, 18
 - capacity
 - defined, **17**
 - warning, 20
 - what you can add, 19–20
 - what you have, 19
 - what you need, 16, 20–21
 - double-checking specs, 18
 - error-checking, 17
 - modules
 - adding, 27–31, 28–30
 - antistatic protection, 28, 33, 34, 34
 - contact materials, 18
 - DIMM packaging, 25–26, 25
 - locating in PCs, 13–14
 - packaging, 17
 - pins, 18
 - removing, 31–35, 33–34
 - RIMM packaging, 26, 27
 - SIMM packaging, 24–25, 24
 - socket locations, 28
 - warnings, 25, 26
 - overview of, 16
 - registering, 17
 - speed, 17, 21–23
 - types
 - BEDO, 22
 - DDR, 23, 130
 - EDO, 21
 - FPM, 21
 - overview of, 17, 21
 - RDRAM, 22
 - SDRAM, 22
 - SGRAM, 130
 - SRAM, 23, 23
 - VRAM, 129
 - WRAM, 129
 - upgradability in printers, 91
 - voltage, 18
- mice, *See also* input devices
 - accessories, 201, 202
 - cables/ports on PC back panel, 8–9
 - cleaning, 193, 193
 - corded mice, 192
 - cordless, installing, 197–200, 198–201
 - cordless mice, 192
 - mechanical mice, 193, 193
 - optical mice, 193
 - opto-mechanical mice, 193
 - overview of, 192, 194
 - resolution, 194
 - sample rates, 192–193
- MicroHouse Technical Library, 278
- MIDI (Musical Instrument Digital Interface),
 - See also* multimedia
 - files, 206
 - joysticks and, 195
 - keyboards, 210–214, 212–213
 - ports, 195, 195
- MIDI for the Professional* (Lehrman and Tully), **284**
- Minasi, Mark, 283, 284
- mirroring hard drives, **52**
- modems. *See* communications
- monitors. *See* displays
- motherboards, **12**, 13–14, 116, *See also* BIOS; CPUs
- mouse. *See* mice
- Mouse Skatez, 201, **201**
- MouseRate utility, 192
- MTBF (mean time between failures), 40
- multilink modems, **66**
- multimedia, **204–222**, *See also* input devices
 - digital cameras, 214–216, 214
 - display options, 121–122
 - MIDI keyboards, 210–214, 212–213
 - motion, 205
 - music, 206
 - overview of, 192, 204
 - pictures, 204–205
 - speakers, 8–9, 206–210, 207–210

video capture devices, 216–220, 216–219
 warning, 213
 webcams, 220–222, 220, 222
 multiread drives, 59–60
 multisynching, display, **120**
 My Computer, 19

N

names, computer/workgroup, **155**
 NAT (network address translation), **80**
 NetBEUI protocol, 147
 networks, **144–165**
 installing wired networks
 computer names, 155
 configuring adapters, 152
 connecting cables, 156–157, 157–158
 desktop PC setup, 150–154, 151, 153
 equipment needed, 150
 finding interrupts, 152
 hubs, 145, 155–158, 156
 inserting PCI adapters, 150–152, 151
 IP addresses, 155
 laptop setup, 154–155, 154
 network protocols, 155
 overview of, 149–150
 removing PCI slot covers, 150, 151
 signaling methods, 147
 steps in, 150–158
 switches, 145, 155–158, 156–158
 and testing, 158
 troubleshooting, 153–154, 153,
 158–159
 warning, 154
 workgroup names, 155
 installing wireless networks
 Bluetooth and, 147
 desktop PC setup, 161–162, 161–162,
 164–165
 equipment needed, 159
 overview of, 145–146, 159
 PC Card for laptops, 160–161, 160,
 162, 162, 164, 164
 PCI adapters, 161–162, 162
 signaling methods, 147

steps in, 160–165
 USB adapters, 161, 161
 warning, 162
 Wireless Access Points, 163–165,
 163–164
 LAN IP addresses, 79
 network adapters, 147
 network architectures, 148–149
 network protocols, 147–148
 network software, 149
 overview of, 144
 physical connections
 dedicated cabling, 145
 overview of, 144–145
 phone lines, 146
 power lines, 146–147
 wireless devices, 145–146
 printer port connections, 97–99, 97–98
 sharing DSL service, 75–76
 news servers, 280
 newsgroups, **279–281**
 newsreader programs, 279–280
 Nokia Monitor Test, 134, **134**
 notebook power, *See also* laptops; power
 battery care, 188
 battery chargers, 189
 extra batteries, 188
 overview of, 188
 power supplies, 169
 removing batteries, 189
 voltage conversion kits, 189, 190
 NTSC input/output to/from monitors, **121**

O

optical drives, **41–42**, *See also* CD-R/CD-RW
 drives
 optical mice, **193**
 overclocking CPUs, **233**, 278
 ozone filters for printers, **113–114**

P

paging, 16
 PANs (personal access networks), **147**

294 parallel ports • power

- parallel ports, *See also* ports
 - connecting printers to, 8–9, 92–94, 92
 - versus USB buses, 252, 255
 - Zip drives for, 54, 54
- parity, 272
- parity memory, 17
- partitioning hard drives, **51**
- PC Card network adapter, 160, **160–161**, 162, 162, 164, 164
- PC Hardware in a Nutshell* (Thompson), **284**
- PC Magazine*, **283**
- PC upgrades, **2–14**
 - hand tools for
 - dental mirrors, 5
 - electrical tape, 4
 - flashlights, 4, 4
 - jar lids, 5
 - needle-nose pliers, 4, 5
 - nut drivers, 4
 - overview of, 2
 - “PC toolkits” and, 2
 - retrieval spiders, 5, 5
 - screwdrivers, 3, 3
 - warning, 3
 - wire cutters, 4, 5
 - wire ties, 5
 - handling internal components, 6–7
 - internal components, 12–13, 13–14
 - opening covers
 - back panel cables/ports, 8–9
 - cover latches/screws, 7, 10
 - overview of, 7
 - power screws, 7, 10
 - and replacing, 9, 12
 - steps in, 7–9
- PC-to-MIDI adapter cables, 211, 212
- PCI (peripheral component interconnect)
 - buses, 250
 - connectors, 256
 - network adapters, 150–152, 151, 161–162, 162
 - slot covers, removing, 150, 151
 - slots, 12, 123, 124, 124, **257**, 258
- PCL (printer-control language), 89, 90
- peer-to-peer networks, **148–149**
- personal access networks (PANs), **147**
- Phillips screwdrivers, 3, 3
- phone line LAN connections, **146**, *See also* communications
- photo inkjet printers, 87, **87**
- pictures, **204–205**, *See also* displays; multimedia pigtails, **174**
- PING command, 159
- pins in memory modules, **18**
- PIO (Programmed Input/Output), 53
- ports
 - connecting printers to
 - infrared ports, 96–97
 - on networks, 97–99, 97–98
 - overview of, 91
 - parallel ports, 92–94, 92
 - serial ports, 94–95, 95
 - USB ports, 93–94
 - connecting video cards to, 123–124, 124–125
 - game ports, 195, 195
 - parallel ports
 - connecting printers to, 8–9, 92–94, 92
 - versus USB buses, 252, 255
 - Zip drives for, 54, 54
 - on PC back panels, 9
 - serial ports
 - connecting battery backup units to, 187, 187
 - connecting printers to, 94–95, 95
 - defined, 70–71, 70–71
 - versus USB buses, 252, 255
 - USB ports, 93–94, 253, 253, 254, 254
- POST (power-on self-test), **224**
- PostScript language, 89, 90
- power, **168–190**
 - battery backup units
 - automatic PC shutdowns via, 187, 187
 - calculating power ratings, 184–185
 - defined, **168**
 - installing, 185
 - kinds of, 184
 - overview of, 183–184
 - power time needed, 185
 - serial port connections, 187, 187

- testing, 186, 186
 - in updating BIOS, 226–228, 227
 - warranties, 187
 - cables/jacks on PC back panel, 8–9
 - connectors, 45, 45, 49, 50, 56
 - measuring draw of USB devices, 260–261, 261
 - in notebooks
 - battery care, 188
 - battery chargers, 189
 - extra batteries, 188
 - overview of, 188
 - power supplies, 169
 - removing batteries, 189
 - voltage conversion kits, 189, 190
 - overview of, 168
 - power sources
 - AC outlets, networking via, 146–147
 - AC outlets, testing, 168, 169
 - battery backup units, 168, 183–187, 186–187
 - defined, **168**
 - power supplies, defined, **12**, 13–14, **168**, **169**, 176
 - replacing power supplies
 - AT/ATX power supplies, 173–174
 - calculating watts needed, 172–173
 - EMI/RFI and, 174
 - equipment needed, 175
 - finding replacements, 174–175
 - getting dimensions, 173–174
 - heat/non-heat sensing units, 173
 - overview of, 170–171
 - protection circuits and, 174
 - reconnecting connectors, 178–179
 - removing fan grilles, 178, 179
 - removing power connectors, 176, 177
 - removing power supply screws, 178, 178
 - single/variable fan speeds and, 173
 - steps in, 175–179
 - warranties and, 174
 - upgrading power supplies
 - by adding connectors, 170, 170
 - capacitors and, 181
 - overview of, 169
 - by replacing, 170–179, 171, 176–179
 - by replacing fans only, 180–182, 181–183
 - warning, 170
- PowerQuest's Partition Magic, **51**
- pressure-sensitive graphics tablets, **202–204**, 203
- print servers, **97**, 98
- printer-control language (PCL), 89, 90
- printers, **86–114**
- factors in buying
 - beauty, 86, 90
 - cartridge capacity, 91
 - cost, 86, 89–90
 - duplexing, 91
 - duty cycle, 91
 - envelopes feature, 91
 - memory upgradability, 91
 - paper capacity, 91
 - paper size capability, 90
 - paper weight options, 91
 - print quality, 90
 - resolution, 90
 - speed, 86, 89
 - warning, 89
 - GDI printers, 89
 - inkjet printers
 - aligning printheads, 103–104, 104
 - cleaning, 109, 111
 - configuring options, 102–103, 103
 - connecting cables, 101, 102
 - cost, 89–90
 - defined, **86–87**, 87
 - ink cartridges, 91, 100, 100
 - installing, 99–104, 100–104
 - lubricating, 111–113, 112
 - paper tray setup, 100, 101
 - paper type options, 102–103, 103
 - print quality, 90
 - reducing paper jams, 113
 - speed, 89
 - laser printers
 - cleaning, 109–111, 110
 - configuring, 108–109
 - cost, 89, 90
 - defined, **87**, 88
 - fuser cleaning pads, 106, 106, 111

296 processors • routers

- installing, 104–109, 105–107
- LCD panels, 107, 107
- loading paper, 106
- lubricating, 111, 112
- ozone filters, 113–114
- print quality, 90
- properties sheet, 107
- reducing paper jams, 113
- speed, 89
- toner cartridges, 91, 105, 105, 108
- in multifunction devices, 88
- niche printers, 88
- overview of, 86
- photo inkjet printers, 87, 87
- port connections
 - infrared ports, 96–97
 - on networks, 97–99, 97–98
 - overview of, 91
 - parallel ports, 92–94, 92
 - serial ports, 94–95, 95
 - USB ports, 93–94
- processors. *See* CPUs
- Promise Technology, Inc., 44, 44
- protection circuits, 174
- protocols, network, **147–148**, 155
- PS/2 adapters, USB-to-, 199, **199**
- PS2RatePlus utility, 193

Q

QIC (quarter inch cartridge) tape drives, **42–43**

R

- RAM. *See* memory
- RAW (Read-After-Write) verification, 43
- RDRAM (Rambus Dynamic RAM), **22**
- refresh rates, 119, **132–133**
- registered memory, **17**
- removing
 - CD-ROM drives, 54–56, 56
 - fan grilles, 178, 179
 - memory modules, 31–35, 33–34
 - notebook batteries, 189
 - PCI slot covers, 150, 151

- replacing. *See also* installing; upgrading
 - CPUs, **234–246**
 - non-ZIF socket CPUs, 240–242, 240–241
 - overview of, 230, 232
 - slot cartridge CPUs, 242–246, 243–245
 - slot-to-socket adapters and, 245–246, 245
 - warnings, 235, 246
 - ZIF socket CPUs, 234–239, 234–239
 - power supplies, **170–179**
 - AT/ATX power supplies, 173–174
 - calculating watts needed, 172–173
 - EMI/RFI and, 174
 - equipment needed, 175
 - finding replacements, 174–175
 - getting dimensions, 173–174
 - heat/non-heat sensing units, 173
 - overview of, 170–171
 - protection circuits and, 174
 - reconnecting connectors, 178–179
 - removing fan grilles, 178, 179
 - removing power connectors, 176, 177
 - removing power supply screws, 178, 178
 - single/variable fan speeds and, 173
 - steps in, 175–179
 - warranties and, 174
 - power supply fans, 180–182, 181–183
 - resistor pack terminators, 270, 271
 - resolution. *See also* displays
 - defined, **119, 130–131**
 - digital cameras and, 215
 - mice and, 194
 - multimedia images and, 204–205
 - printers and, 90
 - resources. *See also* Web site resources
 - books, 283–284
 - magazines, 282–283
 - newsgroups, 279–281
 - Web sites, 276–279
 - RFI (radio frequency interference), 174
 - RIMM (Rambus Inline Memory Module), **26, 27**
 - root hubs, **259**
 - Rosenthal, Morris, 283
 - rotational speed of hard drives, **40**
 - routers, DSL, **77–82**, 78–82

S

- sampling rates, **192–193**
- satellite services, **83–84**
- scan converters, 121, 217
- Schenk, Sonja, 283
- screens. *See* displays
- SCSI buses, **264–272**, *See also* buses
 - benefits of, 264
 - cable connectors, 265, 266
 - cables, 265
 - Disconnect/Reconnect feature, 272
 - dual-channel controllers, 266–267, 267
 - overview of, 250, 264
 - parity support, 272
 - settings
 - controller IDs, 267
 - device IDs, 268–269, 268–269
 - device priorities, 269–270
 - enabling controller BIOS, 272
 - options, 272
 - overview of, 265–266
 - termination, 270–272, 271
 - single-channel controllers, 266–267
 - speed, 264–265
 - versions of, 264–265
 - warning, 265
- SCSI drives, *See also* storage devices
 - defined, **39**
 - rotational speed, 40
 - tape drives for, 60–61, **60**
 - upgrading IDE drives to, 51–52
 - Zip drives for, 54
- SDRAM (Synchronous Dynamic RAM), **22**
- seek time, **40**
- self-powered hubs, **260**
- sequencer software, **214**
- serial ports, *See also* ports
 - connecting battery backup units to, 187, 187
 - connecting printers to, 94–95, 95
 - defined, 70–71, **70–71**
 - versus USB buses, 252, 255
- SGRAM (Synchronous Graphics RAM), **130**
- sharing, *See also* networks
 - DSL service, 75–76
 - Internet connections, 76
- side rails, 47, **47**, 48
- signal cables, 13–14, **13**
- signaling methods on networks, **147**
- SIMM (Single Inline Memory Module), 24, **24–25**
- single-channel controllers, SCSI, **266–267**
- slave/master jumpers, **46**, 47
- socket adapters, CPU, 245, **245–246**
- slot cartridge CPUs, **242–246**, 243–245
- slot CPUs, 231, **231**, 232
- slot screwdrivers, 3, 3
- slots
 - expansion slots, 12, 13–14
 - ISA slots, 12
 - PCI slots, 12, 123, 124, 124, **257**, 258
 - removing PCI slot covers, 150, 151
- SMP (symmetric multi-processing), **248**
- SO-RIMM (Small Outline Rambus Inline Memory Module), 26
- Sony Hi-8 camcorder, 217–219, **217–220**
- sound. *See* multimedia
- speaker cables/ports, 8–9
- speaker systems, **206–210**, 207–210
- speed
 - bus speed, 17, 232
 - of cooling fans, 173
 - CPU speed, 231–232
 - of displays, 121, 132
 - of FireWire buses, 262
 - hard drive rotational speed, 40
 - memory speed, 17
 - of printers, 86, 89
 - of SCSI buses, 264–265
 - speeding up modems, 65–66
 - of USB buses, 255
- SPS (standby power supply) batteries, **184**
- SRAM (Static RAM), 23, **23**
- SSID (Service Set Identity), **164**
- Stabilant-22 contact enhancer, 27, 29, **29**, 72, 129
- static bags, anti-, 34, 34
- static electricity, 6
- static wrist straps, anti-, 28, **28**, 33
- storage devices, **38–62**
 - adding

298 subnet masks • TV tuners

- CD-R/CD-RW drives, 54–58, 56–58
 - Jaz drives, 53–54
 - second IDE drives, 43–51, 44–50
 - tape drives, 60, 60–61
 - Zip drives, 53–54, 53–54
- cartridge drives, 41
- CD-R/CD-RW optical drives
 - defined, **41–42**
 - disc media, 59–60
 - external/internal drives, 58–59, 58–59
 - upgrading CD-ROM drives to, 54–58, 56–58
- DVD drives, 42
- floppy disk drives, 38–39
- hard drives
 - cache, 40–41
 - defragmenting, 61
 - durability, 40
 - interfaces, 39
 - mirroring, 52
 - overview of, 38–39
 - partitioning, 51
 - rotational speed, 40
 - seek time, 40
- IDE drives
 - adding, 43–51, 44–50
 - defined, **39**
 - rotational speed, 40
 - upgrading to SCSI, 51–52
 - warnings, 48, 49
- Jaz drives, 41, 53–54
- maintaining, 61–62
- overview of, 38
- SCSI drives
 - defined, **39**
 - rotational speed, 40
 - upgrading IDE to, 51–52
- tape drives
 - adding, 60, 60–61
 - cleaning, 62
 - defined, **42–43**
 - retensioning, 62
- warning, 42
- Zip drives, 41, 53–54, 53–54
- subnet masks, 148

- surge protection, 72, **72**, 168, 183
- swapping, 16
- switches
 - DIP switches, 237, 238–239
 - in keyboards, 195–196, 196
 - on wired networks, 145, 155–158, 156–158
- symmetric multi-processing (SMP), **248**
- Synchronous Dynamic RAM (SDRAM), **22**
- system boards. *See* motherboards
- system trays, **252**

T

- tape drives, *See also* storage devices
 - adding, 60, 60–61
 - cleaning, 62
 - defined, **42–43**
 - retensioning, 62
- TCP/IP Jumpstart* (Blank), 148
- TCP/IP protocols, 147, **148**
- telephone line LAN connections, **146**, *See also* communications
- terminal adapters, 64
- termination, SCSI bus, **270–272**, 271
- terminator modules, 26
- testing
 - AC outlets, 168, 169
 - battery backup units, 186, 186
 - wired networks, 158
- THD (total harmonic distortion), 207
- Thompson, Robert Bruce, 284
- Token Ring networks, 147
- toner cartridges, 91, 105, **105**, 108
- tools, hand. *See* PC upgrades
- Torx screwdrivers, 3, 3
- trackballs, 194, **194**
- tracks, **40**
- Travan tape drives, **42–43**
- troubleshooting
 - USB buses, 259
 - wired networks, 153–154, 153, 158–159
- Tully, Tim, 284
- TV tuners, 121, 124, 125

U

- Ultra 160 LVD cable, **270**, 271
- Ultra ATA drives, **39**, 40
- updating BIOS software
 - battery backup units and, 226–228, 227
 - determining need for, 225–226
 - downloading latest version, 226
 - keeping old BIOS on diskettes, 228
 - overview of, 225
 - performing updates, 228–229
 - reasons for, 225
 - warning, 226
- upgrading, *See also* installing; PC upgrades; replacing
 - buses, reasons for, 250–251
 - IDE hard drives to SCSI, 51–52
 - notebook buses, 272–273
 - power supplies
 - by adding connectors, 170, 170
 - capacitors and, 181
 - overview of, 169
 - by replacing, 170–179, 171, 176–179
 - by replacing fans only, 180–182, 181–183
 - warning, 170
 - printer memory, 91
 - to USB 2.0 buses, 256, 259, 260
 - video display adapters, 122–123
- UPS (uninterruptible power supply) batteries, **184**
- USB buses, **252–261**, *See also* buses
 - “A” cable connectors, 254, 254
 - asynchronous mode, 255
 - configuring, 252
 - versus FireWire buses, 262
 - installing USB host adapters, 256–259, 256, 258
 - installing USB hubs, 259–260, 259
 - isochronous mode, 255
 - overview of, 250
 - versus parallel ports, 252, 255
 - ports, 9, 253, 253, 254, 254
 - versus serial ports, 252, 255
 - speed, 255
 - troubleshooting, 259

- upgrading to 2.0, 256, 259, 260
- USB cables, 8
- USB devices
 - “B” cable connectors, 254, 255
 - CD burners, 58–59
 - configuration, 260
 - daisy chaining, 252, 255
 - hot swappability, 252
 - interrupts, 252
 - keyboards, 255
 - listed, 252–253
 - measuring power draw, 260–261, 261
 - printers, 93–94
 - support for, 255
 - wireless network adapters, 161, 161
 - Zip drives, 54
- USB-to-PS/2 adapters, 199, 199
- versions of, 255–256
- Usenet newsgroups, **279–281**
- UTP (Unshielded Twisted Pair) cable, **145**

V

- VA (volt-amps), 185
- VCRs, using displays with, 121
- VGA connectors, 138, **138**
- video adapters, *See also* displays
 - defined, **116**
 - disabling motherboard video, 123
 - speed and, 121
 - upgrading, overview of, 122–123
 - video cards
 - adding memory to, 127–130
 - defined, **116**
 - drivers, 127
 - installing, 125–127, 126
 - port connections, 123–124, 124–125
 - warranties, 122
- video cables/ports, 8–9
- video images. *See* multimedia
- viewable area, **117–118**
- voice channels, DSL, **78**
- voice modems, **66**
- voltage conversion kits, **189**, 190

300 voltage • Zip drives

voltage, memory, **18**
 VRAM (Video RAM), **129**
 VRM (voltage regulator module), 247, **247**

W

Wacom's Graphire, installing, **202–204**, 203
 WAN (Wide Area Network) IP addresses, 79
 WAP (Wireless Access Point) devices, 145–146,
 163–164, **163–165**
 warranties
 battery backup units, 187
 displays, 122
 power supplies, 174
 waveform files, **206**
 Web connections. *See* communications
 Web site resources, *See also* resources
 Anvil Studio sequencer, 214
 bookstores, 276–277
 CPU overclocking, 233, 278
 CPU speed differences, 232
 DataComm Warehouse cables, 265
 DisplayMate, 134
 DSL services, 68
 FireWire news, 262
 Google, 134, 277, 280
 HomePlug Powerline Alliance, 146
 Intel motherboards, 276
 Intel processors, 231–232
 Intel USB System Check, 257
 jumpers, 46

Laptop Express, 188
 listed, 276–279
 magazines, 282–283
 memory configurators, 18
 Microsoft, 276, 278
 mouse accessories, 201
 newsgroups, 279–281
 overview of, 276
 PCI versions, 154
 search engines, 277, 278, 279
 webcams, 220, **220–222**, 222
 Wildstrom, Stephen, 282
 wireless networks. *See* networks
 wireless services, *See also* communications
 overview of, 82–83
 satellite, 83–84
 wireless local loop, 84
 workgroup names, **155**
 workgroup networks, **148–149**
 workstation monitors, 120
 WRAM (Windows RAM), **129**

Y

“Y” cable, **211**, 212
 Y-adapters, 170–171, **170**

Z

Zip drives, **41**, 53–54, 53–54, *See also* storage
 devices