

# Index

- Abstraction, 3
- Access
  - Modifying, 21
  - Read, 19
  - Write, 20
- Active component, 27
- Activity, 57
- Ad hoc modeling, 7
- Agent, 3, 13, 15, 19, 301
- Agent-bordered sub-net, 77
- Alternatives, 35
- Annotation, 217
- Arc, 303, 307
- Arc trees, 192
- Arc weight, 89
- Architecture elicitation, 239
- Automaton, 59
  
- Bipartite graph, 55
- Block diagram, 3, 9, 15, 55, 72, 300
- Bridging model, 162, 210
- Bridging models, 162
- Buffered communication, 126
  
- Capacity, 89
- Cardinality, 45
- Causal order, 29
- Channel, 13, 14, 23, 301
- Class, 42
- Class diagram, 226, 234, 235, 242, 243
- Communication, 303
- Compiler, 114
  
- Complementary place, 89
- Component, 235
  - Active, 27
  - Passive, 27
- Compositional structure, 17
- Conceptual distribution, 120
- Concurrency, 35, 70, 123, 303
- Concurrent access, 22
- Concurrent tasks, 130
- Conflict resolution, 33
- Connector, 235
- Containment
  - Consists-of relationships, 73
  - Layout reasons, 74
- Control state, 29, 60
- Control unit, 70
- Control variable, 63, 72
  
- Data path, 70
- Delay, 96
- Diagram
  - Block, 15
  - Entity relationship, 9, 42, 306
- Directed arc, 303
- Directed system, 22
- Discrete control loop, 69
- Distributed system, 120
- Distribution, 123
- Documentation, 177
- Domain model, 107
- Duplex connection, 23

- Duration, 96
- Dynamic structure, 29
- Dynamic system, 13
  
- E/R diagram, 9, 42, 306
- Entity, 307
- Entity node, 51
- Entity relationship diagram, 9, 42, 55, 306
- Entity set, 42, 307
- Equivalent model, 18, 76
- Event, 57
- Exception handling, short notation, 212
  
- Firing rules, 31, 89
- FMC, 56
  - Meta model, 57
  - Model, 53
- Forking server, 258
- Functional decomposition, 76
- Fundamental aspect, 54
- Fundamental modeling concepts, 56
  
- Guidelines, 182, 189
  - Block diagram, 27
  - E/R diagram, 51
  - Petri net, 39
  
- Half-duplex connection, 24
- Hierarchical refinement, 78
  
- I/O devices, 119
- Information, 15
- Information processing system, 15
- Input place, 31
- Instance, 42
- Inter-task communication, 125
- Interrupt handling, 116
- Interviews, 161
  
- IT system, 15
- Iterative modeling, 4, 161, 165
  
- Labeling, 199
- Layout, 194
- Leader / followers, 272
- Linestyle, 191
- Listener / worker, 255, 268, 275
- Location, 3, 14, 301
- Location-bordered sub-net, 78
- Loop, 35, 303
  
- MDA, 233, 243
- Meetings, 173
- Mental prototype, 5, 165, 238, 240, 242
- Mental prototyping, 164
- Meta model, 57
- Min/max notation, 46
- Model, 2, 53
- Model Driven Architecture, 233, 243
- Modeling, 2
- Modifying access, 21, 301
- Modifying arcs, 21
- Multitoken place, 89, 305
- Multiplex, 117
  
- Nesting, 72
- Nominalization, 48
- Non-hierarchical transformation, 97, 101
- NOP transition, 31, 303
  
- Object Management Group, 233, 244
- Object orientation, 235, 236
- Object-oriented analysis, 236
- Object-oriented design, 236
- Object-oriented methods, 235, 236
- OMG, 233, 244
- OOA, 236
- OOD, 236

- Operation, 57
- Operational state, 60
- Operational unit, 70
- Operational variable, 72
- Orthogonal partitioning, 307
- Output place, 31
  
- Parameterization, 83
- Partition, 48
- Partition symbol, 48
- Passive component, 27
- Petri net, 9, 29, 55, 85, 302
- Physical distribution, 120
- PIM, 244
- Place, 31, 303
  - Complementary, 89
  - Input, 31
  - Marked, 31
  - Multitoken, 89, 305
  - Output, 31
  - Return, 91, 305
  - Stack, 92, 305
- Platform Independent Model, 244
- Platform model, 108
- Platform Specific Model, 244
- Pointer, 161
- Predicate
  - of a relation, 46
  - Petri net, 33
- Presentations, 176
- Processor system model, 111
- PSM, 244
  
- Queue, 126, 219
  
- Range of value structure, 44
- Read access, 19, 301
- Receiver, 23
- Recursion, 305
- Recursive Petri net, 90
  
- Re-engineering, 239
- Refinement of block diagrams, 73
- Reification, 49, 307
- Relation, 307
- Relationship, 42
- Relationship node, 51
- Request–response channel, 25
- Requirements Analysis, 240
- Return place, 91, 305
- Role multiplex, 116
- Role piggyback, 113
- Role system model, 111
  
- Safe Petri net, 86, 130
- Scope boundary, 36
- Secondary notation, 208
- Semantic layer, 99
- Semaphore, 130
- Semaphore place, 131
- Sender, 23
- Sequence, 34, 303
- Sequence, short notation, 212
- Sequential machine, 59
- Shared memory, 126
- Shared storage, 301
- Simplex connection, 23
- Stack place, 92, 305
- State, 59
  - Control, 60
  - Operational, 60
- State machine, 59
- Steuerkreis, 69
- Storage, 14, 18, 301
- Structure entity set, 307
- Structure variance, 301
- Structure variance storage, 81
- Structure variant system, 80
- Structured Analysis, 221
- Sub-net
  - Agent-bordered, 77

- Sub-net (*Continued*)
  - Location-bordered, 78
  - of Petri net, 36
  - Place-bordered, 214
  - Transition-bordered, 85
  - Transition-like, 85
- Swimlane, 36, 303
- Synchronized access, 132
- System
  - Directed, 22
  - Dynamic, 13
  - Information processing, 15
  - Theory, 59
- System architecture refinement, 240
- System description, 108
- System Map, 8, 165, 170
- System structure, 108
  
- Temporal order, 29
- Time-stamp, 92
- Timing constraints, 95
- Token, 31
- Transition, 31, 303
- Transition Interval, 22
  
- Transition-bordered sub-net, 85
- Transition-like sub-net, 85
- Type, 42
  
- UML, 232, 238, 242, 243
- UML class diagram, 234, 235, 242, 243
- UML use case diagram, 240
- Undirected channel, 24
- Unified Modeling Language, 232, 238, 242
- Use case, 240
- Use-case diagram, 165, 240
  
- Value structure, 41
- Variable
  - Control, 63, 72
  - Operational, 62, 72
- Virtual machine, 116
- Visual perception, 190
  
- WORKER POOL, 262
- WORKER POOL MANAGER, 265
- Write access, 20, 301