

Index

A

- Abnormalities, developmental, 584
- Academic achievement, 94, 214, 215, 217, 237, 249, 276, 303, 334, 338, 339, 341, 353, 376, 390, 404, 453, 502, 577, 590, 624, 644, 647, 648, 651, 667, 692, 761, 765, 767, 785
- Academic assessment, 230
- Accountability, 176, 538, 540, 833
- Accreditation, 8, 16
- Acculturation, 637, 643, 645
- Achievement. *See* Academic achievement
- Acquired immunodeficiency disease (AIDS):
- complications to neural development and, 77
 - related to neurodevelopment, 77
- Adaptive behavior, 64, 78, 230, 311, 467, 475, 553, 577, 671, 778, 851
- Adolescents, 15, 17, 25, 28, 30, 77, 123, 183, 192, 230, 239, 243, 389–390, 394–395, 417, 425–426, 433–435, 460–462, 469, 470, 473, 477, 480, 511, 516, 565–568, 577, 585, 608, 641–643, 650, 671, 684, 687, 777–778, 789, 798, 812, 815–816, 818, 822, 834, 849–850
- neurological development, 23–24
- African American, 30, 69, 444, 489, 511, 522, 562, 585, 587, 637–638, 643, 646–647, 651
- Aggression. *See* Violence
- Agraphia, 781–784, 787, 793–794, 797–798
- Agyria, 73
- Alcohol, 11, 19–20, 30, 64, 66, 68–69, 71, 77, 101, 158, 185, 194, 213, 221, 275, 447, 561–569, 575–579, 591, 589–590, 596–598, 609–610, 639, 816
- Alzheimer's disease, 58, 79, 280, 295, 616–617, 710
- American Board of Professional Neuropsychology, 10
- American Board of Professional Psychology, 10
- American Psychological Association (APA), 8–9, 12, 16, 226, 354, 513, 536, 538, 639, 833–834
- Americans with Disabilities Act, 365, 371, 415
- Amygdaloid, 58, 563
- Anafranil, 810–811
- Anemia, 185, 221, 452, 514
- Anencephaly, 45, 62, 64, 71, 153
- neural tube abnormalities and, 69
- Angelman syndrome, related to neurodevelopment, 79–80
- Anomia, 101, 374
- Antianxiety medication, 807, 816–817

- Anticonvulsants, 195, 580–581
- Antipsychotics, 195, 582, 805, 807–810, 820
- Anxiety disorders, 387, 390–392, 468, 473, 812, 816, 822
- Anxiolytics, 580–581
- Aphasia Screening Test, 239–240, 242, 280, 785
- Applied behavior analysis, 591
- Apraxia, 101, 374, 646, 783, 786, 788
- Arithmetic or math:
 - cognitive-meta-cognitive procedures, 768
 - difficulties, 759–760
 - learners with ADHD, 763–765
 - learners with nonverbal learning disabilities, 765
 - aptitude-treatment interaction, 765–766
 - concrete-representational-abstract model, 765
 - multistage neuropsychological model, 766–767
 - direct instruction, 768
 - interventions, 761, 763, 773
 - case study, 758–759
 - common interventions, 767
 - compensatory interventions, 771
 - computer-aided instruction, 770–771
 - other intervention factors, 771–772
 - representation techniques, 771
 - strategy training, 767–770
 - neuropsychological impairments, 760–761
 - attention, 762
 - auditory processing, 762
 - executive functioning, 763
 - language processing, 762
 - memory, 762
 - motor, 761
 - planning, 763
 - reasoning, 762
 - visual-spatial processing, 762
 - planning facilitation, 758, 763–764, 766, 768–770, 772
 - strategy training, 767
- Asian American, 637–638, 643
- Asphyxia, 65, 68, 74, 448, 454, 587
- Asthma, 192–193, 196, 197, 207, 321, 323, 514, 518, 519
- Ataxia, 62, 79
- Attention Deficit Disorder (ADD), 229, 288, 370, 447, 471, 472, 475, 618
- Attention Deficit Hyperactivity Disorder (ADHD), 58, 61, 75, 126–127, 187, 220–221, 226, 255–256, 275, 321–323, 331, 333, 345, 348, 356, 377, 385, 387–388, 390–397, 405, 410, 503, 548, 550–554, 564, 566, 574, 577–578, 607, 614–615, 617–618, 620–621, 626–627, 629, 652, 668, 672–674, 684, 691, 693, 702, 711, 758, 760, 763–764, 768–770, 773, 806, 810–812, 814, 820, 821–824
- assessment of, 469–470
 - with comorbid disorders, 473
 - diagnosis of, 470
 - measures of executive functioning and, 473–476
 - research on EF in, 477–478
 - subtypes of, 471–473
- brand functions and
 - neurodevelopment and, 462–463
 - approach and withdrawal systems, 463–464
 - disruption of inhibitory control, 466–467
 - frontal lobe mechanisms, executive functions, and emotional regulation, 464–465
- impact of development of frontal lobes, 467–468
 - advances in neurological basis of, 468
 - biogenetic abnormalities in, 469
 - multimodal treatment of, 479–480

- need for transactional paradigms in the assessment and treatment of, 460–462
 - neurological basis of, 5–7
- Auditory system, development of, 492
- Authentic assessment, 786
- Autism, 4, 16, 24, 26, 61, 68–69, 197–198, 332, 345–346, 347, 356, 396, 449, 454, 542, 548, 554–555, 615, 617–620, 627, 696, 712, 850
- Axon, 41–43, 50–51, 75, 330, 491, 600–601
- Axonal, 75, 427, 429

- B**

- Basal ganglia, 42, 47, 54, 65, 67, 71, 77, 127, 158, 328–329, 427, 464, 466–467, 480, 563, 619, 626, 784, 804
 - as neuroanatomical structure, 57–58
- Basal plate, 44, 47, 51
- Bayley Scales of Infant Development, 21, 153, 275, 517
- Behavioral assessment, 153, 230, 239, 378, 470, 479, 540–541, 544, 554, 621, 852
- Behavioral Neuroimaging:
 - challenges in pediatric populations, 354–356
 - neuroanatomical or structural
 - imaging techniques, 327–328
 - case studies, 331–343
 - computerized axial tomography, 328–329
 - diffusion tensor magnetic resonance imaging, 331
 - magnetic resonance imaging, 329–330
 - quantitative magnetic resonance imaging, 330–331
 - neurophysiological or functional
 - imaging techniques, 343
 - case studies, 352–354
 - electroencephalogram source
 - imaging, 346–348
 - functional magnetic resonance
 - imaging, 345–346
 - magnetoencephalography, 348–351
 - positron emission tomography, 343–345
 - single photon emission computed tomography, 345
- Behavior Assessment System for Children, 229, 554, 566, 650
- Behaviors, internalizing, 164, 205, 388, 391–392, 396, 416, 455, 457, 472, 475, 566, 650
- Bender Visual-Motor Gestalt Test, 280
- Benton Visual Form Discrimination Test, 353
- Benton Visual Perceptual Test, 294
- Benton Visual Retention Test, 353
- Biofeedback, 348, 457, 706, 711–712
- Block Construction, 268, 272
- Blood-brain barrier, 42, 77, 134
- Boston process approach, 292
 - alternative forms, 296–297
 - battery, 294
 - flexible batteries, 298
 - history of, 292–294
 - limitations of, 296
 - qualitative assessment during
 - feedback, 298–299
 - research applications, 294–295
 - working hypothesis approach, 297
- Brain:
 - cerebral dominance, 86–94
 - Doman and Delacato’s theory, 92–94
 - lateral preference and, 87–90
 - Orton’s theory, 90–92
 - development, 5–6, 18, 19, 21–23, 61–63, 73, 76–78, 311, 345, 356, 448, 498, 588, 687
 - as dynamic organ, 86
 - imaging (*see* Neuroimaging)

Brain (*Continued*)

- injury:
 - acquired, 388, 538, 847
 - traumatic, 19, 24, 28–29, 122, 146, 165, 191, 220, 243, 278, 295, 328, 330, 340–341, 343, 345, 368, 370, 373, 446, 448–449, 639, 646, 652, 684, 701, 721, 790
 - causes, 426
 - functional neuroanatomy, 429–431
 - Glasgow coma scale, 428–429
 - home-school collaboration, 437–439
 - neuropsychological deficits in, 431–434
 - providing services to learners, 425–426
 - role of the family, 434–437
 - types, 426–427
- scanning (*see* Neuroimaging)
- size, gross, 67
 - megalencephaly, 68–69
 - microencephaly, 67–68
- tumors, 146, 166, 264, 345, 446, 449, 519
- ventricular system, 46
- vesicles, differentiation of, 45–46

Brainstorming, 710

Bupropion, 814

C

- Cancer, 344, 514, 519, 521, 523, 584
- Carbamazepine, 451, 581, 819
- Caregivers, developmental and
 - medical history taken, 183–194
- Case conference, 366–367, 372, 374–375, 377
- Case study method, 310
- Category Test, 95, 240, 246, 334, 339, 476, 565, 786
- Caudate nucleus, 57, 468, 672

Cell. *See also* Glial cells

- death, 67, 75, 193, 328, 329, 562, 666
 - differentiation, 69, 72
 - migration, 72, 75, 562
 - interference with, 72–75
 - agyria, 73
 - double cortex syndrome, 75
 - dysplasias and heterotopia, 74–75
 - macrogyria or pachygyria, 73
 - micropolygyria, microgyria, or polymicrogyria, 74
- Central auditory pathways, 490–491
- auditory nerve, 491
 - cochlear nucleus, 491
 - inferior colliculus, 491
 - lateral lemniscus, 491–492
 - medial geniculate body, 492
 - superior olivary complex, 491
- Central Auditory Processing disorders, 487
- auditory behaviors, 496
 - auditory discrimination, 496
 - auditory pattern recognition, 496
 - dichotic listening, 497
 - figure-ground, 497
 - sound localization and lateralization, 496
 - temporal aspects, 496
 - compensatory strategies, 499–500
 - counseling, 500
 - current definition of, 493
 - diagnosis of, 493–494
 - binaural interaction test, 495
 - dichotic listening tests, 494–495
 - electroacoustic measures, 495–496
 - evaluation, 494
 - monaural low-redundancy speech tests, 495
 - screening, 494
 - temporal patterning tests, 495
 - direct intervention, 500
 - environmental modifications, 499
 - Otitis media and, 502–503

- school neuropsychological intervention, 499
- subprofiles of, 497–498
- Central nervous system (CNS), 4–5, 20, 41, 42, 44, 46, 50, 53–54, 57, 61, 65, 72, 87, 92, 134, 145, 184, 214, 222, 312–313, 315, 317, 403, 428, 435, 444, 514, 539, 561–564, 575–576, 579–580, 588, 622, 640, 673, 675, 684, 711, 816
- Cerebellum, 42, 47, 49–50, 65, 67, 71, 77, 92, 158, 162, 166, 607, 624, 626, 629, 672, 784
 - as neuroanatomical structure, 51
- Cerebral aqueduct, 46, 52
- Cerebral asymmetry, 62, 72
- Cerebral hemispheres, 53–57, 62, 64, 69, 88, 107, 281, 562–563, 670, 784
- corpus callosum and, 70–72
 - asymmetry of, 72
 - holoprosencephaly, 70–71
 - hydranencephaly, 71
 - porencephaly, 71
- Cerebral lateralization, 87, 135, 278
 - development of language functions and, 128–133
 - functional difference with hemispheric specialization, 124–128
 - gender differences and, 133–134
 - history of, 120–124
- Cerebral palsy, 63, 68, 70, 76, 92, 213, 220–221, 448, 564, 583, 588
- Cerebral specialization, 86, 89, 91, 104, 120
- Cerebrospinal fluid, 46, 70, 624
- Cervical flexure, 45
- CHC broad abilities, 307–308, 565
- Child Behavior Checklist, 471, 475, 554, 566
- Childhood Learning Disabilities. *See also* Learning Disabilities
 - neurological basis of, 5–7
- Chlordiazepoxide, 817
- Chlorpromazine, 582, 807, 809
- Chronic illness, 32, 172, 182, 184, 195–197
 - assessment, 525–526
 - conditions, 516
 - AIDS/HIV, 516–517
 - cancer, 519
 - brain tumors, 519–520
 - comparative studies, 520–521
 - leukemia, 520
 - diabetes, 521–522
 - respiratory, 517–519
 - sickle cell disease, 522–523
 - consultation, 526
 - cross-cutting issues, 523
 - integrative general model, 524–525
 - psychosocial problems, 523
 - school absence and return, 523–524
 - defining, 513–514
 - future research, 526–527
 - history of, 511–512
 - overview of, 512–513
 - scope of review and literature search procedures, 514–515
 - theoretical considerations, 515–516
- Classroom climate, 176
- Classroom interventions, 664, 786, 794
 - for learning and behavior problems, 667–668
 - behavior disorders, 672–674
 - learning disorders, 668–672
- Classroom management or control, 437, 498
- Classrooms, 26, 93, 206, 275, 590, 646, 664, 692, 759, 799, 849–851
- Clastrum, 563
- Clinical interview, 200, 205, 213, 288, 294, 473–474, 481, 786–787
 - culturally diverse learners and, 642–645
 - in school:
 - background information and, 215–216
 - behavioral observations, 220–222

- Clinical interview (*Continued*)
 child interview and, 219–220
 initial contact and, 215
 parent interview and, 216–219
 with teachers and school
 personnel, 219
- Clomipramine, 811
- Clozapine, 582, 809
- Clozaril, 808–809
- Cocaine, 68, 567, 579, 596, 597,
 599–607, 609–610
- Cognition, 22, 65, 77, 96, 148, 224, 231,
 237, 293, 313, 327, 342–343, 356,
 376, 431, 451, 494, 498, 502,
 520–521, 686, 705–706, 708, 713, 851
- Cognitive:
 ability, 65, 68, 91, 205, 227, 232, 249,
 318, 321, 323, 335, 389, 451, 502,
 521, 526, 545, 576, 643, 646
 history of, 304–305
 conceptualization of
 intelligence, 305–307
 conceptualization of
 neuropsychological
 assessment, 309–311
 interpretation of intelligence
 tests, 307, 308
 processing and hemisphericity,
 104–107
 rehabilitation, 93, 590, 689, 790, 847
 retraining:
 approaches to, 703–705
 biofeedback, 711–712
 computer-assisted, 710–711
 development considerations, 713
 domain-specific learning, 712
 external aids and environmental
 supports, 712
 general considerations, 705–706
 metacognitive interventions,
 706–707
 self-instructional training,
 707–709
 strategy instruction, 709–710
 understanding and implementing,
 701–703
- Cognitive Assessment System (CAS),
 104, 123, 292, 306, 311, 476, 478,
 646, 769, 785, 851
- Cognitive battery. *See* (Woodcock-
 Johnson Cognitive)
- Collaboration, 9, 22, 23, 25–27, 31,
 33–34, 167, 231, 437, 674, 690,
 726–727, 778, 829, 831, 848
- Collaborative problem solving, 726
- Color Form Test, 240, 245, 526, 545, 576,
 643, 646
- Community:
 interventions, 246, 479, 652, 674, 694,
 752, 778, 793, 834, 845
 medical-psychological, 8, 239, 439,
 455, 831
 school services, 216, 437, 569, 651,
 679, 730
 support-resources, 25, 30–34, 175,
 177–178, 236, 436, 554, 642–644,
 651, 691, 733, 852
- Compensatory, 25, 28, 94, 135, 163, 178,
 198, 221, 284, 411–412, 499, 591,
 667, 689, 702–704, 706, 767,
 771–772, 787, 791–792, 798, 846
- Comprehension, 121, 124, 127, 129, 164,
 188–189, 199, 233, 244, 251, 268,
 270, 272, 290, 298–299, 306–308,
 317, 319, 321–323, 341, 349–350,
 353, 394–396, 403, 408–412, 414,
 430, 496, 498, 500–501, 503, 544,
 547, 549, 566, 589, 623, 629, 670,
 672, 708, 740, 742, 747–752, 758,
 760, 768, 782–783, 795
- Comprehensive Test of Phonological
 Processing, 409, 551
- Computed tomography (CT), 72, 123,
 216, 310, 333, 343–345, 450, 517,
 565
 neuroanatomical or structural
 imaging techniques and,
 328–329
- Computerized axial tomography, 15,
 335
- Computers, 249, 653
- Conditioning, operant, 416, 792

- Conduct disorders, 388, 461, 470, 472–473
- Conferences:
 Futures, 30, 828
 NASP, 16
 Olympia, 25
 Spring Hill, 25
- Confidentiality, 27, 369–370, 642
- Construction, 133, 229, 242, 253, 266–268, 271–272, 277, 280, 293, 305, 310, 322, 344, 476, 549, 783, 786. *See also* Block construction
- Consultation, 8, 12, 31, 33, 163, 175–176, 180, 195, 206, 216, 219, 223, 304, 366, 374, 378, 397, 399, 437, 479, 514–515, 524–526, 540, 546, 617, 641, 652, 721, 725–728, 730, 732–733, 770, 838, 849, 851–852
 as critical aspect of school neuropsychology, 27–29
- Content, 16, 30, 200, 205, 224–225, 237, 250, 254, 272, 275, 290, 314–315, 378, 417, 541, 546, 549–551, 575, 624, 646, 675, 751, 782, 785, 787, 791, 795, 797, 834
- Contextual or context:
 assessment, 177, 186, 199, 216, 226, 376, 413, 525, 527, 537, 639
 biochemical, 148, 512, 752
 curriculum, 10, 411, 693–694, 702, 706, 751, 779
 developmental, 5, 25, 58, 179, 198, 228, 335, 462, 540, 666, 688, 713
 ecological-environmental, 59, 289, 292, 331, 461, 640–641, 651–652, 705, 707, 727, 789, 792, 838–839, 848
 learning, 22–23, 298–299, 417, 500, 536, 543, 646, 653, 675, 690, 712, 772, 782, 793–794, 796, 845, 852
 neuroimaging, 6, 464, 517
 neuropsychology, 7, 149, 161, 354, 538
 schools, 29, 377, 461, 469, 479, 526, 569, 619, 685–686, 691, 698, 849
- Coordination and balance, 158
- Corpus callosum, 55, 58, 62, 64, 65, 68, 74, 124, 133, 293, 331–333, 354–355, 427, 492, 494–496, 562–563, 616, 784
 cerebral hemisphere and, 70–72
 asymmetry of, 72
 holoprosencephaly, 70–71
 hydranencephaly, 71
 porencephaly, 71
- Corpus striatum, 57–58
- Cortex, 41–42, 47, 49, 51–54, 61, 63, 64, 66, 67, 70–71, 75, 92, 93, 94, 97, 99, 100, 101, 122, 127, 166, 279, 290, 332, 337, 352–355, 395, 411, 429, 445–446, 464, 466–467, 468, 490–492, 495–496, 562, 588, 602, 606, 624–665, 673, 782–783
 as neuroanatomical structure, 55–57
- Counseling, 16, 164, 230, 304, 372, 415, 436, 499–500, 623, 625, 627, 673, 693, 721, 731–732, 789
- Cranial nerves:
 auditory/acoustic nerve, 157
 facial nerve, 157
 glossopharyngeal and vagus nerves, 157
 oculomotor, trochlear, and abducens nerves, 156
 olfactory nerve, 155–156
 optic nerve, 156
 spinal accessory and hypoglossal nerves, 157
 trigeminal nerve, 156–157
- Crisis intervention, 15, 434, 525, 810, 812
 in school neuropsychology, 29–33
 additional interventions, 32–33
 chronic illness, 32
 death, 32
 injury, 32
 unresolved grief, 32
 violence interventions, 31–32
- Criterion-referenced, 4, 786
- Crystallized intelligence, 306, 311, 324, 565

Cultural, 88, 103, 186–187, 216, 288,
461–463, 535, 536, 538, 542, 547,
568, 637–653, 694–695, 786, 792, 799

Curriculum-based assessment, 230,
378, 648, 766, 786

Curriculum-based measurement
(CBM), 214, 379, 648, 697, 830

Cylert, 821

Cystic fibrosis, 385, 514

Cytomegalovirus, 64, 71, 449
complications to neural development
and, 76–77

D

Dean-Woodcock cognitive
neuropsychological model, 312
case study, 321–323
description of model, 313
reflexive level, 313–318
neuropsychological assessment
system:
educational application of, 318, 321

Dean-Woodcock Neuropsychological
Assessment System or Battery,
123, 153, 264–265, 276, 311, 318,
323, 647, 832

emotional status examination, 282

interpretation of, 282–283

structured neuropsychological
interview, 281–282

validation of, 283

Dean-Woodcock Sensory-Motor
Battery, 276–277, 318

motor tests:
construction, 280
coordination, 280
expressive speech, 281
finger tapping, 282
gait and station, 280
grip strength, 281
left-right movements, 281
mime movements, 280–281
Romberg, 280

sensory tests, 278
tactile examination, 278–279

Decoding, 6, 131, 199, 308, 352,
394–395, 405, 408–409, 411–412,
414, 498, 544–546, 692, 740–742,
748

Delayed recall, 273, 293, 322, 341

Dendrites, 41, 599–600

Dendritic branching, 78

Depression, 23, 157, 164, 166, 182, 193,
218, 220, 255, 321, 323, 335, 339,
344, 385, 387–392, 405, 414–416,
433, 451, 455, 457, 461, 464, 469,
470, 472–473, 526, 565–566, 618,
620–621, 623, 625–626, 629, 643,
668, 671, 724–725, 733, 758,
810–813, 815–816, 820

Deprivation:
oxygen, 20, 162, 192–193
sensory, 191–193, 292, 492
sleep, 191, 447

Design copying, 268, 271, 786

Development, language, 31, 187,
307–308, 440, 493, 500–501, 545,
580, 589, 622, 645–646

Development, motor, 352, 579, 617

Developmental disabilities, 580–581,
850

Developmental disorders, 383

Developmental evaluation, of
neurological domains:
automatic reflexes, 154–155
movements, 155
muscle tone, 155

Developmental neuropsychological:
remediation/rehabilitation model,
674

Developmental Test of Visual-Motor
Integration, 298, 334, 339, 353, 551,
650

Dextroamphetamine, 673, 821

Diabetes, 62, 64, 66, 69, 71, 165, 197,
213, 514, 521, 581

Diagnostic and Statistical Manual of
Mental Disorders (DSM), 205, 348,
384–387, 390, 397, 409, 413,

- 471–472, 475, 554–555, 598, 609,
759, 770, 780
- axis I, 384–385
- axis II, 385
- axis III, 385
- axis IV, 386
- axis V, 386
- Diazepam, 581, 817
- Dichotic listening, 106, 494, 496–497
- Diencephalon, 42, 45–47, 52–53, 57, 62,
69
- Differential Ability Scales (DAS), 548
- Diffusion tensor magnetic resonance
imaging, 331
- Digit Span test, 103, 295, 319, 341–342,
353, 389, 477, 640
- Direct instruction, 417, 500, 670,
747–750, 767–768, 770–771
- Direct observation. *See* Observation
- Dispositions, 462, 542
- Diversity, 501, 535, 564, 638, 651
- Division number, 8, 9, 16, 40, 538, 834,
848
- Division of School Psychology, APA.
See Division number 16
- DNA, 63, 76–77, 79
- Doctoral training, 3, 5, 16, 304, 399
- Doman and Delacato's theory:
cerebral dominance and, 94–94
- Dopamine. *See* Neurotransmitters
- Double Cortex Syndrome, and
interference with cell migration, 75
- Down syndrome, 63, 213, 564
assessment considerations, 616
characteristics of, 615–616
providing neurological services to,
615
related to neurodevelopment, 78–79
treatment considerations, 617
- Drug-abuse. *See* Substance abuse
- Dynamic assessment, 221, 786
- Dynamic Indicators of Basic Early
Literacy Skills (DIBELS), 546–547,
552
- Dyslexia, 4, 6, 9, 17, 72, 129, 130–131,
134, 296, 345, 348–352, 406, 549,
630, 741–742, 748. *See also* Learning
disability
- Dysplasias, and interference with cell
migration, 74–75
- ## E
- Early childhood, 33, 56, 414, 416, 468,
539–544, 547–548, 580, 583, 671,
788
intervention, 20–21, 31–32, 616–617,
630, 687, 731
legacy and development of, 534
psychological paradigms with
implications for, 534–535
cultural competence, 535–536
developmental perspective, 535
disability versus rehabilitation,
536–537
ecological orientation, 535
educational accountability, 538
evidence-based interventions,
537–538
intersection of paradigms, 538
treatment utility of assessment,
537
providing neuropsychological
services to, 533–534
school neuropsychological model of
assessment and intervention, 539
case study, 543–547
description of approach, 539–540
intervention implementation,
542–543
problem analysis, 540–542
problem identification, 540
treatment evaluation, 543
- Ecological, 17–18, 25, 173, 175–176,
178–179, 181, 198, 205–206, 222,
236, 304, 324, 379, 473, 477,
534–536, 539–540, 542, 544, 547,
639–642, 651, 674, 688, 691, 706,
714, 752, 778, 789, 796, 828, 831,
833, 845, 849

- Education:
 crisis in, 25
 legislation:
 family educational rights and
 privacy act, 368–370
 historical links, 365–366
 individuals with disabilities
 education act, 366–368
 no child left behind act, 368
 synthesizing with
 neuropsychological
 procedures, 377
 mandate for students with
 neuropsychological difficulties,
 24–25
- Education for All Handicapped
 Children Act (Public Law 94–142),
 4, 5, 26, 366. *See also* IDEA
- Educational disabilities. *See* Learning
 disabilities
- EEG, 80, 147, 190, 216, 346, 348, 397,
 445, 449–450, 453, 455, 465, 468,
 584, 630, 711–712, 742
- Electroencephalogram source imaging,
 and neurophysiological or
 functional imaging techniques,
 346–348
- Elementary school, neurological
 development during, 22–23
- Emotional disturbance or disturbed, 24,
 370, 388, 426, 471, 549, 553–555, 638
- Encephalocele, 64, 352, 355
 neural tube abnormalities and, 70
- Endocrine disorders, 519, 521, 622
- Enuresis, 810–811
- Environmental fit, 667
- Epilepsy, 66, 68, 71, 75, 132, 190–192,
 293, 330, 344, 348, 396, 427, 444,
 446–450, 452–455, 457, 629, 693,
 695, 819
- Epithalamus, as neuroanatomical
 structure, 54
- Ethics, 11, 512
- Ethnicity, 217, 226, 426, 640–643,
 652–653, 694
- Ethosuximide, 452
- Evaluation:
 qualitative, 98, 177, 180, 204, 227, 249,
 287, 292, 525, 667, 685, 797, 800
 quantitative, 99, 147, 173, 177, 180,
 204, 227, 249, 297, 299, 309–310,
 317, 376, 525, 667–608, 685, 797,
 800
- Evidence-based, 18, 33, 131, 161,
 175–176, 178, 180, 202, 206, 265,
 504, 533, 537–538, 540, 542, 614,
 619, 651–652, 654, 679, 765, 767,
 773, 797–798, 827, 829–830,
 833–834, 840, 844–848, 852
- Executive functions, 23, 96, 163–164,
 167, 196, 200–202, 220, 222–223,
 226, 229–230, 246, 267–269, 272,
 274–275, 291, 294–295, 298, 334,
 339, 341–343, 374, 390–391,
 394–397, 410, 413, 430, 432–433,
 460, 464, 467–468, 470, 473–477,
 481, 517, 539, 551–553, 565, 579,
 608, 618, 620, 623, 626, 640–641,
 648–649, 671–673, 677, 688, 696,
 706, 709, 713, 758, 763–764, 770,
 772, 786, 792, 798, 820
- Expressive speech, 121, 251, 252–253,
 277, 281, 323, 617
- Externalizing disorders, 388, 457, 472,
 475
 assessment of, 396–397
 neuropsychology of, 392–393
 ADHD, 393–394
 disruptive behavior disorders,
 394–396
- F**
- Family:
 assessment history, 21, 151, 162, 183,
 185–187, 190–191, 193, 197, 201,
 218–219, 226, 282, 323, 378, 406,
 477, 644, 667, 787

- collaboration-partnerships, 20, 27,
 216, 366, 397, 433, 438, 568, 652,
 691, 697, 726, 749, 768, 790, 849
 counseling or services, 22, 29, 32–33,
 176, 304, 436, 590, 621, 721, 723,
 727–729, 731, 733, 828, 834, 847
 dynamics-expectations, 23, 165, 182,
 196, 226, 236, 393, 434, 625, 858
 genetics, 469, 473, 477, 522, 526, 723,
 806
 language, culture, and use of
 translators, 217, 642, 651
 needs of the family, 26, 343, 434, 437,
 513, 615, 621, 627, 639, 643, 653,
 675, 722, 728
 physician, 28, 195, 676
 resources, 436–437, 616, 619, 627,
 647, 653, 730, 789, 816, 847
 rights, 368, 456
 stress, 32, 218, 356, 398, 462,
 435–436, 462, 478, 544, 626, 630,
 677, 693, 724–725, 729, 732, 815,
 824
 values, 31, 178, 288, 387, 462, 639,
 694–695, 721
 violence, 19
 Feedback, 32, 246, 298–299, 348, 374,
 411, 415, 457, 463, 474, 476, 501,
 521, 541, 554, 565, 568, 619, 671,
 706–707, 711–712, 743, 746, 748,
 768, 770, 779–780, 783, 787, 792,
 795, 797–798, 805
 Felbamate, 452
 Fetal Alcohol Syndrome (FAS), 19, 64,
 221, 275, 353, 569, 575–578, 630,
 639
 complications to neurodevelopment
 and, 77–78
 neuropsychological assessment,
 565–566
 neuropsychological outcomes, 562
 callosal dysgenesis, 563–563
 cerebral dysgenesis, 562
 hippocampal and basal ganglia
 dysgenesis, 563
 prevention models, 566–568
 psychoeducational implications,
 563–565
 Fetal period, neurological
 development, 19–20
 Finger Tapping Test, 123, 240, 242, 270,
 281
 Fissure, 44–45, 51, 55, 57, 78, 121, 473,
 576
 Fluid intelligence, 306, 565
 Fluphenazine, 809
 Fornix, 58
 Fragile X, 16, 221, 614, 617
 assessment considerations, 618
 characteristics, 617–618
 providing neurological services to,
 617
 treatment considerations, 618–619
 Frontal lobes, 55, 94–99, 101–102, 108,
 121, 152, 155, 239, 291, 337, 430,
 464–467, 473, 562, 616, 672, 707
 Full Scale, 228, 306, 520, 545, 548
 Functional magnetic resonance
 imaging:
 neurophysiological or functional
 imaging techniques and,
 345–346
- ## G
- G, and role in neuropsychological
 models of intelligence, 107–108
 Gabapentin, 452, 819
 Ganglia, 42, 44–45, 47, 54, 57, 65, 67,
 71, 77, 127, 158, 328–329, 427, 464,
 466–467, 480, 563, 619, 626, 784,
 808
 General Conceptual Ability score, 548
 Genes, 41, 78, 469, 480, 627
 Glasgow Coma Scale, 160, 428
 Glial, 41–42, 46, 70, 74, 562
 Goals, 26–27, 59, 80, 163, 174–176, 180,
 216, 264, 269, 356, 437–439, 457,

Goals (*Continued*)

- 480, 513, 525–526, 543, 546,
 - 551–552, 618, 675, 677, 690–697,
 - 701–702, 705–707, 725, 727–728,
 - 730, 732, 789–790, 792–793, 796,
 - 798, 828–829, 848–849
- Grip Strength Test, 123, 240, 243, 277,
281, 323, 334, 338
- Group interventions or activities, 32,
176, 411, 415, 435, 568, 619, 674–675,
677–678, 693, 707, 709, 727, 748, 759
- developing, 663
- foundation for, 665–666
- linking research to educational
practice, 666–667
- neuropsychological principles,
663–664
- developmental emphasis, 664
 - dynamic localization, 664–665
 - Luria's zones, 665
 - Vygotsky's stages, 665
- Gyri, 55–56, 65, 73, 74–75, 121

H

- Haldol, 582, 807, 809
- Haloperidol, 582, 621, 809
- Halstead's theory:
- A, the abstraction factor, 95
 - C, the integrative field factor, 95
 - D, the directional factor, 96–98
 - P, the power factor, 95–96
- Halstead-Reitan Neuropsychological
Test Battery (HRNB), 98, 123, 177,
255, 257–258, 262, 265, 270, 279,
281, 292, 298, 310, 476–477
- history of, 238–239
- interpreting, 248–249
- as measure of neuropsychological
functioning, 236–237
- qualifications for administering, 241
- subtests, 240, 242–246
- category test, 246
 - color form test, 245
 - finger-tapping test, 242–243
 - grip strength, 243
 - individual performance test, 245
 - marching test, 244
 - progressive figures test, 245
 - Reitan-Indiana aphasia screening
test, 242
 - Reitan-Kløve lateral dominance
examination, 243
 - rhythm test, 243–244
 - sensory perceptual examination,
243
 - speech-sounds perception test, 244
 - tactual performance test, 245–246
 - target test, 246
 - trail making test, 244
 - validation of, 246–248
- Head injuries. *See* Brain injury
- Healthcare, 5, 7, 9, 11, 183, 188, 193,
196, 206, 512, 518, 525–527, 538,
675, 788, 812, 831
- Hearing impairment, 24, 487, 492,
501–502
- Heart, 20, 49, 87–88, 153, 221, 227, 344,
513, 522, 575, 581, 586, 615, 627,
809, 820–822
- Heritability, 6, 468
- Hemispherectomy, 453
- Hemisphericity, and cognitive
processing, 104–107
- Hemispheric specialization, 89, 105,
109, 131, 132, 135, 784
- functional differences with cerebral
lateralization, 124–128
 - gender differences and, 133–134
 - history of, 120–124
- Heroin, 596–597, 599, 603, 606, 608–609
- Herpes simplex, 77
- Heterotopia, 63
- interference with cell migration and,
74–75
- Higher cortical functions, 289, 820
- Hippocampus, 58, 193, 344, 563, 602,
607, 624
- Hispanic, 30, 216–217, 275, 513, 578,
637–638, 646–651

HIV, 30, 511, 516–517, 693
 complications to neural development
 and, 77
 related to neurodevelopment, 77
 Holoprosencephaly, 64, 70–71, 78
 cerebral hemisphere and corpus
 callosum and, 70–71
 Home-home environment, 20, 23–24,
 177, 181–182, 185, 193–194, 217–218,
 222, 233, 246, 388, 397, 406, 437, 450,
 471, 479, 525, 542–544, 546, 554,
 616–619, 623, 638, 641, 644, 672,
 676–677, 691, 702, 707–708,
 722–723, 725–728, 752, 778, 789, 793,
 796, 799, 806, 829, 839
 Home-school partnerships or
 interventions, 24, 437, 479, 725, 829
 Hydranencephaly, and cerebral
 hemisphere and corpus callosum, 71
 Hydrocephalus, 46, 66, 70, 221,
 333–336, 453, 790
 Hyperactivity. *See* Attention Deficit
 Hyperactivity Disorder (ADHD)
 Hypothalamus, as neuroanatomical
 structure, 54
 Hypothesis-hypothesis testing, 91,
 129–130, 134, 178, 199, 222, 246,
 266, 292, 297, 387–388, 466, 468,
 496, 517, 519, 542, 545, 579, 651,
 653, 711, 748
 Hypoxic-ischemic injury, 192–193

I

Imipramine, 811
 Individual differences, 43, 80, 124, 135,
 249–250, 305, 327, 463, 469, 513,
 524, 670, 685
 Individualized Education Plan (IEP),
 190, 241, 366–367, 371, 397–399,
 434, 437–438, 546–547, 551, 589
 development of, 689
 considerations in identifying
 goals, 690–691

behavioral issues, 693–694
 cognitive issues, 692
 contextual issues, 691
 instructional issues, 692–693
 other related issues, 694–695
 physical issues, 691–692
 psychosocial issues, 693
 functional behavior assessment
 and, 695–696
 requirements of IDEA, 690
 school discipline plans and,
 696–697
 implementation and evaluation, 697
 application of school-based
 neuropsychology to, 697
 translating neuropsychological
 evaluation information into,
 684–685
 Individual Performance Test, 245
 Individuals with Disabilities
 Education Act (IDEA), 4, 11, 24,
 27, 30, 95, 199, 214–215, 365–367,
 370–373, 377–378, 470–471,
 537–538, 543, 645, 668, 690,
 694–696, 713, 730, 785, 829
 Infancy, neurological development,
 20–21
 Infants:
 evaluation as part of neurological
 examination, 152–153
 reflexes, 153–154
 Information processing, 42, 53–54,
 86–87, 100–105, 108–109, 122, 124,
 135, 179, 294, 297, 311–313, 317,
 323, 343, 345, 451, 472, 502, 566,
 665, 705, 709–710, 779
 Inhalants, 609–610
 Instruction or instructional
 approaches, 8, 25, 135, 164, 199,
 213–214, 216, 222, 228, 231–232,
 239, 241, 244, 265, 268–270, 277,
 284, 298, 307, 367, 379, 403–404,
 406, 411–412, 416–417, 438–439,
 453, 456, 479–480, 497–500,
 537–538, 541–546, 567, 618–619,
 638, 644, 652–653, 667, 669,

Instruction or instructional approaches
(*Continued*)

670–672, 677, 679, 687–688,
690–692, 703–710, 712, 742,
744–752, 759–760, 762, 764–772,
792–793, 795, 829–830, 832, 834,
846, 849. *See also* Teaching methods

Insula, 133, 782

Intelligence:

neuropsychological models, role
of G, 107–108

Internal capsule, 53, 57, 328–329, 466

Internalizing disorders, 396, 455, 472

assessment with children, 392

neuropsychology of, 388

anxiety disorders, 390–392

bipolar disorder, 389–390

depression in children, 389

Intervention, 30–31

additional, 32–33

arithmetic or math (*see* Arithmetic
or math)

case studies, 676–678

chronic illness, 32

classroom (*see* Classroom
interventions)

crisis, in school neuropsychological
services, 29–33

culturally diverse learners and,
651–653

death, 32

evidence-based, 833–834, 845–848

group (*see* Group interventions or
activities)

injury, 32

learning disability with, 416–417

literacy (*see* Literacy)

models or approaches, 619, 663, 675,
701–702, 759, 765, 788, 792, 796,
833, 848–849

school-family (*see* School-Family
interventions)

in schools, 163

applied differential diagnosis,
165–167

diagnosis linked to, 164–165

implications of, 163–164

strategies, 32, 181, 461, 667, 669, 671,
673, 685–689, 692–693, 695, 697,
705–706, 829

unresolved grief, 32

violence, 31–32

written language (*see* Written
Language)

J

Japanese Americans. *See* Asian
American

K

Kaufman Assessment Battery for
Children or Kaufman Assessment
Battery for Children II, (K-ABC;
K-ABC II), 104, 292, 306, 319–320,
337–339, 647, 766

Ketogenic diet, 444, 452

Kidney, 20, 627

Klinefelter syndrome, 622

assessment considerations, 623

characteristics, 622–623

providing neurological services to,
623

treatment considerations, 623

L

Lamotrigine, 452, 819

Language:

functions, development of and

cerebral lateralization, 128–133

impairment, 24, 281, 367, 394, 497,
646, 778, 780

- written, 188, 403, 407, 413, 496,
664–665, 670, 677, 741, 743,
758–759, 777–779, 780–781,
784–791, 793, 795, 798–799
- Language development. *See*
Development, language
- Laterality, 123, 135, 243, 271, 278–279
- Lateral preference, and cerebral
dominance, 87–90
- Law, 4, 11, 16, 26, 31, 33, 108, 128, 255,
290, 365–366, 369, 374, 375,
377–380, 470, 538, 577, 587, 644,
671, 677, 690, 850
- Learners, culturally and linguistically
diverse:
characteristics, 638–639
growth of population nationwide,
637–638
paradigms, influence of, 640–641
psychology and pediatric
populations, 639–640
school neuropsychological approach,
641–642
clinical interview and record
review, 642–645
flexible neuropsychological
battery and, 645
achievement, 647–648
attention, memory, and
learning, 649
behavior and personality, 650
communication and language
skills, 645–646
executive functions and problem
solving, 648–649
intelligence and cognitive,
646–647
sensory, perceptual, and motor,
650
intervention approaches, 651–653
- Learning disabilities (LD), 23–24, 53, 63,
65, 74–75, 77, 92, 122, 130, 166, 187,
203, 214, 247, 255–256, 275–276,
308, 356, 365, 370, 372–373, 375, 378,
387, 391, 470, 473, 477–478, 488, 492,
497, 500, 502, 505, 548, 550–551, 553,
574, 583, 607, 614–615, 618,
620–623, 625–627, 630, 638, 652,
674, 684, 702, 710, 742, 744, 747–748,
767–769, 828, 832, 846
- biological contributions, 405–406
comorbidity, 405
definitional issues, 404
neurological basis of, 5–7
nonverbal, 413–414, 668, 670–671,
677, 760, 765, 848
assessment of, 416
interventions, 416–417
manifestations throughout
development, 414–416
providing services to learner with, 403
verbal, 406
assessment of, 409
comprehension, 410
processing speed, 410
word recognition, 409
intervention based on assessment,
411
lexical route, 408
memory, learning, and executive
function, 410–411
models of reading disorder, 408–409
persistence across life span, 407
phonological processing, 407–408
prevalence, 406–407
remediation, 411–413
written language disorder, 413
- Legal issues, 11, 33, 53, 218, 373–375,
379, 386, 415, 436, 585, 589, 597,
668, 723–724, 730, 785
- Legislation:
antidiscrimination legislation:
Americans with disabilities act,
371–373
section 504 of the rehabilitation
act, 370–371
federal education:
family educational rights and
privacy act, 368–370
historical links, 365–366

Legislation (*Continued*)

- individuals with disabilities
 - education act, 366–368
 - no child left behind act, 368
- Leukemia, 79, 221, 519–520
- Leukodystrophy, 65, 66, 74
- Librium, 816–817
- Limbic system, 42, 47, 54, 58, 150, 391, 430, 464, 466, 474, 480, 496
- Lindamood programs and tests, 412, 551, 670
- Lissencephaly, 62, 73, 75
- Listening, 32, 96, 106, 157, 299, 307–308, 403, 406, 409–410, 493–494, 496–499, 501–503, 545, 566, 749, 760, 791, 793
- Literacy, 494, 500, 535, 539, 541, 543–545, 547–549, 551–552, 759
 - characteristics of children who struggle to acquire literacy, 741–742
 - critical component processes of development:
 - alphabetic principle and phonological recoding, 741
 - orthographic processing, 740–741
 - phonological processing, 738–739
 - phonemic awareness, 739
 - phonological memory, 739–740
 - rapid automatized naming, 740
 - interventions for facilitating development:
 - phonics, 747
 - direct instruction reading mastery, 748–749
 - four blocks approach, 750
 - Orton-Gillingham approach, 748
 - phast program, 750
 - Scott Foresman early reading intervention, 749
 - success for all, 749
 - Wilson reading system, 748
 - vocabulary and passage
 - comprehension techniques, 751
 - PQ4R, 751–752
 - reciprocal teaching, 752
 - semantic mapping, 751
- world level reading and spelling:
 - copy-cover-check, 746
 - incremental rehearsal, 746–747
 - response cards, 746
 - sound boxes, 743
 - sound sorts, 744–745
 - word boxes, 743–744
 - word sorts, 745–746
- Literature, 23, 88, 93, 107–108, 133, 176, 187, 194, 200, 206, 224–225, 228–229, 254, 256–257, 266, 276, 283–284, 298, 307, 395, 407, 414–415, 455, 460, 463, 473, 478, 514–516, 519, 522, 525, 534, 541, 567, 579, 581, 588, 590, 598, 640, 652, 666, 668, 671–672, 689, 701, 711–712, 732–733, 752, 759, 765, 768, 770, 772–773, 777–778, 820, 822, 828
- Low-Incidence Disabilities, 61, 619, 631
 - providing neuropsychological services to learners with, 614–615
- Down syndrome, 615
 - assessment considerations, 616
 - characteristics, 615–616
 - treatment considerations, 617
- fragile X syndrome, 617
 - assessment considerations, 618
 - characteristics, 617–618
 - treatment considerations, 618–619
- Klinefelter syndrome, 622
 - assessment considerations, 623
 - characteristics, 622–623
 - treatment considerations, 623
- neurofibromatosis, 625–626
 - assessment considerations, 626–627
 - characteristics, 626
 - treatment considerations, 627
- Sturge Weber syndrome, 629
 - assessment considerations, 630
 - characteristics, 630
 - treatment considerations, 630–631

- Tourette syndrome, 619
 assessment considerations, 620–621
 characteristics, 619–620
 treatment considerations, 621
- tuberous sclerosis complex, 627
 assessment considerations, 628
 characteristics, 627–628
 treatment considerations, 628
- Turner syndrome, 624–625
 assessment considerations, 625
 treatment considerations, 625
- velocardiofacial syndrome, 538
 assessment considerations, 629
 characteristics, 628–629
 treatment considerations, 629
- Luria's approach, 23, 56, 86, 94,
 108–109, 122, 124, 154, 173, 177,
 236–237, 249–251, 253, 265–267,
 279, 288–292, 310–311, 376, 395,
 663, 647, 664–665, 707–708, 743,
 766, 785, 792
- key to clinical understanding, 98–100
 block 1, 100–101
 block 2, 101
 block 3, 101–102
- measures of intelligence and, 104
- simultaneous and successive
 cognitive processes and, 102
 simultaneous processing, 103
 successive processing, 103–104
- theory, 288–289
- functional units:
 unit I: arousal system, 289–290
 unit II: sensory system, 290–291
 unit III: output and planning
 system, 291
- implications for assessment,
 291–292
- influences, 289
- underlying assumptions, 289
- Luria-Nebraska Neuropsychological
 Test Battery (LNNB), 236–237,
 249–250, 254–257, 291, 310
- interpreting results, 256–257
- reliability and validity of, 254–254
- scales from:
 arithmetic, 252
 expressive speech, 251–252
 intellectual processes, 252
 intermediate memory, 252
 memory, 252
 motor, 250
 reading, 252
 receptive speech, 251
 rhythm, 251
 tactile, 251
 visual, 251
 writing, 252
- Luria-Nebraska Neuropsychological
 Test Battery-Children's Revision,
 249–250
- interpreting results, 256–257
- reliability and validity of, 254–254
- scales from:
 arithmetic, 254
 expressive speech, 253
 intellectual processes, 254
 memory, 254
 motor, 253
 reading, 254
 receptive speech, 253
 rhythm, 253
 tactile, 253
 visual, 253
 writing, 253
- ## M
- Macrogyria, 65, 76
 interference with cell migration and,
 73
- Magnetic resonance imaging (MRI), 15,
 43, 120, 123, 147, 216, 287, 310, 335,
 340, 343–346, 349, 366, 397, 418, 450,
 464, 467–469, 519, 523, 562–563, 588,
 630, 686. *See also* functional
 magnetic resonance imaging
 neuroanatomical or structural
 imaging techniques and, 329–330

- Magnetic resonance imaging (MRI)
(Continued)
 diffusion tensor magnetic
 resonance imaging, 331
 quantitative magnetic resonance
 imaging, 331–332
- Magnetic source imaging (MSI),
 349–352
- Magnetoencephalography, and
 neurophysiological or functional
 imaging techniques, 348–351
- Malnutrition, 17, 19, 21, 65, 68, 848
- Marching Test, 240, 244
- Marijuana, 568, 576, 579, 596–597,
 599–608, 610
- Maturation, cell. *See* Cell maturation
- Medical facility, and school
 collaboration, 25–27
- Medical history, taken with caregivers,
 183–194
- Medical management regimen,
 current, 195–197
 chronic illness, 196–197
 consultation with medial personnel,
 195–196
 medication history, 195
- Medical professionals, consultation
 with, 397–398
- Medications. *See* Psychopharmacology
- Megalencephaly, 65
 as part of brain size, 68
- Mellaril, 582, 807, 809
- Memory loss, problems, or difficulties,
 58, 64, 78, 150, 192, 220, 222, 300,
 344, 388, 392, 432, 454, 472, 564,
 709, 712, 742, 762
- Meningitis, 66, 70, 190, 221, 446, 449,
 790
- Mental health services, 30, 33, 455, 596,
 829, 831
- Mental retardation, 647
- Mental status examination, as
 component of pediatric
 neurological examination, 150
 alertness, attention, and
 cooperation, 150
 calculations, 151
 delusions and hallucinations,
 151–152
 language, 151
 logic, sequencing, and abstraction, 152
 memory, 150–151
 neglect and self-care, 151
 object recognition, 151
 orientation, 150
- Metencephalon, 42, 45, 47, 49–50
- Methylphenidate, 591, 673, 821–822
- Microencephaly, 62, 65, 73, 76
 as part of brain size, 67–68
- Microgyria, and interference with cell
 migration, 74
- Micropolygyria, 65
 interference with cell migration and,
 74
- Migraines, 191
- Minnesota Multiphasic Personality
 Inventory, (MMPI), 95, 230, 239,
 256
- Monoamine oxidase inhibitors, 580
- Motor development. *See* Development,
 motor
- Motor systems, 21, 49, 157–158
- Muscular dystrophy, 221
- Myelencephalon, 42, 45, 47, 49
- Myelination, 75, 492
- Myelomeningocele, 64, 78
- ## N
- National Academy of
 Neuropsychology, 4, 10, 12
- National Association of School
 Psychologists, 3, 8, 16, 304, 536,
 695
- NEPSY, 229, 232, 257, 283–284, 292,
 476, 552, 648–649, 786, 832
 attention/executive function core
 subtests:
 auditory attention and response
 set, 269

- statue, 269
- tower, 269
- visual attention, 268
- as developmental
 - neuropsychological assessment, 265–268
- interpretation of, 273–274
- language core subtests:
 - body part naming, 269–270
 - comprehension of instructions, 270
 - phonological processing, 270
 - speeded naming, 270
- memory core subtests:
 - memory for faces, 273
 - memory for names, 273
 - narrative memory, 272
 - sentence repetition, 272–273
- psychometric validation of, 274–276
- sensorimotor core subtests:
 - fingertip tapping, 270–271
 - initiating hand positions, 271
 - visuomotor precision, 271
- visuospatial core subtests:
 - arrows, 272
 - block construction, 272
 - design copying, 271
- Nervous system, cells of, 41–43
- Neural tube, abnormalities:
 - anencephaly, 69
 - encephalocele, 70
 - schizencephaly, 70
 - spina bifida, 69–70
- Neuroanatomy, 8, 61, 148, 200, 345, 429, 493
 - foundations of developmental, 41
 - structures, 46–47
 - diencephalons, 52
 - epithalamus and subthalamus, 54
 - hypothalamus, 54
 - thalamus, 53
 - mesencephalon, 51–52
 - metencephalon:
 - cerebellum, 51
 - pons, 50–51
 - myelencephalon, 47, 49
 - telencephalon, 54
 - basal ganglia, 57–58
 - cerebral cortex, 55–57
 - limbic structures, 58
- Neurodevelopmental:
 - abnormalities (*see* Abnormalities, developmental)
 - complications to, 76–78
 - cytomegalovirus, 76–77
 - fetal alcohol syndrome, 77–78
 - growth factors, 78
 - HIV/AIDS, 77
 - and other disorders, 78–80
 - Angelman syndrome, 79–80
 - Down syndrome, 78–79
 - stages of, 18–24
- Neurofibromatosis, 68, 614
 - assessment considerations, 626–627
 - characteristics, 626
 - providing neurological services to, 625–626
 - treatment considerations, 627
- Neuroimaging, 6, 58, 67, 70, 120, 124, 127, 149, 166, 204, 427, 450, 466, 468–469, 494, 534, 686, 778, 799
 - behavioral neuroimaging:
 - challenges in pediatric populations, 354–356
 - different from neurological exam, 147
 - neuroanatomical or structural
 - imaging techniques, 327–328
 - case studies, 331–343
 - computerized axial tomography, 328–329
 - diffusion tensor magnetic resonance imaging, 331
 - magnetic resonance imaging, 329–330
 - quantitative magnetic resonance imaging, 330–331
 - neurophysiological or functional
 - imaging techniques, 343
 - case studies, 352–354
 - electroencephalogram source imaging, 346–348

- Neuroimaging (*Continued*)
- functional magnetic resonance
 - imaging, 345–346
 - magnetoencephalography, 348–351
 - positron emission tomography, 343–345
 - single photon emission computed tomography, 345
- Neurological:
- development, abnormalities of, 61–67
 - exam or examination, 151, 250, 694 (*see also* Pediatric neurological exam)
 - history of, 148–149
 - in school, 172–174
 - school-based implications of, 161–162
 - why administered, 146
 - signs, soft and hard, 160
- Neurological disorders, 25–26, 97, 191, 193, 296, 327, 348, 396, 626, 691, 693, 714, 731–732
- Neurology, 4, 9–10, 17, 145, 148, 153, 155, 161, 167, 185, 264, 383, 726, 789, 799
- Neurons, 5, 41–43, 50–51, 55–57, 65, 68, 74–75, 78–79, 131, 157–158, 348, 429, 445, 490, 562, 599–604, 666, 702, 806–808, 812
- Neuropsychological:
- assessment or evaluation, 3, 5, 7–8, 15–16, 86, 97–98, 100, 123–124, 172–175, 183, 198–200, 213–215, 219, 222–223, 227, 232–233, 238–239, 241, 264–265, 268, 273, 276–277, 283, 287–289, 291–292, 295, 299–300, 304–305, 309–311, 318, 321, 329, 340, 366–368, 373–375, 404, 416, 439, 451, 456, 460, 476, 496, 525, 533–534, 539, 541–542, 552, 565, 628, 630, 642–643, 645–646, 648, 650–651, 653, 667, 684–685, 687–688, 690, 693–694, 696–697, 758–759, 766–767, 784–785, 787, 799, 805, 827–833, 849–850
- approaches for school applications, 176–177
 - ecological and treatment models, 178–179
 - fixed and flexible batteries, 177
 - process approach, 177–178
- battery, 200–204
- clinician competencies, 200–201
 - domains, 200, 202
 - systems for interpretation, 202–204
- culturally and linguistically diverse populations and, 639–640
- different from neurological exam, 146–147
- practice:
- difference with school neuropsychology practice, 174–176
- procedures, synthesizing with educational law, 377–380
- qualitative information, 204–205
- report, 205–206
- Neuropsychology Interest Group (NASP), 4, 12
- Neurotoxins, 17, 62, 69, 71, 194
- providing services to learners
 - exposed prenatally and perinatally, 547–575
 - environmental factors, 582
 - maternal lead exposure, 583–584
 - maternal radiation exposure, 584
 - seafood neurotoxins, 582–583
 - maternal factors, 584–585
 - age, 585
 - nutrition, 585–586
 - perinatal factors:
 - low birthweight, 587–588
 - obstetric complications, 587
 - prematurity, 588–589
 - psychotropic medications:
 - antidepressants, 580–581
 - antimanic agents, 581

- antipsychotics, 582
 - anxiolytics, 581
 - substance abuse, 575–576
 - alcohol, 576–578
 - cocaine, 579
 - marijuana, 579
 - nicotine, 578–579
 - Neurotransmission, 673
 - Neurotransmitters, 600
 - dopamine, 469, 480, 601, 603–604, 606, 619, 673, 807–808, 810, 812, 814, 820, 823
 - norepinephrine, 50, 619, 673, 807, 810, 812, 814, 820–822
 - serotonin (5-hydroxytryptamine), 580, 619, 804, 807–808, 810, 812–814
 - γ -aminobutyric acid (GABA), 807
 - Neurulation:
 - germinal and early embryonic stages of development, 44–45
 - orientation and planes of reference, 43–44
 - No Child Left Behind, 31, 33, 323, 365, 368, 538, 671, 759
 - Norepinephrine. *See* Neurotransmitters
 - Nosology, 383
 - Nutrition, 43, 521, 574–575, 585–586, 589, 607, 638, 643, 675
- O**
- Oblongata, 47, 491
 - Observation, 89, 93, 120, 123–124, 130, 146, 148–150, 152, 155, 157, 160–162, 177–178, 180, 191, 197–198, 204–205, 214, 220, 222, 226, 232, 238, 257, 271, 280, 282, 288, 291–294, 296–297, 299, 310, 367, 387, 435, 470–471, 473, 478, 481, 494, 511, 541, 544, 554, 621, 623, 627, 646, 711, 723, 786–787, 792, 805, 851
 - outline of neuropsychological assessment and, 197–198
 - Occipital lobe, 55–56, 64–65, 67, 70–71, 97, 99, 101, 103, 130, 156, 250, 290, 349, 351–352, 354–355, 429–430, 445, 448, 467, 624, 670, 781, 783
 - Oligodendrocytes, 42
 - Operant conditioning, 416, 792
 - Opiates, 599–606, 608–609
 - Organization, 8, 16, 19, 21–25, 41–42, 67, 72, 74, 87, 92–93, 98–99, 101, 133–134, 164, 220, 225–227, 248, 253, 266, 289, 290–291, 295, 298, 304, 332, 350, 390, 410, 413–414, 416, 432–433, 437–438, 463–464, 475, 479–480, 481, 491, 544, 551, 589–590, 665–666, 672–673, 675, 678, 692, 708, 712, 722, 731, 761, 763–764, 768, 772, 780, 796, 833
 - Orton’s theory:
 - cerebral dominance and, 90–92
 - Otitis Media Outcomes, 11, 73, 147, 166, 172–176, 183, 196, 313, 356, 379, 409, 412, 436, 453, 455, 494, 511–512, 520, 523, 526–527, 536, 540, 542, 561–565, 567, 577, 579, 586–589, 591, 617, 619, 639, 641, 651, 685–688, 695–697, 710, 714, 721, 722, 725, 733, 749–750, 752, 765, 778, 789–792, 795, 828–829, 832, 836–840, 843, 845, 847–851
 - defining, 488
 - diagnosis of, 488
 - linked to other disorders, 500
 - behavior and, 503
 - central auditory processing and, 502–503
 - language and, 501–502
 - learning and, 502
 - peripheral auditory pathways and functions, 489
 - hydraulic processes, 490
 - mechanical process, 489–490
 - neurological processes, 490
 - providing neurological services to learners with, 487–488
 - risk factors for, 489

P

- Pachygyria, 65
interference with cell migration and, 73
- Paradigms, current influence of, 640–641
- Parent training, 33, 479, 590, 673
- Parietal lobe, 55, 99, 101, 103, 151, 279, 290, 354–355, 429–430, 624, 668, 670, 782–783
- Pathonomic signs, 248
- Patterns of performance, 202
- Pediatric neurological examination:
administered, 146
components of, 149
coordination and balance, 158
cranial nerves:
auditory/acoustic nerve, 157
facial nerve, 157
glossopharyngeal and vagus nerves, 157
oculomotor, trochlear, and abducens nerves, 156
olfactory nerve, 155–156
optic nerve, 156
spinal accessory and hypoglossal nerves, 157
trigeminal nerve, 156–157
developmental evaluation, of neurological domains:
automatic reflexes, 154–155
movements, 155
muscle tone, 155
evaluating infants, toddlers, and young children, 152–153
infant reflexes, 153–154
mental status examination:
affect and mood, 152
alertness, attention, and cooperation, 150
calculations, 151
delusions and hallucinations, 151–152
language, 151
logic, sequencing, and abstraction, 152
memory, 150–151
neglect and self-care, 151
object recognition, 151
orientation, 150
motor system, 157–158
reflexes, 158–159
sensory, 159–160
and difference from neuroimaging, 147–148
and difference from neuropsychological examination, 147
and Glasgow coma scale, 160
history of, 148–149
qualified to administer, 148
and Rancho Los Amigos Level of Cognitive Functioning Scale, 160
soft and hard neurological signs, 160
- Pediatric neuropsychiatry, 383
- Peer group or support, 23, 299, 437, 513, 526, 642
- Peer tutoring, 23, 219, 479
- Pemoline, 821
- Peripheral nervous system, 42, 44, 47, 57, 87, 145, 149, 312–313, 315, 317–318
- Phencyclidine (PCP), 596, 598, 609
- Phenobarbital, 451, 454
- Phenylketonuria (PKU), 68, 586
- Phenytoin, 451, 454, 581
- Phonemes, 251, 253, 290, 407, 496, 497, 503, 543, 669, 739, 747
- Phonemic awareness, 199, 270, 407–408, 411–412, 545, 665, 669–670, 739, 744
- Phonics, 232, 412, 414, 543–546, 744–745, 747–750, 794
- Phonological processing, 410
- Pia mater, 46
- Polymicrogyria, 65–66, 71
interference with cell migration and, 74
- Pons, as neuroanatomical structure, 50–51

- Porencephaly, 66
 cerebral hemisphere and corpus callosum and, 71
- Positive behavior, 478, 618, 675, 696, 707
- Positron emission tomography (PET), 15, 120, 122–124, 127, 132–133, 147, 310, 464, 609, 742
 neurophysiological or functional imaging techniques and, 343–345
- Prader-Willi syndrome, 79
- Premorbid, 108, 181, 183, 194, 202, 218, 281, 429, 431–432, 456, 607, 725, 782, 784, 787–790, 798
- Preschool, neurological development during, 21–22
- Prevention, 11, 16, 20, 25, 31–33, 194, 196–197, 207, 284, 368, 487, 511, 516, 533, 561, 566–569, 684, 713, 829, 831, 835, 842, 848
- Probes, 552
- Problem solving, 17, 22–23, 31, 104, 106, 172, 195–196, 200–201, 203, 223, 252, 288, 292, 298, 340, 342, 366, 379, 390, 395–396, 414, 435, 446, 467, 474, 476, 480, 536, 539–540, 547, 564–565, 568, 610, 629, 648, 651, 666, 670–671, 675–676, 678, 692, 702, 706–709, 711, 713, 721, 723, 726, 732, 743, 761–762, 764–765, 770, 778, 798–799, 829–831, 848
- Processing speed, 244, 270, 306, 308, 312, 314–317, 320–323, 339, 410, 431, 433
- Progressive Figures Test, 245
- Proprioceptive sensations, 48
- Prozac, 580, 804, 812–813, 815, 820
- Psychiatric disorders, 15, 17, 166, 187, 191, 218, 220–221, 255, 282, 291, 323, 333, 348, 384–386, 388–389, 391–394, 396–398, 409, 413, 445, 455, 460–461, 470–471, 582, 598, 607, 610, 616, 627, 629, 672, 694, 759–760, 770, 773, 804, 824
- Psychological paradigms, 534, 847
- Psychopathology, 388
- Psychopharmacology, 11
 classes of medications:
 antianxiety medication, 816–818
 antidepressants, 810–816
 antipsychotics, 807–810
 miscellaneous drugs, 822–823
 mood stabilizers, 818–820
 used to medicate ADHD, 820–822
- deciding which children to medicate, 805–806
- mechanism of action, 807
- state-dependent learning, 822
- trends, 804–805
- Public Law (PL) # 94-142, 4–5, 26, 366
- Public Laws, 4, 26, 366, 470, 644. *See also* IDEA
- ## Q
- Qualitative:
 approaches, 287–288, 295, 297, 310, 376, 797
 neuropsychological assessment and, 204–205
- Boston process approach and, 298–299
- data-assessment, 98–100, 147, 177–178, 180, 204–205, 227–229, 249, 256–257, 268–273, 280, 287–289, 291–293, 307, 310, 318, 376, 525, 667, 685, 710, 778–779, 800, 829
- measures of functioning, 198
- measures of school achievement, 198–200
- Quantitative:
 approaches, 287, 376
 data-assessment, 99, 147, 173, 177, 180, 204, 227, 229, 239, 249, 256, 287, 291–292, 297, 299, 306–310, 317, 319, 322, 343, 525, 548, 608, 667, 685, 760, 797, 800

Quantitative (*Continued*)

- magnetic resonance imaging, 330–331
- measures of functioning, 198
- measures of school achievement, 198–200

R

- Race, 30, 188, 513, 525, 615, 641, 840
- Rancho Los Amigos Level of Cognitive Functioning Scale, and pediatric neurological examination, 60
- Rapid automatized naming, 740, 742
- Reading disabilities, 5–6, 17, 91, 669, 742, 748, 773. *See also* Learning disabilities
- Reasoning, 22, 103, 125, 201–203, 214, 218, 220, 226, 229, 246–247, 249, 252, 287, 294, 306, 308, 312, 313, 317–322, 334, 339, 389, 392, 403–404, 414, 418, 429, 432, 454, 476–477, 539, 544, 548, 550, 566, 626, 629, 647, 672, 760, 762, 764–765, 772, 780, 793, 815
- Receptive speech, 251, 253
- Recommendations, 7, 31, 167, 173–175, 178, 181–182, 206, 216, 222–225, 229–231, 233, 241, 293, 297, 299–300, 365, 367–368, 372, 374, 380, 388, 397, 416, 456, 493, 498, 525–527, 536–537, 575, 580, 590, 687–688, 695, 698, 768, 804–805, 832, 847, 849
- Referrals, 31, 146, 157, 161, 164, 167, 172–173, 176–177, 179, 183–184, 189–190, 193, 200, 203–205, 214–218, 222, 224–226, 230–232, 237, 281, 294, 296, 298–300, 406, 494, 503, 525, 539, 541, 565, 589, 647, 651, 687–688, 694, 696, 714, 778, 785, 799, 815, 830
- examination of question, 180–181

- Reflexes, and pediatric neurological examination, 158–159
- Regional cerebral blood flow (rCBF), 15, 344
- Rehabilitation, 8, 16, 26–27, 67, 93, 149, 163, 179, 216, 247, 249, 256, 264, 310, 370, 373, 379, 434, 536–537, 539–540, 542–543, 590, 667, 671, 674, 689, 701–703, 709–711, 713–715, 721, 723–726, 729–731, 767, 788–793, 797, 799, 830, 847
- REHABIT (Reitan Evaluation of Hemispheric Abilities and Brain Improvement Training), 793, 850–851
- Reitan-Indiana Test Battery for Children:
 - qualifications for administering, 241
 - subtests, 240, 242–246
 - validation of, 246–248
- Reitan-Kløve Lateral Dominance Examination, 242
- Reliability:
 - acceptable, 203, 296, 565, 650
 - for decision making, 204, 257, 376
 - problematic, 177, 246–247, 274, 275–276, 832
 - research needed, 283, 298, 649
 - and treatment utility, 537, 842, 851
 - when testing children, 220, 227, 254, 309
- Remedial-remediation, 6–7, 25, 33, 90, 93–94, 135, 178, 350–352, 406–407, 409, 411–412, 436, 499, 536, 667, 674, 689, 703, 706, 708–709, 711, 713, 731, 748, 750, 767, 791, 793, 831, 846
- Report Writing, 213–214, 222, 536, 653
 - current issues, 227–233
 - expository process model, 224–225
 - general issues, 223–224
 - organization of, 225–227
 - behavioral observations, 226–227
 - history and background information, 226
 - identifying information, 225–226

reason for referral, 226
 test results, 227
 tests administered, 227
 school and, 205
 Research, current, 86, 481, 504, 533,
 610, 663, 759, 773
 Response to intervention, 6, 199, 561,
 537
 Rett's syndrome, 16
 Rey-Osterrieth Complex Figure, 650
 Rhythm Test, 240, 243–244, 251–253,
 353, 477, 787
 Ritalin, 591, 673, 821–822
 Rubella, 64, 71, 449

S

Schizencephaly, and neural tube
 abnormalities, 70
 Schizophrenia, 73–74, 221, 255, 348,
 384, 397, 461, 466, 582, 587, 620,
 623, 629, 714, 807–808, 810,
 818–819
 School:
 collaboration with medical facility,
 25–27
 interventions in, 163
 applied differential diagnosis,
 165–167
 diagnosis linked to, 164–165
 implications of, 163–164
 after neuropsychological
 impairment, 721 (*see also*
 School-Family interventions)
 reentry, 437, 691
 safety, 31
 School-Family interventions, 721
 affected child and family system,
 721–722
 analysis, 725
 effects on siblings, 724
 family dysfunction, 724–725
 financial stresses, 723–724
 managing support networks, 724
 multiple treatment settings, 723
 recovery milestones, 722–723
 special family stressors, 723
 family education, advocacy, and
 therapy, 728
 counseling, 731–732
 education, 728–730
 support and advocacy, 730–731
 family-school consultation, 725–727
 analysis, 728
 plan evaluation, 728
 plan implementation, 727
 problem and needs analysis, 727
 problem and needs identification,
 727
 School neuropsychology:
 application of procedures, 375–377
 approach to culturally and
 linguistically diverse children,
 641–642
 clinical interview and record
 review, 642–645
 flexible neuropsychological
 battery and, 645
 achievement, 647–648
 attention, memory, and
 learning, 649
 behavior and personality, 650
 communication and language
 skills, 645–646
 executive functions and problem
 solving, 648–649
 intelligence and cognitive,
 646–647
 sensory, perceptual, and motor,
 650
 intervention approaches, 651–653
 assessment approaches, 176–177
 ecological and treatment models,
 178–179
 fixed and flexible batteries, 177
 process approach, 177–178
 assessment outline, 179–182
 developmental/medical history
 taken with caregivers,
 183–186

School neuropsychology (*Continued*)

- afebrile seizures/epilepsy, 190–191
- ear infections/hearing problems, 187–188
- family history of illness, 186
- family history of perception about illness, 186
- headaches, 191
- hypoxic-ischemic injury of the brain, 192–193
- neurological complications of immunizations, 193
- poisoning/neurotoxin exposure, 193–194
- problems of attention, 186–187
- sleep disorders, 191
- traumatic brain injury, 191–192
- vision problems, 188–190
- educational setting and applied practice, 373–375
- examination of referral question, 180–181
 - referral source, 181
- file review, 181
 - absences from school, 182
 - history of chronic illness, 182
 - neurotoxin exposure, 182
 - prior assessments, 182
 - psychological trauma, 182
- measures of functioning, quantitative and qualitative, 198
- measures of school achievement, quantitative and qualitative, 198–200
- neuropsychological assessment battery, 200
 - clinician competencies, 200, 202
 - systems for interpretation, 202–204
- observations, 197–198
- qualitative information, 204–205
- report, 205–206
- clinical interviewing, 213–215
 - background information, 215–216
 - behavioral observations, 220–222
 - of the child, 219–220
 - initial contact, 215
 - parent interview, 216–219
 - teachers and school personnel, 219
- compared to adult neuropsychology, 18–24
 - stages of neurodevelopment, 18–19
 - adolescence, 23–24
 - elementary school, 22–23
 - fetal period, 19–20
 - infancy, 20–21
 - preschool, 21–22
- consulting as critical aspect of, 27–29
- crisis intervention services in, 29–33
- definition of, 16–18
- development of specialty areas, 4–5
- evolution of, 3–4
- examination, 172–174
 - assessment approaches, 176–177
 - ecological/treatment models, 178–179
 - fixed and flexible batteries, 177
 - process approach, 177–178
 - differences between clinical and school neuropsychological practice, 174–176
 - evaluating research, 850
- historical links, 365–366
- importance of, 16–18
- integrating neuropsychological services, 827
 - emergence in schools, 827–828
 - as evidence-based practice, 832
 - ADA division 16 task force
 - criteria for evidence-based interventions, 834, 845–848
 - evidence-based interventions, 833–834
 - validity issues in school neuropsychological assessment, 832–833
 - needs, opportunities, and advances, 828–828

- establishing role of school
 - neuropsychologist, 829–831
- practice, 34, 173, 827
 - difference with clinical
 - neuropsychological practice, 174–176
- report writing, 205–206, 222–223
 - current issues, 227–233
 - expository process model, 224–225
 - general issues, 223–224
 - organization of:
 - behavioral observations, 226–227
 - history and background information, 226
 - identifying information, 225–226
 - reason for referral, 226
 - test results, 227
 - tests administered, 227
 - specialties, 9–10, 12, 27, 175, 346, 777, 840, 852
 - genesis of, 4–5
- School Psychologists:
 - case study, 8–10
 - establishing role of, 829–831
 - evolution of practice, 10–12
 - training, 7–10
- Seashore Rhythm Test. *See* Rhythm Test
- Section 504 (of Rehabilitation Act), 365, 370–373, 470, 499, 569
 - historical links, 365–366
- Sedatives, 597, 609
- Seizure disorders, 62–63, 65, 79, 190, 197, 304, 457, 581
 - anticipated impact on learning and psychological functioning:
 - learning outcomes, 453–454
 - psychological and behavioral outcomes, 455
 - medical evaluations and treatment options:
 - medical evaluation, 450–451
 - medical treatment:
 - AED therapy, 451
 - ketogenic diet, 452
 - surgery, 452–453
 - medical facts pertinent to school
 - psychologists, 445
 - seizure classification, 445
 - generalized seizures, 446–447
 - partial seizures, 445–446
 - syndromes, 447
 - benign rolandic seizures, 448
 - febrile seizures, 448
 - Landau-Kleffner syndrome, 449
 - lennox-gastaut syndrome, 448–449
 - neonatal seizures, 448
 - pseudoseizures, 449–450
 - providing services to learners with, 444–445
- Self-control, 21, 479–481, 673, 788
- Self-management, 197, 479, 791
- Sensory examination, and pediatric neurological examination, 159–160
- Sensory Perceptual Examination, 123, 239–240, 243
- Sequential processing, 201, 306, 319, 337–338, 766
- Serotonin (5-hydroxytryptamine). *See* Neurotransmitters
- Simultaneous processing, 102–104, 106, 128, 290, 306, 319, 338, 496
- Single photon emission computed tomography (SPECT), 47, 123, 147, 354–355, 468, 609
 - neurophysiological or functional imaging techniques and, 345
- Skill deficits, 20, 25, 253, 264, 405, 411, 413, 620, 692
- Smell, 48, 58, 155–156, 165, 619
- Social skills deficits, 20, 405
- Somatic system or difficulties, 42, 47, 185, 391, 543–544, 625, 815, 824
- Sound boxes, 743–744
- Speech-Sounds Perception Test, 95, 240, 244, 477

- Speeded naming, 268, 270
- Spelling, 91, 232, 242, 252–253, 308, 316, 318, 322, 354, 403, 406, 408–409, 412–413, 415, 431, 433, 453, 496, 498, 520, 545, 547, 551, 576, 647–670, 688, 739–750, 752, 761, 779–785, 787, 791, 793–794, 795, 797–798
- Spina Bifida, 45, 64, 66, 78, 221, 564, 585
neural tube abnormalities and, 69–70
- Stanford-Binet Intelligence Scale, 205, 305–306, 548, 785
- Steroids, 195, 321
- Stimulants, 195
- Strategy instruction, 671, 703–704, 706, 709–710, 745, 751, 768, 792
- Strengths:
assessment of, 181, 202–203, 222, 226–227, 248, 250, 266, 375, 377–378, 514, 623, 646, 678, 748, 763, 788, 846
biogenetic causes, 147, 257, 264, 793
cognitive, 22, 213, 323, 688
hemispheres, 128, 494, 625, 628, 665, 674, 784, 790
history of, 182, 219, 230, 331, 653, 726
interventions, 135, 206, 230, 247, 282–283, 299, 399, 414, 525, 590, 621, 627, 647, 667, 675, 677, 679, 687, 692, 698, 701, 772–773, 795
learning accommodations, 23, 25, 167, 215, 219, 231, 274, 293, 305, 439, 499, 651, 665, 689, 693, 705, 787, 789, 796–797
reported, 28, 218, 228, 256, 266, 292, 727–728, 758, 761, 791
- Stress, 22, 29, 193, 196, 205, 218, 288, 385–386, 393, 398, 434–435, 450, 457, 478, 500, 515, 524, 538, 575, 578, 619–621, 630, 643, 670, 723–724, 812, 822
- Students with neuropsychological difficulties, mandatory education, 24–25
- Sturge Weber syndrome:
assessment considerations, 630
characteristics, 630
providing neurological services to, 629
treatment considerations, 630–631
- Substance abuse, 33, 194, 282, 385, 433, 469, 575–577, 579, 639, 725, 733
- psychoactive research issues, 607
cocaine/stimulants, 609
hallucinogens/LSD/ecstasy, 608
inhalants/solvents, 609–610
marijuana/cannabis, 607–608
opiates, 608–609
phencyclidine, 609
polydrug abuse, 610
sedatives, 609
- understanding the neuropsychology of, 596–598
brain structure and processes, 599–607
overview of, 598
- Substantia nigra, 54, 57, 466, 808
- Sulci, 55, 72–74, 328–329
- Superconducting quantum interference device, 348
- Sylvian fissure, 55
- Sympathetic nervous system, 822
- Synapse, 42, 467, 496, 601–603, 666, 810
- Synaptic pruning, 468
- Systemic approach, 34, 100, 463, 465, 515, 520, 676–677, 731
- ## T
- Tactile Form Recognition Test, 230
- Tactual Performance Test, 95–96, 245, 787
- Target Test, 240, 246
- Teachers, 22–23, 25–29, 32–33, 93, 174–176, 182, 197–198, 219, 224, 233, 275, 297, 299, 300, 327, 356,

- 367–369, 388, 391–392, 397–398, 412, 432–434, 438–439, 450, 455–456, 470, 477, 480, 493, 499–500, 523, 535, 538, 541, 619, 621, 626, 630, 639, 652, 666, 673, 676–678, 681, 721, 726–727, 743, 746, 759, 787, 790, 794–797, 805–806, 840, 851
- Teaching methods, 163, 377, 670
- Team, 27, 29, 31, 149, 167, 173–176, 195, 206, 215–216, 246, 366–367, 397–399, 404, 437–438, 494, 499, 526, 547, 590, 616, 621, 626, 628, 630, 642, 653, 676, 678, 690–691, 694, 696, 697, 721–722, 724, 726–728, 730, 732, 773, 796
- Temporal lobe, 55–56, 58, 99, 101, 129, 166, 290, 349, 429–430, 432, 452–454, 492, 495–496, 498, 622, 629, 738, 742
- Test of Memory and Learning, 294, 334, 339
- Thalamus, as neuroanatomical structure, 53
- Thinking, 19, 21, 23, 106, 109, 184, 289, 308, 312–313, 317–319, 321, 322, 429, 474–475, 544–545, 548, 629, 670, 676–677, 709, 710, 732, 788
- Thioridazine, 582, 809
- Thorazine, 582, 807–809
- Tofranil, 810–811
- Tourette's syndrome, 17, 213, 220–222, 582, 823
 assessment considerations, 620–621
 providing neurological services to, 619–620
 treatment considerations, 621
- Tower of Hanoi, 473, 476, 552, 786
- Tower of London, 476
- Toxic exposure, 193
- Toxoplasmosis, 77, 449
- Trail Making Test, 244
- Treatment effects, 194, 512, 524, 842
- Tricyclic antidepressants, 580
- Tuberous sclerosis complex:
 assessment considerations, 628
 providing neurological services to, 627–628
 treatment considerations, 627
- Tumors. *See* Brain tumors
- Turner syndrome:
 assessment considerations, 625
 providing neurological services to, 624–625
 treatment considerations, 625
- ## V
- Validity:
 acceptable, 96, 177, 203, 296, 651
 for decision making, 204, 255, 257, 276, 845, 849
 problematic, 106, 130, 246–247, 274, 275–276, 832
 research needed, 200, 265, 270, 276, 278, 283, 565, 701, 829, 836, 839, 842
 treatment utility and, 173, 175, 179, 203, 205–206, 222, 379, 473, 477, 537, 541, 778, 833, 845, 852
 when testing children, 220, 227, 254, 267, 278, 309, 392, 844
- Valium, 581, 816–818
- Velocardiofacial syndrome:
 assessment considerations, 629
 characteristics, 628–629
 providing neurological services to, 628
 treatment considerations, 629
- Ventricles, 53, 54, 70, 328, 330, 333, 354–355, 562, 622, 624, 627
 system, 46
- Violence, 19, 25, 30–33, 597
- Vision, 4, 48, 121, 153, 156, 163–166, 184–185, 188–189, 190, 215, 253, 278, 280, 318, 429, 615, 674, 785, 810, 828

Visual attention, 244, 268, 278, 290, 416, 780
 Visual confrontation, 277, 278, 322
 Visual-perceptual problems, 163, 624
 Vocabulary, 94, 199, 220, 225, 278, 319, 334, 339, 341, 353, 410, 412, 415, 500–501, 544, 545, 547, 549, 626, 740–741, 748–749, 751, 780, 782
 Vygotsky approach, 289, 309, 665, 678, 707–708, 793

W

Wechsler Adult Intelligence Scale (WAIS), 255, 293, 295–296, 298, 306, 319–320, 353, 519, 640, 643, 646
 Wechsler Individual Achievement test (WIAT), 230, 275, 297–298, 404, 545, 548, 785
 Wechsler Intelligence Scale for Children (WISC), 91, 122, 204, 232, 239, 241, 272–273, 275–276, 306, 311, 341–342, 389, 404, 431, 433, 518–519, 545, 646–647, 785
 Wellbutrin, 812, 814, 820
 Wernicke's aphasia, 121, 781
 White matter, 51, 54, 62, 65–69, 71, 73, 77, 121, 127, 330–332, 337, 344, 406, 429, 467, 515, 517, 519, 562, 624, 627, 629, 670
 Wisconsin Card Sort Test, 294, 342, 473, 476–478, 565, 648, 786
 Woodcock-Johnson Tests of Achievement, 123, 230, 232, 276, 297–298, 404, 519, 566, 648, 785, 851
 Woodcock-Johnson Tests of Cognitive Abilities, 123, 232, 276, 306, 318, 519, 548, 565, 566, 647, 648, 785

Word attack, 307, 566, 742, 748–749
 Word fluency, 404
 Word identification, 307, 322, 408, 741, 749–750
 Word list (Dolch), 544, 546, 822
 Written Language, 188, 403, 407, 413, 476, 664–665, 670, 677, 741, 743, 759
 agraphias, assessment of, 784–788
 development and process, 778–780
 disorders, 780–784
 interventions, 788
 general issues related to
 rehabilitation, 788–790
 historical foundations, 777–778
 models and strategies, 792–796
 evaluation of, 796–798
 principles of, 790–792

X

Xanax, 816–817

Y

Y-Aminobutyric acid (GABA). *See* Neurotransmitters

Z

Zone of Proximal Development, 665, 793