

Index

Symbols and Numbers

< > (angle brackets), CFML tags, 738
 * (asterisk), wildcard, 755
 # (pound sign)
 CFML tags, 739–740
 surrounding text with, 128
 / (slash), CFML tags, 738
 // (slashes), comment indicator, 451
 2-up view, 182, 306–308
 3D Rotation tool, 668–669
 4-up view, 182, 306, 308–309
 45-degree lines, 219

A

absolute paths, 35
 Access, 21
 access permissions, 541–543
 Accessibility report, 92
 Action feature, 355
 actions. *See also* ActionScript; *specific actions.*
 advanced, 450–451
 in buttons, 453–456
 comments, 450–451
 event handling, 425, 450
 in frames, 451–453
 movie clip control, 448–451
 sounds, muting, 449
 Timeline control, 449
 Web pages, 450
 Actions option, 487
 Actions panel, 449
 Actions submenu, 488–489
 ActionScript. *See also* actions.
 for Flash movies, 698–699
 server-side ActionScript, 474
 uses for, 447–448
 writing, 451

active layers, 402
 ActiveX, inserting, 151–152
 adjusting colors, 254–259
 Administer Website dialog box, 537–539
 Administer Websites option, 490
 administering Web sites. *See also*
 Contribute 3; maintaining, Web sites.
 access permissions, 541–543
 Administration dialog box, 490
 administrators
 e-mail address, 529–530
 passwords, 530–531
 setting up, 525–529
 connection keys, 558–561
 CPS (Contribute Publishing Services),
 531–532
 file backups, 535–536
 file placement rules, 551–553
 mapping alternative Web site addresses,
 532–533
 mapping to index files, 533–535
 new page defaults, 536–537
 Paragraph Spacing option, 544–545
 permissions, deleting, 537
 roles
 deleting, 538–539
 edit permissions, 543–545
 file access permissions, 541–543
 file deletion permission, 543
 file size limits, 556–558
 folder access permissions, 541–543
 fonts permissions, 546–548
 image editing permissions, 556–558
 page creation permissions, 548–551
 setting up, 538
 settings, editing, 539–540
 settings, general, 540–541
 style permissions, 546–548
 Rollback feature, 535–536
 settings, 490, 537
 shared assets, 553–556
 users, setting up, 537–539
 Web server settings, 532–535

816 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- administrators
 - e-mail address, 529–530
 - passwords, 530–531
 - setting up, 525–529
- Advanced icon, 128–129
- AI files, exporting, 301
- Alien Skin Eye Candy 4000, 262
- Align panel, 579, 645–646
- aligning
 - images, 66
 - layers, 115–116
 - objects, 385–386, 645–646
 - slices, 295
 - text, 62, 506, 619
 - text along a path, 217
- alpha transparencies, 335
- Always Use Source PNG, 189
- angle brackets (< >), CFML tags, 738
- Animated GIF Web Snap 128 settings, 303
- animated GIFs, 286–289, 312
- animation
 - See also* Flash 8
 - See also* movies
 - See also* Timeline
 - See also* video
 - button symbols, 399
 - event handling, 425
 - for Flash movies, 696–698
 - frame-by-frame, 417–418
 - go to specific frame, 424–425
 - interactivity. *See* actions.
 - jerky movement, 414
 - length, changing, 415
 - morphing. *See* shape tweening.
 - motion tweening, 417–422
 - onion skinning, 415–416
 - playing, 425
 - scenes
 - adding, 426
 - definition, 350
 - deleting, 426
 - duplicating, 426
 - go to, 449
 - renaming, 426
 - reordering, 426
 - Timeline organization, 352
 - viewing, 426
 - shape tweening, 422–424
 - stop playing, 425
- annotations, 87
- Answers panel, 579
- anti-aliasing, 271. *See also* blurring; feathering.
- Application category, 129–130
- Application panel, 124
- application server. *See* Web application server.
- application sites, 13
- Application tier architecture, 712
- approvers, 39
- Arc tool, 668
- arcs, 668
- arrayNew() function, 770–771
- arrays. *See also* lists; structures.
 - creating, 770–771, 776–780
 - definition, 773
 - two-dimensional, 779–780
 - using, 777–779
- Ask When Launching, 189
- Assets panel, 181, 579
- Assets panel, Swatches tab
 - adding colors to
 - custom colors, 679–680, 685
 - preset colors, 683
 - exporting color palettes, 684–685
 - overview, 681–682
 - renaming colors, 683–684
- asterisk (*), wildcard, 755
- audience analysis, 11
- audio, 19, 148. *See also* sound.
- audio clips, 149–150
- Auto Levels control, 254
- auto shape objects, 181
- Auto Shape Properties panel, 181
- Auto Shapes menu, 222–224
- auto-expanding text boxes, 608, 613–614

B

- Back button, 485
- background
 - colors, 58, 114, 507–508
 - images, 58, 114
 - music, 150
- baseline shift, 626
- basic fills, 688–689
- best practices
 - absolute paths, 35
 - approvers, 39
 - browser support, 32, 36–37
 - code protection, 35–36
 - commenting code, 35
 - common requirements, 32–33
 - concept development, 32
 - connection speed, 33
 - content generation, 33
 - content specialists, 39
 - database, selecting, 33
 - definition, 31
 - deployment, 36–38
 - designers, 38
 - digital certificates, 36
 - download speeds, 37
 - dynamic HTML, 33
 - feature design, 33
 - file extensions, 33
 - file sharing, 36
 - files, naming conventions, 35
 - folder organization, 35
 - graphics design, 33
 - hackers, protecting against, 35–36
 - interface design, 33
 - PDA accessibility, 33
 - producers, 38
 - programmers, 38
 - quality assurance, 39
 - relative paths, 35
 - requirements definition, 32
 - screen resolution, 32
 - security, 35–36
 - site construction, 34–36
 - site design, 33
 - soft launch, 38
 - style sheets, 33
 - team building, 38–39
 - team involvement, 39
 - technical design, 33
 - testing, 36–38
 - Web connections, 37
 - Web phone accessibility, 33
 - Web-safe colors, 32
- bicubic interpolation, 187, 199
- bilinear interpolation, 187, 199
- binding data sources, 133–134
- Bindings tab, 133–134
- bitmap fills, 389
- bitmap images
 - See also* graphics
 - See also* illustrations
 - See also* images
 - See also* vector images
- editing, 233–234
- erasing, 234
- FreeHand MX illustrations, 649–650
- gradients, 252
- inserting, 230–231
- scaling, 235–238
- selecting, 231–233
- tools, 179–180, 228–230
- tracing, 664–666
- bitmap masks, 271–273
- Bitmap Option, 188
- Bitmap tools, 177, 179–180
- bleed, 590
- blending
 - colors. *See* gradients.
 - objects, 279–282
- blending modes, 279–280
- Blur tool, 180, 259–260
- blurring, 259–261, 271. *See also* anti-aliasing; feathering.
- BMP files, exporting, 301
- bold text, 62, 506
- bookmarks, 491
- Bookmarks menu, 491

818 Macromedia Studio 8 All-in-One Desk Reference For Dummies

- books and publications
 - ColdFusion MX For Dummies*, 762
 - Macromedia Flash 8 ActionScript Bible*, 811
 - SQL For Dummies*, 755
- borders, images, 66
- breaking apart text and objects, 385
- Brightness/Contrast control, 255
- Browse mode, 485–486
- Browser option, 491
- browser support, 32, 36–37, 50
- Browser/Editor panel, 485–487
- browsing Web pages, 485–486, 491
- Brush tool, 228–230
- brushlike effects, 372–373
- Brush-Size Painting Cursors, 188
- bulleted lists, 509
- Burn tool, 180
- burning (darkening) images, 180
- buttons, Studio 8 interface. *See specific buttons.*
- buttons, Web page
 - actions, 453–456
 - adding to forms, 100–101
 - changing state, 146
 - events, 454
 - Flash, 142–144
 - None, 100–101
 - Reset Form, 100–101
 - rollovers
 - advanced, 321–324
 - Flash, 142–144
 - image swaps, 324–326
 - simple, 285–286
 - Submit, 100–101
 - symbols, 391, 398–400
 - resizing, 201–203
 - slicing, 277–278
- Cascading Style Sheets (CSS), 98
- cells, selecting, 47–48, 515–516
- cfapplication button, 128
- cfbreak button, 128
- <CFBREAK> tag, 128
- cfcase button, 128
- <CFCASE> tag, 128
- cfcatch button, 128
- <CFCATCH> tag, 128
- cfchart button, 129
- <CFCHART> tag, 814
- cfcontent button, 128
- cfcookie button, 128
- cfdefaultcase button, 128
- <CFDEFAULTCASE> tag, 128
- cfdirectory button, 129
- cfelse button, 128
- <CFELSE> tag, 128, 751–752
- cfelseif button, 128
- <CFELSEIF> tag, 128, 752
- cferror button, 128
- cffile button, 129
- <CFFORM> tag, 791–794
- CFFORM category, 130
- cfftp button, 129
- cfheader button, 128
- CF.http, 813–814
- cfhttp button, 129
- cfhttpparam button, 129
- cfif button, 128
- <CFIF> tag, 128, 751–752
- cfimport button, 129
- cfinclude button, 128
- <CFINCLUDE> tag, 128, 749–750
- cfindex button, 129
- <CFINPUT> tag, 794
- cfinsert button, 128
- <CFINSERT> tag, 128, 787–790
- cfldap button, 129
- cflocation button, 128
- <CFLOCATION> tag, 128
- cflock button, 128
- <CFLOCK> tag, 128

C

- Calligraphic Pen tool, 639
- calligraphy, 639
- calling functions, 770
- Cancel Draft option, 489
- canvas
 - definition, 263
 - magnification, 195–196

- cfloop button, 128
- <CFLOOP> tag, 128, 774–775
- cfmail button, 129
- CFML (ColdFusion Markup Language). *See also* ColdFusion MX 7; HTML.
 - alternatives. *See* CF.http; CF.query.
 - conditional processing, 750–753
 - database queries. *See* SQL queries.
 - functions. *See* functions, CFML.
 - tags, summary of, 738–742. *See also specific tags.*
 - templates, 747–750
 - uses for, 713
 - variables. *See* variables, CFML.
 - Web page architecture, 747–750
- CFML category, 127–128
- cfmodule button, 129
- cfobject button, 129
- cfoutput button, 128
- <CFOUTPUT> tag, 128, 739–740, 759
- cfparam button, 128
- <CFPARAM> tag, 764–767
- cfpop button, 129
- CF.query, 813–814
- cfquery button, 127
- <CFQUERY> tag. *See also* queries.
 - accessing variables, 768
 - creating, 127
 - description, 787
 - using, 755–756, 788
- cfscript button, 128
- <CFSCRIPT> tag, 128
- cfsearch button, 129
- <CFSELECT> tag, 794
- cfset button, 128
- <CFSET> tag, 742
- cfswitch button, 128
- <CFSWITCH> tag, 128, 753
- cfthrow button, 128
- <CFTHROW> tag, 128
- cftry button, 128
- <CFTRY> tag, 128
- cfupdate button, 128
- <CFUPDATE> tag, 128, 787, 790
- changes, tracking. *See* Design Notes.
- character spacing, 208
- charts and graphs, 129, 814
- check boxes, 458, 460
- Check Browser Support button, 50
- Check In button, 50
- Check Out File(s) button, 50
- checking files in/out, 50, 91, 93. *See also* source control.
- child layers, 120
- Choose button, 486
- Choose File on Website, 491
- circles, 369, 595
- Clear option, 490
- clickable images. *See* image maps.
- cloaking, 87
- CMYK (Cyan Magenta Yellow Black),
 - mixing, 674–675
- CMYK color mode, 340
- code and design views, 50
- Code panel, 124
- code protection, best practices, 35–36
- code validation, 50, 156
- code views, 44, 46–47, 50, 124
- ColdFusion Administrator, 713, 723–726, 730–733
- ColdFusion Markup Language (CFML). *See* CFML.
- ColdFusion MX 7. *See also* CFML (ColdFusion Markup Language).
 - application parameters, 128
 - charting, 129
 - code generation. *See* Dreamweaver 8.
 - comments, 128
 - component calls, 129
 - components, 135–136, 712, 720–721
 - content tags, 128
 - cookies, 128
 - creating dynamic elements, 29
 - data sources. *See also* databases.
 - binding to, 133–134
 - creating, 726–730
 - database connections, 130–132
 - database queries. *See* SQL queries.
 - directories, 129
 - e-mail, 129
 - error information, 128
 - files, 129

820 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

ColdFusion MX 7 (continued)

- FTP requests, 129
 - headers, creating, 128
 - help tutorials, 52
 - HTTP requests, 129
 - importing tag libraries, 129
 - integration with
 - Dreamweaver, 167, 807–810
 - Fireworks, 810
 - Flash, 474, 477, 810–811
 - Flash Remoting Service, 811–813
 - ISPs, 714
 - LDAP access, 129
 - modules, specifying, 129
 - page encoding, 128
 - parameters, creating, 128
 - POP servers, 129
 - searching, 129
 - server behaviors, 135–136
 - server variables, 127
 - setting up, 714–718
 - surrounding text with #, 128
 - tags, 127–130
 - uses for, 15, 29
 - variables, setting, 128
 - Web application server, 710, 712, 714–718
- ### ColdFusion MX 7, user interface
- Application panel, 124
 - Bindings tab, 133–134
 - cfapplication button, 128
 - cfbreak button, 128
 - cfcase button, 128
 - cfcatch button, 128
 - cfchart button, 129
 - cfcontent button, 128
 - cfcookie button, 128
 - cfdefaultcase button, 128
 - cfdirectory button, 129
 - cfelse button, 128
 - cfelseif button, 128
 - cferror button, 128
 - cffile button, 129
 - cfftp button, 129
 - cfheader button, 128
 - cfhttp button, 129
 - cfhttpparam button, 129
 - cfif button, 128
 - cfimport button, 129
 - cfinclude button, 128
 - cfindex button, 129
 - cfinsert button, 128
 - cfldap button, 129
 - cflocation button, 128
 - cflock button, 128
 - cfloop button, 128
 - cfmail button, 129
 - cfmodule button, 129
 - cfobject button, 129
 - cfoutput button, 128
 - cfparam button, 128
 - cfpop button, 129
 - cfquery button, 127
 - cfscript button, 128
 - cfsearch button, 129
 - cfset button, 128
 - cfswitch button, 128
 - cfthrow button, 128
 - cftry button, 128
 - cfupdate button, 128
 - Code panel, 124
 - Code view, 124
 - ColdFusion Page Encoding button, 128
 - Comment button, 128
 - Delete Record feature, 130
 - Display Record Count feature, 130
 - Dynamic Data feature, 129
 - Insert bar
 - Advanced icon, 128–129
 - Application category, 129–130
 - CFFORM category, 130
 - CFML category, 127–128
 - command categories, 126–130
 - definition, 124
 - features, 126–130
 - Flow icon, 128
 - Insert Record feature, 130
 - Master Detail Page Set feature, 130
 - More Tags button, 129

- Recordset feature, 129
- Recordset Paging feature, 130
- Reference tab, 124
- Repeated Region feature, 129
- Show Region feature, 129
- Snippets tab, 124
- Stored Procedure feature, 129
- Surround with # button, 128
- Update Record feature, 130
- User Authentication feature, 130
- XSL Transformation feature, 130
- ColdFusion MX For Dummies*, 762
- ColdFusion Page Encoding button, 128
- collaboration. *See also* Contribute 3; teams.
 - creating Web pages, 503–504
 - Design Notes, 87
 - editing Web pages, 502
 - previewing your work, 520–521
 - publishing Web pages, 520–521
 - site connections, 498–501
- tables
 - adding data to, 511–512
 - cells, selecting, 515–516
 - columns, selecting, 515–516
 - documents in, 519–520
 - Flash movies, 517
 - header rows, 514
 - images, 516–517
 - inserting in Web pages, 510–511
 - links, 517–519
 - modifying, 512–516
 - row height, 515
 - rows, selecting, 515–516
 - wrapping text, 514
- text, 504–509
- working offline, 521
- collapsing/expanding
 - layers, 264, 266
 - panels, Fireworks 8, 183–184
 - panels, Flash 8, 357
- Site tab, 50
- view of nested layers, 121–122
- views, nested layers, 121–122
- Color Defaults, 187
- color management. *See* Mixer tab; Swatches tab; System Color Picker.
- color modes
 - changing, 340
 - CMYK, 340
 - RGB, 340
- colors. *See also* gradients.
 - adding, 182
 - adding to Swatches tab
 - custom colors, 679–680, 685
 - preset colors, 683
 - adjusting, 254–259
 - applying to objects, 678
- Auto Levels control, 254
- background, layers, 114
- background, selecting, 58
- blending. *See* gradients.
- blurring, 259–261. *See also* gradients.
- brightness, 255
- Brightness/Contrast control, 255
- contrast, 255
- Convert to Alpha filter, 261–262
- copying, 181
- creating, 386–387
- curve adjustments, 255–256
- Curves control, 255
- defaults, 187, 386
- dithering, 205
- editing, 182
- exporting color palettes, 684–685
- and file size, 206
- fills
 - adding to shapes, 227–228, 598–600
 - bitmap, 389
 - defining, 598–600
 - editing, 388–389
- filters, 254
- Find Edges filter, 261–262
- fonts, 211–214
- hexadecimal, 204
- histograms, 258
- hue adjustments, 255, 257–258
- Hue/Saturation control, 255

822 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

colors (*continued*)

- Invert control, 255
- level adjustment, 255, 258–259
- Levels control, 255
- lightness adjustments, 255, 257–258
- links, 59
- links, changing on rollover, 139–141
- live effects, 254
- managing, 203–206
- mixing. *See* Mixer tab; Swatches tab; System Color Picker.
- outlines, 410
- painting areas, 181
- palettes
 - definition, 304
 - exporting, 684–685
 - renaming, 683–684
 - replacement, 179–180
 - saturation adjustments, 255, 257–258
 - selecting and applying, 181
 - sharpening, 259–261
 - solid, creating, 386–387
 - solid fills, 181
 - strokes, 227
 - text, 58, 61, 506–507, 618–619
 - text background, 507–508
 - tints, 680–681
 - transparency, 261–262
 - vector images, 226–228
 - Web-safe, 204–206, 386
- Colors panel, 182
- Colors tools, 178, 181
- columns
 - database, SQL queries, 754
 - tables, selecting, 515–516
 - text, formatting, 621–622
- Combinable Nested Font Tags report, 91–92
- combo boxes, 458, 461–462
- command categories, ColdFusion MX 7, 126–130
- Command menu, 353
- Comment button, 128

comments

- actions, 450–451
- best practices, 35
- ColdFusion MX 7, 128
- frames, 414
- commerce sites, 13
- component calls, 129
- components, Web pages, 457–465. *See also* symbols; *specific components*.
- compression, 183, 297
- concept development, best practices, 32
- conceptual content organization, 19
- conditional processing, CFML, 750–753
- Connect to Remote Host button, 50
- connection keys, 498–499, 558–561
- connection speed, best practices, 33
- Connection Wizard, 499–501
- connections, maintaining, 490
- content development
 - audio content, 19
 - basic steps, 17–18
 - choosing content, 18–19
 - conceptual organization, 19
 - considerations, 11
 - document content, 19
 - with Flash 8, 348–349
 - forms, 19
 - functional organization, 20
 - graphics content, 19
 - grouping by type, 20
 - hierarchical organization, 20
 - keyword organization, 20
 - logical organization, 20
 - organizing content, 19–20
 - plug-ins, 19
 - preparation, 22
 - text content, 19
 - topical organization, 20
 - types of content, 19
 - video content, 19
- content generation, best practices, 33
- content specialists, best practices, 39
- content tags, 128

- contrast, 255
- Contribute 3
- versus* Dreamweaver 8, 482
 - integration with Dreamweaver, 167–169
 - mapping alternative Web site addresses, 532–533
 - preferences, setting, 493–496
 - site management, 29–30
 - user interface
 - Actions submenu, 488–489
 - Back button, 485
 - Bookmarks menu, 491
 - Browse mode, 485–486
 - Browser/Editor panel, 485–487
 - Choose button, 486
 - Choose File on Website, 491
 - Edit menu, 489–490
 - Edit mode, 487
 - Edit Page button, 486
 - File menu, 487–489
 - Format menu, 492
 - Forward button, 485
 - Go button, 486
 - Help menu, 492
 - Home Pages button, 486
 - How Do I panel, 484–485
 - Insert menu, 491
 - menus, 487–492
 - New Page button, 486
 - Pages panel, 483–484
 - panels, 482–487
 - Refresh button, 485
 - Stop button, 485
 - Table menu, 492
 - View menu, 490–491
 - uses for, 14, 29–30, 481–482
 - Contribute compatibility, enabling, 88
 - Contribute Publishing Services (CPS), 531–532
 - contributors. *See* collaboration; Contribute 3; teams.
 - Control menu, 353
 - Controller toolbar, 576
 - Convert to Alpha filter, 261–262
 - Convert to Fireworks Objects, 190
 - Convert to Frames, 190
 - cookies, 128, 797–799
 - copying
 - colors, 181
 - frames, 415
 - layers, 405
 - objects, 377
 - text, 376–377
 - corner points, 223
 - CPS (Contribute Publishing Services), 531–532
 - Crop tool, 179
 - cropping images, 179, 188
 - cross referencing databases, 784
 - CSS (Cascading Style Sheets), 98
 - CSS Layers, export option, 314
 - Current frame, 355
 - curve adjustments, 255–256
 - curve points, 223
 - curves, 223, 372, 382–383
 - Curves control, 255
 - custom fills, 692
 - Cut option, 490
 - cutting and pasting
 - between Flash 8 and Fireworks 8, 471–472
 - objects, 490
 - cutting objects, 276–277
-
- ## D
-
- darkening (burning) images, 180
 - data collection forms, 466–468
 - data sources, ColdFusion MX 7, 130–134.
 - See also* databases.
 - data types, CFML, 744
 - Database tier architecture, 712
 - databases. *See also* ColdFusion MX 7.
 - Access, 21
 - connections, 130–132
 - cross referencing, 784
 - elements of, 718–719
 - flat file, 719
 - ODBC (Open Database Connectivity), 786–787

824 Macromedia Studio 8 All-in-One Desk Reference For Dummies

- databases (*continued*)
 - OLE (Object Linking and Embedding), 786–787
 - outputting queries to the screen, 758–759
 - queries, 787–790, 813. *See also*
 - <CFQUERY> tag; SQL queries.
 - relational, 783–786
 - selecting, best practices, 33
 - table data, 757–759
 - types of, 719
 - unique identifiers, 754
- DateFormat () function, 772
- date/time format, 772
- debugging, 51, 726, 733–734
- DELETE command, 757
- Delete Draft option, 489
- Delete Layer button, 354
- Delete Objects When Cropping, 188
- Delete Page option, 488–489
- Delete Paths When Converting..., 188
- Delete Record feature, 130
- Delete Settings option, 299
- deleting
 - drafts of Web pages, 489
 - frames, 106, 284, 415
 - FreeHand MX pages, 587, 590–591
 - images from cells, 74
 - images from pages, 65
 - keyboard shortcuts, Flash 8, 363
 - layers
 - Backspace key, 113
 - versus* cutting, 113
 - Delete button, 405
 - Delete key, 113
 - Delete Layer button, 354
 - drag and drop, 265
 - from the Layer list, 403
 - from Layers panel, 604
 - links, 68
 - masks, 273
 - movie clips, 450
 - PNG source files, 339
 - roles, 538–539
 - scenes, 426
 - table data, 757
 - tables, 72
 - text, 60–63, 215
 - text boxes, 612
 - text from cells, 74
 - text from pages, 60–63
 - vector images, 224–225
 - Web pages, 488–489
- deployment, 36–38, 726. *See also* exporting; publishing.
- Design Notes, 87, 157–159
- Design Notes report, 91
- design views, 46–47, 50–51
- Designer workspace, 44
- designers, 38
- developing Web content. *See* content development.
- digital certificates, 36
- Director, 314, 344
- directories, 129
- Display Record Count feature, 130
- Display tier architecture, 712
- Distort tool, 179, 238–240
- distorting
 - definition, 239
 - images, 239–240
 - objects, 381
 - versus* skewing, 239
 - Skew/Scale/Distort tool, 179
 - text, 241–243
- distributing (making available). *See* exporting; publishing.
- distributing (dispersing) objects, 385–386, 404–405
- dithering colors, 205
- docking panels, 184–186, 357
- document content, 19
- Document window, 46–47, 55–57
- document window, 574
- Documentation Center, 53
- document-related buttons, 50–51
- documents
 - Contribute 3, 495, 519–520
 - checking in/out. *See* checking files in/out.
 - converting to SWF files. *See* FlashPaper.

- Fireworks 8
 - color management, 203–206
 - creating, 193–195
 - interpolation, 199
 - magnification, 195–196
 - resizing images, 198–201
 - resizing the canvas, 201–203
 - saving, 197–198
 - switching views, 195–196
- Flash 8, 352, 361–363
- FreeHand MX
 - bleed, 590
 - creating, 584
 - default size, 583–584
 - exporting, 605–606
 - grids, 592
 - guides, 593–594
 - opening, 591
 - orientation, 585–586
 - pages, 586–591
 - registration marks, 590
 - resizing, 585–586
 - resolution, 590
 - rulers, 592
 - saving, 604–606
 - thumbnail display, 589–590
- documents, FreeHand MX
 - bleed, 590
 - creating, 584
 - default size, 583–584
 - exporting, 605–606
 - grids, 592
 - guides, 593–594
 - opening, 591
 - orientation, 585–586
 - pages
 - adding, 586–587
 - deleting, 587, 590–591
 - duplicating, 587
 - Master Pages, 587–589
 - rearranging, 590–591
 - selecting, 590–591
 - publishing as HTML, 703–705
 - registration marks, 590
 - resizing, 585–586
 - resolution, 590
 - rulers, 592
 - saving, 604–606
 - thumbnail display, 589–590
- Dodge tool, 180
- dodging (lightening) images, 180
- downloading
 - gradually, 292
 - PDF files, 21
 - speed, best practices, 37
- Draft Console, 491
- Draft Console option, 491
- Draft History option, 491
- drafts of Web pages. *See* Web pages, drafts.
- Drafts option, 488
- Drag Out event, 454
- Drag Over event, 454
- Draw Layout Cell button, 47–48
- Draw Layout Table button, 47–48
- drawing graphics, 180–181, 222
 - See also* Fireworks 8
 - See also* FreeHand MX
 - See also* graphics
 - See also* graphics tools
 - See also* images
 - See also specific shapes*
- drawing guide layers, 406–407
- Dreamweaver
 - integration with
 - FreeHand MX, 702–705
- Dreamweaver 8
 - versus* Contribute 3, 482
 - creating pages, 45
 - integration with
 - ColdFusion, 167, 807–810
 - Contribute, 167–169
 - Fireworks, 336–340
 - Flash, 163–167, 472–473
 - FreeHand, 167
 - recently used pages, opening, 45
 - templates, 152–156, 566–567
 - uses for, 14, 24
 - Web development, 24–25

826 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- Dreamweaver 8, user interface. *See also*
- Document window.
 - Check Browser Support button, 50
 - Check In button, 50
 - Check Out File(s) button, 50
 - code display, 44
 - Code view, 46–47
 - Connect to Remote Host button, 50
 - Design view, 46–47
 - Designer workspace, 44
 - document-related buttons, 50–51
 - Draw Layout Cell button, 47–48
 - Draw Layout Table button, 47–48
 - Expand/Collapse button, 50
 - Expanded Table mode, 47–48
 - File Management button, 50
 - Get File(s) button, 50
 - Help button, 52
 - Help menu, 52–53
 - Help tools, 52
 - help tutorials, 52–53
 - Home Site/Coder-Style workspace, 44
 - Insert bar, 47
 - Layout mode, 47–48
 - modes, 47–48
 - panels
 - Files, 48–51
 - Properties, 52
 - role of, 51
 - Tag Inspector, 51
 - Preview/Debug in Browser button, 51
 - Put File(s) button, 50
 - Refresh button, 50–51
 - Show Code and Design Views button, 50
 - Show Code View button, 50
 - Show Design View button, 50
 - site-related buttons, 50
 - Split view, 46–47
 - Standard mode, 47–48
 - Start page, 44–46
 - toolbar buttons, 49–51
 - Validate Markup button, 50
 - View Options button, 51
 - views, 46–47
 - Visual Aids button, 51
 - workspace, selecting, 44
 - Workspace Startup dialog box, 44
 - WYSIWYG, 44
- Dreamweaver Library, export option, 314
- Dreamweaver Sites. *See also* Web sites.
- Accessibility report, 92
 - annotations, 87
 - checking files in/out, 91, 93
 - cloaking, 87
 - collaborative design, 87
 - Combinable Nested Font Tags report, 91–92
 - Contribute compatibility, enabling, 88
 - creating, 45, 76–82
 - default images folder, 78
 - definition, 48
 - Design Notes, 87
 - Design Notes report, 91
 - elements of, 48–49
 - examining, 48–51
 - File view, customizing, 87–88
 - FTP connections, 84
 - hiding filetypes or folders, 87
 - key features, 49
 - links, checking, 92
 - local root folder, 77
 - local/network connections, 84–85
 - maintaining, 90–92
 - Missing All Text report, 92
 - naming, 77
 - publishing, 89–90
 - RDS connections, 85
 - Recently Modified report, 91
 - Redundant Nested Tags report, 92
 - refreshing local file list, 77
 - remote connections, setting up, 82–85
 - Removable Empty Tags report, 92
 - reports, 90–92
 - site maps, 87
 - source control, 93. *See also* checking files in/out.
 - SourceSafe connections, 85
 - testing your server, 86

Untitled Documents report, 92
 uses for, 75–76
 WebDAV connections, 85
 drop shadows, 262
 duplicateMovieClip action, 450
 duplicating
 FreeHand MX pages, 587
 keyboard shortcuts, Flash 8, 363
 movie clips, 450
 scenes, 426
 slices, 296–297
 dynamic
 elements, 29
 HTML, 33
 Web sites, 709–711. *See also* CFML
 (ColdFusion Markup Language);
 ColdFusion.
 Dynamic Data feature, 129

E

Edit menu, 352, 489–490
 Edit mode, 487
 edit options, 189
 Edit Page button, 486
 Edit Page option, 488
 Edit Page Source... option, 489
 edit permissions, 543–545
 Edit preferences, Fireworks 8, 188
 Editable option, 190
 editable options, 190
 editing
 bitmap images, 233–234
 ColdFusion tags, 130
 colors, 182
 fills, 388–389
 Fireworks with FreeHand, 343–344
 frames, 284
 GIFs, 162
 graphic symbols, 394–395
 guides, 594
 images, 66–67, 159–162, 182
 JPEGs, 162
 layers, 404–406, 603–604
 links in SWF files, 166–167
 mask layers, 407
 Master Pages, 589
 movies, 165–166
 objects, 642–643
 options, 188
 PNGs, 161–162, 337–338
 preferences, setting, 493
 slices, 293–297
 tables with roundtrip HTML, 338–340
 text, 60–63
 vector images, 224–225
 Web pages, 486–490, 502
 Elapsed seconds, 355
 Ellipse tool, 181, 595, 634–635
 e-mail
 administrator's address, 529–530
 ColdFusion MX 7, 129
 links, 518–519
 sending, 799–801
 server connections, 730–732
 spooling, 730
 embedding sound and video, 148–150
 encoding type, forms, 98
 Envelope toolbar, 577
 Eraser tool, 179, 378
 erasing
 bitmap images, 234
 images, 179
 objects, 378
 text, 378
 error checking, code. *See* code validation.
 error information, ColdFusion MX 7, 128
 event gateways, 726
 event handling
 animation, 425
 mouse events, 425
 movie clip events, 450
 movie clips, 450
 Excel, 21
 Exit option, 488
 Expand/Collapse button, 50
 Expanded Table mode, 47–48

828 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

expanding/collapsing
 layers, 264, 266
 panels, Fireworks 8, 183–184
 panels, Flash 8, 357
 Site tab, 50
 view of nested layers, 121–122
 views, nested layers, 121–122
 Export Area tool, 179
 Export option, 488
 export options, 181, 314–319
 Export Wizard option, 299
 exporting. *See also* deployment;
 publishing.
 AI files, 301
 animated GIFs, 312
 BMP files, 301
 cropped areas, 179
 documents from FreeHand MX, 605–606
 file types, 301, 445
 from Fireworks to Flash, 333–335
 images, 310–312, 446
 movies, 446, 699–701
 PICT files, 301
 PNG files, 301
 PSD files, 301
 Quick Export button, 344
 Source as Layers mode, 344
 Source as Slices mode, 344
 SWF files, 301
 TIFF files, 301
 WBMP files, 301
 Web pages, 488
 expressions
 CFML, 738, 744–745
 definition, 452
 test, 751
 extensions, 53, 726
 Extrude tool, 662
 extruding objects, 662
 Eye Candy 4000, 262
 Eyedropper tool, 181, 384, 686

F

feathering edges, 271. *See also* anti-aliasing;
 blurring.
 feature design, best practices, 33
 File Management button, 50
 File menu, 352, 487–489
 file transfer, 50
 File view, customizing, 87–88
 files
 access permissions, 541–543
 backups, 535–536
 checking in/out, 50, 91, 93. *See also*
 source control.
 ColdFusion MX 7, 129
 deletion permission, 543
 editors, 493–494
 examining, 48–51
 extensions, best practices, 33
 naming conventions, 35
 placement rules, 551–553
 sharing, best practices, 36
 size, 206, 300, 556–558
 Files panel, 48–51
 Fill Color box, 598–600
 fills
 adding to shapes, 227–228, 598–600
 bitmap, 389
 color, mixing, 679
 creating
 basic, 688–689
 custom, 692
 gradient, 689–691
 Lens, 692
 Pattern, 693
 PostScript, 693
 textured, 693
 tiled, 691–692
 defining, 598–600
 definition, 571
 drawing, 598–600
 editing, 388–389

- filling enclosed shapes, 373–374
 - modifying, 600, 688–693
 - removing, 228
 - solid color, 181
- filters, 254. *See also* Fireworks 8.
- Find Edges filter, 261–262
- Find option, 490
- Fireworks
 - integration with
 - FreeHand MX, 695–696
- Fireworks 8
 - advanced tools
 - button rollovers, 321–324
 - export options, 314–319
 - hotspots, 320–321
 - image maps, 319–321
 - interactivity, 324–330
 - ask when launching, 189
 - auto shape objects, 181
 - bicubic interpolation, 187, 199
 - bilinear interpolation, 187, 199
 - bitmap images, 179–180. *See also* vector images.
 - bitmap options, 188
 - blurs, 180
 - brush-size painting cursors, 188
 - colors, 179–182, 187
 - convert to Fireworks objects, 190
 - convert to frames, 190
 - customizing, 183–186
 - cutting and pasting between Flash 8, 471–472
- documents
 - color management, 203–206
 - creating, 193–195
 - interpolation, 199
 - magnification, 195–196
 - resizing images, 198–201
 - resizing the canvas, 201–203
 - saving, 197–198
 - switching views, 195–196
- drawing, 180–181. *See also* bitmap images; images; vector images.
 - edit options, 188–189
 - editable options, 190
 - editing with FreeHand, 343–344
 - export options, 181
 - exporting cropped areas, 179
 - exporting to Flash, 333–335
 - folder options, 189
 - frame navigation, 181
 - versus* FreeHand MX, 28
 - gradients, 181, 182
 - help, 178–179, 190–191
 - history, viewing, 181
 - images, 179–180, 182–183
 - import options, 190
 - integration with
 - ColdFusion, 810
 - Director, 344
 - Dreamweaver, 336–340
 - Flash, 163–167, 333–335, 469–472
 - FreeHand, 340–344
 - interpolation, 187, 199
 - launch options, 188–189
 - layers
 - benefits of, 174
 - options and information, 181
 - share between frames, 190
 - Web, 175
 - links, organizing, 181
 - maintain appearance, 190
 - nearest neighbor interpolation, 187, 199
 - painting, 179
 - paths, 188
 - pattern options, 189
 - Pen tool options, 188
 - Photoshop plug-ins, 189
 - PNG files, 177, 189
 - Pointer tool options, 188
 - precise cursors, 188
 - previews, 182–183
 - as primary image editor, 159–160
 - red eye removal, 179–180
 - rubber stamps, 179–180
 - scaling objects, 179

830 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

Fireworks 8 (*continued*)

- selecting areas, 180
- selecting objects, 179
- skewing objects, 179
- slices, 174–176
- soft interpolation, 187, 199
- special characters, 181
- text, placing and editing, 180
- texture options, 189
- third-party filters, 262
- undo steps, setting, 187
- use flat composite image, 190
- user interface, 176–190. *See also specific interface elements.*
- uses for, 14, 25–26, 173
- vector images, 180–181. *See also* bitmap images.

- Web design, 25

fixed-size text boxes, 608–609, 613–614

Flash

- integration with

- FreeHand MX, 696–701

Flash 8. *See also* movies.

- bitmap graphics, 349–350
- creating animation, 26–27
- creating documents, 352
- creating Web content, 348–349
- cutting and pasting between Fireworks 8, 471–472
- document properties, setting, 361–363
- help, 365
- importing PNG files, 470–471
- inserting in Web pages, 151–152
- integration with
 - ColdFusion, 474, 477, 810–811
 - Dreamweaver, 163–167, 472–473
 - Fireworks, 333–335, 469–472
 - Flash Communication Server MX, 475
 - Flash Remoting MX, 476
 - FreeHand, 473–474
- keyboard shortcuts
 - creating, 363–364
 - deleting, 363
 - duplicating, 363
 - managing, 363

- menus, 353–354
 - renaming, 363
 - Tool panel, 356–357

panels

- collapsing/expanding, 357
- docking, 357
- hiding/displaying, 357
- Library, 358–360
- Properties, 358
- saving layouts, 357
- stacking, 357

- preference, setting, 361–363

user interface

- Action feature, 355
- Command menu, 353
- Control menu, 353
- Current frame, 355
- Delete a layer, 354
- Edit menu, 352
- Elapsed seconds, 355
- File menu, 352
- Help menu, 353
- Insert a layer, 354
- Insert menu, 353
- Keyframe with content, 355
- Keyframe with no content, 355
- Layer list, 354
- menus, 352–353
- Modify menu, 353
- Motion tween feature, 355
- Playhead feature, 354
- Shape tween feature, 355
- Sound feature, 355
- Text menu, 353
- Timeline, 354–355
- Tools panel, 356–357
- View menu, 353
- Window menu, 353
- uses for, 14, 26–27, 347–348
- vector graphics, 349–350
- viewing movies on Web sites, 349

Flash 8, moviemaking

- default frame rate, 351
- frames, 350–351
- layers, 350–351

- scenes, 350, 352
- stage
 - definition, 350
 - description, 350–351
 - panning, 360–361
 - viewing, 360–361
 - zooming, 360–361
- Timeline, 351
- Flash buttons, 142–144
- Flash Communication Server MX. *See also* Flash Remoting Service.
 - integration with Flash, 475
- Flash Remoting Service. *See also* Flash Communication Server.
 - integration with
 - ColdFusion, 811–813
 - Flash, 476
- Flash SWF
 - export option, 315
- Flash text, 139–141
- FlashPaper, 519–520, 563–565
- flipping
 - images, 246
 - objects, 383–384, 657–659
 - text, 247
- Flow icon, 128
- folder access permissions, 541–543
- folder options, 189
- folder organization, 35
- Folders preferences, Fireworks 8, 189
- fonts
 - changing, 210
 - color, 211–214
 - faces, 505
 - permissions, 546–548
 - reducing number of, 438
 - resizing, 210–211
 - selecting, 210–211
 - styles, 616–617
 - text, 58, 61
 - text boxes, 616–617
- Format menu, 492
- format selection, 11
- formatting, Web pages with tables.
 - See* tables.
- formatting text
 - alignment, 619
 - along paths, 627–630
 - baseline shift, 626
 - color, 618–619
 - columns and rows, 621–622
 - Contribute 3, 492, 504–509
 - copying attributes, 623
 - Dreamweaver 8, 61
 - fonts, 616–617
 - Kerning, 625–626
 - leading, 625
 - letter spacing, 625–626
 - line spacing, 625
 - paragraph settings, 619–620
 - scaling horizontally, 622–623
 - size, 616–617
 - styles, font, 616–617
 - styles, text, 617–618
 - tools for, 614–615
 - visual effects, 623–624
- forms
 - adding elements, 101–102
 - adding to pages, 96–97
 - buttons, 100–101
 - checking for values, 791–794
 - content type, 19
 - creating, 96, 466–468
 - CSS (Cascading Style Sheets), 98
 - data collection, 466–468
 - definition, 95
 - encoding type, 98
 - GET method, 97–98
 - labeling objects, 98
 - naming, 97
 - None button, 100–101
 - password fields, 99
 - POST method, 97–98
 - posting data from, 468
 - processing actions, 97
 - processing methods, 97–98
 - properties, setting, 97–98

832 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

forms (*continued*)

- Reset Form button, 100–101
- Submit button, 100–101
- target, 98
- text fields, 99–100
- 45-degree lines, 219
- Forward button, 485
- 4-up view, 182, 306, 308–309
- frame navigation, 181
- frame rate, 287–288, 414
- frame-by-frame animation, 417–418
- frames
 - actions, 451–453
 - adding, 102–103, 283–284, 415
 - animated GIFs, 286–289
 - appearance, changing, 414
 - comments, 414
 - copying and pasting, 415
 - creating, 102–103
 - default frame rate, 351
 - definition, 95, 102, 263
 - deleting, 106, 284, 415
 - description, 282–283
 - editing, 284
 - Flash 8, 350–351
 - go to, 449
 - go to specific, 414
 - keyframes, 415–417
 - labels, 414
 - modifying, 103–105
 - moving, 415
 - no-frames content, 106–107
 - renaming, 284
 - resizing, 414
 - rollovers, 285–286
 - saving, 106
 - selecting, 415
 - targeting content, 107–109
 - using, 416–417
- Frames and History panel, 181
- Frames to Files, export option, 315
- framesets, 102, 106
- free form lines, drawing, 180
- Free Transform tool, 379–382
- free-form lines, 371–372
- free-form shapes, 636–639
- free-form straight lines, 223
- Freeform tool, 180
- FreeHand MX
 - versus* Fireworks 8, 28
 - grouping panels, 580
 - importing into Fireworks, 343
 - integration with
 - Dreamweaver, 167, 702–705
 - Fireworks, 340–344, 695–696
 - Flash, 473–474, 696–701
 - layers
 - creating, 602–603
 - deleting, 604
 - displaying objects as keylines, 603
 - editing, 603–604
 - locking/unlocking, 603
 - making nonprintable, 603
 - merging, 603–604
 - moving objects between, 603
 - rearranging, 603
 - showing/hiding, 603
 - showing/hiding objects, 603
 - tools
 - 3D Rotation, 668–669
 - Arc, 668
 - Calligraphic Pen, 639
 - drawing, 574–576
 - Ellipse, 595, 634–635
 - Extrude, 662
 - Knife, 647–648
 - Lasso, 641–642
 - Line, 598
 - menu commands, 614
 - Move command, 659–660
 - Page, 590–591
 - Pen, 597–598
 - Pencil, 637–638
 - Perspective, 660–661
 - Pointer, 640–641, 662–664
 - Polygon, 595, 633–634
 - Rectangle, 595, 632–633
 - Reflect command, 658–659

- Rotate command, 656–657
- Scale command, 652–653
- Shadow, 669–670
- Skew command, 654–655
- Smudge, 669
- Spiral, 635–636
- Subselection, 641
- Text, 595, 607–609
- text, 614–615
- Text toolbar, 614
- Trace, 664–666
- Variable Stroke Pen, 638–639
- Xtra, 667–670
- Xtra Operations, 670–671
- user interface
 - Align panel, 645–646
 - document window, 574
 - Fill Color box, 598–600
 - panels, 577–580
 - pasteboard, 574
 - toolbars, 576–577
- uses for, 15, 28
- FreeHand MX, documents
 - bleed, 590
 - creating, 584
 - default size, 583–584
 - exporting, 605–606
 - grids, 592
 - guides, 593–594
 - opening, 591
 - orientation, 585–586
 - pages
 - adding, 586–587
 - deleting, 587, 590–591
 - duplicating, 587
 - Master Pages, 587–589
 - rearranging, 590–591
 - selecting, 590–591
 - registration marks, 590
 - resizing, 585–586
 - resolution, 590
 - rulers, 592
 - saving, 604–606
 - thumbnail display, 589–590
- FreeHand MX, text boxes
 - auto-expanding, 608, 613–614
 - characteristics, changing, 613–614
 - deleting, 612
 - fixed-size, 608–609, 613–614
 - formatting text
 - alignment, 619
 - along paths, 627–630
 - baseline shift, 626
 - color, 618–619
 - columns and rows, 621–622
 - copying attributes, 623
 - fonts, 616–617
 - kerning, 625–626
 - leading, 625
 - letter spacing, 625–626
 - line spacing, 625
 - paragraph settings, 619–620
 - scaling horizontally, 622–623
 - size, 616–617
 - styles, font, 616–617
 - styles, text, 617–618
 - tools for, 614–615
 - visual effects, 623–624
- moving, 612
- resizing, 612–613
- rulers, 609–610
- spell check, 610–612
- fscommand action, 450
- FTP
 - connections, 84
 - proxy preferences, setting, 494
 - requests, 129
- functional content organization, 20
- functions, CFML
 - arrayNew(), 770–771
 - calling, 770
 - categories of, 769
 - DateFormat(), 772
 - definition, 738
 - isDefined(), 771
 - len(), 771–772
 - ListAppend(), 775
 - Trim(), 773

834 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

G

-
- Gaussian Blur filter, 260
 - Get, file transfer, 50
 - Get File(s) button, 50
 - GET method, 97–98. *See also* CF .http.
 - getURL action, 450
 - GIF Adaptive 256 settings, 304
 - GIF Web 216 settings, 303
 - GIF Web Snap 128 settings, 303
 - GIF Web Snap 256 settings, 303
 - GIFs
 - animated. *See* animated GIFs.
 - compression, 297
 - editing, 162
 - optimizing, 299–300
 - slices
 - Animated GIF Web Snap 128 settings, 303
 - compression, 297
 - creating, 303–305
 - custom settings, 304–305
 - default settings, 303–304
 - GIF Adaptive 256 settings, 304
 - GIF Web 216 settings, 303
 - GIF Web Snap 128 settings, 303
 - GIF Web Snap 256 settings, 303
 - optimizing, 299–300
 - transparency, 305
 - transparency, 442–443
 - Go button, 486
 - go to frames and scenes, 414, 424–425, 449
 - Go to Web Address option, 491
 - Google, 567–568
 - goto action, 424, 449
 - gotoAndPlay action, 449
 - gotoAndStop action, 449
 - graceful degradation, 205
 - gradient fills, 689–691
 - Gradient tool, 181
 - gradients
 - bitmap images, 252
 - colors, 249
 - Colors panel, 182
 - creating, 387–388
 - definition, 248
 - Paint Bucket/Gradient tool, 181
 - patterns, 248, 253
 - removing opacity, 252
 - textures, 253–254
 - user-defined, 250–252
 - vector images, 249–252
 - graphic symbols
 - creating, 393–394
 - definition, 391
 - editing, 394–395
 - inserting on Stage, 394
 - instance of, 392–393
 - graphics. *See also* illustrations; images.
 - content, 19
 - design, best practices, 33
 - drawing
 - See* drawing graphics
 - See* Fireworks 8
 - See* FreeHand MX
 - See* graphics tools
 - See specific shapes*
 - rotating, 243–245
 - scaling
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
 - text, 207–208
 - text alternative, 208
 - graphics tools
 - Brush, 372–373
 - Eraser, 378
 - Eyedropper, 384
 - Free Transform, 379–382
 - Ink Bottle, 374
 - Lasso, 377
 - Line, 368–369
 - Oval, 369
 - Paint Bucket, 373–374
 - Pen, 372
 - Pencil, 371–372
 - Polystar, 370–371

Rectangle, 369–370
 Selection
 reshaping objects, 378–379
 selecting objects, 376–377
 smoothing, 382
 straightening, 382
 Subselect, 379
 Text, 374–376
 Tools panel, 368
 graphs, 801–804
 grids, 55–57, 592
 grouping
 objects, 384–385, 643–644
 panels, Fireworks 8, 184–186
 guide layers
 definition, 401, 406
 drawing, 406–407
 motion, 403, 406
 guides, 593–594

H

hackers, protecting against, 35–36
 Halftones panel, 579
 header rows, in tables, 514
 headers, creating, 128
 headings, Web pages, 59
 help
 CD-ROM, 191
 ColdFusion, 52
 Contribute 3, 484–485, 492
 Documentation Center, 53
 extensions, 53
 Flash 8, 365
 getting started, 52
 Help menu, 190
 PDFs, 191
 reference, 52
 tooltips, 178–179, 191
 tutorials, 52–53, 190–191
 Help button, 52
 Help menu
 ActionScript, 353
 Contribute 3, 492
 Dreamweaver 8, 52–53
 Fireworks 8, 190
 Flash 8, 353
 Help tools, 52
 help tutorials, 52–53
 hexadecimal colors, 204
 hiding
 filetypes or folders, 87
 layers, 264, 267
 masks, 273
 panels, Fireworks 8, 184
 panels, Flash 8, 357
 hiding/showing
 layers, 402, 410, 603
 objects on layers, 603
 hierarchical content organization, 20
 histograms, 258
 history, viewing, 181
 HLS (Hue, Lightness, Saturation), mixing, 676–677
 home pages, 486, 490
 Home Pages button, 486
 Home Pages option, 490
 Home Site/Coder-Style workspace, 44
 hotspots
 creating, 137–139
 definition, 137
 image maps, 320–321
 modifying, 139
 polygonal, 277
 slices, 309–310
 How Do I panel, 484–485
 HTML (Hypertext Markup Language). *See*
 also CFML (ColdFusion Markup
 Language).
 code validation, 50, 156
 exporting with images, 314, 316–318
 file options, setting, 318–319
 text, 207–208
 HTML Setup dialog box
 Document Specific tab, 319
 General tab, 318–319
 Table tab, 319

836 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

HTTP requests, 129
hue adjustments, 255, 257–258
Hue/Saturation control, 255
hyperlinks. *See* links.

I

identity keys, 754
illustrations. *See also* graphics; images.
 arcs, 668
 bitmap shapes, 649–650
 calligraphy, 639
 circles, 595
 coloring shapes, 598–600
 custom shapes, 597–598
 ellipses, 595, 634–635
 fills, 598–600
 free-form shapes, 636–639
 line size, 638–639
 lines, 637–638
 objects
 aligning, 645–646
 arranging, 644–645
 changing shape, 667–670
 editing, 642–643
 extruding, 662
 flipping, 657–659
 grouping/ungrouping, 643–644
 mirroring, 657–659
 moving, 659–660
 perspective, 660–661, 668–669
 reflecting, 657–659
 rotating, 655–657, 662–664
 rotating, 3D, 668–669
 scaling, 650–653, 662–664
 selecting, 640–642
 skewing, 653–655, 662–664
 slicing, 647–648
 stacking order, 644–645
 outlines, 600–601
 ovals, 595
 polygons, 595, 633–634
 predefined shapes, 631–636
 rectangles, 595, 632–633
 shadows, 669–670

 smudging, 669
 spirals, 635–636
 squares, 595, 632–633
 straight lines, 598
 strokes, 600–601
 text, 595
 tracing bitmap images, 664–666
 vector shapes, 595–597
Illustrator 7, export option, 315
Image Editing panel, 182
image maps, 137–139, 319–321
images. *See also* graphics; illustrations.
 adding to pages, 64–65
 aligning, 66
 alternative text, 66
 background. *See* background, images.
 bitmap. *See* bitmap images.
 blurring, 180, 259–261
 borders, 66
 burning (darkening), 180
 changing files, 67
 compression. *See* compression.
 cropping, 179, 188
 default folder, 78
 deleting, 65
 distorting, 179, 239–240
 dodging (lightening), 180
 drop shadows, 262
 editing, 66–67, 159–162, 182
 editing permissions, 556–558
 erasing, 179
 exporting, 310–312
 flipping, 246
 layer background, 114
 links from, 66. *See also* hotspots; image maps.
 mapping, 67
 modifying, 65–67
 moving, 65
 naming, 66
 optimizing. *See* optimizing.
 padding, 66
 photographs as line drawings, 261–262
 photo-realistic. *See* bitmap images.
 quality, JPEG, 300

- in relation to text, 67
- resizing, 65–66
- rollovers, 144–145
- shadow auto shapes, 262
- shadows, 262
- sharpening, 180, 259–261
- skewing, 240–241
- smudging, 180
- swapping, 324–326
- in tables, 516–517
- of text, 207–208
- tracing, 60
- transparency, 60
- vector. *See* vector images.
- Images Only, export option, 314
- Import option, 190
- importing
 - ColdFusion tags, 129
 - from Fireworks to Flash, 335
 - FreeHand into Fireworks, 343
 - PNG files to Flash 8, 470–471
 - tag libraries, ColdFusion MX 7, 129
- inheritance in layers, 117
- Ink Bottle tool, 374
- Insert a layer, 354
- Insert bar
 - Advanced icon, 128–129
 - Application category, 129–130
 - CFFORM category, 130
 - CFML category, 127–128
 - command categories, 126–130
 - definition, 124
 - Dreamweaver 8, 47
 - features, 126–130
 - Flow icon, 128
- INSERT command, 758
- Insert menu, 353, 491
- Insert Record feature, 130
- inserting
 - bitmap images, 230–231
 - button symbols, 399
 - graphic symbols, 394
 - table data, 758
 - text, 214
- instances, graphic symbols, 392–393

- interactivity. *See also* actions; `ActionScript`.
 - button rollovers, 324–326
 - button symbols, 400
 - image swaps, 324–326
 - pop-up menus, 326–330
- interface selection, 11
- Interlaced option, 299–300
- interpolation, 187, 199
- Invert control, 255
- invisible elements, 495
- `isDefined()` function, 771
- italic text, 62, 506

J

- Java Applets, inserting, 151–152
- JavaScript, executing from Web pages, 450
- jerky movement, 414
- JPEGs
 - compression, 297
 - editing, 162
 - optimizing, 298–299
 - slices, 297–303
 - transparency, 443

K

- kerning, 208, 625–626
- Key Press event, 454
- keyboard shortcuts
 - FreeHand MX tools, 576
 - panels, Fireworks 8, 184
- Keyframe with content, 355
- Keyframe with no content, 355
- keyframes, 415–417, 434
- keyword content organization, 20
- Knife tool, 180, 647–648

L

- labels, 414, 458, 463
- Lasso tool, 179, 232, 377, 641–642

838 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- Launch and Edit, 189
- Launch options, 188–189
- launching your site. *See* deployment; publishing.
- Layer list, 354, 402–403
- layers. *See also* Web layers.
 - active, 402
 - adding, 111–112, 265
 - aligning, 115–116
 - background images/colors, 114
 - benefits of, 174
 - changing properties, 113–114
 - changing stacking order, 268–269
 - collapsing/expanding, 264, 266
 - copying, 405
 - creating, 403
 - default, 402
 - definition, 263
 - deleting, 113, 265, 403, 405
 - distributing objects to, 404–405
 - editing, 404–406
 - Flash 8, 350–351
 - FreeHand MX, 602–604
 - guide
 - definition, 401, 406
 - drawing, 406–407
 - motion, 403, 406
 - height, changing, 410
 - hiding, 264, 267
 - inheritance, 117
 - inserting, 402
 - locking/unlocking, 264, 267, 402, 409–410
 - making active, 265–266
 - making visible, 267
 - managing with folders, 403, 410–411
 - masks
 - anti-aliasing, 271
 - bitmap, 271–273
 - blurring, 271
 - creating, 407
 - definition, 270–271, 401
 - deleting, 273
 - editing, 407
 - feathering edges, 271
 - hiding, 273
 - illustration, 408
 - linking to, 407
 - vector, 271, 274–275
 - merging, 270
 - moving, 119–120
 - moving objects between, 404
 - naming, 114–115, 265, 267–268
 - nested
 - child layers, 120
 - collapsing/expanding the view, 121–122
 - creating, 121–122
 - definition, 120
 - enabling, 121
 - parent layers, 120
 - visibility, 117, 120
 - objects
 - blending, 279–282
 - moving between layers, 278
 - opacity, 278–279
 - renaming, 278
 - transparency, 278–279
 - visibility, 409
 - options and information, 181
 - outlines
 - color, 410
 - displaying, 402
 - turning on/off, 410
 - placing objects, 113
 - positioning objects, 70
 - properties, setting, 409–410
 - renaming, 405, 410
 - reordering, 268–269, 406. *See also* stacking order.
 - resizing, 120
 - selecting, 112–113, 404
 - share between frames, 190
 - showing, 264, 267
 - showing/hiding, 402, 410
 - shuffling. *See* reordering; stacking order.
 - stacking order, 117–119. *See also* reordering.
 - type, changing, 410
 - using, 403

- visibility of layers, 116–117
- visibility of objects, 409
- z-index, 117–119
- Layers panel, 181, 578
- Layers to Files, export option, 314
- layout, Web pages
 - See* forms
 - See* frames
 - See* layers
 - See* tables
 - See* templates
- Layout mode, 47–48
- layout tables, 72–74
- LDAP access, 129
- leading, 208, 625
- len() function, 771–772
- Lens fills, 692
- letter spacing, 208, 625–626
- level adjustment, 255, 258–259
- Levels control, 255
- Library panel, Flash 8, 358–360
- lightening (dodging) images, 180
- lightness adjustments, 255, 257–258
- line breaks, 63
- line spacing, 208, 625
- Line tool, 180, 368–369, 598
- lines
 - 45-degree, 219
 - curved, 223
 - drawing, 180, 218–219, 637–638
 - free form, 371–372
 - free-form straight, 223
 - size, varying, 638–639
 - straight, 368–369, 372, 598
 - straightening, 382
 - stroke color, changing, 374
- links
 - adding, 68
 - to audio clips, 150
 - changing color on rollover, 139–141
 - checking, 92
 - color, 59
 - creating, 450
 - deleting, 68
 - description, 148
 - editing, 166–167
 - to e-mail addresses, 518–519
 - fonts, 59
 - from images, 66. *See also* hotspots;
image maps.
 - mask layers, 407
 - named anchors, 68–70
 - opening behavior, 62
 - organizing, 181
 - pop-up menus, 326–327
 - in tables, 517–519
 - text, 62
 - to video clips, 150
 - to Web pages, 517–518
- list boxes, 458, 462
- ListAppend() function, 775
- lists, structured data, 773–775. *See also*
arrays; structures.
- lists, Web page, 508–509
- live effects, 254
- Load Palette option, 299
- loaders, 458, 464
- loading/unloading movie clips, 450
- loadMovie action, 450
- local root folder, 77
- local/network connections, 84–85
- locking layers
 - from contextual menu, 409
 - with Layer list, 402
 - in Layer Properties dialog box, 410
- Lock/Unlock button, 264
- padlock icon, 603
- uses for, 267
- logging activities, 726, 732–733
- logging on to ColdFusion Administrator,
724–725
- logical content organization, 20
- looping, animated GIFs, 288–289
- looping through table data, 759
- lossless compression, 297
- lossy compression, 297
- Lotus Domino Designer, 315

840 Macromedia Studio 8 All-in-One Desk Reference For Dummies

M

- Macromedia Flash 8 ActionScript Bible*, 811
- Macromedia products. *See specific products.*
- Magic Wand tool, 180, 233
- magnification, 195–196
- mail. *See* e-mail.
- Main toolbar, 576
- Maintain Appearance, 190
- maintaining
 - Dreamweaver Sites, 90–92
 - Web sites, 29–30. *See also* administering Web sites; Contribute 3.
- mapping
 - alternative Web site addresses, 532–533
 - images, 67
 - to index files, 533–535
- margins, setting, 58
- marquee
 - converting from paths, 188
 - selecting, 179, 231
- Marquee tool, 179, 231
- mask layers
 - creating, 407
 - definition, 401
 - editing, 407
 - illustration, 408
 - linking to, 407
- masks
 - anti-aliasing, 271
 - bitmap, 271–273
 - blurring, 271
 - definition, 270–271
 - deleting, 273
 - feathering edges, 271
 - hiding, 273
 - vector, 271, 274–275
- Master Detail Page Set feature, 130
- Master Pages, 587–589
- menus, 352–353, 487–492
- merging layers, 270, 603–604
- metadata, SQL queries, 753
- Microsoft documents, setting preferences, 495
- Microsoft products. *See specific products.*
- mirroring objects, 657–659
- Missing All Text report, 92
- Mixer and Tints panel, 578
- Mixer tab. *See also* Swatches tab; System Color Picker.
 - adding colors to Swatches tab, 679–680
 - applying color to objects, 678
 - CMYK colors, 674–675
 - fill color, 679
 - HLS color, 676–677
 - overview, 674
 - RGB color, 675–676
 - stroke color, 679
- Modify menu, 353
- modifying objects. *See* transformations; *specific modifications.*
- modules, specifying, 129
- More Tags button, 129
- morphing. *See* shape tweening.
- motion guide layers, 403, 406
- Motion tween feature, 355
- motion tweening, 355, 417–422
- Move command, 659–660
- movie clips
 - actions in, 448–451
 - deleting, 450
 - drag and drop, 450
 - duplicating, 450
 - event handling, 450
 - loading/unloading, 450
 - properties, setting, 450
 - symbols
 - converting from animation, 397
 - creating, 396
 - definition, 391
 - uses for, 395
 - unloading/loading, 450
 - updating after event, 450
- movies
 - See also* animation
 - See also* Flash 8
 - See also* Timeline
 - See also* video
 - actions, 448–451

ActionScript, 698–699
 animation, 696–698
 default frame rate, 351
 distributing. *See* publishing, movies.
 editing, 165–166
 frames, 350–351
 inserting in documents, 163–164
 layers, 350–351
 preference, setting, 361–363
 scenes, 350, 352
 stage
 definition, 350
 description, 350–351
 panning, 360–361
 viewing, 360–361
 zooming, 360–361
 in tables, 517
 Timeline, 351
 viewing on Web sites, 349
 moving
 frames, 415
 images, 65
 layers, 119–120
 objects, 377, 659–660
 panels, Fireworks 8, 184–186
 slices, 294–295
 text, 216, 376–377
 text boxes, 216, 612
 vector images, 224–225
 music. *See* audio.
 muting sounds, 449. *See also* volume control.
 My Connections option, 490

N

named anchors, 68–70
 naming
 Dreamweaver Sites, 77
 forms, 97
 images, 66
 layers, 114–115, 265, 267–268
 slices, 293–294
 navigation bars, 146–148
 navigation links, 702–703

Navigation panel, 579
 Nearest Neighbor Interpolation, 187
 nearest neighbor interpolation, 187, 199
 nested layers
 child layers, 120
 collapsing/expanding the view, 121–122
 creating, 121–122
 definition, 120
 enabling, 121
 parent layers, 120
 nested tables, 73
 Never Use Source PNG, 189
 New Page button, 486
 New Page option, 487
 news sites, 13
 nextFrame action, 449
 nextScene action, 449
 no-frames content, 106–107
 None button, 100–101
 nonpersistent variables, 794–795
 nonprintable layers, 603
 numbered lists, 508–509
 numeric stepper, 458, 465

O

Object Linking and Embedding (OLE),
 786–787
 Object tab, 642–643
 objects
 aligning, 385–386, 645–646
 arranging, 644–645
 breaking apart, 385
 changing shape, 667–670
 copying, 377
 cutting. *See* slices.
 displaying as keylines, 603
 distorting, 381
 distributing, 385–386
 editing, 642–643
 erasing, 378
 extruding, 662
 flipping, 383–384, 657–659
 grouping, 384–385
 grouping/ungrouping, 643–644

842 Macromedia Studio 8 All-in-One Desk Reference For Dummies

objects (continued)

- on layers
 - blending, 279–282
 - moving between layers, 278
 - opacity, 278–279
 - renaming, 278
 - transparency, 278–279
- mirroring, 657–659
- modifying. *See* transformations; *specific modifications.*
- moving, 377, 659–660
- moving between layers, 404, 603
- perspective, 660–661, 668–669
- reflecting, 657–659
- reshaping, 378–379
- rotating, 380, 655–657, 662–664
- rotating, 3D, 668–669
- scaling, 380, 650–653, 662–664
- selecting
 - Lasso tool, 377
 - Pointer tool, 640–642
 - Selection tool, 376–377
 - Subselect tool, 379
- skewing, 380, 653–655, 662–664
- slicing, 275–276, 647–648
- stacking order, 644–645
- tapering, 380
- touching objects, 368
- transferring properties, 384
- transforming, 379–382
- visibility, 409
- warping, 381
- ODBC (Open Database Connectivity), 786–787
- OLE (Object Linking and Embedding), 786–787
- on action, 425, 450
- onClipEvent action, 450
- onion skinning, 286–287
- opacity, 252, 278–279
- Optimize panel
 - Delete Settings option, 299
 - description, 298
 - Export Wizard option, 299
 - GIFs, 299–300
 - Interlaced option, 299–300
 - JPEGs, 298–300
 - Load Palette option, 299
 - Optimize to Size option, 299
 - Progressive JPEG option, 299
 - Remove Unused Colors option, 299–300
 - Save Palette option, 299
 - Save Settings option, 298
 - Sharpen JPEG Edges option, 299
 - Show Swatch Feedback option, 299
 - uses for, 181
- Optimize to Size option, 299
- optimizing
 - curves, 382–383
 - GIFs, 299–300
 - image slices
 - compression types, 297
 - GIF compression, 297
 - GIFs, 299–300
 - individual optimization, 291
 - JPEG compression, 297
 - JPEGs, 298–300
 - Optimize panel, 298–300
 - JPEGs, 298–299
 - for the Web, 297
- organizing content, 19–20
- Original view, Fireworks 8, 182
- outlines
 - color, 410, 600–601
 - displaying, 402
 - drawing, 374
 - turning on/off, 410
- Oval Marquee tool, 179, 231
- Oval tool, 369
- ovals, 221, 369, 595
- overlapping slices, 294

p

- packaging options, 726
- padding images, 66
- page encoding, 128
- Page Setup option, 488

- Page tool, 590–591
- pages. *See* Web pages.
- Pages panel, 483–484
- Paint Bucket tool, 181, 373–374
- Paint Bucket/Gradient tool, 181
- painting, 179
- palettes, 304
- panels
 - Contribute 3, 482–487
 - Files, 48–51
 - Fireworks 8
 - collapsing/expanding, 183–184
 - docking, 184–186
 - grouping, 184–186
 - hiding, 184
 - keyboard shortcuts, 184
 - moving, 184–186
 - opening/closing, 183–184
 - ungrouping, 186
 - FreeHand MX, 577–580
 - Properties, 52
 - role of, 51
 - Tag Inspector, 51
- panning, 360–361
- paragraph settings, 619–620
- Paragraph Spacing option, 544–545
- parent layers, 120
- password fields, 99
- passwords, administrators, 530–531
- Paste option, 490
- Paste Text Only option, 490
- pasteboard, 574
- pasting and cutting objects, 490
- Path Scrubber tool, 180
- paths
 - converting to marquee, 188
 - cutting, 180
 - delete when converting..., 188
 - drawing, 180
 - modifying, 180
 - pulling, 180
 - redrawing, 222
 - running text along, 627–630
- Pattern fills, 693
- pattern options, 189
- patterns, gradients, 248, 253
- Patterns preferences, Fireworks 8, 189
- PayPal, 567–568
- PDA accessibility, 33
- PDF files, 21, 563
- Pen tool
 - complex shapes, 222
 - curves, 372
 - FreeHand MX, 597–598
 - placing points, 222
 - straight lines, 372
 - vector drawings, 180
- Pen Tool Options, 188
- Pencil tool, 180, 371–372, 637–638
- permissions
 - deleting, 537
 - edit, 543–545
 - file access, 541–543
 - file deletion, 543
 - folder access, 541–543
 - styles, 546–548
- persistent variables, 794–795
- personal sites, 14
- perspective, 660–661, 668–669
- Perspective tool, 660–661
- photographs as line drawings, 261–262
- photo-realistic images. *See* bitmap images.
- Photoshop Plug-ins, 189
- Photoshop PSD, 315
- PICT files, exporting, 301
- pictures
 - See* bitmap images
 - See* graphics
 - See* illustrations
 - See* images
 - See* vector images
- play action, 425, 449
- Playhead feature, 354
- playing
 - animation, 425
 - movie clips, 449
 - self-playing movies, 445–446
- plug-ins, 19

844 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- PNG files
 - adding tables to, 339–340
 - always use source, 189
 - creating, 177, 339
 - deleting source files, 339
 - editing, 161–162, 337–338
 - exporting, 301
 - importing to Flash 8, 470–471
 - never use source, 189
 - transparency, 443–444
- PNG to HTML export option, 315–316
- point handles, 223
- Pointer tool, 179, 640–641, 662–664
- Pointer Tool Options, 188
- Polygon Lasso tool, 179, 232
- Polygon Slice tool, 277–278
- Polygon tool, 181, 595, 633–634
- Polygonal Hotspot tool, 277
- polygonal slices, 277–278
- polygons
 - drawing, 181, 221, 633–634
 - equilateral, 221
 - polystars, 370–371
 - predefined, 595
 - selecting, 181
- Polystar tool, 370–371
- POP servers, 129
- pop-up menus, 326–330
- portal sites, 13
- POST method, 97–98. *See also* CF.http.
- posting data from forms, 468
- PostScript fills, 693
- pound sign (#)
 - CFML tags, 739–740
 - surrounding text with, 128
- Precise Cursors, 188
- predefined shapes, 631–636
- Preferences option, 490
- Press event, 454
- prevFrame action, 449
- Preview in Browser option, 487
- Preview pane, 307
- Preview view, 182, 306
- Preview/Debug in Browser button, 51
- previewing your work
 - animated GIFs, 289
 - in a browser, 51, 74
 - Fireworks 8, 182–183
 - in a browser, 520–521
 - slices, 306–309
 - Web pages, 487
- prevScene action, 449
- print jobs, previewing, 488
- Print option, 488
- Print Preview option, 488
- printers, page setup, 488
- printing Web pages, 488
- producers, 38
- product sites, 13
- programmers, 38
- progress bars, 458
- Progressive JPEG option, 299
- Properties panel, 52, 358, 577–578
- Property Inspector, 164–165, 182, 237–238
- PSD files, exporting, 301
- Publish as New Page option, 489
- Publish option, 489
- Publish settings dialog box, 435–437
- publishing
 - FreeHand documents as HTML, 703–705
 - Web pages, 489, 520–521, 551–553
- publishing, movies. *See also* deployment; exporting.
 - creating
 - GIF files, 442–443
 - graphic files, 442–444
 - HTML code, 441–442
 - JPEG files, 443
 - PNG files, 443–444
 - projectors, 445–446
 - QuickTime movies, 444–445
 - self-playing movies, 445–446
 - Dreamweaver Sites, 89–90
 - file types, 436
 - HTML files, 436
 - minimizing sound file size, 439
 - optimizing speed, 437–440
 - optimizing text, 438–439

options, setting, 435–437
 simplifying graphics, 438
 sound compression, 439
 SWF files, 436
 testing download time, 439–440
 transparency, 442–443, 445
 push buttons, 458, 461
 Put, file transfer, 50
 Put File(s) button, 50

Q

quality assurance, 39. *See also*
 best practices.
 queries, 787–790, 813. *See also* <CFQUERY>
 tag; SQL queries.
 Quick Export button, 344

R

radio buttons, 458, 460–461
 RDS connections, 85
 Recently Modified report, 91
 Recently Published Pages option, 488
 Recordset feature, 129
 Recordset Paging feature, 130
 Rectangle tool
 FreeHand MX, 595
 rectangles, 369–370, 632–633
 squares, 369–370, 632–633
 vector shapes, 181
 rectangles
 drawing, 181, 219–220, 369–370, 632–633
 editing, 225
 modifying, 224
 moving, 225
 predefined, 595
 rectangular slices, 277–278
 Red Eye Removal tool, 179–180
 Redo option, 490
 redoing actions, Contribute 3, 490
 Redraw Path tool, 180, 222
 Redundant Nested Tags report, 92

Reference tab, 124
 Reflect command, 658–659
 reflecting objects, 657–659
 Refresh button, 50–51, 485
 Refresh Drafts option, 491
 refreshing local file list, 77
 registration marks, 590
 relational databases, 783–786
 relative paths, 35
 Release event, 454
 Release Outside event, 454
 remote connections, setting up, 82–85
 Removable Empty Tags report, 92
 Remove Unused Colors option, 299–300
 removeClipEvent action, 450
 renaming
 colors, 683–684
 frames, 284
 keyboard shortcuts, Flash 8, 363
 layers, 405, 410
 objects, 278
 scenes, 426
 reordering
 layers, 268–269, 406. *See also* stacking
 order.
 scenes, 426
 Repeated Region feature, 129
 Replace Color tool, 179–180
 replacement colors, 179–180
 reports, Dreamweaver Sites, 90–92
 requirements, best practices, 32–33
 requirements definition, 32
 Reset Form button, 100–101
 Reshape Area tool, 180
 reshaping objects, 378–379
 resizing
 canvas, 198–203
 documents, 198–201
 fonts, 210–211
 frames, 414
 FreeHand MX documents, 585–586
 images, 65–66, 198–201
 layers, 120
 slices, 295–296

846 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

text, 61, 505
 text boxes, 216–217, 612–613
 Web pages, 56
 resolution
 FreeHand MX documents, 590
 screen, 32, 56
 review history, drafts of Web pages, 491
 reviewing drafts of Web pages, 489
 RGB (Red Green Blue)
 mixing, 675–676
 RGB color mode, 340
 roles
 deleting, 538–539
 edit permissions, 543–545
 file access permissions, 541–543
 file deletion permission, 543
 file size limits, 556–558
 folder access permissions, 541–543
 fonts permissions, 546–548
 image editing permissions, 556–558
 page creation permissions, 548–551
 setting up, 538
 settings, editing, 539–540
 settings, general, 540–541
 style permissions, 546–548
 Roll Back... option, 489
 Roll Out event, 454
 Roll Over event, 454
 Rollback feature, 535–536
 rolling back Web pages, 489
 rollovers
 button, 321–324
 buttons, 142–144, 285–286
 frames, 285–286
 images, 144–145
 text, 139–141
 Rotate command, 656–657
 rotating
 graphics, 243–245
 objects, 380, 655–657, 662–664
 objects in 3D, 668–669
 text, 245–246
 Rounded Rectangle tool, 181
 rounded rectangles, 181

roundtrip HTML
 definition, 336
 editing tables, 338–340
 rows, table, 515–516
 Rubber Stamp tool, 179–180
 rulers
 Document window, 55–57
 documents, 592
 FreeHand MX documents, 592
 text boxes, 609–610

S

saturation adjustments, 255, 257–258
 Save for Later option, 487
 Save option, 487
 Save Palette option, 299
 Save Settings option, 298
 saving
 documents, 197–198
 frames, 106
 framesets, 106
 FreeHand MX documents, 604–606
 Web pages, 487–488
 Scale command, 652–653
 Scale tool, 179, 236–237
 scaling
 bitmap images
 description, 235
 by numerical value, 237–238
 with Property Inspector, 237–238
 with Scale tool, 236–237
 graphics
 description, 235
 by numerical value, 237–238
 with Property Inspector, 237–238
 with Scale tool, 236–237
 objects
 Free Transform tool, 380
 manually, 651–652
 Pointer tool, 662–664
 Scale command, 652–653
 Scale/Skew/Distort tool, 179
 text horizontally, 622–623

- vector images
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
- scenes
 - adding, 426
 - definition, 350
 - deleting, 426
 - duplicating, 426
 - go to, 449
 - renaming, 426
 - reordering, 426
 - Timeline organization, 352
 - viewing, 426
- screen resolution, 32, 56
- scroll panes, 458, 462–463
- scrolling the Timeline, 415
- security
 - best practices, 35–36
 - code protection, 35–36
 - ColdFusion Administrator, 726
 - digital certificates, 36
 - hackers, protecting against, 35–36
 - preferences, setting, 495–496
- Select All option, 490
- Select Behind tool, 179
- SELECT command, 756–757
- Select tools, 177, 179
- selecting
 - areas, 180
 - bitmap images
 - contiguous colors, 233
 - irregular areas, 232
 - oval areas, 231
 - polygonal areas, 232–233
 - rectangular areas, 231
 - colors, 181
 - frames, 415
 - FreeHand MX pages, 590–591
 - layers, 112–113, 404
 - objects
 - in drafts of Web pages, 490
 - Lasso tool, 377
 - Pointer tool, 640–642
 - Selection tool, 376–377
 - Subselect tool, 379
 - polygons, 179
 - text, 376–377, 506
- Selection tool
 - reshaping objects, 378–379
 - selecting objects, 376–377
 - smoothing, 382
 - straightening, 382
- Send for Review option, 489
- servers
 - behaviors, ColdFusion, 135–136
 - POP, ColdFusion, 129
 - testing, 86
 - variables, ColdFusion, 127
- server-side ActionScript, 474
- services options, 725
- session variables, 795–796
- sessions, 794–796
- setProperty action, 450
- shadows
 - adding to images, 262
 - auto shapes, 262
 - Shadow tool, 669–670
- Shape tween feature, 355
- shape tweening, 355, 422–424
- shapes
 - See* bitmap images
 - See* graphics
 - See* illustrations
 - See* images
 - See* vector images
- Share Layers Between Frames, 190
- shared assets, 553–556
- Sharpen JPEG Edges option, 299
- Sharpen tool, 180
- sharpening images, 180, 259–261
- Shockwave, inserting, 151–152
- Show Code and Design Views button, 50
- Show Code View button, 50
- Show Design View button, 50
- Show Region feature, 129
- Show Swatch Feedback option, 299

848 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- showing/hiding
 - layers, 402, 410, 603
 - objects on layers, 603
- shuffling layers, 268–269
- sidebar, showing/hiding, 490
- Sidebar option, 490
- site maps, 87
- site-related buttons, 50
- sites. *See* Web sites.
- size. *See* resizing.
- Skew command, 654–655
- Skew tool, 179, 238–241
- skewing
 - definition, 239
 - versus* distorting, 239
- images, 240–241
 - objects
 - Free Transform tool, 380
 - manually, 653–654
 - Pointer tool, 662–664
 - Scale/Skew/Distort tool, 179
 - Skew command, 654–655
 - text, 241–243
- slash (/), CFML tags, 738
- slashes (//), comment indicator, 451
- Slice tool, 276–277
- slices. *See also* layers.
 - 2-up view, 306–308
 - 4-up view, 306, 308–309
 - advantages of, 291–292
 - aligning, 295
 - canvases, 277–278
 - creating, 174–176, 293–297
 - definition, 275
 - duplicating, 296–297
 - editing, 293–297
- GIFs
 - Animated GIF Web Snap 128
 - settings, 303
 - compression, 297
 - creating, 303–305
 - custom settings, 304–305
 - default settings, 303–304
 - GIF Adaptive 256 settings, 304
 - GIF Web 216 settings, 303
 - GIF Web Snap 128 settings, 303
 - GIF Web Snap 256 settings, 303
 - optimizing, 299–300
 - transparency, 305
 - gradual download, 292
 - hotspots, 309–310
 - image compression, 297
 - JPEGs
 - compression, 297
 - creating, 300–302
 - custom settings, 301–303
 - default settings, 300–301
 - file size, 300
 - optimizing, 298–299
 - picture quality, 300
 - moving, 294–295
 - naming, 293–294
 - objects, 275–276, 647–648
 - optimizing images
 - compression types, 297
 - GIF compression, 297
 - GIFs, 299–300
 - individual optimization, 291
 - JPEG compression, 297
 - JPEGs, 298–300
 - Optimize panel, 298–300
 - overlapping, 294
 - polygonal, 277–278
 - Preview pane, 307
 - Preview view, 306
 - previewing, 306–309
 - rectangular, 277–278
 - resizing, 295–296
- smoothing curves, 382
- Smudge tool, 180, 669
- smudging, 180, 669. *See also* blurring.
- snapping to grids, 55–57
- Snippets tab, 124
- Soft Interpolation, 187
- soft interpolation, 187, 199
- soft launch, 38
- softening edges, 383
- software tools. *See* tools.

- sound. *See also* audio; Flash 8.
 - ADPCM compression, 432
 - AIFF format, 427
 - bit rate, 428
 - button symbols, 399
 - channels, 428
 - compression, 432
 - editing, 430–431
 - file formats, 427
 - importing, 428–429
 - in movies, 429–430
 - MP3 compression, 432
 - MP3 format, 427
 - muting, 449. *See also* volume control.
 - properties, setting, 432–433
 - Raw compression, 432
 - reducing file size, 427
 - sample rate, 428
 - trimming ends, 431
 - volume control, 431. *See also* muting.
 - WAV format, 427
- Sound feature, 355
- Sound Properties dialog box, 432
- Source as Layers mode, 344
- Source as Slices mode, 344
- source control, 93
- SourceSafe connections, 85
- special characters, 181, 209
- Special Characters panel, 181
- special effects, graphic. *See*
 - transformations; *specific effects*.
- spell check, 610–612
- Spiral tool, 635–636
- spirals, 635–636
- Split view, 46–47, 51
- splitting vector images, 225–226
- spreadsheets, 21
- SQL For Dummies*, 755
- SQL queries. *See also* CF .query.
 - columns, 754
 - creating, 756–758
 - DELETE command, 757
 - examples, 755
 - identity keys, 754
 - INSERT command, 758
 - metadata, 753
 - outputting to the screen, 758–759. *See also* <CFOUTPUT> tag.
 - retrieving data, 756–757
 - sample database, 754
 - SELECT command, 756–757
 - SQL commands, 756–758
 - SQL elements, 754
 - table data
 - deleting, 757
 - inserting, 758
 - looping through, 759
 - updating, 758
 - unique identifiers, 754
 - UPDATE command, 758
 - wildcards, 755
- squares
 - drawing, 219–220, 369–370, 632–633
 - predefined, 595
- stacking order
 - layers, 117–119. *See also* reordering.
 - objects, 644–645
- stacking panels, 357
- stage
 - definition, 350
 - description, 350–351
 - panning, 360–361
 - viewing, 360–361
 - zooming, 360–361
- Standard mode, 47–48
- Start Page, 176–177
- Start page, 44–46
- startDrag action, 450
- states, button symbols, 398
- stop
 - animation, 425
 - movies, 449
 - sounds, 449
- stop action, 425, 449
- Stop button, 485
- stop playing animations, 425
- stopAllSounds action, 449
- stopDrag action, 450

850 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- Stored Procedure feature, 129
- straight lines, drawing
 - Line tool, 180, 368–369, 598
 - Pen tool, 372
- straightening lines, 382
- strings
 - length, returning, 771–772
 - trimming blanks, 773
- strokes
 - categories of, 229
 - color, 374, 600–601
 - color, mixing, 679
 - definition, 571
 - line size, varying, 638–639
 - modifying, 686–688
- structured data sets
 - arrays. *See also* lists; structures.
 - creating, 776–780
 - definition, 773
 - two-dimensional, 779–780
 - using, 777–779
 - lists. *See also* arrays; structures.
 - creating, 774–775
 - definition, 773
 - structures. *See also* arrays; lists.
 - definition, 773
 - functions for, 782
 - using, 780–782
- structures. *See also* arrays; lists.
 - definition, 773
 - functions for, 782
 - using, 780–782
- Studio 8
 - tools included with, 14–15
 - uses for, 23–24
- style sheets, best practices, 33
- styles
 - fonts, 616–617
 - permissions, 546–548
 - text, 61, 505, 617–618
- Submit button, 100–101
- Subselect tool, 379
- Subselection tool, 179, 641
- Surround with # button, 128
- Swap Image behavior, 324–326
- swapping images, 324–326
- Swatches tab
 - adding colors to. *See also* Mixer tab; System Color Picker.
 - custom colors, 679–680, 685
 - preset colors, 683
 - exporting color palettes, 684–685
 - overview, 681–682
 - renaming colors, 683–684
- SWF files
 - from Contribute 3 documents.
 - See* FlashPaper.
 - editing links in, 166–167
 - exporting, 301, 315
 - publishing movies as, 436
- symbols. *See also* components.
 - button
 - animation, 399
 - creating, 398–399
 - definition, 391
 - inserting on Stage, 399
 - interactivity, 400
 - sounds, 399
 - states, 398
 - testing, 400
 - graphic
 - creating, 393–394
 - definition, 391
 - editing, 394–395
 - inserting on Stage, 394
 - instance of, 392–393
 - movie clip
 - converting from animation, 397
 - creating, 396
 - definition, 391
 - uses for, 395
 - qualities of, 392
- system administration. *See* administering Web sites.
- System Color Picker, 677–678. *See also* Mixer tab; Swatches tab.

T

- Table menu, 492
- tables
- adding, 70–72
 - adding data to, 511–512
 - cells
 - images, adding/deleting, 74
 - selecting, 47–48
 - storing information in, 74
 - text, adding/deleting, 74
 - cells, selecting, 515–516
 - columns, selecting, 515–516
 - deleting, 72
 - documents in, 519–520
 - Flash movies, 517
 - header rows, 514
 - images, 516–517
 - inserting in Web pages, 510–511
 - layout, 72–74
 - links, 517–519
 - modifying, 512–516
 - nesting, 73
 - positioning objects, 70
 - row height, 515
 - rows, selecting, 515–516
 - selecting, 47–48
 - Web layers, 275
 - wrapping text, 514
- Tag Inspector panel, 51
- tags, CFML. *See also specific tags.*
- # (pound sign), 739–740
 - choosing, 129
 - creating, 127–129, 740–742
 - customizing, 804–806
 - definition, 738
 - editing, 130
 - importing, 129
 - summary of, 739
 - syntax, 738
- tangent lines, 379
- tapering objects, 380
- targets
- forms, 98
 - frame content, 107–109
- teams, 38–39. *See also* collaboration; Contribute 3.
- technical design, best practices, 33
- templates, 152–156, 566–567, 747–750
- test expressions, 751
- testing
- best practices, 36–38
 - button symbols, 400
 - servers, 86
- text. *See also* Fireworks 8.
- adding, 60–63, 504
 - aligning, 62, 506
 - aligning along a path, 217
 - alternative for images, 66
 - alternative to graphics, 208
 - background color, 507–508
 - bold, 62, 506
 - breaking apart, 385
 - bulleted lists, 509
 - character spacing, 208
 - color, 58, 61, 506–507
 - content, 19
 - copying, 376–377
 - creating, 209–210, 374–376
 - deleting, 60–63, 215
 - distorting, 241–243
 - editing, 60–63, 160–161
 - erasing, 378
 - fields, in forms, 99–100
 - finding, 490
 - Flash, 139–141
 - flipping, 247
 - fonts
 - changing, 210
 - color, 211–214
 - faces, 505
 - properties, 58
 - resizing, 210–211
 - selecting, 61, 210–211
 - formatting. *See* formatting text.
 - graphic, 207–208
 - HTML, 207–208
 - in illustrations, 595
 - input areas, 458, 464–465
 - inserting, 214
 - italic, 62

852 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

text (*continued*)

- italics, 506
- kerning, 208
- leading, 208
- line breaks, 63
- line spacing, 208
- links, 62
- moving, 216, 376–377
- numbered lists, 508–509
- pictures of, 207–208
- placing and editing, 180
- properties, 375–376
- in relation to images, 67
- replacing, 215–216
- rollovers, 139–141
- rotating, 245–246
- selecting, 376–377, 506
- size, 61, 505
- skewing, 241–243
- special characters, 181, 209
- style, 61
- styles, 505, 617–618
- tools for, 614–615
- transforming, 379–382
- types of, 207–208
- wrapping, 514
- text areas, 458, 464
- text boxes
 - auto-expanding, 608, 613–614
 - characteristics, changing, 613–614
 - deleting, 612
 - fixed-size, 608–609, 613–614
 - formatting text
 - alignment, 619
 - along paths, 627–630
 - baseline shift, 626
 - color, 618–619
 - columns and rows, 621–622
 - copying attributes, 623
 - fonts, 616–617
 - kerning, 625–626
 - leading, 625
 - letter spacing, 625–626
 - line spacing, 625
 - paragraph settings, 619–620
 - scaling horizontally, 622–623
 - size, 616–617
 - styles, font, 616–617
 - styles, text, 617–618
 - tools for, 614–615
 - visual effects, 623–624
 - moving, 216, 612
 - resizing, 216–217, 612–613
 - rulers, 609–610
 - spell check, 610–612
- Text menu, 353
- Text tool
 - auto-expanding text boxes, 608
 - creating text, 209–210, 374–376
 - fixed-size text boxes, 608–609
 - text in illustrations, 595
 - vector shapes, 180
- Text toolbar, 576, 614
- texture options, 189
- textured fills, 693
- textures, gradients, 253–254
- Textures preferences, 189
- 3D Rotation tool, 668–669
- three-tier architecture, 712
- thumbnail display, 589–590
- TIFF files, exporting, 301
- tiled fills, 691–692
- tiling background images, 58
- time/date format, 772
- Timeline
 - animation length, changing, 415
 - control actions, 449
 - displaying, 354
 - features, 354–355
 - frame rate, 414
 - frames
 - adding, 415
 - appearance, changing, 414
 - comments, 414
 - copying and pasting, 415
 - deleting, 415
 - description, 351
 - go to specific, 414
 - keyframes, 415, 416–417
 - labels, 414

- moving, 415
- resizing, 414
- selecting, 415
- using, 416–417
- illustration, 413
- jerky movement, 414
- scrolling, 415
- tints, 680–681
- titles, setting, 60
- Tools panel, 177–181, 356–357, 368
- tooltips, 178–179, 191
- topical content organization, 20
- Trace tool, 664–666
- tracing images, 60, 664–666
- tracking changes. *See* Design Notes.
- transferring properties, 384
- Transform panel, 579
- transformations
 - distorting
 - definition, 239
 - images, 239–240
 - objects, 381
 - versus* skewing, 239
 - text, 241–243
 - flipping
 - images, 246
 - text, 247
 - Free Transform tool, 379–382
 - mirroring. *See* flipping.
 - objects, 379–382
 - rotating
 - graphics, 243–245
 - objects, 380
 - text, 245–246
 - scaling bitmap images
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
 - scaling graphics
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
 - scaling objects, 380
 - scaling vector images
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
 - skewing
 - definition, 239
 - versus* distorting, 239
 - images, 240–241
 - objects, 380
 - text, 241–243
 - tapering, 380
 - text, 379–382
 - warping, 381
- transparency
 - alpha transparencies, 335
 - Convert to Alpha filter, 261–262
 - GIFs, 305
 - images, 60
 - objects, 278–279
- Trim() function, 773
- tutorials, 52–53, 190–191
- tweening. *See* motion tweening; shape tweening.
- 2-up view, 182, 306–308

U

- underline style, selecting, 59
- Undo option, 490
- Undo Send option, 489
- Undo Steps, 187
- undoing actions, Contribute 3, 490
- ungrouping panels, 186
- unloadMovie action, 450
- Unsharp Mask filter, 260–261
- Untitled Documents report, 92
- UPDATE command, 758
- Update Record feature, 130
- updateAfterEvent action, 450
- uploading Web pages. *See* publishing.
- Use Flat Composite Image, 190
- User Authentication feature, 130

854 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

user interface, Studio 8 products. *See specific products.*

user interface, Web pages. *See also forms.*

components

- check boxes, 458, 460
- combo boxes, 458, 461–462
- creating, 458–460
- definition, 457
- labels, 458, 463
- list boxes, 458, 462
- loaders, 458, 464
- numeric stepper, 458, 465
- progress bars, 458
- properties, setting, 465
- push buttons, 458, 461
- radio buttons, 458, 460–461
- scroll panes, 458, 462–463
- text areas, 458, 464
- text input areas, 458, 464–465
- windows, 458, 465

design, best practices, 33

users, setting up, 537–539

U

Validate Markup button, 50

variability and Web design, 205

Variable Stroke Pen tool, 638–639

variables, CFML

binary, 744

complex, 744

creating, 761–764

data types, 744

definition, 738, 761

generated by ColdFusion, 768

naming, 742–743

nonpersistent, 794–795

objects, 744

persistent, 794–795

querying, 768

scope, 742–744

session, 795–796

setting, 128. *See also* <CFSET> tag.

simple, 744

testing for, 764–767

validating, 771

vector images

See also bitmap images

See also FreeHand MX

See also graphics

See also illustrations

See also images

45-degree lines, 219

Auto Shapes menu, 222–224

brushlike effects, 372–373

circles, 369, 595

color, 226–228

complex shapes, 222–224

connecting points, 222

converting to marquees, 231

corner points, 223

curve points, 223

curves, 223, 372, 382–383

custom shapes, 597–598

deleting, 224–225

drawing, 181, 222

editing, 224–225

ellipses, 181, 595

filling enclosed shapes, 373–374

fills, 598–600

Flash 8, 349–350

free form lines, 180

free-form straight lines, 223

gradients, 249–252

lines

free form, 371–372

Line tool, 218–219

Pen tool, 180

straight, 368–369, 372

straightening, 382

stroke color, changing, 374

modifying, 180

moving, 224–225

objects

aligning, 385–386

breaking apart, 385

copying, 377

distorting, 381

- distributing, 385–386
- erasing, 378
- flipping, 383–384
- grouping, 384–385
- moving, 377
- reshaping, 378–379
- rotating, 380
- scaling, 380
- skewing, 380
- tapering, 380
- touching objects, 368
- transferring properties, 384
- transforming, 379–382
- warping, 381
- objects, selecting
 - Lasso tool, 377
 - Selection tool, 376–377
 - Subselect tool, 379
- outlines, 600–601
- outlining shapes, 374
- ovals, 221, 369, 595
- paths
 - cutting, 180
 - drawing, 180
 - modifying, 180
 - pulling, 180
 - redrawing, 222
- point handles, 223
- polygons, 181, 221, 370–371, 595
- rectangles, 181, 219–220, 224, 369–370, 595
- rounded rectangles, 181
- scaling
 - description, 235
 - by numerical value, 237–238
 - with Property Inspector, 237–238
 - with Scale tool, 236–237
- smoothing curves, 382
- softening edges, 383
- splitting, 225–226
- squares, 219–220, 369–370, 595
- straight lines, 180, 598
- strokes, 600–601
- text, 595
- transferring properties, 384
 - uses for, 572–573
 - vector paths, 180
- vector masks, 271, 274–275
- Vector Path tool, 180, 222
- Vector tools, 177, 180–181
- video. *See also* animation; movies.
 - codecs, 428
 - compression, 428
 - file formats, 428
 - rules for using, 148
- video clips
 - embedding, 149
 - linking to, 150
 - in movies, 433–434
- video content, 19
- View menu, 353, 490–491
- View Options button, 51
- View tools, 178
- views
 - code, 44, 46–47, 50
 - code and design, 50
 - design, 46–47, 50–51
 - Dreamweaver 8, 46–47
 - Fireworks 8, 182–183
 - split, 46–47, 51
 - WYSIWYG, 44
- visibility
 - layers, 116–117
 - nested layers, 117, 120
 - objects, 409
- Visual Aids button, 51
- visual effects, text, 623–624
- volume control, 431. *See also* muting.


W

- warping objects, 381
- WBMP files, exporting, 301
- Web application server
 - configuring, 717–718
 - installing, 714–717
 - role of, 710, 712
 - server-wide settings, 724–725
- Web connections, best practices, 37

856 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

- Web design
 - best practices
 - designers, 38
 - feature design, 33
 - graphics design, 33
 - interface design, 33
 - site design, 33
 - technical design, 33
 - graceful degradation, 205
 - variability and, 205
- Web host, connecting to, 50
- Web layers
 - cutting objects, 276–277
 - definition, 263
 - illustration, 175
 - slices
 - canvases, 277–278
 - definition, 275
 - objects, 275–276
 - polygonal, 277–278
 - rectangular, 277–278
 - tables, 275
- Web pages
 - See also* documents
 - See also* Dreamweaver Sites
 - See also* Web sites
 - architecture, 747–750
 - background color, selecting, 58
 - browsing, 485–486, 491
 - clearing, 490
 - creating, 45, 57, 486–487, 503–504
 - data gathering. *See* forms.
 - deleting, 488–489
 - drafts
 - deleting, 489
 - inserting items, 491
 - opening, 488
 - review history, 491
 - reviewing, 489, 520, 522–523
 - selecting objects, 490
 - dynamic, 709–711. *See also* CFML; ColdFusion.
 - editing, 486–490, 502
 - executing JavaScript from, 450
 - exporting, 488
- FreeHand MX documents
 - adding, 586–587
 - deleting, 587, 590–591
 - duplicating, 587
 - Master Pages, 587–589
 - rearranging, 590–591
 - selecting, 590–591
 - graphical content. *See* images.
 - headings, defining, 59
 - hyperlinks, 450
 - layout. *See* forms; frames; tables.
 - link color, setting, 59
 - link fonts, selecting, 59
 - links to, 517–518
 - margins, setting, 58
 - new page defaults, 536–537
 - opening, 58
 - page titles, setting, 60
 - permissions, 548–551
 - previewing, 487
 - printing, 488
 - properties, setting, 58–60
 - publishing, 489
 - recently published, viewing, 488
 - reviewing, 489
 - rolling back, 489
 - saving, 487–488
 - screen resolution, 56
 - sizing, 56
 - tabular content. *See* tables.
 - textual content. *See* text.
 - underline style, selecting, 59
 - Web. *See* Web pages.
- Web phone accessibility, 33
- Web server settings, 532–535
- Web sites. *See also* Dreamweaver sites;
Web pages.
 - administrator access, 490
 - application sites, 13
 - audience analysis, 11
 - commerce sites, 13
 - connection maintenance, 490
 - content considerations, 11
 - debugging, 733–734

- developing content. *See* content development.
 - development process. *See* best practices.
 - development tools. *See* tools.
 - dynamic, 709–711. *See also* CFML; ColdFusion.
 - format selection, 11
 - go to home page, 486, 490
 - interface selection, 11
 - navigating, 486, 491
 - news sites, 13
 - personal sites, 14
 - portal sites, 13
 - prerequisites, 15–16
 - product sites, 13
 - reasons for creating, 9–10
 - reasons for visiting, 12
 - site connections
 - connection key, 498–499
 - Connection Wizard, 499–501
 - type, choosing, 13–14
 - workload management, 11
 - Web tools, 178
 - WebDAV connections, 85
 - Web-safe colors, 32, 204–206, 386
 - wildcards, SQL queries, 755
 - window components, 458, 465
 - Window menu, 353
 - Word, 21
 - word processors, 21
 - Work Offline option, 488
 - working offline, 521
 - workload management, 11
 - workspace, selecting, 44
 - Workspace Startup dialog box, 44
 - wrapping text, 514
 - WYSIWYG view, 44
-
- X**
-
- XML, code validation, 156
 - XSL Transformation feature, 130
 - Xtra Operations, 670–671
 - Xtra Operations toolbar, 576
 - Xtra tools, 667–670
 - Xtras toolbar, 577
-
- Z**
-
- z-index, layers, 117–119
 - Zoom tool, 360–361



858 *Macromedia Studio 8 All-in-One Desk Reference For Dummies*

